



RECEIVED

By Alameda County Environmental Health at 4:04 pm, Nov 26, 2013

Brian A. Waite, P.G.
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6486
bwaite@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 90121
3026 Lakeshore Avenue
Oakland, CA

I have reviewed the attached report entitled *Second Semi-Annual 2013 Groundwater Monitoring and Sampling Report*.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Brian A. Waite

Digitally signed by Brian A. Waite
DN: cn=Brian A. Waite, o=Chevron Environmental Management
Company, ou, email=bwaite@chevron.com, c=US
Date: 2013.11.20 05:42:00 -0800

Brian A. Waite, P.G.
Project Manager

Attachment: *Second Semi-Annual 2013 Groundwater Monitoring and Sampling Report*



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
<http://www.craworld.com>

November 20, 2013

Reference No. 311973

Mr. Mark Detterman
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Second Semi-Annual 2013
Groundwater Monitoring and Sampling Report
Former Chevron Service Station 90121
3026 Lakeshore Avenue
Oakland, California
Fuel Leak Case RO0000284

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *Second Semi-Annual 2013 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (BTS) of San Jose, California. BTS's *Third Quarter 2013* monitoring and sampling data package is included as Attachment A. Current and historical groundwater monitoring and sampling data are presented in Table 1 and current data are shown on Figure 2. Eurofins Lancaster Laboratory Environmental, LLCs' *Analytical Results* report is included as Attachment B.

Equal
Employment Opportunity
Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

November 20, 2013

Reference No. 311973

- 2 -

Please contact Nathan Lee at (925) 849-1003 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES



N. Scott MacLeod, PG 5747

NL/aa/19

Encl.

| | |
|--------------|---|
| Figure 1 | Vicinity Map |
| Figure 2 | Groundwater Elevation and Hydrocarbon Concentration Map |
| Table 1 | Groundwater Monitoring and Sampling Data |
| Attachment A | Monitoring Data Package |
| Attachment B | Laboratory Analytical Report |

cc: Brian Waite, Chevron (*electronic copy*)
Diocese of Oakland
Michael E. Delehunt Foley & Lardner LLP
William Spencer, FWS Highland LLC

FIGURES





Figure 1
VICINITY MAP
FORMER CHEVRON SERVICE STATION 90121
3026 LAKESHORE AVENUE
Oakland, California





HISTORIC GROUNDWATER FLOW DIRECTION
1991 THROUGH SEPTEMBER 2012





Figure 2
GROUNDWATER ELEVATION AND HYDROCARBON CONCENTRATION MAP
FORMER CHEVRON SERVICE STATION 90121
3026 LAKESHORE AVENUE
Oakland, California
September 25, 2013



TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCs | | | | | ADDITIONAL VOCs | GENERAL CHEMISTRY | | | | | | |
|----------|------------|------|------|---------|--------|---------------|--------------|---------------------|--------------------|-------------------|---------|--------------|------|-------|-------|----------------|-----------------|-------------------|---------|------------------|---------|------------------------|------|-----|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-1 | 08/20/1991 | 6.82 | 5.20 | 1.62 | 0.00 | 0.00 | - | - | 260 | - | 5,100 | 1,700 | 21 | 220 | 34 | - | - | - | - | - | - | - | - | - |
| MW-1 | 09/30/1991 | 6.82 | 5.67 | 1.15 | Sheen | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-1 | 10/28/1991 | 6.82 | 5.30 | 1.50 | 0.03 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-1 | 01/08/1992 | 6.82 | 5.15 | 1.67 | Sheen | 0.00 | - | - | 4,400 | - | 5,400 | 770 | 13 | 95 | 31 | - | - | - | - | - | - | - | - | - |
| MW-1 | 01/13/1992 | 6.82 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-1 | 06/23/1992 | 6.89 | 5.41 | 1.48 | 0.00 | 0.00 | - | - | 2,000 | - | 7,700 | 1,500 | 40 | 230 | 100 | - | - | - | - | - | - | - | - | - |
| MW-1 | 08/24/1992 | 6.89 | 5.77 | 1.12 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-1 | 09/21/1992 | 6.89 | 5.89 | 1.00 | 0.00 | 0.00 | - | - | <50 | - | 3,500 | 1,700 | 28 | 190 | 78 | - | - | - | - | - | - | - | - | - |
| MW-1 | 10/26/1992 | 6.89 | 5.94 | 0.95 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-1 | 12/23/1992 | 6.89 | 4.71 | 2.18 | 0.00 | 0.00 | - | - | 5,500 | - | 60,000 | 7,100 | 240 | 2,000 | 1,300 | - | - | - | - | - | - | - | - | - |
| MW-1 | 01/08/1993 | 6.89 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-1 | 03/25/1993 | 6.89 | 4.72 | 2.17 | 0.00 | 0.00 | - | - | <10 | - | 530 | 1,100 | 41 | 67 | 79 | - | - | - | - | - | - | - | - | - |
| MW-1 | 06/11/1993 | 6.89 | 5.07 | 5.37 | 0.00 | 0.00 | - | - | - | - | 7,000 | 1,900 | 33 | 120 | 69 | 9,600 | - | - | - | - | - | - | - | 840 |
| MW-1 | 09/29/1993 | 6.89 | 5.76 | 1.13 | 0.00 | 0.00 | - | - | <10 | - | 6,600 | 1,600 | 28 | 43 | 74 | - | - | - | - | - | - | - | - | - |
| MW-1 | 12/20/1993 | 6.89 | 5.15 | 1.74 | 0.00 | 0.00 | - | - | <10 | - | 6,300 | 1,900 | 36 | 82 | 65 | - | - | - | - | - | - | - | - | - |
| MW-1 | 03/07/1994 | 6.89 | 4.68 | 2.21 | 0.00 | 0.00 | - | - | <10 | - | 7,700 | 1,100 | 55 | 66 | 38 | 12,000 | - | - | - | - | - | - | - | - |
| MW-1 | 06/17/1994 | 6.89 | 5.06 | 1.83 | 0.00 | 0.00 | - | - | 2,200 | - | 4,300 | 710 | 12 | 90 | 38 | - | - | - | - | - | - | - | - | - |
| MW-1 | 09/12/1994 | 6.89 | 5.65 | 1.24 | 0.00 | 0.00 | - | - | 2,500 | - | 6,400 | 1,500 | <25 | 180 | <25 | 12,000 | - | - | - | - | - | - | - | - |
| MW-1 | 11/30/1994 | 6.89 | 4.57 | 2.32 | 0.00 | 0.00 | - | - | 2,300 ¹ | - | 4,900 | 690 | 26 | 97 | 60 | 3,900 | - | - | - | - | - | - | - | - |
| MW-1 | 03/24/1995 | 6.89 | 2.98 | 3.91 | 0.00 | 0.00 | - | - | 1,400 ² | - | 1,800 | 160 | 7.3 | 11 | 14 | 1,300 | - | - | - | - | - | - | - | - |
| MW-1 | 06/27/1995 | 6.89 | 5.02 | 1.87 | 0.00 | 0.00 | - | - | 2,300 ² | - | 4,600 | 1,300 | 11 | 97 | 13 | 5,100 | - | - | - | - | - | - | - | - |
| MW-1 | 09/28/1995 | 6.89 | 5.30 | 1.59 | 0.00 | 0.00 | - | - | 3,900 ² | - | 6,600 | 1,500 | <20 | <20 | <20 | 5,800 | - | - | - | - | - | - | - | - |
| MW-1 | 12/19/1995 | 6.89 | 4.68 | 2.21 | 0.00 | 0.00 | - | - | 2,600 ² | - | 3,800 | 930 | <10 | 100 | <10 | 6,300 | - | - | - | - | - | - | - | - |
| MW-1 | 02/28/1996 | 6.89 | 3.62 | 3.27 | 0.00 | 0.00 | - | - | 1,800 ² | - | 3,600 | 280 | <5.0 | 18 | 5.5 | 2,200 | - | - | - | - | - | - | - | - |
| MW-1 | 06/25/1996 | 6.89 | 5.02 | 1.87 | 0.00 | 0.00 | - | - | 3,000 | - | 4,700 | 1,600 | 36 | 150 | 31 | 3,000 | - | - | - | - | - | - | - | - |
| MW-1 | 12/17/1996 | 6.89 | 4.66 | 2.23 | 0.00 | 0.00 | - | - | 2,700 ³ | - | 7,800 | 1,000 | 28 | 340 | 63 | 1,200 | - | - | - | - | - | - | - | - |
| MW-1 | 03/31/1997 | 6.89 | 4.88 | 2.01 | 0.00 | 0.00 | - | - | 2,200 ² | - | 5,300 | 590 | 55 | 210 | 53 | 950 | - | - | - | - | - | - | - | - |
| MW-1 | 06/30/1997 | 6.89 | 5.57 | 1.32 | 0.00 | 0.00 | - | - | 2,200 ² | - | 4,400 | 350 | <10 | <10 | 11 | 580 | - | - | - | - | - | - | - | - |
| MW-1 | 09/12/1997 | 6.89 | 5.33 | 1.56 | 0.00 | 0.00 | - | - | 2,300 ² | - | 3,400 | 220 | 9.5 | 15 | 11 | 460 | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | |
|----------|-----------------------------|------|------|---------|--------|---------------|--------------|---------------------|--------------------|-------------------|---------------------|--------------|-------|------|-------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-1 | 12/05/1997 | 6.89 | 4.45 | 2.44 | 0.00 | 0.00 | - | - | 1,900 ² | - | 4,700 | 870 | 21 | 120 | 18 | 750 | - | - | - | - | - | - | - |
| MW-1 | 02/16/1998 | 6.89 | 3.37 | 3.52 | 0.00 | 0.00 | - | - | 1,600 ² | - | 4,400 | 120 | 12 | 11 | 7.7 | 270 | - | - | - | - | - | - | - |
| MW-1 | 06/17/1998 | 6.89 | 4.65 | 2.24 | 0.00 | 0.00 | - | - | 1,300 ² | - | 7,800 | <25 | 50 | 34 | 650 | 650 | - | - | - | - | - | - | - |
| MW-1 | 08/31/1998 | 6.89 | 5.19 | 1.70 | 0.00 | 0.00 | - | - | 2,400 ² | - | 3,700 | 620 | 17 | 120 | 31 | 380 | - | - | - | - | - | - | - |
| MW-1 | 12/28/1998 | 6.89 | 4.95 | 1.94 | 0.00 | 0.00 | - | - | 1,500 ² | - | 3,800 | 250 | 14 | 28 | 15 | 330 | - | 4900 | <1,000 | 390000 | <1,000 | - | - |
| MW-1 | 03/04/1999 | 6.89 | 3.65 | 3.24 | 0.00 | 0.00 | - | - | 1,070 ² | - | 1,560 | 17.9 | <0.5 | 4.17 | 1.05 | 70.4 | - | - | - | - | - | - | - |
| MW-1 | 06/14/1999 | 6.89 | 5.00 | 1.89 | 0.00 | 0.00 | - | - | 2,500 ² | - | <10,000 | 820 | 240 | 320 | 640 | <500 | - | - | - | - | - | - | - |
| MW-1 | 09/17/1999 | 6.89 | 6.59 | 0.30 | 0.00 | 0.00 | - | - | 2,110 ² | - | 3,300 | 141 | 12.3 | <10 | <10 | 238 | - | - | - | - | - | - | - |
| MW-1 | 12/20/1999 | 6.89 | 4.97 | 1.92 | 0.00 | 0.00 | - | - | 1,840 ² | - | 2,990 | 218 | 16.3 | 20 | <10 | 232 | - | - | - | - | - | - | - |
| MW-1 | 03/20/2000 | 6.89 | 3.78 | 3.11 | 0.00 | 0.00 | - | - | 938 ² | - | 1,340 | 20 | 3.07 | 1.87 | 1.87 | 29.1 | - | - | - | - | - | - | - |
| MW-1 | 06/24/2000 | 6.89 | 4.44 | 2.45 | 0.00 | 0.00 | - | - | 1,680 ⁹ | - | 1,500 ⁷ | 12 | 5.3 | <2.5 | 7.9 | 190 | - | - | - | - | - | - | - |
| MW-1 | 09/07/2000 | 6.89 | 5.15 | 1.74 | 0.00 | 0.00 | - | - | 1,500 ⁹ | - | 3,100 ⁷ | 190 | 13 | 14 | <10 | 210 | - | - | - | - | - | - | - |
| MW-1 | 12/05/2000 | 6.89 | 4.73 | 2.16 | 0.00 | 0.00 | - | - | 970 ¹³ | - | 2,140 ¹⁴ | 248 | <5.00 | 20.5 | <5.00 | <25.0 | - | - | - | - | - | - | - |
| MW-1 | 03/01/2001 | 6.89 | 3.56 | 3.33 | 0.00 | 0.00 | - | - | 610 ⁹ | - | 1,000 ⁷ | 21 | <10 | <10 | <10 | 280 | - | - | - | - | - | - | - |
| MW-1 | 06/04/2001 | 6.89 | 4.76 | 2.13 | 0.00 | 0.00 | - | - | 1,100 ⁹ | - | 2,800 ⁷ | 310 | 23 | 11 | 15 | 470 | - | - | - | - | - | - | - |
| MW-1 | 09/10/2001 | 6.89 | 5.61 | 1.28 | 0.00 | 0.00 | - | - | 2,600 | - | 2,500 ¹⁶ | <20 | 26 | <20 | <20 | 310 | - | - | - | - | - | - | - |
| MW-1 | 12/03/2001 | 6.89 | 3.58 | 3.31 | 0.00 | 0.00 | - | - | 2,700 | - | 2,400 | 30 | 7.3 | 7.0 | 6.5 | 160 | - | - | - | - | - | - | - |
| MW-1 | 03/04/2002 | 6.89 | 4.53 | 2.36 | 0.00 | 0.00 | - | - | 2,700 | - | 3,300 | 120 | 17 | 22 | 9.0 | 110 | - | - | - | - | - | - | - |
| MW-1 | 05/30/2002 | 6.89 | 4.48 | 2.41 | 0.00 | 0.00 | - | - | 2,700 | - | 4,100 | 110 | 9.3 | 22 | 11 | 100 | - | - | - | - | - | - | - |
| MW-1 | 09/03/2002 | 6.89 | 5.47 | 1.42 | 0.00 | 0.00 | - | - | 2,900 | - | 3,700 | <5.0 | 7.8 | 3.2 | 10 | 130 | - | - | - | - | - | - | - |
| MW-1 | 12/09/2002 | 6.89 | 5.28 | 1.61 | 0.00 | 0.00 | - | - | 3,000 | - | 2,900 | 35 | 5.1 | 5.5 | 8.3 | 170 | - | - | - | - | - | - | - |
| MW-1 | 03/10/2003 | 6.89 | 4.39 | 2.50 | 0.00 | 0.00 | - | - | 1,600 | - | 3,000 | 42 | 5.0 | 8.2 | 8.7 | 110 | - | - | - | - | - | - | - |
| MW-1 | 06/09/2003 ^{5,18} | 6.89 | 4.36 | 2.53 | 0.00 | 0.00 | - | - | 2,000 | - | 5,200 | 140 | 16 | 20 | 15 | 100 | - | - | - | - | - | - | - |
| MW-1 | 09/08/2003 ^{5,18} | 6.89 | 5.37 | 1.52 | 0.00 | 0.00 | - | - | 2,100 | - | 3,500 | 4 | 10 | 2 | 11 | 200 | <50 | - | - | - | - | - | - |
| MW-1 | 12/08/2003 ^{5,18} | 6.89 | 4.45 | 2.44 | 0.00 | 0.00 | - | - | 3,400 | - | 2,200 | 8 | 4 | 3 | 8 | 160 | <50 | - | - | - | - | - | - |
| MW-1 | 03/09/2004 ^{18,20} | 6.89 | 4.03 | 2.86 | 0.00 | 0.00 | - | - | 3,300 | - | 1,500 | 16 | 3 | 5 | 4 | 99 | <130 | - | - | - | - | - | - |
| MW-1 | 06/17/2004 ¹⁸ | 6.89 | 5.48 | 1.41 | 0.00 | 0.00 | - | - | 2,700 | - | 3,400 | 180 | 13 | 27 | 13 | 160 | <50 | - | - | - | - | - | - |
| MW-1 | 09/15/2004 ¹⁸ | 6.89 | 7.80 | -0.91 | 0.00 | 0.00 | - | - | 2,600 | - | 1,700 | 2 | 1 | 0.8 | 5 | 180 | <50 | - | - | - | - | - | - |
| MW-1 | 12/23/2004 ¹⁸ | 6.89 | 5.54 | 1.35 | 0.00 | 0.00 | - | - | 3,000 | - | 1,800 | 120 | 3 | 5 | 5 | 120 | <50 | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|-------------|--------------------------|-------------|-------------|-------------|-------------|---------------|--------------|---------------------|---------------------|-------------------|------------|----------------|----------------|----------------|----------------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-1 | 03/24/2005 ¹⁸ | 6.89 | 3.40 | 3.49 | 0.00 | 0.00 | - | - | 950 | - | 1,100 | 45 | 2 | 5 | 2 | 16 | <50 | - | - | - | - | - |
| MW-1 | 09/16/2005 ¹⁸ | 6.89 | 5.79 | 1.10 | 0.00 | 0.00 | - | - | 2,200 | - | 3,700 | 74 | 9 | 21 | 14 | 150 | <50 | - | - | - | - | - |
| MW-1 | 12/21/2005 ¹⁸ | 6.89 | 3.78 | 3.11 | 0.00 | 0.00 | - | - | 1,600 ²² | - | 1,400 | 53 | 2 | 4 | 4 | 62 | <50 | - | - | - | - | - |
| MW-1 | 03/23/2006 ¹⁸ | 6.89 | 3.56 | 3.33 | 0.00 | 0.00 | - | - | 1,400 | - | 1,100 | 3 | 2 | 2 | 3 | 26 | <50 | - | - | - | - | - |
| MW-1 | 06/09/2006 ¹⁸ | 6.89 | 4.78 | 2.11 | 0.00 | 0.00 | - | - | 1,300 | - | 5,200 | 160 | 13 | 42 | 20 | 77 | <50 | - | - | - | - | - |
| MW-1 | 09/05/2006 ¹⁸ | 6.89 | 6.00 | 0.89 | 0.00 | 0.00 | - | - | 1,600 | - | 2,000 | 0.8 | <0.5 | <0.5 | 0.8 | 1,500 | <50 | - | - | - | - | - |
| MW-1 | 12/15/2006 ¹⁸ | 6.89 | 4.05 | 2.84 | 0.00 | 0.00 | - | - | 1,800 | - | 1,400 | 3 | 0.9 | 1 | 5 | 47 | <50 | - | - | - | - | - |
| MW-1 | 03/01/2007 ¹⁸ | 6.89 | 3.93 | 2.96 | 0.00 | 0.00 | - | - | 1,500 | - | 1,000 | 23 | 3 | 3 | 3 | 16 | <50 | - | - | - | - | - |
| MW-1 | 06/05/2007 ¹⁸ | 6.89 | 4.81 | 2.08 | 0.00 | 0.00 | - | - | 1,200 | - | 4,000 | 90 | 9 | 21 | 12 | 68 | <50 | - | - | - | - | - |
| MW-1 | 09/05/2007 ¹⁸ | 6.89 | 5.71 | 1.18 | 0.00 | 0.00 | - | - | 1,800 | - | 2,000 | 3 | 2 | 1 | 6 | 66 | <50 | - | - | - | - | - |
| MW-1 | 12/05/2007 ¹⁸ | 6.89 | 5.02 | 1.87 | 0.00 | 0.00 | - | - | 1,200 | - | 2,400 | 58 | 6 | 7 | 7 | 97 | 150 | - | - | - | - | - |
| MW-1 | 03/03/2008 ¹⁸ | 6.89 | 4.53 | 2.36 | 0.00 | 0.00 | - | - | 1,400 | - | 1,500 | 13 | 2 | 2 | 3 | 36 | <50 | - | - | - | - | - |
| MW-1 | 06/02/2008 ¹⁸ | 6.89 | 5.77 | 1.12 | 0.00 | 0.00 | - | - | 1,000 | - | 1,100 | 1 | 1 | <0.5 | 3 | 59 | <50 | - | - | - | - | - |
| MW-1 | 09/04/2008 ¹⁸ | 6.89 | 6.11 | 0.78 | 0.00 | 0.00 | - | - | 1,000 | - | 1,200 | 0.6 | <0.5 | <0.5 | 2 | 20 | <50 | - | - | - | - | - |
| MW-1 | 12/04/2008 ¹⁸ | 6.89 | 6.11 | 0.78 | 0.00 | 0.00 | - | - | 2,400 | - | 810 | 1 | 0.8 | <0.5 | 1 | 91 | <50 | - | - | - | - | - |
| MW-1 | 02/26/2009 ¹⁸ | 6.89 | 4.31 | 2.58 | 0.00 | 0.00 | - | - | 1,300 | - | 460 | 2 | 2 | <0.5 | <0.5 | 39 | - | - | - | - | - | - |
| MW-1 | 06/30/2009 ¹⁸ | 6.89 | 5.42 | 1.47 | 0.00 | 0.00 | - | - | 1,700 | - | 2,900 | 14 | 4 | 3 | 6 | 70 | <50 | - | - | - | - | - |
| MW-1 | 09/29/2009 ¹⁸ | 6.89 | 5.81 | 1.08 | 0.00 | 0.00 | - | - | 1,600 | - | 1,000 | <0.5 | <0.5 | <0.5 | 1 | 37 | <50 | - | - | - | - | - |
| MW-1 | 03/10/2010 ¹⁸ | 6.89 | 3.80 | 3.09 | 0.00 | 0.00 | - | - | 570 | - | 450 | 0.9 J | <0.5 | <0.5 | <0.5 | 18 | <50 | - | - | - | - | - |
| MW-1 | 09/15/2010 | 6.89 | 6.42 | 0.47 | 0.00 | 0.00 | - | - | 1,400 | - | 1,600 | <0.5 | 0.6 J | <0.5 | 3 | 25 | <50 | - | - | - | - | - |
| MW-1 | 03/14/2011 | 6.89 | 4.05 | 2.84 | 0.00 | 0.00 | 94 J | - | 56 J | - | 220 | <0.5 | <0.5 | <0.5 | <0.5 | 10 | <50 | - | - | - | - | - |
| MW-1 | 09/26/2011 | 6.89 | 6.42 | 0.47 | 0.00 | 0.00 | - | 160 | - | 200 | 260 | <0.5 | <0.5 | <0.5 | <0.5 | 11 | <50 | - | - | - | - | - |
| MW-1 | 03/30/2012 | 6.89 | 3.31 | 3.58 | 0.00 | 0.00 | - | <38 | - | <50 | 100 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - |
| MW-1 | 09/22/2012 | 6.89 | 6.48 | 0.41 | 0.00 | 0.00 | - | <38 | - | 73 J | 320 | <0.5 | <0.5 | <0.5 | <0.5 | 16 | <50 | - | - | - | - | - |
| MW-1 | 03/19/2013 | 6.89 | 5.37 | 1.52 | 0.00 | 0.00 | - | <38 | - | 69 J | 270 | <0.5 | <0.5 | <0.5 | <0.5 | 24 | <50 | - | - | - | - | - |
| MW-1 | 09/25/2013 | 6.89 | 6.48 | 0.41 | 0.00 | 0.00 | - | - | 2,000 | - | 210 | <0.5 | <0.5 | <0.5 | <0.5 | 13 | <50 | - | - | - | - | - |
| MW-2 | 08/20/1991 | 6.27 | 4.35 | 1.92 | 0.00 | 0.00 | - | - | 600 | - | 9,300 | 3,700 | 55 | 530 | 75 | - | - | - | - | - | - | - |
| MW-2 | 09/30/1991 | 6.27 | 4.99 | 1.28 | 0.00 | 0.00 | - | - | - | - | 3,500 | 2,600 | 47 | 440 | 68 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|---------|-------------------|---------|--------------|------|-------|------|----------------|-----------------|-------------------|---------|------------------|---------|------------------------|-------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-2 | 10/28/1991 | 6.27 | 4.91 | 1.36 | 0.00 | 0.00 | - | - | - | - | 4,600 | 1,800 | 29 | 290 | 53 | - | - | - | - | - | - | - | - |
| MW-2 | 01/08/1992 | 6.27 | 4.64 | 1.63 | Sheen | 0.00 | - | - | - | - | 14,000 | 4,300 | 70 | <25 | 130 | - | - | - | - | - | - | - | - |
| MW-2 | 01/13/1992 | 6.27 | - | - | 0.00 | 0.00 | - | - | 38,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 06/23/1992 | 6.27 | 4.64 | 1.63 | 0.02 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 08/24/1992 | 6.27 | 4.94 | 1.34 | 0.02 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 09/21/1992 | 6.27 | 5.08 | 1.20 | 0.01 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 10/26/1992 | 6.27 | 5.93 | 0.34 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 12/23/1992 | 6.27 | - | - | 0.00 | 0.00 | - | - | 160,000 | - | 21,000 | 5,400 | 59 | 1,300 | 160 | - | - | - | - | - | - | - | - |
| MW-2 | 01/08/1993 | 6.27 | 3.70 | 2.57 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 03/25/1993 | 6.27 | 3.38 | 2.89 | Sheen | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 06/11/1993 | 6.27 | 4.18 | 2.09 | 0.00 | 0.00 | - | - | - | - | 5,900 | 1,100 | 23 | 240 | 51 | - | - | - | - | - | - | - | 2,300 |
| MW-2 | 09/29/1993 | 6.27 | 6.20 | 0.07 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 12/20/1993 | 6.27 | 4.35 | 1.94 | 0.02 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 03/07/1994 | 6.27 | 3.67 | 2.60 | 0.00 | 0.00 | - | - | <10 | - | 26,000 | 5,700 | 170 | 1,000 | 150 | - | - | - | - | - | - | - | - |
| MW-2 | 06/17/1994 | 6.27 | 4.02 | 2.25 | Sheen | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 09/12/1994 | 6.27 | 4.83 | 1.45 | 0.01 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 11/30/1994 ²⁶ | 6.27 | 4.00 | 2.27 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 03/24/1995 | 6.27 | 4.01 | 2.73 | 0.59 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 06/27/1995 | 6.27 | 4.96 | 1.71 | 0.50 | 0.013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 09/28/1995 | 6.27 | 4.25 | 2.62 | 0.75 | 0.013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 12/19/1995 | 6.27 | 4.76 | 1.99 | 0.60 | 0.010 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 02/28/1996 | 6.27 | 4.58 | 1.99 | 0.38 | 0.008 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 06/25/1996 | 6.27 | 4.29 | 2.36 | 0.47 | 0.030 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 12/17/1996 | 6.27 | 4.16 | 2.22 | 0.14 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 03/31/1997 | 6.27 | 4.07 | 2.34 | 0.18 | 0.030 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 06/30/1997 | 6.27 | 4.32 | 2.06 | 0.14 | 0.030 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 09/12/1997 | 6.27 | 4.38 | 2.00 | 0.14 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 12/05/1997 | 6.27 | 3.78 | 2.51 | 0.02 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 02/16/1998 | 6.27 | 3.29 | 3.08 | 0.12 | 0.007 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|--------------------|-------------------|-------------------|--------------|--------|------|------|---------------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|---|---|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | | |
| MW-2 | 06/17/1998 | 6.27 | 4.00 | 2.35 | 0.10 | 0.010 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| MW-2 | 08/31/1998 | 6.27 | 5.71 | 0.65 | 0.11 | 0.008 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| MW-2 | 12/28/1998 | 6.27 | 4.60 | 1.75 | 0.10 | 0.005 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| MW-2 | 03/04/1999 | 6.27 | 3.73 | 2.58 | 0.05 | 0.200 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| MW-2A | 04/19/1999 | 6.53 | 4.86 | 1.67 | 0.00 | 0.00 | - | - | 820 ² | - | <2,000 | <20 | <20 | <20 | <20 | 9,200 | - | - | - | - | - | - | - | - | - |
| MW-2A | 06/14/1999 | 6.53 | 5.30 | 1.23 | 0.00 | 0.00 | - | - | 2,000 ² | - | <5,000 | 89 | <50 | 66 | <50 | 10,000 | - | - | - | - | - | - | - | - | - |
| MW-2A | 09/17/1999 | 6.53 | 5.84 | 0.69 | 0.00 | 0.00 | - | - | 1,050 ² | - | 903 | 42 | 1.63 | 22.8 | 7.74 | 11,400 | - | - | - | - | - | - | - | - | - |
| MW-2A | 12/20/1999 | 6.53 | 6.60 | -0.07 | 0.00 | 0.00 | - | - | 2,820 ² | - | 2,280 | 115 | <10 | 87.2 | 27.2 | 14,000 | - | - | - | - | - | - | - | - | - |
| MW-2A | 03/20/2000 | 6.53 | 4.79 | 1.74 | 0.00 | 0.00 | - | - | 1,220 ² | - | 1,040 | 54.3 | <5.0 | 33.8 | 12.1 | 10,900 ² | - | - | - | - | - | - | - | - | - |
| MW-2A | 06/24/2000 | 6.53 | 5.25 | 1.28 | 0.00 | 0.00 | - | - | 1,300 ⁹ | - | 690 ⁷ | 50 | 2.5 | 18 | 9.5 | 15,000 ⁸ | - | - | - | - | - | - | - | - | - |
| MW-2A | 09/07/2000 | 6.53 | 5.44 | 1.09 | 0.00 | 0.00 | - | - | 770 ⁹ | - | 310 ⁷ | 6.7 | 1.4 | 1.6 | 3.8 | 16,000 | - | - | - | - | - | - | - | - | - |
| MW-2A | 12/05/2000 | 6.53 | 5.37 | 1.16 | 0.00 | 0.00 | - | - | 810 ¹³ | - | 414 ¹⁴ | 32.4 | <0.500 | 7.49 | 5.96 | 8,910 ⁸ | - | - | - | - | - | - | - | - | - |
| MW-2A | 03/01/2001 | 6.53 | 4.50 | 2.03 | 0.00 | 0.00 | - | - | 590 ⁹ | - | 370 ⁷ | 30 | 4.0 | 12 | 9.2 | 8,200 | - | - | - | - | - | - | - | - | - |
| MW-2A | 06/04/2001 | 6.53 | 5.17 | 1.36 | 0.00 | 0.00 | - | - | 930 ⁹ | - | <500 | 19 | <5.0 | <5.0 | <5.0 | 7,800 | - | - | - | - | - | - | - | - | - |
| MW-2A | 09/10/2001 | 6.53 | 5.74 | 0.79 | 0.00 | 0.00 | - | - | 2,400 | - | <5,000 | <50 | <50 | <50 | <50 | 9,700 | - | - | - | - | - | - | - | - | - |
| MW-2A | 12/03/2001 | 6.53 | 5.07 | 1.46 | 0.00 | 0.00 | - | - | 2,500 | - | 480 | 4.5 | <1.0 | 1.1 | <3.0 | 10,000 | - | - | - | - | - | - | - | - | - |
| MW-2A | 03/04/2002 | 6.53 | 5.01 | 1.52 | 0.00 | 0.00 | - | - | 2,300 | - | 630 | 5.4 | 1.5 | 2.9 | 2.3 | 7,000 | - | - | - | - | - | - | - | - | - |
| MW-2A | 05/30/2002 | 6.53 | 4.87 | 1.66 | 0.00 | 0.00 | - | - | 2,100 | - | 520 | 6.1 | <1.0 | 2.6 | 5.4 | 7,100 | - | - | - | - | - | - | - | - | - |
| MW-2A | 09/03/2002 | 6.53 | 5.50 | 1.03 | 0.00 | 0.00 | - | - | 2,600 | - | 590 | 7.8 | 0.98 | 2.9 | 7.8 | 7,800 | - | - | - | - | - | - | - | - | - |
| MW-2A | 12/09/2002 | 6.53 | 5.47 | 1.06 | 0.00 | 0.00 | - | - | 1,900 | - | 670 | 7.9 | 0.88 | 2.1 | 5.0 | 8,300 | - | - | - | - | - | - | - | - | - |
| MW-2A | 03/10/2003 | 6.53 | 5.01 | 1.52 | 0.00 | 0.00 | - | - | 1,700 | - | 640 | 8.0 | 0.76 | 2.6 | 4.1 | 7,500 | - | - | - | - | - | - | - | - | - |
| MW-2A | 06/09/2003 ¹⁸ | 6.53 | 4.76 | 1.77 | 0.00 | 0.00 | - | - | 1,900 | - | 540 | 3 | <3 | <3 | <3 | 6,800 | - | - | - | - | - | - | - | - | - |
| MW-2A | 09/08/2003 ¹⁸ | 6.53 | 5.37 | 1.16 | 0.00 | 0.00 | - | - | 2,000 | - | 540 | 3 | 0.7 | 0.7 | 3 | 7,000 | <50 | - | - | - | - | - | - | - | - |
| MW-2A | 12/08/2003 ¹⁸ | 6.53 | 5.19 | 1.34 | 0.00 | 0.00 | - | - | 3,100 | - | 480 | <5 | <5 | <5 | <5 | 6,500 | <500 | - | - | - | - | - | - | - | - |
| MW-2A | 03/09/2004 ¹⁸ | 6.53 | 4.72 | 1.81 | 0.00 | 0.00 | - | - | 1,200 | - | 1,300 | 44 | 2 | 15 | 10 | 2,900 | <130 | - | - | - | - | - | - | - | - |
| MW-2A | 06/17/2004 ¹⁸ | 6.53 | 6.60 | -0.07 | 0.00 | 0.00 | - | - | 2,300 | - | 920 | 23 | 2 | 6 | 12 | 1,700 | <100 | - | - | - | - | - | - | - | - |
| MW-2A | 09/15/2004 ¹⁸ | 6.53 | 8.87 | -2.34 | 0.00 | 0.00 | - | - | 1,900 | - | 880 | 6 | 2 | <1 | 7 | 2,100 | <100 | - | - | - | - | - | - | - | - |
| MW-2A | 12/23/2004 ¹⁸ | 6.53 | 5.85 | 0.68 | 0.00 | 0.00 | - | - | 2,200 | - | 430 | 6 | <3 | <3 | <3 | 5,100 | <250 | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|--------------|--------------------------|-------------|-------------|-------------|-------------|---------------|--------------|---------------------|---------------------|-------------------|------------|----------------|----------------|----------------|--------------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-2A | 03/24/2005 ¹⁸ | 6.53 | 4.75 | 1.78 | 0.00 | 0.00 | - | - | 810 | - | 390 | <5 | <5 | <5 | <5 | 5,200 | <500 | - | - | - | - | - |
| MW-2A | 06/16/2005 ¹⁸ | 6.53 | 5.23 | 1.30 | 0.00 | 0.00 | - | - | 3,000 | - | 380 | <5 | <5 | <5 | <5 | 5,500 | <500 | - | - | - | - | - |
| MW-2A | 09/16/2005 ¹⁸ | 6.53 | 6.08 | 0.45 | 0.00 | 0.00 | - | - | 2,600 | - | 380 | <5 | <5 | <5 | <5 | 5,900 | <500 | - | - | - | - | - |
| MW-2A | 12/21/2005 ¹⁸ | 6.53 | 4.98 | 1.55 | 0.00 | 0.00 | - | - | 4,000 ²³ | - | 450 | 1 | 0.6 | <0.5 | 2 | 4,800 | <50 | - | - | - | - | - |
| MW-2A | 03/23/2006 ¹⁸ | 6.53 | 4.56 | 1.97 | 0.00 | 0.00 | - | - | 2,600 | - | 330 | 1 | 0.8 | <0.5 | 2 | 4,500 | - | - | - | - | - | - |
| MW-2A | 06/09/2006 ¹⁸ | 6.53 | 5.16 | 1.37 | 0.00 | 0.00 | - | - | 2,800 | - | 500 | <1 | <1 | <1 | <1 | 4,500 | <100 | - | - | - | - | - |
| MW-2A | 09/05/2006 ¹⁸ | 6.53 | 5.81 | 0.72 | 0.00 | 0.00 | - | - | 3,000 | - | 510 | <5 | <5 | <5 | <5 | 3,600 | <500 | - | - | - | - | - |
| MW-2A | 12/15/2006 ¹⁸ | 6.53 | 5.05 | 1.48 | 0.00 | 0.00 | - | - | 2,800 | - | 600 | 4 | <1 | <1 | 1 | 4,000 | <100 | - | - | - | - | - |
| MW-2A | 03/01/2007 ¹⁸ | 6.53 | 5.03 | 1.50 | 0.00 | 0.00 | - | - | 1,800 | - | 230 | <3 | <3 | <3 | <3 | 3,700 | <250 | - | - | - | - | - |
| MW-2A | 06/05/2007 ¹⁸ | 6.53 | 4.81 | 1.72 | 0.00 | 0.00 | - | - | 1,700 | - | 480 | 0.9 | 0.6 | <0.5 | 2 | 3,500 | <50 | - | - | - | - | - |
| MW-2A | 09/05/2007 ¹⁸ | 6.53 | 5.25 | 1.28 | 0.00 | 0.00 | - | - | 2,400 | - | 430 | 1 | 1 | <0.5 | 2 | 1,700 | <50 | - | - | - | - | - |
| MW-2A | 12/05/2007 ¹⁸ | 6.53 | 5.28 | 1.25 | 0.00 | 0.00 | - | - | 2,000 | - | 530 | 2 | <1 | <1 | 2 | 3,400 | <100 | - | - | - | - | - |
| MW-2A | 03/03/2008 ¹⁸ | 6.53 | 5.13 | 1.40 | 0.00 | 0.00 | - | - | 2,100 | - | 960 | 85 | 3 | 3 | 5 | 520 | <50 | - | - | - | - | - |
| MW-2A | 06/02/2008 ¹⁸ | 6.53 | 5.60 | 0.93 | 0.00 | 0.00 | - | - | 2,300 | - | 600 | 10 | 1 | 0.7 | 5 | 1,300 | <50 | - | - | - | - | - |
| MW-2A | 09/04/2008 ¹⁸ | 6.53 | 5.72 | 0.81 | 0.00 | 0.00 | - | - | 2,600 | - | 440 | <1 | <1 | <1 | 1 | 2,500 | <100 | - | - | - | - | - |
| MW-2A | 12/04/2008 ¹⁸ | 6.53 | 6.20 | 0.33 | 0.00 | 0.00 | - | - | 4,000 | - | 480 | <1 | <1 | <1 | 1 | 2,400 | <100 | - | - | - | - | - |
| MW-2A | 02/26/2009 ¹⁸ | 6.53 | 4.39 | 2.14 | 0.00 | 0.00 | - | - | 860 | - | 420 | 44 | 4 | 3 | 3 | 18 | <50 | - | - | - | - | - |
| MW-2A | 06/30/2009 ¹⁸ | 6.53 | 5.38 | 1.15 | 0.00 | 0.00 | - | - | 2,900 | - | 500 | 1 | 13 | 2 | 22 | 1,900 | <50 | - | - | - | - | - |
| MW-2A | 09/29/2009 ¹⁸ | 6.53 | 5.70 | 0.83 | 0.00 | 0.00 | - | - | 4,200 | - | 500 | 2 | 1 | <0.5 | 5 | 900 | <50 | - | - | - | - | - |
| MW-2A | 03/10/2010 ¹⁸ | 6.53 | 3.77 | 2.76 | 0.00 | 0.00 | - | - | 1,100 | - | 900 | 90 | 4 | 2 | 2 | 27 | <50 | - | - | - | - | - |
| MW-2A | 09/15/2010 | 6.53 | 5.80 | 0.73 | 0.00 | 0.00 | - | - | 2,800 | - | 360 | <0.5 | <0.5 | <0.5 | 2 | 24 | <50 | - | - | - | - | - |
| MW-2A | 03/14/2011 | 6.53 | 4.72 | 1.81 | 0.00 | 0.00 | 540 | - | 670 | - | 960 | 34 | 4 | 1 | 4 | 39 | <50 | - | - | - | - | - |
| MW-2A | 09/26/2011 | 6.53 | 5.95 | 0.58 | 0.00 | 0.00 | - | <39 | - | 120 | 340 | <0.5 | <0.5 | <0.5 | 0.7 J | 80 | <50 | - | - | - | - | - |
| MW-2A | 03/30/2012 | 6.53 | 4.18 | 2.35 | 0.00 | 0.00 | - | <38 | - | 82 J | 360 | <0.5 | <0.5 | <0.5 | 2 | 200 | <50 | - | - | - | - | - |
| MW-2A | 09/22/2012 | 6.53 | 6.23 | 0.30 | 0.00 | 0.00 | - | <38 | - | 50 J | 350 | <0.5 | <0.5 | <0.5 | 1 | 86 | <50 | - | - | - | - | - |
| MW-2A | 03/20/2013 | 6.53 | 5.84 | 0.69 | 0.00 | 0.00 | - | <38 | - | <50 | 310 | <0.5 | <0.5 | <0.5 | <0.5 | 130 | <50 | - | - | - | - | - |
| MW-2A | 09/25/2013 | 6.53 | 6.22 | 0.31 | 0.00 | 0.00 | - | - | 2,700 | - | 310 | <0.5 | <0.5 | <0.5 | 0.6 J | 48 | <50 | - | - | - | - | - |
| MW-3 | 08/20/1991 | 8.71 | 8.45 | 0.26 | 0.00 | 0.00 | - | - | 200 | - | 3,100 | 200 | 13 | 15 | 12 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|--------------------|-------------------|---------|--------------|------|------|------|----------------|-----------------|-------------------|---------|------------------|---------|------------------------|-------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-3 | 09/30/1991 | 8.71 | 8.74 | -0.03 | 0.00 | 0.00 | - | - | - | - | 1,000 | 150 | 8.3 | 13 | 6.7 | - | - | - | - | - | - | - | - |
| MW-3 | 10/28/1991 | 8.71 | 8.76 | -0.05 | 0.00 | 0.00 | - | - | - | - | 1,200 | 120 | 6.7 | 11 | 7.5 | - | - | - | - | - | - | - | - |
| MW-3 | 01/08/1992 | 8.71 | 8.77 | -0.06 | 0.00 | 0.00 | - | - | - | - | 410 | 120 | 0.9 | 4.1 | 3.4 | - | - | - | - | - | - | - | - |
| MW-3 | 01/13/1992 | 8.71 | - | - | 0.00 | 0.00 | - | - | 220 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-3 | 06/23/1992 | 8.71 | 8.68 | 0.03 | 0.00 | 0.00 | - | - | <50 | - | 630 | 43 | 0.8 | 8.2 | 3.4 | - | - | - | - | - | - | - | - |
| MW-3 | 08/24/1992 | 8.71 | 8.85 | -0.14 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-3 | 09/21/1992 | 8.71 | 8.94 | -0.23 | 0.00 | 0.00 | - | - | <50 | - | 1,800 | 730 | 1.4 | 66 | 39 | - | - | - | - | - | - | - | - |
| MW-3 | 10/26/1992 | 8.71 | 9.07 | -0.36 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-3 | 12/23/1992 | 8.71 | - | - | 0.00 | 0.00 | - | - | 850 | - | 840 | 270 | 3.4 | 15 | 4.2 | - | - | - | - | - | - | - | - |
| MW-3 | 01/08/1993 | 8.71 | 7.69 | 1.02 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-3 | 03/25/1993 | 8.71 | 7.74 | 0.97 | 0.00 | 0.00 | - | - | <10 | - | 760 | 270 | 4.0 | 10 | 5.0 | - | - | - | - | - | - | - | - |
| MW-3 | 06/11/1993 | 8.71 | 8.52 | 0.19 | 0.00 | 0.00 | - | - | - | - | 200 | 32 | 1.0 | 5.0 | 2.0 | - | - | - | - | - | - | - | 5,600 |
| MW-3 | 09/29/1993 | 8.71 | 6.05 | 2.66 | 0.00 | 0.00 | - | - | - | - | 9,300 | 2,800 | 60 | 270 | 62 | - | - | - | - | - | - | - | - |
| MW-3 | 12/20/1993 | 8.71 | 8.83 | -0.12 | 0.00 | 0.00 | - | - | <10 | - | 460 | 250 | 4.0 | 8.0 | 4.0 | - | - | - | - | - | - | - | - |
| MW-3 | 03/07/1994 | 8.71 | 8.07 | 0.64 | 0.00 | 0.00 | - | - | <10 | - | 2,400 | 260 | 13 | 35 | 18 | - | - | - | - | - | - | - | - |
| MW-3 | 06/17/1994 | 8.71 | 8.52 | 0.19 | 0.00 | 0.00 | - | - | <50 | - | 1,000 | 200 | 4.0 | 6.6 | 6.7 | - | - | - | - | - | - | - | - |
| MW-3 | 09/12/1994 | 8.71 | 8.92 | -0.21 | 0.00 | 0.00 | - | - | <50 | - | 360 | 130 | 3.4 | 4.8 | 3.3 | 130 | - | - | - | - | - | - | - |
| MW-3 | 11/30/1994 ²⁶ | 8.71 | 8.13 | 0.58 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-3 | 03/24/1995 | 8.71 | 6.78 | 1.93 | 0.00 | 0.00 | - | - | 1,200 ² | - | 4,100 | 920 | <10 | 23 | <10 | 70 | - | - | - | - | - | - | - |
| MW-3 | 06/27/1995 | 8.71 | 8.22 | 0.49 | 0.00 | 0.00 | - | - | 1,000 ² | - | 3,100 | 640 | 16 | 31 | <10 | <50 | - | - | - | - | - | - | - |
| MW-3 | 09/28/1995 | 8.71 | 8.85 | -0.14 | 0.00 | 0.00 | - | - | 460 ² | - | 490 | 78 | 3.4 | 4.4 | 2.4 | 38 | - | - | - | - | - | - | - |
| MW-3 | 12/19/1995 | 8.71 | 8.02 | 0.69 | 0.00 | 0.00 | - | - | 650 ² | - | 2,600 | 580 | <10 | 25 | <10 | <50 | - | - | - | - | - | - | - |
| MW-3 | 02/28/1996 | 8.71 | 7.55 | 1.16 | 0.00 | 0.00 | - | - | 780 ² | - | 1,500 | 510 | <5.0 | 9.9 | <5.0 | <25 | - | - | - | - | - | - | - |
| MW-3 | 06/25/1996 | 8.71 | 8.37 | 0.34 | 0.00 | 0.00 | - | - | 1,200 ² | - | 1,300 | 390 | 7.8 | 14 | 6.5 | 31 | - | - | - | - | - | - | - |
| MW-3 | 12/17/1996 | 8.71 | 8.30 | 0.41 | 0.00 | 0.00 | - | - | 1,100 ² | - | 760 | 85 | <1.2 | 5.9 | 5.1 | <6.2 | - | - | - | - | - | - | - |
| MW-3 | 03/31/1997 | 8.71 | 8.19 | 0.52 | 0.00 | 0.00 | - | - | 1,300 ² | - | 2,000 | 380 | 12 | 24 | 12 | <25 | - | - | - | - | - | - | - |
| MW-3 | 06/30/1997 | 8.71 | 8.71 | 0.00 | 0.00 | 0.00 | - | - | 620 ² | - | 1,900 | 340 | 9.9 | 23 | 6.1 | <25 | - | - | - | - | - | - | - |
| MW-3 | 09/12/1997 | 8.71 | 7.64 | 1.07 | 0.00 | 0.00 | - | - | 400 ² | - | 1,200 | 200 | 4.6 | 14 | 4.8 | 3.9 | - | - | - | - | - | - | - |
| MW-3 | 12/05/1997 | 8.71 | 8.25 | 0.46 | 0.00 | 0.00 | - | - | 190 ² | - | 460 | 72 | 2.7 | 5.2 | 1.7 | <5.0 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|--------------------|-------------------|---------|--------------|--------|--------|--------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|---|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-3 | 02/16/1998 | 8.71 | 7.00 | 1.71 | 0.00 | 0.00 | - | - | 1,000 ² | - | 6,200 | 1,100 | 20 | 34 | 12 | <50 | - | - | - | - | - | - | - | - |
| MW-3 | 06/17/1998 | 8.71 | 8.00 | 0.71 | 0.00 | 0.00 | - | - | 1,100 ² | - | 3,000 | 350 | <10 | <10 | <10 | 120 | - | - | - | - | - | - | - | - |
| MW-3 | 08/31/1998 | 8.71 | 8.63 | 0.08 | 0.00 | 0.00 | - | - | 790 ² | - | 430 | 100 | 2.6 | 8.6 | 6.0 | <12 | - | - | - | - | - | - | - | - |
| MW-3 | 12/28/1998 | 8.71 | 8.73 | -0.02 | 0.00 | 0.00 | - | - | 180 ² | - | 1,400 | 220 | <10 | 12 | <10 | <50 | - | 4500 | <1,000 | 980000 | 390000 | - | - | - |
| MW-3 | 03/04/1999 | 8.71 | 7.65 | 1.06 | 0.00 | 0.00 | - | - | 763 ² | - | 2,880 | 355 | 9.15 | 19 | <5.0 | <20 | - | - | - | - | - | - | - | - |
| MW-3A | 04/19/1999 | 8.70 | 7.70 | 1.00 | 0.00 | 0.00 | - | - | 93 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.1 | - | - | - | - | - | - | - | - |
| MW-3A | 06/14/1999 | 8.70 | 8.20 | 0.50 | 0.00 | 0.00 | - | - | 160 ² | - | 148 | 4.55 | 0.82 | 0.53 | 1.1 | 3.7 | - | - | - | - | - | - | - | - |
| MW-3A | 09/17/1999 | 8.70 | 8.72 | -0.02 | 0.00 | 0.00 | - | - | 101 ² | - | 169 | 6.02 | 0.806 | 0.515 | 0.786 | 4.68 | - | - | - | - | - | - | - | - |
| MW-3A | 12/20/1999 | 8.70 | 8.92 | -0.22 | 0.00 | 0.00 | - | - | 153 ² | - | <50 | 1.82 | <0.5 | <0.5 | <0.5 | 11 | - | - | - | - | - | - | - | - |
| MW-3A | 03/20/2000 | 8.70 | 7.64 | 1.06 | 0.00 | 0.00 | - | - | 223 ² | - | 140 | 5.08 | 0.695 | <0.5 | <0.5 | 10.1 | - | - | - | - | - | - | - | - |
| MW-3A | 06/24/2000 | 8.70 | 8.38 | 0.32 | 0.00 | 0.00 | - | - | 128 ⁹ | - | <50 | 0.74 | <0.50 | <0.50 | <0.50 | 34 | - | - | - | - | - | - | - | - |
| MW-3A | 09/07/2000 | 8.70 | 8.79 | -0.09 | 0.00 | 0.00 | - | - | <50 | - | <50 | 1.4 | <0.50 | <0.50 | <0.50 | 15 | - | - | - | - | - | - | - | - |
| MW-3A | 12/05/2000 | 8.70 | 8.68 | 0.02 | 0.00 | 0.00 | - | - | <50 | - | <50.0 | 1.39 | <0.500 | <0.500 | <0.500 | 12.9 | - | - | - | - | - | - | - | - |
| MW-3A | 03/01/2001 | 8.70 | 7.82 | 0.88 | 0.00 | 0.00 | - | - | 66 ¹¹ | - | <50 | 1.0 | <0.50 | <0.50 | <0.50 | 19 | - | - | - | - | - | - | - | - |
| MW-3A | 06/04/2001 | 8.70 | 8.45 | 0.25 | 0.00 | 0.00 | - | - | 69 ⁹ | - | <50 | 2.0 | <0.50 | <0.50 | <0.50 | 37 | - | - | - | - | - | - | - | - |
| MW-3A | 09/10/2001 | 8.70 | 9.10 | -0.40 | 0.00 | 0.00 | - | - | <50 | - | <50 | 3.9 | <0.50 | <0.50 | <0.50 | 19 | - | - | - | - | - | - | - | - |
| MW-3A | 12/03/2001 | 8.70 | 8.08 | 0.62 | 0.00 | 0.00 | - | - | 56 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 19 | - | - | - | - | - | - | - | - |
| MW-3A | 03/04/2002 | 8.70 | 8.94 | -0.24 | 0.00 | 0.00 | - | - | 85 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 26 | - | - | - | - | - | - | - | - |
| MW-3A | 05/30/2002 | 8.70 | 8.78 | -0.08 | 0.00 | 0.00 | - | - | 210 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 22 | - | - | - | - | - | - | - | - |
| MW-3A | 09/03/2002 | 8.70 | 8.98 | -0.28 | 0.00 | 0.00 | - | - | 89 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 24 | - | - | - | - | - | - | - | - |
| MW-3A | 12/09/2002 | 8.70 | 8.90 | -0.20 | 0.00 | 0.00 | - | - | 110 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 22 | - | - | - | - | - | - | - | - |
| MW-3A | 03/10/2003 | 8.70 | 8.12 | 0.58 | 0.00 | 0.00 | - | - | 66 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 40 | - | - | - | - | - | - | - | - |
| MW-3A | 06/09/2003 ¹⁸ | 8.70 | 8.23 | 0.47 | 0.00 | 0.00 | - | - | 82 | - | <50 | <0.5 | 0.5 | <0.5 | <0.5 | 35 | - | - | - | - | - | - | - | - |
| MW-3A | 09/08/2003 ¹⁸ | 8.70 | 8.76 | -0.06 | 0.00 | 0.00 | - | - | 110 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 27 | <50 | - | - | - | - | - | - | - |
| MW-3A | 12/08/2003 ¹⁸ | 8.70 | 8.50 | 0.20 | 0.00 | 0.00 | - | - | 74 ¹⁹ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 23 | <50 | - | - | - | - | - | - | - |
| MW-3A | 03/09/2004 ¹⁸ | 8.70 | 7.71 | 0.99 | 0.00 | 0.00 | - | - | 410 | - | 53 | 1 | <0.5 | <0.5 | <0.5 | 28 | <50 | - | - | - | - | - | - | - |
| MW-3A | 06/17/2004 ¹⁸ | 8.70 | 8.52 | 0.18 | 0.00 | 0.00 | - | - | 430 | - | 180 | 1 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - |
| MW-3A | 09/15/2004 ¹⁸ | 8.70 | 9.12 | -0.42 | 0.00 | 0.00 | - | - | 280 | - | 92 | <0.5 | <0.5 | <0.5 | <0.5 | 63 | <50 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|--------------|-----------------------------|-------------|-------------|-------------|-------------|---------------|--------------|---------------------|-------------------|-------------------|---------------|----------------|----------------|----------------|----------------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-3A | 12/23/2004 ¹⁸ | 8.70 | 8.76 | -0.06 | 0.00 | 0.00 | - | - | 330 | - | 76 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - |
| MW-3A | 03/24/2005 ¹⁸ | 8.70 | 6.28 | 2.42 | 0.00 | 0.00 | - | - | 210 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.6 | 360 | - | - | - | - | - |
| MW-3A | 06/16/2005 ¹⁸ | 8.70 | 8.18 | 0.52 | 0.00 | 0.00 | - | - | 590 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - |
| MW-3A | 09/16/2005 ¹⁸ | 8.70 | 8.78 | -0.08 | 0.00 | 0.00 | - | - | 160 ²¹ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - |
| MW-3A | 12/21/2005 ¹⁸ | 8.70 | 8.30 | 0.40 | 0.00 | 0.00 | - | - | 220 ²³ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 10 | <50 | - | - | - | - | - |
| MW-3A | 03/23/2006 ¹⁸ | 8.70 | 7.10 | 1.60 | 0.00 | 0.00 | - | - | 150 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.5 | <50 | - | - | - | - | - |
| MW-3A | 06/09/2006 ¹⁸ | 8.70 | 8.30 | 0.40 | 0.00 | 0.00 | - | - | 390 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - |
| MW-3A | 09/05/2006 ¹⁸ | 8.70 | 9.00 | -0.30 | 0.00 | 0.00 | - | - | 140 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - |
| MW-3A | 12/15/2006 ¹⁸ | 8.70 | 8.53 | 0.17 | 0.00 | 0.00 | - | - | 250 | - | <50 | <0.5 | 0.8 | <0.5 | 2 | 9 | <50 | - | - | - | - | - |
| MW-3A | 03/01/2007 ¹⁸ | 8.70 | 8.07 | 0.63 | 0.00 | 0.00 | - | - | 140 | - | <50 | 2 | 4 | 1 | 5 | 10 | <50 | - | - | - | - | - |
| MW-3A | 06/05/2007 ¹⁸ | 8.70 | 8.44 | 0.26 | 0.00 | 0.00 | - | - | 2,900 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 | - | - | - | - | - |
| MW-3A | 09/05/2007 ¹⁸ | 8.70 | 9.05 | -0.35 | 0.00 | 0.00 | - | - | 520 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8 | <50 | - | - | - | - | - |
| MW-3A | 12/05/2007 ¹⁸ | 8.70 | 8.71 | -0.01 | 0.00 | 0.00 | - | - | 110 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 30 | <50 | - | - | - | - | - |
| MW-3A | 03/03/2008 ¹⁸ | 8.70 | 8.22 | 0.48 | 0.00 | 0.00 | - | - | 240 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9 | <50 | - | - | - | - | - |
| MW-3A | 06/02/2008 ¹⁸ | 8.70 | 8.68 | 0.02 | 0.00 | 0.00 | - | - | 160 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 25 | <50 | - | - | - | - | - |
| MW-3A | 09/04/2008 ¹⁸ | 8.70 | 9.17 | -0.47 | 0.00 | 0.00 | - | - | 220 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 54 | <50 | - | - | - | - | - |
| MW-3A | 12/04/2008 ¹⁸ | 8.70 | 8.95 | -0.25 | 0.00 | 0.00 | - | - | 150 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 29 | <50 | - | - | - | - | - |
| MW-3A | 02/26/2009 ¹⁸ | 8.70 | 7.77 | 0.93 | 0.00 | 0.00 | - | - | 440 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - |
| MW-3A | 06/30/2009 ¹⁸ | 8.70 | 5.73 | 2.97 | 0.00 | 0.00 | - | - | 52 J | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 25 | <50 | - | - | - | - | - |
| MW-3A | 09/29/2009 ^{18,25} | 8.70 | 6.30 | 2.40 | 0.00 | 0.00 | - | - | 400 | - | <500 | <0.5 | <0.5 | <0.5 | <0.5 | 39 | <50 | - | - | - | - | - |
| MW-3A | 03/10/2010 ¹⁸ | 8.70 | 4.43 | 4.27 | 0.00 | 0.00 | - | - | 1,200 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - |
| MW-3A | 09/15/2010 | 8.70 | 8.95 | -0.25 | 0.00 | 0.00 | - | - | 360 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8 | <50 | - | - | - | - | - |
| MW-3A | 03/14/2011 | 8.70 | 5.50 | 3.20 | 0.00 | 0.00 | <38 | - | <33 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - |
| MW-3A | 09/26/2011 | 8.70 | 8.78 | -0.08 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - |
| MW-3A | 03/30/2012 | 8.70 | 6.17 | 2.53 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - |
| MW-3A | 09/22/2012 | 8.70 | 8.69 | 0.01 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - |
| MW-3A | 03/20/2013 | 8.70 | 7.72 | 0.98 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - |
| MW-3A | 09/25/2013 | 8.70 | 8.54 | 0.16 | 0.00 | 0.00 | - | - | 400 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 J | <50 | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|--------------------|-------------------|---------|--------------|------|------|------|----------------|-----------------|-------------------|---------|------------------|---------|------------------------|------|-------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MIBE by SW8260 | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-4 | 08/20/1991 | 7.37 | 5.05 | 1.32 | 0.00 | 0.00 | - | - | 160 | - | 1,800 | 870 | 4.0 | 3.0 | 9.0 | - | - | - | - | - | - | - | - | - |
| MW-4 | 09/30/1991 | 7.37 | 5.67 | 1.70 | 0.00 | 0.00 | - | - | - | - | 670 | 830 | 5.5 | 2.7 | 12 | - | - | - | - | - | - | - | - | - |
| MW-4 | 10/28/1991 | 7.37 | 5.81 | 1.56 | 0.00 | 0.00 | - | - | - | - | 2,800 | 990 | 5.8 | 4.8 | 19 | - | - | - | - | - | - | - | - | - |
| MW-4 | 01/08/1992 | 7.37 | 5.34 | 2.03 | 0.00 | 0.00 | - | - | - | - | 2,900 | 1,200 | 10 | 7.0 | 18 | - | - | - | - | - | - | - | - | - |
| MW-4 | 01/13/1992 | 7.37 | - | - | 0.00 | 0.00 | - | - | 1,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-4 | 06/23/1992 | 7.37 | 5.37 | 2.00 | 0.00 | 0.00 | - | - | <50 | - | 1,600 | 380 | 6.5 | 3.0 | 12 | - | - | - | - | - | - | - | - | - |
| MW-4 | 08/24/1992 | 7.37 | 5.75 | 1.62 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-4 | 09/21/1992 | 7.37 | 5.95 | 1.42 | 0.00 | 0.00 | - | - | <50 | - | 1,200 | 480 | 5.6 | 3.7 | 11 | - | - | - | - | - | - | - | - | - |
| MW-4 | 10/26/1992 | 7.37 | 5.96 | 1.41 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-4 | 12/23/1992 | 7.37 | - | - | 0.00 | 0.00 | - | - | 1,800 | - | 1,500 | 700 | 3.6 | 3.2 | 11 | - | - | - | - | - | - | - | - | - |
| MW-4 | 01/08/1993 | 7.37 | 4.64 | 2.73 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-4 | 03/25/1993 | 7.37 | 4.42 | 2.95 | 0.00 | 0.00 | - | - | <10 | - | 520 | 160 | 3.0 | 1.0 | 4.0 | - | - | - | - | - | - | - | - | - |
| MW-4 | 06/11/1993 | 7.37 | 5.12 | 2.25 | 0.00 | 0.00 | - | - | - | - | 1,200 | 430 | 5.0 | 6.0 | 11 | - | - | - | - | - | - | - | - | 2,600 |
| MW-4 | 09/29/1993 | 7.37 | 5.80 | 1.57 | 0.00 | 0.00 | - | - | - | - | 1,300 | 210 | 8.0 | 2.0 | 14 | - | - | - | - | - | - | - | - | - |
| MW-4 | 12/20/1993 | 7.37 | 5.10 | 2.27 | 0.00 | 0.00 | - | - | 3,900 | - | 570 | 230 | 5.0 | 4.0 | 8.0 | - | - | - | - | - | - | - | - | - |
| MW-4 | 03/07/1994 | 7.37 | 5.01 | 2.36 | 0.00 | 0.00 | - | - | 2,600 | - | 2,200 | 290 | 18 | 2.5 | 11 | 22,000 | - | - | - | - | - | - | - | - |
| MW-4 | 06/17/1994 | 7.37 | 5.82 | 1.55 | 0.00 | 0.00 | - | - | 2,800 | - | 2,100 | 480 | 11 | 4.3 | 9.5 | - | - | - | - | - | - | - | - | - |
| MW-4 | 09/12/1994 | 7.37 | 5.64 | 1.73 | 0.00 | 0.00 | - | - | 3,000 | - | 1,700 | 340 | 6.1 | 2.7 | 9.7 | 63,000 | - | - | - | - | - | - | - | - |
| MW-4 | 11/30/1994 ²⁶ | 7.37 | 5.58 | 1.79 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-4 | 03/24/1995 | 7.37 | 4.95 | 2.42 | 0.00 | 0.00 | - | - | 3,000 ² | - | 1,500 | 280 | <5.0 | <5.0 | 6.9 | 12,000 | - | - | - | - | - | - | - | - |
| MW-4 | 06/27/1995 | 7.37 | 8.79 | -1.42 | 0.00 | 0.00 | - | - | 3,100 ² | - | <10,000 | 310 | <100 | <100 | <100 | 32,000 | - | - | - | - | - | - | - | - |
| MW-4 | 09/28/1995 | 7.37 | 5.85 | 1.52 | 0.00 | 0.00 | - | - | 6,300 ² | - | 330 | 64 | 1.1 | <0.5 | <0.5 | 630 | - | - | - | - | - | - | - | - |
| MW-4 | 12/19/1995 | 7.37 | 5.50 | 1.87 | 0.00 | 0.00 | - | - | 3,400 ² | - | 3,000 | 520 | <25 | <25 | <25 | 44,000 | - | - | - | - | - | - | - | - |
| MW-4 | 02/28/1996 | 7.37 | 5.10 | 2.27 | 0.00 | 0.00 | - | - | 4,700 ² | - | <10,000 | 230 | <100 | <100 | <100 | 32,000 | - | - | - | - | - | - | - | - |
| MW-4 | 06/25/1996 | 7.37 | 5.78 | 1.59 | 0.00 | 0.00 | - | - | 3,100 | - | <10,000 | 160 | <100 | <100 | <100 | 31,000 | - | - | - | - | - | - | - | - |
| MW-4 | 12/17/1996 | 7.37 | 5.95 | 1.42 | 0.00 | 0.00 | - | - | 3,600 ³ | - | <5,000 | 110 | <50 | <50 | <50 | 22,000 | - | - | - | - | - | - | - | - |
| MW-4 | 03/31/1997 | 7.37 | 5.62 | 1.75 | 0.00 | 0.00 | - | - | 2,700 ² | - | <2,500 | 130 | <25 | <25 | <25 | 16,000 | - | - | - | - | - | - | - | - |
| MW-4 | 06/30/1997 | 7.37 | 6.03 | 1.34 | 0.00 | 0.00 | - | - | 2,700 ² | - | <2,500 | 130 | <25 | <25 | <25 | 14,000 | - | - | - | - | - | - | - | - |
| MW-4 | 09/12/1997 | 7.37 | 5.69 | 1.68 | 0.00 | 0.00 | - | - | 2,100 ² | - | <5,000 | 63 | <50 | <50 | <50 | 15,000 | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|--------------------|-------------------|-------------------|--------------|-------|-------|-------|----------------------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|---|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-4 | 12/05/1997 | 7.37 | 5.15 | 2.22 | 0.00 | 0.00 | - | - | 2,600 ² | - | 1,300 | 120 | <5.0 | <5.0 | 8.5 | 15,000 | - | - | - | - | - | - | - | - |
| MW-4 | 02/16/1998 | 7.37 | 6.26 | 1.11 | 0.00 | 0.00 | - | - | 1,300 ² | - | 1,200 | 57 | 4.5 | <2.5 | 7.0 | 12,000 | - | - | - | - | - | - | - | - |
| MW-4 | 06/17/1998 | 7.37 | 4.96 | 2.41 | 0.00 | 0.00 | - | - | 530 ² | - | 5,300 | 390 | 290 | 28 | 150 | 17,000 | - | - | - | - | - | - | - | - |
| MW-4 | 08/31/1998 | 7.37 | 5.91 | 1.46 | 0.00 | 0.00 | - | - | 2,400 ² | - | <50 | 89 | <0.5 | <0.5 | <0.5 | 14,000/16,000 ⁴ | - | - | - | - | - | - | - | - |
| MW-4 | 12/28/1998 | 7.37 | 5.41 | 1.96 | 0.00 | 0.00 | - | - | 2,900 ² | - | 1,000 | 52 | 5.6 | 4.6 | 9.1 | 8,400 | - | 3500 | <1,000 | 670000 | 6800 | - | - | - |
| MW-4 | 03/04/1999 | 7.37 | 5.20 | 2.17 | 0.00 | 0.00 | - | - | 4,490 ² | - | <2,500 | 85.5 | 40.9 | <25 | <25 | 11,400 | - | - | - | - | - | - | - | - |
| MW-4A | 03/20/1999 | 7.69 | 5.62 | 2.07 | 0.00 | 0.00 | - | - | 1,280 ² | - | 1,370 | 129 | 8.6 | 18.3 | 7.3 | 2,110 | - | - | - | - | - | - | - | - |
| MW-4A | 04/19/1999 | 7.69 | 4.91 | 2.78 | 0.00 | 0.00 | - | - | 370 ² | - | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 1,600 | - | - | - | - | - | - | - | - |
| MW-4A | 06/14/1999 | 7.69 | 5.25 | 2.44 | 0.00 | 0.00 | - | - | 2,500 ² | - | 5,360 | 312 | <20 | 44 | <20 | 2,880 | - | - | - | - | - | - | - | - |
| MW-4A | 09/17/1999 | 7.69 | 7.37 | 0.32 | 0.00 | 0.00 | - | - | 1,430 ² | - | 1,290 | 38.6 | <5.0 | 7.01 | <5.0 | 1,780 | - | - | - | - | - | - | - | - |
| MW-4A | 12/20/1999 | 7.69 | 6.30 | 1.39 | 0.00 | 0.00 | - | - | 7,480 ² | - | 852 | 43.5 | 4.63 | 9.18 | 4.36 | 1,070 | - | - | - | - | - | - | - | - |
| MW-4A | 06/24/2000 | 7.69 | 6.12 | 1.57 | 0.00 | 0.00 | - | - | 1,190 ⁹ | - | 190 ⁷ | 1.4 | 1.7 | 1.7 | 3.3 | 3,900 ⁷ | - | - | - | - | - | - | - | - |
| MW-4A | 09/07/2000 | 7.69 | 6.26 | 1.43 | 0.00 | 0.00 | - | - | 740 ⁹ | - | 490 ⁷ | 15 | 1.9 | 1.1 | 3.9 | 3,300 | - | - | - | - | - | - | - | - |
| MW-4A | 12/05/2000 | 7.69 | 5.99 | 1.70 | 0.00 | 0.00 | - | - | 560 ¹² | - | <500 | <5.00 | <5.00 | <5.00 | <5.00 | 3,380 ⁸ | - | - | - | - | - | - | - | - |
| MW-4A | 03/01/2001 | 7.69 | 5.68 | 2.01 | 0.00 | 0.00 | - | - | 600 ⁹ | - | <1,000 | 10 | <10 | <10 | <10 | 4,600 | - | - | - | - | - | - | - | - |
| MW-4A | 06/04/2001 | 7.69 | 6.60 | 1.09 | 0.00 | 0.00 | - | - | 770 ⁹ | - | 390 ¹⁵ | 8.4 | 3.8 | <2.5 | 3.0 | 3,800 | - | - | - | - | - | - | - | - |
| MW-4A | 09/10/2001 | 7.69 | 6.57 | 1.12 | 0.00 | 0.00 | - | - | 810 | - | <500 | 13 | <5.0 | 22 | <5.0 | 4,900 | - | - | - | - | - | - | - | - |
| MW-4A | 12/03/2001 | 7.69 | 5.95 | 1.74 | 0.00 | 0.00 | - | - | 2,100 | - | <250 | 1.5 | <1.0 | <1.0 | <3.0 | 3,800 | - | - | - | - | - | - | - | - |
| MW-4A | 03/04/2002 | 7.69 | 8.88 | -1.19 | 0.00 | 0.00 | - | - | 2,400 | - | 2,500 | 49 | 6.8 | 21 | 9.5 | 2,600 | - | - | - | - | - | - | - | - |
| MW-4A | 05/30/2002 | 7.69 | 6.20 | 1.49 | 0.00 | 0.00 | - | - | 2,600 | - | 430 | 4.6 | <1.0 | 2.0 | <3.0 | 3,700 | - | - | - | - | - | - | - | - |
| MW-4A | 09/03/2002 | 7.69 | 6.49 | 1.20 | 0.00 | 0.00 | - | - | 3,200 | - | <500 | 4.5 | <2.0 | 3.5 | 7.5 | 3,800 | - | - | - | - | - | - | - | - |
| MW-4A | 12/09/2002 | 7.69 | 6.26 | 1.43 | 0.00 | 0.00 | - | - | 1,600 | - | 440 | 1.1 | <0.50 | 0.71 | <5.0 | 4,000 | - | - | - | - | - | - | - | - |
| MW-4A | 03/10/2003 | 7.69 | 5.83 | 1.86 | 0.00 | 0.00 | - | - | 1,700 | - | 710 | 14 | 2.2 | 4.2 | <10 | 4,100 | - | - | - | - | - | - | - | - |
| MW-4A | 06/09/2003 ¹⁸ | 7.69 | 6.44 | 1.25 | 0.00 | 0.00 | - | - | 3,200 | - | 400 | 3 | <1 | 2 | <1 | 4,100 | - | - | - | - | - | - | - | - |
| MW-4A | 09/08/2003 ¹⁸ | 7.69 | 5.86 | 1.83 | 0.00 | 0.00 | - | - | 3,900 | - | 1,300 | 28 | 4 | 4 | <3 | 2,900 | <250 | - | - | - | - | - | - | - |
| MW-4A | 12/08/2003 ¹⁸ | 7.69 | 6.12 | 1.57 | 0.00 | 0.00 | - | - | 2,500 | - | 360 | 3 | <3 | <3 | <3 | 3,200 | <250 | - | - | - | - | - | - | - |
| MW-4A | 03/09/2004 ¹⁸ | 7.69 | 5.37 | 2.32 | 0.00 | 0.00 | - | - | 4,300 | - | 1,400 | 28 | 5 | 10 | 3 | 3,200 | <250 | - | - | - | - | - | - | - |
| MW-4A | 06/17/2004 ¹⁸ | 7.69 | 6.05 | 1.64 | 0.00 | 0.00 | - | - | 7,900 | - | 6,000 | 140 | 20 | 52 | 16 | 1,500 | <50 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | |
|--------------|--------------------------|-------------|-------------|-------------|-------------|---------------|--------------|---------------------|---------------------|-------------------|--------------|--------------|----------------|----------------|----------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-4A | 09/15/2004 ¹⁸ | 7.69 | 7.40 | 0.29 | 0.00 | 0.00 | - | - | 4,200 | - | 3,300 | 14 | 5 | 4 | 6 | 2,400 | <100 | - | - | - | - | - | - |
| MW-4A | 12/23/2004 ¹⁸ | 7.69 | 6.26 | 1.43 | 0.00 | 0.00 | - | - | 2,800 | - | 1,500 | 7 | 3 | 4 | 4 | 3,000 | <100 | - | - | - | - | - | - |
| MW-4A | 03/24/2005 ¹⁸ | 7.69 | 5.01 | 2.68 | 0.00 | 0.00 | - | - | 900 | - | 2,700 | 28 | 7 | 9 | 4 | 2,300 | <250 | - | - | - | - | - | - |
| MW-4A | 06/16/2005 ¹⁸ | 7.69 | 6.03 | 1.66 | 0.00 | 0.00 | - | - | 3,600 | - | 1,000 | 3 | 5 | 3 | 6 | 3,200 | <250 | - | - | - | - | - | - |
| MW-4A | 09/16/2005 ¹⁸ | 7.69 | 6.62 | 1.07 | 0.00 | 0.00 | - | - | 2,400 | - | 380 | <5 | <5 | <5 | <5 | 3,700 | <500 | - | - | - | - | - | - |
| MW-4A | 12/21/2005 ¹⁸ | 7.69 | 5.86 | 1.83 | 0.00 | 0.00 | - | - | 2,900 ²³ | - | 580 | 2 | 0.7 | 1 | 2 | 3,000 | <50 | - | - | - | - | - | - |
| MW-4A | 03/23/2006 ¹⁸ | 7.69 | 5.14 | 2.55 | 0.00 | 0.00 | - | - | 1,900 | - | 1,400 | 16 | 5 | 9 | <3 | 2,800 | <250 | - | - | - | - | - | - |
| MW-4A | 06/09/2006 ¹⁸ | 7.69 | 5.93 | 1.76 | 0.00 | 0.00 | - | - | 3,900 | - | 1,200 | 4 | 2 | 3 | 3 | 3,000 | <50 | - | - | - | - | - | - |
| MW-4A | 09/05/2006 ¹⁸ | 7.69 | 6.62 | 1.07 | 0.00 | 0.00 | - | - | 3,800 | - | 650 | <5 | <5 | <5 | <5 | 1,600 | <500 | - | - | - | - | - | - |
| MW-4A | 12/15/2006 ¹⁸ | 7.69 | 6.00 | 1.69 | 0.00 | 0.00 | - | - | 3,500 | - | 1,000 | 2 | 1 | 0.8 | 3 | 520 | <50 | - | - | - | - | - | - |
| MW-4A | 03/01/2007 ¹⁸ | 7.69 | 5.83 | 1.86 | 0.00 | 0.00 | - | - | 1,600 | - | 1,200 | 11 | 5 | 6 | 5 | 1,100 | <50 | - | - | - | - | - | - |
| MW-4A | 06/05/2007 ¹⁸ | 7.69 | 5.36 | 2.33 | 0.00 | 0.00 | - | - | 3,000 | - | 3,300 | 34 | 9 | 7 | 8 | 330 | <100 | - | - | - | - | - | - |
| MW-4A | 09/05/2007 ¹⁸ | 7.69 | 5.72 | 1.97 | 0.00 | 0.00 | - | - | 3,800 | - | 1,700 | 11 | 4 | 2 | 4 | 130 | <50 | - | - | - | - | - | - |
| MW-4A | 12/05/2007 ¹⁸ | 7.69 | 6.12 | 1.57 | 0.00 | 0.00 | - | - | 2,100 | - | 1,300 | 3 | 3 | 1 | 3 | 82 | <50 | - | - | - | - | - | - |
| MW-4A | 03/03/2008 ¹⁸ | 7.69 | 5.83 | 1.86 | 0.00 | 0.00 | - | - | 4,900 | - | 2,700 | 13 | 6 | 9 | 7 | 700 | <50 | - | - | - | - | - | - |
| MW-4A | 06/02/2008 ¹⁸ | 7.69 | 5.69 | 2.00 | 0.00 | 0.00 | - | - | 6,500 | - | 6,200 | 60 | 17 | 17 | 16 | 1,100 | <50 | - | - | - | - | - | - |
| MW-4A | 09/04/2008 ¹⁸ | 7.69 | 6.23 | 1.46 | 0.00 | 0.00 | - | - | 3,000 | - | 1,800 | 11 | 2 | 1 | 3 | 58 | <50 | - | - | - | - | - | - |
| MW-4A | 12/04/2008 ¹⁸ | 7.69 | 6.27 | 1.42 | 0.00 | 0.00 | - | - | 3,800 | - | 470 | <0.5 | <0.5 | <0.5 | <0.5 | 58 | <50 | - | - | - | - | - | - |
| MW-4A | 02/26/2009 ¹⁸ | 7.69 | 5.46 | 2.23 | 0.00 | 0.00 | - | - | 4,000 | - | 1,900 | 4 | 3 | 5 | 6 | 140 | <50 | - | - | - | - | - | - |
| MW-4A | 06/30/2009 ¹⁸ | 7.69 | 8.70 | -1.01 | 0.00 | 0.00 | - | - | 6,100 | - | 7,400 | 33 | 16 | 13 | 17 | 920 | <50 | - | - | - | - | - | - |
| MW-4A | 09/29/2009 ¹⁸ | 7.69 | 6.60 | 1.09 | 0.00 | 0.00 | - | - | 4,700 | - | 250 | 3 | 3 | 1 J | 6 | 36 | <50 | - | - | - | - | - | - |
| MW-4A | 03/10/2010 ¹⁸ | 7.69 | 4.67 | 3.02 | 0.00 | 0.00 | - | - | 3,700 | - | 5,100 | 22 | 11 | 12 | 12 | 690 | <50 | - | - | - | - | - | - |
| MW-4A | 09/15/2010 | 7.69 | 7.07 | 0.62 | 0.00 | 0.00 | - | - | 5,700 | - | 3,500 | 6 | 2 | 3 | 10 | 18 | <50 | - | - | - | - | - | - |
| MW-4A | 03/14/2011 | 7.69 | 4.90 | 2.79 | 0.00 | 0.00 | 590 | - | 2,800 | - | 6,200 | 24 | 12 | 14 | 14 | 870 | <50 | - | - | - | - | - | - |
| MW-4A | 09/26/2011 | 7.69 | 6.51 | 1.18 | 0.00 | 0.00 | - | <39 | - | 1,000 | 5,000 | 9 | 3 | 2 | 10 | 43 | <50 | - | - | - | - | - | - |
| MW-4A | 03/30/2012 | 7.69 | 4.43 | 3.26 | 0.00 | 0.00 | - | <38 | - | 430 | 1,300 | 5 | 2 | 2 | 3 | 130 | <50 | - | - | - | - | - | - |
| MW-4A | 09/22/2012 | 7.69 | 6.53 | 1.16 | 0.00 | 0.00 | - | <38 | - | 210 | 990 | 2 | <0.5 | <0.5 | 0.7 J | 51 | <50 | - | - | - | - | - | - |
| MW-4A | 03/20/2013 | 7.69 | 5.73 | 1.96 | 0.00 | 0.00 | - | <38 | - | 78 J | 410 | 2 | 0.8 J | 0.7 J | 0.7 J | 120 | <50 | - | - | - | - | - | - |
| MW-4A | 09/25/2013 | 7.69 | 6.62 | 1.07 | 0.00 | 0.00 | - | - | 4,500 | - | 1,900 | 0.7 J | <0.5 | <0.5 | 3 | 16 | <50 | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|----------|--------------------------|-------|-------|---------|--------|---------------|--------------|---------------------|------------------|-------------------|---------|--------------|------|------|------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-5 | 06/23/1992 | 14.14 | 12.24 | 1.90 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-5 | 08/24/1992 | 14.14 | 12.29 | 1.85 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/21/1992 | 14.14 | 12.46 | 1.68 | 0.00 | 0.00 | - | - | 60 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-5 | 10/26/1992 | 14.14 | 12.52 | 1.62 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 12/23/1992 | 14.14 | 11.12 | 3.02 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 01/08/1993 | 14.14 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/25/1993 | 14.14 | 9.74 | 4.40 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | 0.9 | - | - | - | - | - | - | - |
| MW-5 | 06/11/1993 | 14.14 | 10.44 | 3.70 | 0.00 | 0.00 | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | 770 |
| MW-5 | 09/29/1993 | 14.14 | 11.92 | 2.22 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | 0.6 | <0.5 | 0.6 | - | - | - | - | - | - | - |
| MW-5 | 12/20/1993 | 14.14 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/07/1994 | 14.14 | 11.34 | 2.80 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-5 | 06/17/1994 | 14.14 | 11.27 | 2.87 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-5 | 09/12/1994 | 14.14 | 12.86 | 1.28 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | - | - | - | - | - | - |
| MW-5 | 11/30/1994 | 14.14 | 11.91 | 2.23 | 0.00 | 0.00 | - | - | 99 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-5 | 03/24/1995 | 14.14 | 9.76 | 4.38 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-5 | 06/27/1995 | 14.14 | 11.40 | 2.74 | 0.00 | 0.00 | - | - | 55 ³ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-5 | 09/28/1995 | 14.14 | 11.90 | 2.24 | 0.00 | 0.00 | - | - | 300 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-5 | 12/19/1995 | 14.14 | 12.58 | 1.56 | 0.00 | 0.00 | - | - | 53 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.1 | - | - | - | - | - | - |
| MW-5 | 02/28/1996 | 14.14 | 11.70 | 2.44 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-5 | 06/25/1996 | 14.14 | 11.43 | 2.71 | 0.00 | 0.00 | - | - | 120 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 36 | - | - | - | - | - | - |
| MW-5 | 12/17/1996 | 14.14 | 11.40 | 2.74 | 0.00 | 0.00 | - | - | 89 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-5 | 03/31/1997 | 14.14 | 12.10 | 2.04 | 0.00 | 0.00 | - | - | 150 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-5 | 06/30/1997 ²⁵ | 14.14 | 12.78 | 1.36 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/12/1997 | 14.14 | 13.68 | 0.46 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-5 | 12/05/1997 | 14.14 | 13.03 | 1.11 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 02/16/1998 | 14.14 | 9.97 | 4.17 | 0.00 | 0.00 | - | - | 62 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-5 | 06/17/1998 | 14.14 | 11.85 | 2.29 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 08/31/1998 | 14.14 | 12.82 | 1.32 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-5 | 12/28/1998 | 14.14 | 13.43 | 0.71 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | 15 | <1,000 | 480000 | 51000 | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCs | | | | | ADDITIONAL VOCs | GENERAL CHEMISTRY | | | | | |
|----------|--------------------------|-------|-------|---------|--------|---------------|--------------|---------------------|------------------|-------------------|---------|--------------|-------|-------|-------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-5 | 03/04/1999 | 14.14 | 13.75 | 0.39 | 0.00 | 0.00 | - | - | 70.5 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.34 | - | - | - | - | - | - | - |
| MW-5 | 06/14/1999 | 14.14 | 14.10 | 0.04 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/17/1999 | 14.14 | 14.18 | -0.04 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - |
| MW-5 | 12/20/1999 | 14.14 | 13.70 | 0.44 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/20/2000 | 14.14 | 12.64 | 1.50 | 0.00 | 0.00 | - | - | 115 ³ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - |
| MW-5 | 06/24/2000 | 14.14 | 13.04 | 1.10 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/07/2000 | 14.14 | 13.17 | 0.97 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.0 | - | - | - | - | - | - | - |
| MW-5 | 12/05/2000 | 14.14 | 11.28 | 2.86 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/01/2001 | 14.14 | 10.30 | 3.84 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - |
| MW-5 | 06/04/2001 ²⁵ | 14.14 | 11.31 | 2.83 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/10/2001 | 14.14 | 12.16 | 1.98 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - |
| MW-5 | 12/03/2001 ²⁵ | 14.14 | 8.62 | 5.52 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/04/2002 | 14.14 | 9.85 | 4.29 | 0.00 | 0.00 | - | - | 78 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - |
| MW-5 | 05/30/2002 ²⁵ | 14.14 | 10.83 | 3.31 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/03/2002 ²⁶ | 14.14 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 12/09/2002 ²⁵ | 14.14 | 11.36 | 2.78 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/10/2003 | 14.14 | 11.19 | 2.95 | 0.00 | 0.00 | - | - | 100 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 8.2 | - | - | - | - | - | - | - |
| MW-5 | 06/09/2003 ²⁵ | 14.14 | 12.57 | 1.57 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/08/2003 ¹⁸ | 14.14 | 12.01 | 2.13 | 0.00 | 0.00 | - | - | 65 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8 | <50 | - | - | - | - | - | - |
| MW-5 | 12/08/2003 ²⁵ | 14.14 | 11.13 | 3.01 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/09/2004 ¹⁸ | 14.14 | 10.58 | 3.56 | 0.00 | 0.00 | - | - | 110 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - |
| MW-5 | 06/17/2004 ²⁵ | 14.14 | 12.10 | 2.04 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/15/2004 ¹⁸ | 14.14 | 12.58 | 1.56 | 0.00 | 0.00 | - | - | 92 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 | - | - | - | - | - | - |
| MW-5 | 12/23/2004 ²⁵ | 14.14 | 12.20 | 1.94 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/24/2005 ¹⁸ | 14.14 | 7.70 | 6.44 | 0.00 | 0.00 | - | - | 85 | - | <50 | <0.5 | <0.5 | <0.5 | 3 | 6 | <50 | - | - | - | - | - | - |
| MW-5 | 06/16/2005 ²⁵ | 14.14 | 11.55 | 2.59 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/16/2005 ¹⁸ | 14.14 | 11.78 | 2.36 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - |
| MW-5 | 12/21/2005 ²⁵ | 14.14 | 9.70 | 4.44 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/23/2006 ¹⁸ | 14.14 | 9.20 | 4.94 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCs | | | | | ADDITIONAL VOCs | GENERAL CHEMISTRY | | | | | |
|-------------|-----------------------------|--------------|--------------|-------------|-------------|---------------|--------------|---------------------|---------------|-------------------|---------------|----------------|----------------|----------------|----------------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids |
| Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-5 | 06/09/2006 ²⁵ | 14.14 | 10.67 | 3.47 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/05/2006 ¹⁸ | 14.14 | 11.80 | 2.34 | 0.00 | 0.00 | - | - | 120 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - |
| MW-5 | 12/15/2006 ²⁵ | 14.14 | 11.50 | 2.64 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/01/2007 ¹⁸ | 14.14 | 9.22 | 4.92 | 0.00 | 0.00 | - | - | 150 | - | <50 | 1 | 3 | 0.7 | 3 | 2 | <50 | - | - | - | - | - | - |
| MW-5 | 06/05/2007 ²⁵ | 14.14 | 11.02 | 3.12 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/05/2007 ¹⁸ | 14.14 | 12.50 | 1.64 | 0.00 | 0.00 | - | - | 68 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - |
| MW-5 | 12/05/2007 ²⁵ | 14.14 | 10.65 | 3.49 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 03/03/2008 ¹⁸ | 14.14 | 10.51 | 3.63 | 0.00 | 0.00 | - | - | 89 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-5 | 06/02/2008 ²⁵ | 14.14 | 12.57 | 1.57 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/04/2008 ¹⁸ | 14.14 | 12.48 | 1.66 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - |
| MW-5 | 12/04/2008 ²⁵ | 14.14 | 12.10 | 2.04 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 02/26/2009 ¹⁸ | 14.14 | 10.35 | 3.79 | 0.00 | 0.00 | - | - | 320 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-5 | 06/30/2009 ¹⁸ | 14.14 | 10.93 | 3.21 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-5 | 09/29/2009 ^{18,25} | 14.14 | 12.27 | 1.87 | 0.00 | 0.00 | - | - | 270 | - | <500 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - |
| MW-5 | 03/10/2010 ¹⁸ | 14.14 | 10.21 | 3.93 | 0.00 | 0.00 | - | - | 540 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-5 | 09/15/2010 | 14.14 | 11.25 | 2.89 | 0.00 | 0.00 | - | - | <32 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-5 | 03/14/2011 | 14.14 | 10.30 | 3.84 | 0.00 | 0.00 | <38 | - | <33 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-5 | 09/26/2011 | 14.14 | 10.34 | 3.80 | 0.00 | 0.00 | - | <39 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-5 | 03/30/2012 | 14.14 | 10.91 | 3.23 | 0.00 | 0.00 | - | 48 J | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 J | <50 | - | - | - | - | - | - |
| MW-5 | 09/21/2012 | 14.14 | 12.48 | 1.66 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-5 | 03/19/2013 | 14.14 | 10.97 | 3.17 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 J | <50 | - | - | - | - | - | - |
| MW-5 | 09/25/2013 | 14.14 | 12.46 | 1.68 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 J | <50 | - | - | - | - | - | - |
| MW-6 | 06/23/1992 | 4.46 | 5.14 | -0.68 | 0.00 | 0.00 | - | - | 120 | - | <50 | 4.3 | <0.5 | 0.8 | 0.9 | - | - | - | - | - | - | - | - |
| MW-6 | 08/24/1992 | 4.46 | 4.95 | -0.49 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/21/1992 | 4.46 | 4.90 | -0.44 | 0.00 | 0.00 | - | - | <50 | - | <250 | <2.5 | <2.5 | <2.5 | <2.5 | - | - | - | - | - | - | - | - |
| MW-6 | 10/26/1992 | 4.46 | 5.52 | -1.06 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 12/23/1992 | 4.46 | 5.40 | -0.94 | 0.00 | 0.00 | - | - | 81 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-6 | 01/08/1993 | 4.46 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|--------------------|-------------------|---------|--------------|------|------|------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-6 | 03/25/1993 | 4.46 | 6.10 | -1.64 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | 0.7 | - | - | - | - | - | - | - |
| MW-6 | 06/11/1993 | 4.46 | 6.56 | -2.10 | 0.00 | 0.00 | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | 15,000 |
| MW-6 | 09/29/1993 | 4.46 | 5.17 | -0.71 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-6 | 12/20/1993 | 4.46 | 5.93 | -1.47 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-6 | 03/07/1994 | 4.46 | 5.27 | -0.81 | 0.00 | 0.00 | - | - | <10 | - | 54 | <0.5 | <0.5 | <0.5 | 0.6 | - | - | - | - | - | - | - |
| MW-6 | 06/17/1994 | 4.46 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/12/1994 | 4.46 | 5.10 | -0.64 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - |
| MW-6 | 11/30/1994 | 4.46 | 5.58 | -1.12 | 0.00 | 0.00 | - | - | 800 ¹ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-6 | 03/24/1995 | 4.46 | 6.33 | -1.87 | 0.00 | 0.00 | - | - | 490 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-6 | 06/27/1995 | 4.46 | 8.20 | -3.74 | 0.00 | 0.00 | - | - | 300 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-6 | 09/28/1995 | 4.46 | 4.65 | -0.19 | 0.00 | 0.00 | - | - | 1,200 ² | - | 120 | 1.1 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-6 | 12/19/1995 | 4.46 | 6.04 | -1.58 | 0.00 | 0.00 | - | - | 820 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 02/28/1996 | 4.46 | 6.00 | -1.54 | 0.00 | 0.00 | - | - | 270 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 06/25/1996 | 4.46 | 6.17 | -1.71 | 0.00 | 0.00 | - | - | 750 ² | - | 97 | <0.5 | <0.5 | <0.5 | 0.71 | <2.5 | - | - | - | - | - | - |
| MW-6 | 12/17/1996 | 4.46 | 6.13 | -1.67 | 0.00 | 0.00 | - | - | 540 ² | - | 65 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 03/31/1997 | 4.46 | 6.69 | -2.23 | 0.00 | 0.00 | - | - | 780 ² | - | 65 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 06/30/1997 ²⁵ | 4.46 | 7.08 | -2.62 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/12/1997 | 4.46 | 5.41 | -0.95 | 0.00 | 0.00 | - | - | 270 ² | - | 65 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 12/05/1997 | 4.46 | 6.42 | -1.96 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 02/16/1998 | 4.46 | 4.76 | -0.30 | 0.00 | 0.00 | - | - | 3302 | - | 140 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 06/17/1998 | 4.46 | 6.00 | -1.54 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 08/31/1998 | 4.46 | 5.10 | -0.64 | 0.00 | 0.00 | - | - | 2701 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 12/28/1998 | 4.46 | 6.50 | -2.04 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | 810 | <1,000 | 2400000 | 110000 | - | - |
| MW-6 | 03/04/1999 | 4.46 | 5.81 | -1.35 | 0.00 | 0.00 | - | - | 638 ¹ | - | 95.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | - | - | - | - | - | - |
| MW-6 | 06/14/1999 | 4.46 | 5.43 | -0.97 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/17/1999 | 4.46 | 6.20 | -1.74 | 0.00 | 0.00 | - | - | 258 ¹ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 12/20/1999 | 4.46 | 6.77 | -2.31 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/20/2000 | 4.46 | 6.58 | -2.12 | 0.00 | 0.00 | - | - | 257 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-6 | 06/24/2000 ²⁵ | 4.46 | 6.98 | -2.52 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|-------------------|-------------------|---------|--------------|-------|-------|-------|----------------|-----------------|-------------------|---------|------------------|---------|------------------------|------|---|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-6 | 09/07/2000 | 4.46 | 4.92 | -0.46 | 0.00 | 0.00 | - | - | 98 ¹¹ | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - |
| MW-6 | 12/05/2000 | 4.46 | 5.10 | -0.64 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/01/2001 | 4.46 | 4.89 | -0.43 | 0.00 | 0.00 | - | - | 190 ⁹ | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - |
| MW-6 | 06/04/2001 ²⁵ | 4.46 | 5.21 | -0.75 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/10/2001 | 4.46 | 5.11 | -0.65 | 0.00 | 0.00 | - | - | 140 ¹⁷ | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - |
| MW-6 | 12/03/2001 ²⁵ | 4.46 | 5.03 | -0.57 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/04/2002 ²⁶ | 4.46 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 05/30/2002 ²⁵ | 4.46 | 6.11 | -1.65 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/03/2002 | 4.46 | 5.28 | -0.82 | 0.00 | 0.00 | - | - | 340 | - | <500 | <2.0 | <2.0 | <2.0 | <6.0 | <3.0 | - | - | - | - | - | - | - | - |
| MW-6 | 12/09/2002 ²⁵ | 4.46 | 5.12 | -0.66 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/10/2003 | 4.46 | 6.26 | -1.80 | 0.00 | 0.00 | - | - | 420 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - |
| MW-6 | 06/09/2003 ²⁵ | 4.46 | 5.91 | -1.45 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/08/2003 ¹⁸ | 4.46 | 4.65 | -0.19 | 0.00 | 0.00 | - | - | 230 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 12/08/2003 ²⁵ | 4.46 | 5.24 | -0.78 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/09/2004 ¹⁸ | 4.46 | 5.85 | -1.39 | 0.00 | 0.00 | - | - | 1,500 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 06/17/2004 ²⁵ | 4.46 | 6.08 | -1.62 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/15/2004 ¹⁸ | 4.46 | 6.74 | -2.28 | 0.00 | 0.00 | - | - | 1,200 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 12/23/2004 ²⁵ | 4.46 | 5.76 | -1.30 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/24/2005 ¹⁸ | 4.46 | 4.65 | -0.19 | 0.00 | 0.00 | - | - | 290 | - | 60 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 06/16/2005 ²⁵ | 4.46 | 5.50 | -1.04 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/16/2005 ¹⁸ | 4.46 | 5.09 | -0.63 | 0.00 | 0.00 | - | - | 640 | - | <50 | <3 | <3 | <3 | <3 | <3 | <250 | - | - | - | - | - | - | - |
| MW-6 | 12/21/2005 ²⁵ | 4.46 | 5.00 | -0.54 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/23/2006 ¹⁸ | 4.46 | 4.63 | -0.17 | 0.00 | 0.00 | - | - | 1,500 | - | 50 | <3 | <3 | <3 | <3 | <3 | <250 | - | - | - | - | - | - | - |
| MW-6 | 06/09/2006 ²⁵ | 4.46 | 4.95 | -0.49 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/05/2006 ¹⁸ | 4.46 | 4.85 | -0.39 | 0.00 | 0.00 | - | - | 820 | - | <250 | <3 | <3 | <3 | <3 | <3 | <250 | - | - | - | - | - | - | - |
| MW-6 | 12/15/2006 ²⁵ | 4.46 | 5.40 | -0.94 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/01/2007 ¹⁸ | 4.46 | 5.42 | -0.96 | 0.00 | 0.00 | - | - | 1,600 | - | <250 | 0.9 | 3 | 0.7 | 4 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 06/05/2007 ²⁵ | 4.46 | 5.87 | -1.41 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/05/2007 ¹⁸ | 4.46 | 4.75 | -0.29 | 0.00 | 0.00 | - | - | 850 | - | 58 | <5 | <5 | <5 | <5 | <5 | <500 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | | |
|-------------|-----------------------------|-------------|-------------|--------------|-------------|---------------|--------------|---------------------|--------------|-------------------|-------------|------------------|------------------|------------------|------------------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|-------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-6 | 12/05/2007 ²⁵ | 4.46 | 5.58 | -1.12 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 03/03/2008 ¹⁸ | 4.46 | 5.86 | -1.40 | 0.00 | 0.00 | - | - | 1,800 | - | 82 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 06/02/2008 ²⁵ | 4.46 | 5.24 | -0.78 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/04/2008 ¹⁸ | 4.46 | 4.71 | -0.25 | 0.00 | 0.00 | - | - | 770 | - | <50 | <5 ²⁴ | <5 ²⁴ | <5 ²⁴ | <5 ²⁴ | <500 | - | - | - | - | - | - | - | - |
| MW-6 | 12/04/2008 ²⁵ | 4.46 | 4.80 | -0.34 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 02/26/2009 ^{18,26} | 4.46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 06/30/2009 ¹⁸ | 4.46 | 5.29 | -0.83 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-6 | 09/29/2009 ^{18,24} | 4.46 | 4.82 | -0.36 | 0.00 | 0.00 | - | - | 1,500 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 03/10/2010 ¹⁸ | 4.46 | 2.91 | 1.55 | 0.00 | 0.00 | - | - | 2,500 | - | 120 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 09/15/2010 | 4.46 | 5.00 | -0.54 | 0.00 | 0.00 | - | - | 1,300 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 03/14/2011 | 4.46 | 7.15 | -2.69 | 0.00 | 0.00 | 72 J | - | 710 | - | 89 J | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 09/26/2011 | 4.46 | 4.79 | -0.33 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <1 | <1 | <1 | <1 | <1 | <100 | - | - | - | - | - | - | - |
| MW-6 | 03/30/2012 | 4.46 | 6.87 | -2.41 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <5 | <5 | <5 | <5 | <5 | <500 | - | - | - | - | - | - | - |
| MW-6 | 09/22/2012 | 4.46 | 6.88 | -2.42 | 0.00 | 0.00 | - | <38 | - | <50 | <250 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-6 | 03/19/2013 | 4.46 | 7.41 | -2.95 | 0.00 | 0.00 | - | <38 | - | <50 | 62 J | <3 | <3 | <3 | <3 | <3 | <250 | - | - | - | - | - | - | - |
| MW-6 | 09/25/2013 | 4.46 | 5.25 | -0.79 | 0.00 | 0.00 | - | - | 1,600 | - | 70 J | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - |
| MW-7 | 08/24/1992 | 5.26 | 5.55 | -0.29 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/21/1992 | 5.26 | 5.65 | -0.39 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - |
| MW-7 | 10/26/1992 | 5.26 | 5.51 | -0.25 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/23/1992 | 5.26 | 3.95 | 1.31 | 0.00 | 0.00 | - | - | 60 | - | <50 | 2.9 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - |
| MW-7 | 01/08/1993 | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/25/1993 | 5.26 | 2.50 | 2.76 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - |
| MW-7 | 06/11/1993 | 5.26 | 3.46 | 1.80 | 0.00 | 0.00 | - | - | - | - | <50 | 0.6 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | 2,200 |
| MW-7 | 09/29/1993 | 5.26 | 5.52 | -0.26 | 0.00 | 0.00 | - | - | <10 | - | <50 | 2.0 | 1.0 | 1.0 | 7.0 | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/20/1993 | 5.26 | 4.41 | 0.85 | 0.00 | 0.00 | - | - | <10 | - | <50 | 2.0 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/07/1994 | 5.26 | 2.62 | 2.64 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - |
| MW-7 | 06/17/1994 | 5.26 | 3.27 | 1.99 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/12/1994 | 5.26 | 4.11 | 1.15 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|------------------|-------------------|---------|--------------|-------|-------|-------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-7 | 11/30/1994 | 5.26 | 2.76 | 2.50 | 0.00 | 0.00 | - | - | 92 ¹ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-7 | 03/24/1995 | 5.26 | 2.20 | 3.06 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-7 | 06/27/1995 | 5.26 | 3.90 | 1.36 | 0.00 | 0.00 | - | - | 69 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-7 | 09/28/1995 | 5.26 | 4.85 | 0.41 | 0.00 | 0.00 | - | - | 84 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| MW-7 | 12/19/1995 | 5.26 | 3.02 | 2.24 | 0.00 | 0.00 | - | - | 84 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-7 | 02/28/1996 | 5.26 | 1.43 | 3.83 | 0.00 | 0.00 | - | - | 99 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-7 | 06/25/1996 | 5.26 | 4.29 | 0.97 | 0.00 | 0.00 | - | - | 110 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-7 | 12/17/1996 | 5.26 | 2.18 | 3.08 | 0.00 | 0.00 | - | - | 54 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-7 | 03/31/1997 | 5.26 | 2.94 | 2.32 | 0.00 | 0.00 | - | - | 100 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-7 | 06/30/1997 ²⁷ | 5.26 | 3.58 | 1.68 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/12/1997 | 5.26 | 3.41 | 1.85 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/05/1997 | 5.26 | 1.89 | 3.37 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 02/16/1998 | 5.26 | 1.83 | 3.43 | 0.00 | 0.00 | - | - | 77 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-7 | 06/17/1998 | 5.26 | 1.94 | 3.32 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 08/31/1998 | 5.26 | 4.19 | 1.07 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/28/1998 | 5.26 | 4.47 | 0.79 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | 12000 | <1,000 | 350000 | 79000 | - | - |
| MW-7 | 03/04/1999 | 5.26 | 1.75 | 3.51 | 0.00 | 0.00 | - | - | 73.4 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | - | - | - | - | - | - |
| MW-7 | 06/14/1999 | 5.26 | 1.62 | 3.64 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/17/1999 | 5.26 | 4.84 | 0.42 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/20/1999 | 5.26 | 4.81 | 0.45 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/20/2000 | 5.26 | 1.85 | 3.41 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| MW-7 | 06/24/2000 | 5.26 | 2.21 | 3.05 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/07/2000 | 5.26 | 3.65 | 1.61 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/05/2000 | 5.26 | 2.95 | 2.31 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/01/2001 | 5.26 | 0.65 | 4.61 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - |
| MW-7 | 06/04/2001 | 5.26 | 1.52 | 3.74 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/10/2001 ²⁷ | 5.26 | 4.18 | 1.08 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/03/2001 ²⁷ | 5.26 | 1.06 | 4.20 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/04/2002 | 5.26 | 1.50 | 3.76 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCs | | | | | ADDITIONAL VOCs | GENERAL CHEMISTRY | | | | | |
|----------|--------------------------|------|-------|---------|--------|---------------|--------------|---------------------|---------|-------------------|---------|--------------|-------|-------|------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-7 | 05/30/2002 ²⁷ | 5.26 | 2.75 | 2.51 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/03/2002 ²⁷ | 5.26 | 3.02 | 2.24 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/09/2002 ²⁷ | 5.26 | 2.85 | 2.41 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/10/2003 | 5.26 | 1.94 | 3.32 | 0.00 | 0.00 | - | - | 85 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - |
| MW-7 | 06/09/2003 ²⁷ | 5.26 | 2.54 | 2.72 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/08/2003 ²⁷ | 5.26 | 2.60 | 2.66 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/08/2003 ²⁷ | 5.26 | 2.45 | 2.81 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/09/2004 ¹⁸ | 5.26 | 0.73 | 4.53 | 0.00 | 0.00 | - | - | 230 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - |
| MW-7 | 06/17/2004 ²⁶ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/15/2004 ²⁶ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/23/2004 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/24/2005 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 06/16/2005 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/16/2005 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/21/2005 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 03/23/2006 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 06/09/2006 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 09/05/2006 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-7 | 12/15/2006 ²⁸ | 5.26 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 06/23/1992 | 8.94 | 24.14 | -15.20 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-8 | 08/24/1992 | 8.94 | 8.60 | 0.34 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/21/1992 | 8.94 | 8.39 | 0.55 | 0.00 | 0.00 | - | - | <50 | - | 94 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-8 | 10/26/1992 | 8.94 | 9.12 | -0.18 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/23/1992 | 8.94 | 8.11 | 0.83 | 0.00 | 0.00 | - | - | 79 | - | <50 | 0.7 | 5.0 | 0.7 | 2.9 | - | - | - | - | - | - | - | - |
| MW-8 | 01/08/1993 | 8.94 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/25/1993 | 8.94 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 06/11/1993 | 8.94 | 8.39 | 0.55 | 0.00 | 0.00 | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | 3,500 |
| MW-8 | 09/29/1993 | 8.94 | 8.25 | 0.69 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|-------------------|-------------------|---------|--------------|-------|-------|-------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-8 | 12/20/1993 | 8.94 | 8.46 | 0.48 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | 0.6 | <0.5 | 1.0 | - | - | - | - | - | - | - | - |
| MW-8 | 03/07/1994 | 8.94 | 8.66 | 0.28 | 0.00 | 0.00 | - | - | <10 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-8 | 06/17/1994 | 8.94 | 8.82 | 0.12 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-8 | 09/12/1994 | 8.94 | 8.83 | 0.11 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | 0.8 | <5.0 | - | - | - | - | - | - | - |
| MW-8 | 11/30/1994 | 8.94 | 8.63 | 0.31 | 0.00 | 0.00 | - | - | 120 ¹ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-8 | 03/24/1995 | 8.94 | 8.51 | 0.43 | 0.00 | 0.00 | - | - | 110 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-8 | 06/27/1995 | 8.94 | 8.97 | -0.03 | 0.00 | 0.00 | - | - | 67 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-8 | 09/28/1995 | 8.94 | 8.90 | 0.04 | 0.00 | 0.00 | - | - | 91 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - |
| MW-8 | 12/19/1995 | 8.94 | 8.40 | 0.54 | 0.00 | 0.00 | - | - | 76 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - |
| MW-8 | 02/28/1996 | 8.94 | 8.44 | 0.50 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - |
| MW-8 | 06/25/1996 | 8.94 | 8.89 | 0.05 | 0.00 | 0.00 | - | - | 80 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - |
| MW-8 | 12/17/1996 | 8.94 | 8.45 | 0.49 | 0.00 | 0.00 | - | - | 79 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - |
| MW-8 | 03/31/1997 | 8.94 | 8.76 | 0.18 | 0.00 | 0.00 | - | - | 72 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.6 | - | - | - | - | - | - | - |
| MW-8 | 06/30/1997 | 8.94 | 9.12 | -0.18 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/12/1997 | 8.94 | 8.81 | 0.13 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/05/1997 | 8.94 | 8.35 | 0.59 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 02/16/1998 | 8.94 | 7.94 | 1.00 | 0.00 | 0.00 | - | - | 68 ² | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4.3 | - | - | - | - | - | - | - |
| MW-8 | 06/17/1998 | 8.94 | 8.43 | 0.51 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 08/31/1998 | 8.94 | 8.88 | 0.06 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/28/1998 | 8.94 | 8.30 | 0.64 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | 45 | <1,000 | 1100000 | 87000 | - | - |
| MW-8 | 03/04/1999 | 8.94 | 8.65 | 0.29 | 0.00 | 0.00 | - | - | 106 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.83 | - | - | - | - | - | - | - |
| MW-8 | 06/14/1999 | 8.94 | 8.42 | 0.52 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/17/1999 | 8.94 | 9.87 | -0.93 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/20/1999 | 8.94 | 8.40 | 0.54 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/20/2000 | 8.94 | 8.12 | 0.82 | 0.00 | 0.00 | - | - | 82.2 ⁶ | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.46 | - | - | - | - | - | - | - |
| MW-8 | 06/24/2000 ²⁷ | 8.94 | 8.63 | 0.31 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/07/2000 | 8.94 | 8.68 | 0.26 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/05/2000 | 8.94 | 8.13 | 0.81 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/01/2001 | 8.94 | 7.90 | 1.04 | 0.00 | 0.00 | - | - | 51 ¹¹ | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|---------|-------------------|---------|--------------|-------|-------|------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-8 | 06/04/2001 | 8.94 | 9.21 | -0.27 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/10/2001 ²⁷ | 8.94 | 8.68 | 0.26 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/03/2001 ²⁷ | 8.94 | 7.82 | 1.12 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/04/2002 | 8.94 | 7.68 | 1.26 | 0.00 | 0.00 | - | - | 82 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - |
| MW-8 | 05/30/2002 ²⁶ | 8.94 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/03/2002 ²⁷ | 8.94 | 9.15 | -0.21 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/09/2002 ²⁷ | 8.94 | 8.73 | 0.21 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/10/2003 | 8.94 | 8.39 | 0.55 | 0.00 | 0.00 | - | - | 110 | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - |
| MW-8 | 06/09/2003 ²⁷ | 8.94 | 8.97 | -0.03 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/08/2003 ²⁷ | 8.94 | 8.42 | 0.52 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/08/2003 ²⁷ | 8.94 | 8.17 | 0.77 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/09/2004 ¹⁸ | 8.94 | 7.91 | 1.03 | 0.00 | 0.00 | - | - | 300 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - |
| MW-8 | 06/17/2004 ²⁷ | 8.94 | 8.93 | 0.01 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/15/2004 ²⁷ | 8.94 | 9.91 | -0.97 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/23/2004 ²⁷ | 8.94 | 5.74 | 3.20 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/24/2005 ¹⁸ | 8.94 | 8.44 | 0.50 | 0.00 | 0.00 | - | - | 240 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - |
| MW-8 | 06/16/2005 ²⁷ | 8.94 | 8.78 | 0.16 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/16/2005 ²⁷ | 8.94 | 8.68 | 0.26 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/21/2005 ²⁷ | 8.94 | 8.21 | 0.73 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/23/2006 ¹⁸ | 8.94 | 7.91 | 1.03 | 0.00 | 0.00 | - | - | 120 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 | <50 | - | - | - | - | - |
| MW-8 | 06/09/2006 ²⁷ | 8.94 | 8.91 | 0.03 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/05/2006 ²⁷ | 8.94 | 8.55 | 0.39 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/15/2006 ²⁷ | 8.94 | 8.26 | 0.68 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/01/2007 ¹⁸ | 8.94 | 8.08 | 0.86 | 0.00 | 0.00 | - | - | 150 | - | 63 | 2 | 5 | 1 | 7 | 1 | <50 | - | - | - | - | - |
| MW-8 | 06/05/2007 ²⁷ | 8.94 | 8.35 | 0.59 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/05/2007 ²⁷ | 8.94 | 7.21 | 1.73 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/05/2007 ²⁷ | 8.94 | 7.17 | 1.77 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/03/2008 ¹⁸ | 8.94 | 7.13 | 1.81 | 0.00 | 0.00 | - | - | 510 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 | <50 | - | - | - | - | - |
| MW-8 | 06/02/2008 ²⁷ | 8.94 | 7.74 | 1.20 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCs | | | | | ADDITIONAL VOCs | GENERAL CHEMISTRY | | | | | |
|-------------|-----------------------------|-------------|-------------|-------------|-------------|---------------|--------------|---------------------|---------------------|-------------------|--------------------|----------------|----------------|----------------|----------------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MIBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids |
| Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | |
| MW-8 | 09/04/2008 ²⁷ | 8.94 | 7.88 | 1.06 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 12/04/2008 ²⁷ | 8.94 | 7.22 | 1.72 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 02/26/2009 ¹⁸ | 8.94 | 6.44 | 2.50 | 0.00 | 0.00 | - | - | 580 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - |
| MW-8 | 06/30/2009 ²⁷ | 8.94 | 7.62 | 1.32 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 09/29/2009 ^{18,27} | 8.94 | 7.22 | 1.72 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/10/2010 ¹⁸ | 8.94 | 5.18 | 3.76 | 0.00 | 0.00 | - | - | 460 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - |
| MW-8 | 09/15/2010 ²⁷ | 8.94 | 8.77 | 0.17 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/14/2011 ²⁹ | 8.94 | 7.75 | 1.19 | 0.00 | 0.00 | <38 | - | <33 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-8 | 09/26/2011 ²⁹ | 8.94 | 8.52 | 0.42 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/30/2012 | 8.94 | 7.56 | 1.38 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - |
| MW-8 | 09/22/2012 ²⁹ | 8.94 | 8.55 | 0.39 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-8 | 03/19/2013 | 8.94 | 8.01 | 0.93 | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 J | <50 | - | - | - | - | - | - |
| MW-8 | 09/25/2013 | 8.94 | 8.60 | 0.34 | 0.00 | 0.00 | - | - | <50 | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - |
| MW-9 | 04/19/1999 | 5.87 | 3.16 | 2.71 | 0.00 | 0.00 | - | - | 2,600 ² | - | 3,900 ⁶ | 14 | 6.9 | 14 | 24 | 140 | - | - | - | - | - | - | - |
| MW-9 | 06/14/1999 | 5.87 | 4.81 | 1.06 | 0.00 | 0.00 | - | - | 2,800 ² | - | 2,880 | 12.6 | <10 | <10 | <10 | 138 | - | - | - | - | - | - | - |
| MW-9 | 09/17/1999 | 5.87 | 4.85 | 1.02 | 0.00 | 0.00 | - | - | 1,770 ² | - | 3,370 | 33.1 | 14.4 | <5.0 | <5.0 | 202 | - | - | - | - | - | - | - |
| MW-9 | 12/20/1999 | 5.87 | 4.00 | 1.87 | 0.00 | 0.00 | - | - | 996 ² | - | 3,970 | 42.2 | 13.5 | <10 | <10 | 311 | - | - | - | - | - | - | - |
| MW-9 | 03/20/2000 | 5.87 | 3.00 | 2.87 | 0.00 | 0.00 | - | - | 2,710 ² | - | 5,920 | 22.1 | <5.0 | 6.8 | <5.0 | 106.0 | - | - | - | - | - | - | - |
| MW-9 | 06/24/2000 | 5.87 | 3.91 | 1.96 | 0.00 | 0.00 | - | - | 1,940 ⁹ | - | 2,500 ⁷ | 12 | <10 | 11 | <10 | 120 | - | - | - | - | - | - | - |
| MW-9 | 09/07/2000 | 5.87 | 4.28 | 1.59 | 0.00 | 0.00 | - | - | 1,500 ⁹ | - | 3,700 ⁷ | <25 | <25 | <25 | <25 | 330 | - | - | - | - | - | - | - |
| MW-9 | 12/05/2000 | 5.87 | 3.80 | 2.07 | 0.00 | 0.00 | - | - | 1,300 ¹² | - | 3,470 ² | <5.00 | 7.64 | <5.00 | <5.00 | 177 | - | - | - | - | - | - | - |
| MW-9 | 03/01/2001 | 5.87 | 2.68 | 3.19 | 0.00 | 0.00 | - | - | 960 ⁹ | - | 2,400 ⁷ | 11 | 18.0 | <10 | <10 | 250 | - | - | - | - | - | - | - |
| MW-9 | 06/04/2001 | 5.87 | 3.91 | 1.96 | 0.00 | 0.00 | - | - | 1,200 ⁹ | - | 3,200 ⁷ | 45 | 17 | 6.1 | 8.9 | 300 | - | - | - | - | - | - | - |
| MW-9 | 09/10/2001 | 5.87 | 4.69 | 1.18 | 0.00 | 0.00 | - | - | 2,000 ¹⁷ | - | 2,300 | 5.7 | 7.3 | 10 | <5.0 | 200 | - | - | - | - | - | - | - |
| MW-9 | 12/03/2001 | 5.87 | 2.99 | 2.88 | 0.00 | 0.00 | - | - | 2,600 | - | 3,600 | 14 | 5.4 | 8.2 | 8.5 | 210 | - | - | - | - | - | - | - |
| MW-9 | 03/04/2002 | 5.87 | 3.55 | 2.32 | 0.00 | 0.00 | - | - | 3,700 | - | 4,400 | 17 | <5.0 | 9.2 | 6.4 | 79 | - | - | - | - | - | - | - |
| MW-9 | 05/30/2002 | 5.87 | 3.65 | 2.22 | 0.00 | 0.00 | - | - | 4,600 | - | 4,300 | 15 | 3.7 | 5.8 | 6.1 | 110 | - | - | - | - | - | - | - |
| MW-9 | 09/03/2002 | 5.87 | 4.56 | 1.31 | 0.00 | 0.00 | - | - | 2,500 | - | 3,200 | 5.8 | 2.6 | 3.5 | 5.6 | 84 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCs | | | | | ADDITIONAL VOCs | GENERAL CHEMISTRY | | | | | |
|----------|--------------------------|------|------|---------|--------|---------------|--------------|---------------------|---------------------|-------------------|---------|--------------|-------|-------|------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|------------------------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-9 | 12/09/2002 | 5.87 | 4.36 | 1.51 | 0.00 | 0.00 | - | - | 2,600 | - | 3,000 | 6.3 | 3.2 | 3.9 | 6.1 | 110 | - | - | - | - | - | - | - |
| MW-9 | 03/10/2003 | 5.87 | 3.61 | 2.26 | 0.00 | 0.00 | - | - | 1,500 | - | 3,300 | 11 | 3.7 | 5.4 | <7.5 | 150 | - | - | - | - | - | - | - |
| MW-9 | 06/09/2003 ¹⁸ | 5.87 | 3.58 | 2.29 | 0.00 | 0.00 | - | - | 2,700 | - | 3,500 | 2 | 2 | 3 | 2 | 46 | - | - | - | - | - | - | - |
| MW-9 | 09/08/2003 ¹⁸ | 5.87 | 4.44 | 1.43 | 0.00 | 0.00 | - | - | 3,000 | - | 3,000 | 3 | 2 | 2 | 3 | 120 | <50 | - | - | - | - | - | - |
| MW-9 | 12/08/2003 ¹⁸ | 5.87 | 3.66 | 2.21 | 0.00 | 0.00 | - | - | 2,500 | - | 2,400 | 3 | 3 | 3 | 4 | 560 | <50 | - | - | - | - | - | - |
| MW-9 | 03/09/2004 ¹⁸ | 5.87 | 3.18 | 2.69 | 0.00 | 0.00 | - | - | 2,500 | - | 3,700 | 2 | 1 | 2 | 2 | 120 | <50 | - | - | - | - | - | - |
| MW-9 | 06/17/2004 ¹⁸ | 5.87 | 4.82 | 1.05 | 0.00 | 0.00 | - | - | 2,700 | - | 3,100 | 2 | 1 | 2 | 3 | 96 | <50 | - | - | - | - | - | - |
| MW-9 | 09/15/2004 ¹⁸ | 5.87 | 9.03 | -3.16 | 0.00 | 0.00 | - | - | 2,600 | - | 1,200 | 1 | <0.5 | <0.5 | 2 | 190 | <50 | - | - | - | - | - | - |
| MW-9 | 12/23/2004 ¹⁸ | 5.87 | 4.49 | 1.38 | 0.00 | 0.00 | - | - | 3,400 | - | 2,900 | 4 | 4 | 4 | 4 | 93 | <50 | - | - | - | - | - | - |
| MW-9 | 03/24/2005 ¹⁸ | 5.87 | 2.52 | 3.35 | 0.00 | 0.00 | - | - | 1,500 | - | 3,200 | 16 | 2 | 3 | 3 | 23 | <50 | - | - | - | - | - | - |
| MW-9 | 06/16/2005 ¹⁸ | 5.87 | 3.62 | 2.25 | 0.00 | 0.00 | - | - | 1,600 | - | 2,300 | 30 | 2 | 2 | 3 | 28 | <50 | - | - | - | - | - | - |
| MW-9 | 09/16/2005 ¹⁸ | 5.87 | 4.78 | 1.09 | 0.00 | 0.00 | - | - | 1,500 | - | 1,400 | 2 | 0.9 | 1 | 2 | 50 | <50 | - | - | - | - | - | - |
| MW-9 | 12/21/2005 ¹⁸ | 5.87 | 2.90 | 2.97 | 0.00 | 0.00 | - | - | 1,400 ²² | - | 2,300 | 2 | 2 | 3 | 3 | 40 | <50 | - | - | - | - | - | - |
| MW-9 | 03/23/2006 ¹⁸ | 5.87 | 2.62 | 3.25 | 0.00 | 0.00 | - | - | 1,600 | - | 2,900 | 1 | 9 | 6 | 160 | 24 | <50 | - | - | - | - | - | - |
| MW-9 | 06/09/2006 ¹⁸ | 5.87 | 3.81 | 2.06 | 0.00 | 0.00 | - | - | 1,500 | - | 1,900 | 5 | 1 | 1 | 34 | 32 | <50 | - | - | - | - | - | - |
| MW-9 | 09/05/2006 ¹⁸ | 5.87 | 4.93 | 0.94 | 0.00 | 0.00 | - | - | 1,700 | - | 1,300 | 1 | 1 | 0.9 | 14 | 53 | <50 | - | - | - | - | - | - |
| MW-9 | 12/15/2006 ¹⁸ | 5.87 | 3.19 | 2.68 | 0.00 | 0.00 | - | - | 2,000 | - | 2,300 | 1 | 1 | 1 | 5 | 43 | <50 | - | - | - | - | - | - |
| MW-9 | 03/01/2007 ¹⁸ | 5.87 | 3.07 | 2.80 | 0.00 | 0.00 | - | - | 1,700 | - | 3,000 | 1 | 1 | 1 | 4 | 36 | <50 | - | - | - | - | - | - |
| MW-9 | 06/05/2007 ¹⁸ | 5.87 | 3.85 | 2.02 | 0.00 | 0.00 | - | - | 1,200 | - | 1,900 | 1 | 0.6 | 0.8 | 2 | 35 | <50 | - | - | - | - | - | - |
| MW-9 | 09/05/2007 ¹⁸ | 5.87 | 4.98 | 0.89 | 0.00 | 0.00 | - | - | 1,800 | - | 1,400 | 1 | 0.8 | 0.8 | 3 | 56 | <50 | - | - | - | - | - | - |
| MW-9 | 12/05/2007 ¹⁸ | 5.87 | 4.05 | 1.82 | 0.00 | 0.00 | - | - | 1,800 | - | 2,100 | 1 | 0.8 | 1 | 3 | 65 | 93 | - | - | - | - | - | - |
| MW-9 | 03/03/2008 ¹⁸ | 5.87 | 3.59 | 2.28 | 0.00 | 0.00 | - | - | 1,000 | - | 2,500 | 0.6 | 0.6 | 1 | 2 | 26 | <50 | - | - | - | - | - | - |
| MW-9 | 06/02/2008 ¹⁸ | 5.87 | 4.78 | 1.09 | 0.00 | 0.00 | - | - | 1,700 | - | 2,400 | 1 | 0.8 | 0.8 | 2 | 50 | <50 | - | - | - | - | - | - |
| MW-9 | 09/04/2008 ¹⁸ | 5.87 | 5.10 | 0.77 | 0.00 | 0.00 | - | - | 1,400 | - | 2,000 | 2 | 1 | 0.5 | 3 | 92 | <50 | - | - | - | - | - | - |
| MW-9 | 12/04/2008 ¹⁸ | 5.87 | 4.73 | 1.14 | 0.00 | 0.00 | - | - | 2,300 | - | 1,700 | 1 | 2 | 1 | 3 | 50 | <50 | - | - | - | - | - | - |
| MW-9 | 02/26/2009 ¹⁸ | 5.87 | 2.57 | 3.30 | 0.00 | 0.00 | - | - | 3,000 | - | 3,100 | 0.9 | 1 | 1 | 2 | 29 | <50 | - | - | - | - | - | - |
| MW-9 | 06/30/2009 | 5.87 | 4.63 | 1.24 | 0.00 | 0.00 | - | - | 1,700 | - | 2,600 | 0.9 J | 0.9 J | 0.8 J | 4 | 49 | <50 | - | - | - | - | - | - |
| MW-9 | 09/29/2009 | 5.87 | 5.20 | 0.67 | 0.00 | 0.00 | - | - | 2,300 | - | 3,100 | 2 | 1 | 0.9 J | 3 | 52 | <50 | - | - | - | - | - | - |
| MW-9 | 03/10/2010 | 5.87 | 3.00 | 2.87 | 0.00 | 0.00 | - | - | 5,000 | - | 4,100 | 0.6 J | 0.8 J | 1 | 2 | 19 | <50 | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | |
|-------------|--------------------------------|-------------|-------------|-------------|-------------|---------------|--------------|---------------------|--------------|-------------------|------------|----------------|----------------|----------------|----------------|----------------|-----------------|-------------------|----------|------------------|----------|------------------------|----------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate | Total Dissolved Solids | |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| MW-9 | 09/15/2010 | 5.87 | 5.12 | 0.75 | 0.00 | 0.00 | - | - | 1,900 | - | 1,700 | <0.5 | <0.5 | <0.5 | <0.5 | 69 | <50 | - | - | - | - | - | - |
| MW-9 | 03/14/2011 | 5.87 | 3.53 | 2.34 | 0.00 | 0.00 | 430 | - | 1,100 | - | 2,600 | 0.6 J | 5 | 0.9 J | 1 | 14 | <50 | - | - | - | - | - | - |
| MW-9 | 09/26/2011 | 5.87 | 5.00 | 0.87 | 0.00 | 0.00 | - | 120 | - | 400 | 1,100 | <0.5 | <0.5 | <0.5 | <0.5 | 84 | <50 | - | - | - | - | - | - |
| MW-9 | 03/30/2012 | 5.87 | 2.32 | 3.55 | 0.00 | 0.00 | - | 310 | - | 790 | 1,200 | 0.5 J | 3 | 1 J | 0.9 J | 19 | <50 | - | - | - | - | - | - |
| MW-9 | 09/22/2012 | 5.87 | 5.09 | 0.78 | 0.00 | 0.00 | - | 160 | - | 490 | 950 | <0.5 | 0.6 J | <0.5 | <0.5 | 68 | <50 | - | - | - | - | - | - |
| MW-9 | 03/19/2013 | 5.87 | 4.47 | 1.40 | 0.00 | 0.00 | - | <38 | - | 240 | 1,800 | <0.5 | 0.8 J | <0.5 | 0.5 J | 25 | <50 | - | - | - | - | - | - |
| MW-9 | 09/25/2013 | 5.87 | 5.13 | 0.74 | 0.00 | 0.00 | - | - | 2,000 | - | 920 | <0.5 | <0.5 | <0.5 | <0.5 | 62 | <50 | - | - | - | - | - | - |
| SUMP | 05/30/2007 | - | - | - | 0.00 | 0.00 | - | - | 830 | - | 1,300 | 1 | 1 | 2 | 4 | 28 | 130 | - | - | - | - | - | - |
| SUMP | 03/05/2009 | - | - | - | 0.00 | 0.00 | - | - | 670 | - | 1,100 | 2 | 1 | 1 | 2 | 23 | <50 | - | - | - | - | - | - |
| SUMP | 07/13/2009 | - | - | - | 0.00 | 0.00 | - | - | 270 | - | 120 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - | - |
| SUMP | 03/19/2010 | - | - | - | 0.00 | 0.00 | - | - | 5,200 | - | 3,200 | 7 | 3 | 3 | 5 | 35 | <50 | - | - | - | - | - | - |
| SUMP | 09/15/2010 ²⁶ | - | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| SUMP | 03/14/2011 | - | - | - | 0.00 | 0.00 | <38 | - | 610 | - | 990 | 1 | 2 | 1 | 2 | 16 | <50 | - | - | - | - | - | - |
| SUMP | 09/26/2011 | - | - | - | 0.00 | 0.00 | - | 4,200 | - | 1,000 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - |
| SUMP | 03/30/2012 | - | - | - | 0.00 | 0.00 | - | 39 J | - | 580 | 1,600 | 1 | 3 | 2 | 2 | 21 | <50 | - | - | - | - | - | - |
| SUMP | 09/21/2012 | - | - | - | 0.00 | 0.00 | - | <38 | - | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - |
| SUMP | 03/19/2013 | - | - | - | 0.00 | 0.00 | - | <38 | - | <50 | 120 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - |
| SUMP | 09/25/2013³⁰ | - | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| QA | 12/03/2001 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - |
| QA | 03/04/2002 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - |
| QA | 05/30/2002 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - |
| QA | 09/03/2002 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - |
| QA | 12/09/2002 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - |
| QA | 03/10/2003 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - |
| QA | 06/09/2003 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| QA | 09/08/2003 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| QA | 12/08/2003 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|----------|--------------------------|-----|-----|---------|--------|---------------|--------------|---------------------|---------|-------------------|---------|--------------|------|------|------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| QA | 03/09/2004 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 06/17/2004 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/15/2004 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 12/23/2004 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 03/24/2005 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 06/16/2005 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/16/2005 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 12/21/2005 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 03/23/2006 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 06/09/2006 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/05/2006 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 12/15/2006 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 03/01/2007 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 06/05/2007 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/05/2007 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 12/05/2007 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 03/03/2008 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 06/02/2008 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/04/2008 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 12/04/2008 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 02/26/2009 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 06/30/2009 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/29/2009 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 03/10/2010 ¹⁸ | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/15/2010 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - |
| QA | 03/14/2011 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/26/2011 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 03/30/2012 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/21/2012 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCs | | | | | ADDITIONAL VOCs | GENERAL CHEMISTRY | | | | |
|------------|------------|-----|-----|---------|--------|---------------|--------------|---------------------|---------|-------------------|---------|--------------|------|------|------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| QA | 03/19/2013 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| QA | 09/25/2013 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - |
| Trip Blank | 09/21/1992 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 12/23/1992 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 03/25/1993 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 06/11/1993 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 09/29/1993 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 12/20/1993 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 03/07/1994 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 06/17/1994 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 09/12/1994 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | 1.0 | - | - | - | - | - | - | - |
| Trip Blank | 11/30/1994 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 03/24/1995 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 06/27/1995 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 09/28/1995 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 12/19/1995 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 02/28/1996 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 06/25/1996 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - |
| Trip Blank | 12/17/1996 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 03/31/1997 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 06/30/1997 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 09/12/1997 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 12/05/1997 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 02/16/1998 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 06/17/1998 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 08/31/1998 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 12/28/1998 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 03/04/1999 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | - | - | - | - | - | - |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | |
|------------|------------|-----|-----|---------|--------|---------------|--------------|---------------------|---------|-------------------|---------|--------------|--------|--------|--------|----------------|-----------------|-------------------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | MTBE by SW8260 | | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |
| Trip Blank | 06/14/1999 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 09/17/1999 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 12/20/1999 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 03/20/2000 | - | - | - | - | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 06/24/2000 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 09/07/2000 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 12/05/2000 | - | - | - | - | - | - | - | - | - | <50 | <0.500 | <0.500 | <0.500 | <0.500 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 03/01/2001 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 06/04/2001 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - |
| Trip Blank | 09/10/2001 | - | - | - | - | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - |

Abbreviations and Notes:

TOC = Top of casing

DTW = Depth to water

GWE = Groundwater elevation

LNAPLT = Light non-aqueous phase liquid thickness

(ft-amsl) = Feet above mean sea level

ft = Feet

µg/L = Micrograms per liter

TPH-DRO = Total petroleum hydrocarbons - diesel range organics

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

VOCS = Volatile organic compounds

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes (Total)

MTBE = Methyl tert butyl ether

-- = Not available / not applicable

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPLT | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | |
|----------|-------|-----|-----|---------|--------|---------------|--------------|---------------------|---------|-------------------|---------|--------------|------|------|------|-----------------|-------------------|---------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | IPH-DRO | IPH-DRO w/ Si Gel | IPH-GRO | B | T | E | X | | MTBE by SW8260 | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| | Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |

<x = Not detected at or above laboratory method detection limit

J = Estimated value between method detection limit and laboratory reporting limit.

- 1 Chromatogram pattern indicates a non-diesel mix.
- 2 Chromatogram pattern indicates an unidentified hydrocarbon.
- 3 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.
- 4 Confirmation run.
- 5 ORC present in well.
- 6 Laboratory report indicates gasoline and unidentified hydrocarbons >10.
- 7 Laboratory report indicates gasoline C6-C12.
- 8 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.
- 9 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 10 Laboratory report indicates unidentified hydrocarbons C10-C24.
- 11 Laboratory report indicates unidentified hydrocarbons >C16.
- 12 Laboratory report indicates unidentified hydrocarbons C9-C40.
- 13 Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.
- 14 Laboratory report indicates weathered gasoline C6-C12.
- 15 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 16 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
- 17 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel. The pattern more closely resembles that of a heavier hydrocarbon mix.
- 18 BTEX and MTBE by EPA Method 8260.
- 19 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- 20 ORC removed from well.
- 21 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil. It elutes in the DRO range later than #2 fuel and also has individual peaks eluting in the DRO range.
- 22 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It contains two patterns in the DRO range, one earlier and one later than #2 fuel.
- 23 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.
- 24 Laboratory report indicates the preservation requirements were not met. The vial submitted for volatile analysis did not have a pH <2 at the time of analysis. Due to the volital nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH=6

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90121
 3026 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | ADDITIONAL VOCS | GENERAL CHEMISTRY | | | | | |
|----------|------|-----|---------|-----|-------|---------------|--------------|---------------------|---------|-------------------|---------|--------------|------|------|------|-----------------|-------------------|---------|--------------|---------|------------------|---------|
| | | | | | | | Motor Oil | Motor Oil w/ Si Gel | TPH-DRO | TPH-DRO w/ Si Gel | TPH-GRO | B | T | E | X | | MTBE by SW8260 | Ethanol | Ferrous Iron | Nitrate | Total Alkalinity | Sulfate |
| Units | ft | ft | ft-amsl | ft | gal | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L |

- 24 Laboratory report indicates reporting limits for the GC/MS volatile compounds were raised due to sample foaming.
- 25 Sampled semi-annually
- 26 Inaccessible
- 27 Sampled annually
- 28 Unable to locate
- 29 Well Not Sampled
- 30 Unable to collect sample

ATTACHMENT A

MONITORING DATA PACKAGE



October 10, 2013

Chevron Environmental Management Company
Catalina Devine
6111 Bollinger Canyon Rd.
San Ramon, CA 94583

Third Quarter 2013 Monitoring at
Chevron Service Station 90121
3026 Lakeshore Ave.
Oakland, CA

Monitoring performed on September 25, 2013

Blaine Tech Services, Inc. Groundwater Monitoring Event 130925-DB3

This submission covers the routine monitoring of groundwater wells conducted on September 25, 2013 at this location. Eight monitoring wells were measured for depth to groundwater (DTW). Eight monitoring wells were sampled. A sump sample was not able to be collected from the adjacent Oakland Catholic Diocese Office due to the Sump Pump not operating. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air displacement pumps, or stainless steel, Teflon, or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

Third Quarter Groundwater Monitoring at Chevron 90121, 3026 Lakeshore Ave., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to Blaine Tech of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker
Blaine Tech Services, Inc.
Senior Project Manager

attachments: SOP
Well Gauging Sheet
Individual Well Monitoring Data Sheets
Chain of Custody
Wellhead Inspection Form
Bill of Lading
Calibration Log

cc: CRA
Attn: Nathan Lee
5900 Hollis St. Suite A
Emeryville, CA 94608

Third Quarter Groundwater Monitoring at Chevron 90121, 3026 Lakeshore Ave., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

SAMPLING PROCEDURES OVERVIEW

SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing product.

TRADITIONAL PURGING & SAMPLING

Evacuation

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

Parameter Stabilization

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

Sample Collection

All samples are collected using disposable bailers.

Sample Containers

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

Dewatered Wells

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

Measuring Recharge

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

Dissolved Oxygen Measurements

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated

as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

Oxidation Reduction Potential Measurements (ORP)

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

LOW FLOW SAMPLING USING SAMPLE-PRO BLADDER PUMP

Calibration

Calibrate YSI Flow Cell as per manufacturer's specifications. Thoroughly rinse probe and cup between parameters. Calibration order as follows:

1. pH (use 3-point calibration of 7, 4, 10)
2. Oxygen Reduction Potential (ORP)
3. Specific Conductance
4. Dissolved Oxygen (DO) (calibrate simulating 100% oxygen saturation)

Purging & Sampling Collection

1. Insert new bladder into Sample-Pro pump housing.
2. Remove dedicated PE tubing from the well or start with new PE tubing cut to the required length.
3. Attach the PE tubing to the Sample-Pro Bladder Pump.
4. Gently lower the Sample-Pro Bladder Pump, and PE tubing into the well, placing the Sample-Pro Bladder Pump intake at the center of the screened interval. Take care to minimize disturbance to the water column.
5. Direct effluent line into YSI 556 Flow Cell.
6. Set Sample-Pro Bladder Pump speed at 100 - 500 ml/min.
7. Collect water quality parameter measurements for temperature, pH, conductivity, turbidity, DO and ORP every 3-5 minutes.
8. Monitor drawdown during purging with electronic water level meter. Record water level with each parameter measurement. **MAXIMUM DRAWDOWN IS 0.33 FEET.**
9. Collect parameter measurements until stability is achieved. Stability is defined as three consecutive measurements where:

| | |
|--------------|---------------|
| Temp | ± 1 ° Celsius |
| pH | ± 0.1 |
| Conductivity | ± 3% |
| Turbidity | ± 10% NTU |
| DO | ± 0.3 mg/l |
| ORP | ± 10 Mv |

10. Sample may be collected once stability is achieved and at least one system volume of water removed from the well.
11. Disconnect effluent line from YSI 556 Flow Cell.
12. Sample through effluent line while maintaining constant flow rate.
13. Remove Sample-Pro Bladder Pump, and PE tubing from well.
14. Detach and reinstall dedicated PE tubing in well.

PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading or Non-Hazardous Waste Manifest to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility

TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

DUPLICATES

Duplicates, if requested, may be collected at a site.

SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label. Field documentation is contemporaneous.

DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment such as hose reels, pumps and bailers is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is

facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

WELL GAUGING DATA

Project # 130975-DB3 Date 9/25/13 Client CHEVRON

Site 3026 Lakeshore Ave., Oakland

| Well ID | Time | Well Size (in.) | Sheen / Odor | Depth to Immiscible Liquid (ft.) | Thickness of Immiscible Liquid (ft.) | Volume of Immiscibles Removed (ml) | Depth to water (ft.) | Depth to well bottom (ft.) | Survey Point: TOB or TOC | Notes |
|--------------------------|------|-----------------|--------------|----------------------------------|--------------------------------------|------------------------------------|----------------------|----------------------------|--------------------------|-------|
| MW-1 MW-1A | 1543 | 4 | | | | | 6.48 | 19.78 | ↓ | |
| MW-2A | 1546 | 2 | ODOR | | | | 6.22 | 16.60 | | |
| MW-3A | 1541 | 2 | | | | | 8.54 | 17.00 | | |
| MW-4A | 1550 | 2 | | | | | 6.62 | 18.37 | | |
| MW-5 | 1415 | 2 | | | | | 12.46 | 32.69 | | |
| MW-6 | 1345 | 2 | | | | | 5.25 | 18.07 | | |
| MW-8 | 1425 | 2 | | | | | 8.60 | 25.00 | | |
| MW-9 | 1545 | 2 | | | | | 5.13 | 14.08 | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

CHEVRON WELL MONITORING DATA SHEET

| | |
|---|---------------------------------------|
| Project #: 130925-DB3 | Station #: 9-0121 |
| Sampler: _____ | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: 78°F |
| Well I.D.: MW-1 | Well Diameter: 2 3 4 6 8 _____ |
| Total Well Depth: 19.18 | Depth to Water: 6.48 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.62 | |

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other** ^{2"} ~~2.5"~~ ~~1"~~ ~~1.5"~~

Sampling Method:

- Bailer**
- Disposable Bailer**
- Extraction Port
- Dedicated Tubing

Other: _____

| | | |
|---------------|-------------------|-------------------|
| 8.3 (Gals.) X | 3 | = 24.9 Gals. |
| 1 Case Volume | Specified Volumes | Calculated Volume |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or (μS)) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------|------------------|---------------|--------------|
| 1644 | 69.2 | 7.04 | 1636 | 17 | 9 | Odor |
| 1647 | 69.4 | 6.76 | 1528 * | 4 | 18 | |
| 1650 | 69.1 | 6.82 | 1541 * | 3 | 25 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes **No** Gallons actually evacuated: 25

Sampling Date: 9/25/13 Sampling Time: 1654 Depth to Water: 6.51

Sample I.D.: MW-1 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

| | |
|---|-----------------------------------|
| Project #: 130925-DB3 | Station #: 9-0121 |
| Sampler: TS | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: 78°F |
| Well I.D.: MW-2A | Well Diameter: (2) 3 4 6 8 |
| Total Well Depth: 16.60 | Depth to Water: 6.22 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.29 | |

Purge Method: Bailer Waterra Sampling Method: Bailer

Disposable Bailer Peristaltic Disposable Bailer

Positive Air Displacement Extraction Pump Extraction Port

Electric Submersible Other 2" REDIFLO Dedicated Tubing

Other: _____

1.7 (Gals.) X 3 = 5.1 Gals.

I Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or (uS)) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------|------------------|---------------|--------------|
| 1714 | 69.3 | 6.68 | 5116 | 58 | 2 | odor |
| 1718 | 68.6 | 6.92 | 5380 | 38 | 4 | |
| 1720 | 68.5 | 7.00 | 5405 | 32 | 5.25 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 5.25

Sampling Date: 9/25/13 Sampling Time: 1750 Depth to Water: 7.32

Sample I.D.: MW-2A Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

| | |
|--|-----------------------------------|
| Project #: 130925 - 083 | Station #: 9-0121 |
| Sampler: | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: 72° F |
| Well I.D.: MW-3A | Well Diameter: (2) 3 4 6 8 _____ |
| Total Well Depth: 17.00 | Depth to Water: 8.54 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.23 | |

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method: Bailer

Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: new tubing

$$1.4 \text{ (Gals.)} \times 3 = 4.2 \text{ Gals.}$$

I Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 1653 | 69.5 | 6.95 | 3179 | 20 | 1.5 | |
| 1655 | 68.8 | 6.84 | 2810 | 18 | 3.0 | |
| 1657 | 67.7 | 6.79 | 2980 | 14 | 4.2 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 4.2

Sampling Date: 9/25/13 Sampling Time: 1740 Depth to Water: 10.52 (site departure)

Sample I.D.: MW-3A Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

| | |
|---|-----------------------------------|
| Project #: 130925-083 | Station #: 9-0121 |
| Sampler: BW | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: 75°F |
| Well I.D.: MW-4A | Well Diameter: (2) 3 4 6 8 |
| Total Well Depth: 18.37 | Depth to Water: 6.62 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.97 | |

Purge Method: Bailer Waterra Peristaltic Extraction Pump Electric Submersible Other 2" REDIFLO

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing

Other: _____

$$\frac{1.9 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{5.7}{\text{Calculated Volume}} \text{ Gals.}$$

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|------------------|------------------|---------------|--------------|
| 1727 | 70.1 | 6.91 | 3101 | 8 | 2 | |
| 1730 | 71.1 | 6.74 | 3085 | 7 | 4 | |
| 1733 | 71.3 | 6.71 | 3071 | 6 | 6 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 6

Sampling Date: 9/25/13 Sampling Time: 1800 Depth to Water: 11.44 (site departure)

Sample I.D.: MW-4A Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

| | | | | |
|------------------|--------------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| | O.R.P. (if req'd): | mV | Post-purge: | mV |

CHEVRON WELL MONITORING DATA SHEET

| | |
|--|-----------------------------------|
| Project #: 130925- DB3 | Station #: 9-0121 |
| Sampler: DB | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: 75°F |
| Well I.D.: MW-5 | Well Diameter: (2) 3 4 6 8 |
| Total Well Depth: 32.69 | Depth to Water: 12.46 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.50 | |

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic (Disposable Bailer)
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible (Other) 2" REFLU Dedicated Tubing
 Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 3.3 | (Gals.) X | 3 | = | 9.9 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or (µS)) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------|------------------|---------------|--------------|
| 1611 | 68.2 | 6.95 | 1497 | 13 | 3.5 | |
| 1613 | 66.0 | 6.71 | 1483 | 7 | 7 | |
| 1615 | 65.8 | 6.63 | 1477 | 5 | 10 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes (No) Gallons actually evacuated: 10

Sampling Date: 9/25/13 Sampling Time: 1623 Depth to Water: 14.10

Sample I.D.: MW-5 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON WELL MONITORING DATA SHEET

| | |
|---|-------------------------------------|
| Project #: 130925-D83 | Station #: 9-0121 |
| Sampler: BW | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: 72°F |
| Well I.D.: MW-6 | Well Diameter: (2) 3 4 6 8 |
| Total Well Depth: 18.07 | Depth to Water: 5.25 |
| Depth to Free Product: — | Thickness of Free Product (feet): — |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.81 | |

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 2.0 | (Gals.) X | 3 | = | 6.0 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or µS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|---------------------|---------------------|---------------|--------------|
| 1633 | 71.6 | 6.75 | 13.73 | >1000 | 2.0 | ODOR |
| 1636 | 69.7 | 6.70 | 16.65 | >1000 | 4.0 | |
| 1639 | 69.2 | 6.68 | 19.24 | >1000 | 6.0 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 6.0

Sampling Date: 9/25/13 Sampling Time: 1725 Depth to Water: 7.55

Sample I.D.: MW-6 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON WELL MONITORING DATA SHEET

| | |
|--|-----------------------------------|
| Project #: 130925-083 | Station #: 9-0121 |
| Sampler: BW | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: 72°F |
| Well I.D.: mw-8 | Well Diameter: (2) 3 4 6 8 |
| Total Well Depth: 25.00 | Depth to Water: 8.60 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.88 | |

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other: 2" REDIFLO

Sampling Method:

- (Bailer)
- (Disposable Bailer)
- Extraction Port
- Dedicated Tubing

Other: _____

| | | |
|---------------|-------------------|-------------------|
| 2.7 (Gals.) X | 3 | = 8.1 Gals. |
| 1 Case Volume | Specified Volumes | Calculated Volume |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|------------------|------------------|---------------|--------------|
| 1613 | 67.5 | 6.85 | 6965 | 225 | 2.7 | |
| 1616 | 67.1 | 6.79 | 14.01 mS | 388 | 5.4 | |
| 1620 | 66.8 | 6.72 | 14.33 mS | 621 | 8.1 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 8.1

Sampling Date: 9/25/13 Sampling Time: 1710 Depth to Water: 10.97

Sample I.D.: mw-8 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON WELL MONITORING DATA SHEET

| | |
|---|-----------------------------------|
| Project #: 130925-083 | Station #: 9-0121 |
| Sampler: TS | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: 75°F |
| Well I.D.: MW-9 | Well Diameter: (2) 3 4 6 8 |
| Total Well Depth: 14.08 | Depth to Water: 5.13 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.92 | |

Purge Method: Bailer Waterra
 Disposable Bailer Peristaltic
 Positive Air Displacement Extraction Pump
 Electric Submersible Other: 2" RSDIFL

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

1.5 (Gals.) X 3 = 4.5 Gals.
 I Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or (μS)) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------|------------------|---------------|--------------|
| 1705 | 68.0 | 6.65 | 1600 | 68 | 1.5 | |
| 1707 | 67.4 | 6.67 | 2366 | 57 | 3 | |
| | — | Well | dewatered | @ 3 gallons | — | |
| 1740 | 66.4 | 7.21 | 2352 | 44 | 6.88 | |

Did well dewater? Yes No Gallons actually evacuated: 3

Sampling Date: 9/25/13 Sampling Time: 1740 Depth to Water: 7.49 (SITE DEPARTMENT)

Sample I.D.: MW-9 Laboratory: (Lancaster) Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON WELL MONITORING DATA SHEET

| | |
|--|-----------------------------------|
| Project #: 130725-DB3 | Station #: 9-0121 |
| Sampler: SB | Date: 9/25/13 |
| Weather: Sunny | Ambient Air Temperature: |
| Well I.D.: Sump Sample | Well Diameter: 2 3 4 6 8 _____ |
| Total Well Depth: _____ | Depth to Water: _____ |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: | |

| | |
|--|---|
| Purge Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible <input type="checkbox"/> Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump <input type="checkbox"/> Other _____ | Sampling Method: Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____ |
|--|---|

| | | |
|-----------------------|-------------------|-------------------|
| _____ (Gals.) X _____ | = | _____ Gals. |
| 1 Case Volume | Specified Volumes | Calculated Volume |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or µS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|----|------------------|------------------|---------------|----------------------------|
| | | | | | — | - SUMP PUMP NOT RUNNING |
| | | | | | | - UNABLE TO COLLECT SAMPLE |
| | | | | | | |
| | | | | | | |

| | | |
|---|---|------------------------|
| Did well dewater? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Gallons actually evacuated: _____ | |
| Sampling Date: 9/25/13 | Sampling Time: _____ | Depth to Water: _____ |
| Sample I.D.: Sump Sample | Laboratory: Lancaster Other _____ | |
| Analyzed for: TPH-G BTEX MTBE OXYS Other: _____ | | |
| Duplicate I.D.: _____ | Analyzed for: TPH-G BTEX MTBE OXYS Other: _____ | |
| D.O. (if req'd): | Pre-purge: _____ mg/L | Post-purge: _____ mg/L |
| O.R.P. (if req'd): | Pre-purge: _____ mV | Post-purge: _____ mV |

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 1 of 1

| | | | | | | | | | | | | | | | | | | | |
|---|--------|-----------|----------------|---|-----------------|--|--|---|--|---|--|--|--|--------------|--|---|--|--------|--|
| Chevron Site Number: <u>90121</u> Chevron Site Global ID: <u>TO600100328</u> Chevron Site Address: <u>3026 Lakeshore Ave., Oakland, CA</u> Chevron PM: <u>CATALINA DEVINE</u> Chevron PM Phone No.: <u>(925)790-3949</u> <input checked="" type="checkbox"/> Retail and Terminal Business Unit (RTBU) Job <input checked="" type="checkbox"/> Construction/Retail Job | | | | Chevron Consultant: <u>CRA</u> Address: <u>5900 Hollis St. Suite A Emeryville,</u> CA Consultant Contact: <u>Nathan Lee</u> Consultant Phone No. <u>510-420-3333</u> Consultant Project No. <u>130925-DBZ</u> Sampling Company: <u>Blaine Tech Services</u> Sampled By (Print): <u>Dustin Baker</u> Sampler Signature: | | | | ANALYSES REQUIRED | | | | | | | | | | | |
| Charge Code: <u>NWR TB-0090121-0-OML</u> NWR TB 00SITE NUMBER-0- WBS (WBS ELEMENTS: SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY. | | | | Lancaster Laboratories <input checked="" type="checkbox"/> Lancaster, PA Lab Contact: Jill Parker 2425 New Holland Pike, Lancaster, PA 17601 Phone No: (717)656-2300 | | Other Lab _____ _____ _____ _____ _____ | | Temp. Blank Check Time Temp. <u>1330</u> <u>10C</u> <u>1500</u> <u>10C</u> <u>1800</u> <u>10C</u> _____ _____ | | H H EPA 8260B/GC/MS TPH-G <input type="checkbox"/> MIBEX <input checked="" type="checkbox"/> OXYGENATES <input type="checkbox"/> HVOC <input type="checkbox"/> EPA 8015B GRO <input checked="" type="checkbox"/> DRO <input checked="" type="checkbox"/> ORO <input type="checkbox"/> HC SCREEN <input type="checkbox"/> EPA 8021B BTEX <input type="checkbox"/> MTBE <input type="checkbox"/> EPA 6010 Ca, Fe, K, Mg, Mn, Na EPA 8010/7000 TITLE 22 METALS <input type="checkbox"/> TLC <input type="checkbox"/> STLC <input type="checkbox"/> EPA 150.1 PH <input type="checkbox"/> SM2510B SPECIFIC CONDUCTIVITY EPA 418.1 TRPH <input type="checkbox"/> EPA 8260 ETHANOL EPA 8015 TPH-D <input type="checkbox"/> | Preservation Codes H = HCL T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other | Special Instructions Must meet lowest detection limits possible for 8260 Compounds, Silica gel cleanup required for TPH-D and TPHmo | | | | | | | |
| SAMPLE ID | | | | Sample Time | # of Containers | Container Type | EPA 8260B/GC/MS TPH-G <input type="checkbox"/> MIBEX <input checked="" type="checkbox"/> OXYGENATES <input type="checkbox"/> HVOC <input type="checkbox"/> EPA 8015B GRO <input checked="" type="checkbox"/> DRO <input checked="" type="checkbox"/> ORO <input type="checkbox"/> HC SCREEN <input type="checkbox"/> EPA 8021B BTEX <input type="checkbox"/> MTBE <input type="checkbox"/> EPA 6010 Ca, Fe, K, Mg, Mn, Na EPA 8010/7000 TITLE 22 METALS <input type="checkbox"/> TLC <input type="checkbox"/> STLC <input type="checkbox"/> EPA 150.1 PH <input type="checkbox"/> SM2510B SPECIFIC CONDUCTIVITY EPA 418.1 TRPH <input type="checkbox"/> EPA 8260 ETHANOL EPA 8015 TPH-D <input type="checkbox"/> | Notes/Comments | | | | | | | | | | | |
| Field Point Name | Matrix | Top Depth | Date (yyymmdd) | | | | | | | | | | | | | | | | |
| MW-1 | W6 | | 130925 | 1654 | 8 | VOAS/AMBEWS | X | X | | | | | | | | | | | |
| MW-2A | | | | 1750 | | | X | X | | | | | | | | | | | |
| MW-3A | | | | 1740 | | | X | X | | | | | | | | | | | |
| MW-4A | | | | 1800 | | | X | X | | | | | | | | | | | |
| MW-5 | | | | 1623 | | | X | X | | | | | | | | | | | |
| MW-6 | | | | 1725 | | | X | X | | | | | | | | | | | |
| MW-8 | | | | 1710 | | | X | X | | | | | | | | | | | |
| MW-9 | ↓ | | ↓ | 1740 | ↓ | ↓ | X | X | | | | | | | | | | | |
| QA | T | | ↓ | 1330 | 2 | VOAS | X | X | | | | | | | | | | NO DEC | |
| Relinquished By | | | | Company | | Date/Time: | | Relinquished To | | | | Company | | Date/Time | | Turnaround Time: | | | |
| | | | | BS | | 9/25/13 1930 | | | | | | BS | | 9/25/13 1930 | | Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> Other <input type="checkbox"/> | | | |
| Relinquished By | | | | Company | | Date/Time | | Relinquished To | | | | Company | | Date/Time | | Sample Integrity: (Check by lab on arrival) | | | |
| Relinquished By | | | | Company | | Date/Time | | Relinquished To | | | | Company | | Date/Time | | Intact: _____ On Ice: _____ Temp: _____ COC # _____ | | | |

WELLHEAD INSPECTION CHECKLIST

Page 1 of 1

Client CHEVRON Date 9/25/13

Site Address 3026 Lakeshore Ave., Oakland

Job Number 130925-DBS Technician DBS

| Well ID | Well Inspected - No Corrective Action Required | WELL IS SECURABLE BY DESIGN (12" or less) | WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less) | Water Bailed From Wellbox | Wellbox Components Cleaned | Cap Replaced | Lock Replaced | Other Action Taken (explain below) | Well Not Inspected (explain below) | Repair Order Submitted |
|---------|--|---|---|---------------------------|----------------------------|--------------|---------------|------------------------------------|------------------------------------|------------------------|
| MW-1 | X | X | X | | | | | | | |
| MW-2A | | X | X | | | | | | | X |
| MW-3A | X | X | X | | | | | | | |
| MW-4A | X | X | X | | | | | | | |
| MW-5 | X | X | X | | | | | | | |
| MW-6 | | X | X | | | | | | | X |
| MW-8 | X | X | X | X | | | | | | |
| MW-9 | X | X | X | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

NOTES: MW-6: 1 of 2 bolts missing / 1/2 tabs stripped
MW-2A: ARROW CRACKED, WELL STILL SECURE



SOURCE RECORD **BILL OF LADING**

FOR PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR AND HAULED TO THEIR FACILITY IN SAN JOSE, CALIFORNIA FOR TEMPORARILY HOLDING PENDING TRANSPORT BY OTHERS TO FINAL DESTINATION.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BLAINE TECH), 1680 Rogers Ave. San Jose CA (408) 573-0555). BLAINE TECH. is authorized by Chevron Environmental Management Company (CHEVRON EMC) to recover, collect, apportion into loads, and haul the purgewater that is drawn from wells at the CHEVRON EMC facility indicated below and to deliver that purgewater to BLAINE TECH for temporarily holding. Transport routing of the purgewater may be direct from one CHEVRON EMC facility to BLAINE TECH; from one CHEVRON EMC facility to BLAINE TECH via another CHEVRON EMC facility; or any combination thereof. The well purgewater is and remains the property of CHEVRON EMC.

This **Source Record BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

| | | | |
|---------------|------------------|---------|-------|
| 9-021 | Catalina Devine | | |
| CHEVRON # | Chevron Engineer | | |
| 3026 | Lakeshore Ave | Oakland | CA |
| street number | street name | city | state |

| WELL I.D. | GALS. | WELL I.D. | GALS. |
|---|-----------|---------------|-----------|
| MW-1 | 25 | | |
| MW-2A | 5.25 | | |
| MW-3A | 4.2 | | |
| MW-4A | 6 | | |
| MW-5 | 10 | | |
| MW-6 | 6 | | |
| MW-8 | 8.1 | | |
| MW-9 | 3 | | |
| added equip. | | any other | |
| rinse water | 1.45 | adjustments | |
| TOTAL GALS. RECOVERED | <u>69</u> | loaded onto | |
| | | BTS vehicle # | <u>39</u> |
| BTS event # | time | date | |
| 130925-DB3 | 1830 | 9 / 25 / 13 | |
| Transporter signature  | | | |
| ***** | | | |
| REC'D AT | time | date | |
| BTS SAN JOSE | 1930 | 9 / 25 / 13 | |
| Unloaded/received by | | | |
| signature  | | | |

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

October 09, 2013

Project: 90121

Submittal Date: 09/27/2013
Group Number: 1422075
PO Number: 0015119899
Release Number: SHRILL HOPKINS
State of Sample Origin: CA

Client Sample Description

MW-1-W-130925 NA Groundwater
MW-2A-W-130925 NA Groundwater
MW-3A-W-130925 NA Groundwater
MW-4A-W-130925 NA Groundwater
MW-5-W-130925 NA Groundwater
MW-6-W-130925 NA Groundwater
MW-8-W-130925 NA Groundwater
MW-9-W-130925 NA Groundwater
QA-T-130925 NA Water

Lancaster Labs (LL)

7215472
7215473
7215474
7215475
7215476
7215477
7215478
7215479
7215480

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

| | | |
|--------------------|----------------------------|----------------------|
| ELECTRONIC COPY TO | Chevron c/o CRA | Attn: Report Contact |
| ELECTRONIC COPY TO | Blaine Tech Services, Inc. | Attn: Dustin Becker |
| ELECTRONIC COPY TO | Chevron | Attn: Anna Avina |
| ELECTRONIC COPY TO | CRA | Attn: Nathan Lee |
| ELECTRONIC COPY TO | CRA | Attn: Ian Hull |

Respectfully Submitted,



Nicole L. Maljovec
Principal Specialist Group Leader

(717) 556-7259

Sample Description: MW-1-W-130925 NA Groundwater
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215472
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 16:54 by DB

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/27/2013 09:30

Reported: 10/09/2013 08:15

LAO01

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10943 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10943 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 13 | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 210 | 50 | 100 | 1 |
| GC Petroleum SW-846 8015B | | | | | | |
| Hydrocarbons | | | | | | |
| 06609 | TPH-DRO CA C10-C28 | n.a. | 2,000 | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|--------------|--------|------------|------------------------|----------------------|-----------------|
| 10943 | UST VOCs by 8260B - Water | SW-846 8260B | 1 | F132761AA | 10/03/2013 13:26 | Anita M Dale | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132761AA | 10/03/2013 13:26 | Anita M Dale | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 13:19 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 13:19 | Marie D Beamenderfer | 1 |
| 06609 | TPH-DRO CA C10-C28 | SW-846 8015B | 1 | 132730019A | 10/03/2013 15:21 | Elizabeth J Marin | 1 |
| 02376 | Extraction - Fuel/TPH (Waters) | SW-846 3510C | 1 | 132730019A | 10/01/2013 03:00 | Sherry L Morrow | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: MW-2A-W-130925 NA Groundwater
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215473
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 17:50 by DB

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/27/2013 09:30

Reported: 10/09/2013 08:15

LAO02

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10943 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10943 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 48 | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 0.6 J | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 310 | 50 | 100 | 1 |
| GC Petroleum SW-846 8015B | | | | | | |
| Hydrocarbons | | | | | | |
| 06609 | TPH-DRO CA C10-C28 | n.a. | 2,700 | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|--------------|--------|------------|------------------------|----------------------|-----------------|
| 10943 | UST VOCs by 8260B - Water | SW-846 8260B | 1 | F132754AA | 10/02/2013 20:44 | Brett W Kenyon | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132754AA | 10/02/2013 20:44 | Brett W Kenyon | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 13:44 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 13:44 | Marie D Beamenderfer | 1 |
| 06609 | TPH-DRO CA C10-C28 | SW-846 8015B | 1 | 132730019A | 10/03/2013 15:44 | Elizabeth J Marin | 1 |
| 02376 | Extraction - Fuel/TPH (Waters) | SW-846 3510C | 1 | 132730019A | 10/01/2013 03:00 | Sherry L Morrow | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: MW-3A-W-130925 NA Groundwater
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215474
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 17:40 by DB

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/27/2013 09:30

Reported: 10/09/2013 08:15

LAO03

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10943 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10943 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 0.8 J | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | 100 | 1 |
| GC Petroleum SW-846 8015B | | | | | | |
| Hydrocarbons | | | | | | |
| 06609 | TPH-DRO CA C10-C28 | n.a. | 400 | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|--------------|--------|------------|------------------------|----------------------|-----------------|
| 10943 | UST VOCs by 8260B - Water | SW-846 8260B | 1 | F132754AA | 10/02/2013 19:39 | Brett W Kenyon | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132754AA | 10/02/2013 19:39 | Brett W Kenyon | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 14:10 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 14:10 | Marie D Beamenderfer | 1 |
| 06609 | TPH-DRO CA C10-C28 | SW-846 8015B | 1 | 132730019A | 10/03/2013 14:36 | Elizabeth J Marin | 1 |
| 02376 | Extraction - Fuel/TPH (Waters) | SW-846 3510C | 1 | 132730019A | 10/01/2013 03:00 | Sherry L Morrow | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: MW-4A-W-130925 NA Groundwater
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215475
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 18:00 by DB

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/27/2013 09:30

Reported: 10/09/2013 08:15

LAO04

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10943 | Benzene | 71-43-2 | 0.7 J | 0.5 | 1 | 1 |
| 10943 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 16 | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 3 | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 1,900 | 50 | 100 | 1 |
| GC Petroleum Hydrocarbons SW-846 8015B | | | | | | |
| 06609 | TPH-DRO CA C10-C28 | n.a. | 4,500 | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|--------------|--------|------------|------------------------|----------------------|-----------------|
| 10943 | UST VOCs by 8260B - Water | SW-846 8260B | 1 | F132754AA | 10/02/2013 21:05 | Brett W Kenyon | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132754AA | 10/02/2013 21:05 | Brett W Kenyon | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 14:36 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 14:36 | Marie D Beamenderfer | 1 |
| 06609 | TPH-DRO CA C10-C28 | SW-846 8015B | 1 | 132730019A | 10/03/2013 14:59 | Elizabeth J Marin | 1 |
| 02376 | Extraction - Fuel/TPH (Waters) | SW-846 3510C | 1 | 132730019A | 10/01/2013 03:00 | Sherry L Morrow | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-W-130925 NA Groundwater
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215476
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 16:23 by DB

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/27/2013 09:30

Reported: 10/09/2013 08:15

LAO05

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10943 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10943 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 0.7 J | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | 100 | 1 |
| GC Petroleum Hydrocarbons SW-846 8015B | | | | | | |
| 06609 | TPH-DRO CA C10-C28 | n.a. | N.D. | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|--------------|--------|------------|------------------------|----------------------|-----------------|
| 10943 | UST VOCs by 8260B - Water | SW-846 8260B | 1 | F132754AA | 10/02/2013 21:26 | Brett W Kenyon | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132754AA | 10/02/2013 21:26 | Brett W Kenyon | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 15:02 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 15:02 | Marie D Beamenderfer | 1 |
| 06609 | TPH-DRO CA C10-C28 | SW-846 8015B | 1 | 132730019A | 10/03/2013 13:51 | Elizabeth J Marin | 1 |
| 02376 | Extraction - Fuel/TPH (Waters) | SW-846 3510C | 1 | 132730019A | 10/01/2013 03:00 | Sherry L Morrow | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-W-130925 NA Groundwater
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215477
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 17:25 by DB

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/27/2013 09:30

Reported: 10/09/2013 08:15

LAO06

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10943 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10943 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 70 J | 50 | 100 | 1 |
| GC Petroleum SW-846 8015B | | | | | | |
| Hydrocarbons | | | | | | |
| 06609 | TPH-DRO CA C10-C28 | n.a. | 1,600 | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|--------------|--------|------------|------------------------|----------------------|-----------------|
| 10943 | UST VOCs by 8260B - Water | SW-846 8260B | 1 | F132754AA | 10/02/2013 21:48 | Brett W Kenyon | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132754AA | 10/02/2013 21:48 | Brett W Kenyon | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 15:27 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 15:27 | Marie D Beamenderfer | 1 |
| 06609 | TPH-DRO CA C10-C28 | SW-846 8015B | 1 | 132730019A | 10/03/2013 16:29 | Elizabeth J Marin | 1 |
| 02376 | Extraction - Fuel/TPH (Waters) | SW-846 3510C | 1 | 132730019A | 10/01/2013 03:00 | Sherry L Morrow | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: MW-8-W-130925 NA Groundwater
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215478
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 17:10 by DB

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/27/2013 09:30

Reported: 10/09/2013 08:15

LAO08

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|----------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles | | | | | | |
| | SW-846 8260B | | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10943 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles | | | | | | |
| | SW-846 8015B | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | 100 | 1 |
| GC Petroleum Hydrocarbons | | | | | | |
| | SW-846 8015B | | ug/l | ug/l | ug/l | |
| 06609 | TPH-DRO CA C10-C28 | n.a. | N.D. | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|--------------|--------|------------|------------------------|----------------------|-----------------|
| 10943 | UST VOCs by 8260B - Water | SW-846 8260B | 1 | F132762AA | 10/03/2013 15:23 | Anita M Dale | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132762AA | 10/03/2013 15:23 | Anita M Dale | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 15:53 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 15:53 | Marie D Beamenderfer | 1 |
| 06609 | TPH-DRO CA C10-C28 | SW-846 8015B | 1 | 132730019A | 10/03/2013 14:14 | Elizabeth J Marin | 1 |
| 02376 | Extraction - Fuel/TPH (Waters) | SW-846 3510C | 1 | 132730019A | 10/01/2013 03:00 | Sherry L Morrow | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: MW-9-W-130925 NA Groundwater
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215479
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 17:40 by DB

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/27/2013 09:30

Reported: 10/09/2013 08:15

LAO09

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10943 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10943 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 62 | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 920 | 50 | 100 | 1 |
| GC Petroleum SW-846 8015B | | | | | | |
| Hydrocarbons | | | | | | |
| 06609 | TPH-DRO CA C10-C28 | n.a. | 2,000 | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|--------------|--------|------------|------------------------|----------------------|-----------------|
| 10943 | UST VOCs by 8260B - Water | SW-846 8260B | 1 | F132762AA | 10/03/2013 15:44 | Anita M Dale | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132762AA | 10/03/2013 15:44 | Anita M Dale | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 16:44 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 16:44 | Marie D Beamenderfer | 1 |
| 06609 | TPH-DRO CA C10-C28 | SW-846 8015B | 1 | 132730019A | 10/03/2013 16:07 | Elizabeth J Marin | 1 |
| 02376 | Extraction - Fuel/TPH (Waters) | SW-846 3510C | 1 | 132730019A | 10/01/2013 03:00 | Sherry L Morrow | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: QA-T-130925 NA Water
Facility# 90121 BTST
3026 Lakeshore Ave-Oakland T0600100328

LL Sample # WW 7215480
LL Group # 1422075
Account # 10991

Project Name: 90121

Collected: 09/25/2013 13:30

Chevron

Submitted: 09/27/2013 09:30

6001 Bollinger Canyon Rd L4310

Reported: 10/09/2013 08:15

San Ramon CA 94583

LAOQA

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | 1 | 1 |
| 10943 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | 100 | 1 |

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|----------------------|-----------------|
| 10943 | BTEX/MTBE 8260 Water | SW-846 8260B | 1 | F132762AA | 10/03/2013 07:30 | Anita M Dale | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F132762AA | 10/03/2013 07:30 | Anita M Dale | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 13273A20A | 10/01/2013 12:01 | Marie D Beamenderfer | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 13273A20A | 10/01/2013 12:01 | Marie D Beamenderfer | 1 |

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: Chevron
Reported: 10/09/13 at 08:15 AM

Group Number: 1422075

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

| <u>Analysis Name</u> | <u>Blank Result</u> | <u>Blank MDL**</u> | <u>Blank LOQ</u> | <u>Report Units</u> | <u>LCS %REC</u> | <u>LCSD %REC</u> | <u>LCS/LCSD Limits</u> | <u>RPD</u> | <u>RPD Max</u> |
|---|---------------------|--------------------|------------------|---------------------|-----------------|------------------|------------------------|------------|----------------|
| Batch number: F132754AA Sample number(s): 7215473-7215477 | | | | | | | | | |
| Benzene | N.D. | 0.5 | 1 | ug/l | 87 | | 78-120 | | |
| Ethanol | N.D. | 50. | 250 | ug/l | 98 | | 54-149 | | |
| Ethylbenzene | N.D. | 0.5 | 1 | ug/l | 85 | | 79-120 | | |
| Methyl Tertiary Butyl Ether | N.D. | 0.5 | 1 | ug/l | 91 | | 75-120 | | |
| Toluene | N.D. | 0.5 | 1 | ug/l | 89 | | 80-120 | | |
| Xylene (Total) | N.D. | 0.5 | 1 | ug/l | 87 | | 80-120 | | |
| Batch number: F132761AA Sample number(s): 7215472 | | | | | | | | | |
| Benzene | N.D. | 0.5 | 1 | ug/l | 93 | | 78-120 | | |
| Ethanol | N.D. | 50. | 250 | ug/l | 103 | | 54-149 | | |
| Ethylbenzene | N.D. | 0.5 | 1 | ug/l | 92 | | 79-120 | | |
| Methyl Tertiary Butyl Ether | N.D. | 0.5 | 1 | ug/l | 95 | | 75-120 | | |
| Toluene | N.D. | 0.5 | 1 | ug/l | 94 | | 80-120 | | |
| Xylene (Total) | N.D. | 0.5 | 1 | ug/l | 92 | | 80-120 | | |
| Batch number: F132762AA Sample number(s): 7215478-7215480 | | | | | | | | | |
| Benzene | N.D. | 0.5 | 1 | ug/l | 89 | | 78-120 | | |
| Ethanol | N.D. | 50. | 250 | ug/l | 103 | | 54-149 | | |
| Ethylbenzene | N.D. | 0.5 | 1 | ug/l | 85 | | 79-120 | | |
| Methyl Tertiary Butyl Ether | N.D. | 0.5 | 1 | ug/l | 88 | | 75-120 | | |
| Toluene | N.D. | 0.5 | 1 | ug/l | 90 | | 80-120 | | |
| Xylene (Total) | N.D. | 0.5 | 1 | ug/l | 85 | | 80-120 | | |
| Batch number: 13273A20A Sample number(s): 7215472-7215480 | | | | | | | | | |
| TPH-GRO N. CA water C6-C12 | N.D. | 50. | 100 | ug/l | 109 | 110 | 75-135 | 0 | 30 |
| Batch number: 132730019A Sample number(s): 7215472-7215479 | | | | | | | | | |
| TPH-DRO CA C10-C28 | N.D. | 32. | 100 | ug/l | 86 | 89 | 73-120 | 3 | 20 |

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

| <u>Analysis Name</u> | <u>MS %REC</u> | <u>MSD %REC</u> | <u>MS/MSD Limits</u> | <u>RPD</u> | <u>RPD MAX</u> | <u>BKG Conc</u> | <u>DUP Conc</u> | <u>DUP RPD</u> | <u>Dup RPD Max</u> |
|--|----------------|-----------------|----------------------|------------|----------------|-----------------|-----------------|----------------|--------------------|
| Batch number: F132754AA Sample number(s): 7215473-7215477 UNSPK: 7215474 | | | | | | | | | |
| Benzene | 95 | 96 | 72-134 | 1 | 30 | | | | |
| Ethanol | 102 | 108 | 53-146 | 6 | 30 | | | | |
| Ethylbenzene | 93 | 96 | 71-134 | 3 | 30 | | | | |

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/09/13 at 08:15 AM

Group Number: 1422075

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

| <u>Analysis Name</u> | <u>MS</u> <u>%REC</u> | <u>MSD</u> <u>%REC</u> | <u>MS/MSD</u> <u>Limits</u> | <u>RPD</u> <u>RPD</u> | <u>BKG</u> <u>MAX</u> <u>Conc</u> | <u>DUP</u> <u>Conc</u> | <u>DUP</u> <u>RPD</u> | <u>Dup RPD</u> <u>Max</u> |
|-----------------------------|--------------------------|--|--------------------------------|--------------------------|---|---------------------------|--------------------------|------------------------------|
| Methyl Tertiary Butyl Ether | 96 | 95 | 72-126 | 1 | 30 | | | |
| Toluene | 95 | 98 | 80-125 | 3 | 30 | | | |
| Xylene (Total) | 93 | 95 | 79-125 | 3 | 30 | | | |
| Batch number: F132761AA | | Sample number(s): 7215472 UNSPK: P215466 | | | | | | |
| Benzene | 96 | 96 | 72-134 | 0 | 30 | | | |
| Ethanol | 103 | 103 | 53-146 | 0 | 30 | | | |
| Ethylbenzene | 95 | 97 | 71-134 | 3 | 30 | | | |
| Methyl Tertiary Butyl Ether | 89 | 94 | 72-126 | 5 | 30 | | | |
| Toluene | 98 | 98 | 80-125 | 0 | 30 | | | |
| Xylene (Total) | 96 | 97 | 79-125 | 1 | 30 | | | |
| Batch number: F132762AA | | Sample number(s): 7215478-7215480 UNSPK: P215671 | | | | | | |
| Benzene | 96 | 95 | 72-134 | 2 | 30 | | | |
| Ethanol | 108 | 110 | 53-146 | 2 | 30 | | | |
| Ethylbenzene | 95 | 93 | 71-134 | 2 | 30 | | | |
| Methyl Tertiary Butyl Ether | 91 | 95 | 72-126 | 4 | 30 | | | |
| Toluene | 98 | 94 | 80-125 | 4 | 30 | | | |
| Xylene (Total) | 95 | 93 | 79-125 | 2 | 30 | | | |

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: F132754AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 7215473 | 98 | 97 | 97 | 96 |
| 7215474 | 97 | 100 | 96 | 94 |
| 7215475 | 97 | 97 | 97 | 98 |
| 7215476 | 98 | 98 | 95 | 95 |
| 7215477 | 96 | 98 | 95 | 95 |
| Blank | 97 | 98 | 97 | 92 |
| LCS | 97 | 97 | 96 | 97 |
| MS | 96 | 100 | 95 | 95 |
| MSD | 98 | 95 | 96 | 96 |

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: F132761AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 7215472 | 95 | 97 | 97 | 100 |
| Blank | 96 | 95 | 101 | 96 |
| LCS | 95 | 98 | 101 | 98 |
| MS | 93 | 98 | 100 | 98 |

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/09/13 at 08:15 AM

Group Number: 1422075

Surrogate Quality Control

| MSD | 94 | 99 | 100 | 98 |
|---------|--------|--------|--------|--------|
| Limits: | 80-116 | 77-113 | 80-113 | 78-113 |

Analysis Name: UST VOCs by 8260B - Water

Batch number: F132762AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 7215478 | 96 | 96 | 101 | 96 |
| 7215479 | 94 | 96 | 100 | 101 |
| 7215480 | 94 | 96 | 100 | 97 |
| Blank | 95 | 95 | 102 | 96 |
| LCS | 94 | 100 | 100 | 99 |
| MS | 93 | 98 | 100 | 99 |
| MSD | 95 | 99 | 100 | 98 |
| Limits: | 80-116 | 77-113 | 80-113 | 78-113 |

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 13273A20A

Trifluorotoluene-F

| | |
|---------|--------|
| 7215472 | 88 |
| 7215473 | 105 |
| 7215474 | 85 |
| 7215475 | 113 |
| 7215476 | 84 |
| 7215477 | 85 |
| 7215478 | 84 |
| 7215479 | 96 |
| 7215480 | 85 |
| Blank | 74 |
| LCS | 84 |
| LCSD | 82 |
| Limits: | 63-135 |

Analysis Name: TPH-DRO CA C10-C28

Batch number: 132730019A

Orthoterphenyl

| | |
|---------|--------|
| 7215472 | 96 |
| 7215473 | 106 |
| 7215474 | 98 |
| 7215475 | 93 |
| 7215476 | 92 |
| 7215477 | 103 |
| 7215478 | 98 |
| 7215479 | 99 |
| Blank | 89 |
| LCS | 98 |
| LCSD | 98 |
| Limits: | 46-131 |

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/09/13 at 08:15 AM

Group Number: 1422075

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

092613-04 500m1 **CHAIN OF CUSTODY FORM**
Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 1 of 1

| Chevron Site Number: 90121 Chevron Site Global ID: TO600100328 Chevron Site Address: 3026 Lakeshore Ave., Oakland, CA Chevron PM: CATALINA DEVINE Chevron PM Phone No.: (925)790-3949 <input checked="" type="checkbox"/> Retail and Terminal Business Unit (RTBU) Job <input checked="" type="checkbox"/> Construction/Retail Job | Chevron Consultant: CRA Address: 5900 Hollis St. Suite A Emeryville, CA CA Consultant Contact: Nathan Lee Consultant Phone No. 510-420-3333 Consultant Project No. 130925-DBZ Sampling Company: Blaine Tech Services Sampled By (Print): Dustin Baker Sampler Signature: | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="12">ANALYSES REQUIRED</th> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>EPA 8260B/GC/MS TPH-G <input type="checkbox"/></td> <td>BTEX <input checked="" type="checkbox"/></td> <td>MTBE <input checked="" type="checkbox"/></td> <td>OXYGENATES <input type="checkbox"/></td> <td>HVOC <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Preservation Codes</td> </tr> <tr> <td>EPA 8015B GRO <input checked="" type="checkbox"/></td> <td>DRO <input checked="" type="checkbox"/></td> <td>ORO <input type="checkbox"/></td> <td>HC SCREEN <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>H = HCL T = Thiosulfate N = HNO₃ B = NaOH S = H₂SO₄ O = Other acc# 10991 Cap# 1422075 Sample# 7215412-80</td> </tr> <tr> <td>EPA 8021B BTEX <input type="checkbox"/></td> <td>MTBE <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="2">Special Instructions Must meet lowest detection limits possible for 8260 Compounds, Silica gel cleanup required for TPH-D and TPHm</td> </tr> <tr> <td>EPA 6010 Ca, Fe, K, Mg, Mn, Na</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 6010/7000 TITLE 22 METALS <input type="checkbox"/></td> <td>TLC <input type="checkbox"/></td> <td>STLC <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 150.1 PH <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SM2510B SPECIFIC CONDUCTIVITY</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 418.1 TRPH <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 8260 ETHANOL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 8015 TPH-D <input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | ANALYSES REQUIRED | | | | | | | | | | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | <input checked="" type="checkbox"/> | EPA 8260B/GC/MS TPH-G <input type="checkbox"/> | BTEX <input checked="" type="checkbox"/> | MTBE <input checked="" type="checkbox"/> | OXYGENATES <input type="checkbox"/> | HVOC <input type="checkbox"/> | | | | | | | Preservation Codes | EPA 8015B GRO <input checked="" type="checkbox"/> | DRO <input checked="" type="checkbox"/> | ORO <input type="checkbox"/> | HC SCREEN <input type="checkbox"/> | | | | | | | | H = HCL T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other acc# 10991 Cap# 1422075 Sample# 7215412-80 | EPA 8021B BTEX <input type="checkbox"/> | MTBE <input type="checkbox"/> | | | | | | | | | | Special Instructions Must meet lowest detection limits possible for 8260 Compounds, Silica gel cleanup required for TPH-D and TPHm | EPA 6010 Ca, Fe, K, Mg, Mn, Na | | | | | | | | | | | EPA 6010/7000 TITLE 22 METALS <input type="checkbox"/> | TLC <input type="checkbox"/> | STLC <input type="checkbox"/> | | | | | | | | | | EPA 150.1 PH <input type="checkbox"/> | | | | | | | | | | | | SM2510B SPECIFIC CONDUCTIVITY | | | | | | | | | | | | EPA 418.1 TRPH <input type="checkbox"/> | | | | | | | | | | | | EPA 8260 ETHANOL | | | | | | | | | | | | EPA 8015 TPH-D <input type="checkbox"/> | | | | | | | | | | | |
|---|--|---|-------------------------------------|-------------------------------|--|--|--|--|--|--|--|--|--|--|-------------------------------------|-------------------------------------|--|--|--|--|--|--|--|--|--|-------------------------------------|--|--|--|-------------------------------------|-------------------------------|--|--|--|--|--|--|--------------------|---|---|------------------------------|------------------------------------|--|--|--|--|--|--|--|--|---|-------------------------------|--|--|--|--|--|--|--|--|--|---|--------------------------------|--|--|--|--|--|--|--|--|--|--|--|------------------------------|-------------------------------|--|--|--|--|--|--|--|--|--|---------------------------------------|--|--|--|--|--|--|--|--|--|--|--|-------------------------------|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|------------------|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|
| ANALYSES REQUIRED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 8260B/GC/MS TPH-G <input type="checkbox"/> | BTEX <input checked="" type="checkbox"/> | MTBE <input checked="" type="checkbox"/> | OXYGENATES <input type="checkbox"/> | HVOC <input type="checkbox"/> | | | | | | | Preservation Codes | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 8015B GRO <input checked="" type="checkbox"/> | DRO <input checked="" type="checkbox"/> | ORO <input type="checkbox"/> | HC SCREEN <input type="checkbox"/> | | | | | | | | H = HCL T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other acc# 10991 Cap# 1422075 Sample# 7215412-80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 8021B BTEX <input type="checkbox"/> | MTBE <input type="checkbox"/> | | | | | | | | | | Special Instructions Must meet lowest detection limits possible for 8260 Compounds, Silica gel cleanup required for TPH-D and TPHm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 6010 Ca, Fe, K, Mg, Mn, Na | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 6010/7000 TITLE 22 METALS <input type="checkbox"/> | TLC <input type="checkbox"/> | STLC <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 150.1 PH <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SM2510B SPECIFIC CONDUCTIVITY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 418.1 TRPH <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 8260 ETHANOL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EPA 8015 TPH-D <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | |
|---|---|--|--|
| Charge Code: NWR TB-0090121-0-OML NWR TB 00SITE NUMBER-0- WBS (WBS ELEMENTS: SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY. | Lancaster Laboratories <input checked="" type="checkbox"/> Lancaster, PA Lab Contact: Jill Parker 2425 New Holland Pike, Lancaster, PA 17601 Phone No: (717)656-2300 | Other Lab _____ _____ _____ _____ _____ | Temp. Blank Check Time Temp. 1330 10C 1500 10C 1800 10C _____ _____ _____ |
|---|---|--|--|

| SAMPLE ID | | | | Sample Time | # of Containers | Container Type | ANALYSES REQUIRED | | | | | | | | | | | | Notes/Comments | | | | | | | | | | | |
|------------------|--------|-----------|---------------|-------------|-----------------|----------------|--|--|--|-------------------------------------|-------------------------------|---|---|------------------------------|------------------------------------|---|-------------------------------|--------------------------------|----------------|--|------------------------------|-------------------------------|---------------------------------------|-------------------------------------|---|------------------|---|--|--|--------|
| Field Point Name | Matrix | Top Depth | Date (yymmdd) | | | | EPA 8260B/GC/MS TPH-G <input type="checkbox"/> | BTEX <input checked="" type="checkbox"/> | MTBE <input checked="" type="checkbox"/> | OXYGENATES <input type="checkbox"/> | HVOC <input type="checkbox"/> | EPA 8015B GRO <input checked="" type="checkbox"/> | DRO <input checked="" type="checkbox"/> | ORO <input type="checkbox"/> | HC SCREEN <input type="checkbox"/> | EPA 8021B BTEX <input type="checkbox"/> | MTBE <input type="checkbox"/> | EPA 6010 Ca, Fe, K, Mg, Mn, Na | | EPA 6010/7000 TITLE 22 METALS <input type="checkbox"/> | TLC <input type="checkbox"/> | STLC <input type="checkbox"/> | EPA 150.1 PH <input type="checkbox"/> | SM2510B SPECIFIC CONDUCTIVITY | EPA 418.1 TRPH <input type="checkbox"/> | EPA 8260 ETHANOL | EPA 8015 TPH-D <input type="checkbox"/> | | | |
| MW-1 | WB | | 130925 | 1654 | 8 | VOCS/AMBIUS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | |
| MW-2A | | | | 1750 | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | <input checked="" type="checkbox"/> | | | | | | |
| MW-3A | | | | 1740 | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | <input checked="" type="checkbox"/> | | | | | | | |
| MW-4A | | | | 1800 | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | <input checked="" type="checkbox"/> | | | | | | | |
| MW-5 | | | | 1623 | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | <input checked="" type="checkbox"/> | | | | | | | |
| MW-6 | | | | 1725 | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | <input checked="" type="checkbox"/> | | | | | | | |
| MW-8 | | | | 1710 | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | <input checked="" type="checkbox"/> | | | | | | | |
| MW-9 | | | | 1740 | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | <input checked="" type="checkbox"/> | | | | | | | |
| QA | T | | | 1330 | 2 | VOCS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | NO DRG |

| | | | | | | |
|------------------|----------------------------------|-------------------------|------------------------------|---------------|-------------------------|--|
| Relinquished By: | Company: BB | Date/Time: 9/25/13 1930 | Relinquished To: | Company: BB | Date/Time: 9/25/13 1930 | Turnaround Time: Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> Other <input type="checkbox"/> |
| Relinquished By: | Company: sample Custodian BTS | Date/Time: 9/26/13 1235 | Relinquished To: | Company: LLI | Date/Time: 9/26/13 1235 | Sample Integrity: (Check by lab on arrival) Intact: <input checked="" type="checkbox"/> On Ice: <input checked="" type="checkbox"/> Temp: 0.5-1.1 |
| Relinquished By: | Company: | Date/Time: | Relinquished To: Brenely Ben | Company: ELLE | Date/Time: 9-27-13 930 | Intact: <input checked="" type="checkbox"/> On Ice: <input checked="" type="checkbox"/> Temp: 0.5-1.1 COC # |

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

| | | | |
|----------------------|-----------------------|-----------------|----------------------------------|
| RL | Reporting Limit | BMQL | Below Minimum Quantitation Level |
| N.D. | none detected | MPN | Most Probable Number |
| TNTC | Too Numerous To Count | CP Units | cobalt-chloroplatinate units |
| IU | International Units | NTU | nephelometric turbidity units |
| umhos/cm | micromhos/cm | ng | nanogram(s) |
| C | degrees Celsius | F | degrees Fahrenheit |
| meq | milliequivalents | lb. | pound(s) |
| g | gram(s) | kg | kilogram(s) |
| µg | microgram(s) | mg | milligram(s) |
| mL | milliliter(s) | L | liter(s) |
| m³ | cubic meter(s) | µL | microliter(s) |
| | | pg/L | picogram/liter |

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

Inorganic Qualifiers

- B** Value is $<$ CRDL, but \geq IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- *** Duplicate analysis not within control limits
- +** Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.