

P & D ENVIRONMENTAL

A Division of Paul H. King, Inc.

4020 Panama Court

Oakland, CA 94611

(510) 658-6916

April 14, 2003
Report 0014.R47

Mr. Ted Simas
Mr. Keith Simas
Xtra Oil Company
2307 Pacific Ave.
Alameda, CA 94501

SUBJECT: QUARTERLY GROUNDWATER MONITORING AND SAMPLING REPORT
Xtra Oil Company
3495 Castro Valley Blvd.
Castro Valley, CA

Gentlemen:

P&D Environmental, a division of Paul H. King, Inc. (P&D) is pleased to present this report documenting the results of the most recent quarterly monitoring and sampling of the wells at the subject site. This work was performed in accordance with P&D's proposal 020599.P1 dated February 5, 1999. All three wells (MW1, MW3 and MW4) were monitored and wells MW1 and MW3 were sampled on March 18, 2003. The reporting period for this report is for January through March 2003. A Site Location Map (Figure 1) and Site Plan (Figure 2) are attached with this report.

BACKGROUND

The site is currently used as a gasoline station. Four 12,000 gallon underground fuel storage tanks are present at the site. Three of the tanks contain gasoline and the fourth tank contains diesel fuel. A 550 gallon waste oil tank was removed from the site in November, 1988. The fuel tanks were replaced during August, 1992.

Three monitoring wells, designated as MW1, MW2 and MW3 were installed at the site on February 14 and 15, 1990 by Western Geo-Engineers. The subsurface materials encountered in the boreholes consisted primarily of silt and clay. The locations of the monitoring wells are shown in Figure 2. Soil samples collected during drilling of the boreholes for the monitoring wells revealed the presence of total petroleum hydrocarbons as gasoline (TPH-G) and total petroleum hydrocarbons as diesel (TPH-D). TPH-G was encountered in borehole MW1 at depths of 5 and 10 feet below grade at concentrations of 40 and 1,400 ppm, respectively; in borehole MW2 at depths of 10 and 15 feet below grade at concentrations of 230 and 95 ppm, respectively; and in borehole MW3 at depths of 5, 10 and 15 feet at concentrations of 140, 250 and 25 ppm, respectively. In addition, 120 ppm TPH-D was detected in borehole MW3 at a depth of 5 feet. Soil samples collected at a depth of 20 feet in borehole MW1 and at a depth of 18 feet in boreholes in MW2 and MW3 did not show any detectable concentrations of TPH-G or TPH-D. Groundwater was encountered in the boreholes at depths of approximately 15 to 16 feet below grade.

On February 15, 1990 Western Geo-Engineers drilled three exploratory boreholes at the site designated as SB1, SB2 and SB3. The subsurface materials encountered in the boreholes consisted primarily of silt and clay. The approximate locations of the boreholes are shown on Figure 2. It is P&D's understanding that soil samples were collected from the exploratory boreholes at depths of 10 and 12 feet and evaluated in the field using a photo ionization detector. In borehole SB1, TPH-G was detected at the depths of 10 and 12 feet at concentrations of 1,700 and 450 ppm, respectively. In boreholes SB2 and SB3, TPH-G was detected at the depths of 10 and 12 feet in both boreholes at concentrations of 800 ppm and greater than 2,000 ppm, respectively. A groundwater monitoring and sampling program was initiated at the site on February 20, 1990.

It is P&D's understanding that during fuel tank replacement activities in August, 1992 soil surrounding the tank pit was removed and disposed of offsite. An extraction well, designated as EW1, was designed and constructed in one corner of the new tank pit by K&B Environmental at the time of installation of the new tanks. The location of EW1 is shown on Figure 2.

On February 7, 1996 well MW2 was destroyed for the purpose of widening Redwood Road. The destruction was overseen by ACC Environmental Consultants of Oakland, California.

On August 15, 1997 P&D personnel oversaw the installation of one groundwater monitoring well, designated as MW4 at the subject site. The location of the monitoring well is shown on the attached Site Plan, Figure 2. This work was performed in accordance with P&D's work plan 0014.W4 dated June 27, 1997. The work plan was approved by the Alameda County Department of Environmental Health (ACDEH) in a telephone conversation with Mr. Scott Seery on August 14, 1997. During the conversation, Mr. Seery indicated that he would record his approval of the work plan in the county file for the site. In accordance with an October 25, 2002 letter from Mr. Seery, groundwater samples are to be analyzed for fuel oxygenates (MtBE, TAME, EtBE, TAME and TBA), and lead scavengers (EDB, 1,2-DCA/EDC) using EPA Method 8260.

FIELD ACTIVITIES

On March 18, 2003, the three groundwater monitoring wells at the site (MW1, MW3 and MW4) were monitored and wells MW1 and MW3 were sampled by P&D personnel. A joint groundwater monitoring with Allisto Engineering, Inc. was not performed this quarter. Extraction well EW1 was not monitored or sampled at the subject site during the quarter.

The wells were monitored for depth to water and the presence of free product or sheen. Depth to water was measured to the nearest 0.01 foot in wells MW1 and MW3 using an electric water level indicator. In MW4 the depth to water was measured to the nearest 0.01 foot using an electric water level indicator and the depth to free product was measured using a steel tape with product-finding paste. The presence of free product and sheen was evaluated using a transparent bailer in wells MW1 and MW3. No free product was observed in any of the monitoring wells prior to purging with the exception of MW4, where free product measuring 0.06 feet in thickness was encountered. In addition, sheen was observed in well MW1, but not MW3, prior to purging the wells.

A passive hydrocarbon collection device was present in well MW4. The collection device was observed to be full of what appeared to be diesel fuel, based on odor. The water level was measured in well MW4 prior to removal of the passive hydrocarbon collection device. Depth to water level and free product layer thickness measurements are presented in Table 1.

Prior to sampling, monitoring wells MW1 and MW3 were purged of a minimum of three casing volumes of water, or until the wells had been purged dry. During purging operations, the field parameters of electrical conductivity, temperature, and pH were monitored. Once the field parameters were observed to stabilize, and a minimum of three casing volumes had been purged or the wells had purged dry and partially recovered, water samples were collected using a clean Teflon bailer.

The water samples were transferred to 40-milliliter glass Volatile Organic Analysis (VOA) vials and 1-liter amber glass bottles that were sealed with Teflon-lined screw caps. The VOA vials were overturned and tapped to assure that no air bubbles were present.

The VOA vials and bottles were then transferred to a cooler with ice, until they were transported to McCampbell Analytical, Inc. in Pacheco, California. McCampbell Analytical, Inc. is a State-certified hazardous waste testing laboratory. Chain of custody documentation accompanied the samples to the laboratory. Records of the field parameters measured during well purging are attached with this report.

HYDROGEOLOGY

Water levels were measured in all of the wells once during the monitoring period. The measured depth to water at the site in wells MW1, MW3 and MW4 on March 18, 2003 was 7.77, 7.35, and 7.49 feet, respectively. A separate phase layer measuring 0.06 feet in thickness was measured in well MW4. Using a specific gravity of 0.75, the corrected depth to water in well MW4 is 7.44 feet. Since the previous quarter, groundwater levels have decreased in each of wells MW1, MW3, and MW4 by 2.03, 1.92, and 1.09 feet, respectively. In well MW4, the separate phase layer thickness has decreased from 4.39 feet in thickness on December 21, 2002 to 0.06 feet in thickness on March 18, 2003. The corrected groundwater level in well MW4 has decreased by 2.15 feet since the previous quarter.

Based on the measured depth to groundwater in the groundwater monitoring wells, the apparent groundwater flow direction at the site on December 21, 2002 was calculated to be to the southeast with a gradient of 0.0075. The groundwater flow direction has shifted toward the north slightly and the gradient has increased slightly since the previous monitoring. The groundwater flow direction on March 18, 2003 is shown on Figure 2.

LABORATORY RESULTS

The groundwater samples collected from monitoring wells MW1 and MW3 on March 18, 2003 were analyzed for TPH-G using EPA Method 5030 and Modified EPA Method 8015; benzene, toluene, ethylbenzene, total xylenes (BTEX), fuel oxygenates (MtBE, TAME, EtBE, TAME and TBA), and lead scavengers (EDB, 1,2-DCA/EDC) using EPA Method 8260; and for TPH-D using EPA Method 3510 in conjunction with Modified EPA Method 8015.

The laboratory analytical results for the groundwater samples from wells MW1 and MW3 show TPH-G concentrations of 33 and 120 ppm, respectively; benzene concentrations of 2.4 and 36 ppm, respectively; and TPH-D concentrations of 7.3 and 11 ppm, respectively. Review of the laboratory analytical reports indicates that the TPH-D results for both wells consist of both diesel- and gasoline-range compounds.

Analysis using EPA Method 8260 for fuel oxygenates and lead scavengers showed that these compounds were not present in samples collected on March 18, 2003 for wells MW1 or MW3 with the exception of 16 ppm MtBE and 5.1 ppm TBA in well MW3.

Since the previous sampling on December 21, 2002, TPH-D concentrations have decreased and TPH-G concentrations have increased in both of the wells. Benzene concentrations have decreased in well MW1 and increased in well MW3. MTBE concentrations have decreased in well MW3 and remained undetected in well MW1. The laboratory analytical results of the groundwater samples are summarized in Table 2. Copies of the laboratory analytical reports and chain of custody documentation are attached with this report.

DISCUSSION AND RECOMMENDATIONS

The three wells at the site were monitored and wells MW1 and MW3 were sampled once during the quarter. A layer of separate phase petroleum hydrocarbon measuring 0.06 feet in thickness was detected in well MW4. Based on odor and viscosity, the hydrocarbons were qualitatively identified as diesel fuel. It is P&D's understanding that the collection device in well MW4 is maintained by Xtra Oil Company personnel. P&D recommends that a log be maintained of product removed.

Analysis using EPA Method 8260 for fuel oxygenates and lead scavengers showed that these compounds were not present in samples collected on March 18, 2003 for wells MW1 or MW3 with the exception of 16 ppm MtBE and 5.1 ppm TBA in well MW3.

P&D recommends that use of absorbent socks in well MW1 be continued. The socks should be checked periodically and replaced as needed.

Based on the laboratory analytical results of the water samples collected from the monitoring wells, P&D recommends that groundwater monitoring and sampling be continued. In addition, P&D recommends that future monitoring and sampling efforts be coordinated with other sites in the vicinity of the subject site which are presently being monitored and sampled.

DISTRIBUTION

Copies of this report should be sent to Mr. Chuck Headlee at the Regional Water Quality Control Board, San Francisco Bay Region, and to Mr. Scott Seery at the Alameda County Department of Environmental Health. Copies of the report should be accompanied by a transmittal letter signed by the principal executive officer of the Xtra Oil Company.

LIMITATIONS

This report was prepared solely for the use of Xtra Oil Company. The content and conclusions provided by P&D in this assessment are based on information collected during our investigation, which may include, but not be limited to, visual site inspections; interviews with the site owner, regulatory agencies and other pertinent individuals; review of available public documents; subsurface exploration and our professional judgment based on said information at the time of preparation of this document. Any subsurface sample results and observations presented herein are considered to be representative of the area of investigation; however, geological conditions may vary between borings and may not necessarily apply to the general site as a whole. If future subsurface or other conditions are revealed which vary from these findings, the newly-revealed conditions must be evaluated and may invalidate the findings of this report.

This report is issued with the understanding that it is the responsibility of the owner, or his representative, to ensure that the information contained herein is brought to the attention of the appropriate regulatory agencies, where required by law. Additionally, it is the sole responsibility of the owner to properly dispose of any hazardous materials or hazardous wastes left onsite, in accordance with existing laws and regulations.

This report has been prepared in accordance with generally accepted practices using standards of care and diligence normally practiced by recognized consulting firms performing services of a similar nature. P&D is not responsible for the accuracy or completeness of information provided by other individuals or entities which is used in this report. This report presents our professional judgment based upon data and findings identified in this report and interpretation of such data based upon our experience and background, and no warranty, either express or implied, is made. The conclusions presented are based upon the current regulatory climate and may require revision if future regulatory changes occur.


April 14, 2003
Report 0014.R47

6

Should you have any questions, please do not hesitate to contact us at (510) 658-6916.

Sincerely,

P&D Environmental

A handwritten signature in black ink that reads "Paul H. King". The signature is written in a cursive style with a large, sweeping initial "P".

Paul H. King
President
California Registered Geologist
Registration No. : 5901
Expires: 12/31/03

Attachments: Tables 1 & 2
Site Location Map (Figure 1)
Site Plan (Figure 2)
Field Parameter Forms
Laboratory Analytical Results
Chain of Custody Documentation

PHK/wrw
0014.R47

TABLE 1
 WELL MONITORING DATA

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW1	3/18/03	177.37*	7.77	169.60
	12/21/02		5.74	171.63
	9/10/02		8.28	169.09
	3/30/02		7.43	169.94
	12/22/01		6.92	170.45
	9/23/01		8.53	168.84
	6/22/01		8.30	169.07
	4/22/01		7.77	169.60
	12/14/00		8.49	168.88
	9/18/00		8.56	168.81
	6/08/00		7.97	169.40
	3/09/00		6.68	170.69
	12/09/99		8.15	169.22
	8/31/99		8.36	169.01
	4/29/99		7.68	169.69
	1/29/99		6.99	170.38
	4/26/98		7.50	169.87
	1/24/98		6.61	170.76
	11/06/97		8.79	168.58
	8/26/97		8.51	168.86
	7/24/97	177.43**	8.71	168.72
	4/25/97		7.98	169.45
	1/20/97		7.12	170.31
	7/26/96		8.39	169.04
	7/09/96		8.16	169.27
	4/23/96		7.47	169.96
	2/07/96		6.09	171.34
	1/29/96		6.17	171.26
	10/26/95		8.45	168.98
	7/28/95		8.27	169.16
	5/02/95		6.96	170.47
	2/23/95		7.72	169.71
11/18/94		7.14	170.29	
8/22/94		8.67	168.76	

NOTES:

* = Surveyed on August 20, 1997

** = Surveyed on March 24, 1993

*** = Surveyed on December 5, 1992

TABLE 1
WELL MONITORING DATA

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW1	5/19/94		8.05	169.38
(continued)	2/28/94		7.44	169.99
	11/24/93		8.74	168.69
	8/30/93		8.78	168.65
	5/18/93		8.12	169.31
	2/23/93		7.34	170.09
	11/13/92	200.00***	9.13	190.87
	5/29/92	175.73	8.59	167.14
	1/14/92		8.57	167.16
	12/23/91		9.65	166.08
	11/25/91		9.41	166.32
	10/10/91		9.70	166.03
	9/17/91		9.50	166.23
	8/19/91		9.31	166.42

NOTES:

* = Surveyed on August 20, 1997

** = Surveyed on March 24, 1993

*** = Surveyed on December 5, 1992

TABLE 1
WELL MONITORING DATA
(Continued)

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW2	NOT MEASURED (DESTROYED ON FEBRUARY 7, 1996)			
	2/07/96	176.04**	5.70	170.34
	1/29/96		5.16	170.88
	10/26/95		8.21	167.83
	7/28/95		7.99	168.05
	5/02/95		6.79	169.25
	2/23/95		7.51	168.53
	11/18/94		6.92	169.12
	8/22/94		8.59	167.45
	5/19/94		7.70	168.34
	2/28/94		6.99	169.05
	11/24/93		8.47	167.57
	8/30/93		8.64	167.40
	5/18/93		7.73	168.31
	2/23/93		6.39	169.65
	11/13/92	198.61***	8.70	189.91
	5/29/92	175.45	9.31	166.14
	1/14/92		8.97	166.48
	12/23/91		10.39	165.06
	11/25/91		9.81	165.64
	10/10/91		10.39	165.06
	9/17/91		10.23	165.22
	8/19/91		9.60	165.85

NOTES:

* = Surveyed on August 20, 1997

** = Surveyed on March 24, 1993

*** = Surveyed on December 5, 1992

TABLE 1
WELL MONITORING DATA
(Continued)

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW3	3/18/03	176.40	7.35	169.05

TABLE 1
 WELL MONITORING DATA
 (Continued)

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW3	12/21/02	176.40	5.43	170.97
	9/10/02		7.97	168.43
	3/30/02		6.97	169.43
	12/22/01		6.44	169.96
	9/23/01		8.17	168.23
	6/22/01		8.06	168.34
	4/22/01		7.50	168.90
	12/14/00		8.13	168.27
	9/18/00		7.83	168.57
	9/26/00		7.77	168.63
	6/08/00		7.50	168.90
	3/09/00		6.08	170.32
	12/09/99		7.90	168.50
	8/31/99		7.95	168.45
	4/29/99		7.09	169.31
	1/29/99		6.42	169.98
	4/26/98		6.85	169.55
	1/24/98		5.90	170.50
	11/06/97		7.80	168.80
	8/26/97		7.67	168.93
	7/24/97	176.41**	7.90	168.51
	4/25/97		7.12	169.29
	1/20/97		6.35	170.06
	7/26/96		7.84	169.57
	7/09/96		7.61	168.80
	4/23/96		6.81	169.60
	2/07/96		5.05	170.36
	1/29/96		5.77	170.64
	10/26/95		7.72	168.69
	7/28/95		7.80	168.61
5/02/95		6.50	169.91	
2/23/95		7.24	169.17	
11/18/94		6.05	170.36	

NOTES:

* = Surveyed on August 20, 1997

** = Surveyed on March 24, 1993

*** = Surveyed on December 5, 1992

TABLE 1
WELL MONITORING DATA
(Continued)

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW3	8/22/94		7.65	168.76
(continued)	5/19/94		7.15	169.26
	2/24/94		6.68	169.73
	11/24/93		7.55	168.86
	8/30/93		7.64	168.77
	5/18/93		7.12	169.29
	2/23/93		8.01	168.40
	11/13/92	190.97***	7.86	191.12
	5/29/92	175.00	8.45	166.55
	1/14/92		8.24	166.55
	12/23/91		9.37	165.63
	11/25/91		9.19	165.81
	10/10/91		9.43	165.57
	9/17/91		9.20	165.80
	8/19/91		8.95	166.05

NOTES:

* = Surveyed on August 20, 1997

** = Surveyed on March 24, 1993

*** = Surveyed on December 5, 1992

TABLE 1
 WELL MONITORING DATA
 (Continued)

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW4	3/18/03	176.35	7.49 (0.06)#	168.91
	12/21/02		8.58 (4.39)#	171.06
	9/10/02		9.09 (1.60)#	168.46
	3/30/02		9.86 (2.49)#	168.36
	12/22/01		7.79 (1.75)#	169.87
	9/23/01		8.97 (1.17)#	168.26
	6/22/01		7.79	168.56
	4/22/01		9.07 (2.20)#	168.93
	12/14/00		8.87 (0.72)#	168.02
	9/18/00		8.50 (0.45)#	168.19
	6/08/00		7.34	169.01
	3/09/00		6.61 (0.46)#	170.08
	12/09/99		8.80	167.55
	8/31/99		8.28	168.07
	4/29/99		7.14	169.21
	1/29/99		6.68	169.67
	4/26/98		6.87	169.48
	1/24/98		6.61	169.74
	11/06/97		9.16	167.19
	8/26/97		8.92	167.43
8/20/97	7.66 (prior to development)			

NOTES:

* = Surveyed on August 20, 1997

= Indicates free product thickness in feet. The water table elevation has been corrected for the presence of free product by assuming a free product specific gravity of 0.75.

TABLE 2
SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
	Samples Collected on March 18, 2003						
MW1	7.3,b,a	33,a	ND<0.05	2.4	0.9	1.6	1.0
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3	11,b,a	120,a	16	36	12	1.8	2.4
MW4	Not Sampled (Free Product Present in Well)						
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed.

a = Review of the laboratory analytical reports indicates the presence of a lighter than water immiscible sheen on the sample.

b = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

Analysis using EPA Method 8260 for fuel oxygenates (MtBE, TAME, EtBE, and TBA) and lead scavengers (EDB, 1,2-DCA/EDC) showed that these compounds were not present in samples collected on March 18, 2003 for wells MW1 or MW3 with the exception of 16 ppm MtBE and 5.1 ppm TBA in well MW3.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on December 21, 2002							
MW1,a,b	11	32	ND<0.1	2.6	0.98	2.2	5.5
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3,a,b	21	110	33	34	9.3	2.0	13
MW4	Not Sampled (Free Product Present in Well)						
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed.

a = Review of the laboratory analytical reports indicates the presence of a lighter than water immiscible sheen on the sample.

b = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

Analysis using EPA Method 8260 for fuel oxygenates (MtBE, TAME, EtBE, and TBA) and lead scavengers (EDB, 1,2-DCA/EDC) showed that these compounds were not present in samples collected on December 21, 2002 for wells MW1 or MW3 with the exception of 33,000 ppb MtBE and 14,000 ppb TBA in well MW3.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Samples Collected on September 10, 2002				Total Xylenes
				Benzene	Toluene	Ethyl-benzene		
MW1 ++	18	31	ND<0.25	2.2	0.65	1.7	4.8	
MW2	Not Sampled (Destroyed on February 7, 1996)							
MW3 +	43	70	19	21	2.2	1.6	7.6	
MW4	Not Sampled (Free Product Present in Well)							
EW1	Not Sampled							
				Samples Collected on March 30, 2002				
MW1 +,@	12	99	ND	4.1	1.2	2.5	6.4	
MW2	Not Sampled (Destroyed on February 7, 1996)							
MW3 +,@	8.5	170	26	40	17	2.6	16	
MW4	Not Sampled (Free Product Present in Well)							
EW1	Not Sampled							

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed.

@ = Review of the laboratory analytical reports indicates the presence of a lighter than water immiscible sheen on the sample.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on December 22, 2001							
MW1 +,@	22	60	ND	3.2	1.9	2	6.2
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3 +,@	9.2	140	27	37	20	2.6	15
MW4	Not Sampled (Free Product Present in Well)						
EW1	Not Sampled						
Samples Collected on September 23, 2001							
MW1 ++,@	16	49	ND	4	1.4	2.2	6.2
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3 +,@	47	130	26	32	9.1	2.4	12
MW4	Not Sampled (Free Product Present in Well)						
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

@ = Review of the laboratory analytical reports indicates the presence of a lighter than water immiscible sheen on the sample.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on June 22, 2001							
MW1 @,+	85	35	ND	3.1	0.75	1.2	4.0
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3 @,+	33	110	25	31	7.2	1.9	11
MW4 @,+	440	140	15	35	19	2.0	10
EW1	Not Sampled						
Samples Collected on April 22, 2001							
MW1 @	16	43	ND	3.6	1.2	1.6	5.8
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+,@	61	140	24	25	5.4	1.7	11
MW4	Not Sampled (Free Product Present in Well)						
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

@ = Review of the laboratory analytical reports indicates that both the TPH-D and the TPH-G results indicate the presence of a lighter than water immiscible sheen.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on December 14, 2000							
MW1 @,@@@ 11		49	ND	5.8	1.6	2	6.9
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+,@ 120		140	35	37	16	2.4	15
MW4	Not Sampled (Free Product Present in Well)						
EW1	Not Sampled						
Samples Collected on September 18, 2000							
MW1@,+	15	86	ND	7.2	2	3.2	13
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3@,+	43	130	33	39	91	2.3	14
MW4	Not Sampled (Free Product Present in Well)						
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

@ = Review of the laboratory analytical reports indicates the presence of a lighter than water immiscible sheen on the sample.

@@@ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both oil-range and gasoline-range compounds.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on July 26, 2000							
MW1	Not Sampled						
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3@@	NA	NA	21	NA	NA	NA	NA
MW4	Not Sampled						
EW1	Not Sampled						
Samples Collected on June 8, 2000							
MW1@,++	6.5	50	ND	5.7	1.5	1.8	7
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3@,+	74	130	23	41	16	1.9	13
MW4	Not Sampled (Free Product Present in Well)						
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

NA = Not Analyzed.

@ = Review of the laboratory analytical reports indicates the presence of a lighter than water immiscible sheen.

@@ = Review of the laboratory analytical reports indicate that the oxygenated volatile organic compounds (including DIPE, ETBE, TAME, methanol, ethanol, EDB, and 1,2-DCA) were not detected except for MTBE at 21 ppm and tert-butanol at 19 ppm.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on March 9, 2000							
MW1+	7.4	48	ND	5.3	3.1	1.6	8.1
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+,@	14	180	24	39	22	2.5	16
MW4+,@	2,100	130	6.9	35	13	2.1	11
EW1	Not Sampled						
Samples Collected on December 9, 1999							
MW1+,@	12	65	ND	9.3	2.9	2.2	8.8
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+,@	17	120	16	35	6.7	2.4	12
MW4+,@	9,000	120	8.1	33	6	2.4	12
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

@ = Review of the laboratory analytical reports indicates that both the TPH-D and the TPH-G results indicate the presence of a lighter than water immiscible sheen.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on August 31, 1999							
MW1+	22	66	0.71	8.7	2.7	2.4	10
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+	22	120	4.7	35	3.7	2.4	14
MW4+	9.4	190	4.4	46	30	2.8	15
EW1	Not Sampled						
Samples Collected on April 29, 1999							
MW1+	22	48	ND	8.4	2.8	2.0	8.1
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+	48	100	2.5	33	8.0	2.1	14
MW4+	9.4	210	3.2	42	35	2.8	15
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline-range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
	Samples Collected on January 29, 1999						
MW1+	9.1	47	ND	9.0	2.9	1.9	8.0
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+	240	84	1.3	31	2.8	1.8	12
MW4+	7.3	190	2.4	44	40	3.1	17
EW1	Not Sampled						
	Samples Collected on April 26, 1998						
MW1++	7.8	60	ND	9.3	5.7	2.1	9.1
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+	380	100	9.7	29	7.1	1.8	14
MW4+	13	190	ND	49	37	3.2	18
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on January 24, 1998							
MW1+	24	57	ND	6.9	5.5	2.0	8.7
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+	77	97	ND	28	7.1	1.8	11
MW4+	20	200	ND	50	40	3.1	17
EW1	Not Sampled						
Samples Collected on November 6, 1997							
MW1++	17	63	ND	7.4	6.7	2.3	9.9
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+	120	140	ND	37	19	2.4	14
MW4+	110	160	ND	48	30	2.8	16
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
	Samples Collected on August 26, 1997						
MW1	Not Sampled						
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3	Not Sampled						
MW4+	5.5	210	1.7	48	42	3.4	19
EW1	Not Sampled						
	Samples Collected on July 24, 1997						
MW1++	28	66	1.8	8.6	8.1	2.2	10
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3++	91	120	1.4	33	17	2.2	12
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
	Samples Collected on April 25, 1997						
MW1+	170	77	ND	7.4	7.9	2.1	9.8
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3+	760	240	1.6	24	18	4.1	24
EW1	Not Sampled						
	Samples Collected on January 21, 1997						
MW1++	57	80	0.25	7.8	8.3	1.9	8.9
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3++	34	150	1.30	40	14	2.6	12
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
	Samples Collected on July 26, 1996						
MW1++	11	76	ND	11	13	2.4	10
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3++	24	130	0.89	40	22	2.4	12
EW1	Not Sampled						
	Samples Collected on April 23, 1996						
MW1++	5.7	73	ND	8.6	12	2.2	9.8
MW2	Not Sampled (Destroyed on February 7, 1996)						
MW3++	280	170	0.72	34	22	2.2	14
EW1	Not Sampled						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on January 29, 1996							
MW1++	6.6	81	0.25	7.6	13	1.9	8.9
MW2++	4.6	38	0.0071	1.9	5.7	1.1	5.9
MW3++	45	150	0.54	32	21	1.9	12
EW1	Not Sampled						
Samples Collected on October 26, 1995							
MW1++	62	89	ND	7.8	12	2.4	11
MW2	900	74	ND	2.9	5.9	2.0	10
MW3	33	130	0.69	37	21	0.21	11
EW1	Not Sampled.						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on July 28, 1995							
MW1++	2.0	35	NA	3.8	8.7	1.1	6.5
MW2++	2.0	15	NA	1.4	2.3	0.62	3.2
MW3+	1.9	86	NA	28	16	1.3	7.6
EW1	Not Sampled.						
Samples Collected on May 2, 1995							
MW1++	6.5	86	NA	8.9	14	2.3	11
MW2+	6.6	55	NA	3.3	10	1.8	10
MW3+	9.7	170	NA	43	30	2.5	14
EW1	Not Sampled.						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethylbenzene	Total Xylenes
Samples Collected on February 24, 1995							
MW1	9.1	90	NA	7.5	12	1.5	11
MW2	22	67	NA	4.9	11	1.8	11
MW3	9.2	130	NA	31	19	1.8	10
EW1	Not Sampled.						
Samples Collected on November 18, 1994							
MW1	10	96	NA	9.3	14	2.5	11
MW2	5.0	86	NA	11	17	1.8	12
MW3	23	140	NA	38	22	2.0	11
EW1	Not Sampled.						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

NA = Not Analyzed.

+ = Review of the laboratory analytical reports indicates that the TPH-D results consist of both diesel-range and gasoline range compounds.

++ = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on August 22, 1994							
MW1	8.3	100	NA	9.0	11	2.1	9.4
MW2	4.1	91	NA	10	13	1.5	9.0
MW3	5.3	170	NA	35	20	1.8	10
EW1	Not Sampled.						
Samples Collected on May 19, 1994							
MW1	30	100	NA	12	14	3.5	17
MW2	5.8	62	NA	9.2	13	1.3	8.4
MW3	30	150	NA	38	25	2.4	14
EW1	Not Sampled.						
Samples Collected on February 28, 1994							
MW1	110	90	NA	11	9.6	2.1	9.9
MW2	13	91	NA	13	16	1.5	9.0
MW3	210	110	NA	36	21	1.9	11
EW1	Not Sampled.						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

NA = Not Analyzed.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on November 24, 1993							
MW1	8.2	66	NA	8.3	8.9	2.0	11
MW2	79	12	NA	13	17	2.5	17
MW3	24	160	NA	48	26	2.2	12
EW1	Not Sampled.						
Samples Collected on August 30, 1993							
MW1	9.4	77	NA	6.4	11	2.2	12
MW2	110	110	NA	11	14	1.8	11
MW3	32	130	NA	36	21	1.9	8.2
EW1	Not Sampled.						
Samples Collected on May 18, 1993							
MW1	30	92	NA	4.0	11	2.5	15
MW2	44	67	NA	9.2	12	1.4	9.3
MW3	7.2	130	NA	36	21	2.1	12
EW1	Not Sampled.						

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

NA = Not Analyzed.

ND = Not Detected.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected on February 23, 1993							
MW1	14	100	NA	4.5	11	2.1	12
MW2	7.0	76	NA	12	17	1.6	9.6
MW3	8.1	110	NA	31	18	1.9	11
EW1	9.6	66	NA	14	8.5	1.4	9.8
Samples Collected on November 13, 1992							
MW1	4.4	120	NA	5.8	10	2.1	13
MW2	8.2	79	NA	10	13	1.4	8.6
MW3	4.7	140	NA	38	24	2.0	12
EW1	13	62	NA	11	9.2	1.1	9.6
Samples Collected On May 27, 1992							
MW1	11	120	NA	8.8	16	2.3	15
MW2	130	89	NA	18	19	1.7	14
MW3	27	370	NA	91	57	3.0	21

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

NA = Not Analyzed.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected On January 14, 1992							
MW1	19	39	NA	7.3	8.7	1.3	8.9
MW2	1600	59	NA	17	14	1.8	15
MW3	270	130	NA	76	30	3.4	21
Samples Collected On December 23, 1991							
MW1	34	78	NA	9.3	7.3	0.54	13
MW2	700	2100	NA	36	130	79	560
MW3	540	740	NA	30	61	31	180
Samples Collected On November 25, 1991							
MW1	36	170	NA	5.5	5.6	1.6	8.4
MW2	130	230	NA	11	9.7	1.4	9.7
MW3	74	150	NA	65	31	3.4	18

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

NA = Not Analyzed.

ND = Not Detected.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected On October 10, 1991							
MW1	19	28	NA	4.1	4.7	1.0	4.8
MW2	360	85	NA	21	25	2.1	14
MW3	39	140	NA	57	31	2.2	14
Samples Collected On September 17, 1991							
MW1	19	39	NA	4.9	4.1	1.2	5.9
MW2	56	74	NA	10	11	1.4	8.1
MW3	140	180	NA	47	25	2.6	15
Samples Collected On August 19, 1991							
MW1	47	48	NA	13	8.4	0.99	29
MW2	19	69	NA	26	22	2.1	18
MW3	150	170	NA	82	31	4.4	22

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

NA = Not Analyzed.

ND = Not Detected.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected On July 20, 1991							
MW1	49	100	NA	11	14	2.3	17
MW2	100	51	NA	9.9	7.7	1.2	7.5
MW3	270	450	NA	46	29	3.5	21
Samples Collected On June 20, 1991							
MW1	42	76	NA	4.7	7.1	1.5	9.8
MW2	69	87	NA	8.1	8.4	1.1	8.9
MW3	210	920	NA	39	49	13	69
Samples Collected On May 17, 1991							
MW1	26	72	NA	7.7	9.9	ND	11
MW2	33	62	NA	5.9	6.3	1.2	9.0
MW3	70	170	NA	32	22	2.2	18

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

NA = Not Analyzed.

ND = Not Detected.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected On April 15, 1991							
MW1	NA	56	NA	6.5	8.5	0.41	9.9
MW2	NA	82	NA	5.3	7.4	1.0	9.4
MW3	NA	110	NA	31	15	0.88	7.4
Samples Collected On March 21, 1991							
MW1	NA	36	NA	4.5	5.7	0.087	7.3
MW2	NA	62	NA	9.3	11	0.35	9.7
MW3	NA	87	NA	30	14	0.69	5.4
Samples Collected On February 15, 1991							
MW1	NA	120	NA	7.4	6.6	ND	13
MW2	NA	200	NA	12	12	1.7	14
MW3	NA	230	NA	44	40	ND	31

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed.

+++ Indicates Organic Lead was not detected.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW1	NA	33	NA	3.9	2.9	0.21	5.3
MW2	NA	78	NA	11	8.7	0.58	8.0
MW3	NA	160	NA	48	25	1.0	16
Samples Collected On September 27, 1990							
MW1	NA	28	NA	3.7	3.5	0.01	6.5
MW2	NA	59	NA	8.4	12	0.88	9.0
MW3	NA	25	NA	7.2	6.4	0.42	3.4
Samples Collected On August 23, 1990							
MW1	NA	40	NA	5.1	4.9	0.35	6.0
MW2	NA	96	NA	8.1	8.4	1.5	8.6
MW3	NA	220	NA	67	46	27	18

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed.

Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 (CONT.)
 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes
Samples Collected On July 20, 1990							
MW1	44	NA	NA	5.1	4.2	ND	9.1
MW2	86	NA	NA	9.1	14	0.94	13
MW3	88	NA	NA	25.1	21.1	0.61	14.1
Samples Collected On March 19, 1990							
MW1	NA	40	NA	3.7	1.1	ND	3.3
MW2	NA	50	NA	7.7	8.7	0.075	5.6
MW3	NA	210	NA	38	28	1.8	12
Samples Collected On February 20, 1990							
MW1+++	NA	7.6	NA	1.6	ND	ND	1.3
MW2+++	NA	38	NA	7.3	3.1	0.075	6.8
MW3+++	NA	46	NA	20	15	1.8	9.7

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed.

+++ Indicates Organic Lead was not detected.

Results in parts per million (ppm), unless otherwise indicated.


P & D ENVIRONMENTAL

A Division of Paul H. King, Inc.

4020 Panama Court

Oakland, CA 94611

(510) 658-6916



Base Map from:
U.S. Geological Survey
Hayward, Calif.
7.5 Minute Quadrangle
Photorevised 1980







Figure 1
SITE LOCATION MAP
XTRA OIL Company
3495 Castro Valley Blvd.
Alameda, California

P & D ENVIRONMENTAL

A Division of Paul H. King, Inc.
 4020 Panama Court
 Oakland, CA 94611
 (510) 658-6916


CASTRO VALLEY BOULEVARD



LEGEND

- ⊕ Monitoring Well Location
- () Groundwater Surface Elevation on March 18, 2003
- ➔ Groundwater Flow Direction
- Groundwater Surface Elevation corrected for the presence of Free Product.

North



Base Map From
 RHL Design Group, Inc.
 June, 1997

Figure 2
SITE PLAN
 XTRA OIL Company
 3459 Castro Valley Blvd.
 Castro Valley, CA

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Castro Valley
 Job No. 0014
 TOC to Water (ft.) 7.77
 Well Depth (ft.) 20
 Well Diameter 4"
 Gal./Casing Vol. 7.9. 8.0 gal

Well No. MW1
 Date 3/18/03
 Sheen ~~NONE~~ Slight
 Free Product Thickness 0
 Sample Collection Method Teflon bailer

$E = 24.0 \text{ gal}$

(of) ELECTRICAL CONDUCTIVITY ($\mu\text{S}/\text{cm}$)*1000

TIME	GAL. PURGED	pH	TEMPERATURE	ELECTRICAL CONDUCTIVITY
12:17pm	1	9.62	77.7	1.59
12:19	5	9.56	75.9	1.66
12:20	10	9.51	74.2	1.57
12:21	15	9.43	72.7	1.53
	20 25	* Pumped dry after removal of ~18 gallons.		

NOTES: HC absorbent sock in well. Appears saturated with PHEs.
Slight sheen and slight PHE odor on purge water.

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Castro Valley
Job No. 204
TOC to Water (ft.) 7.35
Well Depth (ft.) 18.7
Well Diameter 4"
Gal./Casing Vol. 7.3 gal

Well No. MW3
Date 3/18/03
Sheen NONE
Free Product Thickness NONE
Sample Collection Method Teflon bailer

$\Sigma = 21.9 \text{ gal}$

TIME	GAL. PURGED	DH	TEMPERATURE (°F)	ELECTRICAL CONDUCTIVITY ($\mu\text{S/cm}$) @ 10°C
12:45	1	9.39 + 1.73	72.2	1.73
12:49	5	9.29	69.4	1.73
12:50	10	9.23	69.6	1.72
	15			
	20			
	23			

pumped dry @ ~ 13 gal.


NOTES: Slight PHC odor on purge water.
No Sheen ...

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Castro Valley
 Job No. 0014
 TOC to Water (ft.) 765 by electric indicator
 Well Depth (ft.) _____
 Well Diameter 2"
 Gal./Casing Vol. N/A

Well No. M 44
 Date 3/18/03
 Sheen N/A
 Free Product Thickness $\frac{3}{4}" = 0.062$
 Sample Collection Method _____
None Collected

TIME GAL. PURGED DH TEMPERATURE ELECTRICAL CONDUCTIVITY



NOTES: PVC-free product removal device is full.
Water at top of well casing



P & D Environmental
4020 Panama Court
Oakland, CA 94611-4931

Client Project ID: #0014; Castro Valley

Date Sampled: 03/18/03

Date Received: 03/19/03

Client Contact: Paul King

Date Extracted: 03/22/03

Client P.O.:

Date Analyzed: 03/22/03

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*

Extraction method: SW5030B

Analytical methods: SW8015Cm

Work Order: 0303321

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS
001A	MWI	W	33,000,a,h	100	101
002A	MW-3	W	120,000,a,h	200	94.0

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	NA	NA

*water and vapor samples are reported in µg/L, soil and sludge samples in mg/kg, wipe samples in µg/wipe, and TCLP extracts in µg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~2 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern.



McC Campbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
http://www.mcccampbell.com E-mail: main@mcccampbell.com

P & D Environmental
4020 Panama Court
Oakland, CA 94611-4931

Client Project ID: #0014; Castro Valley

Date Sampled: 03/18/03

Date Received: 03/19/03

Client Contact: Paul King

Date Extracted: 03/19/03

Client P.O.:

Date Analyzed: 03/21/03

Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel*

Extraction method: SW3510C

Analytical methods: SW8015C

Work Order: 0303321

Lab ID	Client ID	Matrix	TPH(d)	DF	% SS
0303321-001A	MW1	W	7300,d,b,h	2	97.4
0303321-002A	MW-3	W	11,000,d,b,h	1	96.7

Reporting Limit for DF =1;
ND means not detected at or
above the reporting limit

W
S

50
NA

µg/L
NA

* water and vapor samples are reported in µg/L, wipe samples in ug/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all TCLP / STLC / SPLP extracts in µg/L

cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant); d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel; f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~2 vol. % sediment; k) kerosene/kerosene range; l) bunker oil; m) fuel oil; n) stoddard solvent / mineral spirit.

Angela Rydelius, Lab Manager



McC Campbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 http://www.mccampbell.com E-mail: main@mccampbell.com

P & D Environmental 4020 Panama Court Oakland, CA 94611-4931	Client Project ID: #0014; Castro Valley	Date Sampled: 03/18/03
		Date Received: 03/19/03
	Client Contact: Paul King	Date Extracted: 03/25/03
	Client P.O.:	Date Analyzed: 03/25/03

Oxygenated Volatile Organics + EDB and 1,2-DCA by P&T and GC/MS*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0303321

Lab ID	0303321-001B	0303321-002B	Reporting Limit for DF = 1	
Client ID	MW1	MW-3		
Matrix	W	W		
DF	100	1000		

Compound	Concentration		ug/kg	µg/L
Diisopropyl ether (DIPE)	ND<50	ND<500	NA	0.5
Ethyl tert-butyl ether (ETBE)	ND<50	ND<500	NA	0.5
Methyl-t-butyl ether (MTBE)	ND<50	16,000	NA	0.5
tert-Amyl methyl ether (TAME)	ND<50	ND<500	NA	0.5
t-Butyl alcohol (TBA)	ND<500	5100	NA	5.0
1,2-Dibromoethane (EDB)	ND<50	ND<500	NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND<50	ND<500	NA	0.5
Benzene	2400	36,000	NA	0.5
Ethylbenzene	1600	1800	NA	0.5
Toluene	900	12,000	NA	0.5
Xylenes	1000	2400	NA	0.5

Surrogate Recoveries (%)

%SS:	92.0	93.6		
Comments	h	h		

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~2 vol. % sediment; j) sample diluted due to high organic content.



McC Campbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
<http://www.mccampbell.com> E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8015C

Matrix: W

WorkOrder: 0303321

EPA Method: SW8015C		Extraction: SW3510C			BatchID: 6221		Spiked Sample ID: N/A			
Compound	Sample	Spiked	MS*	MSD*	MS-MSD*	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	Low	High
TPH(d)	N/A	7500	N/A	N/A	N/A	114	111	2.25	70	130
%SS:	N/A	100	N/A	N/A	N/A	102	99.3	2.45	70	130
All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions: NONE										

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

% Recovery = $100 * (MS - Sample) / (Amount\ Spiked)$; RPD = $100 * (MS - MSD) / (MS + MSD) * 2$.

* MS and / or MSD spike recoveries may not be near 100% or the RPDs near 0% if: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) if that specific sample matrix interferes with spike recovery.



McC Campbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 http://www.mccampbell.com E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8021B/8015Cm

Matrix: W

WorkOrder: 0303321

EPA Method: SW8021B/8015Cm		Extraction: SW5030B		BatchID: 6226		Spiked Sample ID: N/A				
Compound	Sample	Spiked	MS*	MSD*	MS-MSD*	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	Low	High
TPH(gas)	N/A	60	N/A	N/A	N/A	111	106	4.09	80	120
MTBE	N/A	10	N/A	N/A	N/A	91.4	91.4	0.00623	80	120
Benzene	N/A	10	N/A	N/A	N/A	94.1	93.8	0.261	80	120
Toluene	N/A	10	N/A	N/A	N/A	89.1	87.9	1.38	80	120
Ethylbenzene	N/A	10	N/A	N/A	N/A	96.8	95.6	1.30	80	120
Xylenes	N/A	30	N/A	N/A	N/A	93.3	92.7	0.717	80	120
%SS:	N/A	100	N/A	N/A	N/A	100	99.5	0.820	80	120

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
 NONE

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / (MS + MSD) * 2.

* MS and / or MSD spike recoveries may not be near 100% or the RPDs near 0% if: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) if that specific sample matrix interferes with spike recovery.



QC SUMMARY REPORT FOR SW8260B

Matrix: W

WorkOrder: 0303321

EPA Method: SW8260B		Extraction: SW5030B			BatchID: 6224		Spiked Sample ID: 0303300-002B			
Compound	Sample	Spiked	MS*	MSD*	MS-MSD*	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	Low	High
tert-Amyl methyl ether (TAME)	ND	10	90.1	93.1	3.31	82.5	81	1.84	70	130
Methyl-t-butyl ether (MTBE)	ND	10	88.8	84.2	5.31	78.3	75.4	3.69	70	130
Diisopropyl ether (DIPE)	ND	10	93.5	92.2	1.41	84.1	83.8	0.364	70	130
Ethyl tert-butyl ether (ETBE)	ND	10	87.4	85.2	2.52	80.1	78.5	2.02	70	130
%SSI:	111	100	116	117	0.621	97	95.2	1.90	70	130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
 NONE

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / (MS + MSD) * 2.

* MS and / or MSD spike recoveries may not be near 100% or the RPDs near 0% if: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) if that specific sample matrix interferes with spike recovery.

McC Campbell Analytical Inc.



110 Second Avenue South, #D7
Pacheco, CA 94553-5560
(925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0303321

Client:

P & D Environmental
4020 Panama Court
Oakland, CA 94611-4931

TEL: (510) 658-6916
FAX: (510) 658-9074
ProjectNo: #0014; Castro Valley
PO:

Date Received: 3/19/03
Date Printed: 3/19/03

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests		
					SW8015C	8021B/8015	SW8260B
0303321-001	MW1	Water	3/18/03		A	A	B
0303321-002	MW-3	Water	3/18/03		A	A	B

Prepared by: Melissa Valles

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.