

2307 PACIFIC AVENUE ALAMEDA, CA 94501 (510) 865-9503 FAX (510) 865-1889

RECEIVED

11:45 am, Oct 26, 2010

Alameda County Environmental Health

October 22, 2010

Mr. Paresh Khatri Alameda County Environmental Health Department 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502

SUBJECT: SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING REPORT CERTIFICATION County Case # RO 285 Xtra Oil Company 3495 Castro Valley Blvd. Castro Valley, CA

Dear Mr. Khatri:

P&D Environmental, Inc. has prepared the following document:

• Quarterly Groundwater Monitoring and Sampling Report (March Through August 2010) dated October 22, 2010 (document 0014.R78).

I declare under penalty of perjury that the contents and conclusions in the document are true and correct to the best of my knowledge.

Should you have any questions, please do not hesitate to contact me at (510) 865-9506.

Sincerely,

Xtra Oil Company

Keith Simas

P&D ENVIRONMENTAL, INC.

55 Santa Clara Ave, Suite 240 Oakland, CA 94610 (510) 658-6916

October 22, 2010 Report 0014.R78

Mr. Ted Simas Mr. Keith Simas Xtra Oil Company 2307 Pacific Ave. Alameda, CA 94501

SUBJECT: SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING REPORT (MARCH THROUGH AUGUST 2010) County Case # RO 285 Xtra Oil Company 3495 Castro Valley Blvd. Castro Valley, California

Gentlemen:

P&D Environmental, Inc. (P&D) is pleased to present this report documenting the results of the most recent semilannual monitoring and sampling of both the on- and off-site wells for the subject property. This work was performed in accordance with P&D's proposal 020599.P1 dated February 5, 1999. Onsite wells MW1, MW3, MW4, and EW1, offsite monitoring wells MW5 through MW12, and offsite observation wells OW1 and OW2 were monitored on July 26, 2010, and wells MW1, MW3, EW1, and MW5 through MW12 were sampled on July 26 and 27, 2010. The reporting period is for March through August 2010.

A Site Location Map (Figure 1), a Site Plan showing onsite well locations (Figure 2), and a Site Vicinity Map showing offsite well locations (Figure 3) are attached with this report. Figure 3 has been updated to show the correct location of OW2. Norbridge School shown on Figure 1 to the south of the subject site has been demolished and replaced with the Castro Valley BART station and associated parking lot.

BACKGROUND

The site is currently used as a gasoline station. Four 12,000 gallon underground fuel storage tanks are present at the site. Three of the tanks contain gasoline and the fourth tank contains diesel fuel. A 550 gallon waste oil tank was removed from the site in November 1988. The fuel tanks were replaced during August 1992.

Three monitoring wells, designated MW1, MW2 and MW3, were installed at the site on February 14 and 15, 1990 by Western Geo-Engineers. The subsurface materials encountered in the boreholes consisted primarily of silt and clay. The locations of the monitoring wells are shown on Figure 2. Soil samples collected during drilling of the boreholes for the monitoring wells revealed the presence of total petroleum hydrocarbons as gasoline (TPH-G) and total petroleum hydrocarbons as diesel (TPH-D).

TPH-G was encountered in borehole MW1 at depths of 5 and 10 feet below grade at concentrations of 40 and 1,400 mg/kg, respectively; in borehole MW2 at depths of 10 and 15 feet below grade at concentrations of 230 and 95 mg/kg, respectively; and in borehole MW3 at depths of 5, 10, and 15 feet at concentrations of 140, 250 and 25 mg/kg, respectively. In addition, 120 mg/kg TPH-D was detected in borehole MW3 at a depth of 5 feet. Soil samples collected at a depth of 20 feet in borehole MW1 and at a depth of 18 feet in boreholes in MW2 and MW3 did not show any detectable concentration of TPH-G or TPH-D. Groundwater was encountered in the boreholes at depths of approximately 15 to 16 feet below grade.

On February 15, 1990 Western Geo-Engineers drilled three exploratory boreholes at the site designated as SB1, SB2 and SB3. The subsurface materials encountered in the boreholes consisted primarily of silt and clay. The approximate locations of the boreholes are shown on Figure 2. It is P&D's understanding that soil samples were collected from the exploratory boreholes at depths of 10 and 12 feet and evaluated in the field using a photoionization detector. In borehole SB1, TPH-G was detected at the depths of 10 and 12 feet at concentrations of 1,700 and 450 mg/kg, respectively. In boreholes SB2 and SB3, TPH-G was detected at the depths of 10 and 12 feet in both boreholes at concentrations of 800 mg/kg and greater than 2,000 mg/kg, respectively. A groundwater monitoring and sampling program was initiated at the site on February 20, 1990.

It is P&D's understanding that during fuel tank replacement activities in August, 1992 soil surrounding the tank pit was removed and disposed of offsite. An extraction well, designated as EW1, was designed and constructed in one corner of the new tank pit by K&B Environmental at the time of installation of the new tanks. The location of EW1 is shown on Figure 2.

On February 7, 1996 well MW2 was destroyed associated with the widening of Redwood Road. The destruction was overseen by ACC Environmental Consultants of Oakland, California.

On August 15, 1997 P&D personnel oversaw the installation of one groundwater monitoring well, designated as MW4, at the subject site. The location of the monitoring well is shown on the attached Site Plan, Figure 2. This work was performed in accordance with P&D's work plan 0014.W4 dated June 27, 1997. The work plan was approved by the Alameda County Department of Environmental Health (ACDEH) in a telephone conversation with Mr. Scott Seery on August 14, 1997. During the conversation, Mr. Seery indicated that he would record his approval of the work plan in the county file for the site. In accordance with an October 25, 2002 letter from Mr. Seery, groundwater samples are to be analyzed for fuel oxygenates methyl tertiary-butyl ether (MTBE), tertiary amyl methyl ether (TAME), ethyl tertiary-butyl ether (ETBE), diisopropyl ether (DIPE), and tertiary-butyl alcohol (TBA), and lead scavengers ethylene dibromide (EDB), 1,2-dichloroethane (1,2-DCA) using EPA Method 8260; and data for observation wells OW1 and OW2, located in Redwood Road, are to be incorporated into monitoring and sampling reports for the subject site. Documentation of the well installation is provided in P&D's Monitoring Well Installation Report dated September 30, 1997 (document 0014.R25).

On May 31, 2005, P&D submitted an Interim Source Area Remediation Plan (ISARP) to ACDEH proposing free product removal at the site (document 0014.W9). P&D proposed using existing

extraction well EW1 in the existing UST pit to dewater the existing pit and the previous UST pit. Monitoring of existing wells MW1, MW3, and MW4 to evaluate the effectiveness of water table drawdown at the site for plume control and associated free product recovery was also proposed.

In January 2007, P&D installed a groundwater extraction system consisting of a pump in well EW1, associated piping for discharge of water from the well, and a carbon filtration system. System operation began in February 2007. Documentation of the system installation and operation is provided in P&D's Interim Source Area Remediation Plan Progress Evaluation Report dated October 25, 2007 (document 0014.R67).

In response to a February 6, 2007 letter request from the ACDEH, P&D submitted a Groundwater Monitoring Well Installation Work Plan (MW5 Through MW13) dated March 5, 2007 (document 0014.W10) to the ACDEH proposing the installation of nine offsite groundwater monitoring wells in the vicinity of the subject site designated as MW5 through MW13. The ACDEH conditionally approved the work plan in an April 4, 2007 letter. P&D subsequently submitted a Groundwater Monitoring Well Installation Work Plan Amendment (MW5 Through MW12) dated May 3, 2007 (document 0014.W10A) to the ACDEH proposing the installation of eight offsite groundwater monitoring wells in the vicinity of the subject site designated as MW5 through MW12) dated May 3, 2007 (document 0014.W10A) to the ACDEH proposing the installation of eight offsite groundwater monitoring wells in the vicinity of the subject site designated as MW5 through MW12. Documentation of the implementation of the work plan and work plan amendment is provided in P&D's Groundwater Monitoring Well Installation Report (MW5 Through MW12) dated January 30, 2008 (document 0014.R68).

The groundwater extraction system that pumped from well EW1 was shut off on April 29, 2009 so that the carbon vessel could be moved to a new location as part of an expansion of the site onto the adjacent parcel located to the west.

FIELD ACTIVITIES

Onsite wells MW1, MW3, MW4, and EW1, offsite monitoring wells MW5 through MW12, and offsite observation wells OW1 and OW2 were monitored on July 26, 2010, and wells MW1, MW3, EW1, and MW5 through MW12 were sampled on July 26 and 27, 2010. The monitoring and sampling was performed in conjunction with monitoring and sampling by SOMA Environmental Engineering, Inc. of Pleasanton, California at the Former BP site at 3519 Castro Valley Boulevard.

On July 26, 2010 the wells at the subject site were monitored for depth to water and the presence of free product or sheen. In well MW4 the depth to water and depth to free product were measured to the nearest 1/32-inch with a steel tape and water-finding and product-finding paste. The passive hydrocarbon collection device in well MW4 was removed by P&D personnel and placed in storage near MW1 during pressure transducer installation in well MW4 on November 2, 2006. In wells OW1, OW2, MW1, MW3, and EW1, the depth to water was measured to the nearest 0.01 foot using an electric water level indicator. The presence of free product and sheen was also evaluated using a transparent bailer in wells MW1, MW3, MW5 through MW12, and EW1. The measured free product thickness in well MW4 was 0.76 feet. No water was encountered in observation wells OW1 and OW2, which are located in Redwood Road.

No sample was collected from MW4 due to the presence of free product in the well, and no samples were collected from OW1 or OW2 because of insufficient water for sample collection in the wells (both wells were dry).

Prior to well sampling, onsite wells MW1, MW3, and EW1, and offsite wells MW5 through MW12 were purged of a minimum of three casing volumes of water or until the wells had been purged dry. Petroleum hydrocarbon odors were detected on the purge water from all three of the onsite sampled wells (MW1, MW3 and EW1), and petroleum hydrocarbon sheen was observed on the purge water from onsite wells MW1 and MW3, and also on the sample collected from well EW1. Petroleum hydrocarbon odors were also detected for the samples collected from offsite wells MW6, MW8, and MW12, and petroleum hydrocarbon sheen was observed on the sample collected from offsite wells MW6, MW8, and MW12, and petroleum hydrocarbon sheen was observed on the sample collected from offsite wells MW6, MW8, and MW12, and petroleum hydrocarbon sheen was observed on the sample collected from offsite wells MW6.

During purging operations, the field parameters of electrical conductivity, temperature, and pH were monitored and recorded on a groundwater monitoring/well purging data sheet. Once the field parameters were observed to stabilize and a minimum of three casing volumes had been purged, or the wells had purged dry and partially recovered, water samples were collected using a clean, new disposable bailer. Records of the field parameters measured during well purging are included with this report.

The water samples were transferred to 40-milliliter glass VOA vials and 1-liter amber glass bottles that were sealed with Teflon-lined screw caps. The VOA vials were overturned and tapped to ensure that no air bubbles were present. The VOA vials and bottles were then transferred to a cooler with ice, until they were transported to McCampbell Analytical, Inc. in Pittsburg, California. McCampbell Analytical, Inc. is a State-accredited hazardous waste testing laboratory. Chain of custody documentation accompanied the samples to the laboratory.

HYDROGEOLOGY

On January 7, 2008 Kier & Wright (State-licensed surveyors) surveyed the top of all of the wells, including onsite wells MW1, MW3, MW4 and EW1, and offsite observation wells OW1 and OW2. The new top of well casing elevations for the wells and the associated calculated groundwater surface elevations are shown in Table 1. Comparison of the previous top of well casing elevations for wells MW1, MW3 and MW4 with the January 7, 2008 elevations shows that the January 7, 2008 elevations are 2.85, 3.06, and 2.86 feet higher, respectively, than the previously surveyed elevations. The groundwater surface elevations and associated groundwater flow direction were calculated using the January 7, 2008 survey elevations for all of the wells.

The groundwater extraction system that pumped from well EW1 was shut off on April 29, 2009 so that the carbon vessel could be moved to a new location as part of an expansion of the site onto the adjacent parcel located to the west.

On July 26, 2010 the measured depth to water in wells MW1, MW3, MW4, and EW1 was 8.10, 8.06, 8.31, and 7.43 feet, respectively. A separate phase hydrocarbon layer measuring

October 22, 2010 Report 0014.R78

approximately 0.76 feet in thickness was measured in well MW4. Using a specific gravity of 0.75, the corrected depth to water in well MW4 is 7.74 feet. Since the previous monitoring event on January 27, 2010, the groundwater elevations (corrected for the presence of any detected free product) have decreased in onsite wells MW1, MW3, MW4, and EW1 by 1.69, 2.24, 1.78, and 3.21 feet, respectively. Since the previous monitoring and sampling event for the offsite wells on January 27, 2010 the groundwater elevations have decreased in offsite groundwater monitoring wells MW5, MW6, MW7, MW8, MW9, MW10, MW11, and MW12 by 1.76, 1.77, 1.50, 1.79, 1.80, 1.84, 2.34, and 1.97 feet, respectively. Although the measured change in the water level in well MW11 has historically been attributed to very slow recovery of the well during previous sampling episodes in 2007, the change in water level since the previous sampling event in well MW7 of 1.50 feet and in nearby well MW11of 2.34 feet are noticeably different than the water level changes in other offsite wells which ranged from 1.76 to 1.97 feet and may be attributed to the lithology in the vicinity of Redwood Court. The measured depth to water in the wells and the separate phase layer thickness measured in monitoring well MW4 are summarized in Table 1.

Based on the measured depth to groundwater (corrected for the presence of any detected free product) in the onsite groundwater monitoring wells MW1, MW3 and MW4, the apparent groundwater flow direction at the site on July 26, 2010 was calculated to be to the southeast with a gradient of 0.007. During the previous quarterly monitoring and sampling event on January 27, 2010, the groundwater flow direction was calculated to be to the east with a gradient of 0.007. The groundwater flow direction at the site on July 26, 2010 is shown on Figure 2. The groundwater flow direction has shifted to the south and the gradient has remained the same since the previous monitoring and sampling event on January 27, 2010. The current groundwater flow direction is different from historical groundwater flow directions observed after the initiation of groundwater pumping in 2007, and is consistent with historical groundwater flow directions observed at the site prior to the initiation of groundwater pumping at well EW1 in the former UST pit which began in February 2007. Rose diagrams showing historical groundwater flow directions at the site before and after groundwater pumping at well EW1 are shown on Figure 2. The July 26, 2010 groundwater flow direction is shown on the rose diagram for the time period April 2007 through July 2010 (4/07 – 7/10).

Based on review of groundwater surface elevations in offsite groundwater monitoring wells MW5 through MW12, the groundwater flow direction in the vicinity of the site is southerly, ranging from the south-southeast with a gradient of 0.015 in the vicinity of Redwood Road to the south-southwest with a gradient of 0.013 in the vicinity of the west end of Redwood Court. These offsite groundwater flow directions and gradients are relatively consistent with groundwater flow directions and gradients are relatively consistent with groundwater flow directions and gradients observed during the previous monitoring and sampling episode. Groundwater surface elevations and contours and the approximate groundwater flow direction in the vicinity of the site based on July 26, 2010 water level measurements from the offsite wells are shown on Figure 3.

LABORATORY RESULTS

All of the groundwater samples collected on July 26 and 27, 2010 were analyzed for TPH Multirange (TPH-G, TPH-D, and TPH-MO) using EPA Methods 5030B and 3510C in conjunction

October 22, 2010 Report 0014.R78

with modified EPA Method 8015C; and for benzene, toluene, ethylbenzene, and total xylenes (BTEX), fuel oxygenates (MTBE, TAME, ETBE, TAME, and TBA) and lead scavengers EDB and 1,2-DCA/EDC using EPA Method 5030B in conjunction with EPA Method 8260B.

The laboratory analytical results for the samples collected from onsite wells MW1, MW3, and EW1 show that TPH-D was detected at concentrations of 4,700, 13,000, and 6,600 micrograms per Liter (μ g/L), respectively; TPH-G was detected at concentrations of 20,000, 30,000, and 2,400 μ g/L, respectively; benzene was detected at concentrations of 330, 27,000, and 220 μ g/L, respectively; and MTBE was detected at concentrations of 45, 2,900, and 170 μ g/L, respectively. No fuel oxygenates or lead scavengers were detected in the groundwater samples collected from onsite wells MW1, MW3, and EW1, with the exception of MTBE mentioned above and TBA, which was detected in the samples collected from wells MW3 and EW1 at concentrations of 3,600 and 1,600 μ g/L, respectively.

The laboratory analytical results for the samples collected from offsite wells MW5 through MW12 shows that no analytes were detected in the samples collected from wells MW9, MW10, and MW11, that only MTBE was detected in the samples collected from wells MW5 and MW12 at concentrations of 0.51 and 7.1 μ g/L, respectively. In the samples collected from the remaining offsite wells (MW6, MW7, and MW8) TPH-D was not detected in the sample collected from well MW7 and was detected in MW6 and MW8 at concentrations of 6,500 and 1,000 μ g/L, respectively; TPH-G was detected at concentrations of 58,000, 200, and 4,400 μ g/L, respectively; benzene was detected at concentrations of 5,500, 75, and 26 μ g/L, respectively; and MTBE was only detected in the samples collected from offsite wells MW7 and MW8 at concentrations of 7.6 and 3.4 μ g/L, respectively, and was not detected in the sample collected from offsite wells MW7 and MW8 at concentrations of 7.6 and 3.4 μ g/L, respectively, and was not detected in the sample collected from offsite wells MW7.

No other fuel oxygenates or lead scavengers were detected in any of the samples collected from any of offsite wells MW5 through MW12.

Review of the laboratory analytical reports shows that the TPH-D results for the samples collected from wells MW1 and MW3 are described as consisting of oil, diesel, and gasoline range compounds, the results for the sample collected from well EW1 is described as consisting of both diesel and gasoline range compounds, and the TPH-D results for the samples collected from well MW6 and MW8 are described as consisting of gasoline-range compounds.

The laboratory analytical results for the groundwater samples are summarized in Table 2. Copies of the laboratory analytical reports and chain of custody documentation are included with this report.

DISCUSSION AND RECOMMENDATIONS

Onsite wells MW1, MW3, MW4, and EW1, offsite observation wells OW1 and OW2, and offsite monitoring wells MW5 through MW12 were monitored on July 26, 2010 and wells MW1, MW3, EW1, and MW5 through MW12 were sampled on July 26 and 27, 2010. Separate phase hydrocarbons were measured in well MW4 at a thickness of 0.76 feet (changed from 0.83 on January 27, 2010). The passive hydrocarbon collection device in well MW4 was removed on November 2, 2006 by P&D personnel during pressure transducer installation associated with

preparation for dewatering the former UST pit. Dewatering of the former UST pit began February 2007 in UST pit extraction well EW1. The groundwater extraction system that pumped from well EW1 was shut off on April 29, 2009 so that the carbon vessel could be moved to a new location as part of an expansion of the site onto the adjacent parcel located to the west.

The groundwater surface elevations and associated groundwater flow direction were calculated using the January 7, 2008 survey elevations for all of the wells. Based on the measured depth to groundwater (corrected for the presence of any detected free product) in the onsite groundwater monitoring wells MW1, MW3 and MW4, the apparent groundwater flow direction at the site on July 26, 2010 was calculated to be to the southeast with a gradient of 0.007. The current groundwater flow direction is different from historical groundwater flow directions observed after the initiation of groundwater pumping in 2007, and is consistent with historical groundwater flow directions observed at the site prior to the initiation of groundwater pumping at well EW1 in the former UST pit which began in February 2007. Rose diagrams showing historical groundwater flow directions at the site before and after groundwater pumping at well EW1 are shown on Figure 2. The July 26, 2010 groundwater flow direction is shown on the rose diagram for the time period April 2007 through July 2010 (4/07 - 7/10). Based on review of groundwater surface elevations in offsite groundwater monitoring wells MW5 through MW12, the groundwater flow direction in the vicinity of the site is southerly, ranging from the south-southeast with a gradient of 0.015 in the vicinity of Redwood Road to the south-southwest with a gradient of 0.013 in the vicinity of the west end of Redwood Court.

Review of changes in onsite water quality since the previous sampling event on January 27 and 28, 2010 shows that all analyte concentrations have increased or remained the same in wells MW1 and EW1 with the exceptions of total xylenes in well MW1 and TBA in well EW1 which decreased; and that in well MW2 all analyte concentrations have decreased or remained the same with the exception of TPH-D and TBA, which increased.

Review of changes in offsite water quality since the previous sampling event on January 27 and 28, 2010 shows that all analyte concentrations have decreased or remained not detected in wells MW5, MW9, MW10, MW11, and MW12 with the exception of MTBE in MW12, which increased; analyte concentrations have decreased or remained not detected in well MW8 with the exception of TPH-D and TPH-G, which increased; and that analyte concentrations increased or remained not detected in wells MW6 and MW7 with the exception of TPJ-D in both wells and total xylenes in MW7.

Based on the laboratory analytical results of the water samples collected from the monitoring wells, P&D recommends that semi-annual groundwater monitoring and sampling be continued. In addition, P&D recommends that future monitoring and sampling efforts continue to be coordinated with the Former BP site located at 3519 Castro Valley Boulevard. In accordance with communications with ACDEH, although future monitoring and sampling events will be performed in conjunction with the consultant for the Former BP site located at 3519 Castro Valley Boulevard, the results obtained by the other consultant are not included in this current report and will not be included in future P&D reports because the information is readily available via the internet at both the county website and the GeoTracker website.

Based on the increased separate phase petroleum hydrocarbon layer thickness in well MW4 and the increased benzene concentrations in well MW1 since the discontinuation of groundwater pumping at well EW1, P&D recommends that groundwater pumping be resumed at well EW1.

DISTRIBUTION

A copy of this report will be uploaded to the ACDEH website, in accordance with ACDEH requirements. In addition, a copy of this report will be uploaded to the GeoTracker database.

LIMITATIONS

This report was prepared solely for the use of Xtra Oil Company. The content and conclusions provided by P&D in this assessment are based on information collected during our investigation, which may include, but not be limited to, visual site inspections; interviews with the site owner, regulatory agencies and other pertinent individuals; review of available public documents; subsurface exploration and our professional judgment based on said information at the time of preparation of this document. Any subsurface sample results and observations presented herein are considered to be representative of the area of investigation; however, geological conditions may vary between borings and may not necessarily apply to the general site as a whole. If future subsurface or other conditions are revealed which vary from these findings, the newly revealed conditions must be evaluated and may invalidate the findings of this report.

This report is issued with the understanding that it is the responsibility of the owner, or his representative, to ensure that the information contained herein is brought to the attention of the appropriate regulatory agencies, where required by law. Additionally, it is the sole responsibility of the owner to properly dispose of any hazardous materials or hazardous wastes left onsite, in accordance with existing laws and regulations.

This report has been prepared in accordance with generally accepted practices using standards of care and diligence normally practiced by recognized consulting firms performing services of a similar nature. P&D is not responsible for the accuracy or completeness of information provided by other individuals or entities which is used in this report. This report presents our professional judgment based upon data and findings identified in this report and interpretation of such data based upon our experience and background, and no warranty, either express or implied, is made. The conclusions presented are based upon the current regulatory climate and may require revision if future regulatory changes occur.

October 22, 2010 Report 0014.R78

Should you have any questions, please do not hesitate to contact us at (510) 658-6916.

Sincerely,

P&D Environmental, Inc.

Paul H. King Professional Geologist #5901 Expires: 12/31/11



Attachments:

Table 1 – Historical Water Level Data
Table 2 – Historical Water Quality Data
Figure 1 - Site Location Map
Figure 2 - Site Plan Showing July 26, 2010 Water Level Data
Figure 3 - Site Vicinity Map Showing July 26, 2010 Water Level Data
Well Monitoring and Purge Data Sheets
Laboratory Analytical Reports and Chain of Custody Documentation

PHK/ sjc 0014.R78

TABLES

TABLE 1 HISTORICAL WATER LEVEL DATA

Well Number	Date Monitored	<u>Top of Casing</u> <u>Elevation (Ft)</u>	Depth to Water (Ft)	Water Table Elevation (Ft)
MW1	7/26/2010	180.22++	8.10	172.12
	1/27/2010		6.41	173.81
	10/15/2009		7.22	173.00
	7/7/2009		8.44	171.78
	4/6/2009		8.35	171.87
	1/6/2009		8.42	171.80
	10/22/2008 7/16/2008		8.80 8.40	171.42 171.82
	4/15/2008		8.40	171.82
	1/17/2008	177.37*	8.01	169.36
	10/16/2007		8.65	168.72
	7/25/2007		8.49	168.88
	4/17/2007		8.30	169.07
	1/18/2007		7.85	169.52
	11/14/2006		7.38	169.99
	6/29/2006		7.80	169.57
	2/3/2006		6.65	170.72 169.20
	11/18/2005 7/28/2005		7.98	169.20
	4/13/2005		6.90	170.47
	1/31/2005		7.20	170.17
	10/15/2004		8.52	168.85
	7/13/2004		8.33	169.04
	4/6/2004		7.93	169.44
	12/18/2003		7.65	169.72
	9/18/2003		8.15	169.22
	6/19/2003		8.13	169.24
	3/18/2003		7.77 5.74	169.60 171.63
	12/21/2002 9/10/2002		8.28	169.09
	3/30/2002		7.43	169.94
	12/21/2001		6.92	170.45
	9/23/2001		8.53	168.84
	6/22/2001		8.30	169.07
	4/22/2001		7.77	169.60
	12/14/2000		8.49	168.88
	9/18/2000		8.56	168.81
	6/8/2000		7.97	169.40
	3/9/2000		6.68	170.69
	12/9/1999 8/31/1999		8.15 8.36	169.22 169.01
	4/29/1999		7.68	169.01
	01/29/1999	177.37*	6.99	170.38
	4/26/1998		7.5	169.87
	1/24/1998		6.61	170.76
	11/6/1997		8.79	168.58
	8/26/1997	177.37*	8.51	168.86
	7/24/1997		8.71	168.72
	4/25/1997		7.98	169.45
	1/20/1997		7.12	170.31
	7/26/1996 7/9/1996		8.39 8.16	169.04 169.27
	4/23/1996		7.47	169.27
	2/7/1996		6.09	171.34
	1/29/1996		6.17	171.26
	10/26/1995		8.45	168.98
	7/28/1995		8.27	169.16
	5/2/1995		6.96	170.47
	2/23/1995		7.72	169.71
	11/18/1994		7.14	170.29
	8/22/1994	100.000	8.67	168.76
	5/19/1994	177.43**	8.05	169.38
	2/28/1994		7.44	169.99 168.69

Well Number	Date Monitored	<u>Top of Casing</u> <u>Elevation (Ft)</u>	Depth to Water (Ft)	Water Table Elevatio
MW1	8/30/1993		8.78	168.65
(Continued)	5/18/1993		8.12	169.31
	2/23/1993		7.34	170.09
	11/13/1992	200.00***	9.13	190.87
	5/29/1992	175.73	8.59	167.14
	1/14/1992		8.57	167.16
	12/23/1991		9.65	166.08 166.32
	11/25/1991		9.41 9.7	
	10/10/1991 9/17/1991		9.7	166.03 166.23
	8/19/1991		9.31	166.42
	0/1//1//1		2.51	100.42
MW2	NOT MEASURED (DES'	TROYED ON FEBRUA	RY 7, 1996)	
	2/7/1996	176.04**	5.70	170.34
	1/29/1996		5.16	170.88
	10/26/1995		8.21	167.83
	7/28/1995		7.99	168.05
	5/2/1995		6.79	169.25
	2/23/1995		7.51	168.53
	11/18/1994		6.92	169.12
	8/22/1994		8.59	167.45
	5/19/1994		7.70	168.34
	2/28/1994		6.99	169.05
	11/24/1993		8.47	167.57
	8/30/1993 5/18/1993		8.64	167.40
			7.73	168.31
	2/23/1993 11/13/1992	198.61***	6.39 8.70	169.65 189.91
	5/29/1992	175.45	9.31	166.14
	1/14/1992	175.45	8.97	166.48
	12/23/1991		10.39	165.06
	11/25/1991		9.81	165.64
	10/10/1991		10.39	165.06
	9/17/1991		10.23	165.22
	8/19/1991		9.60	165.85
MW3	7/26/2010	179.46++	8.06	171.4
	1/27/2010		5.82	173.64
	10/15/2009		7.55	171.91
	7/7/2009		8.50	170.96
	4/6/2009		8.73	170.73
	1/6/2009		8.88	170.58
	10/22/2008 7/16/2008		9.29 9.03	170.17 170.43
	4/15/2008		9.03	170.43
	1/17/2008	176.40*	8.90	167.50
	11/16/2007	170.40	9.43	166.97
	7/25/2007		9.35	167.05
	4/17/2007		8.88	167.52
	1/18/2007		7.32	169.08
	11/14/2006		7.53	168.87
	6/29/2006		7.58	168.82
	2/3/2006		6.10	170.30
	11/18/2005		7.63	168.77
	7/28/2005		7.58	168.82
	4/13/2005		6.35	170.05
	1/31/2005		6.79	169.61
	10/15/2004		8.28	168.12
	7/13/2004		8.11	168.29
	4/6/2004		7.41	168.99
	12/18/2003 9/18/2003		6.99	169.41 168.49
	6/19/2003		7.91 7.60	168.49
	3/18/2003		7.35	168.80
	12/21/2002		5.43	169.05
	09/10/2002		7.97	168.43
	03/30/2002		6.97	169.43

TABLE 1 HISTORICAL WATER LEVEL DATA

Well Number	Date Monitored	<u>Top of Casing</u> Elevation (Ft)	Depth to Water (Ft)	Water Table Elevation (Ft)
Wen Rumber	Date Monitoreu	Elevation (Ft)	Deptil to Water (Ft)	<u>(Ft)</u>
MW3	09/23/2001		8.17	168.23
(Continued)	06/22/2001		8.06	168.34
(********	04/22/2001		7.50	168.90
	12/14/2000		8.13	168.27
	9/18/2000		7.83	168.57
	09/26/2000		7.77	168.63
	6/8/2000		7.50	168.90
	03/09/2000		6.08	170.32
	12/9/1999		7.90	168.50
	8/31/1999	176.41**	7.95	168.45
	4/29/1999		7.09	169.31
	1/29/1999		6.42	169.98
	04/26/1998		6.85	169.55
	01/24/1998		5.90	170.50
	11/6/1997		7.80	168.80
	8/26/1997		7.67	168.93
	7/24/1997	176.41**	7.90	168.51
	4/25/1997		7.12	169.29
	01/20/1997		6.35	170.06
	7/26/1996		7.84	169.57
	7/9/1996		7.61	168.80
	04/23/1996		6.81	169.60
	2/7/1996		5.05	170.36
	01/29/1996		5.77	170.64
	10/26/1995		7.72	168.69
	07/28/1995		7.80	168.61
	05/02/1995		6.50	169.91
	2/23/1995		7.24	169.17
	11/18/1994		6.05	170.36
	8/22/1994	190.97***	7.65	168.76
	5/19/1994		7.15	169.26
	2/24/1994		6.68	169.73
	11/24/1993		7.55	168.86
	8/30/1993		7.64	168.77
	5/18/1993		7.12	169.29
	2/23/1993		8.01	168.40
	11/13/1992		7.86	191.12
	5/29/1992	175.00	8.45	166.55
	1/14/1992		8.24	166.55
	12/23/1991		9.37	165.63
	11/25/1991		9.19	165.81
	10/10/1991		9.43	165.57
	09/17/1991		9.20	165.80
	8/19/1991		8.95	166.05

TABLE 1 HISTORICAL WATER LEVEL DATA

MW4	7/26/2010 1/27/2010 10/15/2009	179.21++		
MW4	1/27/2010 10/15/2009	179.21++		1
	10/15/2009		8.31(0.76)#	171.47
			6.58(0.83)#	173.25
	7/7/2009		7.06(0.46)# 8.16(0.22)#	172.50
	4/6/2009		7.90(0.16)#	171.43
	1/6/2009		8.00(0.19)#	171.35
	10/22/2008		8.46(0.08)#	170.81
	7/16/2008		8.04(0.21)#	171.33
	4/15/2008		8.00(0.25)#	171.40
	1/17/2008	176.35*	7.50(0.17)#	168.98
	10/16/2007		8.50(0.25)#	168.04
	7/25/2007 4/17/2007		8.04(0.17)#	168.44
	4/1//2007 1/18/2007		7.94(0.19)# 7.38(0.21)#	168.55 169.13
	1/18/2007		7.36(0.21)#	169.13
	6/29/2006		Unknown	Unknown
	2/3/2006		5.86	170.49
	11/18/2005		7.99 (0.51)#	168.36
	7/28/2005		7.59	168.76
	4/13/2005		6.78 (0.01)#	169.58
	1/31/2005		7.34 (0.19)#	169.15
	10/15/2004		8.73 (0.15)#	167.73
	7/13/2004		8.44 (0.03)#	167.93
	4/6/2004		9.58 (2.83)#	168.89
	2/11/2004		9.43 (2.70)#	168.95
	12/18/2003		9.75 (1.51)#	167.73
	9/18/2003 6/19/2003		9.13 (1.80)# 8.56 (0.31)#	168.57 168.02
	3/18/2003		7.49 (0.06)#	168.02
	12/21/2002		8.58 (4.39)#	171.06
	9/10/2002		9.09 (1.60)#	168.46
	03/30/2002		9.86 (2.49)#	168.36
	12/22/2001		7.79 (1.75)#	169.87
	9/23/2001		8.97 (1.17)#	168.26
	06/22/2001		7.79	168.56
	4/22/2001		9.07 (2.20)#	168.93
	12/14/2000		8.87 (0.72)#	168.02
	09/18/2000		8.50 (0.45)#	168.19
	6/8/2000		7.34	169.01 170.08
	3/9/2000 12/9/1999		6.61 (0.46)# 8.80	167.55
	08/31/1999		8.28	168.07
	4/29/1999		7.14	169.21
	1/29/1999		6.68	169.67
-	04/26/1998		6.87	169.48
	01/24/1998		6.61	169.74
	11/6/1997		9.16	167.19
	08/26/1997		8.92	167.43
	08/20/1997		7.66^	
	7/02/2010	187.00		4-0.07
MW5	7/26/2010	176.02++	5.96	170.06
	1/27/2010 10/15/2009		4.20 5.04	171.82 170.98
	7/7/2009		6.18	169.84
	4/6/2009		5.86	170.16
	1/6/2009		5.91	170.11
	10/22/2008		6.55	169.47
	7/16/2008		6.01	170.01
	4/15/2008		5.90	170.12
	12/17/2007		5.83	170.19
	12/13/2007		5.83	170.19
	12/12/2007		5.98	170.04
MWG	7/06/0010	175.04	5.70	1/0.45
MW6	7/26/2010 1/27/2010	175.24++	5.79 4.02	169.45 171.22
	10/15/2009		4.02	171.22
	7/709		6.00	169.24
	4/6/2009		5.66	169.58
	1/6/2009		5.72	169.52
	10/22/2008		6.36	168.88
	7/16/2008		5.88	169.36
	4/15/2008		5.00	170.24
	12/17/2007		5.69	169.55
	12/13/2007 12/11/2007		5.63 6.17^	169.61 169.07

		Top of Casing		Water Table Elevati
Well Number	Date Monitored	Elevation (Ft)	Depth to Water (Ft)	<u>(Ft)</u>
MW7	7/26/2010	170.34++	3.72	166.62
	1/27/2010		2.22	168.12
	10/15/2009		2.76	167.58
	7/7/2009		3.98	166.36
	4/6/2009		3.57	166.77
	1/6/2009 10/22/2008		3.62 4.24	166.72 166.10
	7/16/2008		4.24	166.28
	4/15/2008		3.60	166.74
	12/17/2007		3.68	166.66
	12/13/2007		4.74	165.60
	12/12/2007		5.49	164.85
	12/11/2007		5.98^	164.36
				1 (0.0.1
MW8	7/26/2010	176.00++	6.96	169.04
	1/27/2010		5.17 6.08	170.83 169.92
	10/15/2009 7/7/2009		7.34	169.92
	4/6/2009		6.84	169.16
	1/6/2009		6.88	169.10
	10/22/2008		7.91	168.09
	7/16/2008		7.20	168.80
	4/15/2008		6.76	169.24
	12/17/2007		6.73	169.27
	12/13/2007		6.52	169.48
	12/12/2007		6.56^	169.44
	7/0//2010	175.00	6.43	1/0 /0
MW9	7/26/2010 1/27/2010	175.09++	6.41 4.61	168.68 170.48
	1/2//2010 10/15/2009		4.61	170.48 169.52
	7/7/2009		6.69	168.40
	4/6/2009		6.27	168.82
	1/6/2009		6.32	168.77
	10/22/2008		6.96	168.13
	7/16/2008		6.57	168.52
	4/15/2008		6.44	168.65
	12/17/2007		6.35	168.74
	12/13/2007		6.31	168.78
	12/11/2007		11.21^	163.88
MUIO	7/26/2010	17(02	5 70	170.25
MW10	7/26/2010	176.03++	5.78 3.94	170.25 172.09
	1/27/2010 10/15/2009		4.83	172.09
	7/7/2009		6.00	170.03
	4/6/2009		5.63	170.40
	1/6/2009		5.71	170.32
	10/22/2008		6.46	169.57
	7/16/2008		5.83	170.20
	4/15/2008		5.64	170.39
	12/17/2007		5.77	170.26
	12/13/2007		5.55	170.48
	12/12/2007		5.70^	170.33
MW11	7/26/2010	171.03++	4.17	166.86
141 44 1 1	1/27/2010	1/1.03TT	1.83	169.20
	10/15/2009		3.26	167.77
	7/7/2009		4.40	166.63
	4/6/2009		3.97	167.06
	1/6/2009		4.04	166.99
	10/22/2008		4.87	166.16
	7/16/2008		4.38	166.65
	4/15/2008		3.70	167.33
	12/17/2007		10.19	160.84 158.31
	12/13/2007 12/12/2007		12.72 12.99	158.31
	12/12/2007		12.99	158.04
	12/11/2007		11.77	137.07
MW12	7/26/2010	173.98++	7.96	166.02
	1/27/2010		5.99	167.99
	10/15/2009		7.02	166.96
	7/7/2009		8.31	165.67
	4/6/2009		7.70	166.28
	1/6/2009		7.61	166.37
	10/22/2008		9.02	164.96
	7/16/2008		8.47	165.51
	4/15/2008		7.77	166.21
	12/17/2007		7.71	166.27
	12/13/2007		7.66	166.32
	12/12/2007		7.67^	166.31
			-	1

Well Number	Date Monitored	<u>Top of Casing</u> Elevation (Ft)	Depth to Water (Ft)	Water Table Elev (Ft)
EW1	7/26/2010	179.27++	7.43	171.84
EWI	1/26/2010	1/9.2/++	4.22	171.84
	10/15/2009		5.96	175.05
	7/7/2009		8.29	173.31
	4/6/2009		11.35	167.92
	1/6/2009		11.33	167.86
	10/22/2009		11.41	167.87
	7/16/2008		11.40	167.87
	4/15/2008		11.40	167.87
	1/17/2008	Not Surveyed	11.41	167.86
	11/16/2007	rtot Bui veyeu	11.95	167.32
	7/25/2007		11.57	167.70
	4/17/2007		11.35	167.92
	1/18/2007		6.60	172.67
	11/14/2006		6.11	173.16
	6/29/2006		6.88	172.39
	2/3/2006		5.23	174.04
	11/18/2005		6.63	172.64
	7/28/2005		6.94	172.33
	4/13/2005		5.23	174.04
	1/31/2005		6.25	173.02
	10/15/2004		7.65	171.62
	7/13/2004		7.51	171.76
	4/6/2004		6.63	172.64
	12/18/2003		6.72	172.55
	9/18/2003		7.29	171.98
OW1	7/26/2010	178.93++	No Water or Product	7.17
	1/27/2010		6.95	7.15
	10/16/2009		No Water or Product	7.17
	7/7/2009		No Water or Product	7.17
	4/6/2009		Not measured.	T.
	1/6/2009		No Water or Product	7.17
	10/22/2008		No Water; (0.33)	7.17
	7/16/2008		6.95	7.17
	4/15/2008		7.11	7.17
	1/17/2008		4.00	Not Measured 7.41
	11/16/2007 7/25/2007		No Water or Product No Water or Product	7.41
	4/17/2007		No Water or Product	7.41
	1/18/2007		No Water or Product	7.41
	11/18/2007		No Water (sheen)	7.41
	6/29/2006		7.13	7.42
	2/3/2006		6.97	7.45
	11/18/2005		7.43 (0.13)#	7.50
	7/28/2005		7.06 (0.01)#	7.45
	4/13/2005		6.99	7.44
	1/31/2005		7.03	7.44
	10/15/2004		7.19 (0.08)#	7.44
	7/14/2004		7.02	7.44
	4/6/2004		7.01	7.44
	2/11/2004		7.01	7.44
	10/6/2003		7.07 (0.01)#	7.44
	11/2/2000		7.12,##	
	1/29/1999		7.12	
	1/29/1999		7.27	

Well Number	Date Monitored	<u>Top of Casing</u> Elevation (Ft)	Depth to Water (Ft)	<u>Water Table Elevation</u> (Ft)
OW2	7/26/2010	176.03++	No Water or Product	7.28
0.112	1/27/2010	17010511	7.03	7.10
	10/16/2009		No Water or Product	7.28
	7/7/2009		No Water or Product	7.28
	4/6/2009		Not measured.	/120
	1/6/2009		No Water or Product	7.28
	10/22/2008		No Water or Product	7.28
	7/16/2008		No Water or Product	7.28
	4/15/2008		No Water or Product	7.28
	1/17/2008		No Water or Product	Not Measured
	11/16/2007	Not Surveyed	No Water or Product	7.28
	7/25/2007		No Water or Product	7.28
	4/17/2007		No Water or Product	7.28
	1/18/2007		No Water or Product	7.28
	11/14/2006		7.27	7.28
	6/29/2006		7.30	7.33
	2/3/2006		7.08	7.35
	11/18/2005		7.33	7.35
	7/28/2005		7.27	7.32
	4/13/2005		7.06	7.35
	1/31/2005		7.29	7.37
	10/15/2004		No Water or Product	7.35
	7/14/2004		No Water or Product	7.35
	4/6/2004		7.27	7.33
	2/11/2004		7.19	7.33
	10/6/2003		7.29	7.34
	11/2/2000		7.19	
	1/29/1999		7.19	
	12/9/1999		7.17	
NOTES:				
++ = Surveyed on January	7 2008			
* = Surveyed on August 2				
** = Surveyed on March 2				
*** = Surveyed on Decem				
^ = Prior to well developm				
	thickness in feet. The wate	er table elevation has been		
	of free product by assumin			
	on odor reported on probe			
	1 1		lection; from 2nd half 2007	to present only.
N/A = Not Applicable	same inter nontoring, p	anging, and/or sample con	Leedon, from 2nd null 2007	to present only.
ran = not applicable				

Date	ТРН-D	TPH-G	МТВЕ	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
MW1								
7/27/2010	4,700, f	20,000	45	330	180	1,500	1,000	ND<25, except TBA ND<100
1/28/2010	4,500, d	18,000	ND<50	200	170	1,200	1,200	ND<50, except TBA ND<200
10/16/2009	5,800, a,d	23,000, a	ND<25	240	170	1,800	2,200	ND<25, except TBA ND<100
7/8/2009	6,800, a,d	16,000, a	ND<17	99	100	880	1,100	ND<17, except TBA ND<67
1/7/2009	5,400, d	15,000	ND<50	140	160	1,100	1,600	ND<50, except TBA ND<200
10/23/2008	3,800, c	18,000	ND<50	180	200	1,400	1,900	ND<50, except TBA ND<200
7/17/2008	4,300, c	16,000	ND<25	210	160	1,000	1,600	ND<25, except TBA ND<100
4/16/2008	3,200, c	13,000	29	150	110	870	1,200	ND<17, except TBA ND<67
1/17/2008	3,800, d	22,000	74	310	220	1,200	1,700	ND<50, except TBA ND<200
10/16/2007	2,500, a, d	23,000, a	130	480	230	1,100	1,700	ND<25, except TBA ND<250
7/25/2007	3,900, d	15,000, b	130	250	23	ND<10	1,500	ND<10, except TBA ND<100
4/17/2007	6,200, d	23,000	260	780	320	1,100	2,000	ND<25, except TBA ND<250
1/18/2007	6,400, d	29,000	ND<1,000	1,800	870	1,600	3,300	ND<50, except TBA ND<500
11/14/2006	7,200, d	30,000	440	2,200	600	1,800	2,900	ND<50, except TBA ND<500, Ethanol ND<5,000, Methanol ND<50,000
6/29/2006	22,000,d	45,000	1,200	3,100	940	2,000	3,900	ND<50, TBA ND<500
2/3/2006	9,700,c	37,000	620	2,200	1,200	2,000	3,500	ND<50, TBA ND<500
11/18/2005	4,300,d	25,000	140	1,600	430	1,800	2,700	ND<50, TBA ND<500
7/28/2005	16,000,a,d	30,000,a	260,+	2,500	760	2,100	4,800	ND<50, TBA ND<500
4/13/2005	9,300,d	30,000	300	1,900	600	1,700	3,000	ND<50, TBA ND<500
1/31/2005	14,000,d	29,000	270	2,200	1,200	1,900	5,000	ND<50, TBA ND<500
10/15/2004	16,000,a,d	36,000,a	ND<50	1,500	1,000	2,100	5,100	ND<50, TBA ND<500
7/13/2004	22,000a,d	34,000,a	53	2,100	590	2,100	4,400	ND<50, TBA ND<500
4/6/2004	18,000,a,d	28,000,a	110	2,300	800	990	4,500	ND<100, TBA ND<1,000
12/18/2003	13,000,d	33,000	38	2,100	770	1,800	4,400	ND<5 TBA ND<50
9/18/2003	15,000,a,d	32,000	52	2,200	620	1,800	3,800	ND<17, TBA ND<170
6/26/2003	67,000,a,d	45,000	ND<50	2,100	720	2,300	5,500	ND
3/18/2003	7,300,a,d	33,000	ND<50	2,400	900	1,600	1,000	ND
12/21/2002	11,000,a,d	32,000	ND<100	2,600	980	2,200	5,500	ND
9/10/2002	18,000,c	31,000	ND<250	2,200	650	1,700	4,800	NA
3/30/2002	12,000,a,d	99,000	ND	4,100	1,200	2,500	6,400	NA
12/22/2001	22,000,a,d	60,000	ND	3,200	1,900	2,000	6,200	NA
9/23/2001	16,000,a,c	49,000	ND	4,000	1,400	2,200	6,200	NA
6/22/2001	85,000,a,d	35,000	ND	3,100	750	1,200	4,000	NA
4/22/2001	16,000,a	43,000	ND	3,600	1,200	1,600	5,800	NA
12/14/2000	11,000,a,e	49,000	ND	5,800	1,600	2,000	6,900	NA
9/18/2000	15,000,a,d	86,000	ND	7,200	2,000	3,200	13,000	NA

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
MW1 (Cont.)								
6/8/2000	6,500,a,c	50,000	ND	5,700	1,500	1,800	7,000	NA
3/9/2000	7,400,a,d	48,000	ND	5,300	3,100	1,600	8,100	NA
12/9/1999	12,000,a,d	65,000	ND	9,300	2,900	2,200	8,800	NA
8/31/1999	22,000,d	66,000	710	8,700	2,700	2,400	10,000	NA
4/29/1999	22,000,d	48,000	ND	8,400	2,800	2,000	8,100	NA
1/29/1999	9,100,d	47,000	ND	9,000	2,900	1,900	8,000	NA
4/26/1998	7,800,c	60,000	ND	9,300	5,700	2,100	9,100	NA
1/24/1998	24,000,d	57,000	ND	6,900	5,500	2,000	8,700	NA
11/6/1997	17,000,c	63,000	ND	7,400	6,700	2,300	9,900	NA
7/27/1997	28,000,c	66,000	1,800	8,600	8,100	2,200	10.000	NA
4/25/1997	170,000,d	77,000	ND	7,400	7,900	2,100	9,800	NA
1/21/1997	57,000,c	80,000	250	7,800	8,300	1,900	8,900	NA
7/26/1996	11,000,c	76,000	ND	11,000	13,000	2,400	10,000	NA
4/23/1996	5,700,c	73,000	ND	8,600	12,000	2,200	9,800	NA
1/29/1996	6,600,c	81,000	250	7,600	13,000	1,900	8,900	NA
10/26/1995	62,000,c	89,000	ND	7,800	12,000	2,400	11,000	NA
7/28/1995	2,000,c	35,000	NA	3,800	8,700	1,100	6,500	NA
5/2/1995	6,500,c	86,000	NA	8,900	14,000	2,300	11,000	NA
2/24/1995	9,100	90,000	NA	7,500	12,000	1,500	11,000	NA
11/18/1994	9,100	96,000	NA	9,300	12,000	2,500	11,000	NA
8/22/1994	8,300	100,000	NA	9,000	11,000	2,100	9,400	NA
5/19/1994	30,000	100,000		9,000	14,000	3,500	9,400	
2/28/1994	110,000	90,000	NA	12,000	9,600	2,100	9,900	NA NA
				8,300	9,600	2,000	121,000	
11/24/1993	8,200	66,000	NA					NA
8/30/1993	9,400	77,000 92,000	NA	6,400	11,000	2,200	12,000	NA
5/18/1993	30,000		NA	4,000	11,000	2,500	15,000	NA
2/23/1993	14,000	100,000	NA	4,500	11,000	2,100	12,000	NA
11/13/1992	4,400	120,000	NA	5,800	10,000	2,100	13,000	NA
5/27/1992	11,000	120,000	NA	8,800	16,000	2,300	15,000	NA
1/24/1992	19,000	39,000	NA	7,300	8,700	1,300	8,900	NA
12/23/1991	34,000	78,000	NA	9,300	7,300	540	13,000	NA
11/25/1991	36,000	170,000	NA	5,500	5,600	1,600	8,400	NA
10/10/1991	19,000	28,000	NA	4,100	4,700	1,000	4,800	NA
9/17/1991	19,000	39,000	NA	4,900	4,100	1,200	5,900	NA
8/19/1991	47,000	48,000	NA	13,000	8,400	990	29,000	NA
7/20/1991	49,000	100,000	NA	11,000	14,000	2,300	17,000	NA
6/20/1991	42,000	76,000	NA	4,700	7,100	1,500	9,800	NA
5/17/1991	26,000	72,000	NA	7,700	9,900	ND	11,000	NA
4/15/1991	NA	56,000	NA	6,500	8,500	410	9,900	NA
3/21/1991	NA	36,000	NA	4,500	5,700	87	7,300	NA
2/15/1991	NA	120,000	NA	7,400	6,600	ND	13,000	NA
1/15/1991	NA	33,000	NA	3,900	2,900	210	5,300	NA
9/27/1990	NA	28,000	NA	3,700	3,500	10	6,500	NA
8/23/1990	NA	40,000	NA	5,100	4,900	350	6,000	NA
7/20/1990	44,000	NA	NA	5,100	4,200	ND	9,100	NA
3/19/1990	NA	40,000	NA	3,700	1,100	ND	3,300	NA
02/20/90**	NA	7,600	NA	1,600	ND	ND	1,300	NA

Date	ТРН-Д	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
MW2								
2/7/1996		L				MW2 Destro	yed	
1/29/1996	4,600,c	38,000	7.1	1,900	5,700	1,100	5,900	NA
10/26/1995	900,000	74,000	ND	2,900	5,900	2,000	10,000	NA
7/28/1995	2,000,c	15,000	NA	1,400	2,300	620	3,200	NA
5/2/1995	6,600,d	55,000	NA	3,300	10,000	1,800	10,000	NA
2/24/1995	22,000	67,000	NA	4,900	11,000	1,800	11,000	NA
11/18/1994	5,000	86,000	NA	11,000	17,000	1,800	12,000	NA
8/22/1994	4,100	91,000	NA	10,000	13,000	1,500	9,000	NA
5/19/1994	5,800	62,000	NA	92,000	13,000	1,300	8,400	NA
2/28/1994	13,000	91,000	NA	13,000	16,000	1,500	9,000	NA
11/24/1993	79,000	12,000	NA	13,000	17,000	2,500	17,000	NA
8/30/1993	110,000	110,000	NA	11,000	14,000	1,800	11,000	NA
5/18/1993	44,000	67,000	NA	9,200	12,000	1,400	9,300	NA
2/23/1993	7,000	76,000	NA	12,000	17,000	1,600	9,600	NA
11/13/1992	8,200	79,000	NA	10,000	13,000	1,400	8,600	NA
5/27/1992	130,000	89,000	NA	18,000	19,000	1,700	14,000	NA
1/14/1992	1,600,000	59,000	NA	17,000	14,000	1,800	15,000	NA
12/23/1991	700,000	2,100,000	NA	36,000	130,000	79,000	560,000	NA
11/25/1991	130,000	230,000	NA	11,000	9,700	1,400	9,700	NA
10/10/1991	360,000	85,000	NA	21,000	25,000	2,100	14,000	NA
9/17/1991	56,000	74,000	NA	10,000	11,000	1,400	8,100	NA
8/19/1991	19,000	69,000	NA	26,000	22,000	2,100	18,000	NA
7/20/1991	100,000	51,000	NA	9,900	7,700	1,200	7,500	NA
6/20/1991	69,000	87,000	NA	8,100	8,400	1,100	8,900	NA
5/17/1991	33,000	62,000	NA	5,900	6,300	1,200	9,000	NA
4/15/1991	NA	82,000	NA	5,300	7,400	1,000	9,400	NA
3/21/1991	NA	62,000	NA	9,300	11,000	350	9,700	NA
2/15/1991	NA	200,000	NA	12,000	12,000	1,700	14,000	NA
1/14/1991	NA	78,000	NA	11,000	8,700	580	8,000	NA
9/27/1990	NA	59,000	NA	8,400	12,000	880	9,000	NA
8/23/1990	NA	96,000	NA	8,100	8,400	1,500	8,600	NA
7/20/1990	86,000	NA	NA	9,100	14,000	940	13,000	NA
3/19/1990	ŇÁ	50,000	NA	7,700	8,700	75	5,600	NA
2/20/90**	NÁ	38,000	NA	7,300	3,100	75	6,800	NA

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
MW3								
7/27/2010	13,000 ,a,f	30,000	2,900	27,000	ND<500	750	1,600	ND<500, except TBA = 3,600
1/28/2010	6,200, a,d	56,000, a	3,200	27,000	ND<500	1,000	2,800	ND<500, except TBA ND<2,000
10/16/2009	10,000, a,d	84,000, a	3,300	33,000	ND<1,000	ND<1,000	7,300	ND<1,000, except TBA = 4,000
7/8/2009	7,400, d	82,000	3,300	37,000	ND<500	2,400	8,200	ND, except TBA= 5,000
1/7/2009	13,000, a, d	50,000, a	3,500	28,000	ND<500	1,300	3,200	ND, except TBA= 5,700
10/23/2008	7,800, d	87,000	4,700	26,000	ND<500	ND<500	8,200	ND, except TBA= 8,000
7/17/2008	19,000, a, d	63,000, a	5,100	24,000	ND<1,000	ND<1,000	4,100	ND, except TBA= 6,100
4/16/2008	14,000, a, d	52,000, a	6,700	24,000	ND<500	ND<500	5,100	ND, except TBA= 6,700
1/17/2008	9,900, a, d	110,000, a, h	9,300	34,000	ND<500	2,500	9,500	ND, except TBA= 8,000
10/16/2007	13,000, a, d	69,000, a	13,000	18,000	ND<500	ND<500	5,000	ND, except TBA= 10,000
7/25/2007	6,700, a, f	52,000, a	12,000	23,000	ND<250	ND<250	6,000	ND, except TBA= 8,600
4/17/2007	7,900, a, d	92,000, a	14,000	23,000	ND<500	1,500	5,900	ND<500, except TBA = 8,000
1/18/2007	6,400, d	94,000	22,000	29,000	1,300	2,100	9,600	ND<500, except TBA = 12,000
11/14/2006	21,000, a, d	100,000, a	23,000	37,000	1,000	2,200	11,000	ND<500 except, TBA= 16,000, Ethanol ND<5,000, Methanol ND<50,000
6/29/2006	12,000,d	36,000	27,000	14,000	ND<500	ND<500	ND<500	ND<500, except TBA = 11,000
2/3/2006	22,000,d	86,000	24,000	26,000	ND<500	1,700	6,000	ND<500, except TBA = 11,000
11/18/2005	32,000,a,d	87,000,a	22,000	35,000	ND<1,000	2,000	11,000	ND<1,000, except TBA ND<10,000
7/28/2005	77,000,a,d	100,000,a	32,000,+	30,000	1,100	2,300	12,000	ND<500, except TBA = 13,000
4/13/2005	19,000,a,d	96,000,a	28,000	31,000	4,000	2,300	12,000	ND<500, except TBA = 12,000
1/31/2005	13,000,a,d	93,000,a	31,000	36,000	1,500	2,500	11,000	ND<1,000, except TBA = 24,000
10/15/2004	13,000,a,d	76,000,a	24,000	28,000	ND<500	1,100	3,600	ND<500, except TBA = 18,000
7/13/2004	57,000,a,d	98,000,a	15,000	28,000	2,900	1,700	8,900	ND<500, except TBA = 11,000
4/6/2004	32,000,a,d	81,000,a	17,000	34,000	5,900	1,500	9,900	ND<500, except TBA = 8,800
12/18/2003	32,000,a,d	130,000,a	32,000	33,000	5,400	720	11,000	ND<500, except TBA = 17,000
9/18/2003	140,000,a,d	130,000	23,000	34,000	11,000	2,500	14,000	ND<500, except TBA = 10,000
6/26/2003	27,000,a,d	96,000	21,000	29,000	5,200	2,000	10,000	ND, except TBA = 8,900

		MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
11,000,a,d	120,000	16,000	36,000	12,000	1,800	2,400	ND, except TBA = 5,100
21,000,a,d	110,000	33,000	34,000	9,300	2,000	13,000	ND, except TBA = 14,000
43,000,d	70,000	19,000	21,000	2,200	1,600	7,600	NA
8,500,a,d	170,000	26,000	40,000	17,000	2,600	16,000	NA
9,200,a,d	140,000	27,000	37,000	20,000	2,600	15,000	NA
47,000,a,d	130,000	26,000	32,000	9,100	2,400	12,000	NA
33,000,a,d	110,000	25,000	31,000	7,200	1,900	11,000	NA
61,000,a	140,000	24,000	25,000	5,400	1,700	11,000	NA
120,000,a,d	140,000	35,000	37,000	16,000	2,400	15,000	NA
43,000,a,d	130,000	33,000	39,000	91,000	2,300	14,000	NA
NA	NA	21,000	NA	NA	NA	NA	ND***, except tert-butanol = 19,000
74,000,a,d	130,000	23,000	41,000	16,000	1,900	13,000	NA
14,000,a,d	180,000	24,000	39,000	22,000	2,500	16,000	NA
17,000,a,d	120,000	16,000	35,000	6,700	2,400	12,000	NA
22,000,d	120,000	4,700	35,000	3,700	2,400	14,000	NA
48,000,d	100,000	2,500	33,000	8,000	2,100	14,000	NA
240,000,d	84,000	1,300	31,000	2,800	1,800	12,000	NA
380,000,d	100,000	9,700	29,000	7,100	1,800	14,000	NA
77,000,d	97,000	ND	28,000	7,100	1,800	11,000	NA
120,000,d	140,000	ND	37,000	19,000	2,400	14,000	NA
91.000.c		1.400			2.200		NA
							NA
							NA
							NA
							NA
							NA
							NA
							NA
							NA
							NA
23,000	140,000	NA	38,000	22,000	2,000	11,000	NA
5,300	170,000	NA	35,000	20,000	1,800	10,000	NA
	21,000,a,d 43,000,d 8,500,a,d 9,200,a,d 47,000,a,d 33,000,a,d 61,000,a 120,000,a,d 120,000,a,d 120,000,a,d 14,000,a,d 14,000,a,d 14,000,a,d 14,000,a,d 14,000,a,d 17,000,a,d 14,000,a,d 17,000,a,d 10,000,a 10,000,a 1	21,000,a,d 110,000 43,000,d 70,000 8,500,a,d 170,000 9,200,a,d 140,000 43,000,a,d 130,000 43,000,a,d 130,000 33,000,a,d 110,000 61,000,a,d 140,000 43,000,a,d 140,000 43,000,a,d 130,000 43,000,a,d 130,000 43,000,a,d 130,000 14,000,a,d 130,000 14,000,a,d 130,000 17,000,a,d 120,000 22,000,d 120,000 24,000,d 100,000 77,000,d 97,000 120,000,d 140,000 91,000,c 120,000 760,000,d 240,000 34,000,c 150,000 24,000,c 130,000 24,000,c 150,000 33,000 130,000 1,900,d 86,000 9,700,d 170,000 1,900,d 160,000 1,900,d 86,000 1	21,000,a,d 110,000 33,000 43,000,d 70,000 19,000 8,500,a,d 170,000 26,000 9,200,a,d 140,000 27,000 47,000,a,d 130,000 26,000 33,000,a,d 130,000 26,000 33,000,a,d 110,000 25,000 61,000,a 140,000 24,000 120,000,a,d 130,000 33,000 43,000,a,d 130,000 23,000 43,000,a,d 130,000 23,000 14,000,a,d 120,000 4,700 43,000,a,d 120,000 4,700 14,000,a,d 120,000 4,700 14,000,a,d 120,000 4,700 22,000,d 120,000 4,700 24,000,d 100,000 9,700 77,000,d 97,000 ND 91,000,c 120,000 1,400 760,000,d 140,000 140 34,000,c 150,000 540 33,000 130,000	21.000,a,d 110,000 33,000 34,000 43,000,d 70,000 19,000 21,000 8,500,a,d 170,000 26,000 40,000 9,200,a,d 140,000 27,000 37,000 47,000,a,d 130,000 26,000 32,000 33,000,a,d 110,000 25,000 31,000 61,000,a 140,000 24,000 25,000 120,000,a,d 140,000 35,000 37,000 43,000,a,d 130,000 23,000 41,000 43,000,a,d 130,000 23,000 41,000 140,000,a,d 130,000 23,000 41,000 140,000,a,d 120,000 16,000 35,000 14,000,a,d 120,000 16,000 35,000 17,000,a,d 120,000 4,700 35,000 22,000,d 120,000 4,700 35,000 24,000,d 100,000 2,500 33,000 24,000,d 100,000 9,700 29,000 <	21,000,a,d 110,000 33,000 34,000 9,300 43,000,d 70,000 19,000 21,000 2,200 8,500,a,d 170,000 26,000 40,000 17,000 9,200,a,d 140,000 27,000 37,000 20,000 47,000,a,d 130,000 26,000 32,000 9,100 33,000,a,d 110,000 25,000 31,000 7,200 61,000,a 140,000 24,000 25,000 5,400 120,000,a,d 140,000 35,000 37,000 16,000 43,000,a,d 130,000 23,000 41,000 16,000 140,000,a,d 130,000 23,000 41,000 16,000 14,000,a,d 180,000 24,000 39,000 22,000 17,000,a,d 120,000 4,700 35,000 6,700 22,000,d 120,000 4,700 35,000 3,700 14,000,a,d 100,000 2,500 3,100 2,800 24,000,d	21.000.ad 110.000 33.000 34.000 2.000 43.000,d 70.000 19.000 21.000 2.200 1.600 8.500,a,d 170,000 26.000 40.000 17.000 2.600 9.200,a,d 140,000 27.000 37.000 20.000 2.600 47.000,a,d 130,000 26.000 32.000 9.100 2.400 33.000,a,d 110,000 25.000 31.000 7.200 1.900 61.000,a 140,000 25.000 5.400 1.700 120.000,a,d 130,000 33.000 39.000 91.000 2.300 NA NA 21.000 16.000 1.900 14.000 16.000 1.900 14.000,a,d 130.000 23.000 41.000 16.000 1.900 14.000 16.000 2.400 22.000,d 120.000 4.700 35.000 3.700 2.400 24.000,d 120.000 2.500 31.000 2.800 1.800	21.000.ad 110.00 33.000 34.000 9.300 2.000 13.000 43.000.d 70.000 19.000 21.000 2.200 1.600 7.600 \$5.90.ad 170.000 26.000 40.000 17.000 2.600 16.000 \$2.00.ad 140.000 27.000 37.000 2.000 2.600 15.000 47.000.ad 130.000 26.000 31.000 7.200 1.900 11.000 33.000.ad 110.000 25.000 5.400 1.700 11.000 120.000.ad 140.000 35.000 37.000 16.000 2.400 15.000 43.000.ad 130.000 24.000 NA NA NA NA NA NA 21.000 NA NA NA NA 14.000.ad 180.000 2.300 41.000 16.000 15.000 14.000 14.000.ad 180.000 2.500 33.000 8.000 2.100 14.000 14.000.ad </td

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260°
MW3 (Cont.)								
5/19/1994	30,000	150,000	NA	38,000	25,000	2,400	14,000	NA
2/28/1994	210,000	110,000	NA	36,000	21,000	1,900	11,000	NA
11/24/1993	24,000	160,000	NA	48,000	26,000	2,200	12,000	NA
7/30/1993	32,000	130,000	NA	36,000	21,000	1,900	8,200	NA
5/18/1993	7,200	130,000	NA	36,000	21,000	2,100	12,000	NA
2/23/1993	8,100	110,000	NA	31,000	18,000	1,900	11,000	NA
11/13/1992	4,700	140,000	NA	38,000	24,000	2,000	12,000	NA
5/27/1992	27,000	370,000	NA	91,000	57,000	3,000	21,000	NA
7/14/1992	270,000	130,000	NA	76,000	30,000	3,400	21,000	NA
12/23/1991	540,000	740,000	NA	30,000	61,000	31,000	180,000	NA
11/25/1991	74,000	150,000	NA	65,000	31,000	3,400	18,000	NA
10/10/1991	39,000	140,000	NA	57,000	31,000	2,200	14,000	NA
9/17/1991	140,000	180,000	NA	47,000	25,000	2,600	15,000	NA
8/19/1991	150,000	170,000	NA	82,000	31,000	4,400	22,000	NA
7/20/1991	270,000	450,000	NA	46,000	29,000	3,500	21,000	NA
6/20/1991	210,000	920,000	NA	39,000	49,000	13,000	69,000	NA
5/17/1991	70,000	170,000	NA	32,000	22,000	2,200	18,000	NA
4/15/1991	NA	110,000	NA	31,000	15,000	880	7,400	NA
3/21/1991	NA	87,000	NA	30,000	14,000	690	5,400	NA
2/15/1991	NA	230,000	NA	44,000	40,000	ND	31,000	NA
1/14/1991	NA	160,000	NA	48,000	25,000	1,000	16,000	NA
9/27/1990	NA	25,000	NA	7,200	6,400	420	3,400	NA
8/23/1990	NA	220,000	NA	67,000	46,000	27,000	18,000	NA
7/20/1990	86,000	NA	NA	9,100	14,000	940	13,000	NA
3/19/1990	NA	210,000	NA	38,000	28,000	1,800	12,000	NA
02/20/90**	NA	46,000	NA	20,000	15,000	1,800	9,700	NA

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
MW4								
7/26/2010		l		l	Not S	ampled (Free Produc	Present in Well)	
1/27/2010		l	I		Not S	ampled (Free Produc	Present in Well)	
10/15/2009					Not S	ampled (Free Product	Present in Well)	
7/7/2009		L			Not S	ampled (Free Product	Present in Well)	
1/6/2009					Not S	ampled (Free Product	Present in Well)	
10/22/2008					Not S	ampled (Free Product	Present in Well)	
7/16/2008					Not S	ampled (Free Product	Present in Well)	
4/16/2008						ampled (Free Product		
1/17/2008						ampled (Free Product		
10/16/2007						ampled (Free Product		
7/25/2007						ampled (Free Product		
4/17/2007		1		1		ampled (Free Product		
1/18/2007		1		1	Not S	ampled (Free Product	Present in Well)	
11/14/2006					Not S	ampled (Free Product	Present in Well)	
6/29/2006	83,000,a,d	140,000,a	31,000	44,000	13,000	2,600	19,000	ND<1,000, except TBA = ND<10,000
2/3/2006	83,000,a,d	150,000,a	22,000	35,000	12,000	3,200	14,000	ND<500, except TBA = 7000
11/18/2005						ampled (Free Product		
7/28/2005	94,000,a,d	130,000,a	27,000,+	32,000	8,900	2,900	14,000	ND<500, except TBA = 8,400
4/13/2005					Not S	ampled (Free Product	Present in Well)	
1/31/2005					Not S	ampled (Free Product	Present in Well)	
10/15/2004					Not S	ampled (Free Product	Present in Well)	
7/13/2004			r	1	Not S	ampled (Free Product	Present in Well)	
2/11/2004			Free Prod	uct sampled. Labo	ratory fuel fingerpri	nt notes a pattern rese	mbling diesel, with a	less significant gasoline-range pattern.
12/18/2003					Not S	ampled (Free Product	Present in Well)	
9/18/2003					Not S	ampled (Free Product	Present in Well)	
6/26/2003		I			Not S	ampled (Free Product	Present in Well)	
3/18/2003		L			Not S	ampled (Free Product	Present in Well)	
12/21/2002						ampled (Free Product		
9/10/2002						ampled (Free Product		
3/30/2002						ampled (Free Product		
12/22/2001						ampled (Free Product		
9/23/2001						ampled (Free Product		
6/22/2001	440,000,a,d	140,000	15,000	35,000	19,000	2,000	10,000	NA
4/22/2001		·······			Not S	ampled (Free Product	Present in Well)	
12/14/2000		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	Not S	ampled (Free Product	Present in Well)	
9/18/2000			I	1	Not S	ampled (Free Product	Present in Well)	
6/8/2000		L	I	1	Not S	ampled (Free Product	Present in Well)	

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260°
MW4 (Cont.)								
3/9/2000	2,100,000,a,d	130,000	6,900	35,000	13,000	2,100	11,000	NA
12/9/1999	9,000,000,a,d	120,000	8,100	33,000	6,000	2,400	12,000	NA
8/31/1999	9,400,d	190,000	4,400	46,000	30,000	2,800	15,000	NA
4/29/1999	9,400,d	210,000	3,200	42,000	35,000	2,800	15,000	NA
1/29/1999	7,300,d	190,000	2,400	44,000	40,000	3,100	17,000	NA
4/26/1998	13,000,d	190,000	ND	49,000	37,000	3,200	18,000	NA
1/24/1998	20,000,d	200,000	ND	50,000	40,000	3,100	17,000	NA
11/6/1997	110,000,d	160,000	ND	48,000	30,000	2,800	16,000	NA
8/26/1997	5,500,d	210,000	1,700	48,000	42,000	3,400	19,000	NA
8/15/1997		L				MW4 Install	ed	
MW5								
7/27/2010	ND<50	ND<50	0.51	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA_ND<2.0
1/28/2010	ND<50	ND<50	0.57	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/16/2009	ND<50	ND<50	0.63	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/8/2009	ND<50	ND<50	0.72	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/7/2009	ND<50	ND<50	0.97	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/23/2008	ND<50	ND<50	1.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/17/2008	ND<50	ND<50	2.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
4/16/2008	ND<50	ND<50	3.9	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
12/13/2007	ND<50	110	4.0	5.3	0.5	ND<0.5	5.1	ND<0.5, except TBA ND<5.0
MW6								
7/26/2010	6,500,c	58,000	ND<170	5,500	2,600	3,300	15,000	ND<170, except TBA ND<670
1/27/2010	7,000, c	57,000	ND<100	4,900	2,400	3,000	15,000	ND<100, except TBA ND<400
10/16/2009	6,100, c	53,000	ND<170	7,400	3,700	3,600	17,000	ND<170, except TBA ND<670
7/7/2009	8,400, c	60,000	ND<170	6,600	3,500	2,800	13,000	ND<170, except TBA ND<670
1/6/2009	6,200, c	51,000	ND<120	6,900	3,400	2,100	13,000	ND<120, except TBA ND<500
10/23/2008	4,100, c	82,000	ND<120	7,800	4,200	3,400	16,000	ND<120, except TBA ND<500
7/17/2008	5,700, c	88,000	ND<250	6,100	3,400	2,500	16,000	ND<250, except TBA ND<1,000
4/16/2008	6,500, c	51,000	ND<170	4,800	3,300	2,400	16,000	ND<170, except TBA ND<670
12/13/2007	6,200, c	66,000	ND<120	7,900	3,600	2,600	16,000	ND<120, except TBA ND<1,200
MW7								
7/26/2010	ND<50	200	7.6	75	ND<1.7	17	ND<1.7	ND<1.7, except TBA ND<6.7
1/27/2010	110, d	150	4.2	48	ND<1.0	9.3	1.4	ND<1.0, except TBA ND<4.0
10/15/2009	60	220	8.7	41	ND<1.0	16	ND<1.0	ND<1.0, except TBA ND<4.0
7/7/2009	62, d	150	4.8	38	ND<0.5	15	ND<0.5	ND<0.5, except TBA = 2.2
1/6/2009	87	52	3.2	18	ND<0.5	4.7	ND<0.5	ND<0.5, except TBA ND<2.0
10/22/2008	66, d	170	8.3	67	ND<0.5	20	ND<1.7	ND<1.7, except TBA ND<6.7
7/16/2008	78, d	280	7.0	59	ND<1.0	8.3	1.3	ND<1.0, except TBA ND<4.0
4/15/2008	77, d	170	4.8	48	1.5	13	5.0	ND<1.0, except TBA ND<4.0
12/13/2007	ND<50	ND<50	9.3	ND<0.5	ND<0.5	ND<0.5	0.83	ND<0.5, except TBA = 14

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260°
MW8								
7/26/2010	1,000, c	4,400	3.4	26	ND<0.5	13	0.98	ND<0.5, except; TBA < 2.0
1/27/2010	920, d	3,400	3.8	32	ND<1.0	73	2.7	ND<1.0, except TBA ND<4.0
10/15/2009	380, d	1,500	4.4	23	ND<0.5	3.1	0.92	ND<0.5, except; TBA = 3.2
7/7/2009	1.000. d	2,000	3.8	28	ND<1.2	30	1.9	ND<1.2, except TBA ND<5.0
1/7/2009	1,000, c	3,100	3.8	36	ND<1.7	74	2.7	ND<1.7, except TBA ND<6.7
10/22/2008	910, c	4,800	5.2	32	ND<1.0	41	2.6	ND<1.0, except; TBA = 5.0
7/16/2008	1,500, c	7,000	ND<5.0	53	ND<5.0	140	7.1	ND<5.0, except TBA ND<20
4/15/2008	2,000, c	4,300	6.5	63	ND<2.5	110	9.1	ND<2.5, except TBA ND<10
12/13/2007	1,500, c	6,200	11	57	ND<5.0	160	18	ND<5.0, except TBA ND<50
MW9	1,500,0	0,200			1000	100	10	
7/26/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/27/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/16/2009	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/7/2009	69 ND<50	ND<50 ND<50	ND<0.5 ND<0.5	ND<0.5 ND<0.5	ND<0.5 ND<0.5	ND<0.5	ND<0.5 ND<0.5	ND<0.5, except TBA ND<2.0
10/22/2008	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
								ND<0.5, except TBA ND<2.0
7/17/2008	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
4/16/2008	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
12/13/2007	ND<50	ND<50	ND<0.5	1.0	ND<0.5	ND<0.5	4.5	ND<0.5, except TBA ND<5.0
MW10								
7/27/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/28/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	0.82	0.87	ND<0.5, except TBA ND<2.0
10/16/2009	ND<50	ND<50	0.61	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/8/2009	ND<50	ND<50	0.71	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/7/2009	ND<50	ND<50	1.1	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/23/2008	ND<50	ND<50	1.6	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/17/2008	ND<50	ND<50	1.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
4/16/2008	ND<50	ND<50	1.7	ND<0.5	ND<0.5	0.6	0.56	ND<0.5, except TBA ND<2.0
12/13/2007	ND<50	ND<50	1.9	ND<0.5	ND<0.5	1.5	1.8	ND<0.5, except TBA ND<5.0
MW11								
7/26/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/27/2010	ND<50	ND<50	0.51	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/15/2009	ND<50	ND<50	36	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/7/2009	ND<50	ND<50	37	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0, except TBA ND<4.0
1/6/2009	ND<50	ND<50	32	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/22/2008	ND<50	ND<50	31	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except; TBA = 3.1
7/16/2008	ND<50	ND<50	23	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
4/15/2008	ND<50	ND<50	26	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
12/14/2007	ND<50	ND<50	21	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<5.0


Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
MW12								
7/26/2010	ND<50	ND<50	7.1	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5. except TBA_ND<2.0
1/27/2010	58, d	200, b	6.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/15/2009	71, d	230, b	7.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/7/2009	ND<50	76	7.8	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/7/2009	ND<50	110, b	8.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except; TBA = 2.7
10/22/2008	54, c	200, b	11	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except; TBA = 2.3
7/16/2008	89, d	440, b	8.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
4/15/2008	76, d	180, b	9.1	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
12/13/2007	200, c	320, b	11	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<5.0
EW1								
7/27/2010	6,600, d	2,400	170	220	ND<5.0	14	44	ND<5.0, except TBA = 1,600
1/28/2010	1,100, d	1,500	65	160	ND<10	ND<10	10	ND<10, except TBA = 2,400
10/16/2009	10,000, a,d	1,600, a	180	470	ND<10	38	39	ND<10, except TBA = 1,100
7/8/2009	7,500, d	9,100	2,900	3,400	ND<50	290	290	ND<50, except TBA = 6,400
1/7/2009	7,900, a, d	33,000, a	16,000	10,000	1,900	1,700	3,300	ND, except TBA = 16,000
10/23/2008	7,600, d	21,000	7,700	4,500	ND<120	820	390	ND, except TBA = 10,000
7/17/2008	6,900, d	16,000	7,600	4,100	ND<100	ND<100	650	ND, except TBA = 15,000
4/16/2008	7,700, a, d	17,000, a	9,300	4,500	260	650	2,200	ND, except TBA = 15,000
1/17/2008	13,000, d	24,000	16,000	4,600	1,200	520	3,700	ND, except TBA = 19,000
10/16/2007	12,000, a, d	14,000, a	8,300	2,600	310	270	3,000	ND, except TBA = 15,000
7/25/2007	7,700, a, j	11,000, a	14,000	3,200	ND<25	ND<25	2,600	ND, except TBA = 17,000
4/17/2007	5,800, d	21,000	9,600	3,700	1,400	490	1,600	ND<100, except TBA = 18,000
1/18/2007	930, d	930, b	600	3.4	5.0	ND< 0.5	41	ND< 50, except TBA= 6,800
11/14/2006	1,800, d	870, b	170	ND<25	ND<25	ND<25	ND<25	ND<25, except TBA= 5,900, Ethanol ND<2,500, Methanol ND<25,000
6/29/2006	710,d	290	21	ND<10	ND<10	ND<10	ND<10	ND<10, Except TBA = 2,000
2/3/2006	1,200,d	790	3,100	ND<50	ND<50	ND<050	ND<050	ND<50, Except TBA = 13,000
11/18/2005	1,200,a	900	2,000	ND<50	ND<50	ND<050	ND<050	ND<50, Except TBA = 18,000
7/28/2005	1,800,d	1,200	17,000,+	33	5.1	0.56	5.9	ND<250, except TBA = 22,000
4/13/2005	2,200,d	380	2,700	ND<50	ND<50	ND<50	ND<50	ND<50, except TBA = 1,600
1/31/2005	3,400,d	1,900	38,000	ND<1,000	ND<1,000	ND<1,000	ND<1,000	ND<1,000, except TBA = 32,000

Date	трн-р	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
EW1 (Cont.) 10/15/2004	4,100,a,d	ND<5,000,a,j	96,000	ND<1,700	ND<1,700	ND<1,700	ND<1,700	ND<1,700, except TBA = 97,000
7/13/2004	3,300,a,d	2,600,a	73,000	ND<1,200	ND<1,200	ND<1,200	ND<1,200	ND<1,200, except TBA = 40,000
4/6/2004	3,400,a,d	2,600,a	72,000	ND<1,000	ND<1,000	ND<1,000	ND<1,000	ND<1,000, except TBA = 34,000
12/18/2003	3,000,d	ND<5,000.j	160,000	220	ND<50,000	ND<50,000	73	ND<5,000, except TBA = 64,000
9/18/2003	8,200,a,d	7,500	220,000	330	ND<50	ND<50	ND<50	ND<2,500, except TBA = 51,000
2/23/1993	9,600	66,000	NA	14,000	8,500	1,400	9,800	NA
11/13/1992 8/1/1992	13,000	62,000	NA	11,000	9,200	1,100	9,600 EW1 Installed	NA
OW1	L							
7/26/2010		I			1	No sample reco	wered	
1/27/2010		L				No sample reco	wered	
10/16/2009		L				No sample reco	wered	
7/8/2009						No sample reco	wered	
1/7/2009						No sample reco	wered	
10/22/2008				L		No sample reco	vered	
7/16/2008					l	No sample reco	vered	
4/15/2008		I	l <u></u>	I	I	No sample reco	wered	
1/17/2008	29,000, a,d	6,900, a, h	8,800	480	ND<10	41	23	ND, except TBA = 97
10/16/2007		I		l	1	No sample reco	wered	
7/25/2007		L				No sample reco	wered	
4/17/2007		L			l	No sample reco	vered	
1/18/2007				L		No sample reco	vered	
11/14/2006		I			I	No sample reco	wered	
6/29/2006	290,000,d	24,000	NA	NA	NA	NA	NA	NA
2/3/2006	710,000a,g	31,000,a	210,000	NA	NA	NA	NA	NA
11/18/2005	820,000,d	370,000	NA	130	ND<25	400	290	ND<25, except TBA<250
7/28/2005	230,000,a,d	10,000,a	NA	1,300	30	190	72	ND<50, TBA ND<500
4/13/2005	590,000a,d,e	35,000,a	NA	2,000	ND<50	460	140	ND<50, TBA ND<500
1/31/2005		I				No sample reco	vered	
10/15/2004 7/14/2004	240,000,a,d	66,000,a	ND<50	1,800	ND<50	No sample reco 1,800	vered 56	ND<50, TBA ND<500
4/6/2004	74,000,a,d	50,000,a	NA	3,100	ND<100	210	140	ND<100, TBA ND<1,000
2/11/2004	450,000,a,d	15,000,a	130,000	2,200	31	160	54	ND<25, TBA ND<250
11/21/2003	1,900,000,a,d	38,000	570,000	2,000	59	190	95	ND<50, TBA ND<500
6/10/1998				l		OW1 Install	led led	

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
OW2								
7/26/2010						No sample reco	vered	
1/27/2010						No sample reco		
10/16/2009	<u> </u>				1	No sample reco	vered	
7/8/2009						No sample reco	vered	
1/7/2009					· · · · · · · · · · · · · · · · · · ·	No sample reco	vered	
10/22/2008	<u> </u>			1	1	No sample reco	vered	
7/16/2008						No sample reco	vered	
4/15/2008					I	No sample reco		
1/17/2008	NA	140	NA	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND, Except MTBE = 2.2, TBA = 11
10/16/2007						No sample reco	vered	
7/25/2007					· · · · · · · · · · · · · · · · · · ·	No sample reco	vered	
4/17/2007						No sample reco	vered	
1/18/2007	I				I	No sample reco	vered	
11/14/2006						No sample reco		
					1			
6/29/2006						No sample reco	vered	
2/3/2006	370,d	140,i	ND<250	NA	NA	NA	NA	NA
11/18/2005						No sample reco	vered	
7/28/2005						No sample reco	vered	
4/13/2005	220,d	65	NA	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except MTBE = 9.7
1/31/2005						No sample reco		
10/15/2004								
						No sample reco		
7/14/2004						No sample reco	vered	
4/6/2004	NA	69,a	NA	ND<0.62	ND<0.62	ND<0.62	ND<0.62	NA
2/11/2004	NA	210	NA	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except MTBE = 6.4, TBA = 7.0
11/21/2003	I			1	I	No sample reco	/ered.	
6/10/1998	I					OW2 Install	ed.	
ESL	100	100	5.0	1.0	40	30	20	MTBE = 5.0
Notes:								TBA = 12.0
TPH-G = Total Petroleum H TPH-D = Total Petroleum H	lydrocarbons as Gasoline. lydrocarbons as Diesel							
MTBE = Methyl-tert-Butyl								
ND = Not Detected. NA = Not analyzed.								
a = Laboratory analytical rep b = Laboratory analytical rep	port note: lighter than water port note: TPH-G results h	r immiscible sheen/ pro ave no recognizable pa	duct present on the stern.	sample.				
c = Laboratory analytical rep d = Laboratory analytical rep	port note: TPH-D results co	insist of gasoline range	compounds.	nounds				
e = Laboratory analytical rep	port note: TPH-D results co	nsist of both oil and ga	soline range compor	inds.				
f = Laboratory analytical rep g = Laboratory analytical rep		nsist of diesel, oil, and	gasoline range comp	ounds.				
h = Laboratory analytical rep i = Laboratory analytical rep	port note: strongly aged gas			lina?)				
j = Laboratory analytical rep	port note: reporting limit rai	ised due to high MTBE	content.					
+ = analyzed by EPA 8260. * = This column summarized				ygenates				
(TAME, DIPE, ETBE, and ESL = Environmental Scree	TBA) or lead scavengers (I	EDB, 1,2-DCA/EDC).			RWOCB) undeter	1 May 2008 from To	hle A - Shallow Soil S	Coreening
Levels, Groundwater Is a cu	rrent or potential source of	drinking water.	cional water Quality	Control Board (SI	-K ir QCB) updaled	1 may 2008, nom 1a	ore A - Shanow Soll S	country .
All results in micrograms pe	r Liter (μg/L) unless others	wise noted.			1			

FIGURES

P&D ENVIRONMENTAL, INC. 55 Santa Clara Avenue, Suite 240 Oakland, CA 94610 (510) 658-6916



Base Map From: U.S. Geological Survey Hayward, Calif. 7.5 Minute Quadrangle Photorevised 1980








Figure 1 SITE LOCATION MAP Xtra Oil Company 3495 Castro Valley Blvd. Castro Valley, California





WELL MONITORING AND PURGE DATA SHEETS

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING , DATA SHEET

			SHEET	<i>a</i>	
Site Name _	XtraDil/Castro Va	lley	Well No	MW1 6/10 + 7/27/10 Sandle	
Job No			Mow Date 7/2	6/10 + 7/27/15 sande	ન
TOC to Wate	er (ft.) <u>8.10</u>		Sheen	Yes	
	(ft.)_20.0		Pree Produ	uct Thickness	
Well Diamet	er_4"(0.646)			llection Method	
Gal./Casing			Dispo	sable bailer	
	3101= 23 1		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ELECTRICAL CONDUCTIVITY fis/cm	
TIME 1331	GAL. PURGED	<u>рн</u> 6.85	TEMPERATURE 25.4	741	
1334	<u> </u>	6.82	23.6	753	
1237	27	6,87	23.7	743	
1340	10,2	6.83	24.0	752	
1343	1218	6.81	24.7	769	
1346	15.4	6.78	25.3	779	
1752	17, 9	6.74	26.3	792	
1359	20.5	675	26.8	786	
)405	23	6.80	17.3	785	
				Mary Star Mar Mar Mar Mar Har File Star File Star Star Star	
······	Land and and an and	<u></u>			
				and a second s	
		<u></u>			
			An i bh' fuin T inninn iann innn inn inn innn		
na ta kanalan ana kanalan		<u>in a standig (King)</u>	<u></u>		
<u></u>	ىكەرىپەر بەرەپ بەرەپ			And the other successing and the second second success	
NOTES :		· · ·	. d		
an a	<u>)''ee</u> ,	n + Mode:	the pheodor Same	<u>e: TM = ≥ 1920</u>	

PURGE10.92

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

~~,

. .

Job No OU (4'	Site Name	Xtra Dil/Castro	Vulley		Well No. <u>/</u>	1~3	~
Toe to Water (ft.) 0.00 Well Depth (ft.) 18.6 Well Diameter 4.007 Gal. /Casing Vol. 6.7 TIME GAL. PURCED DH 15416 2.72 6.161552 6.7 0.77 33.7 1.3211555 9.12 6.77 34.0 1.3241555 9.12 6.77 24.8 1.3391557 1125 6.77 24.8 1.3391557 1125 6.77 25.9 1.3261557 1125 6.77 25.9 1.3261557 1125 6.77 25.9 1.3291603 13.8 6.77 25.9 1.3391603 13.8 6.77 25.9 1.3291003 13.8 6.77 25.9 1.3291003 13.9 6.77 25.9 1.3261003 13.9 0.77 25.9 1.3261003 13.9 0.77 25.9 1.3261003 13.9 0.77 25.9 1.3261003 13.9 1.329 1.3261007 1.329 1.329 1.3261007 1.329 1.329 1.3261125 1125 1125 1.339 $1.3391.329$ 1.329 $1.3261.557$ 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.59 1.57 1.59	Job No	0014	, -	monitorel	Date 7/26	10 + 7/27/10	5 sandly
Well Depth (ft.) $ \$. 6$ Pree Product Thickness Well Diameter $4''(c. 6.4/6)$ Sample Collection Method Gal./Cesing Vol. 6.7 $7.96.7$ TIME GAL. PDEGED DH TEMPERATURE CONDUCTIVITY $154'b$ 3.7 6.67 3.7 1.252 $155'a$ 6.7 6.77 3.7 1.331 $155'a$ 6.77 3.7 1.324 $155'a$ 6.77 24.8 1.336 1557 11.5 6.77 $25.4'$ 1.336 1557 11.5 6.77 $25.4'$ $1.336'$ 1557 11.5 6.77 $25.4'$ $1.336'$ 1663 $13.8'$ 6.77 $25.4''$ $1.336''$ $1bb''$ $10.27''$ $1.3.2'''''''''''''''''''''''''''''''''''$	TOC to Wate	r (ft.) 8,06	_		Sheen <u>Ye</u> -	<u>) </u>	- ' 4
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			-		1	\sim	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Well Diamet	er_ <u>4"(0,646)</u>	-		Sample Coll	ection Method	_
INE GAL. PURGEP DH TEMPERATURE Conductivity $154b$ 3.7 $6ibi$ 3.1 $1,252$ 1592 6.9 6.77 33.7 $1/321$ 1555 $9i2$ 6.77 33.7 $1/324$ 1555 $9i2$ 6.77 34.6 $1/324$ 1557 11.55 6.77 24.8 $1/336$ 1557 11.55 6.77 25.9 $1/336$ 1603 13.8 6.77 25.9 $1/336$ 1603 13.8 6.77 25.9 $1/336$ 1603 13.8 6.77 25.9 $1/336$ 1603 13.8 6.77 25.9 $1/326$ 10.7 -10.7 <t< td=""><td>Gal./Casing</td><td>vol. 6.9</td><td>-</td><td></td><td>Pisposal</td><td>Le baile-</td><td></td></t<>	Gal./Casing	vol. 6.9	-		Pisposal	Le baile-	
$ \frac{1546}{1547} \begin{array}{c} 2.3 \\ \hline 4.6 \\ \hline 6.65 \\ \hline 33.1 \\ \hline 1321 \\ \hline 1555 \\ 9.2 \\ \hline 1557 \\ \hline 11.5 \\ \hline 9.2 \\ \hline 1557 \\ \hline 11.5 \\ \hline 9.2 \\ \hline 1557 \\ \hline 11.5 \\ \hline 9.2 \\ \hline 1557 \\ \hline 11.5 \\ \hline 9.2 \\ \hline 1557 \\ \hline 11.5 \\ \hline 9.2 \\ \hline 11.5 \\ \hline 9.2 \\ \hline 1557 \\ \hline 11.5 \\ \hline 9.2 \\ \hline 11.5 \\ \hline 11.5 \\ \hline 9.2 \\ \hline 11.5 $		30-1=207			· 4	BLECTRICAL	le s
$ \begin{array}{ccccccccccccccccccccccccccccccccc$	- /	GAL. PURGED	1	<u> </u>			////
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	where the second se	<u> </u>				1201	
$ \frac{1555}{1557} = 9, 2 = 6.77 = 24.8 = 1,339 = 1,339 = 1,336 $	Construction of the second	$\frac{1.6}{1.9}$				$\frac{1}{1204}$	
$ \frac{1557}{1607} = \frac{11}{12.5} = \frac{6.77}{6.77} = \frac{24.8}{25.9} = \frac{1.339}{1.336} $ $ \frac{1605}{15.5} = \frac{15.5}{6.77} = \frac{10.5}{25.9} = \frac{10.336}{1.336} $ $ = \frac{18.7}{20.7} = \frac{10.5}{10.5} = \frac{10.5}{5.00} = $		9 7				1236	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		<u> </u>				1229	
$\frac{160}{160} \qquad \frac{16}{160} \qquad $	£ .	13.8	A Construction of the local data and the local data		and a second	1336	
		the line has				42.22	
			<u>i</u>				
		$\int 2 \sqrt{7}$				<u></u>	
	an finan sa	alle			 .		
						- Andre and	
NOTES :		#####################################					
NOTES:			4				
NOTES:	<u> </u>					<u> </u>	
NOTES:							
NOTES:	<u></u>					<u></u>	
NOTES:	n m- and an and a start		<u></u>	<u>_, _, _, _, _, _, _</u>		a and an	
NOTES:	<u> </u>		<u></u>	4 <u>)</u>			
NOTES:		An alary disputibility and a start a start and a st	<u></u>				
Notes: Sheen & Moderate phe odor. Sample time = 1625hrs	NOTES :	Sheeno Moderate	phc odor.	Sample	time = 16	25hrs	

Sph P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET site Name Xtra Oil/Castro Valley Well NO. MW -0014 Date 7/26/10 Job No. TOC to Water (ft.) 8,31 Sheen Pree Product Thickness O. Well Depth (ft.) <u>u ((</u> Well Diameter Sample Collection Method Gal./Casing Vol. NIA Male Collected Sph Encounterer BLECTRICAL TIME GAL. PURGED рН TEMPERATURE CONDUCTIVITY 2 8.5' Topof steel tope Q ho of casing Top of SpH=113/8" Top of H20 = 2 / 4 " 5 -113/8"= 8.5-11.375"=8.5-0.95=7.55 24" = 8.5'-2.25" = 8.5'-0.19 = 8.31 knuss = 0.76orrection = 0.76 × 0.75= 0.57 Corrected Wroter Level = 8.31-0.57= 7.74 ft TOC to H20 Sic NOTES:

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING , DATA SHEET

	DATA SHEET		
site Name Xtra Oil Cas	Tr Valley	Well No. MW	5
JOD NO. 0014	monit	Date 7/76/10	+7/27/10 & sampled
TOC to Water $(ft.) 596$)	Sheen No	
Well Depth $(ft.) 21-8$		Free Product Thi	ckness
Well Diameter $\frac{\partial^{\prime\prime}(0,1)}{\partial^{\prime\prime}(0,1)}$	<u>6)</u>	Sample Collectio	n Method
Gal./Casing Vol.	4-01-01-01-01-01-01-01-01-01-01-01-01-01-	Disposable	bailer
3001-7		DC BLEC	TRICAL LIS/CA
TIME GAL. PURGED			
1637 0.9	7.00 -	$\frac{23,3}{4}$	
$\frac{1639}{1.7}$	6.82	32.6 4	194
1641 7.6	6.70	21.5	192
1642 3.5	6.70	21.5 4	96
1644 4.3	6.70	21.4 4	98
1645 5.2	6.69	21.2 4	92
1647 6.1	6.68	21.1 - 4	95
1648 6.9	6.68	$\frac{1}{21.1}$	97
1650 7.8	6.69	21.1	197
and a second			
	<u></u>		
a da ana any amin'ny desira ana ana ana ana ana any ana ana any any	New York Contraction	te this star should be been should be	a Mile alle alle alle alle alle alle alle a
	<u>a</u>	an a	an and a star of the star of t
an a			
	·		
NOTES: No share to		whethere => 1700	
1. Olderak	<u> </u>	Myk (11.2 =) (TOU	

PURGE10.92

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

Job No			Date 7 Sheen	176/10 185
Well Depth				duct Thickness
Well Diame	<u> </u>	$\overline{)}$		ollection Method
				osable bailer
Gal / Casi	ng vol. <u>0.8</u> Julez.	{	<u> </u>	BLECTRICAL Lis
TIME	GAL. PURGED	È DH	TEMPERATURE	CONDUCTIVITY
1804	0.2	6,70	26,7	681
1805	0.5	6.68	26.8	689
1806	08	6.70	26.8	688
1807	1.0	6.69	26.9	689
1808	1.3	6.67	26.6	725
1809	1.6	6.66	26.2	73.5
1810	1.8	6.67	76,2	728
1811	2.1	6.69	26.1	717
1813	2.4	6,69	25.9	727
			<u></u>	
		enanteiri.	and the second secon	
	•*************************************			
		<u></u>	·····	
·				*****
			4	
				. <u> </u>
<u></u>				an ann an
				indigation and a strategy of the little state of the stat
		1		Sample time = 18

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

Well No. MW7 site Name <u>XtraDil/Castro Valley</u> Date 7 26/10 JOD NO.____ 0014 TOC to Water (ft.) 3.7 3 \bigcirc Sheen 2 Pree Product Thickness Well Depth (ft.) 1D. 2" (0.16 Sample Collection Method Well Diameter____ isposable bailer Gal./Casing Vol. 3vcl = 3.3 BLECTRICAL TEMPERATURE CONDUCTIVITY GAL. PURGED TIME DH 96 27.2 isob 0,4 7 1 0 507 0. 8 5 76. 7,05 504 6 1. 689 26 7,03 L 510 .8 ?ζ 7.02 J r 511 2.2 7.05 38 512 4 ጋ 5. 7.07 512 734 2,9 7.07 25. Well deratered e ~3.2 gallons 33 1516 NOTES: No Sheen; Nophe odor Sample fine= 1690 PURGE10.92

GROUND	WATER MONITO	RONMENTAL DRING/WBLL PURGING SHEET	
site Name Xtra Dil/Casta			MW8
JOB NO. 0014	<u> </u>	Date 7/7	5/10
TOC to Water (ft.) 696		Sheen N	0
Well Depth (ft.) 14.4		Free Produ	ct Thickness Ø
Well Diameter 2" (0.16)			lection Method
Gal./Casing Vol. 1.2		Dispose	ble bailer
3 vol=3,6		°C	BLECTRICAL MSKA
TIME GAL. PURGED	0H 1 29	TEMPERATURE	CONDUCTIVITY CA
<u>1604</u> <u>0.4</u> -1605166 0.8	6.71	1) 1	$\frac{601}{251}$
<u>-1605</u> 166 0.8 1608 1.2	$\frac{6.71}{1.70}$	32.23.3	797
<u>1600</u> <u>1.6</u>	6.70	12.4	8 14
1610 3.0	6.70	22.4	807
1611 2.7	6.70	22.4	869
1613 7.8	6.70	22.3	816
1613 3.2	6.71	22.4	810
1614 3.6	6.71	22,3	802
······································		an a	<u></u>
<u>ੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑੑ</u>			<u> - 1 1 1 1 1 1 1 1</u>
a na manana ang ang ang ang ang ang ang ang an	ang kanalan kan tikan		and a star with the second
······································		in die die fan die der der nammenen	<u></u>
			· · · · · · · · · · · · · · · · · · ·
	·		
NOTES:	o cha sa l	light phradan "	Samela Er = 112-
/0	v silen	light pricodors a	Sample time > 1620

 $\frac{1}{2} = \max_{\substack{i \in I \\ i \neq i}} \frac{1}{2} \sum_{i \in I} \frac{1}{2} \sum_{i \in$

< .

PURGE10.92

4

			$(\hat{\mathbf{D}})$
	P4D ENVIRON		
GROUNDWA		ING/WELL PURGING	
Site Name Ktra Oil Casta	p Valley	Well No. 1	1W9
JOD NO. 0014-		Date 7/2	
TOC to Water (ft.) 6.4(Sheen	<u></u>
Well Depth (ft.) 2.3		Free Produc	rt Thickness
Well Diameter $\frac{\mathcal{F}'(c.lb)}{\mathcal{F}'(c.lb)}$		Sample Coll	lection Method
Gal./Casing Vol. 2.4		2012)	able bailer
JUDI = 7.2 TIME GAL. PURGED	<u>pH</u>	TEMPERATURE	ELECTRICAL Ms/cm
1726 0.8	7,14	24.0	96
1728 1.6 -	7.04	22.5	110
1730 2.4	6.87	21.9	407
1731 3.2	6.91	21.7	545
1735 4.0	6.94	21.5	686
1752 - 9.8	6.93	21.2	708
1137 - 5.6	7.26	21.6	729
$\frac{11}{1240}$ $\frac{6.7}{7.2}$	7.26	21.8	727
1741 2.5	7.76	21.9	730
en lie en			
and a second	ang		
an a			entre entre manual de la companya de

Nosheronoodor Sample time = 1750

PURGE10.92

NOTES:

	GRO	UNDWATER MONIT	Ronmental Dring/Well Purging Sheet	1	
Site Name	Xtra Oil/C	astro Valley	Well No.	MWIO	
Job No			Monter Date 7	126/10 +7/27/10	+ Samples
TOC to Wate	er (ft.) <u>5.7</u>	<u> </u>	Sheen	No	
Well Depth	011		Pree Pro	duct Thickness_Ø	
Well Diamet	er <u>2'' ((</u>	<u> 2.16)</u>	Sample C	ollection Method	
Gal./Casing	1 VOI. <u>2.6</u>		Disp	sable tailer	
TIME	J Vol-2 GAL. PURGED	7.9 PH	TEMPERATURE	ELECTRICAL CONDUCTIVITY	km
1713	0.9	6.94	24.2	112	
1714	1.7	6,8	23.1	127	
1717	2.6	1.58	22,3	468	
1718	3.5	6.62	- 22.1 -	- <u>492</u>	
1720	4.3	6.63	21,9	577	
1721	5.2	6.66	21.9	564	
1723	6.1	6.67	71.9	_582	
1775	6.9	6.69	21.8	_59)	
1727-	7.8	6,69	21.8	589	
	. <u></u>				

			an islalain an	 	
				a an	
				entalen yn yn dianaeur yn yr yn yn yn yn hief yn dig yn	
		a <u>n ang kang kang kang ka</u> ng kang kang kang kang kang kang kang ka			
NOTES:					
······································	, ————————————————————————————————————	No Sheen	+ No phc odo-		
		lsulfin	ado of Sampl	6 m = 1740	
PURGE10.92			. (

Ky,

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

Site Name	XTravil (Castr.	Unlley.	Well No.	hwil
Job No		/	Date 7/	
TOC to Wat	er (ft.) 4.17		Sheen No	
	(fr.) 14.4			ict Thickness
Well Diame	ter(0.16)		Sample Col	lection Method
Gal./Casin	g vol. 1.7		Dispos	able bailer
	ろゆにちい	١	l P	BLECTRICAL MS/CM
TIME	GAL. PURGED		TEMPERATURE	CONDUCTIVITY
1440	0.6	1.63	36.7	633
1443	1.1	7.44	24.9	665
1445	1.7	7.37	24.1	667
1447	2.3	7.36	23.6	671
1449	2.8	7.33	23.1	675
1451	3.4	7.22	23.0	675
1452	4.0	7.22	22.8	1 711
1105	11 5	7 19		$\frac{6+9}{10}$
1455	7.5	<u>+.) </u>	22.8	665
1458	-STTSIC W	ull deviter	u <u>e~ 4.8 j</u> all,	ソ

~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
	<del>م بين الله بين من بين من بين بين من بين ا</del>		<u>محمد است المراجع من محمد محمد محمد محمد مع</u>	
			-	<b>and a second and and and and and and and and and a</b>
<del>~<i></i></del>		ing the in the standard		
				ang paramakan na mang pang manang mang mang mang mang mang mang
		·		
NOTES :	Nosheen	+nophe	odor. Sanyle-	fire => 1630
		1		

## P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHERT

		DATA	SHEBT	<i>(A) (</i> <b>A</b> )
Site Name	XtraOil/Cart	n Velley	Well No	MWIZ
JOD NO.	0014	/	Date_ 7/	26/10
TOC to Wa	ter (ft.) 7.96		Sheen	No
Well Dept	h (fr.) 12.5		Free Produ	uct Thickness_
Well Diam	eter_ 2" (0.16	)	Sample Col	llection Metho
Gal./Casi	ng Vol. 0.8		Pispo.	rable baile
	31-2.4		67.6	ELECTRICAL
TIME	GAL. PURGED	DH 7 ny	TEMPERATURE C	CONDUCTIVIT
1757	0.3	7.09	24.7	605
1551	0.5	6.15	24.0	607
1541	0.8	6.87	23,9	670
1542	1 - 1	6,85	-23.7	625
1543	1.3	6.83	23.7	627
1544	1.6	6.83	23.7	624
1545	1,9	6.82	23.6	622
1546	5.1	6.83	23.5	624
1547	2.4	6.83	23.5	625
		terime in the life of the		• <u>••••••••••••••</u> •••••••••
	**************************************			
	** <b>*</b> ** <u>**************************</u> *	<u>مىلىپرا ئىسى بىنىلىنى</u>		- <u></u>
			tan ini shin Tan Barton garatan dan Tanggat	
		<u></u>		
			وبرجي الالبالي المتعالي والمراجع المراجع	
		<u></u>		
		·		• <del>•••</del> ••••••••••••••••••••••••••••••••
NOTES :	No share	light ohe	odor. Sarylefin	27216-0

Ð ckness_ n Method_ bailer ICTIVITY / SKM 

_____

PURGE10.92

**A** 

				0
	GROUN	P&D ENVIE DWATER MONITO	CONMENTAL DRING/WELL PURGING	
	$\mathbf{v}_{\mathbf{r}}$	DATA	CUERT	
Site Name	Atra Dil/Car	tr Valley	Well No.	EW1
JOD NO	0014	/	Monitored Date 71	26/10 + 7/27/15 Simple
TOC to Wat	er (ft.) 7.43	and we draw the first states	Sheen	No sic yes on sample
Well Depth	(ft.) 13.2		Pree Proc	duct Thickness 🖉
Well Diame	ter_ 811 (2.5)	84)	Sample Co	ollection Method
Gal./Casin	1g Vol. 19	5.0	Pisi	oosable baile-
	3vd=49	5.0	20	BLECTRICAL
TIME	GAL. PURGED	DH	TEMPERATURE	CONDUCTIVITY MS/CM
1450	5.0	6.47	23.9	670
1453	10.0	6.51	22.3	658
1456	15,0	6.48	32.0	659
1459	20.0	6.48	21.9	648
1507	25.0	6.48	21.8	650
1510	30,0	6,49	21.9	665
1513	35.0	6.49	21.9	658
1516	40.0	6.50	21.8	656
1519	45.0	6,50	21.7	653
			**************************************	
	• <del></del>			
	·			
	ىيەر يونىيە <u>مەنى</u> بىيوامىيە مىيانى مېيەنچ			
4**** <del>********************************</del>		<del></del>		and a second
			Anna bhara ann an Anna an Anna ann an Anna ann an Anna ann	• · · · · · · · · · · · · · · · · · · ·
<del>Ar</del>				
<u></u>				and a second
<del></del>			میں اور	
	<u>د د د د د د د د د د د د د د د د د د د </u>	, <del>1991 - 20</del> - 20 - 20 - 20 - 20 - 20 - 20 - 2	<b>a fall an an an an an an an an</b>	
NOTES :	Nesha	m; light-mid	pheodor. Sam	Artime = 1530hrs
	Sheen	onsample	, <u> </u>	

1 1

	GROUNI		IRONMENTAL FORING/WELL PURGING	ł	
Cine Neve	Xton Dil/Casta	בדבת	SHEET	OW1	
		<u>va</u> ney	Well No.		
Job No		~	Date	1:26/10	
	er (ft.) <u>7</u>	id	Sheen	NA	
Well Depth	(ft.) <u>7.2</u> ter 1 ⁿ		Free Prod	luct Thickness <u>C</u>	)
			Sample Co	ollection Method	
Gal./Casin	g Vol. N/A		Insuth	blection Method Cited Wither-No52 BLECTRICAL	inde
TIME	GAL. PURGED	рн	TEMPERATURE	BLECTRICAL CONDUCTIVITY	Collected
	an a			<del> </del>	
	<del>\</del>				
•	<u> </u>			<b>Wards - The Andrew Control Representation of the Andrew State</b>	
	<u> </u>		, <u>, , , , , , , , , , , , , , , , , , </u>		
		and a star of the		<b></b>	
		SIL			
		<u> </u>			
		<u> </u>			
- <u>01</u>	a - The standard of the standard and standard and standard and standard and standard and standard and standard	/			
			\	<b></b>	
	<del>، بالمراجع ، بروین ، بروین ، برای کار</del>			<u></u>	
			······································	• • •	
NOTES:	No Sampl	collecti	d in sufficient m	reter.	_
	'P	HC od.	~		

----

	NVIRONMENTAL NITORING/WBLL PURGING	
DA X to DI /C. et al II	ATA SHEET	
site Name XtraDil/CastroValley	Well No. $OW2$ Date $\frac{7/26/10}{}$	
JOB NO. DOIY	Date -1/26/10	
TOC to Water (ft.) 7.1	Sheen	
Well Depth (ft.) 7.1	Free Product Thickness	0
Well Diameter [//	Sample Collection Meth	od
Gal./Casing Vol. N/A	Ingetficient water M BLECTRICAL	esample
TIME GAL. PURGED DH	ELECTRICAL TEMPERATURE CONDUCTIVI	Coillected
		ni juga na nige na
		Maayaa
	Siz	
	- \	
		<del></del>
		$\overline{-+}$
anna an tha and an tha and an tha		
NOTES: No Sample	relicited; Insufficient water	

1 1

## LABORATORY REPORTS AND CHAIN OF CUSTODY DOCUMENTATION

McCampbell A	Web: www.mccampbell.c	Road, Pittsburg, CA 945 com E-mail: main@mc 52-9262 Fax: 925-25	ccampbell.com	
P & D Environmental	Client Project ID: #0014; X	Client Project ID: #0014; Xtra Oil		07/26/10-07/27/1
55 Santa Clara, Ste.240			Date Received:	07/28/10
55 Sana Ciara, 510.240	Client Contact: Steve Carn	nack	Date Reported:	08/04/10
Oakland, CA 94610	Client P.O.:		Date Completed:	08/04/10

#### WorkOrder: 1007759

August 04, 2010

Dear Steve:

Enclosed within are:

- 1) The results of the 11 analyzed samples from your project: #0014; Xtra Oil,
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McCampbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius Laboratory Manager McCampbell Analytical, Inc.

5 Sant O	/IRONMENTAL a Clara Ave, Suite 240 akland, CA 94610 (510) 658-6916		_		C	CHAIN OF CU	JSTO	YC	RE	100°				PAGE	of _
	PROJECT NUMBER:		P	ROJECT	NAME:	21				11	11	11	1	/	
I	0014			)	Ktra	O'll / Castro Valley Blod., Castro Valley			1	1.I	N	11	/	/	
I	0				100				F	A	3	11	/	/	
l				5	1950	-astro Valley Blud.			12	142	11	11		/	
						Castro Valley		18		35	1	11	w /	r	
ł	SAMPLED BY: (PR	NTED AND	SIGNAT		01		- 68	SEL	M	11	1	11	E /		
1	Steve Comm	ack	1	Ø Ø	en	2	ANE	AWAL YSISTER	X	77		1	F/	REMAR	RKS
	SAMPLE NUMBER	DATE	TIME	TYPE		SAMPLE LOCATION	NUMBER OF CONTAINERS	R	H	11	/	PRE	THATTLE		
I	MW2	7/27/10	1420	HO			7	X	x	ff	M	ICE	Non	mal Turna	
t	MW3		1675	1 de			7	X	X			1	1	Ne Inchar	mad i
	MW5		1700				7	X	X				4	6.0	
	MWG	7/26/10	1830				7	X	×						
L	MW7		1640				6	X	X						
L	MN8		1620				7	X	X						
ŀ	MWG	-	1750				7	×	X						1
L	MWID	7/27/10	1740				7	x	X						1
L	MWIL	7/26/10	1630				6	X	X						
ŀ	MWIZ	1-	1555	_			7	x	X			_			
1	EWI	7/27/10	1530	ł			7	×	×			A	4	¥	Y
$\mathbf{F}$						· · · · · · · · · · · · · · · · · · ·		+		++	$\vdash$				
E						·			+	++					
-		/									П				
H	RELINGUISHED BA	SCHATURE	5	DATE	TIME	RECEIVED BY: (SIGNAT	IRF)			SAMPLES	1.1	1.40	ORATO		
	XXXIII	V	71	2010	150				145 34F	NENT) CONTUNNOS NENT)	20		-	pbell An	Juhi
L	RELINCUISHED BY:	SIGNATURE	12	DATE	TIME	RECEIVED BY: (SIGNAT	IRE)			DRY CO				RY PHONE N	-
	4	1	171	28/0	1600	all all			1	kya	1.			52-92	
	RELINQUISHED BY:	SIGNATURE		DATE	TIME	RECEIVED FOR LABORA	TORY BY:	T		AMPLE	ANAL	YSIS R	EQUEST	SHEET	
L	25					(SIGNATURE)			-	ATTAC	HED:	())	5 (X)	0140	
do	Results and billing t	PROPRIATE	RS			REMARKS:		A	11 h	Hles pr	1.500	de de sal	Hr	1	

1534 Willow Pass Rd

## CHAIN-OF-CUSTODY RECORD

Page 1 of 1

(925) 25						Work	Order	: 1007	759	(	ClientC	Code: P	<b>DEO</b>				
		WaterTrax	WriteOn	EDF	Γ	Excel		Fax		🗸 Email		Harc	dCopy	🗌 Thi	rdParty	J-	flag
Report to:							Bill to:		<b>.</b>				Req	uested	TAT:	5 (	days
Steve Carma P & D Enviro 55 Santa Cla Oakland, CA (510) 658-691	onmental ara, Ste.240 \ 94610	Email: la cc: PO: ProjectNo: #	ab@pdenvirc 0014; Xtra O				Xt 23	ccounts ra Oil C 307 Pac ameda,	ompan ific Ave	y nue				e Rece e Prin		07/28/ 07/28/	
									Req	uested	Tests	(See le	gend b	elow)			
Lab ID	Client ID		Matrix	Collection Date	Hold	1	2	3	4	5	6	7	8	9	10	11	12
1007759-001	MW1		Water	7/27/2010 14:20		Α	В										
1007759-002	MW3		Water	7/27/2010 16:25		Α	В										
1007759-003	MW5		Water	7/27/2010 17:00		Α	В										
1007759-004	MW6		Water	7/26/2010 18:20		Α	В										
1007759-005	MW7		Water	7/26/2010 16:40		Α	В										
1007759-006	MW8		Water	7/26/2010 16:20		Α	В										
1007759-007	MW9		Water	7/26/2010 17:50		Α	В										
1007759-008	MW10		Water	7/27/2010 17:40		Α	В										
1007759-009	MW11		Water	7/26/2010 16:30		Α	В										
1007759-010	MW12		Water	7/26/2010 15:55		Α	В										
1007759-011	EW1		Water	7/27/2010 15:30		Α	В										

#### Test Legend:

1	G-MBTEX_W	2 IBTEXOXYPBSCV-8260B_V
6		7
11		12

3		
8		

4	
9	

5	Γ	 		 
10	Ī			 

The following SampIDs: 001A, 002A, 003A, 004A, 005A, 006A, 007A, 008A, 009A, 010A, 011A contain testgroup.

#### **Comments:**

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days). Hazardous samples will be returned to client or disposed of at client expense.

#### Prepared by: Melissa Valles



"When Ouality Counts"

### Sample Receipt Checklist

Client Name: P & D Environmental			Date a	and Time Received:	7/28/2010	6:01:18 PM
Project Name: #0014; Xtra Oil			Check	klist completed and re	eviewed by:	Melissa Valles
WorkOrder N°:         1007759         Matrix         Water			Carrie	er: <u>Rob Pringle (M</u>	Al Courier)	
<u>Chain</u>	of Cu	stody (COC	:) Informa	ation		
Chain of custody present?	Yes	$\checkmark$	No 🗆			
Chain of custody signed when relinquished and received?	Yes	$\checkmark$	No 🗆			
Chain of custody agrees with sample labels?	Yes		No 🗌			
Sample IDs noted by Client on COC?	Yes	$\checkmark$	No 🗆			
Date and Time of collection noted by Client on COC?	Yes	$\checkmark$	No 🗆			
Sampler's name noted on COC?	Yes		No 🗆			
<u>Si</u>	ample	Receipt Inf	ormation	1		
Custody seals intact on shipping container/cooler?	Yes		No 🗆		NA 🔽	
Shipping container/cooler in good condition?	Yes	$\checkmark$	No 🗆			
Samples in proper containers/bottles?	Yes	$\checkmark$	No 🗆			
Sample containers intact?	Yes	$\checkmark$	No 🗆			
Sufficient sample volume for indicated test?	Yes		No 🗌			
Sample Prese	rvatior	and Hold	<u>Time (HT</u>	) Information		
All samples received within holding time?	Yes		No 🗌			
Container/Temp Blank temperature	Coole	r Temp: 2.	8°C		NA 🗆	
Water - VOA vials have zero headspace / no bubbles?	Yes	$\checkmark$	No 🗆	No VOA vials subm	itted 🗆	
Sample labels checked for correct preservation?	Yes		No 🗌			
Metal - pH acceptable upon receipt (pH<2)?	Yes		No 🗆		NA 🗹	
Samples Received on Ice?	Yes		No 🗆			
(Ісе Тур	e: WE	FICE )				
* NOTE: If the "No" box is checked, see comments below.						

Client contacted:

Date contacted:

Contacted by:

Comments:

	Campbell Analyti	cal, Inc.	Web: www.mccamp	Pass Road, Pittsbur bell.com E-mail: 377-252-9262 Fa	main@m	ccampbell.	com
P & D Environm		Client Project ID:	•	Date Sample			7/27/10
55 Santa Clara, S	Sto 240			Date Receiv	ed: 07	/28/10	
55 Saina Ciara, 5	0.C.240	Client Contact: S	teve Carmack	Date Extract	ed: 07	/29/10-0	8/02/10
Oakland, CA 946	510	Client P.O.:		Date Analyz	ed 07	/29/10-0	8/02/10
Extraction method SW		0	atile Hydrocarbons as G	asoline*	Wa	rk Order:	1007759
Lab ID	Client ID	Matrix	TPH(g)		DF	% SS	Comments
001A	MW1	W	20,000		50	111	d1
002A	MW3	W	30,000		100	87	d1
003A	MW5	W	ND		1	110	
004A	MW6	W	58,000		100	114	d1
005A	MW7	W	200		1	111	d1
006A	MW8	W	4400		1	118	d1
007A	MW9	W	ND		1	105	
008A	MW10	W	ND		1	104	
009A	MW11	W	ND		1	107	
010A	MW12	W	ND		1	104	
011A	EW1	W	2400		10	114	d1
							-
							<u> </u>
							<u> </u>
-	ting Limit for DF =1; cans not detected at or	W	50			μg/L	
	e the reporting limit	S	NA			NA	

* water and vapor samples are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

# cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference.

%SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:

d1) weakly modified or unmodified gasoline is significant

DHS ELAP Certification 1644



Angela Rydelius, Lab Manager

	Counts"	<u>l, Inc.</u>		Web: www.mccamp Telephone: 8	77-252-9262 Fax: 925	@mccampbell.co 5-252-9269		
P & D Environmental	Cli	ent Project ID:	#0014;2	Xtra Oil	Date Sampled:	07/26/10-07	7/27/10	
55 Santa Clara Sta 240					Date Received:	07/28/10		
55 Santa Clara, Ste.240	Cli	ient Contact: S	Steve Ca	rmack	Date Extracted:	07/29/10-08	3/02/10	
Oakland, CA 94610	Cli	ent P.O.:			Date Analyzed: 07/29/10-08/02/10			
	Oxygenate	s. MBTEX & I	Lead Scav	vengers by GC/N	 /[S*			
Extraction Method: SW5030B	01. <b>j g</b> -1	Analytical Metho		0	-~	Work Order:	1007759	
Lab ID	1007759-0	001B 100775	9-002B	1007759-003B	1007759-004B			
Client ID	MW1	M	W3	MW5	MW6	Reporting		
Matrix	W	v	V	W	W	DF	=1	
DF	50	10	00	1	330	S	W	
Compound			Conce	entration		ug/kg	μg/L	
tert-Amyl methyl ether (TAME)	ND<2	5 ND<	<500	ND	ND<170	NA	0.5	
Benzene	330	27,0	000	ND	5500	NA	0.5	
t-Butyl alcohol (TBA)	ND<10	00 36	00	ND	ND<670	NA	2.0	
1,2-Dibromoethane (EDB)	ND<2	5 ND<	<500	ND	ND<170	NA	0.5	
	ND <2		-500	ND	ND<170	NA	0.5	
1,2-Dichloroethane (1,2-DCA)	ND<2	5 ND<	500	ND	ND<170	INA		
	ND<2.			ND	ND<170	NA	0.5	
Diisopropyl ether (DIPE)		5 ND<	<500				0.5 0.5	
Diisopropyl ether (DIPE) Ethylbenzene	ND<2	5 ND< 75	<500 50	ND	ND<170	NA		
Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE)	ND<2.	5 ND< 75	<500 50 <500	ND ND	ND<170 3300	NA NA	0.5	
Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE)	ND<2. 1500 ND<2.	5 ND< 75 5 ND<	<500 50 <500 00	ND ND ND	ND<170 3300 ND<170	NA NA NA	0.5	
1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene Xylenes	ND<2. 1500 ND<2. 45	5 ND< 5 ND< 5 ND< 290 ND<	<500 50 <500 00 <500	ND ND ND 0.51	ND<170 3300 ND<170 ND<170	NA NA NA NA	0.5 0.5 0.5	
Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene	ND<2. 1500 ND<2. 45 180	5 ND< 5 ND< 5 ND< 290 ND<	<500 50 <500 00 <500 00	ND ND 0.51 ND ND	ND<170	NA NA NA NA	0.5 0.5 0.5 0.5	
Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene	ND<2. 1500 ND<2. 45 180	5 ND< 75 5 ND< 290 ND< 160 Surrogate Re	<500 50 <500 00 <500 00	ND ND 0.51 ND ND	ND<170	NA NA NA NA	0.5 0.5 0.5 0.5	

%SS = Percent Recovery of Surrogate Standard DF = Dilution Factor

	nalytical, In Counts"		Web: www.mccamp Telephone: 8	bell.com E-mail: main 377-252-9262 Fax: 925	@mccampbell.c 5-252-9269	om	
P & D Environmental		roject ID: #0014;		Date Sampled:	07/26/10-0	7/27/10	
				Date Received:	07/28/10		
55 Santa Clara, Ste.240	Client	Contact: Steve C	armack	Date Extracted:	07/29/10.09	8/02/10	
Ooldond CA 04610			annack	Date Analyzed: 07/29/10-08/02/10			
Oakland, CA 94610	Client P	.0.:		Date Analyzed:	07/29/10-08	8/02/10	
		BTEX & Lead Sca	-	AS*		1005550	
Extraction Method: SW5030B Lab ID	An 1007759-005B	alytical Method: SW82 1007759-006B	1007759-007B	1007759-008B	Work Order:	1007759	
Client ID	MW7	MW8	MW9	MW10	-		
Chem ID	111 11 1				Reporting DF		
Matrix	W	W	W	W			
DF	3.3	1	1	1	S	W	
Compound		Cond	centration		ug/kg	µg/L	
tert-Amyl methyl ether (TAME)	ND<1.7	ND	ND	ND	NA	0.5	
Benzene	75	26	ND	ND	NA	0.5	
t-Butyl alcohol (TBA)	ND<6.7	ND	ND	ND	NA	2.0	
	ND<1.7	ND	ND	ND	NA	0.5	
1,2-Dibromoethane (EDB)							
	ND<1.7	ND	ND	ND	NA	0.5	
1,2-Dichloroethane (1,2-DCA)	ND<1.7 ND<1.7	ND ND	ND ND	ND ND	NA NA	0.5	
1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE)							
1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE) Ethylbenzene	ND<1.7	ND	ND	ND	NA	0.5	
1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE)	ND<1.7 17	ND 13	ND ND	ND ND	NA NA	0.5	
1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE)	ND<1.7 17 ND<1.7	ND 13 ND	ND ND ND	ND ND ND	NA NA NA	0.5 0.5 0.5	
1,2-Dibromoethane (EDB) 1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene Xylenes	ND<1.7 17 ND<1.7 7.6	ND 13 ND 3.4	ND ND ND ND	ND ND ND ND	NA NA NA NA	0.5 0.5 0.5 0.5	
1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene	ND<1.7 17 ND<1.7 7.6 ND<1.7 ND<1.7	ND 13 ND 3.4 ND	ND ND ND ND ND ND ND	ND ND ND ND ND	NA NA NA NA	0.5 0.5 0.5 0.5 0.5	
1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene	ND<1.7 17 ND<1.7 7.6 ND<1.7 ND<1.7	ND           13           ND           3.4           ND           0.98	ND ND ND ND ND ND ND	ND ND ND ND ND	NA NA NA NA	0.5 0.5 0.5 0.5 0.5	

%SS = Percent Recovery of Surrogate Standard

DF = Dilution Factor

Angela Rydelius, Lab Manager

"When Ouality	nalytical, I	<u>nc.</u>	Web: www.mccamp	Pass Road, Pittsburg, CA bell.com E-mail: mair 377-252-9262 Fax: 92	n@mccampbell.co	om	
P & D Environmental		Project ID: #001		Date Sampled:	07/26/10-07	7/27/10	
		5		Date Received:	07/28/10		
55 Santa Clara, Ste.240	Climat		C1			000/10	
		Contact: Steve (	Сагтаск	Date Extracted: 07/29/10-08/02/10			
Oakland, CA 94610	Client H	2.0.:		Date Analyzed:	07/29/10-08	3/02/10	
Enterstine Mathed, SW5020D			cavengers by GC/N	/IS*	We de Ordens	1007750	
Extraction Method: SW5030B Lab ID	1007759-009B	1007759-010E			Work Order:	1007759	
Client ID	MW11	MW12	EW1		-		
Cheft ID					Reporting DF		
Matrix	W	W	W			-1	
DF	1	1	10		S	W	
Compound		Cor	ncentration	·	ug/kg	μg/L	
tert-Amyl methyl ether (TAME)	ND	ND	ND<5.0		NA	0.5	
Benzene	ND	ND	220		NA	0.5	
t-Butyl alcohol (TBA)	ND	ND	1600		NA	2.0	
1,2-Dibromoethane (EDB)	ND	ND	ND<5.0		NA	0.5	
		ND	ND<5.0		NA	0.5	
1,2-Dichloroethane (1,2-DCA)	ND	T(D					
	ND ND	ND	ND<5.0		NA	0.5	
Diisopropyl ether (DIPE)			ND<5.0		NA NA	0.5	
Diisopropyl ether (DIPE) Ethylbenzene	ND	ND					
Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE)	ND ND	ND	14		NA	0.5	
Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE)	ND ND ND	ND ND ND	14 ND<5.0		NA NA	0.5	
Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene	ND ND ND ND	ND           ND           ND           7.1	14 ND<5.0 170		NA NA NA	0.5 0.5 0.5	
1,2-Dichloroethane (1,2-DCA) Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene Xylenes	ND ND ND ND ND ND	ND ND ND 7.1 ND	14           ND<5.0		NA NA NA NA	0.5 0.5 0.5 0.5	
Diisopropyl ether (DIPE) Ethylbenzene Ethyl tert-butyl ether (ETBE) Methyl-t-butyl ether (MTBE) Toluene	ND ND ND ND ND ND	ND ND ND 7.1 ND ND	14           ND<5.0		NA NA NA NA	0.5 0.5 0.5 0.5	

%SS = Percent Recovery of Surrogate Standard DF = Dilution Factor

Angela Rydelius, Lab Manager

<u> </u>	TWhen Quality Count		Web: www	Willow Pass Road, Pittsburg, CA .mccampbell.com E-mail: main ephone: 877-252-9262 Fax: 92			
P & D Environment	al	Client Project II	D: #0014; Xtra Oil	Date Sampled:	07/26	/10-07/2	7/10
55 Santa Clara, Ste.2	240			Date Received:	07/28/	/10	
55 Santa Ciara, Stc.2	-+0	Client Contact:	Steve Carmack	Carmack Date Extracted:			
Oakland, CA 94610		Client P.O.:		Date Analyzed:	07/29/	/10-07/30	0/10
Extraction method: SW35	10C		able Petroleum Hydro methods: SW8015B	carbons*	W	ork Order:	1007759
Lab ID	Client ID	Matrix	TPH-Diesel (C10-C23)	TPH-Motor Oil (C18-C36)	DF	% SS	Comments
1007759-001A	MW1	W	4700	24,000	20	80	e7,e4,e2
1007759-002A	MW3	W	13,000	40,000	20	82	e7,e2,e4,b6
1007759-003A	MW5	W	ND	ND	1	92	
1007759-004A	MW6	W	6500	ND	1	97	e4
1007759-005A	MW7	W	ND	ND	1	94	
1007759-006A	MW8	W	1000	ND	1	92	e4
1007759-007A	MW9	W	ND	ND	1	104	
1007759-008A	MW10	W	ND	ND	1	102	
1007759-009A	MW11	W	ND	ND	1	102	
1007759-010A	MW12	W	ND	ND	1	91	
1007759-011A	EW1	W	6600	3800	1	93	e1,e4
D (							

Reporting Limit for DF =1;	W	50	250	μg/L
ND means not detected at or above the reporting limit	S	NA	NA	mg/Kg

* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

%SS = Percent Recovery of Surrogate Standard DF = Dilution Factor

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:

b6) lighter than water immiscible sheen/product is present

e1) unmodified or weakly modified diesel is significant

e2) diesel range compounds are significant; no recognizable pattern

e4) gasoline range compounds are significant.

e7) oil range compounds are significant





"When Ouality Counts"

### QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water		QC Matrix: Water					Batch	ID: 52151	WorkOrder 1007759			
EPA Method SW8015Bm	Extra	ction SW	5030B				Spiked Sample ID: 1007768-028					)28A
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acce	eptance	Criteria (%)	1
	μg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex ^f	ND	60	112	109	2.12	98.4	97.8	0.544	70 - 130	20	70 - 130	20
MTBE	ND	10	107	112	5.16	98	107	8.94	70 - 130	20	70 - 130	20
Benzene	ND	10	94.1	92.9	1.28	93.9	93.3	0.638	70 - 130	20	70 - 130	20
Toluene	ND	10	95.3	91.9	3.57	93	93.3	0.374	70 - 130	20	70 - 130	20
Ethylbenzene	ND	10	94.5	92.5	2.13	93.9	92.2	1.80	70 - 130	20	70 - 130	20
Xylenes	ND	30	96.7	94.8	2.01	96.7	95.7	1.04	70 - 130	20	70 - 130	20
%SS:	98	10	94	95	1.45	94	97	2.48	70 - 130	20	70 - 130	20
	98	10	94	95	1.45	94	97	2.48	70 - 130			

#### BATCH 52151 SUMMARY Lab ID **Date Sampled** Date Extracted Date Analyzed Lab ID Date Sampled Date Extracted Date Analyzed 1007759-001A 07/27/10 2:20 PM 07/29/10 07/29/10 7:17 PM 1007759-002A 07/27/10 4:25 PM 07/31/10 07/31/10 2:29 AM 1007759-003A 1007759-004A 07/27/10 5:00 PM 07/30/10 07/30/10 1:15 AM 07/26/10 6:20 PM 07/31/10 07/31/10 2:00 AM 1007759-005A 07/26/10 4:40 PM 07/30/10 07/30/10 1:44 AM 1007759-006A 07/26/10 4:20 PM 07/30/10 07/30/10 2:14 AM 07/30/10 3:13 AM 1007759-007A 07/26/10 5:50 PM 07/30/10 07/30/10 2:43 AM 1007759-008A 07/27/10 5:40 PM 07/30/10 1007759-009A 07/30/10 1007759-010A 07/26/10 3:55 PM 08/02/10 08/02/10 9:31 PM 07/26/10 4:30 PM 07/30/10 3:42 AM 1007759-011A 07/27/10 3:30 PM 07/29/10 07/29/10 8:47 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.

R OA/OC Officer



"When Ouality Counts"

#### QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water		QC Matrix: Water					BatchID: 52126 WorkOrder 1007759					
EPA Method SW8260B	Extra	ction SW	5030B					5	Spiked San	nple ID	: 1007759-0	07B
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acce	eptance	Criteria (%)	
Analyte	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
tert-Amyl methyl ether (TAME)	ND	10	85.2	91.7	7.36	86.3	86	0.397	70 - 130	30	70 - 130	30
Benzene	ND	10	107	105	2.09	105	101	3.19	70 - 130	30	70 - 130	30
t-Butyl alcohol (TBA)	ND	50	80.7	97.7	19.0	71.9	79.9	10.6	70 - 130	30	70 - 130	30
1,2-Dibromoethane (EDB)	ND	10	98.4	106	7.26	99.4	95.5	4.04	70 - 130	30	70 - 130	30
1,2-Dichloroethane (1,2-DCA)	ND	10	94	96.9	3.05	110	107	2.24	70 - 130	30	70 - 130	30
Diisopropyl ether (DIPE)	ND	10	113	114	1.27	108	108	0	70 - 130	30	70 - 130	30
Ethyl tert-butyl ether (ETBE)	ND	10	105	107	2.40	102	101	1.19	70 - 130	30	70 - 130	30
Methyl-t-butyl ether (MTBE)	ND	10	104	109	5.06	107	107	0	70 - 130	30	70 - 130	30
Toluene	ND	10	108	111	3.35	103	98.9	4.25	70 - 130	30	70 - 130	30
%SS1:	99	25	97	93	4.29	118	118	0	70 - 130	30	70 - 130	30
%SS2:	108	25	106	107	1.09	107	105	2.28	70 - 130	30	70 - 130	30

#### BATCH 52126 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1007759-001B	07/27/10 2:20 PM	07/29/10	07/29/10 8:31 PM	1007759-002B	07/27/10 4:25 PM	07/29/10	07/29/10 9:25 PM
1007759-003B	07/27/10 5:00 PM	07/29/10	07/29/10 10:10 PM	1007759-004B	07/26/10 6:20 PM	07/31/10	07/31/10 5:17 AM
1007759-005B	07/26/10 4:40 PM	07/31/10	07/31/10 3:25 AM	1007759-006B	07/26/10 4:20 PM	08/02/10	08/02/10 3:07 PM
1007759-007B	07/26/10 5:50 PM	07/29/10	07/29/10 11:35 PM	1007759-008B	07/27/10 5:40 PM	07/30/10	07/30/10 12:18 AM
1007759-009B	07/26/10 4:30 PM	07/30/10	07/30/10 1:00 AM	1007759-010B	07/26/10 3:55 PM	07/30/10	07/30/10 1:42 AM
1007759-011B	07/27/10 3:30 PM	07/31/10	07/31/10 6:42 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

R_QA/QC Officer

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



1534 Willow Pass Road, Pittsburg, CA 94565-1701 Web: www.mccampbell.com E-mail: main@mccampbell.com Telephone: 877-252-9262 Fax: 925-252-9269

"When Ouality Counts"

#### QC SUMMARY REPORT FOR SW8015B

W.O. Sample Matrix: Water QC Matrix: Water							Batch	D: 52072	WorkOrder 1007759				
EPA Method SW8015B	Extra	ction SW	3510C				Spiked San				nple ID: N/A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	CS LCSD LCS-LCSD Accept			eptance	ance Criteria (%)		
	µg/L	μg/L μg/L % Rec. % Rec. %				% RPD % Rec.		% RPD	MS / MSD	RPD	LCS/LCSD	RPD	
TPH-Diesel (C10-C23)	N/A	1000	N/A	N/A	N/A	100	99.9	0.0915	N/A	N/A	70 - 130	30	
%SS:	N/A	625	N/A	N/A	N/A	104	104	0	N/A	N/A	70 - 130	30	
All target compounds in the Metho NONE	od Blank of this	extraction	batch we	re ND les	s than the	method R	L with th	e following	exceptions:				

#### BATCH 52072 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1007759-001A	07/27/10 2:20 PM	07/28/10	07/29/10 5:15 AM	1007759-002A	07/27/10 4:25 PM	07/28/10	07/29/10 6:43 AM
1007759-003A	07/27/10 5:00 PM	07/28/10	07/30/10 6:12 AM	1007759-004A	07/26/10 6:20 PM	07/28/10	07/30/10 5:03 AM
1007759-005A	07/26/10 4:40 PM	07/28/10	07/29/10 8:39 AM	1007759-006A	07/26/10 4:20 PM	07/28/10	07/29/10 11:23 PM
1007759-007A	07/26/10 5:50 PM	07/28/10	07/29/10 8:39 AM	1007759-008A	07/27/10 5:40 PM	07/28/10	07/29/10 9:57 AM
1007759-009A	07/26/10 4:30 PM	07/28/10	07/29/10 11:09 AM	1007759-010A	07/26/10 3:55 PM	07/28/10	07/29/10 10:15 PM
1007759-011A	07/27/10 3:30 PM	07/28/10	07/29/10 2:48 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

JR QA/QC Officer