

**CAMBRIA ENVIRONMENTAL TECHNOLOGY, INC.**

1144 65th Street, Suite B

Oakland, CA 94608

Phone (510) 420-0700

Fax (510) 420-9170

FAX TRANSMITTAL

To: Barney Chan**Organization:** ACDEH**Phone:** (510) 567-6765**Fax #:** (510) 337-9335**Re:** Well Sampling Protocol**From:** Bob Schultz**Phone:** (510) 420-3341**Date:** August 17, 1998**Project #:** 153-1247**No. Pages (incl. cover):** 3**Dear Barney:**

Thank you for your call this evening. Please find attached our internal well sampling protocol sheet for 7101 Edgewater Drive, Oakland. If you have any questions or required changes to this protocol, please contact me as soon as possible.

Thank you,

A handwritten signature in cursive script that reads "Bob Schultz".

Bob Schultz

cc: Mark Hersh, City of Oakland

H:\City of Oakland\MSQ\MFX\chansampleprotocol.WPD

This fax transmittal is intended solely for use by the person or entity identified above. Any copying or distribution of this document by anyone other than the intended recipient is strictly prohibited. If you are not the intended recipient, please telephone us immediately and return the original transmittal to us at the address listed above.

Cambria QM Well Sampling Protocol

Client: City of Oakland, Municipal Services Center

CAMBRIA

| | | | |
|---------------------|-------------------------|---------------------------------|----------|
| Address | 7101 Edgewater Drive | Cambria Project # | 153-1247 |
| City | Oakland | Cambria Project Manager: | DCE |
| Cross Street | exit 880 to Hegenberger | Sample Month: | B |

General Notes: Bail any free product encountered, drum and store on site. Take drums for purge water containment. Get key to enter park lands west and north of site.

| Well ID | Sample? | | | | Analytes | Comments |
|---------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--|---|
| | 1Q98 | 2Q98 | 3Q98 | 4Q98 | | |
| MW-1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | TPHd, TPHg, BTEX, MTBE, confirm MTBE hit w/8260 | |
| MW-10 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | TPHg, BTEX, MTBE, TPHd, kero, TPHmo, confirm MTBE hit w/8260 | |
| MW-2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | TPHd, BTEX, MTBE, Total Lead, confirm MTBE hit w/8260 | |
| MW-3 | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | bioparameters, sodium, chloride | gauge well, plan to destroy(?), well was submerged 1q98 |
| MW-4 | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | bioparameters, sodium, chloride | gauge well, plan to destroy(?), well was submerged 1q98 |
| MW-5 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | TPHg, BTEX, MTBE, TPHd, kero, TPHmo, confirm MTBE hit w/8260 | |
| MW-6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | TPHg, BTEX, MTBE, TPHd, confirm MTBE hit w/8260 (Col, Cr, Pb, Ar, Zn) | Free product observed 1q98 |
| MW-7 | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Ni | plan to remove well from sampling protocol, destroy(?) |
| MW-8 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | TPHg, BTEX, MTBE, TPHd, kero, TPHmo, confirm MTBE hit w/8260 | |

Monday, August 17, 1998

* Also bioparameters for all 10 wells in 8/98 & 2/99 (July 29, 1998 letter to M. Hersh from Cambria)
 Na+Cl- + estuary blank

AUG-17-1998 17:44

CMBRIA

SIO 420 210

Cambria QM Well Sampling Protocol

Client: City of Oakland, Municipal Services Center

CAMBRIA

MW-9

-
-
-
-

TPHg, BTEX, MTBE, TPHd, kero, TPHmo,
confirm MTBE hit w/8260

Trip Blank

-
-
-
-

TPHg, BTEX, MTBE

~~MW 10~~

-
-
-
-

~~TPHg, TPHd, kero, mo, BTEX~~