

ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

September 21, 2006

Seung Lee
German Autocraft
301 E. 14th Street
San Leandro, CA 94566

UST Site: 301 E. 14th Ave
San Leandro, CA

Re: First Quarter 2006 Groundwater Monitoring Data

Dear Mr. Lee:

Attached are lab data sheets and field data sheets for the first quarter 2006 and depth to groundwater measurements for the second quarter 2006.

Unfortunately due to a lack of a sufficient budget to run your project, it is necessary for us to quit the project.

Sincerely yours,

Tom Price
Project Manager

cc: Donna Drogon
Alameda County Dept. Environmental Health
1131 Harbor Bay Pkwy, #250
Alameda, CA 94502-6577

Mike Bakaldin
City of San Leandro Environmental Services Dept.
835 E. 14th Street
San Leandro, CA 94577

Alameda County
SEP 25 2006
Environmental Health

2006 SEP 22 PM 1:01

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Tom Price
Environmental Testing
1792 Rogers Avenue
San Jose, CA 95112

Lab Certificate Number: 48774

Issued: 04/06/2006

Global ID: T0600100639

Project Name: GA

Certificate of Analysis - Final Report

On March 31, 2006, samples were received under chain of custody for analysis.

Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test / Comments</u>
Liquid	Electronic Deliverables EPA 8260B for Groundwater and Water - EPA 624 for Wastewater TPH as Gasoline by GC/MS

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy
Laboratory Director

Alameda County
SEP 25 2006
Environmental Health

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Environmental Testing
1792 Rogers Avenue
San Jose, CA 95112
Attn: Tom Price

Project Name: GA
Project Location: GA
GlobalID: T0600100639

Certificate of Analysis - Data Report

Samples Received: 03/31/2006
Sample Collected by: Client

Lab #: 48774-001 Sample ID: MW-01 Matrix: Liquid Sample Date: 3/29/2006 3:20 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Benzene	1400		400	200	µg/L	N/A	N/A	4/6/2006	WM1060405
Toluene	16000		400	200	µg/L	N/A	N/A	4/6/2006	WM1060405
Ethyl Benzene	4900		400	200	µg/L	N/A	N/A	4/6/2006	WM1060405
Xylenes, Total	28000		400	200	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.4	60 - 130
Dibromofluoromethane	107	60 - 130
Toluene-d8	95.6	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

EPA 5030C - TPH as Gasoline by GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	69000		400	10000	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	89.9	60 - 130
Dibromofluoromethane	97.1	60 - 130
Toluene-d8	91.1	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Lab #: 48774-002 Sample ID: MW-02 Matrix: Liquid Sample Date: 3/29/2006 2:35 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Benzene	1400		40	20	µg/L	N/A	N/A	4/6/2006	WM1060405
Toluene	ND		40	20	µg/L	N/A	N/A	4/6/2006	WM1060405
Ethyl Benzene	52		40	20	µg/L	N/A	N/A	4/6/2006	WM1060405
Xylenes, Total	ND		40	20	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	94.9	60 - 130
Dibromofluoromethane	108	60 - 130
Toluene-d8	98.0	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

EPA 5030C - TPH as Gasoline by GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	5200		40	1000	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	89.5	60 - 130
Dibromofluoromethane	97.3	60 - 130
Toluene-d8	93.3	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

4/6/2006 9:39:39 PM - dba

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Environmental Testing
1792 Rogers Avenue
San Jose, CA 95112
Attn: Tom Price

Project Name: GA
Project Location: GA
GlobalID: T0600100639

Certificate of Analysis - Data Report

Samples Received: 03/31/2006
Sample Collected by: Client

Lab #: 48774-003 Sample ID: MW-03 Matrix: Liquid Sample Date: 3/29/2006 2:15 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Benzene	180		10	5.0	µg/L	N/A	N/A	4/6/2006	WM1060405
Toluene	17		10	5.0	µg/L	N/A	N/A	4/6/2006	WM1060405
Ethyl Benzene	460		10	5.0	µg/L	N/A	N/A	4/6/2006	WM1060405
Xylenes, Total	680		10	5.0	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	89.2	60 - 130
Dibromofluoromethane	108	60 - 130
Toluene-d8	91.3	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

EPA 5030C - TPH as Gasoline by GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	7200		10	250	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	84.1	60 - 130
Dibromofluoromethane	97.8	60 - 130
Toluene-d8	86.9	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Lab #: 48774-004 Sample ID: MW-04 Matrix: Liquid Sample Date: 3/29/2006 2:55 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Benzene	2000		100	50	µg/L	N/A	N/A	4/6/2006	WM1060405
Toluene	1200		100	50	µg/L	N/A	N/A	4/6/2006	WM1060405
Ethyl Benzene	910		100	50	µg/L	N/A	N/A	4/6/2006	WM1060405
Xylenes, Total	2400		100	50	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.1	60 - 130
Dibromofluoromethane	106	60 - 130
Toluene-d8	96.4	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

EPA 5030C - TPH as Gasoline by GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	17000		100	2500	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	89.7	60 - 130
Dibromofluoromethane	95.7	60 - 130
Toluene-d8	91.8	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

4/6/2006 9:39:40 PM - dba

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Environmental Testing
1792 Rogers Avenue
San Jose, CA 95112
Attn: Tom Price

Project Name: GA
Project Location: GA
GlobalID: T0600100639

Certificate of Analysis - Data Report

Samples Received: 03/31/2006
Sample Collected by: Client

Lab #: 48774-005 Sample ID: MW-05 Matrix: Liquid Sample Date: 3/29/2006 1:50 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	4/6/2006	WM1060405
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	4/6/2006	WM1060405
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	4/6/2006	WM1060405
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.5	60 - 130
Dibromofluoromethane	110	60 - 130
Toluene-d8	98.7	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

EPA 5030C - TPH as Gasoline by GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	190		1.0	25	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	90.0	60 - 130
Dibromofluoromethane	99.8	60 - 130
Toluene-d8	94.0	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Lab #: 48774-006 Sample ID: MW-09 Matrix: Liquid Sample Date: 3/29/2006 3:55 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Benzene	ND		20	10	µg/L	N/A	N/A	4/6/2006	WM1060405
Toluene	ND		20	10	µg/L	N/A	N/A	4/6/2006	WM1060405
Ethyl Benzene	57		20	10	µg/L	N/A	N/A	4/6/2006	WM1060405
Xylenes, Total	11		20	10	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	94.5	60 - 130
Dibromofluoromethane	108	60 - 130
Toluene-d8	98.4	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

EPA 5030C - TPH as Gasoline by GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	6200		20	500	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	89.1	60 - 130
Dibromofluoromethane	98.0	60 - 130
Toluene-d8	93.7	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

4/6/2006 9:39:40 PM - dba

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Environmental Testing
1792 Rogers Avenue
San Jose, CA 95112
Attn: Tom Price

Project Name: GA
Project Location: GA
GlobalID: T0600100639

Certificate of Analysis - Data Report

Samples Received: 03/31/2006
Sample Collected by: Client

Lab #: 48774-007 Sample ID: MW-10 Matrix: Liquid Sample Date: 3/29/2006 2:15 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Benzene	140		10	5.0	µg/L	N/A	N/A	4/6/2006	WM1060405
Toluene	18		10	5.0	µg/L	N/A	N/A	4/6/2006	WM1060405
Ethyl Benzene	270		10	5.0	µg/L	N/A	N/A	4/6/2006	WM1060405
Xylenes, Total	160		10	5.0	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	90.8	60 - 130
Dibromofluoromethane	107	60 - 130
Toluene-d8	94.0	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

EPA 5030C - TPH as Gasoline by GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	6800		10	250	µg/L	N/A	N/A	4/6/2006	WM1060405

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	85.6	60 - 130
Dibromofluoromethane	96.7	60 - 130
Toluene-d8	89.5	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Lab #: 48774-008 Sample ID: MW-5a Matrix: Liquid Sample Date: 3/29/2006 1:50 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	4/6/2006	
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	4/6/2006	
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	4/6/2006	
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	4/6/2006	

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	97.7	60 - 130
Dibromofluoromethane	109	60 - 130
Toluene-d8	98.1	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

EPA 5030C - TPH as Gasoline by GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	200		1.0	25	µg/L	N/A	N/A	4/6/2006	

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	92.1	60 - 130
Dibromofluoromethane	98.8	60 - 130
Toluene-d8	93.4	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

4/6/2006 9:39:40 PM - dba

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1060405

Validated by: MaiChiTu - 04/06/06

QC Batch Analysis Date: 4/5/2006

Parameter	Result	DF	PQLR	Units
Benzene	ND	1	0.50	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Toluene	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	93.7	60 - 130
Dibromofluoromethane	106	60 - 130
Toluene-d8	97.9	60 - 130

Method Blank - Liquid - TPH as Gasoline by GC/MS

QC Batch ID: WM1060405

Validated by: MaiChiTu - 04/06/06

QC Batch Analysis Date: 4/5/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	25	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	88.4	60 - 130
Dibromofluoromethane	96.1	60 - 130
Toluene-d8	93.2	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1060405

Reviewed by: MaiChiTu - 04/06/06

QC Batch ID Analysis Date: 4/5/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
Benzene	<0.50	20	20.4	µg/L	102	70 - 130
Methyl-t-butyl Ether	<1.0	20	23.2	µg/L	116	70 - 130
Toluene	<0.50	20	19.6	µg/L	98.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	92.5	60 - 130
Dibromofluoromethane	102.0	60 - 130
Toluene-d8	92.1	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
Benzene	<0.50	20	20.9	µg/L	104	2.4	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	25.3	µg/L	126	8.7	25.0	70 - 130
Toluene	<0.50	20	19.4	µg/L	97.0	1.0	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	93.5	60 - 130
Dibromofluoromethane	108.0	60 - 130
Toluene-d8	92.0	60 - 130

LCS / LCSD - Liquid - TPH as Gasoline by GC/MS

QC Batch ID: WM1060405

Reviewed by: MaiChiTu - 04/06/06

QC Batch ID Analysis Date: 4/5/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<25	120	134	µg/L	107	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	92.1	60 - 130
Dibromofluoromethane	93.2	60 - 130
Toluene-d8	93.1	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<25	120	132	µg/L	106	0.98	25.0	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	92.5	60 - 130
Dibromofluoromethane	89.4	60 - 130
Toluene-d8	93.4	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

MS / MSD - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1060405

Reviewed by: MaiChiTu - 04/06/06

QC Batch ID Analysis Date: 4/5/2006

MS Sample Spiked: 48699-004


Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
Benzene	ND	20	20.3	µg/L	4/5/2006	102	70 - 130
Methyl-t-butyl Ether	ND	20	22.5	µg/L	4/5/2006	112	70 - 130
Toluene	ND	20	18.9	µg/L	4/5/2006	94.5	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	91.1	60 - 130
Dibromofluoromethane	105.0	60 - 130
Toluene-d8	92.9	60 - 130

MSD Sample Spiked: 48699-004

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
Benzene	ND	20	19.5	µg/L	4/5/2006	97.5	4.0	25.0	70 - 130
Methyl-t-butyl Ether	ND	20	22.1	µg/L	4/5/2006	110	1.8	25.0	70 - 130
Toluene	ND	20	18.6	µg/L	4/5/2006	93.0	1.6	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	90.5	60 - 130
Dibromofluoromethane	104.0	60 - 130
Toluene-d8	94.4	60 - 130



ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

Date: 3/29/06

Project Name: GG

Project No.: _____

Well No./Description: mw-01

Depth of Well: 32.1

1 Well Volume: 2.2 Gallons

Depth to Water: 18.84

3 Well Volumes: 6.6 Gallons

Casing Diameter: 2" 4"

Actual Volume Purged: 6.6 Gallons

Calculations:

2" - * 0.1632

4" - * 0.653

Purge Method: Bailer Displacement Pump Impinger/Vacuum

Sample Method: Bailer Other Specify: _____

Sheen: No Yes, Describe HC spots


Odor: No Yes, Describe HC strong

Field Measurements:

Time	Volume	pH	Temp	E.C.	Color
<u>310</u>	<u>2.2</u>	<u>8.3</u>	<u>65</u>	<u>382</u>	<u>gray.</u>
<u>315</u>	<u>4.4</u>	<u>8.2</u>	<u>65</u>	<u>387</u>	<u>1</u>
<u>320</u>	<u>6.6</u>	<u>8.2</u>	<u>64</u>	<u>388</u>	<u>11</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Remarks: _____

Sampler: _____



ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

Date: 3/29/06

Project Name: GA

Project No.: _____

Well No./Description: mw-2

Depth of Well: 33.0

1 Well Volume: 2.2 Gallons

Depth to Water: 19.67

3 Well Volumes: 6.6 Gallons

Casing Diameter: 2" 4"

Actual Volume Purged: 6.6 Gallons

Calculations:

2" - * 0.1632

4" - * 0.653

2.16
1.7
6.7
1.6

Purge Method: Bailer Displacement Pump Impinger/Vacuum

Sample Method: Bailer Other Specify: _____

Sheen: No Yes, Describe _____


Odor: No Yes, Describe strong HC

Field Measurements:

Time	Volume	pH	Temp.	EC	Color
<u>2:25</u>	<u>2.2</u>	<u>8</u>	<u>-</u>	<u>186</u>	<u>-</u>
<u>2:30</u>	<u>4.4</u>	<u>8</u>	<u>65</u>	<u>172</u>	<u>gray</u>
<u>2:35</u>	<u>6.6</u>	<u>8</u>	<u>65</u>	<u>170</u>	<u>1</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Remarks: _____

Sampler: _____



ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

Date: 3/29/06

Project Name: GA.

Project No.: _____

Well No./Description: mw-3

Depth of Well: 34.9

1 Well Volume: 2.5 Gallons

Depth to Water: 18.87

3 Well Volumes: 7.5 Gallons

Casing Diameter: 2" 4"

Actual Volume Purged: 7.5 Gallons

Calculations:

2" - * 0.1632

4" - * 0.653

Purge Method: Bailer Displacement Pump Impinger/Vacuum

Sample Method: Bailer Other Specify: _____

Sheen: No Yes, Describe sploches


Odor: No Yes, Describe strong HC

Field Measurements:

Time	Volume	pH	Temp	EC	Color
<u>2:05</u>	<u>2.5</u>	<u>8.2</u>	<u>6</u>	<u>233</u>	<u>gray</u>
<u>2:10</u>	<u>5.0</u>	<u>8.2</u>	<u>6</u>	<u>217</u>	<u>"</u>
<u>2:15</u>	<u>7.5</u>	<u>8.2</u>	<u>6</u>	<u>219</u>	<u>"</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Remarks: _____

Sampler: _____



ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

Date: 3/28/86

Project Name: GA -

Project No.: _____

Well No./Description: MW-4

Depth of Well: 31.35

1 Well Volume: 2.4 Gallons

Depth to Water: 19.09

3 Well Volumes: _____ Gallons

Casing Diameter: 2" 4"

Actual Volume Purged: 7.2 Gallons

Calculations:

2" - * 0.1632

4" - * 0.653

316
15
80

Purge Method: Bailer Displacement Pump Impinger/Vacuum

Sample Method: Bailer Other Specify: _____

Sheen: No Yes, Describe rainbow/splotches


Odor: No Yes, Describe strong

Field Measurements:

Time	Volume	Temp	EC	Color
<u>245</u>	<u>2.4</u>	<u>62</u>	<u>341</u>	<u>tan</u>
<u>250</u>	<u>4.7</u>	<u>61</u>	<u>353</u>	<u>"</u>
<u>255</u>	<u>7.2</u>	<u>61</u>	<u>350</u>	<u>"</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Remarks: _____

Sampler: _____



ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

Date: 3/29/06

Project Name: GA.

Project No.: _____

Well No./Description: mw-05

Depth of Well: 21.15

1 Well Volume: 0.3 Gallons

Depth to Water: 19.08

3 Well Volumes: _____ Gallons

Casing Diameter: 2" 4"

Actual Volume Purged: 5 Gallons

Calculations:

16
2

0.3

2" - * 0.1632
4" - * 0.653

Purge Method: Bailer Displacement Pump Impinger/Vacuum

Sample Method: Bailer Other Specify: _____

Sheen: No Yes, Describe: _____


Odor: No Yes, Describe: _____

Field Measurements:

Time	Volume	PH	Temp	E.C.	Color
<u>1:45</u>	<u>0.5</u>	<u>8.6</u>	<u>66</u>	<u>438</u>	<u>1+ Tan</u>
<u>1:50</u>	<u>1.5</u>	<u>8.1</u>	<u>66</u>	<u>420</u>	<u>" "</u>
<u>1:55</u>	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Remarks: _____

Sampler: _____



ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

Date: 3/29/06

Project Name: GA.

Project No.: _____

Well No./Description: MW-9

Depth of Well: 32.8

1 Well Volume: 9.5 Gallons

Depth to Water: 16.74

3 Well Volumes: _____ Gallons

Casing Diameter: 2" 4"

Actual Volume Purged: 7.5 Gallons

Calculations:

2" - * 0.1632

4" - * 0.653

$$\begin{array}{r} 9.5 \\ - 1.6 \\ \hline 7.9 \\ - 0.4 \\ \hline 7.5 \end{array}$$

Purge Method: Bailer Displacement Pump Impinger/Vacuum

Sample Method: Bailer Other Specify: _____

Sheen: No Yes, Describe HC rainbow


Odor: No Yes, Describe HC

Field Measurements:

Time	Volume	pH	Temp.	EC	Color
<u>3:45</u>	<u>2.5</u>	<u>8.7</u>	<u>66</u>	<u>240</u>	<u>gray</u>
<u>3:50</u>	<u>5.0</u>	<u>8.7</u>	<u>66</u>	<u>250</u>	<u> </u>
<u>3:55</u>	<u>7.5</u>	<u>8.4</u>	<u>65</u>	<u>245</u>	<u> </u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Remarks: _____

Sampler: Tom Price



ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

Date: 3/29/06 Project Name: GA

Project No.: _____ Well No./Description: MW-10

Depth of Well: 37.6 1 Well Volume: 28 Gallons

Depth to Water: 20.18 3 Well Volumes: _____ Gallons

Casing Diameter: 2" 4" Actual Volume Purged: _____ Gallons

Calculations:

4.6	4	16
1.2	1	17
1.2	1	11.2
1.2	1	16

2" - * 0.1632
4" - * 0.653

Purge Method: Bailer Displacement Pump Impinger/Vacuum

Sample Method: Bailer Other Specify: _____

Sheen: No Yes, Describe rainbow very fine


Odor: No Yes, Describe _____

Field Measurements:

Time	Volume	pH	Temp	E.C.	Color
<u>4:05</u>	<u>2.8</u>	<u>7.0</u>	<u>64</u>	<u>383</u>	<u>tan</u>
<u>4:10</u>	<u>5.6</u>	<u>6.7</u>	<u>65</u>	<u>383</u>	<u>1</u>
<u>4:15</u>	<u>8.4</u>	<u>6.2</u>	<u>64</u>	<u>373</u>	<u>1</u>

Remarks: _____

Sampler: _____



ENVIRONMENTAL TESTING

1792 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
408.453.1800 FAX: 408.453.1801

Date: 6/24/06 Project Name: GA

Project No: _____ Well No./Description: _____

Depth of Well: _____ 1 Well Volume: _____ Gallons

Depth of Water: _____ 3 Well Volumes: _____ Gallons

Casing Diameter: 2" - 4" Actual Volume Purged: _____ Gallons

Calculations:
2" - * 0.1632
4" - * 0.653

Purge Method: Baille Displacement Pump Impinger/Vacuum

Sample Method: Baille Other Specify: _____

Sheen: No Yes, Describe: _____

Odor: No Yes, Describe: _____

Field Measurements:

Time	Volume	PH	Temp	E.C.	Color
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Remarks: Depth to groundwater measurements only:
MW-1 20.57, MW-2 21.41, MW-3 22.65,
MW-4 22.86 MW-5 dry, MW-9 22.43,
MW-10 23.87

Sampler: Tom Price