



Chevron U.S.A. Products Company

2410 Camino Ramon, San Ramon, California • Phone (510) 842-9500
Mail Address: P.O. Box 5004, San Ramon, CA 94583-0804

See

92571-1110

December 3, 1992

Ms. Eva Chu
Alameda County Environmental Health
80 Swan Way, Room 200
Oakland, CA 94621

Re: Former Chevron Station # 9-2582, 7240 Dublin Blvd., Dublin, CA
Attached groundwater monitoring report (Blaine, 10/15/92)

Dear Ms. Chu:

Attached is a report dated October 15, 1992, which was prepared by Chevron's consultant, Blaine Tech Services (Blaine), to describe groundwater monitoring performed at the subject site on September 30, 1992. Blaine will monitor the site again in the fourth quarter of 1992.

The vapor extraction and treatment system has been operating successfully to remove hydrocarbons from the subsurface. Chevron's consultant, Geraghty & Miller, plans to modify the system's control scheme to promote more efficient operation and an even greater hydrocarbon removal rate. *Per Clint Rogers (12/9/92) system now exceeding 4x removal.*

If you have any questions or comments, I can be reached at (510) 842-8658.

Per Dave Thomas (12-9-92) system more efficient as of last week - next vap sampling may show decrease in HC concentrations

Sincerely,


Clint B. Rogers

Clint B. Rogers
Environmental Engineer

Attachment

cc: Lester Feldman, San Francisco Bay RWQCB, Oakland, CA
Janet Clinton (for Parkway Three), 2425 Webb Avenue, Suite 200, Alameda, CA 94501
David Thomas, Geraghty & Miller, Richmond, CA





BLAINE TECH SERVICES INC.

985 TIMOTHY DRIVE
SAN JOSE, CA 95133
(408) 995-5535
FAX (408) 293-8773

October 15, 1992

Clint Rogers
Chevron U.S.A. Products Company
2410 Camino Ramon
San Ramon, CA 94583-0804

3rd Quarter 1992 monitoring at 9-2582

Third Quarter 1992 Groundwater Monitoring at
Chevron Service Station number 9-2582
7240 Dublin Boulevard
Dublin, California

Monitoring performed September 30, 1992

Groundwater Sampling Report 920930-Y-1

This report covers the routine quarterly monitoring of groundwater wells at this former Chevron facility. Blaine Tech Services, Inc. work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to Chevron's Richmond Refinery for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.


Blaine Tech Services, Inc. employs the services of outside professional firms to conduct independent reviews of our methodologies. Independent Professional Reviews by a certified engineering geologist are directed to the evaluating the efficacy of procedures and equipment employed by Blaine Tech Services, Inc. personnel in the conduct of our technical assignments. Independent Professional Reviews are intentionally limited in scope and do not extend to characterizing environmental conditions at the site or making recommendations.

Yours truly,



Richard C. Blaine
for the Board of Directors

Independent Professional Review



John K. Hofer
engineering geologist 1065

RCB/dmp

attachments: Cumulative Table of Field Data and Analytical Results
Analytical Appendix
Professional Engineering Appendix

Cumulative Table of Well Data and Analytical Results

Vertical measurements are in feet.

Analytical values are in µg/l (ppb) unless otherwise annotated.

| EA-1 | Depth | Water | Field | | | | ethyl- | | |
|-------------|-----------------|------------------|---------------------|--------------|----------------|----------------|----------------|----------------|----------------|
| <u>Date</u> | <u>To Water</u> | <u>Elevation</u> | <u>Observations</u> | <u>TPH-G</u> | <u>benzene</u> | <u>toluene</u> | <u>benzene</u> | <u>xylenes</u> | <u>1,2-DCA</u> |
| 10-17-1988 | -- | -- | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 10-24-1988 | 10.64 | 322.77 | (gauging) | -- | -- | -- | -- | -- | -- |
| 11-02-1988 | 10.69 | 322.72 | (gauging) | -- | -- | -- | -- | -- | -- |
| 12-20-1988 | 10.51 | 322.90 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 03-28-1989 | 9.87 | 323.54 | -- | <250. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 08-02-1989 | 10.34 | 323.07 | -- | <50. | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| 11-06-1989 | 10.65 | 322.76 | -- | <500. | <3. | <5. | <5. | <5. | <5. |
| 01-25-1990 | 10.60 | 322.81 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 04-23-1990 | 10.58 | 322.83 | -- | 71. | 2. | 5. | 3. | 8. | <0.5 |
| 08-01-1990 | 10.88 | 322.53 | -- | 300. | 86. | 21. | 10. | 33. | -- |
| 10-24-1991 | 11.12 | 322.29 | -- | 280. | 69. | 13. | 11. | 16. | -- |
| 01-31-1991 | 11.16 | 322.25 | -- | 460. | 160. | 11. | 17. | 17. | -- |
| 08-21-1991 | 10.80 | 322.61 | -- | 2,400. | 400. | 220. | 44. | 120. | -- |
| 08-21-1991 | -- | -- | EA-1D duplicate | 2,300 | 390. | 210. | 42. | 120. | -- |
| 10-07-1991 | 10.79 | 322.62 | not sampled | -- | -- | -- | -- | -- | -- |
| 01-28-1992 | 10.79 | 322.62 | -- | 3,600. | 320. | 360. | 110. | 310. | -- |
| 01-28-1992 | -- | -- | EA-1D duplicate | 3,000. | 290. | 320. | 99. | 270 | -- |
| 06-05-1992 | 10.84 | 322.57 | -- | 1,700. | 290. | 89. | 61. | 130. | -- |
| 09-30-1992 | 11.06 | 322.35 | -- | 2,100. | 180. | 260. | 80. | 350. | -- |

| EA-2 | DTW | Elevation | Observ. | TPH-G | benzene | toluene | ethyl-benz | xylenes | 1,2-DCA |
|-------------|-------|-----------|-----------|-------|---------|---------|------------|---------|---------|
| 10-17-1988 | -- | -- | -- | <50. | <0.5 | <0.5 | <0.5 | 1.2 | -- |
| 10-24-1988 | 9.70 | 322.89 | (gauging) | -- | -- | -- | -- | -- | -- |
| 11-02-1988 | 10.03 | 322.56 | (gauging) | -- | -- | -- | -- | -- | -- |
| 12-20-1988 | 9.98 | 322.61 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 03-28-1989 | 8.80 | 323.79 | -- | <250. | <2. | <0.5 | <0.5 | <0.5 | <0.5 |
| 08-02-1989 | 9.44 | 323.15 | -- | <50. | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| 11-06-1989 | 9.53 | 323.06 | -- | <500. | <3. | <5. | <5. | <5. | <5. |
| 01-25-1990 | 9.27 | 323.32 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |

data continues on next page

Cumulative Table of Well Data and Analytical Results

continued from previous page

| EA-2 | <u>DTW</u> | <u>Elevation</u> | <u>Observ.</u> | <u>TPH-G</u> | <u>benzene</u> | <u>toluene</u> | <u>ethyl-benz</u> | <u>xylenes</u> | <u>1,2-DCA</u> |
|-------------|------------|------------------|-----------------|--------------|----------------|----------------|-------------------|----------------|----------------|
| 04-23-1990 | 9.35 | 323.24 | -- | 50. | 0.6 | 0.8 | <0.5 | 2. | <0.5 |
| 08-01-1990 | 9.71 | 322.88 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 10-24-1990 | 10.08 | 322.51 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 01-31-1991 | 10.21 | 322.38 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 01-31-1991 | -- | -- | EA-2D duplicate | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 08-21-1991 | 9.80 | 322.79 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 10-07-1991 | 9.98 | 322.61 | not sampled | -- | -- | -- | -- | -- | -- |
| 01-28-1992 | 9.81 | 322.78 | -- | <50. | 0.8 | <0.5 | <0.5 | <0.5 | -- |
| 06-05-1992 | 9.86 | 322.73 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09-30-1992 | 10.60 | 321.99 | -- | 66. | 1. | 3.2 | 1.3 | 7.4 | -- |

| EA-3 | <u>DTW</u> | <u>Elevation</u> | <u>Observ.</u> | <u>TPH-G</u> | <u>benzene</u> | <u>toluene</u> | <u>ethyl-benz</u> | <u>xylenes</u> | <u>1,2-DCA</u> |
|-------------|------------|------------------|-----------------|--------------|----------------|----------------|-------------------|----------------|----------------|
| 10-17-1988 | -- | -- | -- | <50. | 1.8 | <0.5 | <0.5 | 3. | -- |
| 10-24-1988 | 11.03 | 322.61 | (gauging) | -- | -- | -- | -- | -- | -- |
| 11-02-1988 | 11.03 | 322.61 | (gauging) | -- | -- | -- | -- | -- | -- |
| 12-20-1988 | 10.96 | 322.68 | -- | 240. | 90. | 1.2 | 13. | 3.3 | -- |
| 03-28-1989 | 9.77 | 322.87 | -- | 2,300. | 380. | 130. | 240. | 910. | -- |
| 08-02-1989 | 10.65 | 322.99 | -- | <50. | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| 11-06-1989 | 10.78 | 322.86 | -- | <500. | <3. | <5. | <5. | <5. | <5. |
| 01-25-1990 | 10.66 | 322.98 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 04-23-1990 | 10.68 | 322.96 | -- | <50. | 0.8 | <0.5 | 0.9 | <0.5 | <0.5 |
| 08-01-1990 | 11.03 | 322.61 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 10-24-1990 | 11.35 | 322.29 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 01-31-1991 | 11.52 | 322.12 | -- | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 08-21-1991 | -- | -- | not sampled | -- | -- | -- | -- | -- | -- |
| 10-07-1991 | 11.15 | 322.49 | -- | 180. | 40. | 20. | 4.7 | 8.4 | -- |
| 10-07-1991 | -- | -- | EA-3D duplicate | 200. | 43. | 17. | 4.1 | 6.7 | -- |
| 01-28-1992 | 11.08 | 322.12 | -- | 640. | 69. | 85. | 13. | 46. | -- |
| 06-05-1992 | 10.98 | 322.66 | -- | 250. | 63. | 8.3 | 3. | 9.5 | -- |
| 09-30-1992 | 11.38 | 322.26 | -- | 330. | 120. | 33. | 6.3 | 22. | -- |

Cumulative Table of Well Data and Analytical Results

| PVC | <u>DTW</u> | <u>Elevation</u> | <u>Observ.</u> | <u>TPH-G</u> | <u>benzene</u> | <u>toluene</u> | <u>ethyl-benz</u> | <u>xylenes</u> | <u>1,2-DCA</u> |
|------------|------------|------------------|----------------|--------------|----------------|----------------|-------------------|----------------|----------------|
| 08-02-1989 | 11.52 | -- | -- | 100,000. | 8,700. | 14,000. | 1,700. | 17,000. | 50. |
| 08-02-1989 | -- | -- | duplicate | 110,000. | 9,200. | 14,000. | 1,800. | 13,000. | 50. |

QC samples

| <u>Date</u> | <u>QC Blank Type</u> | <u>TPH-G</u> | <u>benzene</u> | <u>toluene</u> | <u>ethyl-benz</u> | <u>xylenes</u> | <u>1,2-DCA</u> |
|-------------|----------------------|--------------|----------------|----------------|-------------------|----------------|----------------|
| 03-28-1989 | equipment blank | <250. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 07-28-1989 | trip blank | <50. | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| 11-06-1989 | trip blank | <500. | <3.0 | <0.5 | <0.5 | <0.5 | <0.5 |
| 01-25-1990 | trip blank | <50. | <0.5 | <0.5 | <0.5 | <0.5 | na |
| 08-01-1990 | trip blank | <50. | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 10-24-1990 | trip blank | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 01-31-1991 | trip blank | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 08-21-1991 | trip blank | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 10-07-1991 | trip blank | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 01-28-1992 | trip blank | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 06-05-1992 | trip blank | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09-30-1992 | trip blank TB-LB | <50. | <0.5 | <0.5 | <0.5 | <0.5 | -- |

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on September 30, 1992. Earlier field data and analytical results are drawn from the tables contained in the Western Geologic Resources/RESNA report (WGR Project #1-124.08) of February 13, 1992 to Chevron U.S.A. Products Company. Wellhead elevation data contained in that source document are reproduced as follows:

| <u>Well I.D.</u> | <u>Wellhead Elevation</u> |
|------------------|---------------------------|
| EA-1 | 333.41 |
| EA-2 | 332.59 |
| EA-3 | 333.64 |
| PVC | not given |

Analytical Appendix

Fax copy of Lab Report and COC to Chevron Contact: Yes 86825 No Chain-of-Custody-Record

| | | |
|--|--|--|
| Chevron U.S.A. Inc. P.O. BOX 5004 San Ramon, CA 94583 FAX (415)842-9591 | Chevron Facility Number <u>9-2582</u> | Chevron Contact (Name) <u>CLINT ROGERS</u> |
| | Facility Address <u>7240 DUBLIN BLVD</u> | (Phone) _____ |
| | Consultant Project Number <u>980930-Y1</u> | Laboratory Name <u>Superior</u> |
| Consultant Name <u>BLAINE TECH SERVICES</u> | Laboratory Release Number <u>L612800</u> | Samples Collected by (Name) <u>JOE Carrera</u> |
| Address <u>985 TIMOTHY DR.</u> | Project Contact (Name) <u>GLEN BOWDIE</u> | Collection Date <u>9-30-92</u> |
| (Phone) <u>408-575-5535</u> (Fax Number) _____ | | Signature <u>Joe Carrera</u> |

| Sample Number | Lab Sample Number | Number of Containers | Matrix S = Soil W = Water A = Air C = Charcoal | Type C = Grab C = Composite D = Discrete | Time | Sample Preservation | Iced (Yes or No) | Analyses To Be Performed | | | | | | | | | | | | DO NOT BILL CUSA FOR TB/LB Remarks |
|---------------|-------------------|----------------------|--|---|-------|---------------------|------------------|------------------------------|-------------------|-----------------------|-------------------------------|----------------------------|---------------------------|-----------------------------|---------------------------------------|--|--|--|--|---------------------------------------|
| | | | | | | | | ETEX + TPH GAS (8020 + 8015) | TPH Diesel (8015) | Oil and Grease (8020) | Purgeable Hydrocarbons (8010) | Purgeable Aromatics (8020) | Purgeable Organics (8240) | Extractable Organics (8270) | Metals Cd, Cr, Pb, Zn, Ni (CSP or AA) | | | | | |
| EA-1 | | 3 | W | | 15:00 | HCL | YES | X | | | | | | | | | | | | |
| EA-2 | | 3 | W | | 15:45 | HCL | YES | X | | | | | | | | | | | | |
| EA-3 | | W | W | | 16:30 | HCL | YES | X | | | | | | | | | | | | |
| TB-LB | | 2 | W | | - | HCL | YES | X | | | | | | | | | | | | |

Please Initial:
 Samples stored in ice _____
 Appropriate containers _____
 Samples preserved _____
 VO's without headspace _____
 Comments: _____

| | | | | | | |
|---|--------------------------------|---------------------------------|---|--------------------------------|--------------------------------|--|
| Relinquished By (Signature) <u>Joe Carrera</u> | Organization <u>BTS</u> | Date/Time <u>9:30/17:30</u> | Received By (Signature) <u>BTS fridge</u> | Organization _____ | Date/Time <u>9:30/17:30</u> | Turn Around Time (Circle Choice) <input type="checkbox"/> 24 Hrs. <input type="checkbox"/> 48 Hrs. <input type="checkbox"/> 5 Days <input checked="" type="checkbox"/> 10 Days <input type="checkbox"/> As Contracted |
| Relinquished By (Signature) <u>MW</u> | Organization <u>BTS</u> | Date/Time <u>9/1/92 1207</u> | Received By (Signature) <u>Ed</u> | Organization <u>EXPOSIT</u> | Date/Time <u>10-92 1207</u> | |
| Relinquished By (Signature) <u>ED</u> | Organization <u>EXPRESS</u> | Date/Time <u>10-192 1436</u> | Received For Laboratory By (Signature) <u>ED</u> | Organization _____ | Date/Time <u>10/1/92</u> | |

COCS-3.0/MS.03.97/HCH



Superior Precision Analytical, Inc.

825 Arnold Drive, Suite 114 • Martinez, California 94553 • (510) 229-1512 / fax (510) 229-1526

Blaine Tech Services, Inc.
Attn: GLEN BENNETT

Project 920930-41
Reported 10/07/92

TOTAL PETROLEUM HYDROCARBONS

| Lab # | Sample Identification | Sampled | Analyzed Matrix |
|----------|-----------------------|----------|-----------------|
| 86825- 1 | EA-1 | 09/30/92 | 10/06/92 Water |
| 86825- 2 | EA-2 | 09/30/92 | 10/06/92 Water |
| 86825- 3 | EA-3 | 09/30/92 | 10/06/92 Water |
| 86825- 4 | TB-LB | 09/30/92 | 10/06/92 Water |

RESULTS OF ANALYSIS

Laboratory Number: 86825- 1 86825- 2 86825- 3 86825- 4

| | | | | |
|----------------|------|------|------|--------|
| Gasoline: | 2100 | 66 | 330 | ND<50 |
| Benzene: | 160 | 1.0 | 120 | ND<0.5 |
| Toluene: | 260 | 3.2 | 33 | ND<0.5 |
| Ethyl Benzene: | 80 | 1.3 | 6.3 | ND<0.5 |
| Xylenes: | 350 | 7.4 | 22 | ND<0.5 |
| Concentration: | ug/L | ug/L | ug/L | ug/L |



Superior Precision Analytical, Inc.

825 Arnold Drive, Suite 114 • Martinez, California 94553 • (510) 229-1512 / fax (510) 229-1526

C E R T I F I C A T E O F A N A L Y S I S

ANALYSIS FOR TOTAL PETROLEUM HYDROCARBONS

Page 2 of 2
QA/QC INFORMATION
SET: 86825

NA = ANALYSIS NOT REQUESTED
ND = ANALYSIS NOT DETECTED ABOVE QUANTITATION LIMIT
ug/L = parts per billion (ppb)

OIL AND GREASE ANALYSIS By Standard Methods Method 5520F:
Minimum Detection Limit in Water: 5000ug/L

Modified EPA SW-846 Method 8015 for Extractable Hydrocarbons:
Minimum Quantitation Limit for Diesel in Water: 50ug/L

EPA SW-846 Method 8015/5030 Total Purgable Petroleum Hydrocarbons:
Minimum Quantitation Limit for Gasoline in Water: 50ug/L

EPA SW-846 Method 8020/BTXE
Minimum Quantitation Limit in Water: 0.5ug/L

| ANALYTE | SPIKE LEVEL | MS/MSD RECOVERY | RPD | CONTROL LIMIT |
|----------------|-------------|-----------------|-----|---------------|
| Gasoline: | 200 ng | 88/97 | 9 | 70-130 |
| Benzene: | 200 ng | 102/95 | 7 | 70-130 |
| Toluene: | 200 ng | 101/95 | 6 | 70-130 |
| Ethyl Benzene: | 200 ng | 107/102 | 5 | 70-130 |
| Xylenes: | 200 ng | 105/101 | 4 | 70-130 |

Richard Srna, Ph.D.

Richard Srna
Laboratory Director

Professional Engineering Appendix



GEOCONSULTANTS, INC.

*Geotechnical Consultants
Geology • Ground Water*

1450 Koll Circle, Suite 114
San Jose, California 95112
Telephone: (408) 453-2541
Fax: (408) 453-2543

October 15, 1992
Project No. G758-09

Mr. Richard Blaine
Blaine Tech Services, Inc.
985 Timothy Drive
San Jose, CA 95133

**RE: GROUND-WATER ELEVATION CONTOUR MAPS
FORMER CHEVRON SERVICE STATION NO. 9-2582
7240 DUBLIN BOULEVARD, DUBLIN CALIFORNIA**

Dear Mr. Blaine:

In accordance with your request, please find attached the September 30, 1992 ground-water elevation contour map for the subject site. The depth to the water table was measured in three wells (EA-1, EA-2, and EA-3) by your staff. An elevation datum of mean sea-level was utilized. The ground-water elevation contours were extrapolated from the three wells, and are to be considered only approximate in nature. The general direction of the ground-water gradient is indicated on the contour map.

If you have any questions regarding the map, please call.



Very truly yours,

GEOCONSULTANTS, INC.

David J. Welch
Project Geologist

John K. Hofer
Engineering Geologist, EG-1065

JKH:djw
(CH92582F.1)



EXPLANATION



Site Location Map
 Chevron Service Station #92582
 Dublin, California

FIGURE

1




DUBLIN ROAD

VILLAGE PARKWAY




Potentiometric Surface of
Shallow Ground-Water
September 30, 1992

LEGEND

-  EA-2
321.99 Monitor Well Location and ground-water elevation (feet above mean sea level MSL)
-  Ground-water elevation contour dashed where inferred (MSL)
-  Estimated direction of ground-water flow

Former Chevron Service Station #9-2582
7240 Dublin Boulevard Dublin, California



GEOCONSULTANTS, INC.
Geotechnical Consultants
Geology • Ground Water
1450 Koll Circle, Suite 114
San Jose, California 95112

G758-09

10/92