

A0304



November 30, 2005

Mr. Jerry Wickham
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: **Groundwater Monitoring Report - Third Quarter 2005**
Dublin Auto Wash
7240 Dublin Boulevard
Dublin, California
ACHCSA Case No. 304

Dear Mr. Wickham:

On behalf of Mr. Hooshang Hadjian, Pangea Environmental Services, Inc. has prepared this *Groundwater Monitoring Report - Third Quarter 2005*. The report describes groundwater monitoring, sampling, and other site activities.

Sincerely,
Pangea Environmental Services, Inc.

Bob Clark-Riddell, P.E.
Principal Engineer

Attachment: *Groundwater Monitoring Report - Third Quarter 2005*

cc: Mr. Hooshang Hadjian, 2108 San Ramon Valley Blvd, San Ramon, CA 94583

RECEIVED

DEC 08 2005

ENVIRONMENTAL SERVICES, INC.

PANGEA Environmental Services, Inc.

1710 Franklin Street, Suite 200, Oakland, California 94612 Telephone 510.836.3700 Facsimile 510.836.3709 www.pangeaenv.com



GROUNDWATER MONITORING REPORT – THIRD QUARTER 2005

**Dublin Auto Wash
7240 Dublin Boulevard
Dublin, California**

November 30, 2005

Prepared for:


Mr. Hooshang Hadjian
2108 San Ramon Valley Blvd
San Ramon, CA 94583

Prepared by:

Pangea Environmental Services, Inc.
1710 Franklin Street, Suite 200
Oakland, California 94612

Written by:



Morgan Gillies
Project Manager



RECEIVED

DEC 08 2005

ENVIRONMENTAL HEALTH SERVICES


Bob Clark-Riddell, P.E.
Principal Engineer

PANGEA Environmental Services, Inc.

INTRODUCTION

On behalf of Mr. Hooshang Hadjian, Pangea Environmental Services, Inc. (Pangea) conducted groundwater monitoring and sampling activities during this quarter at the subject site (Figure 1). The purpose of the monitoring and sampling is to evaluate groundwater flow direction and dissolved contaminant concentrations, and to inspect site wells for separate-phase hydrocarbons (SPH). Current groundwater analytical results and elevation data are shown on Figure 2. Current and historical data are summarized on Table 1.

SITE BACKGROUND

The Chevron-branded service station is located at the southwest corner of Dublin Boulevard and Village Parkway in Dublin, California (Figure 1). Currently there are three 10,000-gallon underground storage tanks (USTs) at the site. Land use immediately surrounding the service station is commercial with residential land use further from the site.

From approximately 1988 to 1997, Chevron Products Company performed assessment and remediation of the site. Mr. Hadjian is the responsible party for an unauthorized release from a leaking stainless steel flex hose near the northernmost dispenser island in February 1997. Subsequently, a new product delivery system was installed and about 31 cubic yards of contaminated soil was removed from the release area. Gettler-Ryan, Inc. monitored the eight existing groundwater wells at the site until 2003, when SOMA Environmental Engineering, Inc. took over groundwater monitoring at the site. SOMA conducted further characterization of the site using electrical conductivity sensors and identified potential water bearing zones. In November 2004, Pangea commenced coordination of groundwater monitoring and corrective action for the site.

GROUNDWATER MONITORING AND SAMPLING

On August 17, 2005, groundwater monitoring and sampling was conducted at the site. Site monitoring wells were initially gauged for depth to water and inspected for SPH. Groundwater samples were obtained from four (MW-1, MW-2, MW-3, and EA-3) of the eight groundwater monitoring wells. Monitoring well EA-1 was inaccessible and was not gauged or sampled. Wells EA-2, MW-4 and MW-5 were not sampled, since these wells are sampled annually during the first quarter.

Before well purging, the dissolved oxygen (DO) concentration was measured in each well. DO was measured by lowering a downwell sensor to the approximate middle of the water column, and allowing the reading to stabilize during gentle height adjustment. Prior to sample collection, approximately three casing volumes of water were purged using disposable bailers, an electric submersible pump, positive air displacement pump, or a peristaltic pump. During well purging, field technicians measured the pH, temperature and conductivity.

Groundwater samples were collected from each well with a disposable bailer, and decanted into the appropriate containers supplied by the analytic laboratory. Groundwater samples were labeled, placed in protective plastic bags, and stored on crushed ice at or below 4° C. All samples were transported under chain-of-custody to the State-certified analytical laboratory. Purge water was stored onsite in DOT-approved 55-gallon drums. Groundwater monitoring field data sheets are presented as Appendix A.

MONITORING RESULTS

Current and historical groundwater elevation data and analytical results are described below and summarized on Table 1. Groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by modified EPA Method 8015C, and benzene, toluene, ethylene, xylenes (BTEX), and methyl tertiary butyl ether (MTBE) by EPA Method 8021B. If MTBE was detected by the laboratory, a confirmation analysis was conducted by EPA Method 8260B. Samples were analyzed by McCampbell Analytical, Inc. of Pacheco, California, a State-certified laboratory. The laboratory analytical report is included in Appendix B. DO concentrations ranged from 0.77 µg/L (wells EA-2 and MW-1) to 1.18 µg/L (well MW-5).

Groundwater Flow Direction

The groundwater flow direction based on depth-to-water data collected August 17, 2005 is shown on Figure 2. Groundwater apparently flowed from offsite wells MW-4 and MW-5 toward the site in the approximate southeast direction, while groundwater at the eastern portion of the site flowed toward the west. The groundwater elevation was lowest in onsite well MW-2, located in the southwestern corner of the site. The inferred groundwater flow direction is fairly consistent with recent monitoring events. The groundwater flow direction may be affected by the 18" diameter sanitary sewer line running beneath the southern portion of Dublin Boulevard. In a letter dated October 30, 1995 to the County, Gettler Ryan Inc., a former consultant stated that the top of the sanitary sewer line was approximately 16 feet below grade surface (bgs), while the depth to water in nearby wells MW-1 and MW-3 has ranged from approximately 11 to 13 feet bgs. Depth-to-water and groundwater elevation data for the site are presented in Table 1.

Hydrocarbon Distribution in Groundwater

Petroleum hydrocarbons were detected in two of the sampled wells (EA-3 and MW-3), as shown on Table 1 and Figure 2. For well EA-3, TPHg and benzene concentrations were the highest detected since September 1996 and September 1995, respectively. The elevated hydrocarbon concentrations in well EA-3 may be due to migration from nearby impacted well MW-3. Hydrocarbon concentrations for well MW-3 are generally within historical ranges.

Fuel Oxygenate Distribution in Groundwater

MTBE was detected by EPA Method 8021 above reporting limits in all four of the sampled wells. As confirmed by EPA Method 8260B, the concentrations of MTBE in wells MW-1, MW-2, MW-3 and EA-3 were 4,900 µg/L, 210 µg/L, 47,000 µg/L and 200 µg/L, respectively (Table 1 and Figure 2).

OTHER SITE ACTIVITIES

Soil and Water Investigation Workplan

As required by the November 2, 2004 letter from the Alameda County Environmental Health (ACEH), Pangea prepared a *Soil and Water Investigation Workplan* (Workplan) dated February 20, 2005. Upon approval by the ACEH, Pangea will implement the Workplan. Can Pangea help facilitate approval?

Upcoming Monitoring and Proposed Frequency

Pangea will continue quarterly groundwater monitoring and sampling at the site. In accordance with the sampling frequency proposed in prior monitoring reports, Pangea will sample five key site wells quarterly (EA-1, EA-3, MW-1, MW-2 and MW-3) and three wells annually (EA-2, MW-4 and MW-5). This sampling frequency is based on the prior approved sampling frequency, with the slight modification of quarterly sampling for wells EA-3 and MW-1 rather than semi-annual sampling. All wells will be gauged for depth to water, and well MW-3 will be inspected for SPH. All groundwater samples will be analyzed for TPHg/BTEX/MTBE by EPA Method 8015Cm/8021B. If detected by EPA Method 8021B, MTBE will be confirmed by EPA Method 8260B. Pangea will summarize groundwater monitoring activities and results in a groundwater monitoring report.

Well Access for EA-1

Pangea has been unable to open the well vault lid for well EA-1 with a T-bar or other tools. If requested, Pangea will coordinate replacement of the well vault to obtain access to this well.

ATTACHMENTS

Figure 1 – Vicinity Map


Figure 2 - Groundwater Elevation Contour and Hydrocarbon Concentration Map

Table 1 – Groundwater Elevation and Analytical Data

Appendix A – Groundwater Monitoring Field Data Sheets

Appendix B – Laboratory Analytical Report

Hadjain Dublin\QM\3Q05\3QM05 Hadjain Dublin.doc



SOURCE: TOPOI MAPS

0 1/8 1/4 1/2 1
SCALE: 1" = 1/4 MILE

Figure
1

Dublin Auto Wash
7240 Dublin Boulevard
Dublin, California



Site Location Map




Figure
2

Pangea

Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA

Well ID TDC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	←-----→					MTBE	Dissolved Oxygen	Notes
				TPHg	Benzene	Toluene	Ethylbenzene µg/L	Xylenes			
EA-1 331.21	10/17/88	--	--	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/24/88	10.64	322.77	--	--	--	--	--	--		
	11/02/88	10.69	322.72	--	--	--	--	--	--		
	12/20/88	10.51	322.9	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/28/89	9.87	323.54	<250	<0.5	<0.5	<0.5	<0.5	--		
	08/02/89	10.34	323.07	<50	<0.1	<0.1	<0.1	<0.1	--		
	11/06/89	10.65	322.76	<500	<3.0	<5.0	<5.0	<5.0	--		
	01/25/90	10.6	322.81	<50	<0.5	<0.5	<0.5	<0.5	--		
	04/23/90	10.58	322.83	71	2	5	3	8	--		
	08/01/90	10.88	322.53	300	86	21	10	33	--		
	10/24/91	11.12	322.29	280	69	13	11	16	--		
	01/31/91	11.16	322.25	460	160	11	17	17	--		
	08/21/91	10.8	322.61	2,400	400	220	44	120	--		
	08/21/91	10.8	322.61	2,300	390	210	42	120	--	Duplicate	
	10/07/91	10.79	322.62	--	--	--	--	--	--		
	01/28/92	10.79	322.62	3,600	320	360	110	310	--		
	01/28/92	10.79	322.62	3,000	290	320	99	270	--	Duplicate	
	06/05/92	10.84	322.57	1,700	290	89	61	130	--		
	09/30/92	11.06	322.35	2,100	160	260	80	350	--		
	12/30/92	10.15	323.26	3,200	240	180	110	310	--		
	03/29/93	9.42	323.99	23,000	700	3,000	610	3,000	--		
	06/25/93	10.42	322.99	2.7	130	590	130	590	--		
	09/16/93	10.66	322.75	3.9	410	830	220	890	--		
	12/20/93	10.6	322.81	27	1,200	2,600	1,100	4,200	--		
	03/29/94	10.41	323	6.3	250	700	200	830	--		
	06/22/94	10.4	323.01	4.1	71	240	110	460	<30		
	09/20/94	10.37	323.04	8,500	1,200	1,300	370	1,400	--		
	10/04/94	10.34	323.07	7,600	97	360	150	620	--		
	11/30/94	9.46	323.95	8,800	180	490	240	900	--		
	03/02/95	9.96	321.07	6.9	82	570	210	970	--		
	06/15/95	9.8	321.23	4.8	44	210	160	620	<25		
	09/26/95	10.48	320.55	13,000	150	620	370	1,400	<125		
	12/28/95	10.14	320.89	11,000	74	250	200	750	79		
	02/29/96	8.74	322.29	17,000	59	480	350	1,600	<325		
	06/27/96	10.21	320.82	3,600	22	130	130	49	46		
	09/12/96	10.49	320.72	2,000	20	<10	18	44	<50		
03/31/97	10.19	321.02	17,000	87	230	330	1,200	310			
12/23/98	9.83	321.38	290	20	0.88	1.1	16	<2.5			
03/25/99	9.13	322.08	500	21	<0.5	21	<0.5	18			
02/03/00	9.05	322.16	2,310	35.7	90	21.8	147	1,280 (365)			
01/23/01	--	--	--	--	--	--	--	--	Inaccessible		
05/01/01	9.82	321.39	7,710	19.9	12.6	22.3	64	31.8			
08/28/01	10.04	321.17	4,800	69	<25	50	140	160			
11/27/01	10.05	321.16	5,300	25	<5.0	30	120	<20			
02/28/02	--	--	--	--	--	--	--	--	Inaccessible		
05/22/02	9.05	322.16	110	<1.0	<0.50	1	<1.5	<2.5			
08/20/02	9.21	322	410	2.6	<0.50	8.5	29	<5.0			
11/11/02	9.01	322.2	3,800	<0.50	1.3	17	47	<5.0			
05/08/03	8.23	322.98	1,700	11	0.97	63	161	<2.0			
12/15/04	--	--	--	--	--	--	--	--	Inaccessible		
02/21/05	--	--	--	--	--	--	--	--	Inaccessible		
05/17/05	--	--	--	--	--	--	--	--	Inaccessible		
08/17/05	--	--	--	--	--	--	--	--	Inaccessible		

Pangea

Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft, msl)	TPHg ←	Benzene	Toluene	Ethylbenzene μg/L	Xylenes	MTBE	Dissolved Oxygen →	Notes
EA-2 330.41	10/17/88	--	--	<50	<0.5	<0.5	<0.5	1.2	--		
	10/24/88	9.7	322.89	--	--	--	--	--	--		
	11/02/88	10.03	322.56	--	--	--	--	--	--		
	12/20/88	9.98	322.61	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/28/89	8.8	323.79	<250	<2	<0.5	<0.5	<0.5	--		
	08/02/89	9.44	323.15	<50	<0.1	<0.1	<0.1	<0.1	--		
	11/06/89	9.53	323.06	<500	<3.0	<5.0	<5.0	<5.0	--		
	01/25/90	9.27	323.32	<50	<0.5	<0.5	<0.5	<0.5	--		
	04/23/90	9.35	323.24	<50	0.6	0.8	<0.5	2	--		
	08/01/90	9.71	322.88	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/24/90	10.08	322.51	<50	<0.5	<0.5	<0.5	<0.5	--		
	01/31/91	10.21	322.38	<50	<0.5	<0.5	<0.5	<0.5	--		
	01/31/91	10.21	322.38	<50	<0.5	<0.5	<0.5	<0.5	--		Duplicate
	08/21/91	9.8	322.79	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/07/91	9.98	322.61	--	--	--	--	--	--		
	01/28/92	9.81	322.78	<50	0.8	<0.5	<0.5	<0.5	--		
	06/05/92	9.86	322.73	<50	<0.5	<0.5	<0.5	<0.5	--		
	09/30/92	10.6	321.99	66	1	3.2	1.3	7.4	--		
	12/30/92	9.11	323.48	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/29/93	7.73	324.86	<50	<0.5	<0.5	<0.5	<1.5	--		
	06/25/93	9.22	323.37	<50	<0.5	<0.5	<0.5	<1.5	--		
	09/16/93	10	322.59	<50	<0.5	<0.5	<0.5	<1.5	--		
	12/20/93	9.38	323.21	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/29/94	9.3	323.29	<50	<0.5	0.6	<0.5	<0.5	--		
	06/22/94	9.49	323.1	<50	<0.5	<0.5	<0.5	<0.5	--		
	09/26/94	9.72	322.87	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/04/94	9.58	323.01	<50	<0.5	<0.5	<0.5	<0.5	--		
	11/30/94	8.7	323.89	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/02/95	8.54	321.67	<50	<0.5	<0.5	<0.5	<0.5	--		
	06/07/95	8.42	321.79	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	09/26/95	9.34	320.87	540	6.8	<0.5	47	29	13		
	12/28/95	8.84	321.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	02/29/96	7.44	322.77	<50	<0.5	<0.5	<0.5	1.5	<2.5		
	06/27/96	8.83	321.38	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	09/12/96	9.4	321.01	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	03/31/97	9.11	321.3	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	12/23/98	8.91	321.5	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	03/25/99	8.1	322.31	<50	<0.5	<0.5	<0.5	<0.5	2.7		
	02/03/00	8.36	322.05	<50	<0.5	<0.5	<0.5	<0.5	<2.5 (<2.0)		
	01/23/01	9.08	321.33	441 (1)	1.27	0.542	40.3	31	72.9		
05/01/01	8.87	321.54				SAMPLED ANNUALLY					
08/28/01	9.45	320.96				SAMPLED ANNUALLY					
11/27/01	9.5	320.91				SAMPLED ANNUALLY					
02/28/02	9.05	321.36	<50	<0.50	<0.50	<0.5	<1.5	74			
05/22/02	9.04	321.37				SAMPLED ANNUALLY					
08/20/02	9	321.41				SAMPLED ANNUALLY					
11/11/02	9.03	321.38				SAMPLED ANNUALLY					
05/08/03	7.26	323.15	<50	<0.5	<0.5	<0.5	<0.5	2.2/0.9			
12/15/04	8.96	321.45	<50	<0.5	<0.5	<0.5	<0.5	<5.0			
02/21/05	7.20	323.21	<50	<0.5	<0.5	<0.5	<0.5	13 (11)	0.64		
05/17/05	8.21	322.20				SAMPLED ANNUALLY			0.77		
08/17/05	7.97	322.44				SAMPLED ANNUALLY					

Pangea

Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA

Well ID	Date	Depth	Groundwater									
TOC Elev	Sampled	to Water	Elevation	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Dissolved Oxygen	Notes	
(ft)		(ft)	(ft, msl)	←			µg/L			→		
EA-3	10/17/88	--	--	<50	1.8	<0.5	<0.5	3	--			
331.5	10/24/88	11.03	322.61	--	--	--	--	--	--			
	11/02/88	11.03	322.61	--	--	--	--	--	--			
	12/20/88	10.96	322.68	240	90	1.2	13	3.3	--			
	03/28/89	9.77	323.87	2,300	380	130	240	910	--			
	08/02/89	10.65	322.99	<50	<0.1	<0.1	<0.1	<0.1	--			
	11/06/89	10.78	322.86	<500	<3.0	<5.0	<5.0	<5.0	--			
	01/25/90	10.66	322.98	<50	<0.5	<0.5	<0.5	<0.5	--			
	04/23/90	10.68	322.96	<50	0.8	<0.5	0.9	<0.5	--			
	08/01/90	11.03	322.61	<50	<0.5	<0.5	<0.5	<0.5	--			
	10/24/90	11.35	322.29	<50	<0.5	<0.5	<0.5	<0.5	--			
	01/31/91	11.52	322.12	<50	<0.5	<0.5	<0.5	<0.5	--			
	08/21/91	--	--	--	--	--	--	--	--			
	10/07/91	11.15	322.49	180	40	20	4.7	8.4	--			
	10/7/1991	--	--	200	43	17	4.1	6.7	--			Duplicate
	01/28/92	11.08	322.56	640	69	85	13	46	--			
	06/05/92	10.98	322.66	250	63	8.3	3	9.5	--			
	09/30/92	11.38	322.26	330	120	33	6.3	22	--			
	12/30/92	10.48	323.16	58	7.6	1.3	2.5	5.4	--			
	03/29/93	9.3	324.34	120	11	4.5	6.2	13	--			
	06/25/93	10.46	323.18	<50	<0.5	<0.5	<0.5	<1.5	--			
	09/16/93	10.9	322.74	85	3.9	8.8	4.5	22	--			
	12/20/93	10.66	322.98	190	12	12	13	50	--			
	03/29/94	10.5	323.14	<50	<0.5	1.2	<0.5	0.9	--			
	06/22/94	10.64	323	<50	<0.5	<0.5	<0.5	<0.5	<3.0			
	09/26/94	10.72	322.92	<50	<0.5	<0.5	<0.5	<0.5	--			
	10/04/94	10.68	322.96	<50	<0.5	<0.5	<0.5	0.7	--			
	11/30/94	9.66	323.98	170	6.1	3	6.5	28	--			
	03/02/95	9.92	321.38	<50	<0.5	<0.5	<0.5	<0.5	--			
	06/07/95	9.72	321.58	<50	<0.5	<0.5	<0.5	<0.5	3.2			
	09/26/95	10.6	320.7	2,000	140	<5.0	<5.0	190	280			
	12/28/95	9.82	321.48	<50	<0.5	<0.5	<0.5	<0.5	26			
	02/29/96	8.28	323.02	<50	2.1	<0.5	2.5	6	31			
	06/27/96	9.91	321.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
	09/12/96	10.59	320.91	13,000	<20	<20	<20	<20	48			
	03/31/97	--	--	--	--	--	--	--	--			Inaccessible
	04/15/97	10.25	321.25	<125	2	<1.2	<1.2	<1.2	680			
	12/23/98	--	--	--	--	--	--	--	--			Inaccessible
	03/25/99	--	--	--	--	--	--	--	--			Inaccessible
	02/03/00	--	--	--	--	--	--	--	--			Inaccessible
	01/23/01	10.31	321.19	862 (1)	3.97	1.15	18.9	48.6	289			
	05/01/01	10.15	321.35				SAMPLED SEMI-ANNUALLY					
	08/28/01	10.56	320.94	<50	<0.50	<0.50	<0.50	<0.50	37			
	11/27/01	10.65	320.85				SAMPLED SEMI-ANNUALLY					
	02/28/02	10.37	321.13	<50	1.3	<0.50	2	1.8	90			
	05/22/02	10.27	321.23				SAMPLED SEMI-ANNUALLY					
	08/20/02	10.3	321.2	<50	<0.50	<0.50	<0.50	<1.5	40			
	11/11/02	9.05	322.45				SAMPLED SEMI-ANNUALLY					
	05/08/03	8.83	322.67	<50	<0.5	<0.5	<0.5	<0.5	39/37			
	12/15/04	10.39	321.11	<50	<0.5	<0.5	<0.5	<0.5	18 (17)			
	02/21/05	8.80	322.70	<50	<0.5	<0.5	2.3	1.4	180 (290)	0.69		
	05/17/05	9.57	321.93	140	0.68	<0.5	6.6	0.94	250 (340)	0.86		
	08/17/05	9.23	322.27	3,800	11	3.7	110	24	200 (200)	0.99		

Pangea

Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Dissolved Oxygen	Notes
MW-1 333.66	10/04/94	12.8	320.76	2,100	150	170	61	320	--		
	11/30/94	12.38	321.18	1,500	210	17	73	130	--		
	03/02/95	12.88	320.68	2,600	510	<10	160	<10	--		
	06/07/95	12.58	320.98	710	160	<2.0	45	<2.0	<10		
	09/26/95	13.15	320.41	1,100	140	1.4	92	1.8	<5.0		
	12/28/95	13.09	320.47	750	96	2.5	61	7.4	37		
	02/29/96	12.17	321.39	250	17	<0.5	18	0.81	9		
	06/27/96	12.95	320.61	710	72	<2.0	92	2.2	<10		
	09/12/96	13.11	320.55	300	53	<0.5	32	0.65	21		
	03/31/97	12.99	320.67	<200	4.1	<2.0	4.8	<2.0	640		
	12/23/98	13.87	319.79	<50	<50	<0.5	<0.5	<0.5	3200		
	03/25/99	12.01	321.65	<50	<0.5	<0.5	<0.5	<0.5	5,200 (5,200)		
	02/03/00	11.91	321.75	<500	<5.0	<5.0	<5.0	<5.0	3,180 (3,350)		
	01/23/01	12.57	321.09	<50.0	<0.500	<0.500	<0.500	<0.500	4,420		
	05/01/01	12.6	321.06				SAMPLED SEMI-ANNUALLY				
	08/28/01	12.74	320.92	<50	<0.50	<0.50	<0.50	<0.50	4,800		
	11/27/01	12.7	320.96				SAMPLED SEMI-ANNUALLY				
	02/28/02	12.7	320.96	<50	<0.50	<0.50	<0.50	<1.5	1,400		
	05/22/02	12.38	321.28				SAMPLED SEMI-ANNUALLY				
	08/20/02	12.57	321.09	<50	<0.50	<0.50	<0.50	<1.5	1,400		
	11/11/02	11.31	322.35				SAMPLED SEMI-ANNUALLY				
	05/08/03	11.85	321.81	<50	<0.50	<0.50	<0.50	<0.50	1,300 (1,200)		
	12/15/04	12.80	320.86	<50	<0.50	<0.50	<0.50	<0.50	1,700 (1,900)		
02/21/05	11.81	321.85	<100	<1.0	<1.0	<1.0	<1.0	3,000 (3,800)	0.82		
05/17/05	12.51	321.15	<120	<1.2	<1.2	<1.2	<1.2	3,400 (4,400)	0.75		
08/17/05	12.35	321.31	<170	<1.7	<1.7	<1.7	<1.7	4,500 (4,900)	0.77		
MW-2 329.29	10/04/94	8.56	320.62	2300	160	280	96	480	--		
	11/30/94	8.33	320.85	1,600	170	16	110	120	--		
	03/02/95	8.35	320.83	1,200	220	5.6	140	36	--		
	06/07/95	8.62	320.56	160	25	<0.5	16	<0.5	240		
	09/26/95	8.71	320.47	150	15	<0.5	7.2	<0.5	120		
	12/28/95	8.78	320.4	490	34	1.3	26	5.1	170		
	02/29/96	7.82	321.36	120	29	<0.5	<0.5	<0.5	790		
	06/27/96	8.72	320.46	150	13	<0.5	7	<0.5	850		
	09/12/96	8.81	320.48	<1,000	18	<10	<10	<10	3,100		
	03/31/97	8.65	320.64	<500	<5.0	<5.0	<5.0	<5.0	1,400		
	12/23/98	8.32	320.97	<50	<0.5	<0.5	<0.5	<1.5	900		
	03/25/99	7.89	321.4	<50	2.6	<0.5	<0.5	<0.5	1,100 (670)		
	02/03/00	7.53	321.76	<125	<1.25	<1.25	<1.25	<1.25	1,020 (1,100)		
	01/23/01	8.18	321.11	<50.0	<0.500	<0.500	<0.500	<0.500	642		
	05/01/01	8.43	320.86	70.8	<0.500	<5.00	<5.00	<5.00	342		
	08/28/01	8.39	320.9	<50	<0.50	<0.50	<0.50	<0.50	530		
	11/27/01	8.46	320.83	210	<0.50	<0.50	<0.50	<1.5	260		
	02/28/02	8.48	320.81	<50	<0.50	<0.50	<0.50	<1.5	180		
	05/22/02	8.14	321.15	<50	<0.50	<0.50	<0.50	<1.5	180		
	08/20/02	8.24	321.05	<50	<0.50	<0.50	<0.50	<1.5	160		
	11/11/02	8.06	321.23	<50	<0.50	<0.50	<0.50	<1.5	130		
	05/08/03	7.86	321.43	<50	<0.50	<0.50	<0.50	<0.50	180 (160)		
	12/15/04	8.60	320.69	<50	<0.50	<0.50	<0.50	<0.50	1,400 (1,600)		
02/21/05	7.55	321.74	<50	<0.50	<0.50	<0.50	<0.50	800 (1,100)	1.35		
05/17/05	8.52	320.77	<50	<0.50	<0.50	<0.50	<0.50	160 (210)	1.06		
08/17/05	8.16	321.13	<50	<0.50	<0.50	<0.50	<0.50	190 (210)	0.90		

Pangea

Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	←						Dissolved Oxygen	Notes
				TPHg	Benzene	Toluene	Ethylbenzene µg/L	Xylenes	MTBE		
MW-3 332.86	10/04/94	12.06	320.67	6,300	610	750	68	670	--		
	11/30/94	11.38	321.35	17	3,600	490	430	610	--		
	03/02/95	11.97	320.76	8,500	2,200	<50	240	<50	64,000		
	06/07/95	11.54	321.19	3,000	710	18	220	44	3,100		
	09/26/95	12.36	320.37	<10,000	230	<100	130	<100	64,000		
	12/28/95	12.07	320.66	<12,500	760	<125	<125	<125	100,000		
	02/29/96	11.01	321.72	1,600	380	<10	84	17	33,000		
	06/27/96	11.93	320.8	1,400	<2.5	4.3	130	4	96,000		
	09/12/96	12.26	320.6	<10,000	560	<100	110	<100	100,000		
	03/31/97	12.04	320.82	<25,000	1,200	370	<250	380	130,000		
	12/23/98	12.92	319.94	--	--	--	--	--	--		0.1' SPH; 0.079 gal SPH
	03/25/99	12.56	320.3	--	--	--	--	--	--		0.05' SPH; 0.05 gal SPH
	02/03/00	11.12	321.74	92,100	4,780	11,400	2,270	15,800	137,000 (162,000)		
	1/23/2001	11.78	321.08	60,600	4,810	7,500	1,870	11,000	148,000		Absorbent sock in well
	5/1/2001	10.66	322.2	56,000	3,760	5,640	<2,500	8,740	136,000		Absorbent sock in well
	8/28/2001	11.79	321.07	32,000	3,800	2,600	1,200	7,500	160,000		Absorbent sock in well
	11/27/2001	11.98	320.88	110,000	1,300	2,400	1,500	9,400	90,000		Absorbent sock removed
	02/28/02	11.81	321.05	24,000	1,900	820	520	3,100	90,000		
	05/22/02	11.6	321.26	110,000	4,000	3,200	2,800	18,000	140,000		
	08/20/02	11.81	321.05	37,000	2,600	1,500	890	4,800	110,000		
	11/11/02	11.63	321.23	81,000	2,900	2,100	2,100	14,000	110,000		
	05/08/03	10.91	321.95	5,700	770	69	130	365	76,000 (70,000)		
	12/15/04	11.97	320.89	33,000	1,700	430	1,300	7,000	70,000 (89,000)		
02/21/05	10.81	322.05	--	--	--	--	--	--	1.29	0.01 SPH	
05/17/05	11.63	321.23	--	--	--	--	--	--	1.06	0.08 SPH	
08/17/05	10.83	322.03	39,000	1,500	260	780	2,700	42,000 (47,000)	0.93		
MW-4 332.63	03/01/96	9.9	322.74	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	04/02/96	9.77	322.87	--	--	--	--	--	--		
	06/27/96	10	322.64	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	09/12/96	11.67	320.96	<50	<0.5	<0.5	<0.5	<0.5	3.5		
	03/31/97	10.59	322.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	12/23/98	10.37	322.26	<50	<0.5	<0.5	<0.5	<1.5	<2.5		
	03/25/99	9.91	322.72	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	02/03/00	10.32	322.31	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0 (3)		
	01/23/01	10.54	322.09	<50	<0.500	<0.500	<0.500	<0.500	<5.00		
	05/01/01	10.32	322.31								SAMPLED ANNUALLY
	08/28/01	10.57	322.06								SAMPLED ANNUALLY
	11/27/01	10.29	322.34								SAMPLED ANNUALLY
	02/28/02	10.3	322.33	<50	<0.50	<0.50	<0.50	<1.5	<2.5		
	05/22/02	10.12	322.51								SAMPLED ANNUALLY
	08/20/02	10.43	322.2								SAMPLED ANNUALLY
	11/11/02	9.89	322.74								SAMPLED ANNUALLY
	05/08/03	9.79	322.84	<50	<0.5	<0.5	<0.5	<0.5	<2		
	12/15/04	10.56	322.07	<50	<0.5	<0.5	<0.5	<0.5	<5.0		
	02/21/05	9.50	323.13	<50	<0.5	<0.5	<0.5	<0.5	<5.0 (<0.5)	1.60	
	05/17/05	10.20	322.43							1.29	
08/17/05	10.50	322.13								SAMPLED ANNUALLY	
MW-5 333.47	03/01/96	10.62	322.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	04/02/96	10.14	323.06	--	--	--	--	--	--		
	06/27/96	10.22	322.98	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	09/12/96	10.85	322.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	03/31/97	10.44	322.6	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	12/23/98	10.21	322.83	<50	<0.5	<0.5	<0.5	<1.5	<2.5		

Pangea

Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA

Well ID	Date	Depth	Groundwater	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Dissolved Oxygen	Notes
<i>TOC Elev</i>	<i>Sampled</i>	<i>to Water</i>	<i>Elevation</i>								
<i>(ft)</i>		<i>(ft)</i>	<i>(ft, msl)</i>	←			<i>µg/L</i>			→	
MW-5 (Cont'd)	03/25/99	9.92	323.12	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	02/03/00	9.63	323.41	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.03		
	01/23/01	10.35	322.69	<50	<0.500	<0.500	<0.500	<0.500	<5.00		
	05/01/01	10.34	322.7								SAMPLED ANNUALLY
	08/28/01	10.44	322.6								SAMPLED ANNUALLY
	11/27/01	10.17	322.87								SAMPLED ANNUALLY
	02/28/02	10.2	322.84	<50	<0.50	<0.50	<0.50	<1.5	<2.5		
	05/22/02	10.38	322.66								SAMPLED ANNUALLY
	08/20/02	10.36	322.68								SAMPLED ANNUALLY
	11/11/02	10.03	323.01								SAMPLED ANNUALLY
	05/08/03	9.56	323.48	<50	<0.5	<0.5	<0.5	<0.5	3.4/<0.5		
	12/15/04	10.08	322.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0		
	02/21/05	9.90	323.14	<50	<0.5	<0.5	<0.5	<0.5	<5.0 (0.54)	1.62	
	05/17/05	10.33	322.71							1.47	
	08/17/05	10.40	322.64							1.18	

ABBREVIATIONS AND NOTES:

Groundwater monitoring data and laboratory analytical results prior to December 14, 2004, were scanned from a report by SOMA.

(ft) = Feet

(msl) = Mean sea level

TOC Elev. (ft) = Top of casing elevation

µg/L = micrograms per liter - approximately equal to parts per billion = ppb

TPHg = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015C

BTEX by EPA Method 8020/8021.

MTBE = Methyl tertiary butyl ether by EPA Method 8020/8021. (Concentrations in parentheses are by EPA Method 8260B).

1,2-DCA = 1,2-Dichloroethane

SPH = Separate Phase Hydrocarbons Thickness, in feet


-- = Not Measured/Not Analyzed

1 Laboratory report indicates weathered gasoline C6-C12.

APPENDIX A

Groundwater Monitoring Field Data Sheets

Well Gauging Data Sheet

Project Task #:				Project Name: Dublin Car Wash			
Address: 7420 Dublin Boulevard Dublin, CA						Date: 8/17/05	
Name: Sanjiv Gill				Signature: 			
Well ID	Well Size (in.)	Time	Depth to Immiscible Liquid (ft)	Thickness of Immiscible Liquid (ft)	Depth to Water (ft)	Total Depth (ft)	Measuring Point
EA-1		Inaccessible					TOC
EA-2	4"	6:15			7.97		
EA-3	4"	6:10			9.23	34.81	
MW-1	2"	6:25			12.35	25.37	
MW-2		6:20			8.16	20.00	
MW-3		6:30			10.83	22.25	
MW-4		6:05			10.50		
MW-5	4	6:00			10.40		*


Comments: DO measurements in mg/L : EA-2 = 0.85 mg/L
 MW-4 = 1.10 mg/L & MW-5 = 1.18 mg/L

MONITORING FIELD DATA SHEET

Well ID: MW-1

Project Task #:				Project Name: Dublin Car Wash				
Address: 7420 Dublin Boulevard Dublin, CA								
Date: 8/17/05				Weather: Sunny				
Well Diameter: 2"				Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47	
					2" = 0.16	4" = 0.65	radius ² = 0.163	
Total Depth (TD): 25.37				Depth to Product:				
Depth to Water (DTW): 12.35				Product Thickness:				
Water Column Height: 13.02				1 Casing Volume: 2.08		gallons		
Reference Point: TOC				3 Casing Volumes: 6.24		gallons		
Purging Device: Disposable Bailer, Wattera pump								
Sampling Device: Disposable Bailer								
Time	Temp (°C)	pH	Cond (µs)	NTU	DO (mg/L)	ORP (mV)	Vol (gal)	DTW
8:25	25.1	7.09	724				2	
8:30	24.9	7.12	755				4	
8:35	24.9	7.11	769				6	

Comments: Pre purge DO meter Oakton, DO = 0.7 mg/L


Sample ID: MW-1		Sample Time: 8:40	
Laboratory: Mc Campbell		Sample Date: 8/17/05	
Containers/Preservative: Voa/HCL			
Analyzed for: 8015, 8021, 8260			
Sampler Name: Sanjiv Gill		Signature: 	

MONITORING FIELD DATA SHEET

Well ID: MW-2

Project Task #:				Project Name: Dublin Car Wash				
Address: 7420 Dublin Boulevard Dublin, CA								
Date: 8/17/05				Weather:				
Well Diameter: 2"				Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47	
					2" = 0.16	4" = 0.65	radius ² = 0.163	
Total Depth (TD): 20.00				Depth to Product:				
Depth to Water (DTW): 8.16				Product Thickness:				
Water Column Height: 11.84				1 Casing Volume:	1.89	gallons		
Reference Point: TOC				3 Casing Volumes:	5.68	gallons		
Purging Device: Disposable Bailer, Wattera pump								
Sampling Device: Disposable Bailer								
Time	Temp (°C)	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
7:55	24.7	7.06	731				2	
8:00	24.9	7.09	759				4	
8:05	24.9	7.10	743				6	

Comments: Pre purge DO meter Oakton, DO = 0.90mg/L


Sample ID: MW- 2		Sample Time: 8:10	
Laboratory: Mc Campbell		Sample Date: 8/17/05	
Containers/Preservative: Voa/HCL			
Analyzed for: 8015, 8021, 8260			
Sampler Name: Sanjiv Gill		Signature: 	

MONITORING FIELD DATA SHEET

Well ID: MW- 3

Project Task #:				Project Name: Dublin Car Wash				
Address: 7420 Dublin Boulevard Dublin, CA								
Date: 8/17/05				Weather: Sunny				
Well Diameter: 2'1"				Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47	
					2" = 0.16	4" = 0.65	radius ² * 0.163	
Total Depth (TD): 22.25				Depth to Product:				
Depth to Water (DTW): 10.83				Product Thickness:				
Water Column Height: 11.42				1 Casing Volume: 1.82		gallons		
Reference Point: TOC				3 Casing Volumes: 5.48		gallons		
Purging Device: Disposable Bailer, Wattera pump								
Sampling Device: Disposable Bailer								
Time	Temp @	pH	Cond (us)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
9:00	25.1	7.22	650				2	
9:05	24.9	7.18	633				4	
9:10	24.8	7.21	610				5.5	

Comments: Pre purge DO meter Oakton, DO = 0.9 mg/L


Sample ID: MW- 3		Sample Time: 9:15	
Laboratory: Mc Campbell		Sample Date: 8/17/05	
Containers/Preservative: Voa/HCL			
Analyzed for: 8015, 8021, 8260			
Sampler Name: Sanjiv Gill		Signature: 	

MONITORING FIELD DATA SHEET

Well ID: ~~MW~~ FA-1

Project Task #:				Project Name: Dublin Car Wash				
Address: 7420 Dublin Boulevard Dublin, CA								
Date: 8/17/05				Weather: Sunny				
Well Diameter:				Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47	
					2" = 0.16	4" = 0.65	radius ² * 0.163	
Total Depth (TD):				Depth to Product:				
Depth to Water (DTW):				Product Thickness:				
Water Column Height:				1 Casing Volume:			gallons	
Reference Point: TOC				Casing Volumes:			gallons	
Purging Device: Disposable Bailer, Wattera pump								
Sampling Device: Disposable Bailer								
Time	Temp (°C)	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
		Inaccessible						

Comments: Pre purge DO meter Oakton, DO = mg/L


Sample ID: MW-		Sample Time:	
Laboratory: Mc Campbell		Sample Date: 8/17/05	
Containers/Preservative: Voa/HCL			
Analyzed for: 8015, 8021, 8260			
Sampler Name: Sanjiv Gill		Signature: 	

MONITORING FIELD DATA SHEET

Well ID: ~~MW~~ EA-3

Project Task #:				Project Name: Dublin Car Wash				
Address: 7420 Dublin Boulevard Dublin, CA								
Date: 8/17/05				Weather: Sunny				
Well Diameter: 4"				Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47	
					2" = 0.16	4" = 0.65	radius ² * 0.163	
Total Depth (TD): 34.81				Depth to Product:				
Depth to Water (DTW): 9.23				Product Thickness:				
Water Column Height: 25.58				1 Casing Volume: 16.62		gallons		
Reference Point: TOC				3 Casing Volumes: 49.88		gallons		
Purging Device: Disposable Bailer, Wattera pump, <u>Whal pump</u>								
Sampling Device: Disposable Bailer								
Time	Temp (°C)	pH	Cond (µs)	NTU	DO (mg/L)	ORP (mV)	Vol (gal)	DTW
7:00	23.6	6.95	470				17	
7:20	24.8	6.90	485				34	
7:40	24.9	6.88	492				50	

Comments: Pre purge DO meter Oakton, DO = ~~0.99~~ 0.99

Sample ID: MW EA-3		Sample Time: 7:45	
Laboratory: Mc Campbell		Sample Date: 8/17/05	
Containers/Preservative: Voa/HCL			
Analyzed for: 8015, 8021, 8260			
Sampler Name: Sanjiv Gill		Signature: 	

McCAMPBELL ANALYTICAL, INC.

110 2ND AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Website: Email: main@mccampbell.com
Telephone: (925) 798-1620 Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required: Yes No

Report To: Bob Clark-Riddell Bill To: Pangea Environmental
Company: Pangea Environmental Services Inc.
436 14th Street Suite 1123
Oakland, CA 94612 E-Mail: bcr@pangeaenv.com
Tele: 510-435-8664 Fax: 510-893-2500
Project #: Project Name: Dublin Car Wash
Project Location: 7240 Dublin Blvd Dublin, CA
Sampler Signature: Muskan Environmental Sampling *EA*

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		CONTAINERS		MATRIX					METHOD PRESERVED			
		Date	Time	# Containers	Type Containers	Water	Soil	Air	Sludge	Other	ICE	HCL	HNO ₃	Other
MW-1		8-17-05	8:10	3	VOL	X					X	X		
MW-2			8:10											
MW-3			9:15											
EA-3		X	7:45	X	X	X				X	X			

Analysis Request												Other	Comments
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Filter Samples for Metals analysis: Yes / No
MTBE / BTEX & TPH as Gas (602 / 8021 + 8015)	MTBE / BTEX ONLY (EPA 602 / 8021)	TPH as Diesel (8015)	Total Petroleum Oil & Grease (1664 / 5920 E/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 502.2 / 601 / 8010 / 8021 (HVOCs)	EPA 505 / 608 / 8081 (CI Pesticides)	EPA 608 / 8082 PCB's ONLY; Aroclors / Congeners	EPA 507 / 8141 (NP Pesticides)	EPA 515 / 8151 (Acidic CI Herbicides)	EPA 524.2 / 624 / 8260 (VOCs)	Fuel Additives (MTBE, ETBE, TAME, DIPE, TBA, 1,2-DCA, 1,2-EDB, ethanol) by 8260B	IF Mtbe is detected by 8021 confirm by 8260B	

Relinquished By: *[Signature]* Date: 8/17/05 Time: 10:13
Received By: *[Signature]*
Relinquished By: Date: Time: Received By:

APPENDIX B

Laboratory Analytical Report



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Pangea Environmental Svcs., Inc. 436 14th Street, Suite 1123 Oakland, CA 94612	Client Project ID: Dublin Car Wash	Date Sampled: 08/17/05
		Date Received: 08/17/05
	Client Contact: Bob Clark-Riddell	Date Reported: 08/22/05
	Client P.O.:	Date Completed: 08/23/05

WorkOrder: 0508274

August 23, 2005

Dear Bob:

Enclosed are:

- 1). the results of 4 analyzed samples from your **Dublin Car Wash project**,
- 2). a QC report for the above samples
- 3). a copy of the chain of custody, and
- 4). a bill for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions please contact me. McC Campbell Analytical Laboratories strives for excellence in quality, service and cost. Thank you for your business and I look forward to working with you again.

Yours truly,

Angela Rydelius, Lab Manager



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Pangea Environmental Svcs., Inc. 436 14th Street, Suite 1123 Oakland, CA 94612	Client Project ID: Dublin Car Wash	Date Sampled: 08/17/05
		Date Received: 08/17/05
	Client Contact: Bob Clark-Riddell	Date Extracted: 08/17/05-08/18/05
	Client P.O.:	Date Analyzed: 08/17/05-08/18/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0508274


Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	MW-1	W	ND<170,j	4900	ND<1.7	ND<1.7	ND<1.7	ND<1.7	3.3	117
002A	MW-2	W	ND	210	ND	ND	ND	ND	1	113
003A	MW-3	W	39,000,a,h	47,000	1500	260	780	2700	50	99
004A	EA-3	W	3800,a	200	11	3.7	110	24	1	117

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

 Angela Rydelius, Lab Manager



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Pangea Environmental Svcs., Inc. 436 14th Street, Suite 1123 Oakland, CA 94612	Client Project ID: Dublin Car Wash	Date Sampled: 08/17/05
		Date Received: 08/17/05
	Client Contact: Bob Clark-Riddell	Date Extracted: 08/22/05
	Client P.O.:	Date Analyzed: 08/22/05

Methyl tert-Butyl Ether*

Extraction method: SW5030B

Analytical methods: SW8260B

Work Order: 0508274

Lab ID	Client ID	Matrix	Methyl-t-butyl ether (MTBE)	DF	% SS
001A	MW-1	W	4500	170	106
002A	MW-2	W	190	10	105
003A	MW-3	W	42,000,h	1700	101
004A	EA-3	W	200	10	102


Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	0.5	µg/L
	S	NA	NA

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Angela Rydelius, Lab Manager



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0508274

EPA Method: SW8021B/8015Cm		Extraction: SW5030B			BatchID: 17580			Spiked Sample ID: 0508266-002A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(btex) [£]	ND	60	92.6	90.6	2.21	87.7	95.1	8.03	70 - 130	70 - 130
MTBE	ND	10	99.4	90.4	9.46	96.6	101	4.40	70 - 130	70 - 130
Benzene	ND	10	95.5	90.2	5.72	89.5	91.7	2.44	70 - 130	70 - 130
Toluene	ND	10	97.5	90.8	7.13	91.1	92.5	1.54	70 - 130	70 - 130
Ethylbenzene	ND	10	96.7	91.7	5.26	90.7	93.6	3.15	70 - 130	70 - 130
Xylenes	ND	30	99.3	94.3	5.16	94.3	95	0.704	70 - 130	70 - 130
%SS:	106	10	104	100	4.46	97	101	3.99	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:

NONE

BATCH 17580 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0508274-001A	8/17/05 8:40 AM	8/18/05	8/18/05 3:24 AM	0508274-001A	8/17/05 8:40 AM	8/18/05	8/18/05 4:53 AM
0508274-002A	8/17/05 8:10 AM	8/18/05	8/18/05 3:54 AM	0508274-003A	8/17/05 9:15 AM	8/17/05	8/17/05 5:29 PM
0508274-003A	8/17/05 9:15 AM	8/18/05	8/18/05 4:24 AM	0508274-004A	8/17/05 7:45 AM	8/18/05	8/18/05 2:54 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not applicable or not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mcccampbell.com E-mail: main@mcccampbell.com

QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0508274

EPA Method: SW8260B		Extraction: SW5030B			BatchID: 17657			Spiked Sample ID: 0508355-001A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
Methyl-t-butyl ether (MTBE)	ND	10	108	110	1.45	114	115	0.191	70 - 130	70 - 130
%SS1:	102	10	99	99	0	98	97	1.15	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 17657 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0508274-004A	8/17/05 7:45 AM	8/22/05	8/22/05 3:09 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.
 % Recovery = $100 * (MS - Sample) / (Amount Spiked)$; $RPD = 100 * (MS - MSD) / ((MS + MSD) / 2)$.
 MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.
 N/A = not enough sample to perform matrix spike and matrix spike duplicate.
 NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.
 Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0508274

EPA Method: SW8260B		Extraction: SW5030B			BatchID: 17649			Spiked Sample ID: 0508338-003B		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
Methyl-t-butyl ether (MTBE)	ND	10	112	115	2.70	108	111	3.15	70 - 130	70 - 130
%SS1:	114	10	98	99	0.926	105	105	0	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:

NONE

BATCH 17649 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0508274-001A	8/17/05 8:40 AM	8/22/05	8/22/05 12:43 PM	0508274-002A	8/17/05 8:10 AM	8/22/05	8/22/05 1:30 PM
0508274-003A	8/17/05 9:15 AM	8/22/05	8/22/05 2:19 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.

PEO 0508274

McCAMPBELL ANALYTICAL, INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Website: www.mccampbell.com Email: main@mccampbell.com
Telephone: (925) 798-1620 Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME
RUSH 24 HR 48 HR 72 HR 5 DAY
EDF Required? Yes No

Report To: Bob Clark-Riddell Bill To: Pangea Environmental

Company: Pangea Environmental Services Inc.

436 14th Street Suite 1123

Oakland, CA 94612

E-Mail: bcr@pangeaenv.com

Tele: 510-435-8664

Fax: 510-893-2500

Project #:

Project Name: Dublin Car Wash

Project Location: 7240 Dublin Blvd Dublin, CA

Sampler Signature: Muskan Environmental Sampling *MS*

Analysis Request

Other

Comments

MTBE / BTEX & TPH as Gas (602 / 8021 + 8015)
MTBE / BTEX ONLY (EPA 602 / 8021)
TPH as Diesel (8015)
Total Petroleum Oil & Grease (1664 / 5520 E/B&F)
Total Petroleum Hydrocarbons (418.1)
EPA 502.2 / 601 / 8010 / 8021 (HVOCs)
EPA 505 / 608 / 8061 (CI Pesticides)
EPA 608 / 8082 PCB's ONLY; Aroclors / Congeners
EPA 507 / 8141 (NP Pesticides)
EPA 515 / 8151 (Acidic CI Herbicides)
EPA 524.2 / 624 / 8269 (VOCs)
Fuel Additives (MTBE, ETBE, TAME, DIPE, TBA, 1,2 - DCA, 1,2 - EDB, ethanol) by 8269B
If 100ppb is detected by 8021 confirm by 8260B *added by 8/22*

Filter Samples for Metals analysis: Yes / No

+
+
+
(H)

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED								
		Date	Time			Water	Soil	Air	Sludge	Other	ICE	HCL	HNO ₃	Other					
MW-1		8-17-05	8:40	3	VOA	X						X	X						
MW-2			8:10																
MW-3			9:15																
EA-3		X	7:45	X	X	X						X	X						

ICBP
GOOD CONDITION
HEAD SPACE ABSENT
DECHLORINATED IN LAB
PRESERVATION VOA OSG METALS OTHER
APPROPRIATE CONTAINERS
PRESERVED IN LAB

Relinquished By: *MS* Date: 8/17/05 Time: 10:13 Received By: *[Signature]*

Relinquished By: _____ Date: _____ Time: _____ Received By: _____

McC Campbell Analytical, Inc.

CHAIN-OF-CUSTODY RECORD



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

WorkOrder: 0508274

ClientID: PEO

EDF: NO

Report to:

Bob Clark-Riddell
 Pangea Environmental Svcs., Inc.
 436 14th Street, Suite 1123
 Oakland, CA 94612

TEL: (510) 435-8664
 FAX: (510) 654-4006
 ProjectNo: Dublin Car Wash
 PO:

Bill to:

Bob Clark-Riddell
 Pangea Environmental Svcs., Inc.
 436 14th Street, Suite 1123
 Oakland, CA 94612

Requested TAT: 5 days

Date Received: 08/17/2005

Date Printed: 08/22/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)														
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0508274-001	MW-1	Water	8/17/05 8:40:00 AM	<input type="checkbox"/>	A	A	A												
0508274-002	MW-2	Water	8/17/05 8:10:00 AM	<input type="checkbox"/>	A	A													
0508274-003	MW-3	Water	8/17/05 9:15:00 AM	<input type="checkbox"/>	A	A													
0508274-004	EA-3	Water	8/17/05 7:45:00 AM	<input type="checkbox"/>	A	A													

Test Legend:

1	G-MBTX_W	2	MTBE_W	3	PREF REPORT	4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Melissa Valles

Comments: all samples added MTBE by 8260 8/22/05 5d

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.