

**RECEIVED**

9:25 am, Jun 30, 2009

Alameda County  
Environmental Health



June 25, 2009

*VIA ALAMEDA COUNTY FTP SITE*

Mr. Paresh Khatri  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: **Groundwater Monitoring Report - Second Quarter 2009**  
Dublin Auto Wash  
7240 Dublin Boulevard  
Dublin, California  
ACEH Case No. 304

Dear Mr. Khatri:

On behalf of Mr. Hooshang Hadjian, Pangea Environmental Services, Inc. has prepared this *Groundwater Monitoring Report – Second Quarter 2009*. The report describes groundwater monitoring, sampling, and other site activities.

In response to State Water Resources Control Board Resolution No. 2009-0042, Pangea now proposes to reduce the groundwater monitoring frequency from quarterly to *semi-annual*. Pangea proposes to omit the second and fourth quarter sampling events, as presented in Table B in Appendix A. However, Pangea proposes to resume quarterly monitoring (as shown in Table A in Appendix A) upon startup of the approved short-term remediation to help evaluate remedial effectiveness and control remediation costs.

If you have any questions or comments, please call me at (510) 435-8664.

Sincerely,  
**Pangea Environmental Services, Inc.**

A handwritten signature in blue ink that reads "Bob Clark-Riddell". The signature is written in a cursive style.

Bob Clark-Riddell, P.E.  
Principal Engineer

Attachment: *Groundwater Monitoring Report – Second Quarter 2009*

cc: Mr. Hooshang Hadjian, 2108 San Ramon Valley Blvd, San Ramon, CA 94583  
Mr. Jim Lange, 6500 Dublin Blvd., Suite 202, Dublin, CA 94568  
Charlotte Evans, CRA (electronic copy)  
SWRCB Geotracker (electronic copy)

**PANGEA Environmental Services, Inc.**



## GROUNDWATER MONITORING REPORT – SECOND QUARTER 2009

**Dublin Auto Wash  
7240 Dublin Boulevard  
Dublin, California**

**June 25, 2009**

*Prepared for:*


Mr. Hooshang Hadjian  
2108 San Ramon Valley Blvd  
San Ramon, CA 94583


*Prepared by:*

Pangea Environmental Services, Inc.  
1710 Franklin Street, Suite 200  
Oakland, California 94612

*Written by:*



  
Morgan Gillies  
Project Manager

  
Bob Clark-Riddell, P.E.  
Principal Engineer

**PANGEA Environmental Services, Inc.**

## **INTRODUCTION**

On behalf of Mr. Hooshang Hadjian, Pangea Environmental Services, Inc. (Pangea) conducted groundwater monitoring and sampling activities during this quarter at the subject site (Figure 1). The purpose of the monitoring and sampling is to evaluate groundwater flow direction and dissolved contaminant concentrations, and to inspect site wells for separate-phase hydrocarbons (SPH). Current groundwater analytical results and elevation data are shown on Figure 2. Current and historical data are summarized on Table 1.

## **SITE BACKGROUND**

The Dublin Auto Wash retail gasoline station is located at the southwest corner of Dublin Boulevard and Village Parkway in Dublin, California (Figure 1). Currently, there are three 10,000-gallon underground storage tanks (USTs) and a carwash at the site. Land use immediately surrounding the station is commercial.

From approximately 1988 to 1997, Chevron Products Company performed assessment and remediation of the site. A soil vapor extraction (SVE) system was operated at the site from December 1992 through June 1995. Mr. Hadjian is the responsible party for an unauthorized release from a leaking stainless steel flex-hose near the northernmost dispenser island in February 1997. Subsequently, a new product delivery system was installed and about 31 cubic yards of contaminated soil was removed from the release area. Gettler-Ryan, Inc. monitored the eight existing groundwater wells at the site until 2003, when SOMA Environmental Engineering, Inc., took over groundwater monitoring and conducted further characterization of the site using electrical conductivity logging to identify potential water-bearing zones. In November 2004, Pangea commenced coordination of groundwater monitoring and corrective action for the site. To delineate the contamination detected during SOMA's investigation, Pangea installed additional monitoring wells with shorter screen lengths in identified water-bearing zones in 2006. Pangea also drilled three soil borings (SB-1, SB-1A and SB-2) to help evaluate subsurface conditions downgradient of the 1997 release and north of the site, and the potential for contamination migration along the 18-inch sanitary sewer line in Dublin Boulevard.

The site subsurface consists primarily of clay, sandy clay, and clayey sand. The shallower soil (<34 ft bgs) is predominantly clay and sandy clay with thin lenses of clayey sand, while the deeper soil (>34 ft bgs) contains clayey sand units of apparently higher permeability than shallower materials. In March, April and May, 2006, Pangea installed fourteen monitoring wells to help define the vertical and lateral extent of groundwater contamination in the identified water-bearing zones. Wells with shorter screen lengths than existing wells were installed in the upper shallow (AA) zone from approximately 9 to 14 ft bgs (MW-7AA), the shallow (A) zone from approximately 15 to 20 ft bgs (MW-3A, MW-6A, MW-7A, MW-8A, MW-9A and MW-10A), the middle (B) zone from approximately 25 to 30 ft bgs (MW-6B and MW-7B), and the deep (C) zone from approximately 34 to 45 ft bgs (MW-6C, MW-7C, MW-9C, MW-10C and MW-11C). The well screen in MW-3A was installed at a shallower depth than the other A-zone wells to intercept the SPH previously observed in destroyed well MW-3.

The shallower (AA, A and B) water-bearing zones primarily consist of thin lenses of clayey sand within sandy clay, while higher permeability silty sand and clayey sand are the predominant soil types constituting the deeper (C) water-bearing zone. Vapor wells VW-1 through VW-3 are screened from approximately 3 to 9 ft bgs in the upper shallow seasonal water-bearing zone, which appears to be a perched zone. In late March and early April 2006, wells EA-1, EA-2, EA-3 and MW-3 were destroyed to reduce the risk of vertical contaminant migration and improve the quality of contaminant concentration and groundwater elevation data.

To compare the elevation of surface water in the flood control channel with site groundwater, point C-1 was surveyed on the roadway overpass above the channel. Well construction details are presented in Table 2.

An interim remedial action was conducted by Pangea in July 2006 by extracting approximately 40 gallons of impacted liquid from wells MW-3A and MW-7AA with a vacuum truck. In November 2007, Pangea conducted a five-day dual-phase extraction (DPE) test (and interim remediation event) to evaluate the effectiveness of DPE as remedial technique and to provide additional source removal. On December 9, 2008, Pangea submitted an *Interim Remediation Report and Corrective Action Plan* (CAP) describing DPE testing and proposing short-term dual phase extraction (DPE) as the most appropriate and cost-effective technique for site remediation. In a letter dated January 16, 2009, ACEH approved short-term DPE for additional source removal to help facilitate case closure.

## **GROUNDWATER MONITORING AND SAMPLING**

On May 28, 2009, groundwater monitoring and sampling was conducted at the site. As part of the monitoring program for this site, all well caps were removed the day before monitoring to allow water levels to stabilize. A revised monitoring program which included reduced sampling frequency for several site wells was approved in a letter from the Alameda County Environmental Health Department (ACEH) dated January 16, 2009. The approved groundwater monitoring program is summarized in Table A in Appendix A. Groundwater samples were obtained from groundwater monitoring wells MW-1, MW-2, MW-3A, MW-6A, MW-7AA and MW-8A. The depth to water at survey point C-1 above the flood control channel was also measured. Monitoring and sampling of deep monitoring wells MW-6C, MW-7C, MW-9C, MW-10C and MW-11C was discontinued beginning in the second quarter 2007, as approved by Barney Chan of ACEH in a May 14, 2007 telephone conversation, because no significant contamination had been detected in these deeper site wells during four consecutive quarters.

Before well purging, the dissolved oxygen (DO) concentration was measured in each sampled well. DO was measured by lowering a downwell sensor to the approximate middle of the water column, and allowing the reading to stabilize during gentle height adjustment. Prior to sample collection, approximately three casing volumes of water were purged using disposable bailers, an electric submersible pump, positive air displacement pump, or a peristaltic pump. During well purging, field technicians measured the pH, temperature and conductivity. Groundwater samples were collected from each well with a disposable bailer, and decanted into the appropriate containers supplied by the analytical laboratory. Groundwater samples were labeled, placed in protective plastic bags, and stored on crushed ice at or below 4° C. All samples were

transported under chain-of-custody to a State-certified analytical laboratory. Purge water was temporarily stored onsite in DOT-approved 55-gallon drums. Groundwater monitoring field data sheets are presented in Appendix B.

## **MONITORING RESULTS**

Current and historical groundwater elevation data and analytical results are described below and summarized on Table 1. Groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by modified EPA Method 8015C; and benzene, toluene, ethylbenzene, xylenes (BTEX), and methyl tertiary butyl ether (MTBE) by EPA Method 8021B. Samples were analyzed by McCampbell Analytical, Inc. of Pittsburg, California, a State-certified laboratory. The laboratory analytical report is included in Appendix B. DO concentrations ranged from 0.55 mg/L (well MW-6A) to 0.74 mg/L (well MW-2).

### **Groundwater Flow Direction**

Based on depth-to-water data collected May 28, 2009, groundwater elevations in shallow and intermediate zones are shown on Figure 2 and discussed below. Groundwater flow at the site is complex due to the combined effects of a generally upward gradient, the nearby creek/flood control channel, seasonal fluctuations in flow direction, and possible influences of the city sewer line located beneath Dublin Boulevard.

***Vertical Gradient Evaluation:*** A comparison of clustered well pairs screened at different depths indicates that a consistent upward gradient component of approximately 0.12 ft/ft is present between the shallow and intermediate water-bearing zones at the portion of the site north of the dispenser islands (MW-6A and 6B), and a significantly smaller upward gradient is present southwest of the dispenser islands (MW-7A and MW-7B), as shown below on Table A. A downward gradient appears to be present between the upper shallow, AA-zone vapor wells (VW-1, VW-2 and VW-3) and the shallow A-zone monitoring wells, although this apparent gradient may be due to perched groundwater.

**Table A – Vertical Gradient Evaluation using Paired Monitoring Wells**

Monitoring Well Pair	Groundwater Elevation	Mean Screen Depth	Calculated Vertical Gradient
<b>MW-6A</b>	320.36	17.5	
<b>MW-6B</b>	321.67	28	
<i>Difference</i>	<i>1.31</i>	<i>10.5</i>	<i>0.12 (upwards)</i>
<b>MW-7A</b>	320.80	18	
<b>MW-7B</b>	320.89	28	
<i>Difference</i>	<i>0.09</i>	<i>10</i>	<i>0.009 (upwards)</i>

**Horizontal Gradient Evaluation:** Depth-to-water measurements collected during prior monitoring events indicate that the horizontal component of the groundwater flow direction to the north of the site has been consistently *southward to southeastward* for the *shallow* wells, but gradient directions in the southern portion of the site have fluctuated significantly, possibly due to the influence of the nearby flood control channel. As shown on Figure 2, the horizontal component of the groundwater flow direction in the *shallow* wells at the site for the current monitoring event appears to converge to the northeast along Dublin Boulevard and is possibly influenced by permeable backfill around the sanitary sewer line beneath Dublin Boulevard. The groundwater flow direction for the shallow water-bearing zone may also be affected by surface water infiltration from the onsite car wash. The horizontal component of groundwater flow in the *intermediate-depth* wells could not be determined since only two wells are screened at that depth.

**Conclusion:** The primary observation regarding the piezometric surface is that a moderately well-defined upward gradient is present in wells north of the dispenser islands. Historical depth-to-water and groundwater elevation data for the site are presented in Table 1.

### Hydrocarbon Distribution in Groundwater

No separate-phase hydrocarbons (SPH) were detected in site wells this quarter. SPH was previously detected in MW-3 and replacement well MW-3A, but has not been detected in MW-3A since May 2006, shortly after well installation. A brief interim remedial action conducted on July 7, 2006, and consisting of removal of approximately 40 gallons of impacted liquid from well MW-3A using a vacuum truck, may have improved site conditions near well MW-3A. Site conditions were also likely improved by the five-day DPE test/removal event conducted in November 2007 on source area wells MW-3A, MW-6A, MW-7A and MW-7AA. Hydrocarbon concentrations in wells MW-3A, MW-6A and MW-7A generally increased after the

November 2007 DPE testing and have now returned to near or below pre-test levels. Hydrocarbon concentrations generally show stable to decreasing trends in all site wells, although concentrations remain elevated in select source area wells.

Hydrocarbon contamination is concentrated in the upper shallow (AA) and shallow (A) water-bearing zones in the vicinity of the fuel dispensers, as shown in Table 1 and on Figure 2. Well MW-7AA, located west of the dispenser islands, contained both the highest TPHg concentration (7,600 µg/L) and the highest benzene concentration (1,100 µg/L).

### **Fuel Oxygenate Distribution in Groundwater**

MTBE was detected above reporting limits in five of the six sampled wells, as shown in Table 1 and on Figure 2. The highest MTBE concentration was detected in source area well MW-7AA at 6,100 µg/L, a historic *low* for this well. Historic *low* MTBE concentrations were detected in well MW-2 (12 µg/L) and in well MW-3A (500 µg/L). MTBE concentrations in other sampled wells were within historic limits or trends.

MTBE concentrations in well MW-1 had been steadily increasing over a three-year period before reaching a historic high of 8,400 µg/L during the fourth quarter 2006 monitoring event, but have decreased substantially since then (<5.0 µg/L this quarter). The concentration reductions in well MW-1 may be due to interim remediation, MTBE migration from the area, or natural attenuation.

## **OTHER SITE ACTIVITIES**

### **Additional Site Remediation**

On January 16, 2009, ACEH approved implementation of short-term DPE as described in the *Interim Remediation Report and Corrective Action Plan (CAP)* dated December 9, 2008. Pangea has begun implementation of the approved CAP. Short-term DPE was selected to provide additional source removal and help facilitate regulatory case closure.

### **Groundwater Monitoring Program Reductions**

To help control project cost in accordance with the Cleanup Fund request on October 23, 2008, Pangea proposed groundwater monitoring frequency reductions in the *Groundwater Monitoring Report – Third Quarter 2008* for the subject site. In a letter dated January 16, 2009, ACEH concurred with Pangea's recommendation to reduce sampling frequency for several site wells. The approved groundwater monitoring program, presented in Table A in Appendix A, involves quarterly monitoring of six key wells and annual monitoring (first quarter) of sixteen wells.

In response to State Water Resources Control Board Resolution No. 2009-0042, Pangea now proposes to reduce the groundwater monitoring frequency from quarterly to *semi-annual*. Pangea proposes to omit the second and fourth quarter sampling events, as presented in Table B in Appendix A. However, Pangea proposes to resume quarterly monitoring (as shown in Table A in Appendix A) upon startup of the approved short-term remediation to help evaluate remedial effectiveness and control remediation costs. Pangea will summarize groundwater monitoring activities and results in a groundwater monitoring report.

### **Electronic Reporting**

The report, laboratory data, and other applicable information will be uploaded to the State Water Resource Control Board's Geotracker database.

### **ATTACHMENTS**

Figure 1 – Site Location Map

Figure 2 – Groundwater Elevation Contour and Hydrocarbon Concentration Map – Shallow

Table 1 – Groundwater Elevation and Analytical Data


Table 2 – Well Construction Details

Appendix A – Groundwater Monitoring Program

Appendix B – Groundwater Monitoring Field Data Sheets

Appendix C – Laboratory Analytical Results





SOURCE: TOPOI MAPS



SCALE : 1" = 1/4 MILE

Figure 1

Dublin Auto Wash  
 7240 Dublin Boulevard  
 Dublin, California



Site Location Map



**Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID	Date	Depth	Groundwater							Dissolved	Notes
TOC Elev	Sampled	to Water	Elevation	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Oxygen	
(ft)		(ft)	(ft, msl)	← μg/L →						mg/L	
<b>Surface Water (Flood Control Channel)</b>											
C-1	08/17/06	11.60	321.29	--	--	--	--	--	--	--	Gauge data - flood control channel
332.89	11/24/06	12.10	320.79	--	--	--	--	--	--	--	
	02/21/07	12.10	320.79	--	--	--	--	--	--	--	
	05/15/07	12.05	320.84	--	--	--	--	--	--	--	
	08/28/07	11.90	320.99	--	--	--	--	--	--	--	
	12/21/07	12.16	320.73	--	--	--	--	--	--	--	
	02/26/08	12.21	320.68	--	--	--	--	--	--	--	
	05/21/08	12.40	320.49	--	--	--	--	--	--	--	
	08/13/08	11.95	320.94	--	--	--	--	--	--	--	
	11/13/08	12.40	320.49	--	--	--	--	--	--	--	
	02/06/09	12.02	320.87	--	--	--	--	--	--	--	
	<b>05/28/09</b>	<b>11.98</b>	<b>320.91</b>	--	--	--	--	--	--	--	
<hr/>											
<b>Upper Shallow (AA-Zone) Wells</b>											
MW-7AA	05/31/06	9.18	321.49	12,000	1,000	410	180	1,600	23,000 (21,000)	0.44	TAME, TBA, DIPE, ETBE=ND
330.67	07/07/06	9.15	321.52	--	--	--	--	--	--	--	
	08/17/06	8.75	321.92	25,000	2,200	210	780	1,400	36,000(42,000)	0.24	
	11/24/06	9.84	320.83	27,000	3,400	1,100	1,300	3,400	37,000	0.33	
	02/21/07	9.60	321.07	18,000	2,400	670	200	2,800	41,000	0.58	
	05/15/07	10.20	320.47	11,000	1,500	200	520	1,100	47,000	0.49	
	08/28/07	10.20	320.47	4,500	720	13	73	100	18,000	0.33	
	12/21/07	10.09	320.58	3,700	550	32	74	330	12,000	0.58	
	02/26/08	8.96	321.71	5,400	970	7.2	320	100	15,000	0.74	
	05/21/08	10.28	320.39	22,000	2,700	19	940	440	28,000	0.71	
	08/13/08	10.38	320.29	3,900	510	<5.0	150	42	15,000	0.77	
	11/13/08	10.35	320.32	8,000	1,100	20	290	280	19,000	0.80	
	02/06/09	10.31	320.36	11,000	1,200	37	500	800	13,000	0.79	
	<b>05/28/09</b>	<b>10.05</b>	<b>320.62</b>	<b>7,600</b>	<b>1,100</b>	<b>34</b>	<b>390</b>	<b>870</b>	<b>6,100</b>	<b>0.73</b>	
VW-1	02/21/06	7.95	322.48	860	120	1.4	32	4.4	390 (440)	1.97	TAME=12μg/L, TBA,DIPE,ETBE=ND
330.43	06/01/06	7.89	322.54	1,100	92	2.2	11	1.4	600 (550)	0.11	
	07/07/06	7.71	322.72	--	--	--	--	--	--	--	
	08/17/06	7.65	322.78	--	--	--	--	--	--	0.07	
	11/24/06	7.75	322.68			Insufficient Water to Sample				0.48	
	02/21/07	7.81	322.62	620	52	4.3	<0.5	2.7	340	0.22	
	05/15/07	7.94	322.49	2,000	270	6.4	1.2	15	720	0.10	
	08/28/07	8.07	322.36	2,400	400	4.6	<0.5	23	610	0.27	
	12/21/07	8.20	322.23			Insufficient Water to Sample					
	02/26/08	8.20	322.23			Insufficient Water to Sample					
	05/21/08	8.21	322.22			Insufficient Water to Sample					
	08/13/08	8.27	322.16			Insufficient Water to Sample					
	11/13/08	5.97	324.46	<50	<0.5	<0.5	<0.5	<0.5	46	1.10	
	02/06/09	6.04	324.39	<50	<0.5	<0.5	<0.5	<0.5	80	0.97	
	<b>05/28/09</b>	<b>6.30</b>	<b>324.13</b>	--	--	--	--	--	--	--	
VW-2	02/21/06	6.01	324.16	1,600	150	2.7	55	20	1,700 (1,600)	1.97	TAME, TBA, DIPE, ETBE=ND
330.17	06/01/06	6.17	324.00	1,500	140	3.3	24	19	1,600 (1,600)	0.29	
	07/07/06	7.02	323.15	--	--	--	--	--	--	--	
	08/17/06	7.23	322.94	--	--	--	--	--	--	0.14	
	11/24/06	5.55	324.62	<50	5.7	<0.5	<0.5	<0.5	260	0.20	
	02/21/07	6.22	323.95	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.42	
	05/15/07	7.54	322.63	430	40	1.5	<0.5	1.0	470	0.28	
	08/28/07	7.82	322.35	1,200	170	5.0	<0.5	20	160	0.35	
	12/21/07	4.44	325.73	<50	<0.5	<0.5	<0.5	<0.5	100	0.70	
	02/26/08	4.56	325.61	<50	<0.5	<0.5	<0.5	<0.5	21	0.75	
	05/21/08	7.65	322.52	300	28	1.7	<0.5	0.97	<45	0.71	
	08/13/08	7.92	322.25			Insufficient Water to Sample				1.58	
	11/13/08	5.96	324.21	<50	8.0	<0.5	<0.5	<0.5	53	0.97	
	02/06/09	6.06	324.11	<50	<0.5	<0.5	<0.5	<0.5	38	0.95	
	<b>05/28/09</b>	<b>6.90</b>	<b>323.27</b>	--	--	--	--	--	--	--	
VW-3	02/21/06	6.10	324.39	8,900	390	29	490	650	<50	2.28	TAME, TBA, DIPE, ETBE=ND
330.49	06/01/06	6.22	324.27	5,900	230	4.5	270	63	<35 (15)	0.21	
	07/07/06	4.44	326.05	--	--	--	--	--	--	--	
	08/17/06	4.4 *	326.09	4,200	120	1.7	39	30	<25	0.10	
	11/24/06	6.15	324.34	7,600	310	9.9	270	420	<50	0.21	
	02/21/07	6.87	323.62	8,800	260	5.1	130	160	<90	0.29	
	05/15/07	7.13	323.36	5,600	270	6.9	110	110	<90	0.36	
	08/28/07	7.41	323.08	10,000	320	5.9	150	140	84	0.39	
	12/21/07	6.28	324.21	3,900	140	1.9	54	29	<50	0.66	
	02/26/08	6.09	324.40	5,600	270	4.5	68	130	<90	0.69	
	05/21/08	6.46	324.03	3,800	210	3.0	32	47	56	0.77	
	08/13/08	6.93	323.56	9,300	400	4.8	87	60	100	0.59	
	11/13/08	7.45	323.04	13,000	600	9.6	220	120	170	2.79	
	02/06/09	7.41	323.08	9,400	300	9.1	140	230	<150	2.16	
	<b>05/28/09</b>	<b>5.93</b>	<b>324.56</b>	--	--	--	--	--	--	--	

# Pangea

**Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID <i>TOC Elev</i> <i>(ft)</i>	Date Sampled	Depth to Water <i>(ft)</i>	Groundwater Elevation <i>(ft, msl)</i>	←----- μg/L -----→						Dissolved Oxygen <i>mg/L</i>	Notes	
				TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE			
<b>Shallow (A-Zone) Wells</b>												
MW-1 333.66	10/04/94	12.8	320.76	2,100	150	170	61	320	--			
	11/30/94	12.38	321.18	1,500	210	17	73	130	--			
	03/02/95	12.88	320.68	2,600	510	<10	160	<10	--			
	06/07/95	12.58	320.98	710	160	<2.0	45	<2.0	<10			
	09/26/95	13.15	320.41	1,100	140	1.4	92	1.8	<5.0			
	12/28/95	13.09	320.47	750	96	2.5	61	7.4	37			
	02/29/96	12.17	321.39	250	17	<0.5	18	0.81	9			
	06/27/96	12.95	320.61	710	72	<2.0	92	2.2	<10			
	09/12/96	13.11	320.55	300	53	<0.5	32	0.65	21			
	03/31/97	12.99	320.67	<200	4.1	<2.0	4.8	<2.0	640			
	12/23/98	13.87	319.79	<50	<50	<0.5	<0.5	<0.5	3200			
	03/25/99	12.01	321.65	<50	<0.5	<0.5	<0.5	<0.5	5,200 (5,200)			
	02/03/00	11.91	321.75	<500	<5.0	<5.0	<5.0	<5.0	3,180 (3,350)			
	01/23/01	12.57	321.09	<50.0	<0.5	<0.5	<0.5	<0.5	4,420			
	05/01/01	12.6	321.06			SAMPLED SEMI-ANNUALLY						
	08/28/01	12.74	320.92	<50	<0.5	<0.5	<0.5	<0.5	4,800			
	11/27/01	12.7	320.96			SAMPLED SEMI-ANNUALLY						
	02/28/02	12.7	320.96	<50	<0.5	<0.5	<0.5	<1.5	1,400			
	05/22/02	12.38	321.28			SAMPLED SEMI-ANNUALLY						
	08/20/02	12.57	321.09	<50	<0.5	<0.5	<0.5	<1.5	1,400			
	11/11/02	11.31	322.35			SAMPLED SEMI-ANNUALLY						
	05/08/03	11.85	321.81	<50	<0.5	<0.5	<0.5	<0.5	1,300 (1,200)			
	12/15/04	12.80	320.86	<50	<0.5	<0.5	<0.5	<0.5	1,700 (1,900)			
	02/21/05	11.81	321.85	<100	<1.0	<1.0	<1.0	<1.0	3,000 (3,800)	0.82		
	05/17/05	12.51	321.15	<120	<1.2	<1.2	<1.2	<1.2	3,400 (4,400)	0.75		
	08/17/05	12.35	321.31	<170	<1.7	<1.7	<1.7	<1.7	4,500 (4,900)	0.77		
	11/27/05	13.18	320.48	<170	<1.7	<1.7	<1.7	<1.7	5,400 (4,400)	0.90		
	02/21/06	12.61	321.05	<170	<1.7	<1.7	<1.7	<1.7	5,000 (5,400)	0.29/0.71		
	333.69	06/01/06	12.47	321.22	<250	<2.5	<2.5	<2.5	<2.5	6,400 (6,300)	0.46	TAME, TBA, DIPE, ETBE=ND
		07/07/06	12.60	321.09	--	--	--	--	--	--	--	
		08/17/06	11.93	321.76	<250	<2.5	<2.5	<2.5	<2.5	7,700 (9,100)	0.43	
		11/24/06	13.01	320.68	<250	<2.5	<2.5	<2.5	<2.5	8,400	0.29	
		02/21/07	12.91	320.78	<50	<0.5	<0.5	<0.5	<0.5	3,600	0.24	
	05/15/07	13.40	320.29	<50	<0.5	<0.5	<0.5	<0.5	2,500	0.29		
	08/28/07	13.40	320.29	<50	<0.5	<0.5	<0.5	<0.5	170	0.40		
	12/21/07	13.40	320.29	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.68		
	02/26/08	12.60	321.09	<50	<0.5	<0.5	<0.5	<0.5	7.0	0.86		
	05/21/08	13.45	320.24	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.94		
	08/13/08	13.37	320.32	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.91		
	11/13/08	13.50	320.19	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.94		
	02/06/09	13.67	320.02	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.87		
	<b>05/28/09</b>	<b>13.25</b>	<b>320.44</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.71</b>		
MW-2 329.29	10/04/94	8.56	320.62	2300	160	280	96	480	--			
	11/30/94	8.33	320.85	1,600	170	16	110	120	--			
	03/02/95	8.35	320.83	1,200	220	5.6	140	36	--			
	06/07/95	8.62	320.56	160	25	<0.5	16	<0.5	240			
	09/26/95	8.71	320.47	150	15	<0.5	7.2	<0.5	120			
	12/28/95	8.78	320.4	400	34	1.3	26	5.1	170			
	02/29/96	7.82	321.36	120	29	<0.5	<0.5	<0.5	790			
	06/27/96	8.72	320.46	150	13	<0.5	7	<0.5	850			
	09/12/96	8.81	320.48	<1,000	18	<10	<10	<10	3,100			
	03/31/97	8.65	320.64	<500	<5.0	<5.0	<5.0	<5.0	1,400			
	12/23/98	8.32	320.97	<50	<0.5	<0.5	<0.5	<1.5	900			
	03/25/99	7.89	321.4	<50	2.6	<0.5	<0.5	<0.5	1,100 (670)			
	02/03/00	7.53	321.76	<125	<1.25	<1.25	<1.25	<1.25	1,020 (1,100)			
	01/23/01	8.18	321.11	<50.0	<0.5	<0.5	<0.5	<0.5	642			
	05/01/01	8.43	320.86	70.8	<0.5	<0.5	<0.5	<0.5	342			
	08/28/01	8.39	320.9	<50	<0.5	<0.5	<0.5	<0.5	530			
	11/27/01	8.46	320.83	210	<0.5	<0.5	<0.5	<1.5	260			
	02/28/02	8.48	320.81	<50	<0.5	<0.5	<0.5	<1.5	180			
	05/22/02	8.14	321.15	<50	<0.5	<0.5	<0.5	<1.5	180			
	08/20/02	8.24	321.05	<50	<0.5	<0.5	<0.5	<1.5	160			
	11/11/02	8.06	321.23	<50	<0.5	<0.5	<0.5	<1.5	130			
	05/08/03	7.86	321.43	<50	<0.5	<0.5	<0.5	<0.5	180 (160)			
	12/15/04	8.60	320.69	<50	<0.5	<0.5	<0.5	<0.5	1,400 (1,600)			
	02/21/05	7.55	321.74	<50	<0.5	<0.5	<0.5	<0.5	800 (1,100)	1.35		
	05/17/05	8.52	320.77	<50	<0.5	<0.5	<0.5	<0.5	160 (210)	1.06		
	08/17/05	8.16	321.13	<50	<0.5	<0.5	<0.5	<0.5	190 (210)	0.90		
	11/27/05	9.00	320.29	<50	<0.5	<0.5	<0.5	<0.5	200 (210)	0.92		
	02/21/06	8.51	320.78	<50	<0.5	<0.5	<0.5	<0.5	240 (270)	0.33/0.46		
	329.48	06/01/06	8.50	320.98	<50	<0.5	<0.5	<0.5	<0.5	120 (110)	0.38	TAME, TBA, DIPE, ETBE=ND
		07/07/06	8.57	320.91	--	--	--	--	--	--	--	
		08/17/06	8.21	321.27	<50	<0.5	<0.5	<0.5	<0.5	230(230)	0.30	
		11/24/06	8.87	320.61	<50	<0.5	<0.5	<0.5	<0.5	760	0.24	
		02/21/07	8.80	320.68	<50	<0.5	<0.5	<0.5	<0.5	1,100	0.21	
	05/15/07	8.94	320.54	<50	<0.5	<0.5	<0.5	<0.5	1,400	0.25		
	08/28/07	8.83	320.65	<50	<0.5	<0.5	<0.5	<0.5	1,800	0.33		
	12/21/07	8.93	320.55	<50	<0.5	<0.5	<0.5	<0.5	1,700	0.49		



**Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID <i>TOC Elev</i> <i>(ft)</i>	Date Sampled	Depth to Water <i>(ft)</i>	Groundwater Elevation <i>(ft, msl)</i>	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Dissolved Oxygen <i>mg/L</i>	Notes
<i>MW-2 (cont'd)</i>	02/26/08	8.49	320.99	<50	<0.5	<0.5	<0.5	<0.5	590	0.51	
	05/21/08	9.06	320.42	<50	<0.5	<0.5	<0.5	<0.5	230	0.67	
	08/13/08	8.89	320.59	<50	<0.5	<0.5	<0.5	<0.5	190	0.77	
	11/13/08	9.16	320.32	<50	<0.5	<0.5	<0.5	<0.5	77	0.86	
	02/06/09	9.39	320.09	<50	<0.5	<0.5	<0.5	<0.5	20	0.81	
	<b>05/28/09</b>	<b>8.86</b>	<b>320.62</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>12</b>	<b>0.74</b>	
<b>MW-3A</b> <i>331.39</i>	05/29/06	10.13	321.28	--	--	--	--	--	--	--	0.03 SPH
	07/07/06	10.15	321.24	4,200	340	27	75	79	32,000	--	
	08/17/06	9.56	321.83	6,200	410	68	100	650	28,000(34,000)	0.19	
	11/24/06	10.73	320.66	2,100	190	11	72	220	7,900	0.10	
	02/21/07	10.52	320.87	7,100	890	28	440	470	8,400	0.17	
	05/15/07	11.46	319.93	1,800	210	11	96	88	3,500	0.25	
	08/28/07	11.62	319.77	1,900	260	6.9	110	74	3,400	0.28	
	12/21/07	11.33	320.06	4,700	570	160	120	970	2,800	0.54	
	02/26/08	10.25	321.14	7,200	550	32	440	690	1,800	0.49	
	05/21/08	11.52	319.87	1,600	130	2.9	40	94	700	0.55	
	08/13/08	11.62	319.77	2,900	280	3.4	52	56	1,300	0.52	
	11/13/08	11.55	319.84	1,200	150	3.5	22	31	1,100	0.64	
	02/06/09	11.70	319.69	5,800	780	25	260	390	1,600	0.69	
	<b>05/28/09</b>	<b>11.30</b>	<b>320.09</b>	<b>1,500</b>	<b>200</b>	<b>9.0</b>	<b>57</b>	<b>190</b>	<b>500</b>	<b>0.70</b>	
<b>MW-4</b> <i>332.63</i>	03/01/96	9.9	322.74	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	04/02/96	9.77	322.87	--	--	--	--	--	--		
	06/27/96	10	322.64	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	09/12/96	11.67	320.96	<50	<0.5	<0.5	<0.5	<0.5	3.5		
	03/31/97	10.59	322.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	12/23/98	10.37	322.26	<50	<0.5	<0.5	<0.5	<1.5	<2.5		
	03/25/99	9.91	322.72	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	02/03/00	10.32	322.31	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0 (3)		
	01/23/01	10.54	322.09	<50	<0.5	<0.5	<0.5	<0.5	<5.0		
	05/01/01	10.32	322.31								SAMPLED ANNUALLY
	08/28/01	10.57	322.06								SAMPLED ANNUALLY
	11/27/01	10.29	322.34								SAMPLED ANNUALLY
	02/28/02	10.3	322.33	<50	<0.5	<0.5	<0.5	<1.5	<2.5		
	05/22/02	10.12	322.51								SAMPLED ANNUALLY
	08/20/02	10.43	322.2								SAMPLED ANNUALLY
	11/11/02	9.89	322.74								SAMPLED ANNUALLY
	05/08/03	9.79	322.84	<50	<0.5	<0.5	<0.5	<0.5	<2		
	12/15/04	10.56	322.07	<50	<0.5	<0.5	<0.5	<0.5	<5.0		
	02/21/05	9.50	323.13	<50	<0.5	<0.5	<0.5	<0.5	<5.0 (<0.5)	1.60	
	05/17/05	10.20	322.43							1.29	
	08/17/05	10.50	322.13							1.10	
	11/27/05	11.07	321.56							1.01	
	02/21/06	10.53	322.10	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.14/0.90	
	05/29/06	10.33	322.31							--	
	07/07/06	10.52	322.12	--	--	--	--	--	--	--	
	08/17/06	10.45	322.19	--	--	--	--	--	--	--	
	11/24/06	10.95	321.69	--	--	--	--	--	--	0.22	
	02/21/07	10.71	321.93	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.40	
	05/15/07	11.24	321.40	--	--	--	--	--	--	--	
	08/28/07	11.42	321.22	--	--	--	--	--	--	0.52	
	12/21/07	11.26	321.38	--	--	--	--	--	--	0.81	
	02/26/08	10.12	322.52	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.06	
05/21/08	11.30	321.34	--	--	--	--	--	--	0.98		
08/13/08	11.23	321.41	--	--	--	--	--	--	0.71		
11/13/08	10.93	321.71	--	--	--	--	--	--	--		
02/06/09	10.98	321.66	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.67		
<b>05/28/09</b>	<b>10.96</b>	<b>321.68</b>	--	--	--	--	--	--	--		
<b>MW-5</b> <i>333.47</i>	03/01/96	10.62	322.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	04/02/96	10.14	323.06	--	--	--	--	--	--		
	06/27/96	10.22	322.98	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	09/12/96	10.85	322.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	03/31/97	10.44	322.6	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	12/23/98	10.21	322.83	<50	<0.5	<0.5	<0.5	<1.5	<2.5		
	03/25/99	9.92	323.12	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	02/03/00	9.63	323.41	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.03		
	01/23/01	10.35	322.69	<50	<0.5	<0.5	<0.5	<0.5	<5.0		
	05/01/01	10.34	322.7								SAMPLED ANNUALLY
	08/28/01	10.44	322.6								SAMPLED ANNUALLY
	11/27/01	10.17	322.87								SAMPLED ANNUALLY
	02/28/02	10.2	322.84	<50	<0.5	<0.5	<0.5	<1.5	<2.5		
	05/22/02	10.38	322.66								SAMPLED ANNUALLY
	08/20/02	10.36	322.68								SAMPLED ANNUALLY
	11/11/02	10.03	323.01								SAMPLED ANNUALLY
	05/08/03	9.56	323.48	<50	<0.5	<0.5	<0.5	<0.5	3.4/<0.5		
	12/15/04	10.08	322.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0		
	02/21/05	9.90	323.14	<50	<0.5	<0.5	<0.5	<0.5	<5.0 (0.54)	1.62	
	05/17/05	10.33	322.71							1.47	
	08/17/05	10.40	322.64							1.18	
	11/27/05	10.43	322.61							1.19	
	02/21/06	10.32	322.81	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.48/0.76	

**Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID <i>TOC Elev</i> <i>(ft)</i>	Date Sampled	Depth to Water <i>(ft)</i>	Groundwater Elevation <i>(ft, msl)</i>	←----- μg/L -----→						Dissolved Oxygen <i>mg/L</i>	Notes
				TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE		
<i>MW-5 (cont'd)</i>	05/29/06	10.41	322.72								
	07/07/06	10.46	322.67	--	--	--	--	--	--	--	
	08/17/06	10.49	324.19	--	--	--	--	--	--	--	
	11/24/06	10.92	322.21	--	--	--	--	--	--	0.27	
	02/21/07	10.90	322.23	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.73	
	05/15/07	10.97	322.16	--	--	--	--	--	--	--	
	08/28/07	11.07	322.06	--	--	--	--	--	--	0.55	
	12/21/07	10.80	322.33	--	--	--	--	--	--	0.97	
	02/26/08	10.38	322.75	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.01	
	05/21/08	10.97	322.16	--	--	--	--	--	--	0.95	
	08/13/08	10.98	322.15	--	--	--	--	--	--	0.99	
	11/13/08	11.01	322.12	--	--	--	--	--	--	--	
	02/06/09	11.05	322.08	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.82	
	<b>05/28/09</b>	<b>10.80</b>	<b>322.33</b>	--	--	--	--	--	--	--	
<b>MW-6A</b> <i>331.81</i>	06/01/06	10.38	321.43	620	20	<2.5	<2.5	43	5,700 (5,300)	0.73	TAME, TBA, DIPE, ETBE=ND
	07/07/06	10.15	321.66	--	--	--	--	--	--	--	
	08/17/06	9.69	322.12	860	55	3.1	31	41	5,300(6,200)	0.49	
	11/24/06	11.10	320.71	330	14	<2.5	11	3.4	5,500	0.37	
	02/21/07	10.72	321.09	360	13	1.8	16	34	4,400	0.50	
	05/15/07	11.69	320.12	<500	40	5.3	11	16	7,300	0.52	
	08/28/07	11.98	319.83	<250	<2.5	<2.5	<2.5	<2.5	7,300	0.39	
	12/21/07	11.31	320.50	4,400	200	45	50	550	3,500	0.45	
	02/26/08	10.15	321.66	6,800	740	130	290	600	330	0.61	
	05/21/08	11.60	320.21	1,900	150	8.1	44	100	88	0.63	
	08/13/08	11.91	319.90	1,200	84	3.7	36	18	<75	0.42	
	11/13/08	11.73	320.08	150	15	1.4	3.0	4.2	35	0.44	
	02/06/09	11.66	320.15	550	100	9.3	22	34	<90	0.48	
	<b>05/28/09</b>	<b>11.45</b>	<b>320.36</b>	<b>600</b>	<b>98</b>	<b>14</b>	<b>21</b>	<b>42</b>	<b>48</b>	<b>0.55</b>	
<b>MW-7A</b> <i>330.71</i>	05/31/06	9.19	321.52	<50	1.3	<0.5	0.79	0.82	760 (770)	0.40	TAME, TBA, DIPE, ETBE=ND
	07/07/06	9.17	321.54	--	--	--	--	--	--	--	
	08/17/06	8.68	322.03	60	1.1	<0.5	<0.5	1.1	930(1,400)	0.29	
	11/24/06	9.88	320.83	<50	<0.5	<0.5	<0.5	<0.5	260	0.20	
	02/21/07	9.59	321.12	<50	4.6	<0.5	0.62	2.2	270	0.35	
	05/15/07	10.15	320.56	<50	<0.5	<0.5	<0.5	<0.5	45	0.40	
	08/28/07	10.09	320.62	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.42	
	12/21/07	10.00	320.71	3,200	180	38	100	410	890	0.68	
	02/26/08	8.78	321.93	1,300	150	1.8	59	99	410	0.90	
	05/21/08	10.16	320.55	200	18	<0.5	3.3	<0.5	30	0.75	
	08/13/08	10.27	320.44	<50	<0.5	<0.5	<0.5	<0.5	24	0.81	
	11/13/08	10.27	320.44	<50	<0.5	<0.5	<0.5	<0.5	30	0.85	
	02/06/09	10.22	320.49	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.83	
	<b>05/28/09</b>	<b>9.91</b>	<b>320.80</b>	--	--	--	--	--	--	--	
<b>MW-8A</b> <i>331.19</i>	05/29/06	9.55	321.64	<50	<0.5	<0.5	<0.5	<0.5	20 (18)	0.39	TAME, TBA, DIPE, ETBE=ND
	07/07/06	9.20	321.99	--	--	--	--	--	--	--	
	08/17/06	8.73	322.46	<50	<0.5	<0.5	<0.5	<0.5	19 (26)	0.26	
	11/24/06	9.80	321.39	<50	<0.5	<0.5	<0.5	<0.5	34	0.21	
	02/21/07	9.81	321.38	<50	<0.5	<0.5	<0.5	<0.5	16	0.29	
	05/15/07	10.05	321.14	<50	<0.5	<0.5	<0.5	<0.5	13	0.33	
	08/28/07	9.83	321.36	<50	<0.5	<0.5	<0.5	<0.5	19	0.35	
	12/21/07	10.36	320.83	<50	<0.5	<0.5	<0.5	<0.5	16	0.61	
	02/26/08	8.33	322.86	<50	<0.5	<0.5	<0.5	<0.5	38	0.77	
	05/21/08	9.99	321.20	<50	<0.5	<0.5	<0.5	<0.5	13	0.81	
	08/13/08	10.49	320.70	<50	<0.5	<0.5	<0.5	<0.5	68	0.65	
	11/13/08	10.39	320.80	<50	<0.5	<0.5	<0.5	<0.5	110	0.68	
	02/06/09	10.42	320.77	<50	<0.5	<0.5	<0.5	<0.5	75	0.70	
	<b>05/28/09</b>	<b>9.90</b>	<b>321.29</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>36</b>	<b>0.66</b>	
<b>MW-9A</b> <i>331.17</i>	05/29/06	10.13	321.04	<50	<0.5	<0.5	<0.5	<0.5	210 (210)	0.46	TAME, TBA, DIPE, ETBE=ND
	07/07/06	9.96	321.21	--	--	--	--	--	--	--	
	08/17/06	9.40	321.77	150	<0.5	1.3	<0.5	<0.5	79(100)	0.53	
	11/24/06	11.02	320.15	200	<0.5	2.4	<0.5	<0.5	31	0.38	
	02/21/07	10.53	320.64	<50	<0.5	<0.5	<0.5	<0.5	21	0.33	
	05/15/07	10.81	320.36	86	<0.5	<0.5	<0.5	<0.5	31	0.45	
	08/28/07	11.11	320.06	95	<0.5	1.4	<0.5	<0.5	10	0.38	
	12/21/07	10.76	320.41	120	<0.5	2.9	<0.5	0.51	9.5	0.50	
	02/26/08	9.71	321.46	120	<0.5	1.2	<0.5	<0.5	9.5	0.86	
	05/21/08	10.75	320.42	86	<0.5	<0.5	<0.5	<0.5	6.3	0.84	
	08/13/08	11.31	319.86	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.76	
	11/13/08	11.14	320.03	52	<0.5	<0.5	<0.5	<0.5	5.5	0.63	
	02/06/09	11.16	320.01	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.61	
	<b>05/28/09</b>	<b>10.75</b>	<b>320.42</b>	--	--	--	--	--	--	--	
<b>MW-10A</b> <i>329.93</i>	05/29/06	11.60	318.33	<50	<0.5	<0.5	<0.5	0.67	5.3 (4.7)	0.68	TAME, TBA, DIPE, ETBE=ND
	07/07/06	9.78	320.15	--	--	--	--	--	--	--	
	08/17/06	8.80	321.13	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.47	
	11/24/06	12.61	317.32	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.26	
	02/21/07	8.96	320.97	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.25	
	05/15/07	9.22	320.71	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.30	
	08/28/07	8.44	321.49	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.35	
	12/21/07	8.81	321.12	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.47	
	02/26/08	7.34	322.59	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.70	

# Pangea

**Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID <i>TOC Elev</i> (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft, msl)	←----- μg/L -----→						Dissolved Oxygen mg/L	Notes
				TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE		
<i>MW-10A (cont'd)</i>	05/21/08	9.22	320.71	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.64	
	08/13/08	9.25	320.68	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.61	
	11/13/08	9.47	320.46	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.70	
	02/06/09	9.50	320.43	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.68	
	<b>05/28/09</b>	<b>9.11</b>	<b>320.82</b>	--	--	--	--	--	--	--	
<hr style="border-top: 1px dashed black;"/>											
<b>Intermediate-Depth (B-zone) Wells</b>											
<b>MW-6B</b> <i>330.9</i>	06/01/06	8.41	322.49	<50	<0.5	<0.5	<0.5	<0.5	18 (16)	0.34	TAME, TBA, DIPE, ETBE=ND
	07/07/06	8.55	322.35	--	--	--	--	--	--	--	
	08/17/06	8.66	322.24	<50	<0.5	<0.5	<0.5	<0.5	8.5(9.6)	0.40	
	11/24/06	9.25	321.65	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.31	
	02/21/07	8.80	322.10	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.37	
	05/15/07	9.21	321.69	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.31	
	08/28/07	9.60	321.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.51	
	12/21/07	9.42	321.48	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.82	
	02/26/08	7.87	323.03	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.80	
	05/21/08	9.37	321.53	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.87	
	08/13/08	9.70	321.20	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.81	
	11/13/08	9.62	321.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.78	
	02/06/09	9.53	321.37	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.71	
	<b>05/28/09</b>	<b>9.23</b>	<b>321.67</b>	--	--	--	--	--	--	--	
<b>MW-7B</b> <i>330.69</i>	05/31/06	9.05	321.64	<50	0.79	<0.5	<0.5	0.75	6.4 (6.6)	0.17	TAME, TBA, DIPE, ETBE=ND
	07/07/06	9.03	321.66	--	--	--	--	--	--	--	
	08/17/06	8.62	322.07	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.22	
	11/24/06	9.75	320.94	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.27	
	02/21/07	9.44	321.25	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.29	
	02/21/07	9.44	321.25	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.29	
	05/15/07	9.97	320.72	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.33	
	08/28/07	9.96	320.73	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.51	
	12/21/07	9.87	320.82	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.53	
	02/26/08	8.64	322.05	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.59	
	05/21/08	10.05	320.64	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.56	
	08/13/08	10.17	320.52	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.51	
	11/13/08	10.15	320.54	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.53	
	02/06/09	10.18	320.51	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.55	
<b>05/28/09</b>	<b>9.80</b>	<b>320.89</b>	--	--	--	--	--	--	--		
<hr style="border-top: 1px dashed black;"/>											
<b>Deep (C-Zone) Wells</b>											
<b>MW-6C</b> <i>330.88</i>	06/01/06	8.21	322.67	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.29	TAME, TBA, DIPE, ETBE=ND
	07/07/06	8.41	322.47	--	--	--	--	--	--	--	
	08/17/06	8.56	322.32	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.21	
	11/24/06	9.12	321.76	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.28	
	02/21/07	8.62	322.26	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.21	
<b>MW-7C</b> <i>330.74</i>	05/31/06	8.65	322.09	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.12	TAME, TBA, DIPE, ETBE=ND
	07/07/06	8.70	322.04	--	--	--	--	--	--	--	
	08/17/06	8.52	322.22	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.17	
	11/24/06	9.42	321.32	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.19	
	02/21/07	9.01	321.73	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.31	
<b>MW-9C</b> <i>331.48</i>	05/29/06	16.59	314.89	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.28	TAME, TBA, DIPE, ETBE=ND
	07/07/06	8.85	322.63	--	--	--	--	--	--	--	
	08/17/06	9.20	322.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.21	
	11/24/06	9.61	321.87	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.33	
	02/21/07	8.94	322.54	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.46	
<b>MW-10C</b> <i>329.66</i>	05/29/06	7.28	322.38	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.16	TAME, TBA, DIPE, ETBE=ND
	07/07/06	7.28	322.38	--	--	--	--	--	--	--	
	08/17/06	7.29	322.37	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.22	
	11/24/06	10.75	318.91	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.33	
	02/21/07	7.69	321.97	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.39	
<b>MW-11C</b> <i>331.61</i>	05/31/06	9.90	321.71	<50	<0.5	<0.5	<0.5	<0.5	11 (11)	0.29	TAME, TBA, DIPE, ETBE=ND
	07/07/06	10.02	321.59	--	--	--	--	--	--	--	
	08/17/06	9.60	322.01	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.22	
	11/24/06	10.60	321.01	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.28	
	02/21/07	10.30	321.31	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.43	

# Pangea

**Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID <i>TOC Elev</i> <i>(ft)</i>	Date Sampled	Depth to Water <i>(ft)</i>	Groundwater Elevation <i>(ft, msl)</i>	←----- μg/L ----->						Dissolved Oxygen <i>mg/L</i>	Notes
				TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE		
<b>Destroyed Wells</b>											
<b>MW-3</b> 332.86	10/04/94	12.06	320.67	6,300	610	750	68	670	--		
	11/30/94	11.38	321.35	17	3,600	490	430	610	--		
	03/02/95	11.97	320.76	8,500	2,200	<50	240	<50	64,000		
	06/07/95	11.54	321.19	3,000	710	18	220	44	3,100		
	09/26/95	12.36	320.37	<10,000	230	<100	130	<100	64,000		
	12/28/95	12.07	320.66	<12,500	760	<125	<125	<125	100,000		
	02/29/96	11.01	321.72	1,600	380	<10	84	17	33,000		
	06/27/96	11.93	320.8	1,400	<2.5	4.3	130	4	96,000		
	09/12/96	12.26	320.6	<10,000	560	<100	110	<100	100,000		
	03/31/97	12.04	320.82	<25,000	1,200	370	<250	380	130,000		
	12/23/98	12.92	319.94	--	--	--	--	--	--	0.1' SPH; 0.079 gal SPH removed	
	03/25/99	12.56	320.3	--	--	--	--	--	--	0.05' SPH; 0.05 gal SPH removed	
	02/03/00	11.12	321.74	92,100	4,780	11,400	2,270	15,800	137,000 (162,000)		
	1/23/2001	11.78	321.08	60,600	4,810	7,500	1,870	11,000	148,000	Absorbent sock in well	
	5/1/2001	10.66	322.2	56,000	3,760	5,640	<2,500	8,740	136,000	Absorbent sock in well	
	8/28/2001	11.79	321.07	32,000	3,800	2,600	1,200	7,500	160,000	Absorbent sock in well	
	11/27/2001	11.98	320.88	110,000	1,300	2,400	1,500	9,400	90,000	Absorbent sock removed	
	02/28/02	11.81	321.05	24,000	1,900	820	520	3,100	90,000		
	05/22/02	11.6	321.26	110,000	4,000	3,200	2,800	18,000	140,000		
	08/20/02	11.81	321.05	37,000	2,600	1,500	890	4,800	110,000		
	11/11/02	11.63	321.23	81,000	2,900	2,100	2,100	14,000	110,000		
	05/08/03	10.91	321.95	5,700	770	69	130	365	76,000 (70,000)		
	12/15/04	11.97	320.89	33,000	1,700	430	1,300	7,000	70,000 (89,000)		
	02/21/05	10.81	322.06	--	--	--	--	--	--	1.29 0.01 SPH	
05/17/05	11.63	321.29	--	--	--	--	--	--	1.06 0.08 SPH		
08/17/05	10.83	322.03	39,000	1,500	260	780	2,700	42,000 (47,000)	0.93		
11/27/05	12.29	320.72	--	--	--	--	--	--	0.19 SPH		
02/21/06	11.73	321.28	--	--	--	--	--	--	0.19 SPH		
03/30/06	--	--	--	--	<b>Well Destroyed</b>			--	Well Destroyed		
<b>EA-1</b> 331.21	10/17/88	--	--	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/24/88	10.64	322.77	--	--	--	--	--	--		
	11/02/88	10.69	322.72	--	--	--	--	--	--		
	12/20/88	10.51	322.9	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/28/89	9.87	323.54	<250	<0.5	<0.5	<0.5	<0.5	--		
	08/02/89	10.34	323.07	<50	<0.1	<0.1	<0.1	<0.1	--		
	11/06/89	10.65	322.76	<500	<3.0	<5.0	<5.0	<5.0	--		
	01/25/90	10.6	322.81	<50	<0.5	<0.5	<0.5	<0.5	--		
	04/23/90	10.58	322.83	71	2	5	3	8	--		
	08/01/90	10.88	322.53	300	86	21	10	33	--		
	10/24/91	11.12	322.29	280	69	13	11	16	--		
	01/31/91	11.16	322.25	460	160	11	17	17	--		
	08/21/91	10.8	322.61	2,400	400	220	44	120	--		
	08/21/91	10.8	322.61	2,300	390	210	42	120	--	Duplicate	
	10/07/91	10.79	322.62	--	--	--	--	--	--		
	01/28/92	10.79	322.62	3,600	320	360	110	310	--		
	01/28/92	10.79	322.62	3,000	290	320	99	270	--	Duplicate	
	06/05/92	10.84	322.57	1,700	290	89	61	130	--		
	09/30/92	11.06	322.35	2,100	160	260	80	350	--		
	12/30/92	10.15	323.26	3,200	240	180	110	310	--		
	03/29/93	9.42	323.99	23,000	700	3,000	610	3,000	--		
	06/25/93	10.42	322.99	2.7	130	590	130	590	--		
	09/16/93	10.66	322.75	3.9	410	830	220	890	--		
	12/20/93	10.6	322.81	27	1,200	2,600	1,100	4,200	--		
	03/29/94	10.41	323	6.3	250	700	200	830	--		
	06/22/94	10.4	323.01	4.1	71	240	110	460	<30		
	09/20/94	10.37	323.04	8,500	1,200	1,300	370	1,400	--		
	10/04/94	10.34	323.07	7,600	97	360	150	620	--		
	11/30/94	9.46	323.95	8,800	180	490	240	900	--		
	03/02/95	9.96	321.07	6.9	82	570	210	970	--		
	06/15/95	9.8	321.23	4.8	44	210	160	620	<25		
	09/26/95	10.48	320.55	13,000	150	620	370	1,400	<125		
	12/28/95	10.14	320.89	11,000	74	250	200	750	79		
	02/29/96	8.74	322.29	17,000	59	480	350	1,600	<125		
	06/27/96	10.21	320.82	3,600	22	130	130	49	46		
	09/12/96	10.49	320.72	2,000	20	<10	18	44	<50		
03/31/97	10.19	321.02	17,000	87	230	330	1,200	310			
12/23/98	9.83	321.38	290	20	0.88	1.1	16	<2.5			
03/25/99	9.13	322.08	500	21	<0.5	21	<0.5	18			
02/03/00	9.05	322.16	2,310	35.7	90	21.8	147	1,280 (365)			
01/23/01	--	--	--	--	--	--	--	--	Inaccessible		
05/01/01	9.82	321.39	7,710	19.9	12.6	22.3	64	31.8			
08/28/01	10.04	321.17	4,800	69	<25	50	140	160			
11/27/01	10.05	321.16	5,300	25	<5.0	30	120	<20			
02/28/02	--	--	--	--	--	--	--	--	Inaccessible		
05/22/02	9.05	322.16	110	<1.0	<0.50	1	<1.5	<2.5			
08/20/02	9.21	322	410	2.6	<0.50	8.5	29	<5.0			
11/11/02	9.01	322.2	3,800	<0.50	1.3	17	47	<5.0			
05/08/03	8.23	322.98	1,700	11	0.97	63	161	<2.0			
12/15/04	--	--	--	--	--	--	--	--	Inaccessible		
02/21/05	--	--	--	--	--	--	--	--	Inaccessible		
05/17/05	--	--	--	--	--	--	--	--	Inaccessible		



**Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID <i>TOC Elev</i> <i>(ft)</i>	Date Sampled	Depth to Water <i>(ft)</i>	Groundwater Elevation <i>(ft, msl)</i>	←----- μg/L ----->						Dissolved Oxygen <i>mg/L</i>	Notes
				TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE		
<i>EA-1 (cont'd)</i>	08/17/05	--	--	--	--	--	--	--	--	Inaccessible	
	11/27/05	--	--	--	--	--	--	--	--	Inaccessible	
	02/21/06	--	--	--	--	--	--	--	--	Inaccessible	
	03/31/06	--	--	--	Well Destroyed			--	--	Well Destroyed	
<b>EA-2</b> <i>330.41</i>	10/17/88	--	--	<50	<0.5	<0.5	<0.5	1.2	--		
	10/24/88	9.7	322.89	--	--	--	--	--	--		
	11/02/88	10.03	322.56	--	--	--	--	--	--		
	12/20/88	9.98	322.61	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/28/89	8.8	323.79	<250	<2	<0.5	<0.5	<0.5	--		
	08/02/89	9.44	323.15	<50	<0.1	<0.1	<0.1	<0.1	--		
	11/06/89	9.53	323.06	<500	<3.0	<5.0	<5.0	<5.0	--		
	01/25/90	9.27	323.32	<50	<0.5	<0.5	<0.5	<0.5	--		
	04/23/90	9.35	323.24	<50	0.6	0.8	<0.5	2	--		
	08/01/90	9.71	322.88	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/24/90	10.08	322.51	<50	<0.5	<0.5	<0.5	<0.5	--		
	01/31/91	10.21	322.38	<50	<0.5	<0.5	<0.5	<0.5	--		
	01/31/91	10.21	322.38	<50	<0.5	<0.5	<0.5	<0.5	--	Duplicate	
	08/21/91	9.8	322.79	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/07/91	9.98	322.61	--	--	--	--	--	--		
	01/28/92	9.81	322.78	<50	0.8	<0.5	<0.5	<0.5	--		
	06/05/92	9.86	322.73	<50	<0.5	<0.5	<0.5	<0.5	--		
	09/30/92	10.6	321.99	66	1	3.2	1.3	7.4	--		
	12/30/92	9.11	323.48	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/29/93	7.73	324.86	<50	<0.5	<0.5	<0.5	<1.5	--		
	06/25/93	9.22	323.37	<50	<0.5	<0.5	<0.5	<1.5	--		
	09/16/93	10	322.59	<50	<0.5	<0.5	<0.5	<1.5	--		
	12/20/93	9.38	323.21	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/29/94	9.3	323.29	<50	<0.5	0.6	<0.5	<0.5	--		
	06/22/94	9.49	323.1	<50	<0.5	<0.5	<0.5	<0.5	--		
	09/26/94	9.72	322.87	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/04/94	9.58	323.01	<50	<0.5	<0.5	<0.5	<0.5	--		
	11/30/94	8.7	323.89	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/02/95	8.54	321.67	<50	<0.5	<0.5	<0.5	<0.5	--		
	06/07/95	8.42	321.79	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	09/26/95	9.34	320.87	540	6.8	<0.5	47	29	13		
	12/28/95	8.84	321.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	02/29/96	7.44	322.77	<50	<0.5	<0.5	<0.5	1.5	<2.5		
06/27/96	8.83	321.38	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
09/12/96	9.4	321.01	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
03/31/97	9.11	321.3	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
12/23/98	8.91	321.5	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
03/25/99	8.1	322.31	<50	<0.5	<0.5	<0.5	<0.5	2.7			
02/03/00	8.36	322.05	<50	<0.5	<0.5	<0.5	<0.5	<2.5 (<2.0)			
01/23/01	9.08	321.33	441 (1)	1.27	0.542	40.3	31	72.9			
05/01/01	8.87	321.54			SAMPLED ANNUALLY						
08/28/01	9.45	320.96			SAMPLED ANNUALLY						
11/27/01	9.5	320.91			SAMPLED ANNUALLY						
02/28/02	9.05	321.36	<50	<0.50	<0.50	<0.5	<1.5	74			
05/22/02	9.04	321.37			SAMPLED ANNUALLY						
08/20/02	9	321.41			SAMPLED ANNUALLY						
11/11/02	9.03	321.38			SAMPLED ANNUALLY						
05/08/03	7.26	323.15	<50	<0.5	<0.5	<0.5	<0.5	2.2/0.9			
12/15/04	8.96	321.45	<50	<0.5	<0.5	<0.5	<0.5	<5.0			
02/21/05	7.20	323.21	<50	<0.5	<0.5	<0.5	<0.5	13 (11)	0.64		
05/17/05	8.21	322.20			SAMPLED ANNUALLY				0.77		
08/17/05	7.97	322.44			SAMPLED ANNUALLY				0.85		
11/27/05	9.83	320.58			SAMPLED ANNUALLY				0.84		
02/21/06	8.78	321.63	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.51/0.68		
03/28/06	--	--	--	--	Well Destroyed			--	--	Well Destroyed	
<b>EA-3</b> <i>331.5</i>	10/17/88	--	--	<50	1.8	<0.5	<0.5	3	--		
	10/24/88	11.03	322.61	--	--	--	--	--	--		
	11/02/88	11.03	322.61	--	--	--	--	--	--		
	12/20/88	10.96	322.68	240	90	1.2	13	3.3	--		
	03/28/89	9.77	323.87	2,300	380	130	240	910	--		
	08/02/89	10.65	322.99	<50	<0.1	<0.1	<0.1	<0.1	--		
	11/06/89	10.78	322.86	<500	<3.0	<5.0	<5.0	<5.0	--		
	01/25/90	10.66	322.98	<50	<0.5	<0.5	<0.5	<0.5	--		
	04/23/90	10.68	322.96	<50	0.8	<0.5	0.9	<0.5	--		
	08/01/90	11.03	322.61	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/24/90	11.35	322.29	<50	<0.5	<0.5	<0.5	<0.5	--		
	01/31/91	11.52	322.12	<50	<0.5	<0.5	<0.5	<0.5	--		
	08/21/91	--	--	--	--	--	--	--	--		
	10/07/91	11.15	322.49	180	40	20	4.7	8.4	--		
	10/7/1991	--	--	200	43	17	4.1	6.7	--	Duplicate	
	01/28/92	11.08	322.56	640	69	85	13	46	--		
	06/05/92	10.98	322.66	250	63	8.3	3	9.5	--		
09/30/92	11.38	322.26	330	120	33	6.3	22	--			
12/30/92	10.48	323.16	58	7.6	1.3	2.5	5.4	--			
03/29/93	9.3	324.34	120	11	4.5	6.2	13	--			
06/25/93	10.46	323.18	<50	<0.5	<0.5	<0.5	<1.5	--			
09/16/93	10.9	322.74	85	3.9	8.8	4.5	22	--			
12/20/93	10.66	322.98	190	12	12	13	50	--			

# Pangea

**Table 1. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID	Date	Depth	Groundwater	Groundwater						Dissolved	Notes	
TOC Elev	Sampled	to Water	Elevation	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Oxygen		
(ft)		(ft)	(ft, msl)	μg/L						mg/L		
EA-3 (cont'd)	03/29/94	10.5	323.14	<50	<0.5	1.2	<0.5	0.9	--			
	06/22/94	10.64	323	<50	<0.5	<0.5	<0.5	<0.5	<3.0			
	09/26/94	10.72	322.92	<50	<0.5	<0.5	<0.5	<0.5	--			
	10/04/94	10.68	322.96	<50	<0.5	<0.5	<0.5	0.7	--			
	11/30/94	9.66	323.98	170	6.1	3	6.5	28	--			
	03/02/95	9.92	321.38	<50	<0.5	<0.5	<0.5	<0.5	--			
	06/07/95	9.72	321.58	<50	<0.5	<0.5	<0.5	<0.5	3.2			
	09/26/95	10.6	320.7	2,000	140	<5.0	<5.0	<5.0	<0.5	280		
	12/28/95	9.82	321.48	<50	<0.5	<0.5	<0.5	<0.5	26			
	02/29/96	8.28	323.02	<50	2.1	<0.5	2.5	6	31			
	06/27/96	9.91	321.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
	09/12/96	10.59	320.91	13,000	<20	<20	<20	<20	48			
	03/31/97	--	--	--	--	--	--	--	--		Inaccessible	
	04/15/97	10.25	321.25	<125	2	<1.2	<1.2	<1.2	680			
	12/23/98	--	--	--	--	--	--	--	--		Inaccessible	
	03/25/99	--	--	--	--	--	--	--	--		Inaccessible	
	02/03/00	--	--	--	--	--	--	--	--		Inaccessible	
	01/23/01	10.31	321.19	862 (1)	3.97	1.15	18.9	48.6	289			
	05/01/01	10.15	321.35			SAMPLED SEMI-ANNUALLY						
	08/28/01	10.56	320.94	<50	<0.5	<0.5	<0.5	<0.5	37			
	11/27/01	10.65	320.85			SAMPLED SEMI-ANNUALLY						
	02/28/02	10.37	321.13	<50	1.3	<0.50	2	1.8	90			
	05/22/02	10.27	321.23			SAMPLED SEMI-ANNUALLY						
	08/20/02	10.3	321.2	<50	<0.50	<0.50	<0.50	<1.5	40			
	11/11/02	9.05	322.45			SAMPLED SEMI-ANNUALLY						
	05/08/03	8.83	322.67	<50	<0.5	<0.5	<0.5	<0.5	39/37			
	12/15/04	10.39	321.11	<50	<0.5	<0.5	<0.5	<0.5	18 (17)			
	02/21/05	8.80	322.70	<50	<0.5	<0.5	2.3	1.4	180 (290)	0.69		
	05/17/05	9.57	321.93	140	0.68	<0.5	6.6	0.94	250 (340)	0.86		
	08/17/05	9.23	322.27	3,800	11	3.7	110	24	200 (200)	0.99		
11/27/05	11.05	320.45	150	<0.5	1.8	2.4	0.56	88 (85)	0.81			
02/21/06	10.10	321.40	83	<0.5	0.72	1.7	<0.5	40 (49)	0.38/0.65			
04/03/06	--	--	--	--	Well Destroyed		--	--	--	Well Destroyed		

## Grab Groundwater Analytical Data

SB-1A-W	05/18/06	11.20	NA	170	1.5	1.5	1.2	5.9	570 (500)	--	TAME=90μg/L, TBA,DIPE,ETBE=ND
DPB-1	05/01/03	16-20	NA	12,000	25	440	440	2,180	8,100	--	
DPB-2	04/22/03	NA	NA	710	1.1	<1	18	74	540	--	
DPB-3	04/17/03	16-20	NA	48,000	400	5,800	1,500	9,500	8,900	--	
	04/17/03	27-31	NA	62,000	700	9,900	1,300	7,900	4,200	--	
	04/17/03	39-43	NA	27,000	210	3,200	640	4,100	7,700	--	
DPB-4	04/17/03	32-36	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-5	04/30/03	7-11	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
	04/17/03	11-15	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
	04/30/03	26-30	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-6	04/17/03	36-40	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
	04/18/03	15-19	NA	7,700	18	77	170	640	5.9	--	
	04/18/03	26-30	NA	4,700	21	76	160	650	6.2	--	
DPB-7	04/18/03	35-39	NA	2,900	8.8	24	54	249	100	--	
	04/18/03	15-19	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
	04/18/03	20-24	NA	7,000	42	640	190	990	300	--	
DPB-8	04/18/03	35-39	NA	150	<0.5	1.8	0.8	5.7	<0.5	--	
	05/01/03	NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-S	04/18/03	14-18	NA	20,000	<170	<170	380	6,600	53,000	--	
	04/18/03	26-30	NA	1,500	7.1	<3.1	7.4	170	760	--	
	04/18/03	35-39	NA	4,300	<63	<63	<63	910	42,000	--	

## ABBREVIATIONS AND NOTES:

SPH = Separate-phase hydrocarbons; calculated groundwater elevation corrected for SPH by the relation: Groundwater Elevation = Well Elevation - Depth to Water +(0.8xSPH Thickness)

Groundwater monitoring data and laboratory analytical results prior to December 14, 2004, were scanned from a report by SOMA.

(ft) = Feet

(msl) = Mean sea level

TOC Elev. (ft) = Top of casing elevation

μg/L = Micrograms per liter - approximately equal to parts per billion = ppb

mg/L = Milligrams per liter - approximately equal to parts per million = ppm

TPHg = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015C

BTEX = Benzene, toluene, ethylbenzene, and xylenes by EPA Method 8020/8021.

MTBE = Methyl tertiary butyl ether by EPA Method 8020/8021. (Concentrations in parentheses are by EPA Method 8260B).

1,2-DCA = 1,2-Dichloroethane

TAME = Tertiary amyl methyl ether by EPA Method 8260B

TBA = Tertiary butyl alcohol by EPA Method 8260B

DIPE = Diisopropyl ether by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether by EPA Method 8260B

-- = Not Measured/Not Analyzed

1 Laboratory report indicates weathered gasoline C6-C12

Dissolved oxygen concentrations measured downhole pre-purge or pre-purge/post-purge

\* = Cap loose, sprinkler runoff entering well

**Table 2 –Well Construction Details –7240 Dublin Blvd., Dublin, CA**

Well ID (TOC Elev)	Total Depth of Well (feet bgs)	Screened Interval (ft bgs)	Drill Hole Diameter (inches)	Casing Diameter (inches)	Surface Seal Depth (ft bgs)
MW-1	25	5-25	8	2	0-4
MW-2	20	5-20	8	2	0-4
MW-3A	17	10-17	10	4	0-9
MW-4	20	8.5-20	8	2	0-8
MW-5	21	8.5-21	8	2	0-8
MW-6A	20	15-20	10	4	0-14
MW-6B	30	26-30	8	2	0-25
MW-6C	44	34-44	8	2	0-33
MW-7AA	14	9-14	10	4	0-8
MW-7A	20	16-20	10	4	0-15
MW-7B	30	26-30	8	2	0-25
MW-7C	45	35-45	12	2	0-34
MW-8A	20	15-20	8	2	0-4
MW-9A	20	15-20	8	2	0-14
MW-9C	45	35-45	12	2	0-34
MW-10A	20	15-20	8	2	0-14
MW-10C	45	35-45	8	2	0-34
MW-11C	43.5	33.5-43.5	8	2	0-32
VW-1	9	3-9	8	2	0-2.5
VW-2	9	3-9	8	2	0-2.5
VW-3	9	3-9	8	2	0-2.5

## **APPENDIX A**

### Groundwater Monitoring Program

**Table A. Quarterly Groundwater Monitoring Program During Remediation**

7240 Dublin Boulevard, Dublin, CA

Well ID	Well Type	Screened Interval (ft bgs)	Well Location for Monitoring	Casing Diam. (in)	Gauge Frequency	Sample Frequency <sup>1,2</sup>
<b>Surface Water</b>						
C-1*	Gauging Point	--	W, Flood Control Channel	--	Q	---
<b>Upper Shallow AA-Zone Wells</b>						
MW-7AA	Mon (Proposed DPE)	9-14	Source	4	Q	Q
VW-1	Mon+SVE (Proposed DPE)	3-9	Source	2	Q	1st
VW-2	Mon+SVE (Proposed DPE)	3-9	Source	2	Q	1st
VW-3	Mon+SVE (Proposed DPE)	3-9	Source	2	Q	1st
<b>Shallow A-Zone Wells</b>						
MW-1	Mon	5-25	W, Adjacent SS	2	Q	Q
MW-2	Mon	5-20	W, Adjacent Flood Channel	2	Q	Q
MW-3A	Mon (Proposed DPE)	10-17	N Source, Adjacent SS	4	Q	Q
MW-4	Mon	8.5-20	NW Upgradient, Offsite	2	Q	1st
MW-5	Mon	8.5-21	W Upgradient, Offsite	2	Q	1st
MW-6A	Mon (Proposed DPE)	15-20	N Source, Adjacent SS	4	Q	Q
MW-7A	Mon (Proposed DPE)	16-20	Source	4	Q	1st
MW-8A	Mon	15-20	S, Adjacent Building	2	Q	Q
MW-9A	Mon	15-20	NE Perimeter	2	Q	1st
MW-10A	Mon	15-20	S Perimeter	2	Q	1st
<b>Intermediate Depth B-Zone Wells</b>						
MW-6B	Mon	26-30	N Source, Adjacent SS	2	Q	1st
DW-7B	Mon	26-30	Source	2	Q	1st
<b>Deep C-Zone Wells</b>						
MW-6C	Mon	34-44	N Source, Adjacent SS	2	---	---
MW-7C	Mon	35-45	Source	2	---	---
MW-9C	Mon	35-45	NE Perimeter	2	---	---
MW-10C	Mon	35-45	S Perimeter	2	---	---
MW-11C	Mon	33.5-43.5	W Intermediate	2	---	---

Notes and Abbreviations:

**1 = Summary: 6 wells sampled each quarter, 16 wells sampled 1st quarter. 5 C-zone wells not sampled.**

**2 = Sample Analytes: Total Petroleum Hydrocarbons as Gasoline (TPHg), benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8015Cm/8021B.**

Q = All four quarters. Typically B months (February, May, August, November)

1st = 1st quarter only, typically February

Mon = Groundwater Monitoring Only

SVE = Soil Vapor Extraction

DPE = Dual Phase Extraction

N, S, W, E = Cardinal directions North, South, West, East and other directions (e.g., Northeast = NE)

SS = Sanitary Sewer beneath Dublin Blvd

\* = Surface water level gauging point, not a well.

-- = Not gauged or sampled.

**Table B. Semi-Annual Groundwater Monitoring Program - 7240 Dublin Boulevard, Dublin, CA**

Well ID	Well Type	Screened Interval (ft bgs)	Well Location for Monitoring	Casing Diam. (in)	Gauge Frequency	Sample Frequency <sup>1,2</sup>
<b>Surface Water</b>						
C-1*	Gauging Point	--	W, Flood Control Channel	--	1st, 3rd	---
<b>Upper Shallow AA-Zone Wells</b>						
MW-7AA	Mon (Proposed DPE)	9-14	Source	4	1st, 3rd	1st, 3rd
VW-1	Mon+SVE (Proposed DPE)	3-9	Source	2	1st, 3rd	1st
VW-2	Mon+SVE (Proposed DPE)	3-9	Source	2	1st, 3rd	1st
VW-3	Mon+SVE (Proposed DPE)	3-9	Source	2	1st, 3rd	1st
<b>Shallow A-Zone Wells</b>						
MW-1	Mon	5-25	W, Adjacent SS	2	1st, 3rd	1st, 3rd
MW-2	Mon	5-20	W, Adjacent Flood Channel	2	1st, 3rd	1st, 3rd
MW-3A	Mon (Proposed DPE)	10-17	N Source, Adjacent SS	4	1st, 3rd	1st, 3rd
MW-4	Mon	8.5-20	NW Upgradient, Offsite	2	1st, 3rd	1st
MW-5	Mon	8.5-21	W Upgradient, Offsite	2	1st, 3rd	1st
MW-6A	Mon (Proposed DPE)	15-20	N Source, Adjacent SS	4	1st, 3rd	1st, 3rd
MW-7A	Mon (Proposed DPE)	16-20	Source	4	1st, 3rd	1st
MW-8A	Mon	15-20	S, Adjacent Building	2	1st, 3rd	1st, 3rd
MW-9A	Mon	15-20	NE Perimeter	2	1st, 3rd	1st
MW-10A	Mon	15-20	S Perimeter	2	1st, 3rd	1st
<b>Intermediate Depth B-Zone Wells</b>						
MW-6B	Mon	26-30	N Source, Adjacent SS	2	1st, 3rd	1st
DW-7B	Mon	26-30	Source	2	1st, 3rd	1st
<b>Deep C-Zone Wells</b>						
MW-6C	Mon	34-44	N Source, Adjacent SS	2	---	---
MW-7C	Mon	35-45	Source	2	---	---
MW-9C	Mon	35-45	NE Perimeter	2	---	---
MW-10C	Mon	35-45	S Perimeter	2	---	---
MW-11C	Mon	33.5-43.5	W Intermediate	2	---	---

Notes and Abbreviations:

**1 = Summary: 6 wells sampled 3rd quarter, 16 wells sampled 1st quarter. 5 C-zone wells not sampled.**

**2 = Sample Analytes: Total Petroleum Hydrocarbons as Gasoline (TPHg), benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8015Cm/8021B.**

1st = 1st quarter, typically February

3rd = 3rd quarter, typically November

Mon = Groundwater Monitoring Only

SVE = Soil Vapor Extraction

DPE = Dual Phase Extraction

N, S, W, E = Cardinal directions North, South, West, East and other directions (e.g., Northeast = NE)

SS = Sanitary Sewer beneath Dublin Blvd


\* = Surface water level gauging point, not a well.

-- = Not gauged or sampled.

## **APPENDIX B**

Groundwater Monitoring Field Data Sheets

Well Gauging Data Sheet

Project.Task #:1001.001 219				Project Name: Dublin Car Wash			
Address:7420 Dublin Boulevard, Dublin, CA						Date:5/28/09	
Name: Sanjiv Gill				Signature: 			
Well ID	Well Size (in.)	Time	Depth to Immiscible Liquid (ft)	Thickness of Immiscible Liquid (ft)	Depth to Water (ft)	Total Depth (ft)	Measuring Point
MW-1	2"	5:59			13.25	25.32	TOC
MW-2	2"	6:03			8.86	20.00	
MW-3A	4"	6:30			11.30	16.78	
MW-4	2"	5:40			10.96	19.78	
MW-5	2"	5:43			10.80	20.56	
MW-6A	2"	6:27			11.45	19.13	
MW-6B	2"	6:21			9.23	29.73	
MW-7AA	4"	6:33			10.05	13.84	
MW-7A	4"	6:15			9.91	19.53	
MW-7B	2"	6:12			9.80	28.42	
MW-8A	2"	5:51			9.90	19.01	

Comments:

---




---



---



Well Gauging Data Sheet

Project.Task #:1001.001 219				Project Name: Dublin Car Wash			
Address:7420 Dublin Boulevard, Dublin, CA						Date:5/28/09	
Name: Sanjiv Gill				Signature: 			
Well ID	Well Size (in.)	Time	Depth to Immiscible Liquid (ft)	Thickness of Immiscible Liquid (ft)	Depth to Water (ft)	Total Depth (ft)	Measuring Point
MW-9A	2"	5:48			10.75	19.66	TOC
MW-10A	2"	5:54			9.11	19.51	
VW-1	2"	6:09			6.30	8.40	
VW-2	2"	6:18			6.90	8.30	
VW-3	2"	6:24			5.93	8.40	
C-1	—	6:37			11.98	—	

Comments:

---



---



---



---



### MONITORING FIELD DATA SHEET

Well ID: MW-1

Project.Task #: 1001.001 219	Project Name: Dublin Car Wash								
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: 5/28/09	Weather: <u>Sunny</u>								
Well Diameter: <u>2''</u>	<table border="1" style="font-size: small; border-collapse: collapse;"> <tr> <td>Volume/ft.</td> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td></td> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius<sup>2</sup>* 0.163</td> </tr> </table>	Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47		2" = 0.16	4" = 0.65	radius <sup>2</sup> * 0.163
Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47						
	2" = 0.16	4" = 0.65	radius <sup>2</sup> * 0.163						
Total Depth (TD): <u>25.32</u>	Depth to Product:								
Depth to Water (DTW): <u>13.25</u>	Product Thickness:								
Water Column Height: <u>12.07</u>	1 Casing Volume: <u>193</u> gallons								
Reference Point: TOC	<u>3</u> Casing Volumes: <u>5.79</u> gallons								

Purging Device: Disposable Bailer, 3" PVC Bailer, Parastaltic Pump

Sampling Device: Disposable Bailer

Time	Temp ©	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
<u>7:40</u>	<u>17.9</u>	<u>7.53</u>	<u>1860</u>				<u>2</u>	
<u>7:43</u>	<u>18.0</u>	<u>7.47</u>	<u>1824</u>				<u>4</u>	
<u>7:46</u>	<u>18.2</u>	<u>7.45</u>	<u>1855</u>				<u>6</u>	

Comments: YSI 550A DO meter      pre purge DO = 0.71 mg/l  
 post purge DO =      mg/l

very turbid, silty


Sample ID: <u>MW-1</u>	Sample Time: <u>7:49</u>
Laboratory: McCampbell Analytical, INC.	Sample Date: 5/28/09
Containers/Preservative: Voa/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature:

**MONITORING FIELD DATA SHEET**

Well ID: MW-2

Project.Task #: 1001.001 219				Project Name: Dublin Car Wash				
Address: 7420 Dublin Boulevard, Dublin, CA								
Date: 5/28/09				Weather: <u>Sunny</u>				
Well Diameter: <u>2"</u>				Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47	
					2" = 0.16	4" = 0.65	radius <sup>2</sup> * 0.163	
Total Depth (TD): <u>20.00</u>				Depth to Product:				
Depth to Water (DTW): <u>8-86</u>				Product Thickness:				
Water Column Height: <u>11.14</u>				1 Casing Volume: <u>1.78</u>			gallons	
Reference Point: TOC				<u>3</u> Casing Volumes: <u>5.34</u>			gallons	
Purging Device: <u>Disposable Bailer</u> , 3" PVC Bailer, Parastaltic Pump								
Sampling Device: Disposable Bailer								
Time	Temp ©	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
<u>8:05</u>	<u>17.9</u>	<u>7.39</u>	<u>1568</u>				<u>1.5</u>	
<u>8:07</u>	<u>18.0</u>	<u>7.38</u>	<u>1610</u>				<u>3</u>	
<u>8:10</u>	<u>18.2</u>	<u>7.42</u>	<u>1594</u>				<u>5</u>	

Comments: YSI 550A DO meter pre purge DO = 0.74mg/l  
 post purge DO =           mg/l  
very turbid, silty

Sample ID: <u>MW-2</u>	Sample Time: <u>8:15</u>
Laboratory: McCampbell Analytical, INC.	Sample Date: 5/28/09
Containers/Preservative: Voa/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 




## MONITORING FIELD DATA SHEET

Well ID: MW-6A

Project.Task #: 1001.001 219				Project Name: Dublin Car Wash				
Address: 7420 Dublin Boulevard, Dublin, CA								
Date: 5/28/09				Weather: <u>Sunny</u>				
Well Diameter: <u>2''</u>				Volume/ft.		1" = 0.04	3" = 0.37	6" = 1.47
						2" = 0.16	4" = 0.65	radius <sup>2</sup> * 0.163
Total Depth (TD): <u>19.13</u>				Depth to Product:				
Depth to Water (DTW): <u>11.45</u>				Product Thickness:				
Water Column Height: <u>7.68</u>				1 Casing Volume: <u>1.22</u>		gallons		
Reference Point: TOC				3 Casing Volumes: <u>3.66</u>		gallons		
Purging Device: <u>Disposable Bailer</u> , 3" PVC Bailer, Peristaltic Pump								
Sampling Device: Disposable Bailer								
Time	Temp ©	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
8:30	18.0	7.03	1720				1.5	
8:33	18.4	7.05	1831				2.5	
8:36	18.6	6.98	1836				3.5	

Comments: YSI 550A DO meter pre purge DO = 0.55mg/l  
 post purge DO =           mg/l

very turbid, silty

Sample ID: <u>MW-6A</u>		Sample Time: <u>8:39</u>	
Laboratory: McCampbell Analytical, INC.		Sample Date: 5/28/09	
Containers/Preservative: Voac/HCl			
Analyzed for: 8015, 8021			
Sampler Name: Sanjiv Gill		Signature: 	

**MONITORING FIELD DATA SHEET**

Well ID: MW-7AA

Project.Task #: 1001.001 219		Project Name: Dublin Car Wash	
Address: 7420 Dublin Boulevard, Dublin, CA			
Date: 5/28/09		Weather: <u>Sunny</u>	
Well Diameter: <u>4"</u>		Volume/ft. $1" = 0.04$ $3" = 0.37$ $6" = 1.47$ $2" = 0.16$ $4" = 0.65$ radius <sup>2</sup> * 0.163	
Total Depth (TD): <u>13.84</u>		Depth to Product:	
Depth to Water (DTW): <u>10.05</u>		Product Thickness:	
Water Column Height: <u>3.79</u>		1 Casing Volume: <u>2.46</u> gallons	
Reference Point: TOC		<u>3</u> Casing Volumes: <u>7.38</u> gallons	

Purging Device: Disposable Bailer 3" PVC Bailer, Parastaltic Pump

Sampling Device: Disposable Bailer

Time	Temp (°C)	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
<u>6:50</u>	<u>18.3</u>	<u>7.11</u>	<u>2160</u>				<u>2.5</u>	
<u>6:55</u>	<u>18.0</u>	<u>7.14</u>	<u>2094</u>				<u>5</u>	
<u>6:55</u>	<u>18.0</u>	<u>7.15</u>	<u>2089</u>				<u>7</u>	

Comments: YSI 550A DO meter pre purge DO = 0.73 mg/l  
post purge DO =            mg/l

turbid

Sample ID: <u>MW-7AA</u>	Sample Time: <u>7:00</u>
Laboratory: McCampbell Analytical, INC.	Sample Date: 5/28/09
Containers/Preservative: Voac/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 



## **APPENDIX C**

### Laboratory Analytical Results





**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Pangea Environmental Svcs., Inc. 1710 Franklin Street, Ste. 200 Oakland, CA 94612	Client Project ID: #1001.001; Dublin Car Wash	Date Sampled: 05/28/09
	Client Contact: Erica Ray	Date Received: 05/28/09
	Client P.O.:	Date Reported: 06/02/09
		Date Completed: 06/02/09

**WorkOrder: 0905579**

June 02, 2009

Dear Erica:

Enclosed within are:

- 1) The results of the **6** analyzed samples from your project: **#1001.001; Dublin Car Wash,**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius  
Laboratory Manager  
McC Campbell Analytical, Inc.

0905579

**McCAMPBELL ANALYTICAL, INC.**

110 2<sup>nd</sup> AVENUE SOUTH, #D7  
PACHECO, CA 94553-5560

Website: [www.mccampbell.com](http://www.mccampbell.com) Email: [main@mccampbell.com](mailto:main@mccampbell.com)  
Telephone: (925) 798-1620 Fax: (925) 798-1622

**CHAIN OF CUSTODY RECORD**

TURN AROUND TIME

yes  RUSH 24 HR  48 HR  72 HR  5 DAY  
EDF Required? Coelt (Normal) No Write On (DW) No




Report To: Erica Ray Bill To: Pangea Environmental Analysis Request Other Comments

Company: Pangea Environmental Services, Inc.  
1710 Franklin Street, Suite 200  
Oakland, CA 94612 E-Mail: [eray@pangeaenv.com](mailto:eray@pangeaenv.com)  
Tele: 510-836-3702 Fax: (510) 836-3709  
Project #: 1001-001 Project Name: Dublin Carwash  
Project Location: 7420 Dublin Blvd., Dublin, CA  
Sampler Signature: Muskan Environmental Sampling

BTX as Gas (602/8020 + 8015)/NTBE	
TPH as Diesel (8015)	
Total Petroleum Oil & Grease (5520 E&F/B&F)	
Total Petroleum Hydrocarbons (418.1)	
EPA 601 / 8010 / 8021	
BTEX ONLY (EPA 602 / 8020)	
EPA 608 / 8081	
EPA 608 / 8082 PCB'S ONLY	
EPA 8140 / 8141	
EPA 8150 / 8151	
EPA 8242 / 624 / 8260	
EPA 825 / 625 / 8270	
PAH's / PNA's by EPA 625 / 8270 / 8310	
CAM-17 Metals (6010 / 6020)	
LUFF 5 Metals (6010 / 6020)	
Lead (200.8 / 200.9 / 6010)	

Filter Samples for Metals analysis: Yes / No

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED					
		Date	Time			Water	Soil	Air	Sludge	Other	ICE	HCL	HNO <sub>3</sub>	Other		
MW-1		5-29-09	7:49	3	voc	X					X	X	X			
MW-2			8:15								X	X	X			
MW-3A			9:25								X	X	X			
MW-6A			8:39								X	X	X			
MW-7AA			7:00								X	X	X			
MW-8A			7:25								X	X	X			

Relinquished By:  Date: 5-29-09 Time: 10:00  
 Relinquished By: Envirotech Services PM Date: 5/28/09 Time: 5:18  
 Relinquished By:  Date: 5/29/09 Time: 4:00 Received By: 

ICEA\* 6-2 COMMENTS:  
 GOOD CONDITION \_\_\_\_\_  
 HEAD SPACE ABSENT \_\_\_\_\_  
 DECHLORINATED IN LAB \_\_\_\_\_  
 APPROPRIATE CONTAINERS \_\_\_\_\_  
 PRESERVED IN LAB \_\_\_\_\_  
 VOAS | D&G | METALS | OTHER  
 PRESERVATION | | pH<2 |

# McC Campbell Analytical, Inc.



1534 Willow Pass Rd  
 Pittsburg, CA 94565-1701  
 (925) 252-9262

# CHAIN-OF-CUSTODY RECORD

WorkOrder: 0905579

ClientCode: PEO

WaterTrax   
  WriteOn   
  EDF   
  Excel   
  Fax   
  Email   
  HardCopy   
  ThirdParty   
  J-flag

**Report to:**

Erica Ray  
 Pangea Environmental Svcs., Inc.  
 1710 Franklin Street, Ste. 200  
 Oakland, CA 94612  
 (510) 836-3700    FAX (510) 836-3709

Email: eray@pangeaenv.com  
 cc:  
 PO:  
 ProjectNo: #1001.001; Dublin Car Wash

**Bill to:**

Bob Clark-Riddell  
 Pangea Environmental Svcs., Inc.  
 1710 Franklin Street, Ste. 200  
 Oakland, CA 94612

**Requested TAT: 5 days**

**Date Received: 05/28/2009**

**Date Printed: 05/28/2009**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0905579-001	MW-1	Water	5/28/2009 7:49	<input type="checkbox"/>	A	A											
0905579-002	MW-2	Water	5/28/2009 8:15	<input type="checkbox"/>	A												
0905579-003	MW-3A	Water	5/28/2009 9:25	<input type="checkbox"/>	A												
0905579-004	MW-6A	Water	5/28/2009 8:39	<input type="checkbox"/>	A												
0905579-005	MW-7AA	Water	5/28/2009 7:00	<input type="checkbox"/>	A												
0905579-006	MW-8A	Water	5/28/2009 7:25	<input type="checkbox"/>	A												

**Test Legend:**

1	G-MBTEX_W	2	PREDF REPORT	3		4		5	
6		7		8		9		10	
11		12							

**Prepared by: Ana Venegas**

**Comments:**

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).  
 Hazardous samples will be returned to client or disposed of at client expense.



**Sample Receipt Checklist**

Client Name: **Pangea Environmental Svcs., Inc.**

Date and Time Received: **5/28/2009 6:42:22 PM**

Project Name: **#1001.001; Dublin Car Wash**

Checklist completed and reviewed by: **Ana Venegas**

WorkOrder N°: **0905579** Matrix Water

Carrier: Rob Pringle (MAI Courier)

**Chain of Custody (COC) Information**

- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Sample IDs noted by Client on COC? Yes  No
- Date and Time of collection noted by Client on COC? Yes  No
- Sampler's name noted on COC? Yes  No

**Sample Receipt Information**

- Custody seals intact on shipping container/cooler? Yes  No  NA
- Shipping container/cooler in good condition? Yes  No
- Samples in proper containers/bottles? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No

**Sample Preservation and Hold Time (HT) Information**

- All samples received within holding time? Yes  No
- Container/Temp Blank temperature Cooler Temp: 6.2°C NA
- Water - VOA vials have zero headspace / no bubbles? Yes  No  No VOA vials submitted
- Sample labels checked for correct preservation? Yes  No
- TTLC Metal - pH acceptable upon receipt (pH<2)? Yes  No  NA
- Samples Received on Ice? Yes  No

(Ice Type: WET ICE )

\* NOTE: If the "No" box is checked, see comments below.

-----

Client contacted:

Date contacted:

Contacted by:

Comments:



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Pangea Environmental Svcs., Inc.  1710 Franklin Street, Ste. 200  Oakland, CA 94612	Client Project ID: #1001.001; Dublin Car Wash	Date Sampled: 05/28/09
	Client Contact: Erica Ray	Date Received: 05/28/09
	Client P.O.:	Date Extracted: 05/29/09-06/02/09
		Date Analyzed: 05/29/09-06/02/09

### Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE\*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Bm

Work Order: 0905579

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS	Comments
001A	MW-1	W	ND	ND	ND	ND	ND	ND	1	103	
002A	MW-2	W	ND	12	ND	ND	ND	ND	1	105	
003A	MW-3A	W	1500	500	200	9.0	57	190	2	120	d1
004A	MW-6A	W	600	48	98	14	21	42	1	94	d1
005A	MW-7AA	W	7600	6100	1100	34	390	870	20	114	d1
006A	MW-8A	W	ND	36	ND	ND	ND	ND	1	111	

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	0.5	µg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	mg/Kg

\* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

d1) weakly modified or unmodified gasoline is significant



**QC SUMMARY REPORT FOR SW8021B/8015Bm**

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 43492

WorkOrder: 0905579

Analyte	EPA Method SW8021B/8015Bm		Extraction SW5030B						Spiked Sample ID: 0905582-006A			
	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) <sup>f</sup>	ND	60	106	111	5.02	119	119	0	70 - 130	20	70 - 130	20
MTBE	ND	10	93.2	89	4.63	90.4	89.5	0.977	70 - 130	20	70 - 130	20
Benzene	ND	10	110	101	8.78	103	100	2.63	70 - 130	20	70 - 130	20
Toluene	ND	10	110	99.8	9.45	102	99.3	3.00	70 - 130	20	70 - 130	20
Ethylbenzene	ND	10	107	98	8.76	100	96.9	3.24	70 - 130	20	70 - 130	20
Xylenes	ND	30	108	99.6	8.21	101	98.3	2.51	70 - 130	20	70 - 130	20
%SS:	105	10	110	108	2.53	104	105	0.934	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 43492 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0905579-001A	05/28/09 7:49 AM	05/29/09	05/29/09 5:44 PM	0905579-002A	05/28/09 8:15 AM	05/30/09	05/30/09 3:37 AM
0905579-003A	05/28/09 9:25 AM	06/02/09	06/02/09 4:40 AM	0905579-004A	05/28/09 8:39 AM	05/30/09	05/30/09 4:07 AM
0905579-005A	05/28/09 7:00 AM	05/30/09	05/30/09 8:02 AM	0905579-006A	05/28/09 7:25 AM	05/30/09	05/30/09 4:37 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.