

FACSIMILE



EICHLAY ENGINEERS, INC. OF CALIFORNIA
1390 WILLOW PASS ROAD
SUITE 600
CONCORD, CALIFORNIA 94520

TO: Ms. Madhulla Logan
Alameda County Department of Environmental Health

FAX # (510) 337-9335

FROM: FRED SERAFIN
Eichleay Engineers Inc. of California
FAX # 510-689-7006
PHONE # 510-689-7000

NUMBER OF PAGES INCLUDING COVER PAGE: 4

Dear Ms. Logan:

The revised workplan for the site located at 2504 MacArthur Blvd. , Oakland, CA is attached for your information. The hard copy is being mailed to you today.

Fred Serafin 

IF YOU DO NOT RECEIVE ALL PAGES, PLEASE PHONE 510-689-7000 IMMEDIATELY.

OPERATOR'S NAME: _____

DATE & TIME TRANSMITTED: 3/21/95



ENVIRONMENTAL
PROTECTION

**Eichleay Engineers Inc.
of California**

95 MAR 28 PM 1:19

Suite 600, 1390 Willow Pass Road, Concord, California 94520 • 510-689-7000 • FAX 510-689-7006

March 20, 1995

Alameda County Health Care Services Agency
Department of Environmental Health
Hazardous Material Division
1131 Harbor Bay Parkway
Alameda, California 94507-6577

Attention: Ms. Madhulla Logan

Subject: Modified Workplan for Subsurface Investigation
2504 MacArthur Boulevard
Oakland, California 94602
Proposal No. 6982

Dear Ms. Logan:

Pursuant to our discussions of March 17, 1995, and on behalf of Michael Marr & Associates, Eichleay Engineers Inc. Of California has incorporated your comments and has modified the Workplan for Subsurface Investigation for the site located at 2504 MacArthur Boulevard, Oakland, California. The original Workplan was submitted for your approval in January 1995. The modifications, as agreed upon, are presented herein:

- Minimum of six borings will be advanced at the Site. The borings are marked B-1 to B-6 and their tentative locations are shown in the attached revised Site Plan.
- Boring B-5 shall be drilled as close to the wall as site characteristics would allow.
- Tentatively, Borings B-1, B-3, and B-5 are to be converted to monitoring wells. However, the final decision shall be made in the field, pending the findings during the drilling activities.
- As indicated in the Eichleay's Drilling, Sealing, and Sampling Protocol, soil Samples will be collected every five-foot or more frequently, as determined in the field.
- Boring B-6 may be drilled on the sidewalk, pending obtaining permit from the City of Oakland and clearance of underground utility lines.
- The modifications, as stated above, along with the revised Site Plan form an integral part of the Workplan dated January 1995, and will be implemented when approved by the County.



ENVIRONMENTAL
PROTECTION
95 MAR 28 PM 1:19

Please review and approve this modified Workplan at your earliest convenience and inform the "Cleanup Fund", so we could initiate the work as soon as possible. Please call us if you have any further comments.

Very truly yours,


Fred Serafin, REA
Manager, Environmental Services

John M. Sakamoto, P.E.
Manager, Industrial Operations



Attachment
cc: RJM, RCD, SLC, Nelson
Marr Associates

ENVIRONMENTAL
PROTECTION


95 MAR 28 PM 1:19



LEGEND

-  Location of Boreholes/
Monitoring Wells
-  Location of
Former tanks

Not to Scale

REVISIONS			 Eichleay ENGINEERS INC of CA		PITTSBURGH CHICAGO SAN FRANCISCO	
REV	DESCRIPTION	APPR	Site Plan 2504 MacArthur Blvd. Oakland, California			
1	Borehole numbers, addition of B-6		SCALE	DATE	CONTRACT	
			DRAWN BY	DRAWING		REVISION
			CHECKED			
			APPROVED			