Wickham, Jerry, Env. Health

From:Wickham, Jerry, Env. HealthSent:Tuesday, December 27, 2011 3:07 PMTo:'Fong, Bryan'Cc:Project Email HoldSubject:RE: 511000 - Fuel Leak Case No. RO0000327 - Reduced Sampling Request Follow-Up
~COR-511000~

Bryan,

We have no objection to removing these wells from the semi-annual sampling schedule.

Regards, Jerry Wickham Alameda County Environmental Health 1131 Harbor Bay Parkway Alameda, CA 94502-6577 phone: 510-567-6791 jerry.wickham@acgov.org

From: Fong, Bryan [mailto:bfong@craworld.com]
Sent: Friday, December 23, 2011 2:11 PM
To: Wickham, Jerry, Env. Health
Cc: Project Email Hold
Subject: 511000 - Fuel Leak Case No. RO0000327 - Reduced Sampling Request Follow-Up ~COR-511000~

Hi Jerry,

Regarding: 2345 International Blvd, Oakland, CA (RO0000327).

CRA proposed removing wells TMW-4A, MW-8, MW-9, and MW-10 from the semi-annual sampling schedule in the most recent Groundwater Monitoring Report – Second Half 2011, based on the lack of historical concentrations in these wells.

There was no mention of this request or a response to this request in your most recent directive letter dated December 8, 2011 for Fuel Leak Case No. RO0000327.

I'm working on the sampling budget and schedule for upcoming first half 2012 activities, and would like to verify with you if we have agency approval for this request. Please let me know if we have approval to remove these wells from the sampling schedule at your earliest convenience. Feel free to call me if you would like to discuss.

Thank you and hope you have a wonderful holiday!

Bryan A. Fong Conestoga-Rovers & Associates (CRA) 5900 Hollis St, Suite A Emeryville, CA 94608

Phone: 510.420.3369 direct Phone: 510.420.0700 main Fax: 510.420.9170 Cell: 510.385.0509 Email: bfong@CRAworld.com www.CRAworld.com Think before you print This email may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies.