

ALAMEDA COUNTY
HEALTH CARE SERVICES
AGENCY
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

July 27, 2009

SCOTT ANDERSON
DUBLIN TOYOTA / PONTIAC
6450 DUBLIN CT
DUBLIN CA 94568

NOLAN & VELIA E DAVIS
NOLAN & VELIA DAVIS TRUST
50 OAK CT #160
DANVILLE CA 945264039

C/O CITATION HOMES
SCS DEVELOPMENT CO
404 SARATOGA AVE
SANTA CLARA CA 950507000

C/O CHARLES BELLIG
J & E INVESTMENTS LLC
4300 STEVENS CREEK BLDV
STE 125
SAN JOSE CA 951291263

Subject: Fuel Leak Case No. RO0000333 and Geotracker Global ID T0600102153, DUBLIN TOYOTA PONTIAC 6450 DUBLIN CT, Dublin CA 94568– Groundwater Monitoring Requirements
Dear Responsible Party:

The purpose of this correspondence is to inform you of changes to groundwater monitoring requirements for all fuel leak cases in California. The California State Water Resources Control Board (State Water Board) has approved Resolution No. 2009-0042 (*Actions to Improve Administration of the UST Cleanup Fund and UST Cleanup Program*). Resolution No. 2009-0042 states that, "*Regional Water Board and LOP agencies shall reduce quarterly groundwater monitoring requirements to semiannual or less frequent monitoring at all sites unless site-specific needs warrant otherwise and shall notify all responsible parties of the new requirements no later than August 1, 2009. If more than semiannual monitoring is required for a case, the responsible party and State Water board shall be notified of the rationale and the notice shall be posted on Geotracker.*"


In accordance with Resolution No. 2009-0042, groundwater monitoring for your site is to be reduced from quarterly to semiannual monitoring unless site-specific needs warrant otherwise. The semiannual monitoring is to be conducted during either the first and third quarters or during the second and fourth quarters. Please review historic groundwater monitoring results and identify the quarter during which the highest chemical concentrations typically occur in order to select the appropriate semiannual monitoring schedule. As an example, if the highest chemical concentrations in groundwater are typically reported during the first quarter, the wells should be sampled on a first and third quarter monitoring schedule.

A semiannual groundwater monitoring should be used only for wells that have been sampled over a minimum of one hydrologic cycle (four consecutive quarters). New monitoring wells should be sampled quarterly for one year before a semiannual monitoring schedule is implemented for new wells.

Any groundwater monitoring wells that are currently sampled on a less frequent schedule than semiannual (annual or longer) may continue to be sampled on the less frequent schedule. Please present results from the semiannual groundwater monitoring in groundwater monitoring reports no later than 60 days following the groundwater sampling event.

SCOTT ANDERSON
RO0000333
July 27, 2009, Page 2

Sincerely,



Steven Plunkett
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Donna Drogos, ACEH (*Sent via E-mail to: donna.drogos@acgov.org*)
Steven Plunkett, ACEH (*Sent via E-mail to: steven.plunkett@acgov.org*)
Geotracker, File

RESPONSIBLE PARTY OF RECORD AS OF 07/22/2009

RO0000333, DUBLIN TOYOTA PONTIAC, 6450 DUBLIN CT , Dublin, CA, 94568

Alameda County Environmental Health (ACEH) has the following information on record regarding the Responsible Party(ies) for the above referenced site. Please update the following information for our records. Should you have contact information regarding additional Responsible Parties, please correct the information accordingly. Also, please check the "e-mail preferred" box to receive all future correspondences and notifications by e-mail.

E-mail Preferred

Hardcopy Preferred

ACEH is requesting your e-mail address so that we can correspond with you quickly and efficiently regarding your case. Please note that ACEH respects your privacy. Your e-mail address will remain confidential and will not be provided to any third party.

Current Information

SCOTT ANDERSON
DUBLIN TOYOTA / PONTIAC
6450 DUBLIN CT
DUBLIN CA 94568

9255510580

NOLAN & VELIA E DAVIS
NOLAN & VELIA DAVIS TRUST
50 OAK CT #160
DANVILLE CA 945264039

9258202632

C/O CITATION HOMES
SCS DEVELOPMENT CO
404 SARATOGA AVE
SANTA CLARA CA 950507000

C/O CHARLES BELLIG
J & E INVESTMENTS LLC
4300 STEVENS CREEK BLDV STE 125
SAN JOSE CA 951291263

Corrections or Additions

Name: _____
Company: _____
Address: _____
City: _____ State: _____ Zip: _____
E-mail: _____
Home Phone: (____) _____
Office Phone: (____) _____
Cell Phone: (____) _____

Name: _____
Company: _____
Address: _____
City: _____ State: _____ Zip: _____
E-mail: _____
Home Phone: (____) _____
Office Phone: (____) _____
Cell Phone: (____) _____

Name: _____
Company: _____
Address: _____
City: _____ State: _____ Zip: _____
E-mail: _____
Home Phone: (____) _____
Office Phone: (____) _____
Cell Phone: (____) _____

Name: _____
Company: _____
Address: _____
City: _____ State: _____ Zip: _____
E-mail: _____
Home Phone: (____) _____
Office Phone: (____) _____
Cell Phone: (____) _____