

RECEIVED

10:17 am, May 19, 2008

Alameda County
Environmental Health



December 31, 2007

GA Project No. 147-01-03

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Ms. Donna Drogos

Subject: Fourth Quarter 2007 Groundwater Monitoring Report
Dublin Toyota UST Site
6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 699

Ladies and Gentlemen:

Gribi Associates is pleased to submit this Fourth Quarter 2007 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Figure 1 and Figure 2). This report summarizes groundwater monitoring activities conducted at the site on November 17, 2007.

DESCRIPTION OF SAMPLING ACTIVITIES

1. Gribi Associates personnel conducted groundwater monitoring activities for all 13 site wells (MW-1, MW-2, MW-3, MW-4S, MW-4D, MW-5S, MW-5D, MW-6S, MW-6D, MW-7, MW-8, MW-9, MW-10) on November 17, 2007 (see Figure 3).
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
 - a. measuring static water levels;
 - b. checking for presence of free-product;
 - c. and purging of approximately three well volumes while recording temperature, pH, conductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

RESULTS OF GROUNDWATER MONITORING

Hydrologic Conditions

1. Groundwater depths ranged from approximately 4.39 feet(MW-8) to 7.69 feet (MW-6S).
2. Groundwater elevations, which are shown on Figure 4, ranged from 318.84 feet (MW-6S) to 321.74 feet (MW-2).
3. Groundwater elevations in shallow (“A” Zone) and deeper (“B” Zone) wells are variable and relatively flat.
 - a. Based on the MTBE plume configuration, groundwater flow direction trends in a southwesterly direction.
4. Free-product was not present in any of the three wells.

Laboratory Analytical Results

1. Groundwater samples from the 13 wells were analyzed for the following parameters with standard method turn around time on results:
 - a. USEPA 8015M Total Petroleum Hydrocarbons as Gasoline (TPH-G)
 - b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
 - c. USEPA 8260B Methyl-t-butyl Ether (MTBE)
 - d. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Groundwater analytical results are summarized in Table 1.
3. Groundwater MTBE results for this monitoring event are summarized on Figure 5 and Figure 6.
4. The laboratory analytical data report and chain-of custody are contained in Attachment B.

CONCLUSIONS

1. During this quarterly sampling event, groundwater MTBE concentrations were lower than the results from previous sampling events.
 - a. Releases from the former USTs migrated laterally approximately 150 to 200 feet in a southwest direction in the upper “A” Zone.
 - b. MTBE then migrated vertically to, and then laterally southwest in, the deeper “B” Zone.
 - c. Reductions in oxygenates in downgradient site wells appears to be the result of: (1) Past removal of the UST sources; and (2) Natural attenuation over the ensuing years since source removal.

PLANNED ACTIVITIES

1. Gribi Associates plans to perform First Quarter 2008 groundwater monitoring and sampling.


Alameda County Department of
Environmental Health
December 31, 2007
Page 3

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,



Aaron J. Garcia
Environmental Scientist




James E. Gribi
Registered Geologist
California No. 5843




Enclosure

c:Mr. Scott Anderson, Dublin Toyota

FIGURES



DESIGNED BY:	CHECKED BY:	SITE VICINITY MAP DUBLIN TOYOTA 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 12/31/07	FIGURE: 1
DRAWN BY: EGH	SCALE:			
PROJECT NO: 147-01				



DESIGNED BY:

CHECKED BY:

DRAWN BY: MAR

SCALE:

PROJECT NO: 147-01-06


AERIAL PHOTOGRAPH

DUBLIN TOYOTA UST SITE
DUBLIN, CALIFORNIA

DATE: 12/31/2007

FIGURE: 2






US INTERSTATE 580
270 FEET


DESIGNED BY:	CHECKED BY:
DRAWN BY: MAR	SCALE:
PROJECT NO: 147-01-06	

SITE PLAN
DUBLIN TOYOTA UST SITE
DUBLIN, CALIFORNIA

DATE: 12/31/2007 FIGURE: 3







DESIGNED BY:	CHECKED BY:
DRAWN BY: MAR	SCALE:
PROJECT NO: 147-01-06	

**"A" ZONE GROUNDWATER
MTBE RESULTS**

DUBLIN TOYOTA UST SITE
DUBLIN, CALIFORNIA

DATE: 12/31/2007 FIGURE: 5



US INTERSTATE 580
270 FEET

DESIGNED BY:	CHECKED BY:
DRAWN BY: MAR	SCALE:
PROJECT NO: 147-01-06	

**"B" ZONE GROUNDWATER
MTBE RESULTS**
DUBLIN TOYOTA UST SITE
DUBLIN, CALIFORNIA

DATE: 12/31/2007 FIGURE: 6

TABLE

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-1	12/15/98	5.74	323.14	46,000	<100	<100	<100	<100	<100	--	--	--	--	62,000
"A" Zone	04/06/99	5.09	323.79	45,000	<50	<50	<50	<50	<50	--	--	--	--	86,000¹
<328.88>	07/14/99	6.18	322.7	2,800	<100	<100	<100	<100	<100	--	--	--	--	65,000¹
	10/14/99	6.86	322.02	11,000	<17	<17	<17	<17	<17	--	--	--	--	98,000¹
	08/18/00	6.98	321.9	36,000	<50	<50	<50	<50	<50	--	--	--	--	66,000¹
	05/29/02	6.42	322.46	29,100	<15	<15	<15	<30	841	<500	<100	N50	27,800¹	
	11/20/02	6.65	322.23	110	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	20,000	
	04/06/03	5.95	322.93	1,300	<1.0	<1.0	<1.0	<1.0	10	360	<2.0	2.2	15,000	
	07/13/03	6.55	322.33	74	<0.5	<0.5	<0.5	<1.0	10	42	<5.0	<5.0	15,000	
	02/11/04	5.74	323.14	<50	<0.5	<0.5	<0.5	<1.0	10	420	<2.0	2.5	34,000	
	06/16/04	6.37	322.51	180	<0.5	<0.5	<0.5	<1.0	6.8	290	<2.0	<2.0	7,600	
	10/16/04	7.29	321.59	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	6,720	
	12/30/04	5.84	323.04	92	<0.5	<0.5	<0.5	<1.0	5.2	<10	<2.0	<2.0	2,600	
	03/22/05	5.22	323.66	<50	<0.5	<0.5	<0.5	<1.0	7.3	<10	<2.0	<2.0	6,900	
	06/10/05	6.17	322.71	100	<0.5	<0.5	<0.5	<1.0	9.8	<10	<2.0	<2.0	25,000	
	10/04/05	7.49	321.39	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	2,500	

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	12/21/05	7.18	321.70	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	6,800
	03/30/06	5.81	323.07	<50	<0.5	<0.5	1.1	2.6	<2.0	<10	<2.0	<2.0	6,900
	06/01/06	7.20	321.68	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	5,100
	09/12/06	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	2.2	960	<2.0	<2.0	2,400
	11/21/06	7.68	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	930
	02/27/07	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,100
	06/07/07	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,500	<2.0	<2.0	1,100
	09/14/07	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<20	640	<2.0	<2.0	280
	11/17/07	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<20	1,400	<2.0	<2.0	260
MW-2	12/15/98	4.3	323.34	<50	<0.50	0.90	<0.50	1.5	--	--	--	--	<5.0
"A" Zone	04/06/99	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
<327.64>	07/14/99	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
	10/14/99	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
	08/18/00	5.72	321.92	<50	<0.50	<0.50	<0.50	1.1	--	--	--	--	16
	05/29/02	5.18	322.46	<50	<0.3	<0.3	<0.3	3.9	<2.0	<10	<2.0	<2.0	2.6
	11/20/02	5.52	322.12	57	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	9.1
	04/06/03	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	5.7
	07/13/03	5.24	322.40	<50	<0.5	<0.5	<0.5	<1.0	<5.0	<10	<5.0	<5.0	6.5
	02/11/04	4.45	323.19	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	8.5

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	06/16/04	4.93	322.71	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	120
	10/16/04	5.97	321.67	78	<0.5	<0.5	<0.5	<1.0	4.1	<10	<2.0	<2.0	43.2
	12/30/04	4.74	322.9	<50	<0.5	<0.5	<0.5	<1.0	4.1	<10	<2.0	<2.0	14
	03/22/05	3.86	323.78	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	13
	06/10/05	4.83	322.81	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	14
	10/04/05	6.19	321.45	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	5.2
	12/21/05	5.81	321.83	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	03/30/06	4.55	323.09	<50	<0.5	<0.5	1.7	3.9	<2.0	<10	<2.0	<2.0	13
	06/01/06	5.93	321.71	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	14
	09/12/06	8.65	318.99	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	22
	11/21/06	6.42	321.22	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	19
	02/27/07	5.14	322.50	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	13
	06/07/07	6.18	321.46	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	30
	09/14/07	6.31	321.33	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	25
	11/17/07	5.90	321.74	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	13
MW-3	08/18/00	5.67	321.77	210	<0.50	0.58	<0.50	0.59	--	--	--	--	570¹
"A" Zone	05/29/02	5.1	322.34	<50	<0.3	<0.3	<0.3	219	<2.0	<10	<2.0	<2.0	281
<327.44>	11/20/02	5.56	321.88	200	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	460
	04/06/03	4.64	322.8	270	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	340

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	07/13/03	5.48	321.96	<50	<0.5	<0.5	<0.5	<1.0	<5.0	<10	<5.0	<5.0	460
	02/11/04	4.47	322.97	<50	<0.5	<0.5	<0.5	<1.0	2.2	1,000	<2.0	<2.0	4,000
	06/16/04	5.23	322.21	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	240
	10/16/04	5.92	321.52	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	210
	12/30/04	4.54	322.9	<50	<0.5	<0.5	<0.5	<1.0	<2.0	120	<2.0	<2.0	190
	03/22/05	3.9	323.54	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	210
	06/10/05	4.83	322.61	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	230
	10/04/05	6.02	321.42	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	380
	12/21/05	5.74	321.7	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	320
	03/30/06	4.35	323.09	<50	<0.50	<0.50	1.3	3.0	<2.0	<10	<2.0	<2.0	160
	06/01/06	5.69	321.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	270
	09/12/06	6.21	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130
	11/21/06	6.29	321.15	<50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	90
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	39
	06/7/07	5.98	321.46	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	270
	09/14/07	6.11	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	59
	11/17/07	5.86	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	75

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
MW-4S	04/27/06	5.03	322.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
"A" Zone	06/01/06	3.72	324.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<327.80>	9/12/06	6.01	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/21/06	6.68	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.1
	02/27/07	5.39	322.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.0
	06/07/07	6.38	321.42	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	27
	09/14/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	11/17/07	6.39	321.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73
MW-4D	04/27/06	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
"B" Zone	06/01/06	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<327.67>	09/12/06	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/21/06	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/07/07	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	09/14/07	-	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/17/07	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
MW-5S	04/27/06	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	4.6	<10	<2.0	<2.0	10,000
“A” Zone	06/01/06	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8,300
<327.09>	09/12/06	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	3.5	340	<2.0	<2.0	6,500
	11/21/06	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	3.5	1,200	<2.0	<2.0	4,700
	02/27/07	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	2.9	1,400	<2.0	<2.0	3,800
	06/07/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	3.2	<10	<2.0	<2.0	7,800
	09/14/07	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	640	<2.0	<2.0	2,700
	11/17/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	47	<2.0	<2.0	4,700
MW-5D	04/27/06	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900
“B” Zone	06/01/06	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300
<327.30>	09/12/06	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	2.6	150	<2.0	<2.0	3,900
	11/21/06	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	4.0	1,300	<2.0	<2.0	2,600
	02/27/07	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	440	<2.0	<2.0	1,900
	06/07/07	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700
	09/14/07	-	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	170	<2.0	<2.0	1,600
	11/17/07	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3,000

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
MW-6S	04/27/06	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	190
“A” Zone	06/01/06	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73
<326.53>	09/12/06	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130
	11/21/06	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	140
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	87
	06/07/07	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83
	09/14/07	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72
	11/17/07	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72
MW-6D	04/27/06	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22
“B” Zone	06/01/06	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11
<326.72>	09/12/06	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.3
	11/21/06	5.52	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8
	02/27/07	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6
	06/07/07	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5
	09/14/07	5.42	321.3	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	11/17/07	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26
MW-7	04/27/06	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
“A” Zone	06/01/06	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	16
<326.16>	09/12/06	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81
	11/21/06	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	180
	02/27/07	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	350

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	06/07/07	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	520
	09/14/07	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	13	<2.0	<2.0	270
	11/17/07	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	710
MW-8	04/27/06	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000
"B" Zone	06/01/06	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000
<325.88>	09/12/06	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	2,500
	11/21/06	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	2.2	430	<2.0	<2.0	1,900
	02/27/07	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	330	<2.0	<2.0	1,600
	06/07/07	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,500
	09/14/07	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	58	<2.0	<2.0	630
	11/17/07	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	640
MW-9	04/27/06	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,200
"B" Zone	06/01/06	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,000
<325.29>	09/12/06	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	2,100
	11/21/06	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	180	<2.0	<2.0	1,200
	02/27/07	2.69	322.60	NA	<0.50	<0.50	<0.50	<1.0	<2.0	270	<2.0	<2.0	930
	06/07/07	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400
	09/14/07	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	460
	11/17/07	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	910

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
MW-10	04/27/06	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
"B" Zone	06/01/06	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<325.54>	09/12/06	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12
	11/21/06	4.35	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	02/27/07	3.78	321.76	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11
	06/07/07	3.91	321.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12
	09/14/07	4.22	321.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/17/07	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.1

Table Notes:

GW Depth = Groundwater depth below top of casing.
 GW Elevation = Groundwater mean sea level elevation.
 TPH-D = Total Petroleum Hydrocarbons as Diesel
 TPH-MO = Total Petroleum Hydrocarbons as Motor Oil
 TPH-G = Total Petroleum Hydrocarbons as Gasoline
 B = Benzene
 T = Toluene
 E = Ethylbenzene
 X = Xylenes
 TAME = Tert-amyl Methyl Ether
 TBA = tert-Butanol

DIPE = Diisopropyle ether ETBE = Ethyl-tert-butyl ether
 MTBE = Methyl-t-Butyl Ether
 NA = Not analyzed for particular parameter
 <0.050 = Not detected above the expressed value.
 <328.88> = Surveyed top of casing mean sea level elevation.
 "A" Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.
 "B" Zone = Semi-continuous sand and gravel layer between about 30 and 35 feet in depth.
 1 = MTBE result was confirmed using USEPA Method 8260B.
 2 = MW-1 and MW-2 laboratory results reported by Sunstar Laboratories appear to be mistakenly switched. This has been corrected herein.

ATTACHMENT A
GROUNDWATER MONITORING FIELD DATA RECORDS

Ground Water Monitoring Field Sheet

Site Prolin Toyota

Project Number _____

Sampling Personnel ASH

Date 11/27/07

Weather Conditions SUN

Well ID MW-6D

Casing Diameter (inches) 3/4"

Depth to Water (ft) 5.20'

Total Depth (ft) 40'

Water Column (ft) 34.80'

One Well Volume (gal) _____

3X Well Volume (gal) 2

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>PW-6E</u>		<u>X</u>	<u>PARAST. Pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>5:55</u>	<u>1</u>	<u>20.36</u>	<u>4.479</u>	<u>0.34</u>	<u>7.16</u>	<u>20.5</u>	
<u>6:00</u>	<u>1</u>	<u>20.17</u>	<u>4.419</u>	<u>0.42</u>	<u>7.10</u>	<u>20.4</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor		<u>/</u>	<u>/</u>		
Turbidity	<u>/</u>				
Sheen	<u>/</u>				
Floating Particles					
Precipitate					

Sample Time 6:00

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel ADG

Date 11/29/07

Weather Conditions SW

Well ID MW-2

Casing Diameter (inches) 2"

Depth to Water (ft) 5.90'

Total Depth (ft) 28.8'

Water Column (ft) 22.90'

One Well Volume (gal) _____

3X Well Volume (gal) 13

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>Probe</u>		<u>X</u>	<u>12' V pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>6:35</u>	<u>5</u>	<u>19.05</u>	<u>1.645</u>	<u>1.248</u>	<u>7.11</u>	<u>-34.6</u>	
<u>6:40</u>	<u>5</u>	<u>18.99</u>	<u>1.640</u>	<u>1.120</u>	<u>7.34</u>	<u>-57.1</u>	
<u>6:45</u>	<u>3</u>	<u>18.99</u>	<u>1.615</u>	<u>0.53</u>	<u>7.39</u>	<u>-60.2</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<input checked="" type="checkbox"/>				
Odor		<input checked="" type="checkbox"/>			
Turbidity	<input checked="" type="checkbox"/>				
Sheen	<input checked="" type="checkbox"/>				
Floating Particles					
Precipitate					

Sample Time 6:45

Sampler's Signature [Signature]

Ground Water Monitoring Field Sheet

Site Dunslin Toyota

Project Number _____

Sampling Personnel ATA

Date 11/27/07

Weather Conditions SUN

Well ID MW-1

Casing Diameter (inches) 2"

Depth to Water (ft) 7.28'

Total Depth (ft) 24.9'

Water Column (ft) 17.62'

One Well Volume (gal) _____

3X Well Volume (gal) 10

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>PURGE</u>		<u>X</u>	<u>12 v pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>7:42</u>	<u>5</u>	<u>20.28</u>	<u>2.061</u>	<u>6.85</u>	<u>7.21</u>	<u>-39.9</u>	
<u>7:45</u>	<u>5</u>	<u>20.27</u>	<u>1.987</u>	<u>0.81</u>	<u>7.25</u>	<u>-39.5</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor	<u>/</u>	<u>/</u>	<u>/</u>		
Turbidity	<u>/</u>				
Sheen	<u>/</u>				
Floating Particles					
Precipitate					

Sample Time 7:45

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel AOA

Date 11/27/07

Weather Conditions SUN

Well ID MW-3

Casing Diameter (inches) 2"

Depth to Water (ft) 5.86'

Total Depth (ft) 28.2'

Water Column (ft) 22.34'

One Well Volume (gal) _____

3X Well Volume (gal) 13

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>Prune</u>		<u>X</u>	<u>12 V pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>8:35</u>	<u>5</u>	<u>22.13</u>	<u>7.770</u>	<u>4.66</u>	<u>7.13</u>	<u>7.8</u>	
<u>8:40</u>	<u>5</u>	<u>22.96</u>	<u>5.260</u>	<u>0.72</u>	<u>7.19</u>	<u>-15.1</u>	
<u>8:45</u>	<u>3</u>	<u>22.59</u>	<u>6.415</u>	<u>0.57</u>	<u>7.77</u>	<u>8.9</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor	<u>/</u>				
Turbidity	<u>/</u>				
Sheen	<u>/</u>				
Floating Particles					
Precipitate					

Sample Time 8:45

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site DUBLIN TOYOTA

Project Number _____

Sampling Personnel AJR

Date 11/17/07

Weather Conditions SUN

Well ID MW-45

Casing Diameter (inches) 3 1/4"

Depth to Water (ft) 6.39'

Total Depth (ft) 26'

Water Column (ft) 13.61'

One Well Volume (gal) _____

3X Well Volume (gal) 1

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>PURGE</u>		<u>X</u>	<u>PALAS. Pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>9:42</u>	<u>1/2</u>	<u>22.23</u>	<u>3.909</u>	<u>2.92</u>	<u>7.21</u>	<u>32.3</u>	
<u>9:45</u>	<u>1/2</u>	<u>21.93</u>	<u>3.810</u>	<u>2.43</u>	<u>7.09</u>	<u>66.7</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>✓</u>				
Odor	<u>✓</u>				
Turbidity	<u>✓</u>				
Sheen	<u>✓</u>				
Floating Particles					
Precipitate					

Sample Time 9:45

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel ATA

Date _____

Weather Conditions _____

Well ID MW-4D

Casing Diameter (inches) 3/4"

Depth to Water (ft) 6.43'

Total Depth (ft) 42'

Water Column (ft) 33.57'

One Well Volume (gal) _____

3X Well Volume (gal) 2

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>Probe</u>		<u>X</u>	<u>PREST. END</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>10:25</u>	<u>1</u>	<u>21.43</u>	<u>0.940</u>	<u>0.51</u>	<u>7.104</u>	<u>-56.3</u>	
<u>10:30</u>	<u>1</u>	<u>21.54</u>	<u>1.315</u>	<u>2.47</u>	<u>7.35</u>	<u>-47.9</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor	<u>/</u>				
Turbidity	<u>/</u>				
Sheen	<u>/</u>				
Floating Particles					
Precipitate					

Sample Time 10:30

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site Protein Toyota

Project Number _____

Sampling Personnel ADZ

Date 11/27/07

Weather Conditions SUN

Well ID MW-55

Casing Diameter (inches) 34"

Depth to Water (ft) 5.61'

Total Depth (ft) 28'

Water Column (ft) 14.39'

One Well Volume (gal) _____

3X Well Volume (gal) 1

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>Pumps</u>		<u>X</u>	<u>PARAST. Pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>11:35</u>	<u>1/2</u>	<u>21.72</u>	<u>3.302</u>	<u>6.97</u>	<u>7.03</u>	<u>45.6</u>	
<u>11:40</u>	<u>1/2</u>	<u>21.72</u>	<u>3.272</u>	<u>0.81</u>	<u>6.94</u>	<u>74.0</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor	<u>/</u>				
Turbidity	<u>/</u>				
Sheen	<u>/</u>				
Floating Particles					
Precipitate					

Sample Time 11:40

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site Dustin Toyota

Project Number _____

Sampling Personnel ATZ

Date _____

Weather Conditions _____

Well ID MW-50

Casing Diameter (inches) 3/4"

Depth to Water (ft) 5.55

Total Depth (ft) 40'

Water Column (ft) 34.45'

One Well Volume (gal) _____

3X Well Volume (gal) 2

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>Probe</u>		<u>X</u>	<u>PARAST. Pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>12:30</u>	<u>1</u>	<u>22.08</u>	<u>2.732</u>	<u>5.12</u>	<u>7.48</u>	<u>70.0</u>	
12:35	1	X	Went Dry	dry	X		

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color					
Odor					
Turbidity					
Sheen					
Floating Particles					
Precipitate					

Sample Time 12:35

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site Dustin Toyota

Project Number _____

Sampling Personnel ATG

Date 11/27/07

Weather Conditions SUN

Well ID MW-7

Casing Diameter (inches) 3/4"

Depth to Water (ft) 4.69'

Total Depth (ft) 20'

Water Column (ft) 15.31'

One Well Volume (gal) _____

3X Well Volume (gal) 1

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>Perme</u>		<u>X</u>	<u>Perme Pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>1:25</u>	<u>1/2</u>	<u>21.22</u>	<u>5.519</u>	<u>-0.10</u>	<u>7.26</u>	<u>5.5</u>	
<u>1:30</u>	<u>1/2</u>	<u>21.04</u>	<u>4.790</u>	<u>0.36</u>	<u>7.02</u>	<u>27.3</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor	<u>/</u>				
Turbidity	<u>/</u>				
Sheen	<u>/</u>				
Floating Particles					
Precipitate					

Sample Time 1:30

Sampler's Signature [Signature]

Ground Water Monitoring Field Sheet

Site Dublin Tampa

Project Number _____

Sampling Personnel ATK

Date 11/27/07

Weather Conditions SUN

Well ID MW-B

Casing Diameter (inches) 3/4"

Depth to Water (ft) 439'

Total Depth (ft) 42'

Water Column (ft) 35.6'

One Well Volume (gal) _____

3X Well Volume (gal) 2

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>Pump</u>		<u>X</u>	<u>Perist. Pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>2:25</u>	<u>1</u>	<u>28.14</u>	<u>3.438</u>	<u>-0.41</u>	<u>7.23</u>	<u>-19.6</u>	
<u>2:38</u>	<u>1</u>	<u>19.99</u>	<u>3.842</u>	<u>0.29</u>	<u>6.97</u>	<u>28.8</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<input checked="" type="checkbox"/>				
Odor		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Turbidity	<input checked="" type="checkbox"/>				
Sheen	<input checked="" type="checkbox"/>				
Floating Particles					
Precipitate					

Sample Time 2:38

Sampler's Signature *Angi*

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel AJG

Date 11/27/07

Weather Conditions SUN

Well ID MW-9

Casing Diameter (inches) 3 1/4"

Depth to Water (ft) N/A

Total Depth (ft) 42'

Water Column (ft) 1

One Well Volume (gal) _____

3X Well Volume (gal) 3

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>PURGE</u>		<u>X</u>	<u>Palmer Pump</u>


Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>3:25</u>	<u>1</u>	<u>19.55</u>	<u>1.074</u>	<u>4.02</u>	<u>7.62</u>	<u>-32.4</u>	
<u>3:30</u>	<u>1</u>	<u>19.5</u>	<u>4.101</u>	<u>2.57</u>	<u>7.81</u>	<u>-34.5</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor	<u>/</u>				
Turbidity	<u>/</u>				
Sheen	<u>/</u>				
Floating Particles					
Precipitate					

Sample Time 3:30

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site Pwbl in Toyota

Project Number _____

Sampling Personnel ADW

Date 11/17/07

Weather Conditions SUN

Well ID MW-10

Casing Diameter (inches) 3/4"

Depth to Water (ft) 4.06'

Total Depth (ft) 40'

Water Column (ft) 35.94'

One Well Volume (gal) _____

3X Well Volume (gal) 2

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>Purge</u>		<u>X</u>	<u>Palast Pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>4:25</u>	<u>1</u>	<u>20.67</u>	<u>0.488</u>	<u>0.37</u>	<u>7.62</u>	<u>-109.0</u>	
<u>4:30</u>	<u>1</u>	<u>19.42</u>	<u>3.143</u>	<u>0.95</u>	<u>7.16</u>	<u>-87.8</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor			<u>/</u>		
Turbidity	<u>/</u>				
Sheen	<u>/</u>				
Floating Particles					
Precipitate					

Sample Time 4:30

Sampler's Signature 

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel AOZ

Date _____

Weather Conditions _____

Well ID MW-45

Casing Diameter (inches) 3 1/4"

Depth to Water (ft) 7.69'

Total Depth (ft) 20'

Water Column (ft) 12.31'

One Well Volume (gal) _____

3X Well Volume (gal) 1

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for 3/4 inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
<u>None</u>		<u>X</u>	<u>Palast Pump</u>

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
<u>5:25</u>	<u>1/2</u>	<u>21.26</u>	<u>4.286</u>	<u>0.25</u>	<u>7.8</u>	<u>13.2</u>	
<u>5:30</u>	<u>1/2</u>	<u>21.46</u>	<u>4.278</u>	<u>0.46</u>	<u>7.84</u>	<u>27.3</u>	

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	<u>/</u>				
Odor			<u>/</u>		
Turbidity	<u>/</u>				
Sheen		<u>/</u>			
Floating Particles					
Precipitate					

Sample Time 5:30

Sampler's Signature 

ATTACHMENT B

**LABORATORY DATA REPORTS AND
CHAIN-OF-CUSTODY RECORDS**

05 December 2007

Jim Gribi
Gribi Associates
1090 Adam Street, Suite K
Benicia, CA 94510
RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 11/29/07 09:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Albert Vargas".

Albert Vargas
Project Coordinator

Chain of Custody Record

SunStar Laboratories, Inc.
 3002 Dow Ave, Suite 212
 Tustin, CA 92780
 1-800-781-6777

Client: **GRIBI ASSOCIATES**
 Address: **1090 ADAMS STREET, SUITE K**
 Phone: **(707) 748-7743** Fax: **(707) 748-7763**
 Project Manager: **JAMES GRIBI**

Date: ~~11/28/06~~ **11/28/07** Page: **1** Of **1**
 Project Name: **DUBLIN TOYOTA**
 Collector: **AARON GARCIA** Client Project #: **147-01-03**
 Batch #: **T701553** Proposal #:

Sample ID	Date Sampled	Time	Sample Type	Container Type	BTEX/TPH Gas/MTBE (8021B/M8015)	TPH as Gas (M8015)	TPH as Diesel (M8015)	TPH as Motor Oil (M8015)	TPH Gas/BTEX/MTBE (8260B)	5 Oxygenates/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	Lead Scav. (1,2 DCA & 1,2 EDB (8260B)	EPA 8260 (Full List)	Halogenated VOCs (8260B)	Laboratory ID #	Preservative	Comments	Total # of containers																													
MW-1	11/27/07	0645	Water	VOA						X						01	HCl		4																													
MW-2		0645	Water	VOA						X						02	HCl		4																													
MW-3		0845	Water	VOA						X						03	HCl		4																													
MW-4S		0945	Water	VOA						X						04	HCl		4																													
MW-4D		1030	Water	VOA						X						05	HCl		4																													
MW-5S		1140	Water	VOA						X						06	HCl		4																													
MW-5D		1230	Water	VOA						X						07	HCl		4																													
MW-6S		1730	Water	VOA						X						08	HCl		4																													
MW-6D		1800	Water	VOA						X						09	HCl		4																													
MW-7		1330	Water	VOA						X						10	HCl		4																													
MW-8	1430	Water	VOA						X						11	HCl		4																														
MW-9	1530	Water	VOA						X						12	HCl		4																														
MW-10	1630	Water	VOA						X						13	HCl		4																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Relinquished by: (signature) <i>[Signature]</i></td> <td>Date / Time</td> <td>Received by: (signature) <i>[Signature]</i></td> <td>Date / Time</td> <td>Total # of containers</td> <td>52</td> <td rowspan="4" style="text-align: center; vertical-align: middle;"> Notes PLEASE PROVIDE EDF REPORT </td> </tr> <tr> <td>Relinquished by: (signature) <i>[Signature]</i></td> <td>11/28/07 / 1130</td> <td>Received by: (signature) <i>[Signature]</i></td> <td>11/28/07 / 1130</td> <td>Chain of Custody seals</td> <td>Y</td> </tr> <tr> <td>Relinquished by: (signature) <i>[Signature]</i></td> <td></td> <td>Received by: (signature) <i>[Signature]</i></td> <td>11/28/07 / 0900</td> <td>Seals intact?</td> <td>Y</td> </tr> <tr> <td>Relinquished by: (signature) <i>[Signature]</i></td> <td></td> <td>Received by: (signature) <i>[Signature]</i></td> <td></td> <td>Received good condition?</td> <td>Y</td> </tr> <tr> <td colspan="4"></td> <td>Turn around time:</td> <td>STD</td> <td></td> </tr> </table>																	Relinquished by: (signature) <i>[Signature]</i>	Date / Time	Received by: (signature) <i>[Signature]</i>	Date / Time	Total # of containers	52	Notes PLEASE PROVIDE EDF REPORT	Relinquished by: (signature) <i>[Signature]</i>	11/28/07 / 1130	Received by: (signature) <i>[Signature]</i>	11/28/07 / 1130	Chain of Custody seals	Y	Relinquished by: (signature) <i>[Signature]</i>		Received by: (signature) <i>[Signature]</i>	11/28/07 / 0900	Seals intact?	Y	Relinquished by: (signature) <i>[Signature]</i>		Received by: (signature) <i>[Signature]</i>		Received good condition?	Y					Turn around time:	STD	
Relinquished by: (signature) <i>[Signature]</i>	Date / Time	Received by: (signature) <i>[Signature]</i>	Date / Time	Total # of containers	52	Notes PLEASE PROVIDE EDF REPORT																																										
Relinquished by: (signature) <i>[Signature]</i>	11/28/07 / 1130	Received by: (signature) <i>[Signature]</i>	11/28/07 / 1130	Chain of Custody seals	Y																																											
Relinquished by: (signature) <i>[Signature]</i>		Received by: (signature) <i>[Signature]</i>	11/28/07 / 0900	Seals intact?	Y																																											
Relinquished by: (signature) <i>[Signature]</i>		Received by: (signature) <i>[Signature]</i>		Received good condition?	Y																																											
				Turn around time:	STD																																											

STD. TAT
[Signature] BUR

Sample disposal Instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: 147-01-03
Project Manager: Jim Gribi

Reported:
12/05/07 17:50

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	T701553-01	Water	11/27/07 07:45	11/29/07 09:00
MW-2	T701553-02	Water	11/27/07 06:45	11/29/07 09:00
MW-3	T701553-03	Water	11/27/07 08:45	11/29/07 09:00
MW-4S	T701553-04	Water	11/27/07 09:45	11/29/07 09:00
MW-4D	T701553-05	Water	11/27/07 10:30	11/29/07 09:00
MW-5S	T701553-06	Water	11/27/07 11:40	11/29/07 09:00
MW-5D	T701553-07	Water	11/27/07 12:30	11/29/07 09:00
MW-6S	T701553-08	Water	11/27/07 17:30	11/29/07 09:00
MW-6D	T701553-09	Water	11/27/07 18:00	11/29/07 09:00
MW-7	T701553-10	Water	11/27/07 13:30	11/29/07 09:00
MW-8	T701553-11	Water	11/27/07 14:30	11/29/07 09:00
MW-9	T701553-12	Water	11/27/07 15:30	11/29/07 09:00
MW-10	T701553-13	Water	11/27/07 16:30	11/29/07 09:00

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-1
T701553-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	1400	50	"	5	"	"	11/30/07	"	
Di-isopropyl ether	ND	2.0	"	1	"	"	11/30/07	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	260	5.0	"	5	"	"	11/30/07	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		93.5 %		84-118	"	"	11/30/07	"	
<i>Surrogate: Dibromofluoromethane</i>		84.5 %		66-124	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		99.2 %		85-115	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-2
T701553-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	13	1.0	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		94.0 %	84-118		"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		87.0 %	66-124		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		98.6 %	85-115		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-3
T701553-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	75	1.0	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		92.5 %	84-118		"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		85.0 %	66-124		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		96.8 %	85-115		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-4S
T701553-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	73	1.0	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		95.0 %	84-118		"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		85.4 %	66-124		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		98.5 %	85-115		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-4D
T701553-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>93.1 %</i>		<i>84-118</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Dibromofluoromethane</i>		<i>85.5 %</i>		<i>66-124</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>99.5 %</i>		<i>85-115</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-5S
T701553-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	47	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	4700	50	"	50	"	"	12/01/07	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		93.8 %		84-118	"	"	11/30/07	"	
<i>Surrogate: Dibromofluoromethane</i>		85.1 %		66-124	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		98.6 %		85-115	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-5D
T701553-07 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	3000	50	"	50	"	"	11/30/07	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>92.9 %</i>		<i>84-118</i>	<i>"</i>	<i>"</i>	<i>11/30/07</i>	<i>"</i>	
<i>Surrogate: Dibromofluoromethane</i>		<i>85.4 %</i>		<i>66-124</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>99.2 %</i>		<i>85-115</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-6S
T701553-08 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	72	1.0	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>92.8 %</i>	<i>84-118</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Dibromofluoromethane</i>		<i>87.8 %</i>	<i>66-124</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>98.8 %</i>	<i>85-115</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-6D
T701553-09 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	26	1.0	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		92.2 %	84-118		"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		87.5 %	66-124		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		97.6 %	85-115		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

**MW-7
 T701553-10 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	710	50	"	50	"	"	11/30/07	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>91.8 %</i>		<i>84-118</i>	<i>"</i>	<i>"</i>	<i>11/30/07</i>	<i>"</i>	
<i>Surrogate: Dibromofluoromethane</i>		<i>87.2 %</i>		<i>66-124</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>98.1 %</i>		<i>85-115</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

**MW-8
 T701553-11 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	640	50	"	50	"	"	11/30/07	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>93.8 %</i>		<i>84-118</i>	<i>"</i>	<i>"</i>	<i>11/30/07</i>	<i>"</i>	
<i>Surrogate: Dibromofluoromethane</i>		<i>89.1 %</i>		<i>66-124</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>96.8 %</i>		<i>85-115</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-9
T701553-12 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	910	50	"	50	"	"	11/30/07	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>91.0 %</i>		<i>84-118</i>	<i>"</i>	<i>"</i>	<i>11/30/07</i>	<i>"</i>	
<i>Surrogate: Dibromofluoromethane</i>		<i>87.2 %</i>		<i>66-124</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>98.4 %</i>		<i>85-115</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

MW-10
T701553-13 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	7112905	11/29/07	11/30/07	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	6.1	1.0	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		91.9 %	84-118		"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		88.6 %	66-124		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		97.6 %	85-115		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: 147-01-03
 Project Manager: Jim Gribi

Reported:
 12/05/07 17:50

Volatile Organic Compounds by EPA Method 8260B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7112905 - EPA 5030 GCMS

Blank (7112905-BLK1)

Prepared: 11/29/07 Analyzed: 11/30/07

Surrogate: 4-Bromofluorobenzene	7.53		ug/l	8.00		94.1	84-118			
Surrogate: Dibromofluoromethane	6.74		"	8.00		84.2	66-124			
Surrogate: Toluene-d8	7.88		"	8.00		98.5	85-115			
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
m,p-Xylene	ND	1.0	"							
o-Xylene	ND	0.50	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	1.0	"							
1,1,2-trichloro-1,2,2-trifluoroethane (CFC 113)	ND	5.0	"							

LCS (7112905-BS1)

Prepared: 11/29/07 Analyzed: 11/30/07

Surrogate: 4-Bromofluorobenzene	7.84		ug/l	8.00		98.0	84-118			
Surrogate: Dibromofluoromethane	6.85		"	8.00		85.6	66-124			
Surrogate: Toluene-d8	7.76		"	8.00		97.0	85-115			
Chlorobenzene	18.2	1.0	"	20.0		91.0	75-125			
1,1-Dichloroethene	16.6	1.0	"	20.0		83.2	75-125			
Trichloroethene	18.4	1.0	"	20.0		91.9	75-125			
Benzene	17.0	0.50	"	20.0		84.9	75-125			
Toluene	17.4	0.50	"	20.0		86.9	75-125			

LCS Dup (7112905-BSD1)

Prepared: 11/29/07 Analyzed: 11/30/07

Surrogate: 4-Bromofluorobenzene	7.74		ug/l	8.00		96.8	84-118			
Surrogate: Dibromofluoromethane	6.79		"	8.00		84.9	66-124			
Surrogate: Toluene-d8	7.89		"	8.00		98.6	85-115			
Chlorobenzene	19.8	1.0	"	20.0		99.2	75-125	8.62	20	
1,1-Dichloroethene	19.7	1.0	"	20.0		98.6	75-125	16.9	20	
Trichloroethene	20.9	1.0	"	20.0		105	75-125	13.0	20	
Benzene	19.0	0.50	"	20.0		95.2	75-125	11.4	20	
Toluene	19.4	0.50	"	20.0		97.2	75-125	11.2	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: 147-01-03
Project Manager: Jim Gribi

Reported:
12/05/07 17:50

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Albert Vargas, Project Coordinator