



RECEIVED

10:12 am, Sep 07, 2010

Alameda County
Environmental Health

September 2, 2010

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Paresh Khatri

Subject: First Semi-Annual 2010 Groundwater Monitoring Report
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 699

Ladies and Gentlemen:

Attached please find a copy of the *First Semi-Annual 2010 Groundwater Monitoring Report, Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California*, prepared by Gribi Associates. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Very truly yours,

A handwritten signature in blue ink that reads "Scott F. Anderson".

Scott F. Anderson
Chief Financial Officer
Dublin Toyota



6450 DUBLIN COURT • DUBLIN • CA 94568 • 925 829-7700 • FAX 925 829-9025

www.dublintoysota.com



September 2, 2010

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Mr. Paresh Khatri

Subject: First Semi-Annual 2010 Groundwater Monitoring Report
Dublin Toyota UST Site
6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 699

Ladies and Gentlemen:

Gribi Associates is pleased to submit this First Semi-Annual 2010 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Figures 1, 2, and 3). This report summarizes groundwater monitoring activities conducted at the site on June 9 and 10, 2010.

DESCRIPTION OF MONITORING ACTIVITIES

1. Gribi Associates personnel conducted groundwater monitoring activities for all 22 site wells (MW-1, MW-2, MW-3, MW-4S, MW-4D, MW-5S, MW-5D, MW-6S, MW-6D, MW-7 through MW-17, EW-1 and EW-2) on June 9 and 10, 2010.
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
 - a. measuring static water levels;
 - b. checking for presence of free-product;
 - c. and purging of approximately three well volumes while recording temperature, pH, conductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

RESULTS OF GROUNDWATER MONITORING

Hydrologic Conditions

1. Groundwater depths ranged from approximately 2.48 feet (MW-14) to 6.83 feet (MW-12).
2. Groundwater elevations, which are shown on Figures 4 and 5, ranged from 321.52 feet (MW-15) to 322.96 feet (MW-17).
3. Groundwater elevations in shallow (“A” Zone) and deeper (“B” Zone) wells are variable and relatively flat.
 - a. Based on the MTBE plume configuration, groundwater flow direction trends in a southwest to southerly direction.
4. Free-product was not present in any of the wells.

Laboratory Analytical Results

1. Groundwater samples from the 22 wells were analyzed for the following parameters with standard method turn around time on results:
 - a. USEPA 8260B Total Petroleum Hydrocarbons as Gasoline (TPH-G)
 - b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
 - c. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Groundwater analytical results are summarized in Table 1.
3. Groundwater MTBE results for this monitoring event are summarized on Figures 4 and 5.
4. The laboratory analytical data report and chain-of custody are contained in Attachment B.

CONCLUSIONS

1. During this quarterly sampling event, some groundwater MTBE concentrations were similar to or lower than previous sampling events.
 - a. Releases from the former USTs migrated laterally approximately 150 to 200 feet in a southwest direction in the upper “A” Zone.
 - b. MTBE then migrated vertically to, and then laterally southwest in, the deeper “B” Zone. Impacts have migrated in a southerly direction, below Interstate 580 (approximately 300 feet), and have resulted resulting in a concentration of 1,200 ug/L of MTBE at MW-16. Downgradient monitoring wells MW-15 and MW-17, located in a west and east direction from MW-16, respectively, showed no detectable concentrations of MTBE or other oxygenates.
 - c. Reductions in oxygenates in downgradient site wells appear to be the result of: (1) Past removal of the UST sources; and (2) Natural attenuation over the ensuing years since UST source removal.

PLANNED ACTIVITIES


1. Gribi Associates plans to perform second semi-annual groundwater monitoring event during the fourth quarter of 2010.

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,



Matthew A. Rosman
Project Engineer




James E. Gribi
Professional Geologist
California No. 5843




Enclosure

c: Mr. Scott Anderson, Dublin Toyota

FIGURES



DESIGNED BY:	CHECKED BY:	SITE AREA PLAN DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 09/02/2010	FIGURE: 2
DRAWN BY: MAR	SCALE:			
PROJECT NO:				




DESIGNED BY:	CHECKED BY:	SITE PLAN DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 09/02/2010	FIGURE: 3
DRAWN BY: MAR	SCALE:			
PROJECT NO:				

- "A" Zone Groundwater Monitoring Well - Screened from approximately 0-20 feet below surface grade.
- "B" Zone Groundwater Monitoring Well - Screened from approximately 30-40 feet below surface grade.

Groundwater hydrocarbon concentrations reported in micrograms per liter (ug/L)

"A" ZONE GROUNDWATER
MTBE/TBA = 100 UG/L

"A" ZONE GROUNDWATER
MTBE/TBA = 1,000 UG/L



GWE: +322.24
TPH-G: 160
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 690
TBA: <10
OTHER: ND

GWE: +322.18
TPH-G: <50
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 60
TBA: 390
OTHER: ND

GWE: +322.13
TPH-G: 630
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 2,700
TBA: 680
OTHER: ND

GWE: +322.29
TPH-G: 150
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 800
TBA: 780
OTHER: ND

GWE: +322.29
TPH-G: 190
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 2,400
TBA: 870
OTHER: ND

GWE: +322.47
TPH-G: 170
B: 15
T: <0.5
E: 4.4
X: 1.2
MTBE: 76
TBA: <10
OTHER: ND

GWE: +322.36
TPH-G: <50
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 160
TBA: 550
OTHER: ND

GWE: +322.34
TPH-G: <50
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 4.6
TBA: <10
OTHER: ND

GWE: +322.29
TPH-G: <50
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 58
TBA: <10
OTHER: ND

GWE: +322.37
TPH-G: 99
B: 11
T: 1.0
E: 3.0
X: 3.3
MTBE: 110
TBA: <10
OTHER: ND

GWE: +322.25
TPH-G: <50
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 20
TBA: <10
OTHER: ND

GWE: +322.48
TPH-G: <50
B: <0.5
T: <0.5
E: <0.5
X: <1.0
MTBE: 120
TBA: <10
OTHER: ND

DESIGNED BY:
DRAWN BY: MAR
PROJECT NO:


CHECKED BY:
SCALE:

"A" ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 06/2010
DUBLIN TOYOTA UST SITE
6450 DUBLIN COURT
DUBLIN, CALIFORNIA


DATE: 09/02/2010

FIGURE: 4





DESIGNED BY:	CHECKED BY:	"B" ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 06/2010	DATE: 09/02/2010	FIGURE: 5
DRAWN BY: MAR	SCALE:			
PROJECT NO:				
DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA				



DESIGNED BY:	CHECKED BY:
DRAWN BY: MAR	SCALE:
PROJECT NO:	

SITE VICINITY MAP

DUBLIN TOYOTA UST SITE
6450 DUBLIN COURT
DUBLIN, CALIFORNIA

DATE: 09/02/2010 FIGURE: 1



TABLE

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-1	12/15/98	5.74	323.14	46,000	<100	<100	<100	<100	<100	--	--	--	--	62,000
"A" Zone	04/06/99	5.09	323.79	45,000	<50	<50	<50	<50	<50	--	--	--	--	86,000¹
<328.88>	07/14/99	6.18	322.7	2,800	<100	<100	<100	<100	<100	--	--	--	--	65,000¹
	10/14/99	6.86	322.02	11,000	<17	<17	<17	<17	<17	--	--	--	--	98,000¹
	08/18/00	6.98	321.9	36,000	<50	<50	<50	<50	<50	--	--	--	--	66,000¹
	05/29/02	6.42	322.46	29,100	<15	<15	<15	<30	<30	841	<500	<100	N50	27,800¹
	11/20/02	6.65	322.23	110	<0.5	<0.5	<0.5	<1.0	<1.0	<20	<50	<20	<20	20,000
	04/06/03	5.95	322.93	1,300	<1.0	<1.0	<1.0	<1.0	<1.0	10	360	<2.0	2.2	15,000
	07/13/03	6.55	322.33	74	<0.50	<0.50	<0.50	<1.0	<1.0	10	42	<5.0	<5.0	15,000
	02/11/04	5.74	323.14	<50	<0.50	<0.50	<0.50	<1.0	<1.0	10	420	<2.0	2.5	34,000
	06/16/04	6.37	322.51	180	<0.50	<0.50	<0.50	<1.0	<1.0	6.8	290	<2.0	<2.0	7,600
	10/16/04	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<1.0	<2.0	<10	<2.0	<2.0	6,720
	12/30/04	5.84	323.04	92	<0.50	<0.50	<0.50	<1.0	<1.0	5.2	<10	<2.0	<2.0	2,600
	03/22/05	5.22	323.66	<50	<0.50	<0.50	<0.50	<1.0	<1.0	7.3	<10	<2.0	<2.0	6,900
	06/10/05	6.17	322.71	100	<0.50	<0.50	<0.50	<1.0	<1.0	9.8	<10	<2.0	<2.0	25,000
	10/04/05	7.49	321.39	<50	<0.50	<0.50	<0.50	<1.0	<1.0	<2.0	<10	<2.0	<2.0	2,500
	12/21/05	7.18	321.70	<50	<0.50	<0.50	<0.50	<1.0	<1.0	<2.0	<10	<2.0	<2.0	6,800
	03/30/06	5.81	323.07	<50	<0.50	<0.50	1.1	2.6	<2.0	<10	<2.0	<2.0	<2.0	6,900
	06/01/06	7.20	321.68	<50	<0.50	<0.50	<0.50	<1.0	<1.0	<2.0	<10	<2.0	<2.0	5,100

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	09/12/06	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	2.2	960	<2.0	<2.0	2,400
	11/21/06	7.68	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	930
	02/27/07	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,100
	06/07/07	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,500	<2.0	<2.0	1,100
	09/14/07	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<20	640	<2.0	<2.0	280
	11/17/07	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<20	1,400	<2.0	<2.0	260
	02/28/08	5.56	323.32	NA	<0.50	<0.50	<0.50	<1.0	<20	1,300	<2.0	<2.0	130
	06/04/08	6.96	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,700	<2.0	<2.0	290
	09/11/08	7.24	321.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	160
	12/23/08	6.84	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13
	03/17/09	5.91	322.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	17
	06/26/09	7.21	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	390	<2.0	<2.0	74
	12/03/09	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	2,800	<2.0	<2.0	15
	6/11/10	6.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	58
MW-2	12/15/98	4.3	323.34	<50	<0.50	0.90	<0.50	1.5	--	--	--	--	<5.0
"A" Zone	04/06/99	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
<327.64>	07/14/99	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
	10/14/99	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
	08/18/00	5.72	321.92	<50	<0.50	<0.50	<0.50	1.1	--	--	--	--	16

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	05/29/02	5.18	322.46	<50	<0.3	<0.3	<0.3	3.9	<2.0	<10	<2.0	<2.0	2.6
	11/20/02	5.52	322.12	57	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	9.1
	04/06/03	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	5.7
	07/13/03	5.24	322.40	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	6.5
	02/11/04	4.45	323.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5
	06/16/04	4.93	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120
	10/16/04	5.97	321.67	78	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	43.2
	12/30/04	4.74	322.9	<50	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	14
	03/22/05	3.86	323.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13
	06/10/05	4.83	322.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	14
	10/04/05	6.19	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2
	12/21/05	5.81	321.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	03/30/06	4.55	323.09	<50	<0.50	<0.50	<0.50	3.9	<2.0	<10	<2.0	<2.0	13
	06/01/06	5.93	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	14
	09/12/06	8.65	318.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22
	11/21/06	6.42	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19
	02/27/07	5.14	322.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13
	06/07/07	6.18	321.46	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	30
	09/14/07	6.31	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	25

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	11/17/07	5.90	321.74	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13
	02/28/08	4.19	323.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10.0	<2.0	<2.0	14
	06/04/08	5.58	322.06	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18
	09/11/08	5.92	321.72	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	38
	12/23/08	5.56	322.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	39
	03/17/09	4.64	323.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	36
	06/26/09	5.90	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18
	12/03/09	5.98	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11
	6/11/10	5.30	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6
MW-3	08/18/00	5.67	321.77	210	<0.50	0.58	<0.50	0.59	--	--	--	--	570¹
"A" Zone	05/29/02	5.1	322.34	<50	<0.3	<0.3	<0.3	219	<2.0	<10	<2.0	<2.0	281
<327.44>	11/20/02	5.56	321.88	200	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	460
	04/06/03	4.64	322.8	270	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	340
	07/13/03	5.48	321.96	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	460
	02/11/04	4.47	322.97	<50	<0.50	<0.50	<0.50	<1.0	2.2	1,000	<2.0	<2.0	4,000
	06/16/04	5.23	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	240
	10/16/04	5.92	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	210
	12/30/04	4.54	322.9	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	190
	03/22/05	3.9	323.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	210

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	06/10/05	4.83	322.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	230
	10/04/05	6.02	321.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	380
	12/21/05	5.74	321.7	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	320
	03/30/06	4.35	323.09	<50	<0.50	<0.50	1.3	3.0	<2.0	<10	<2.0	<2.0	160
	06/01/06	5.69	321.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	270
	09/12/06	6.21	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130
	11/21/06	6.29	321.15	<50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	90
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	39
	06/7/07	5.98	321.46	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	270
	09/14/07	6.11	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	59
	11/17/07	5.86	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	75
	02/28/08	4.12	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	36
	06/04/08	5.47	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	20	<2.0	<2.0	30
	09/11/08	5.75	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	51	<2.0	<2.0	36
	12/23/08	5.45	321.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	41
	03/17/09	4.55	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12
	06/26/09	5.78	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12
	12/03/09	5.87	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	62	<2.0	<2.0	15
	06/10/10	5.19	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
MW-4S	04/27/06	5.03	322.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
“A” Zone	06/01/06	3.72	324.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<327.80>	9/12/06	6.01	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/21/06	6.68	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.1
	02/27/07	5.39	322.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.0
	06/07/07	6.38	321.42	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	27
	09/14/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	11/17/07	6.39	321.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73
	02/28/08	4.65	323.15	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	360
	06/04/08	5.93	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	820
	09/11/08	6.09	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	190	<2.0	<2.0	400
	12/23/08	5.93	321.87	86	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	310
	03/17/09	4.98	322.82	540	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,100
	06/26/09	6.13	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	170
	12/03/09	6.33	321.47	280	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	590
	06/10/10	5.56	322.24	160	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	690
MW-4D	04/27/06	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
“B” Zone	06/01/06	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<327.67>	09/12/06	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/21/06	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	06/07/07	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	09/14/07	-	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/17/07	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	02/28/08	6.05	321.62	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	6.49	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.2
	09/11/08	7.06	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.0
	12/23/08	6.60	321.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0
	03/17/09	5.05	322.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.9
	06/26/09	5.93	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9
	12/03/09	6.21	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	56
	06/10/10	5.44	322.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	54
MW-5S	04/27/06	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	4.6	<10	<2.0	<2.0	10,000
"A" Zone	06/01/06	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8,300
<327.09>	09/12/06	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	3.5	340	<2.0	<2.0	6,500
	11/21/06	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	3.5	1,200	<2.0	<2.0	4,700
	02/27/07	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	2.9	1,400	<2.0	<2.0	3,800
	06/07/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	3.2	<10	<2.0	<2.0	7,800
	09/14/07	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	640	<2.0	<2.0	2,700
	11/17/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	47	<2.0	<2.0	4,700
	02/28/08	3.86	323.23	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700
	06/04/08	5.21	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.7	1,500	<2.0	<2.0	7,300

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	09/11/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,800	<2.0	<2.0	2,700
	12/23/08	5.15	321.94	600	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,400
	03/17/09	4.29	322.80	830	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900
	06/26/09	5.49	321.60	150	<0.50	<0.50	<0.50	<1.0	<2.0	590	<2.0	<2.0	620
	12/03/09	5.66	321.43	160	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	190
	06/09/10	4.91	322.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	390	<2.0	<2.0	60
MW-5D	04/27/06	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900
"B" Zone	06/01/06	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300
<327.30>	09/12/06	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	2.6	150	<2.0	<2.0	3,900
	11/21/06	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	4.0	1,300	<2.0	<2.0	2,600
	02/27/07	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	440	<2.0	<2.0	1,900
	06/07/07	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700
	09/14/07	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	170	<2.0	<2.0	1,600
	11/17/07	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3,000
	02/28/08	5.22	322.08	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	890
	06/04/08	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	160	<2.0	<2.0	1,500
	09/11/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	2,500
	12/23/08	7.57	319.73	670	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,800
	03/17/09	5.35	321.95	720	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,100
	06/26/09	6.54	320.76	360	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,600
	12/03/09	5.81	321.49	1,100	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	1,500

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	06/09/10	5.09	322.21	560	<0.50	<0.50	<0.50	<1.0	<2.0	560	<2.0	<2.0	2,200
MW-6S	04/27/06	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	190
“A” Zone	06/01/06	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73
<326.53>	09/12/06	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130
	11/21/06	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	140
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	87
	06/07/07	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83
	09/14/07	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72
	11/17/07	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72
	02/28/08	5.03	321.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	68
	06/04/08	5.34	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	65
	09/11/08	5.74	320.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130
	12/23/08	5.86	320.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83
	03/17/09	4.80	321.73	61	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	160
	06/26/09	5.44	321.09	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81
	12/03/09	5.03	321.50	130	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	220
	06/11/10	4.05	322.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120
MW-6D	04/27/06	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22
“B” Zone	06/01/06	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11
<326.72>	09/12/06	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.3
	11/21/06	5.52	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	02/27/07	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6
	06/07/07	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5
	09/14/07	5.42	321.3	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	11/17/07	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26
	02/28/08	3.41	323.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.3
	06/04/08	4.78	321.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18
	09/11/08	5.10	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	64
	12/23/08	4.67	322.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.8
	03/17/09	3.88	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26
	06/26/09	5.06	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	12/03/09	5.25	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	52
	06/11/10	4.50	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19
MW-7	04/27/06	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
"A" Zone	06/01/06	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	16
<326.16>	09/12/06	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81
	11/21/06	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	180
	02/27/07	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	350
	06/07/07	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	520
	09/14/07	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	13	<2.0	<2.0	270
	11/17/07	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	710
	02/28/08	3.07	323.09	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,800

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	06/04/08	4.31	321.85	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,100	<2.0	<2.0	4,300
	09/11/08	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,100	<2.0	<2.0	3,200
	12/23/08	4.24	321.92	590	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300
	03/17/09	3.41	322.75	1,700	<0.50	<0.50	<0.50	<1.0	2.9	<10	<2.0	<2.0	4,100
	06/26/09	4.61	321.55	440	<0.50	<0.50	<0.50	<1.0	<2.0	2,000	<2.0	<2.0	2,400
	12/03/09	4.75	321.41	2,500	<0.50	<0.50	<0.50	<1.0	<2.0	21	<2.0	<2.0	3,400
	06/11/10	4.03	322.13	630	<0.50	<0.50	<0.50	<1.0	<2.0	680	<2.0	<2.0	2,700
MW-8	04/27/06	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000
"B" Zone	06/01/06	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000
<325.88>	09/12/06	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	2,500
	11/21/06	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	2.2	430	<2.0	<2.0	1,900
	02/27/07	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	330	<2.0	<2.0	1,600
	06/07/07	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,500
	09/14/07	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	58	<2.0	<2.0	630
	11/17/07	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	640
	02/28/08	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	4.02	321.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	870
	09/11/08	4.26	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	290	<2.0	<2.0	1,300
	12/23/08	3.91	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	150
	03/17/09	3.11	322.77	640	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400
	06/26/09	4.27	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	85

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	12/03/09	4.45	321.43	540	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	770
	06/11/10	3.74	322.14	220	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	1,100
MW-9	04/27/06	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,200
"B" Zone	06/01/06	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,000
<325.29>	09/12/06	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	2,100
	11/21/06	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	180	<2.0	<2.0	1,200
	02/27/07	2.69	322.60	NA	<0.50	<0.50	<0.50	<1.0	<2.0	270	<2.0	<2.0	930
	06/07/07	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400
	09/14/07	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	460
	11/17/07	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	910
	02/28/08	2.13	323.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200
	06/04/08	3.41	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.4	1,400	<2.0	<2.0	5,500
	09/11/08	3.70	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	810	<2.0	<2.0	2,700
	12/23/08	3.29	322.00	62	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	260
	03/17/09	2.59	322.70	1,800	<0.50	<0.50	<0.50	<1.0	3.0	<10	<2.0	<2.0	3,800
	06/26/09	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	41
	12/03/09	--	--	2,200	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	2,800
	06/09/10	3.20	322.09	850	<0.50	<0.50	<0.50	<1.0	<2.0	660	<2.0	<2.0	3,800
MW-10	04/27/06	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
"B" Zone	06/01/06	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<325.54>	09/12/06	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	11/21/06	4.35	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	02/27/07	3.78	321.76	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11
	06/07/07	3.91	321.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12
	09/14/07	4.22	321.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/17/07	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.1
	02/28/08	2.83	322.71	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.5
	09/11/08	4.33	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8
	12/23/08	3.44	322.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	03/17/09	3.50	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/26/09	4.63	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	12/03/09	4.11	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.4
	06/09/10	3.42	322.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.4
MW-11	06/11/10	6.68	322.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	550	<2.0	<2.0	160
“A” Zone													
<329.04>													
MW-12	06/11/10	6.83	322.29	190	<0.50	<0.50	<0.50	<1.0	<2.0	2,400	<2.0	<2.0	870
“A” Zone													
<329.12>													

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
MW-13	06/11/10	6.64	322.29	150	<0.50	<0.50	<0.50	<1.0	<2.0	780	<2.0	<2.0	800
“A” Zone <328.93>													
MW-14	06/10/10	2.48	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	150
“B” Zone <324.38>													
MW-15	06/10/10	4.24	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
“B” Zone <325.76>													
MW-16	06/10/10	4.65	321.64	230	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200
“B” Zone <326.29>													
MW-17	06/10/10	3.50	322.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
“B” Zone <326.46>													
EW-1	06/10/10	6.47	322.47	170	15	<0.50	4.4	1.2	<2.0	<10	<2.0	<2.0	76
“A” Zone <328.94>													
EW-2	06/10/10	6.62	322.37	99	11	1.0	3.0	3.3	<2.0	<10	<2.0	<2.0	110
“A” Zone <328.99>													

Table Notes:

GW Depth = Groundwater depth below top of casing.
GW Elevation = Groundwater mean sea level elevation.
TPH-D = Total Petroleum Hydrocarbons as Diesel
TPH-MO = Total Petroleum Hydrocarbons as Motor Oil
TPH-G = Total Petroleum Hydrocarbons as Gasoline
B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes
TAME = Tert-amyl Methyl Ether

TBA = tert-Butanol
DIPE = Diisopropyle ether ETBE = Ethyl-tert-butyl ether
MTBE = Methyl-t-Butyl Ether
NA = Not analyzed for particular parameter
<0.050 = Not detected above the expressed value.
<328.88> = Surveyed top of casing mean sea level elevation.
“A” Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.
“B” Zone = Semi-continuous sand and gravel layer between about 30 and 35 feet in depth.
1 = MTBE result was confirmed using USEPA Method 8260B.

ATTACHMENT A
GROUNDWATER MONITORING FIELD DATA RECORDS

Groundwater Gauging Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Field Personnel M. Rasman

Date 6/09/2010 - 6/11/2010

Weather Conditions Clear, mild

Well ID	Depth to Free Product (feet)	Depth to Groundwater (feet)	Casing Elevation (msl)	Groundwater Elevation (msl)	Total Well Depth (feet)	Well Box Conditions
MW-1	—	6.59	328.88	322.29	24.9 20.2	2
MW-2	—	5.30	327.64	322.34	28.8 20.2	2
MW-3	—	5.19	327.44	322.25	28.2	
MW-4S	—	5.56	327.80	322.24	20	
MW-4D	—	5.44	327.67	322.33	40 30.8	
MW-5S	—	4.91	327.09	322.18	20 20.2	
MW-5D	—	5.09	327.30	322.21	40 25.3	??
MW-6S	—	4.05	326.53	322.48	20	19.0
MW-6D	—	4.50	326.72	322.22	40 33.9	
MW-7	—	4.03	326.16	322.13	20 20.0	
MW-8	—	3.74	325.88	322.14	40 35.0	
MW-9	—	3.20	325.29	322.09	40	
MW-10	—	3.42	325.54	322.12	40 39.4	
MW-11	—	6.68			20 19.6	
MW-12	—	6.83			20	19.6
MW-13	—	6.64			20	19.6
MW-14	—	2.48			40 39.5	
MW-15	—	4.24			40 39.5	
MW-16	—	4.65			40 39.5	
MW-17	—	3.50			40 38.5	

EW-1 — 6.47

14.4

EW-2 — 6.62

14.3

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rosman

Date 6/11/2010

Weather Conditions clear, warm

Well ID MW-1

Casing Diameter (inches) 2.0

Total Depth (feet) 24.9

Depth to Water 6.59

Depth to Free Product —

Water Column (ft) 3.11 18.31

Product Thickness ∅

One Well Volume (gal) 3.11

3x Well Volume (gal) 9.3

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1056				/			/
1059	3	19.2	2.61		7.19		
1102	6	19.2	2.81		7.08		
1106	9	19.2	2.82		7.04		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1110

Sampler's Signature _____

wel
230

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rosman
 Weather Conditions Clear, mild

Project Name Dublin Toyota
 Date 6/11/2010

Well ID MW-2
 Casing Diameter (inches) 2.0
 Depth to Water 5.30
 Water Column (ft) 23.5
 One Well Volume (gal) 399

Total Depth (feet) 28.8
 Depth to Free Product —
 Product Thickness Ø
 3x Well Volume (gal) 1200

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1445							
1447	3	19.0	1.91	/	7.52	/	
1450	6	19.0	1.93		7.46		
1452	9	19.0	1.96		7.46		
1454	12	19.0	1.98		7.46		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1455

Sampler's Signature M. Rosman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rosman

Date 6/10/2009

Weather Conditions PC, Hecy

Well ID MW-3

Casing Diameter (inches) 2.0

Total Depth (feet) 28.2

Depth to Water 5.19

Depth to Free Product Φ

Water Column (ft) 23.01

Product Thickness Φ

One Well Volume (gal) 3.9

3x Well Volume (gal) 11.7

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1451							
1453	3	21.9	4.00		6.86		
1455	6	22.1	4.83		6.85		
1457	9	21.5	5.87		6.87		
1459	12	21.3	6.97		6.90		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1500

Sampler's Signature MJR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rosman

Date 6/10/2010

Weather Conditions PC, breezy

Well ID MW-4S

Casing Diameter (inches) 0.75

Total Depth (feet) 20.0

Depth to Water 5.56

Depth to Free Product —

Water Column (ft) 14.44

Product Thickness Φ

One Well Volume (gal) 0.85

3x Well Volume (gal) 2.6

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1319							
1324	1.0	22.4	4.72	/	6.77	/	
1327	1.5	22.3	4.82		6.76		
1329	2.0	22.4	4.85		6.75		
1332	2.5	22.3	4.87		6.74		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1335

Sampler's Signature M. Rosman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rasman

Date 6/10/2010

Weather Conditions PC, breezy

Well ID MW-4D

Casing Diameter (inches) 0.75

Total Depth (feet) 40.0 30.8

Depth to Water 5.44

Depth to Free Product 7

Water Column (ft) 34.56 25.36

Product Thickness 7

One Well Volume (gal) 203 1.49

3x Well Volume (gal) 6.1 4.5

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1349							
1354	2						Dry @ 2 gal.
	4						
	6						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color			X		grey-brown
Odor	X				
Turbidity			X →		
Sheen	X				
Other:					

Sample Time 1415

Sampler's Signature M. Rasman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rasman
 Weather Conditions overcast

Project Name Dublin Toyota
 Date 6/09/2010

Well ID MW-5S
 Casing Diameter (inches) 0.75
 Depth to Water ~~4.89~~ 4.91
 Water Column (ft) 15.11
 One Well Volume (gal) 0.89

Total Depth (feet) 20.0
 Depth to Free Product —
 Product Thickness Ø
 3x Well Volume (gal) 2.7

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12 U peristaltic
Sample Method		X	12 U peristaltic

FIELD PARAMETERS

Time	Volume Purged	Temp (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1318				/		/	
1326	1	22.4	3.92	/	6.91	/	
1334	2	22.4	4.04	/	6.87	/	
1341	3	22.4	4.05	/	6.86	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1345

Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rasman
 Weather Conditions overcast, cool

Project Name Dublin Toyota
 Date 6/09/2010

Well ID MW-5D
 Casing Diameter (inches) 0.75
 Depth to Water 5.09
 Water Column (ft) 34.91
 One Well Volume (gal) 2.06

Total Depth (feet) 40.0
 Depth to Free Product —
 Product Thickness ∅
 3x Well Volume (gal) 6.2

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1400							
1404	2						Dry @ 2 gal (~0.5)
	4						
	6						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1420

Sampler's Signature MTR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Reisman

Date 6/11/2010

Weather Conditions Clear, mild

Well ID MW-6S

Casing Diameter (inches) 0.75

Total Depth (feet) 20.0

Depth to Water 4.05

Depth to Free Product

Water Column (ft) 15.95

Product Thickness

One Well Volume (gal) 0.94

3x Well Volume (gal) 2.8

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments	
1308				/		/		
1313	1	22.5	5.17		6.85			
1315	2							Dry @ 12 gal.
	3							

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			lt brown
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1325

Sampler's Signature 

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rosman

Date 6/11/2010

Weather Conditions clear, mild

Well ID MW-6D

Casing Diameter (inches) 0.75

Total Depth (feet) 40.0

Depth to Water 4.50

Depth to Free Product 7

Water Column (ft) 35.5

Product Thickness 0

One Well Volume (gal) 2.1

3x Well Volume (gal) 6.3

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X 12V	Peristaltic pump
Sample Method		X	12V Peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1332				/		/	
1340	2	22.0	4.06		7.02		
1347	4	21.7	3.99		7.03		
1354	6	21.6	3.92		7.08		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1355

Sampler's Signature M. Rosman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rahman
 Weather Conditions clear, mild

Project Name Dublin Toyota
 Date 6/11/2010

Well ID MW-7
 Casing Diameter (inches) 0.75
 Depth to Water 4.03
 Water Column (ft) 15.97
 One Well Volume (gal) 0.94

Total Depth (feet) 20.0
 Depth to Free Product —
 Product Thickness ∅
 3x Well Volume (gal) 2.8

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 ✓ peristaltic pump
Sample Method			120 peristaltic pump

FIELD PARAMETERS

1147

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1147				/		/	
1153	1	22.2	4.96		6.89		
1158	2	22.0	4.74		6.83		
1204	3	22.1	4.66		6.82		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1205

Sampler's Signature M. Rahman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rahman

Date 6/11/2010

Weather Conditions clear, mild

Well ID MW-8

Casing Diameter (inches) 0.75

Total Depth (feet) 40.0

Depth to Water 3.74

Depth to Free Product —

Water Column (ft) 36.26

Product Thickness ∅

One Well Volume (gal) 2.13

3x Well Volume (gal) 6.4

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1223				/		/	
1231	2	21.1	4.13	/	6.90	/	
1239	4	20.9	4.12	/	6.94	/	
1246	6	20.8		/	6.88	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1250

Sampler's Signature M. Rahman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rosman
 Weather Conditions overcast, cool

Project Name Dublin Toyota
 Date 6/09/2010

Well ID MW-9
 Casing Diameter (inches) 0.75
 Depth to Water 3.20
 Water Column (ft) 36.80
 One Well Volume (gal) 2.17

Total Depth (feet) 40.0
 Depth to Free Product —
 Product Thickness ∅
 3x Well Volume (gal) 6.5

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method			12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1206							
1213	2	20.2	4.71		6.93		
1221	4	20.3	4.70		6.74		
1229	6	20.3	4.70		6.73		
1231	6.5	20.4	4.73		6.82		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				→ ?
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1235

Sampler's Signature M. Rosman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rasma
 Weather Conditions overcast, cool

Project Name Dublin Toyota
 Date 6/09/2010

Well ID MW-10
 Casing Diameter (inches) 0.75
 Depth to Water 3.42
 Water Column (ft) 36.58
 One Well Volume (gal) 2.16

Total Depth (feet) 40.0
 Depth to Free Product —
 Product Thickness φ
 3x Well Volume (gal) 6.5

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12 V peristaltic pump
Sample Method			12 V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1112				/			/
1120	2	20.3	3.98		7.05		
1129	4	20.1	4.05		7.01		
1137	6	20.0	4.16		7.02		
1140	6.5	20.1	4.18		7.02		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1140

Sampler's Signature MTRC

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rasman
 Weather Conditions clear, mild

Project Name Dublin Toyota
 Date 6/11/2010

Well ID MW-11
 Casing Diameter (inches) 2.0
 Depth to Water 6.68
 Water Column (ft) 13.32
 One Well Volume (gal) 2.26

Total Depth (feet) 20
 Depth to Free Product 7
 Product Thickness φ
 3x Well Volume (gal) 6.8

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1512							turbid / off brown
1514	2	18.0	3.90		7.39		
1516	4	17.8	3.32		7.20		
1517	6	17.8	3.67		7.33		
1518	7	17.9	3.64		7.31		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color			X		white / opaque
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1520

Sampler's Signature M. Rasman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rosman
 Weather Conditions Clear, mild

Project Name Dublin Toyota
 Date 6/11/2010

Well ID MW-12
 Casing Diameter (inches) 2.0
 Depth to Water 6.83
 Water Column (ft) 13.17
 One Well Volume (gal) 2.24

Total Depth (feet) 20
 Depth to Free Product Φ
 Product Thickness Φ
 3x Well Volume (gal) 6.7

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1027				/			turbid - brown
1029	2	17.7	5.18	/	7.03		clearing
1031	4	17.6	5.12	/	7.07		
1033	6	17.7	5.22	/	7.02		
1034	7	17.8	5.17	/	7.01		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			grey/opaque
Odor	X				
Turbidity		X →			
Sheen	X				
Other:					

Sample Time 1035

Sampler's Signature M. Rosman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rosman
 Weather Conditions Clear, mild

Project Name Dublin Toyota
 Date 6/11/2010

Well ID MW-13
 Casing Diameter (inches) 2.0
 Depth to Water 6.64
 Water Column (ft) 13.36
 One Well Volume (gal) 2.27

Total Depth (feet) 20
 Depth to Free Product φ
 Product Thickness φ
 3x Well Volume (gal) 6.8

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0957				/			turbid-brown
0959	2	18.6	5.71	/	7.15	/	
1001	4	18.4	5.77	/	7.13	/	
1003	6	18.6	5.43	/	7.11	/	
1004	7	18.7	5.32	/	7.10	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color			X		H. brown
Odor	X				
Turbidity			X →		
Sheen	X				
Other:					

Sample Time 1005

Sampler's Signature MJR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Resman

Date 6/11/2010

Weather Conditions PC, breeze, mild

Well ID MW-14

Casing Diameter (inches) 2.0

Total Depth (feet) 40

Depth to Water 2.48

Depth to Free Product —

Water Column (ft) 37.52

Product Thickness ∅

One Well Volume (gal) 6.38

3x Well Volume (gal) 19.1

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V Purge pump
Sample Method			

FIELD PARAMETERS

start: 1225

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1232	6	20.2	3.67	/	7.12	/	
1234	9	20.2	3.65		7.11		
1235	12	20.2	3.65		7.10		
1237	15	20.2	3.65		7.10		
1239	19	20.2	3.65		7.10		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X →				
Sheen	X				
Other:					

Sample Time 1240

Sampler's Signature MFR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel M. Rasman
 Weather Conditions PC, mild

Project Name Dublin Toyota
 Date 6/10/2010

Well ID MW-15
 Casing Diameter (inches) 2.0
 Depth to Water 4.24
 Water Column (ft) 35.76
 One Well Volume (gal) 6.08

Total Depth (feet) 40
 Depth to Free Product —
 Product Thickness ∅
 3x Well Volume (gal) 18.24

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

start: 0939

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0946	6	19.4	8.02	/	7.08	/	St. turbid
0950	9	19.5	8.10		7.00		clearing
0954	12	19.5	7.86		7.01		
0957	15	19.5	7.92		6.98		
1001	18	19.5	7.94		6.99		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1005

Sampler's Signature MJR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rasman

Date 6/10/2010

Weather Conditions PC, breezy

Well ID MW-16

Casing Diameter (inches) 2.0

Total Depth (feet) 40

Depth to Water 4.65

Depth to Free Product →

Water Column (ft) 35.35

Product Thickness ∅

One Well Volume (gal) 6.01

3x Well Volume (gal) 18.0

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12 ✓ purge pump
Sample Method			

FIELD PARAMETERS *start: 1128*

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1131	6	20.2	5.45	/	6.80	/	turbid
1132	9	20.2	5.44		6.80		clearing
1134	12	20.2	5.48		6.79		
1135	15	20.2	5.47		6.79		
1137	18	20.2	5.47		6.79		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1140

Sampler's Signature *M. Rasman*

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rosman

Date 6/10/2010

Weather Conditions PC, breezy, cool

Well ID MW-17

Casing Diameter (inches) 2.0

Total Depth (feet) 40

Depth to Water 3.50

Depth to Free Product —

Water Column (ft) 36.50

Product Thickness 0

One Well Volume (gal) 6.21

3x Well Volume (gal) 18.6

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

start: 1029

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1035	6	21.0	4.40	/	7.25	/	V. turbid / H. brown
1043	9	20.9	4.96		7.25		change to bigger pump
1046	12						Dry out gate
1056	15						Re-start purging
	18						Dry again

(limits of pump??)

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color				X	H. brown
Odor	X				
Turbidity			X →		
Sheen	X				
Other:					

Sample Time 1110

Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rosman

Date 6/11/2010

Weather Conditions Clear, mild

Well ID EW-1

Casing Diameter (inches) 2.0"

Total Depth (feet) 14.4

Depth to Water 6.47

Depth to Free Product Φ

Water Column (ft) 7.93

Product Thickness Φ

One Well Volume (gal) 1.34

3x Well Volume (gal) 4.0

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12 ✓ purge pump
Sample Method			

FIELD PARAMETERS

Water quality not recorded - Purge 4 gal.

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1543							
1547	4						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor		X			unknown
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1550

Sampler's Signature M. Rosman

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel M. Rasman

Date 6/11/2010

Weather Conditions Clear, mild

Well ID EW-2

Casing Diameter (inches) ~~2.0~~ 2.0

Total Depth (feet) 14.3

Depth to Water 6.62

Depth to Free Product —

Water Column (ft) 7.68

Product Thickness φ

One Well Volume (gal) 1.3

3x Well Volume (gal) 3.9

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method			

FIELD PARAMETERS

Purge 4 gal - Did not record Water Quality

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1558							
1602	4						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color					
Odor					
Turbidity					
Sheen					
Other:					

Sample Time 1605

Sampler's Signature M. Rasman

ATTACHMENT B

**LABORATORY DATA REPORTS AND
CHAIN-OF-CUSTODY RECORDS**



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

18 June 2010

Jim Gribi
Gribi Associates
1090 Adam Street, Suite K
Benicia, CA 94510
RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 06/15/10 10:10. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

John Shepler
Laboratory Director

SUNSTAR LABORATORIES
 25712 COMMERCENTRE DRIVE
 LAKE FOREST, CA 92630
 Website: www.SUNSTARLABS.com Email: john@sunstarlabs.com
 Telephone: (949) 297-5020 Fax: (949) 297-5027

CHAIN OF CUSTODY RECORD
TURN AROUND TIME
 RUSH 24 HR 48 HR 72 HR 5 DAY
 GeoTracker EDF PDF Excel Write On (DW)

Report To: James Gribi **Bill To:**
Company: Gribi Associates
 1090 Adams Street, Suite K
 Benicia, CA 94510 **E-Mail:**
Tele: (707) 748-7743 **Fax:** (707) 748-7763
Client Name: Dublin Toyota **Global ID:** T0600102153
Project Name: Dublin Toyota
Sampler Signature: *[Signature]*

Analysis Request											Other	Comments																	
SAMPLE ID	LOCATION/ Field Point Name	DATE	TIME	# Containers	Type Containers	MATRIX					METHOD PRESERVED																		
						Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other	TPH-Gas, BTEX, MTBE (8015M/8021B)	TPH-Gas (8015M)	TPH-Diesel (8015M)	TPH-Motor Oil (8015M)	TPH-Gas, BTEX, MTBE (8260B)	TPH-Gas, BTEX, 5 Oxygenates (8260B)	TPH-Gas, BTEX, 7 Oxygenates (8260B)	5 Oxygenates (8260B)	Lead Scavengers [1,2 DCA & 1,2 EDB] (8260B)	VOC's - Full List (8260B)	Halogenated VOC's (8260B)	SVOC's (8270)		Filter Samples for Metals analysis: Yes / No	
01	MW-1	6/11	1110	4	voa	X					X	X								X									
02	MW-2	6/11	1455	4	voa	X					X	X								X									
03	MW-3	6/10	1500	4	voa	X					X	X								X									
04	MW-4S	6/10	1335	4	voa	X					X	X								X									
05	MW-4D	6/10	1415	4	voa	X					X	X								X									
06	MW-5S	6/09	1345	4	voa	X					X	X								X									
07	MW-5D	6/09	1420	4	voa	X					X	X								X									
08	MW-6S	6/11	1325	4	voa	X					X	X								X									
09	MW-6D	6/11	1355	4	voa	X					X	X								X									
10	MW-7	6/11	1205	4	voa	X					X	X								X									
11	MW-8	6/11	1250	4	voa	X					X	X								X									
12	MW-9	6/09	1235	4	voa	X					X	X								X									
13	MW-10	6/09	1140	4	voa	X					X	X								X									
14	MW-11	6/11	1520	4	voa	X					X	X								X									

Relinquished By: *[Signature]* **Date:** 6/14/10 **Time:** 0830 **Received By:** Bill Hanna 6.14.10
Relinquished By: GSO **Date:** 6/15/10 **Time:** 1015 **Received By:** Aaron 6/15/10 1015
Relinquished By: _____ **Date:** _____ **Time:** _____ **Received By:** _____

JCEM
 GOOD CONDITION Y
 HEAD SPACE ABSENT _____
 DECHLORINATED IN LAB _____
 APPROPRIATE CONTAINERS Y
 PRESERVED IN LAB _____
 VOAS O&G METALS OTHER
 PRESERVATION pH<2

STD. TAT 2.80

T000585

SUNSTAR LABORATORIES

25712 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630

Website: www.SUNSTARLABS.com Email: john@sunstarlabs.com
Telephone: (949) 297-5020 Fax: (949) 297-5027

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

GeoTracker EDF PDF Excel Write On (DW)

Report To: James Gribi Bill To:

Company: Gribi Associates

1090 Adams Street, Suite K

Benicia, CA 94510 E-Mail:

Tel: (707) 748-7743 Fax: (707) 748-7763

Client Name: Dublin Toyota Global ID: T0600102153

Project Name: Dublin Toyota

Sampler Signature: *[Signature]*

Analysis Request

Other

Comments

Filter Samples for Metals analysis: Yes / No

SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				TPH-Gas, BTEX, MTBE (8015M/8021B)	TPH-Gas (8015M)	TPH-Diesel (8015M)	TPH-Motor Oil (8015M)	TPH-Gas, BTEX, MTBE (8260B)	TPH-Gas, BTEX, 5 Oxygenates (8260B)	TPH-Gas, BTEX, 7 Oxygenates (8260B)	5 Oxygenates (8260B)	Lead Scavengers [1,2 DCA & 1,2 EDB] (8260B)	VOC's - Full List (8260B)	Halogenated VOC's (8260B)	SVOC's (8270)												
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other																								
15 MW-12		6/11	1035	4	voa	X					X	X							X																			
16 MW-13		6/11	1005	4	voa	X					X	X							X																			
17 MW-14		6/10	1240	4	voa	X					X	X							X																			
18 MW-15		6/10	1005	4	voa	X					X	X							X																			
19 MW-16		6/10	1140	4	voa	X					X	X							X																			
20 MW-17		6/10	1110	4	voa	X					X	X							X																			
21 EW-1		6/11	1550	↓	↓	↓					↓	↓							↓																			
22 EW-2		6/11	1605	↓	↓	↓					↓	↓							↓																			

Relinquished By: *[Signature]* Date: 6/14/10 Time: 0830 Received By: *Bill Hamel* 6:14:00 10:30

GSO Date: 6/15/10 Time: 1015 Received By: *Aaron* 6/15/10 1015

ICE# _____

GOOD CONDITION Y

HEAD SPACE ABSENT _____

DECHLORINATED IN LAB _____

APPROPRIATE CONTAINERS Y

PRESERVED IN LAB _____

VOAS O&G METALS OTHER
PRESERVATION pH<2

STG-TAT

2.8

SAMPLE RECEIVING REVIEW SHEET

BATCH # T000585

Client Name: Gribi Associates

Project: Dublin Toyota

Received by: Aaron

Date/Time Received: 6/15/08 10:15

Delivered by : Client SunStar Courier GSO FedEx Other _____

Total number of coolers received 2 Temp criteria = 6°C > 0°C (no frozen containers)

Temperature: cooler #1 1.6 °C +/- the CF (- 0.2°C) = 1.4 °C corrected temperature

cooler #2 3 °C +/- the CF (- 0.2°C) = 2.8 °C corrected temperature

cooler #3 _____ °C +/- the CF (- 0.2°C) = _____ °C corrected temperature

Samples outside temp. but received on ice, w/in 6 hours of final sampling. Yes No* N/A

Custody Seals Intact on Cooler/Sample Yes No* N/A

Sample Containers Intact Yes No*

Sample labels match COC ID's Yes No*


Total number of containers received match COC Yes No*

Proper containers received for analyses requested on COC Yes No*

Proper preservative indicated on COC/containers for analyses requested Yes No* N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times. Yes No*

* Complete Non-Conformance Receiving Sheet if checked

Cooler/Sample Review - Initials and date  6/15

Comments:

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	T000585-01	Water	06/11/10 11:10	06/15/10 10:10
MW-2	T000585-02	Water	06/11/10 14:55	06/15/10 10:10
MW-3	T000585-03	Water	06/10/10 15:00	06/15/10 10:10
MW-4S	T000585-04	Water	06/10/10 13:35	06/15/10 10:10
MW-4D	T000585-05	Water	06/10/10 14:15	06/15/10 10:10
MW-5S	T000585-06	Water	06/09/10 13:45	06/15/10 10:10
MW-5D	T000585-07	Water	06/09/10 14:20	06/15/10 10:10
MW-6S	T000585-08	Water	06/11/10 13:25	06/15/10 10:10
MW-6D	T000585-09	Water	06/11/10 13:55	06/15/10 10:10
MW-7	T000585-10	Water	06/11/10 12:05	06/15/10 10:10
MW-8	T000585-11	Water	06/11/10 12:50	06/15/10 10:10
MW-9	T000585-12	Water	06/09/10 12:35	06/15/10 10:10
MW-10	T000585-13	Water	06/09/10 11:40	06/15/10 10:10
MW-11	T000585-14	Water	06/11/10 15:20	06/15/10 10:10
MW-12	T000585-15	Water	06/11/10 10:35	06/15/10 10:10
MW-13	T000585-16	Water	06/11/10 10:05	06/15/10 10:10
MW-14	T000585-17	Water	06/10/10 12:40	06/15/10 10:10
MW-15	T000585-18	Water	06/10/10 10:05	06/15/10 10:10
MW-16	T000585-19	Water	06/10/10 11:40	06/15/10 10:10
MW-17	T000585-20	Water	06/10/10 11:10	06/15/10 10:10
EW-1	T000585-21	Water	06/11/10 15:50	06/15/10 10:10
EW-2	T000585-22	Water	06/11/10 16:05	06/15/10 10:10

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-1
T000585-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	58	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		93.0 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		84.1 %		83.5-119	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		126 %		81.1-136	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-2
T000585-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	4.6	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		95.8 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		81.0 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		128 %	81.1-136		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-3
T000585-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	20	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		95.5 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		79.9 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		140 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	-----------------------------

MW-4S
T000585-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	690	50	"	50	"	"	06/16/10	"	
C6-C12 (GRO)	160	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		93.1 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		75.1 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		128 %	81.1-136		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-4D
T000585-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	54	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		88.6 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		72.1 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		130 %	81.1-136		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

MW-5S
T000585-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	390	250	"	25	"	"	06/16/10	"	
Di-isopropyl ether	ND	2.0	"	1	"	"	06/16/10	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	60	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		94.1 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		74.8 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		133 %		81.1-136	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

MW-5D
T000585-07 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	560	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	2200	100	"	100	"	"	06/16/10	"	
C6-C12 (GRO)	560	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		86.6 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		72.2 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		134 %		81.1-136	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

MW-6S
T000585-08 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	120	25	"	25	"	"	06/16/10	"	
C6-C12 (GRO)	ND	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		92.2 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		74.1 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		150 %		81.1-136	"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

MW-6D
T000585-09 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	19	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		95.2 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		78.9 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		132 %	81.1-136		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-7
T000585-10 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	680	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	2700	100	"	100	"	"	06/16/10	"	
C6-C12 (GRO)	630	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		90.6 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		79.0 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		138 %		81.1-136	"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-8
T000585-11 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	130	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	1100	100	"	100	"	"	06/16/10	"	
C6-C12 (GRO)	220	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		95.0 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		73.1 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		129 %		81.1-136	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

**MW-9
T000585-12 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	660	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	3800	250	"	250	"	"	06/16/10	"	
C6-C12 (GRO)	850	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		87.6 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		73.6 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		148 %		81.1-136	"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-10
T000585-13 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	6.4	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		89.4 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		71.6 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		142 %		81.1-136	"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	-----------------------------

MW-11
T000585-14 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	550	10	"	"	"	"	06/16/10	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	06/16/10	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	160	25	"	25	"	"	06/16/10	"	
C6-C12 (GRO)	ND	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		89.6 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		81.0 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		148 %		81.1-136	"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	-----------------------------

MW-12
T000585-15 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	2400	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	870	100	"	100	"	"	06/16/10	"	
C6-C12 (GRO)	190	50	"	1	"	"	06/16/10	"	
Surrogate: Toluene-d8		91.1 %	84.7-109		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		73.1 %	83.5-119		"	"	"	"	S-GC
Surrogate: Dibromofluoromethane		150 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-13
T000585-16 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	780	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	800	50	"	50	"	"	06/16/10	"	
C6-C12 (GRO)	150	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		89.1 %		84.7-109	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		72.6 %		83.5-119	"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		150 %		81.1-136	"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-14
T000585-17 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	150	25	"	25	"	"	06/16/10	"	
C6-C12 (GRO)	ND	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		90.8 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		73.2 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		153 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

**MW-15
T000585-18 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		89.0 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		69.8 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		146 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

MW-16
T000585-19 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	1200	100	"	100	"	"	06/16/10	"	
C6-C12 (GRO)	230	50	"	1	"	"	06/16/10	"	
<i>Surrogate: Toluene-d8</i>		91.9 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		71.8 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		147 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

**MW-17
T000585-20 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0061511	06/15/10	06/16/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		87.8 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		71.2 %	83.5-119		"	"	"	"	S-GC
<i>Surrogate: Dibromofluoromethane</i>		154 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

EW-1
T000585-21 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	15	0.50	ug/l	1	0061510	06/15/10	06/18/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	4.4	0.50	"	"	"	"	"	"	
m,p-Xylene	1.2	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	76	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	170	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		93.6 %	84.7-109		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		90.6 %	83.5-119		"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		74.6 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/18/10 16:36
--	--	------------------------------------

EW-2
T000585-22 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	11	0.50	ug/l	1	0061510	06/15/10	06/18/10	EPA 8260B	
Toluene	1.0	0.50	"	"	"	"	"	"	
Ethylbenzene	3.0	0.50	"	"	"	"	"	"	
m,p-Xylene	2.1	1.0	"	"	"	"	"	"	
o-Xylene	1.2	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	110	25	"	25	"	"	06/18/10	"	
C6-C12 (GRO)	99	50	"	1	"	"	06/18/10	"	
<i>Surrogate: Toluene-d8</i>		<i>91.0 %</i>		<i>84.7-109</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>97.1 %</i>		<i>83.5-119</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>
<i>Surrogate: Dibromofluoromethane</i>		<i>84.2 %</i>		<i>81.1-136</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: [none]
 Project Manager: Jim Gribi

Reported:
 06/18/10 16:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0061510 - EPA 5030 GCMS

Blank (0061510-BLK1)

Prepared: 06/15/10 Analyzed: 06/18/10

Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
m,p-Xylene	ND	1.0	"							
o-Xylene	ND	0.50	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	1.0	"							
C6-C12 (GRO)	ND	50	"							
<i>Surrogate: Toluene-d8</i>	7.42		"	8.00		92.8	84.7-109			
<i>Surrogate: 4-Bromofluorobenzene</i>	6.34		"	8.00		79.2	83.5-119			S-GC
<i>Surrogate: Dibromofluoromethane</i>	9.48		"	8.00		118	81.1-136			

LCS (0061510-BS1)

Prepared: 06/15/10 Analyzed: 06/18/10

Chlorobenzene	17.1	1.0	ug/l	20.0		85.3	75-125			
1,1-Dichloroethene	20.0	1.0	"	20.0		100	75-125			
Trichloroethene	16.7	1.0	"	20.0		83.6	75-125			
Benzene	18.9	0.50	"	20.0		94.6	75-125			
Toluene	16.9	0.50	"	20.0		84.6	75-125			
<i>Surrogate: Toluene-d8</i>	7.24		"	8.00		90.5	84.7-109			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.18		"	8.00		89.8	83.5-119			
<i>Surrogate: Dibromofluoromethane</i>	9.85		"	8.00		123	81.1-136			

LCS Dup (0061510-BSD1)

Prepared: 06/15/10 Analyzed: 06/18/10

Chlorobenzene	16.2	1.0	ug/l	20.0		80.9	75-125	5.29	20	
1,1-Dichloroethene	18.6	1.0	"	20.0		92.8	75-125	7.57	20	
Trichloroethene	15.8	1.0	"	20.0		78.8	75-125	5.79	20	
Benzene	17.9	0.50	"	20.0		89.3	75-125	5.71	20	
Toluene	15.9	0.50	"	20.0		79.6	75-125	6.15	20	
<i>Surrogate: Toluene-d8</i>	7.26		"	8.00		90.8	84.7-109			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.29		"	8.00		91.1	83.5-119			
<i>Surrogate: Dibromofluoromethane</i>	9.55		"	8.00		119	81.1-136			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates
 1090 Adam Street, Suite K
 Benicia CA, 94510

Project: Dublin Toyota
 Project Number: [none]
 Project Manager: Jim Gribi

Reported:
 06/18/10 16:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0061511 - EPA 5030 GCMS

Blank (0061511-BLK1)

Prepared: 06/15/10 Analyzed: 06/16/10

Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
m,p-Xylene	ND	1.0	"							
o-Xylene	ND	0.50	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	1.0	"							
C6-C12 (GRO)	ND	50	"							
<i>Surrogate: Toluene-d8</i>	7.67		"	8.00		95.9	84.7-109			
<i>Surrogate: 4-Bromofluorobenzene</i>	6.28		"	8.00		78.5	83.5-119			S-GC
<i>Surrogate: Dibromofluoromethane</i>	8.89		"	8.00		111	81.1-136			

LCS (0061511-BS1)

Prepared: 06/15/10 Analyzed: 06/17/10

Chlorobenzene	15.4	1.0	ug/l	20.0		76.9	75-125			
1,1-Dichloroethene	17.8	1.0	"	20.0		89.2	75-125			
Trichloroethene	16.2	1.0	"	20.0		81.1	75-125			
Benzene	17.5	0.50	"	20.0		87.4	75-125			
Toluene	17.0	0.50	"	20.0		84.8	75-125			
<i>Surrogate: Toluene-d8</i>	7.35		"	8.00		91.9	84.7-109			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.21		"	8.00		90.1	83.5-119			
<i>Surrogate: Dibromofluoromethane</i>	9.58		"	8.00		120	81.1-136			

Matrix Spike (0061511-MS1)

Source: T000585-01

Prepared: 06/15/10 Analyzed: 06/16/10

Chlorobenzene	15.6	1.0	ug/l	20.0	ND	77.8	75-125			
1,1-Dichloroethene	18.6	1.0	"	20.0	ND	92.8	75-125			
Trichloroethene	15.8	1.0	"	20.0	ND	79.2	75-125			
Benzene	17.3	0.50	"	20.0	ND	86.4	75-125			
Toluene	15.7	0.50	"	20.0	ND	78.3	75-125			
<i>Surrogate: Toluene-d8</i>	6.76		"	8.00		84.5	84.7-109			S-GC
<i>Surrogate: 4-Bromofluorobenzene</i>	7.77		"	8.00		97.1	83.5-119			
<i>Surrogate: Dibromofluoromethane</i>	10.6		"	8.00		132	81.1-136			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0061511 - EPA 5030 GCMS

Matrix Spike Dup (0061511-MSD1)

Source: T000585-01

Prepared: 06/15/10 Analyzed: 06/16/10

Chlorobenzene	15.1	1.0	ug/l	20.0	ND	75.4	75-125	3.07	20	
1,1-Dichloroethene	18.9	1.0	"	20.0	ND	94.6	75-125	1.92	20	
Trichloroethene	15.5	1.0	"	20.0	ND	77.3	75-125	2.43	20	
Benzene	16.9	0.50	"	20.0	ND	84.6	75-125	2.22	20	
Toluene	15.8	0.50	"	20.0	ND	79.2	75-125	1.14	20	
Surrogate: Toluene-d8	7.25		"	8.00		90.6	84.7-109			
Surrogate: 4-Bromofluorobenzene	7.35		"	8.00		91.9	83.5-119			
Surrogate: Dibromofluoromethane	10.2		"	8.00		128	81.1-136			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/18/10 16:36

Notes and Definitions

S-GC Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

SunStar Laboratories, Inc.



John Shepler, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.