



RECEIVED

12:59 pm, Jan 20, 2011

Alameda County
Environmental Health

January 14, 2011

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Paresh Khatri

Subject: Second Semi-Annual 2010 Groundwater Monitoring Report
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 0000333

Ladies and Gentlemen:

Attached please find a copy of the *Second Semi-Annual 2010 Groundwater Monitoring Report, Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California*, prepared by Gribi Associates. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Very truly yours,

A handwritten signature in black ink, appearing to read "Scott F. Anderson".

Scott F. Anderson
Chief Financial Officer
Dublin Toyota



6450 DUBLIN COURT • DUBLIN • CA 94568 • 925 829-7700 • FAX 925 829-9025

www.dublintoys.com



January 14, 2011

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Mr. Paresh Khatri

Subject: Second Semi-Annual 2010 Groundwater Monitoring Report
Dublin Toyota UST Site
6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 0000333, Geotracker Global ID T0600102153

Ladies and Gentlemen:

Gribi Associates is pleased to submit this Second Semi-Annual 2010 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Figures 1, 2, and 3). This report summarizes groundwater monitoring activities conducted at the site on November 10 and 11, 2010.

DESCRIPTION OF MONITORING ACTIVITIES

1. Gribi Associates personnel conducted groundwater monitoring activities for 21 site wells (MW-1, MW-2, MW-3, MW-4S, MW-4D, MW-5S, MW-5D, MW-6S, MW-6D, MW-7 through MW-17, and EW-1) on November 10 and 11, 2010.
 - a. EW-2 as not sampled during this event.
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
 - a. measuring static water levels;
 - b. checking for presence of free-product;
 - c. and purging of approximately three well volumes while recording temperature, pH, conductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

RESULTS OF GROUNDWATER MONITORING

Hydrologic Conditions

1. Groundwater depths ranged from approximately 3.20 feet (MW-14) to 7.92 feet (MW-12).
2. Groundwater elevations, which are shown on Figures 4 and 5, ranged from 320.83 feet (MW-17) to 321.34 feet (MW-4D).
3. Groundwater elevations in shallow (“A” Zone) and deeper (“B” Zone) wells are variable and relatively flat.
 - a. Based on the MTBE plume configuration, groundwater flow direction trends in a southwest to southerly direction.
4. Free-product was not present in any of the wells.

Laboratory Analytical Results

1. Groundwater samples from the 21 wells were analyzed for the following parameters with standard method turn around time on results:
 - a. USEPA 8260B Total Petroleum Hydrocarbons as Gasoline (TPH-G)
 - b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
 - c. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Groundwater analytical results are summarized in Table 1.
3. Groundwater MTBE results for this monitoring event are summarized on Figures 4 and 5.
4. The laboratory analytical data report and chain-of custody are contained in Attachment B.

CONCLUSIONS

1. During this quarterly sampling event, some groundwater MTBE concentrations were similar to or lower than previous sampling events.
 - a. Releases from the former USTs migrated laterally approximately 150 to 200 feet in a southwest direction in the upper “A” Zone.
 - b. MTBE then migrated vertically to, and then laterally southwest in, the deeper “B” Zone. Impacts have migrated in a southerly direction, below Interstate 580 (approximately 300 feet), and have resulted resulting in a concentration of 830 ug/L of MTBE at MW-16. Downgradient monitoring wells MW-15 and MW-17, located in a respective west and east direction from MW-16, showed no detectable concentrations of MTBE or other oxygenates.
 - c. Reductions in oxygenates in some downgradient site wells appear to be the result of: (1) Past removal of the UST sources; and (2) Natural attenuation over the ensuing years since UST source removal.

PLANNED ACTIVITIES

1. Gribi Associates plans to perform semi-annual groundwater monitoring at the site during the second quarter of 2011.
2. Ozone injection wells were installed at the site during the fourth quarter of 2010. Gribi Associates plans to commence with the approved ozone injection pilot test during the first quarter of 2011.

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,



Matthew A. Rosman
Project Engineer




James E. Gribi
Professional Geologist
California No. 5843



Enclosure

c: Mr. Scott Anderson, Dublin Toyota

FIGURES




DESIGNED BY:	CHECKED BY:
DRAWN BY: MAR	SCALE:
PROJECT NO:	

SITE VICINITY MAP


DUBLIN TOYOTA UST SITE
6450 DUBLIN COURT
DUBLIN, CALIFORNIA

DATE: 01/14/2011 FIGURE: 1





DESIGNED BY:	CHECKED BY:	SITE AREA PLAN DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 01/14/2011	FIGURE: 2
DRAWN BY: MAR	SCALE:			
PROJECT NO:				




DESIGNED BY:	CHECKED BY:	SITE PLAN DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 01/14/2011	FIGURE: 3
DRAWN BY: MAR	SCALE:			
PROJECT NO:				

- "A" Zone Groundwater Monitoring Well - Screened from approximately 0-20 feet below surface grade.
- "B" Zone Groundwater Monitoring Well - Screened from approximately 30-40 feet below surface grade.

Groundwater hydrocarbon concentrations reported in micrograms per liter (ug/L)

"A" ZONE GROUNDWATER
MTBE/TBA = 100 UG/L

"A" ZONE GROUNDWATER
MTBE/TBA = 1,000 UG/L



GWE: +321.30

TPH-G:	250
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	460
TBA:	<10
OTHER:	ND

GWE: +321.19

TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	51
TBA:	1,200
OTHER:	ND

GWE: +321.24

TPH-G:	790
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	2,700
TBA:	790
OTHER:	ND

GWE: +321.21

TPH-G:	320
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	550
TBA:	810
OTHER:	ND

GWE: +321.20

TPH-G:	380
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	680
TBA:	1,300
OTHER:	ND

GWE: +321.25

TPH-G:	740
B:	53
T:	<0.5
E:	7.5
X:	<1.0
MTBE:	140
TBA:	150
OTHER:	ND

GWE: +321.23

TPH-G:	110
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	180
TBA:	530
OTHER:	ND

GWE: +321.25

TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	5.4
TBA:	<10
OTHER:	ND

GWE: +321.23

TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	29
TBA:	120
OTHER:	ND

GWE: +321.24

TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	27
TBA:	26
OTHER:	ND

GWE: +321.03

TPH-G:	110
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	170
TBA:	<10
OTHER:	ND

DESIGNED BY:

CHECKED BY:

"A" ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 11/2010

DATE: 01/14/2011

FIGURE: 4

DRAWN BY: MAR

SCALE:

DUBLIN TOYOTA UST SITE
6450 DUBLIN COURT
DUBLIN, CALIFORNIA

PROJECT NO:



TABLE

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-1	12/15/98	5.74	323.14	46,000	<100	<100	<100	<100	<100	--	--	--	--	62,000
"A" Zone	04/06/99	5.09	323.79	45,000	<50	<50	<50	<50	<50	--	--	--	--	86,000¹
<328.88>	07/14/99	6.18	322.7	2,800	<100	<100	<100	<100	<100	--	--	--	--	65,000¹
	10/14/99	6.86	322.02	11,000	<17	<17	<17	<17	<17	--	--	--	--	98,000¹
	08/18/00	6.98	321.9	36,000	<50	<50	<50	<50	<50	--	--	--	--	66,000¹
	05/29/02	6.42	322.46	29,100	<15	<15	<15	<30	<30	841	<500	<100	N50	27,800¹
	11/20/02	6.65	322.23	110	<0.5	<0.5	<0.5	<1.0	<1.0	<20	<50	<20	<20	20,000
	04/06/03	5.95	322.93	1,300	<1.0	<1.0	<1.0	<1.0	<1.0	10	360	<2.0	2.2	15,000
	07/13/03	6.55	322.33	74	<0.50	<0.50	<0.50	<1.0	<1.0	10	42	<5.0	<5.0	15,000
	02/11/04	5.74	323.14	<50	<0.50	<0.50	<0.50	<1.0	<1.0	10	420	<2.0	2.5	34,000
	06/16/04	6.37	322.51	180	<0.50	<0.50	<0.50	<1.0	<1.0	6.8	290	<2.0	<2.0	7,600
	10/16/04	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<1.0	<2.0	<10	<2.0	<2.0	6,720
	12/30/04	5.84	323.04	92	<0.50	<0.50	<0.50	<1.0	<1.0	5.2	<10	<2.0	<2.0	2,600
	03/22/05	5.22	323.66	<50	<0.50	<0.50	<0.50	<1.0	<1.0	7.3	<10	<2.0	<2.0	6,900
	06/10/05	6.17	322.71	100	<0.50	<0.50	<0.50	<1.0	<1.0	9.8	<10	<2.0	<2.0	25,000
	10/04/05	7.49	321.39	<50	<0.50	<0.50	<0.50	<1.0	<1.0	<2.0	<10	<2.0	<2.0	2,500
	12/21/05	7.18	321.70	<50	<0.50	<0.50	<0.50	<1.0	<1.0	<2.0	<10	<2.0	<2.0	6,800
	03/30/06	5.81	323.07	<50	<0.50	<0.50	1.1	2.6	<2.0	<10	<2.0	<2.0	<2.0	6,900
	06/01/06	7.20	321.68	<50	<0.50	<0.50	<0.50	<1.0	<1.0	<2.0	<10	<2.0	<2.0	5,100

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	09/12/06	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	2.2	960	<2.0	<2.0	2,400
	11/21/06	7.68	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	930
	02/27/07	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,100
	06/07/07	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,500	<2.0	<2.0	1,100
	09/14/07	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<20	640	<2.0	<2.0	280
	11/17/07	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<20	1,400	<2.0	<2.0	260
	02/28/08	5.56	323.32	NA	<0.50	<0.50	<0.50	<1.0	<20	1,300	<2.0	<2.0	130
	06/04/08	6.96	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,700	<2.0	<2.0	290
	09/11/08	7.24	321.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	160
	12/23/08	6.84	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13
	03/17/09	5.91	322.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	17
	06/26/09	7.21	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	390	<2.0	<2.0	74
	12/03/09	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	2,800	<2.0	<2.0	15
	06/11/10	6.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	58
	11/11/10	7.65	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	29
MW-2	12/15/98	4.3	323.34	<50	<0.50	0.90	<0.50	1.5	--	--	--	--	<5.0
"A" Zone	04/06/99	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
<327.64>	07/14/99	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
	10/14/99	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	08/18/00	5.72	321.92	<50	<0.50	<0.50	<0.50	1.1	--	--	--	--	16
	05/29/02	5.18	322.46	<50	<0.3	<0.3	<0.3	3.9	<2.0	<10	<2.0	<2.0	2.6
	11/20/02	5.52	322.12	57	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	9.1
	04/06/03	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	5.7
	07/13/03	5.24	322.40	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	6.5
	02/11/04	4.45	323.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5
	06/16/04	4.93	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120
	10/16/04	5.97	321.67	78	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	43.2
	12/30/04	4.74	322.9	<50	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	14
	03/22/05	3.86	323.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13
	06/10/05	4.83	322.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	14
	10/04/05	6.19	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2
	12/21/05	5.81	321.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	03/30/06	4.55	323.09	<50	<0.50	<0.50	<0.50	3.9	<2.0	<10	<2.0	<2.0	13
	06/01/06	5.93	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	14
	09/12/06	8.65	318.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22
	11/21/06	6.42	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19
	02/27/07	5.14	322.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13
	06/07/07	6.18	321.46	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	30

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	09/14/07	6.31	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	25
	11/17/07	5.90	321.74	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13
	02/28/08	4.19	323.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10.0	<2.0	<2.0	14
	06/04/08	5.58	322.06	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18
	09/11/08	5.92	321.72	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	38
	12/23/08	5.56	322.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	39
	03/17/09	4.64	323.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	36
	06/26/09	5.90	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18
	12/03/09	5.98	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11
	06/11/10	5.30	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6
	11/11/10	6.39	321.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.4
MW-3	08/18/00	5.67	321.77	210	<0.50	0.58	<0.50	0.59	--	--	--	--	570¹
"A" Zone	05/29/02	5.1	322.34	<50	<0.3	<0.3	<0.3	219	<2.0	<10	<2.0	<2.0	281
<327.44>	11/20/02	5.56	321.88	200	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	460
	04/06/03	4.64	322.8	270	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	340
	07/13/03	5.48	321.96	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	460
	02/11/04	4.47	322.97	<50	<0.50	<0.50	<0.50	<1.0	2.2	1,000	<2.0	<2.0	4,000
	06/16/04	5.23	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	240
	10/16/04	5.92	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	210

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	12/30/04	4.54	322.9	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	190
	03/22/05	3.9	323.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	210
	06/10/05	4.83	322.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	230
	10/04/05	6.02	321.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	380
	12/21/05	5.74	321.7	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	320
	03/30/06	4.35	323.09	<50	<0.50	<0.50	1.3	3.0	<2.0	<10	<2.0	<2.0	160
	06/01/06	5.69	321.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	270
	09/12/06	6.21	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130
	11/21/06	6.29	321.15	<50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	90
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	39
	06/7/07	5.98	321.46	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	270
	09/14/07	6.11	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	59
	11/17/07	5.86	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	75
	02/28/08	4.12	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	36
	06/04/08	5.47	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	20	<2.0	<2.0	30
	09/11/08	5.75	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	51	<2.0	<2.0	36
	12/23/08	5.45	321.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	41
	03/17/09	4.55	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12
	06/26/09	5.78	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	12/03/09	5.87	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	62	<2.0	<2.0	15
	06/10/10	5.19	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20
	11/11/10	6.20	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	26	<2.0	<2.0	27
MW-4S	04/27/06	5.03	322.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
“A” Zone	06/01/06	3.72	324.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<327.80>	9/12/06	6.01	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/21/06	6.68	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.1
	02/27/07	5.39	322.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.0
	06/07/07	6.38	321.42	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	27
	09/14/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	11/17/07	6.39	321.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73
	02/28/08	4.65	323.15	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	360
	06/04/08	5.93	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	820
	09/11/08	6.09	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	190	<2.0	<2.0	400
	12/23/08	5.93	321.87	86	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	310
	03/17/09	4.98	322.82	540	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,100
	06/26/09	6.13	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	170
	12/03/09	6.33	321.47	280	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	590
	06/10/10	5.56	322.24	160	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	690
	11/11/10	6.50	321.30	250	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	460

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
MW-4D	04/27/06	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
“B” Zone	06/01/06	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<327.67>	09/12/06	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/21/06	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	02/27/07	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/07/07	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	09/14/07	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/17/07	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	02/28/08	6.05	321.62	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	6.49	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.2
	09/11/08	7.06	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.0
	12/23/08	6.60	321.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0
	03/17/09	5.05	322.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.9
	06/26/09	5.93	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9
	12/03/09	6.21	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	56
	06/10/10	5.44	322.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	54
	11/10/10	6.33	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	59
MW-5S	04/27/06	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	4.6	<10	<2.0	<2.0	10,000
“A” Zone	06/01/06	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8,300
<327.09>	09/12/06	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	3.5	340	<2.0	<2.0	6,500
	11/21/06	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	3.5	1,200	<2.0	<2.0	4,700

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	02/27/07	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	2.9	1,400	<2.0	<2.0	3,800
	06/07/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	3.2	<10	<2.0	<2.0	7,800
	09/14/07	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	640	<2.0	<2.0	2,700
	11/17/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	47	<2.0	<2.0	4,700
	02/28/08	3.86	323.23	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700
	06/04/08	5.21	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.7	1,500	<2.0	<2.0	7,300
	09/11/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,800	<2.0	<2.0	2,700
	12/23/08	5.15	321.94	600	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,400
	03/17/09	4.29	322.80	830	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900
	06/26/09	5.49	321.60	150	<0.50	<0.50	<0.50	<1.0	<2.0	590	<2.0	<2.0	620
	12/03/09	5.66	321.43	160	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	190
	06/09/10	4.91	322.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	390	<2.0	<2.0	60
	11/11/10	5.90	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	51
MW-5D	04/27/06	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900
"B" Zone	06/01/06	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300
<327.30>	09/12/06	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	2.6	150	<2.0	<2.0	3,900
	11/21/06	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	4.0	1,300	<2.0	<2.0	2,600
	02/27/07	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	440	<2.0	<2.0	1,900
	06/07/07	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700
	09/14/07	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	170	<2.0	<2.0	1,600
	11/17/07	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3,000

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	02/28/08	5.22	322.08	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	890
	06/04/08	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	160	<2.0	<2.0	1,500
	09/11/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	2,500
	12/23/08	7.57	319.73	670	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,800
	03/17/09	5.35	321.95	720	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,100
	06/26/09	6.54	320.76	360	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,600
	12/03/09	5.81	321.49	1,100	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	1,500
	06/09/10	5.09	322.21	560	<0.50	<0.50	<0.50	<1.0	<2.0	560	<2.0	<2.0	2,200
	11/11/10	6.08	321.22	700	<0.50	<0.50	<0.50	<1.0	<2.0	360	<2.0	<2.0	2,300
MW-6S	04/27/06	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	190
"A" Zone	06/01/06	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73
<326.53>	09/12/06	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130
	11/21/06	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	140
	02/27/07	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	87
	06/07/07	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83
	09/14/07	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72
	11/17/07	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72
	02/28/08	5.03	321.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	68
	06/04/08	5.34	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	65
	09/11/08	5.74	320.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130
	12/23/08	5.86	320.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	03/17/09	4.80	321.73	61	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	160
	06/26/09	5.44	321.09	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81
	12/03/09	5.03	321.50	130	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	220
	06/11/10	4.05	322.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120
	11/11/10	5.50	321.03	110	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	170
MW-6D	04/27/06	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22
"B" Zone	06/01/06	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11
<326.72>	09/12/06	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.3
	11/21/06	5.52	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8
	02/27/07	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6
	06/07/07	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5
	09/14/07	5.42	321.3	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	11/17/07	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26
	02/28/08	3.41	323.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.3
	06/04/08	4.78	321.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18
	09/11/08	5.10	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	64
	12/23/08	4.67	322.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.8
	03/17/09	3.88	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26
	06/26/09	5.06	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	12/03/09	5.25	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	52
	06/11/10	4.50	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	11/11/10	5.51	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	44
MW-7	04/27/06	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
"A" Zone	06/01/06	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	16
<326.16>	09/12/06	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81
	11/21/06	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	180
	02/27/07	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	350
	06/07/07	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	520
	09/14/07	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	13	<2.0	<2.0	270
	11/17/07	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	710
	02/28/08	3.07	323.09	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,800
	06/04/08	4.31	321.85	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,100	<2.0	<2.0	4,300
	09/11/08	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,100	<2.0	<2.0	3,200
	12/23/08	4.24	321.92	590	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300
	03/17/09	3.41	322.75	1,700	<0.50	<0.50	<0.50	<1.0	2.9	<10	<2.0	<2.0	4,100
	06/26/09	4.61	321.55	440	<0.50	<0.50	<0.50	<1.0	<2.0	2,000	<2.0	<2.0	2,400
	12/03/09	4.75	321.41	2,500	<0.50	<0.50	<0.50	<1.0	<2.0	21	<2.0	<2.0	3,400
	06/11/10	4.03	322.13	630	<0.50	<0.50	<0.50	<1.0	<2.0	680	<2.0	<2.0	2,700
	11/10/10	4.92	321.24	790	<0.50	<0.50	<0.50	<1.0	<2.0	790	<2.0	<2.0	2,700
MW-8	04/27/06	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000
"B" Zone	06/01/06	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000
<325.88>	09/12/06	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	2,500

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	11/21/06	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	2.2	430	<2.0	<2.0	1,900
	02/27/07	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	330	<2.0	<2.0	1,600
	06/07/07	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,500
	09/14/07	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	58	<2.0	<2.0	630
	11/17/07	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	640
	02/28/08	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	4.02	321.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	870
	09/11/08	4.26	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	290	<2.0	<2.0	1,300
	12/23/08	3.91	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	150
	03/17/09	3.11	322.77	640	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400
	06/26/09	4.27	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	85
	12/03/09	4.45	321.43	540	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	770
	06/11/10	3.74	322.14	220	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	1,100
	11/10/10	4.63	321.25	220	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	350
MW-9	04/27/06	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,200
"B" Zone	06/01/06	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,000
<325.29>	09/12/06	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	2,100
	11/21/06	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	180	<2.0	<2.0	1,200
	02/27/07	2.69	322.60	NA	<0.50	<0.50	<0.50	<1.0	<2.0	270	<2.0	<2.0	930
	06/07/07	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400
	09/14/07	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	460

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
	11/17/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	910
	02/28/08	2.13	323.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200
	06/04/08	3.41	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.4	1,400	<2.0	<2.0	5,500
	09/11/08	3.70	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	810	<2.0	<2.0	2,700
	12/23/08	3.29	322.00	62	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	260
	03/17/09	2.59	322.70	1,800	<0.50	<0.50	<0.50	<1.0	3.0	<10	<2.0	<2.0	3,800
	06/26/09	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	41
	12/03/09	-	-	2,200	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	2,800
	06/09/10	3.20	322.09	850	<0.50	<0.50	<0.50	<1.0	<2.0	660	<2.0	<2.0	3,800
	11/10/10	-	-	400	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	800
MW-10	04/27/06	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
"B" Zone	06/01/06	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<325.54>	09/12/06	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12
	11/21/06	4.35	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15
	02/27/07	3.78	321.76	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11
	06/07/07	3.91	321.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12
	09/14/07	4.22	321.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/17/07	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.1
	02/28/08	2.83	322.71	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.5
	09/11/08	4.33	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)									
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE
MW-16	06/10/10	4.65	321.64	230	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200
"B" Zone	11/10/10	5.42	320.87	520	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	830
<326.29>													
MW-17	06/10/10	3.50	322.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
"B" Zone	11/10/10	5.63	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<326.46>													
EW-1	06/10/10	6.47	322.47	170	15	<0.50	4.4	1.2	<2.0	<10	<2.0	<2.0	76
"A" Zone	11/11/10	7.69	321.25	740	53	<0.50	7.5	<1.0	<2.0	150	<2.0	<2.0	140
<328.94>													
EW-2	06/10/10	6.62	322.37	99	11	1.0	3.0	3.3	<2.0	<10	<2.0	<2.0	110
"A" Zone	11/11/10	Well was not gauged or sampled on this date.											
<328.99>													

Table Notes:

GW Depth = Groundwater depth below top of casing.
 GW Elevation = Groundwater mean sea level elevation.
 TPH-D = Total Petroleum Hydrocarbons as Diesel
 TPH-MO = Total Petroleum Hydrocarbons as Motor Oil
 TPH-G = Total Petroleum Hydrocarbons as Gasoline
 B = Benzene
 T = Toluene
 E = Ethylbenzene
 X = Xylenes
 TAME = Tert-amyl Methyl Ether

TBA = tert-Butanol
 DIPE = Diisopropyle ether
 ETBE = Ethyl-tert-butyl ether
 MTBE = Methyl-t-Butyl Ether
 NA = Not analyzed for particular parameter
 <0.050 = Not detected above the expressed value.
 <328.88> = Surveyed top of casing mean sea level elevation.
 "A" Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.
 "B" Zone = Semi-continuous sand and gravel layer between about 30 and 35 feet in depth.
 1 = MTBE result was confirmed using USEPA Method 8260B.

ATTACHMENT A
GROUNDWATER MONITORING FIELD DATA RECORDS

Groundwater Gauging Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Field Personnel M. Rasman Date 11/10/2010 - 11/11/2010
 Weather Conditions PC, mild-cool

Well ID	Depth to Free Product (feet)	Depth to Groundwater (feet)	Casing Elevation (msl)	Groundwater Elevation (msl)	Total Well Depth (feet)	Well Box Conditions
MW-1	—	7.65	328.88	321.23	20.2	
MW-2	—	6.39	327.64	321.25	20.2	
MW-3	—	6.20	327.44	321.24	20	
MW-4S	—	6.50	327.80	321.30	20	
MW-4D	—	6.23	327.67	321.34	30.8	
MW-5S	—	5.90	327.09	321.19	20.2	
MW-5D	—	6.08	327.80	321.22	25.7	
MW-6S	—	5.50	326.53	321.03	19.0	
MW-6D	—	5.51	326.72	321.21	33.9	
MW-7	—	4.92	326.16	321.24	20.0	
MW-8	—	4.63	325.88	321.25	35.0	
MW-9	—	—	325.29	—	40	could not get down below this
MW-10	—	4.32	325.54	321.22	39.4	
MW-11	—	7.81	329.04	321.23	19.6	
MW-12	—	7.92	329.12	321.20	19.6	
MW-13	—	7.72	328.93	321.21	19.6	
MW-14	—	3.20	324.88	321.18	39.8	
MW-15	—	4.84	325.76	320.92	39.6	
MW-16	—	5.42	326.29	320.87	39.8	
MW-17	—	5.63	326.46	320.83	38.5	
FW-1	—	7.69	328.94	321.25	14.4	
FW-2	—	—	328.99	—	14.3	Not gauged / sampled

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MWR Date 11/11/2010
 Weather Conditions PC, mild
 Well ID MW-1
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.2
 Depth to Water 7.65 Depth to Free Product —
 Water Column (ft) 12.55 Product Thickness —
 One Well Volume (gal) 2.13 3x Well Volume (gal) 6.4

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1255							
1257	2	21.1	2.82		7.09		
1259	4	20.9	2.85		7.07		
1302	6	20.5	2.86		7.04		
1303	7	20.3	2.85		7.02		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	✓				
Odor	✓				
Turbidity	✓				
Sheen	✓				
Other:					

Sample Time 1305 Sampler's Signature MWR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MARK Date 11/11/2010
 Weather Conditions PC, mild

Well ID ~~5155~~ MW-2
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.2
 Depth to Water 6.29 Depth to Free Product —
 Water Column (ft) 13.81 Product Thickness ∅
 One Well Volume (gal) 2.35 3x Well Volume (gal) 7.0

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1200							turbid-grey
1202	2	20.0	1.76		7.25		
1205	4	19.9	1.76		7.28		
1207	6	19.8	1.77		7.29		
1208	7	19.8	1.78		7.30		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1210 Sampler's Signature MARK

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MARK Date 11/11/2010
 Weather Conditions PC, mild

Well ID MW-3
 Casing Diameter (inches) 2.0 Total Depth (feet) 20
 Depth to Water 6.20 Depth to Free Product —
 Water Column (ft) 13.80 Product Thickness ∅
 One Well Volume (gal) 2.35 3x Well Volume (gal) 7.0

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1226							
1228	2	24.5	5.00		6.85		
1230	4	24.7	5.49		6.90		
1232	6	24.1	6.98		6.84		
1233	7	23.9	7.54		6.83		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1235 Sampler's Signature MARK

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/10/2010
 Weather Conditions PC, Cool

Well ID MW-4S
 Casing Diameter (inches) 0.75 Total Depth (feet) 20
 Depth to Water 6.50 Depth to Free Product —
 Water Column (ft) 13.50 Product Thickness φ
 One Well Volume (gal) 0.80 3x Well Volume (gal) 2.4

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1600							
1604	1	23.0	4.78	/	6.73	/	
1607	2	22.8	4.86	/	6.70	/	
1611	3	22.7	4.98	/	6.71	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1615 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/10/2010
 Weather Conditions PC, Cool

Well ID MW-4D
 Casing Diameter (inches) 0.75 Total Depth (feet) 30.8
 Depth to Water 6.33 Depth to Free Product —
 Water Column (ft) 24.47 Product Thickness φ
 One Well Volume (gal) 1.44 3x Well Volume (gal) 4.3

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1625							
1628	1	21.4	2.91	/	7.07	/	Dry on/gel
	2			/		/	
	3			/		/	
	4			/		/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1640 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/18/2010
 Weather Conditions PC, Cool

Well ID MW-5S
 Casing Diameter (inches) 0.75 Total Depth (feet) 20.2
 Depth to Water 5.90 Depth to Free Product —
 Water Column (ft) 14.30 Product Thickness Ø
 One Well Volume (gal) 0.84 3x Well Volume (gal) 2.5

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0912							
0916	1	22.2	2.99	/	6.90	/	
0920	2	22.3	3.25	/	6.80	/	
0924	3	22.3	3.33	/	6.77	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 0925 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/11/2010
 Weather Conditions PC, Cool

Well ID MW-5D
 Casing Diameter (inches) 0.75 Total Depth (feet) 25.3
 Depth to Water 6.08 Depth to Free Product —
 Water Column (ft) 19.22 Product Thickness Ø
 One Well Volume (gal) 1.13 3x Well Volume (gal) 3.4

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0936							
0938	1						Dry @ 1 gallon
	2						
	3						
	4						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 0950 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/11/2010
 Weather Conditions PC, mild

Well ID MW-6S
 Casing Diameter (inches) 0.75 Total Depth (feet) 19.0
 Depth to Water 5.50 Depth to Free Product —
 Water Column (ft) 13.5 Product Thickness Ø
 One Well Volume (gal) 0.80 3x Well Volume (gal) 2.4

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1010							
1014	1	22.2	5.17		6.77		
	2						Dry on gel
	3						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1025 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/11/2010
 Weather Conditions PC, mild

Well ID MW-6D
 Casing Diameter (inches) 0.75 Total Depth (feet) 33.9
 Depth to Water 5.51 Depth to Free Product —
 Water Column (ft) 28.39 Product Thickness Ø
 One Well Volume (gal) 1.68 3x Well Volume (gal) 5.0

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1030							
1038	2	21.0	4.46		6.94		
1047	4	21.0	4.35		6.95		
1051	5	21.0	4.30		6.95		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1055 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MARK Date 11/10/2010
 Weather Conditions PC, mild

Well ID MW-7
 Casing Diameter (inches) 0.75 Total Depth (feet) 20.0
 Depth to Water 4.92 Depth to Free Product —
 Water Column (ft) 15.08 Product Thickness ∅
 One Well Volume (gal) 0.89 3x Well Volume (gal) 2.7

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1512				/		/	
1516	1	21.9	4.76	/	6.82	/	
1519	2	22.1	4.53	/	6.80	/	
1523	3	22.1	4.47	/	6.79	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1525 Sampler's Signature MARK

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MARK Date 11/10/2010
 Weather Conditions PC, mild

Well ID MW-8
 Casing Diameter (inches) 0.75 Total Depth (feet) 35.0
 Depth to Water 4.63 Depth to Free Product —
 Water Column (ft) 30.37 Product Thickness ∅
 One Well Volume (gal) 1.79 3x Well Volume (gal) 5.4

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1425				/		/	
1432	2	20.4	3.70	/	6.87	/	
1440	4	20.2	3.70	/	6.87	/	
1447	6	20.4	3.72	/	6.87	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1450 Sampler's Signature MARK

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/10/2010
 Weather Conditions PC, mild

Well ID MW-9
 Casing Diameter (inches) 0.75 Total Depth (feet) 40
 Depth to Water casing blocked/bent? Depth to Free Product
 Water Column (ft) Product Thickness φ
 One Well Volume (gal) 3x Well Volume (gal)

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 peristaltic pump
Sample Method		X	120 peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1255				/		/	
1303	2	20.5	4.55	/	6.72	/	
1310	4	20.5	4.55	/	6.72	/	
1318	6	20.5	4.56	/	6.73	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1320 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/10/2010
 Weather Conditions PC, mild

Well ID MW-10
 Casing Diameter (inches) 0.75 Total Depth (feet) 39.4
 Depth to Water 4.32 Depth to Free Product
 Water Column (ft) 35.08 Product Thickness φ
 One Well Volume (gal) 2.06 3x Well Volume (gal) 6.2

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 peristaltic pump
Sample Method		X	120 peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1324				/		/	
1342	2	20.5	4.64	/	6.85	/	
1350	4	20.4	4.68	/	6.86	/	
1358	6	20.4	4.70	/	6.86	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1400 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/11/2010
 Weather Conditions pc, mild

Well ID ~~1111~~ MW-11
 Casing Diameter (inches) 2.0 Total Depth (feet) 19.6
 Depth to Water 7.81 Depth to Free Product —
 Water Column (ft) 11.79 Product Thickness Φ
 One Well Volume (gal) 2.00 3x Well Volume (gal) 6.0

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12 ✓ purge pump
Sample Method		X	12 ✓ purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1424							
1426	2	19.8	3.41		7.29		
1428	4	19.8	3.45		7.26		
1431	6	19.7	3.42		7.22		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			grey-brown
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1435 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/11/2010
 Weather Conditions pc, mild

Well ID ~~1111~~ MW-12
 Casing Diameter (inches) 2.0 Total Depth (feet) 19.6
 Depth to Water ~~7.81~~ 7.92 Depth to Free Product —
 Water Column (ft) ~~11.79~~ 11.68 Product Thickness Φ
 One Well Volume (gal) ~~2.00~~ 1.99 3x Well Volume (gal) 6.0

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12 ✓ purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1324							
1326	2	19.6	5.03		6.99		
1328	4	19.6	5.08		6.97		
1331	6	19.4	5.04		6.95		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				opaque
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1335 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/11/2010
 Weather Conditions PC, mild

Well ID MW-13
 Casing Diameter (inches) 2.0 Total Depth (feet) 19.6
 Depth to Water 7.72 Depth to Free Product —
 Water Column (ft) 11.88 Product Thickness Ø
 One Well Volume (gal) 2.02 3x Well Volume (gal) 6.1

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1353							
1355	2	20.3	5.73		6.97		
1357	4	20.3	5.73		6.97		
1359	6	20.1	5.50		6.97		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			grey-brown
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1400 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/10/2010
 Weather Conditions PC, Cool

Well ID MW-14
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.5
 Depth to Water 3.20 Depth to Free Product —
 Water Column (ft) 36.30 Product Thickness Ø
 One Well Volume (gal) 6.17 3x Well Volume (gal) 18.5

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1157							ferrous - 1/4 brown
1200	5	20.2	4.78		6.93		Clearing
1202	10	20.2	4.77		6.93		
1205	15	20.2	4.79		6.93		
1207	19	20.2	4.79		6.94		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1210 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/10/2010
 Weather Conditions PC, Cool

Well ID MW-15
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.6
 Depth to Water 4.84 Depth to Free Product —
 Water Column (ft) 34.76 Product Thickness Ø
 One Well Volume (gal) 5.9 3x Well Volume (gal) 17.7

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0917							Sl. turbid
0921	5	19.7	8.15		6.92		clearing
0925	10	19.9	7.87		6.92		turbidity incr.
0928	15	19.4	7.94		6.87		
0931	18	19.4	8.22		6.88		Ø

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			H. brown
Odor	X				
Turbidity		X →			
Sheen	X				
Other:					

Sample Time 0935 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/10/2010
 Weather Conditions PC, Cool

Well ID MW-16
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.5
 Depth to Water 5.42 Depth to Free Product —
 Water Column (ft) 34.08 Product Thickness Ø
 One Well Volume (gal) 5.79 3x Well Volume (gal) 17.3

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1032							turbid - H. brown
1035	5	20.1	5.64		6.75		clearing
1038	10	20.1	5.61		6.75		
1041	15	20.1	5.58		6.74		
1042	17	20.1	5.58		6.74		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1045 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/10/2010
 Weather Conditions PC, Cool

Well ID MW-17
 Casing Diameter (inches) 2.0 Total Depth (feet) 38.5
 Depth to Water 5.63 Depth to Free Product —
 Water Column (ft) 32.87 Product Thickness φ
 One Well Volume (gal) 5.59 3x Well Volume (gal) 16.7

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method	X		

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0953							Ferrous H. brown
0957	5	21.2	6.19		6.98		
	10						DN @ 7' gal @ 1000
	15						
	17						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			BTW @ 1015 ~ 11.5'
Odor	X				
Turbidity		X →			
Sheen					
Other:					

Sample Time 1015 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 11/11/2010
 Weather Conditions PC, mild

Well ID EW-1
 Casing Diameter (inches) 2.0 Total Depth (feet) 14.4
 Depth to Water 7.69 Depth to Free Product —
 Water Column (ft) 6.71 Product Thickness φ
 One Well Volume (gal) 1.14 3x Well Volume (gal) 3.4

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1455							
1457	1	20.1	1.07		6.73		
1458	2	20.3	1.06		6.63		
1459	3	20.3	1.13		6.64		
1500	4	20.3	1.10		6.63		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1500 Sampler's Signature MAR

ATTACHMENT B

**LABORATORY DATA REPORTS AND
CHAIN-OF-CUSTODY RECORDS**



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

23 November 2010

Jim Gribi
 Gribi Associates
 1090 Adam Street, Suite K
 Benicia, CA 94510
 RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 11/13/10 10:15. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

John Shepler
 Laboratory Director

SUNSTAR LABORATORIES
 25712 COMMERCENTRE DRIVE
 LAKE FOREST, CA 92630
 Website: WWW.SUNSTARLABS.COM Email: john@sunstarlabs.com
 Telephone: (949) 297-5020 Fax: (949) 297-5027

Report To: James Gribi
 Company: Gribi Associates
 1090 Adams Street, Suite K
 Benicia, CA 94510
 E-Mail:
 Tele: (707) 748-7743 Fax: (707) 748-7763
 Client Name: Dublin Toyota Global ID: T0660102153
 Project Name: Dublin Toyota
 Samples Signature: *[Signature]*

CHAIN OF CUSTODY RECORD
 TURN AROUND TIME RUSH 24 HR 48 HR 72 HR 5 DAY
 GeoTracker EDF PDF Excel Write On (DW)

SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	MATRIX				METHOD PRESERVED	Analysis Request	Other	Comments Filter Samples for Metals analysis: Yes/No
		Date	Time		Type Containers	Water	Soil	Air				
MW-1		11/11	1305	4	4	X	X	X	X			
MW-2		11/11	1210	4	4	X	X	X	X			
MW-3		11/11	1235	4	4	X	X	X	X			
MW-4S		11/10	1615	4	4	X	X	X	X			
MW-4D		11/10	1640	4	4	X	X	X	X			
MW-5S		11/11	0925	4	4	X	X	X	X			
MW-5D		11/11	0950	4	4	X	X	X	X			
MW-6S		11/11	1025	4	4	X	X	X	X			
MW-6D		11/11	1055	4	4	X	X	X	X			
MW-7		11/10	1525	4	4	X	X	X	X			
MW-8		11/10	1450	4	4	X	X	X	X			
MW-9		11/10	1520	4	4	X	X	X	X			
MW-10		11/10	1400	4	4	X	X	X	X			
MW-11		11/11	1435	4	4	X	X	X	X			

TPH-Gas, BTEX, MTBE (8015M/8021B)
 TPH-Gas (8015M)
 TPH-Diesel (8015M)
 TPH-Motor Oil (8015M)
 TPH-Gas, BTEX, MTRF (8260B)
 TPH-Gas, BTEX, 5 Oxygenates (8260B)
 TPH-Gas, BTEX, 7 Oxygenates (8260B)
 5 Oxygenates (8260B)
 Lead Scavengers [1,2 DCA & 1,2 EDB] (8260B)
 VOC's - Full List (8260B)
 Halogenated VOC's (8260B)
 SVOC's (8270)

RECEIVED BY: *[Signature]* DATE: 11-13-10 TIME: 11:15
 RECEIVED BY: *[Signature]* DATE: 11-13-10 TIME: 11:15
 COMMENTS: **STP, IAT** at 2:30
 11-13-10

7001320



SAMPLE RECEIVING REVIEW SHEET

BATCH # T001320

Client Name: GEOBI

Project: DUBLIN TOYOTA

Received by: Brian

Date/Time Received: 11/13/10 10:15

Delivered by: Client SunStar Courier GSO FedEx Other

Total number of coolers received _____ Temp criteria = 6°C > 0°C (no frozen containers)

Temperature: cooler #1 7.4 °C +/- the CF (-0.2°C) = 7.2 °C corrected temperature

cooler #2 _____ °C +/- the CF (-0.2°C) = _____ °C corrected temperature

cooler #3 _____ °C +/- the CF (-0.2°C) = _____ °C corrected temperature

Samples outside temp. but received on ice, w/in 6 hours of final sampling. Yes No* N/A

Custody Seals Intact on Cooler/Sample Yes No* N/A

Sample Containers Intact Yes No*

Sample labels match COC ID's Yes No*

Total number of containers received match COC Yes No*

Proper containers received for analyses requested on COC Yes No*

Proper preservative indicated on COC/containers for analyses requested Yes No* N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times. Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date sc 11/13/10

Comments:

T001320

SUNSTAR LABORATORIES		SAMPLING		# Containers		MATRIX		METHOD	
SAMPLE ID	LOCATION/ Field Point Name	Date	Time	Type Containers	Water	Soil	Air	Sludge	Other
15	MMW-12	11/11	1335	4 VOX	X	X	X	X	X
16	MMW-13	11/11	1400	4 VOX	X	X	X	X	X
17	MMW-14	11/10	1210	4 VOX	X	X	X	X	X
18	MMW-15	11/10	0935	4 VOX	X	X	X	X	X
19	MMW-16	11/10	1045	4 VOX	X	X	X	X	X
20	MMW-17	11/10	1015	4 VOX	X	X	X	X	X
21	EW-1	11/11	1500	4 VOX	X	X	X	X	X
22	EW-2			4 VOX	X	X	X	X	X

Report To: James Grubb	Bill To:
Company: Grubb Associates	
1090 Adams Street, Suite K	
Berkeley, CA 94510	E-Mail:
Tel: (707) 748-7743	Fax: (707) 748-7763
Client Name: Dublin Toyota	Global ID: T0600102153
Sample Signature: <i>[Signature]</i>	

Website: www.sunstarlabs.com	25712 COMMERCE DRIVE
Telephone: (949) 297-5020	LAKE FOREST, CA 92650
	Email: jlang@sunstarlabs.com
	Fax: (949) 297-5027

Analysis Request	Other	Comments
<input checked="" type="checkbox"/> TPH-Gas, BTEX, MTBE (8015M/8021B) <input type="checkbox"/> TPH-Gas (8015M) <input type="checkbox"/> TPH-Diesel (8015M) <input type="checkbox"/> TPH-Motor Oil (8015M) <input type="checkbox"/> TPH-Gas, BTEX, MTBE (8260B) <input type="checkbox"/> TPH-Gas, BTEX, 5 Oxygenates (8260B) <input type="checkbox"/> TPH-Gas, BTEX, 7 Oxygenates (8260B) <input type="checkbox"/> 5 Oxygenates (8260B) <input type="checkbox"/> Lead Scavengers [1,2 DCA & 1,2 EDB] (8260B) <input type="checkbox"/> VOC's - Full List (8260B) <input type="checkbox"/> Halogenated VOC's (8260B) <input type="checkbox"/> SVOC's (8270)		Filter Samples for Metals analysis: Yes / No

Turn Around Time: <input type="checkbox"/> RUSH 24 HR <input type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Write On (DW)	Chain of Custody Record: <input type="checkbox"/> GeoTracker EDF
--	---

GOOD CONDITION HEAD SPACE ABSENT DECONTAMINATED IN LAB APPROPRIATE CONTAINERS PRESERVED IN LAB	COMMENTS: STD TAT Page 2 of 2 11-13-10 SC
--	---



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi Reported:
11/23/10 10:46

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	T001320-01	Water	11/11/10 13:05	11/13/10 10:15
MW-2	T001320-02	Water	11/11/10 12:10	11/13/10 10:15
MW-3	T001320-03	Water	11/11/10 12:35	11/13/10 10:15
MW-4S	T001320-04	Water	11/11/10 16:15	11/13/10 10:15
MW-4D	T001320-05	Water	11/10/10 16:40	11/13/10 10:15
MW-5S	T001320-06	Water	11/11/10 09:25	11/13/10 10:15
MW-5D	T001320-07	Water	11/11/10 09:50	11/13/10 10:15
MW-6S	T001320-08	Water	11/11/10 10:25	11/13/10 10:15
MW-6D	T001320-09	Water	11/11/10 10:55	11/13/10 10:15
MW-7	T001320-10	Water	11/10/10 15:25	11/13/10 10:15
MW-8	T001320-11	Water	11/10/10 14:50	11/13/10 10:15
MW-9	T001320-12	Water	11/10/10 13:20	11/13/10 10:15
MW-10	T001320-13	Water	11/10/10 14:00	11/13/10 10:15
MW-11	T001320-14	Water	11/11/10 14:35	11/13/10 10:15
MW-12	T001320-15	Water	11/11/10 13:35	11/13/10 10:15
MW-13	T001320-16	Water	11/11/10 14:00	11/13/10 10:15
MW-14	T001320-17	Water	11/10/10 12:10	11/13/10 10:15
MW-15	T001320-18	Water	11/10/10 09:35	11/13/10 10:15
MW-16	T001320-19	Water	11/10/10 10:45	11/13/10 10:15
MW-17	T001320-20	Water	11/10/10 10:15	11/13/10 10:15
EW-1	T001320-21	Water	11/11/10 15:00	11/13/10 10:15

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi Reported:
11/23/10 10:46

**MW-1
T001320-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	120	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	29	1.0	"	"	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	"
Surrogate: Toluene-d8		102 %	84.7-109	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		95.0 %	83.5-119	"	"	"	"	"	"
Surrogate: Dibromofluoromethane		98.0 %	81.1-136	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: 147-01-03 Project Manager: Jim Gribi	Reported: 11/23/10 10:46
--	---	------------------------------------

**MW-2
T001320-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	5.4	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	102 %	84.7-109	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.8 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	101 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: 147-01-03 Project Manager: Jim Gribi	Reported: 11/23/10 10:46
--	---	------------------------------------

**MW-3
T001320-03 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	26	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	27	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	100 %	84.7-109	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.6 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	99.8 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: 147-01-03
 Benicia CA, 94510 Project Manager: Jim Gribi **Reported:**
 11/23/10 10:46

MW-4S
T001320-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	460	25	"	25	"	"	11/21/10	"	
C6-C12 (GRO)	250	50	"	1	"	"	11/17/10	"	
Surrogate: Toluene-d8	101 %	84.7-109	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	94.4 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	103 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: 147-01-03
 Benicia CA, 94510 Project Manager: Jim Gribi **Reported:**
 11/23/10 10:46

MW-4D
T001320-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	59	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	100 %	84.7-109	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.5 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	103 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: 147-01-03
 Benicia CA, 94510 Project Manager: Jim Gribi **Reported:**
 11/23/10 10:46

MW-5S
T001320-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	1200	500	"	50	"	"	11/21/10	"	
Di-isopropyl ether	ND	2.0	"	1	"	"	11/17/10	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	51	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>	<i>101 %</i>	<i>84.7-109</i>	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>94.4 %</i>	<i>83.5-119</i>	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>	<i>106 %</i>	<i>81.1-136</i>	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: 147-01-03
 Benicia CA, 94510 Project Manager: Jim Gribi **Reported:**
 11/23/10 10:46

MW-5D
T001320-07 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	360	10	"	"	"	"	"	"	E-1
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	2300	100	"	100	"	"	11/21/10	"	
C6-C12 (GRO)	700	50	"	1	"	"	11/17/10	"	
<i>Surrogate: Toluene-d8</i>	<i>104 %</i>	<i>84.7-109</i>	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>95.0 %</i>	<i>83.5-119</i>	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>	<i>102 %</i>	<i>81.1-136</i>	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: 147-01-03
 Benicia CA, 94510 Project Manager: Jim Gribi Reported:
 11/23/10 10:46

MW-6S
T001320-08 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	170	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	110	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	100 %	84.7-109	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.5 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	109 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: 147-01-03
 Benicia CA, 94510 Project Manager: Jim Gribi Reported:
 11/23/10 10:46

MW-6D
T001320-09 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	44	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	101 %	84.7-109	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	97.1 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	110 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi Reported:
11/23/10 10:46

MW-7
T001320-10 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	790	10	"	"	"	"	"	"	E-1
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	2700	100	"	100	"	"	11/21/10	"	
C6-C12 (GRO)	790	50	"	1	"	"	11/17/10	"	

Surrogate: Toluene-d8 100 % 84.7-109
Surrogate: 4-Bromofluorobenzene 97.4 % 83.5-119
Surrogate: Dibromofluoromethane 108 % 81.1-136

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

SunStar Laboratories, Inc.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi Reported:
11/23/10 10:46

MW-8
T001320-11 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	350	25	"	25	"	"	11/21/10	"	
C6-C12 (GRO)	220	50	"	1	"	"	11/17/10	"	

Surrogate: Toluene-d8 99.9 % 84.7-109
Surrogate: 4-Bromofluorobenzene 94.0 % 83.5-119
Surrogate: Dibromofluoromethane 107 % 81.1-136

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

SunStar Laboratories, Inc.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: 147-01-03 Project Manager: Jim Gribi	Reported: 11/23/10 10:46
--	---	------------------------------------

**MW-9
T001320-12 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	1200	10	"	"	"	"	"	"	E-1
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	800	50	"	50	"	"	11/21/10	"	
C6-C12 (GRO)	400	50	"	1	"	"	11/17/10	"	
Surrogate: Toluene-d8	101 %	84.7-109	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.0 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	110 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: 147-01-03 Project Manager: Jim Gribi	Reported: 11/23/10 10:46
--	---	------------------------------------

**MW-10
T001320-13 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/21/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	6.4	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	101 %	84.7-109	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	98.1 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	106 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: 147-01-03 Project Manager: Jim Gribi	Reported: 11/23/10 10:46
--	---	------------------------------------

MW-11
T001320-14 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/18/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	530	10	"	"	"	"	"	"	E-1
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	180	25	"	25	"	"	11/21/10	"	
C6-C12 (GRO)	110	50	"	1	"	"	11/18/10	"	
<i>Surrogate: Toluene-d8</i>	98.8 %	84.7-109	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	94.2 %	83.5-119	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>	106 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: 147-01-03 Project Manager: Jim Gribi	Reported: 11/23/10 10:46
--	---	------------------------------------

MW-12
T001320-15 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/18/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	1300	10	"	"	"	"	"	"	E-1
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	680	50	"	50	"	"	11/21/10	"	
C6-C12 (GRO)	380	50	"	1	"	"	11/18/10	"	
<i>Surrogate: Toluene-d8</i>	101 %	84.7-109	"	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	97.5 %	83.5-119	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>	107 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: 147-01-03 Project Manager: Jim Gribi	Reported: 11/23/10 10:46
--	---	------------------------------------

MW-13
T001320-16 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/18/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	810	10	"	"	"	"	"	"	E-1
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	550	25	"	25	"	"	11/21/10	"	
C6-C12 (GRO)	320	50	"	1	"	"	11/18/10	"	
<i>Surrogate: Toluene-d8</i>	<i>98.4 %</i>	<i>84.7-109</i>							
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>95.6 %</i>	<i>83.5-119</i>							
<i>Surrogate: Dibromofluoromethane</i>	<i>109 %</i>	<i>81.1-136</i>							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: 147-01-03 Project Manager: Jim Gribi	Reported: 11/23/10 10:46
--	---	------------------------------------

MW-14
T001320-17 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/21/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	4.8	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>	<i>97.6 %</i>	<i>84.7-109</i>							
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>96.1 %</i>	<i>83.5-119</i>							
<i>Surrogate: Dibromofluoromethane</i>	<i>117 %</i>	<i>81.1-136</i>							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi **Reported:**
11/23/10 10:46

MW-15
T001320-18 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/18/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		98.5 %	84.7-109	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		96.4 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		114 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi **Reported:**
11/23/10 10:46

MW-16
T001320-19 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/18/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	830	1.0	"	"	"	"	"	"	E-1
C6-C12 (GRO)	520	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		99.2 %	84.7-109	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		94.5 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		115 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi **Reported:**
11/23/10 10:46

MW-17
T001320-20 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	0111507	11/15/10	11/18/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		97.9 %	84.7-109	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		94.1 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		111 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi **Reported:**
11/23/10 10:46

EW-1
T001320-21 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	53	0.50	ug/l	1	0111602	11/16/10	11/17/10	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	7.5	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	150	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	140	25	"	25	"	"	11/21/10	"	
C6-C12 (GRO)	740	50	"	1	"	"	11/17/10	"	
Surrogate: Toluene-d8		110 %	84.7-109	"	"	"	"	"	S-GC
Surrogate: 4-Bromofluorobenzene		101 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		101 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi Reported:
11/23/10 10:46

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------------------	-----	-----------	-------

Batch 0111507 - EPA 5030 GCMS

Blank (0111507-BLK1) Prepared: 11/15/10 Analyzed: 11/17/10									
Benzene	ND	0.50	ug/l						
Toluene	ND	0.50	"						
Ethylbenzene	ND	0.50	"						
m,p-Xylene	ND	1.0	"						
o-Xylene	ND	0.50	"						
Tert-amyl methyl ether	ND	2.0	"						
Tert-butyl alcohol	ND	10	"						
Di-isopropyl ether	ND	2.0	"						
Ethyl tert-butyl ether	ND	2.0	"						
Methyl tert-butyl ether	ND	1.0	"						
C6-C12 (GRO)	ND	50	"						
Surrogate: Toluene-d8	8.25		"	8.00	103	84.7-109			
Surrogate: 4-Bromofluorobenzene	7.76		"	8.00	97.0	83.5-119			
Surrogate: Dibromofluoromethane	8.35		"	8.00	104	81.1-136			

LCS (0111507-BS1) Prepared: 11/15/10 Analyzed: 11/18/10									
Chlorobenzene	17.3	1.0	ug/l	20.0	86.5	75-125			
1,1-Dichloroethene	22.8	1.0	"	20.0	114	75-125			
Trichloroethene	18.6	1.0	"	20.0	93.2	75-125			
Benzene	19.3	0.50	"	20.0	96.6	75-125			
Toluene	19.3	0.50	"	20.0	96.4	75-125			
Surrogate: Toluene-d8	8.16		"	8.00	102	84.7-109			
Surrogate: 4-Bromofluorobenzene	7.06		"	8.00	88.2	83.5-119			
Surrogate: Dibromofluoromethane	9.54		"	8.00	119	81.1-136			

LCS Dup (0111507-BS1) Prepared: 11/15/10 Analyzed: 11/18/10									
Chlorobenzene	18.6	1.0	ug/l	20.0	92.8	75-125	7.08	20	
1,1-Dichloroethene	22.7	1.0	"	20.0	114	75-125	0.439	20	
Trichloroethene	19.3	1.0	"	20.0	96.4	75-125	3.43	20	
Benzene	20.2	0.50	"	20.0	101	75-125	4.45	20	
Toluene	20.3	0.50	"	20.0	102	75-125	5.30	20	
Surrogate: Toluene-d8	8.08		"	8.00	101	84.7-109			
Surrogate: 4-Bromofluorobenzene	7.09		"	8.00	88.6	83.5-119			
Surrogate: Dibromofluoromethane	9.02		"	8.00	113	81.1-136			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi Reported:
11/23/10 10:46

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------------------	-----	-----------	-------

Batch 0111602 - EPA 5030 GCMS

Blank (0111602-BLK1) Prepared: 11/16/10 Analyzed: 11/17/10									
Benzene	ND	0.50	ug/l						
Toluene	ND	0.50	"						
Ethylbenzene	ND	0.50	"						
m,p-Xylene	ND	1.0	"						
o-Xylene	ND	0.50	"						
Tert-butyl alcohol	ND	10	"						
Methyl tert-butyl ether	ND	1.0	"						
C6-C12 (GRO)	ND	50	"						
Surrogate: Toluene-d8	8.20		"	8.00	102	84.7-109			
Surrogate: 4-Bromofluorobenzene	7.76		"	8.00	97.0	83.5-119			
Surrogate: Dibromofluoromethane	8.67		"	8.00	108	81.1-136			

LCS (0111602-BS1) Prepared: 11/16/10 Analyzed: 11/17/10									
Chlorobenzene	17.2	1.0	ug/l	20.0	85.8	75-125			
1,1-Dichloroethene	23.9	1.0	"	20.0	120	75-125			
Trichloroethene	23.4	1.0	"	20.0	117	75-125			
Benzene	20.3	0.50	"	20.0	102	75-125			
Toluene	19.2	0.50	"	20.0	95.9	75-125			
Surrogate: Toluene-d8	7.98		"	8.00	99.8	84.7-109			
Surrogate: 4-Bromofluorobenzene	7.30		"	8.00	91.2	83.5-119			
Surrogate: Dibromofluoromethane	9.71		"	8.00	121	81.1-136			

Matrix Spike (0111602-MS1) Source: T001325-01 Prepared: 11/16/10 Analyzed: 11/17/10									
Chlorobenzene	19.7	1.0	ug/l	20.0	ND	98.4	75-125		
1,1-Dichloroethene	23.7	1.0	"	20.0	ND	118	75-125		
Trichloroethene	18.7	1.0	"	20.0	ND	93.5	75-125		
Benzene	20.1	0.50	"	20.0	ND	101	75-125		
Toluene	20.2	0.50	"	20.0	0.210	99.8	75-125		
Surrogate: Toluene-d8	8.03		"	8.00	100	84.7-109			
Surrogate: 4-Bromofluorobenzene	7.93		"	8.00	99.1	83.5-119			
Surrogate: Dibromofluoromethane	9.76		"	8.00	122	81.1-136			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi Reported:
11/23/10 10:46

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0111602 - EPA 5030 GCMS

Matrix Spike Dup (0111602-MSD1)	Source: T001325-01		Prepared: 11/16/10		Analyzed: 11/17/10				
Chlorobenzene	18.6	1.0	ug/l	20.0	ND	92.8	75-125	5.86	20
1,1-Dichloroethene	22.8	1.0	"	20.0	ND	114	75-125	3.53	20
Trichloroethene	19.0	1.0	"	20.0	ND	95.0	75-125	1.64	20
Benzene	20.7	0.50	"	20.0	ND	104	75-125	2.84	20
Toluene	20.4	0.50	"	20.0	0.210	101	75-125	1.38	20
Surrogate: Toluene-d8	8.09		"	8.00		101	84.7-109		
Surrogate: 4-Bromofluorobenzene	7.54		"	8.00		94.2	83.5-119		
Surrogate: Dibromofluoromethane	9.64		"	8.00		120	81.1-136		

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: 147-01-03
Benicia CA, 94510 Project Manager: Jim Gribi Reported:
11/23/10 10:46

Notes and Definitions

- S-GC Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).
- E-1 The final dilution was lower than the original data or previous dilutions. The highest recovered concentration was reported even though it was above calibration range.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director