



February 8, 2013

RECEIVED

By Alameda County Environmental Health at 3:43 pm, Feb 08, 2013

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Mr. Dilan Roe

Subject: Second Semi-Annual 2012 Groundwater Monitoring Report
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 0000333

Ladies and Gentlemen:

Attached please find a copy of the *Second Semi-Annual 2012 Groundwater Monitoring Report, Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California*, prepared by Gribi Associates. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Very truly yours,

A handwritten signature in black ink, appearing to read "Scott F. Anderson".

Scott F. Anderson
Chief Financial Officer
Dublin Toyota





February 8, 2013

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Mr. Dilan Roe

Subject: Second Semi-Annual 2012 Groundwater Monitoring Report
Dublin Toyota UST Site
6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 0000333, Geotracker Global ID T0600102153

Ladies and Gentlemen:

Gribi Associates is pleased to submit this Second Semi-Annual 2012 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Figures 1, 2, and 3). This report summarizes groundwater monitoring activities conducted at the site on December 10, 20, and 21, 2012.

DESCRIPTION OF MONITORING ACTIVITIES

1. Gribi Associates personnel conducted groundwater monitoring activities for 22 site wells (MW-1, MW-2, MW-3, MW-4S, MW-4D, MW-5S, MW-5D, MW-6S, MW-6D, MW-7 through MW-17, EW-1, and EW-2) on December 10, 20, and 21, 2012.
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
 - a. measuring static water levels;
 - b. checking for presence of free-product; and
 - c. purging of approximately three well volumes while recording temperature, pH, electroconductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

RESULTS OF GROUNDWATER MONITORING

Hydrologic Conditions

1. Groundwater depths ranged from approximately 2.18 feet (MW-14) to 6.53 feet (MW-12).
2. Groundwater elevations, which are shown on Figures 4 and 5, ranged from 321.39 feet (MW-6S) to 322.70 feet (MW-4D).
3. Groundwater elevations in shallow (“A” Zone) and deeper (“B” Zone) wells are variable and relatively flat.
 - a. Based on the MTBE plume configuration, groundwater flow direction trends in a southwest to southerly direction.
4. Free-product was not present in any of the wells.

Laboratory Analytical Results

1. Groundwater samples from the 22 wells were analyzed for the following parameters with standard method turn around time on results:
 - a. USEPA 8260B Total Petroleum Hydrocarbons as Gasoline (TPH-G)
 - b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
 - c. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Groundwater analytical results are summarized in Table 1.
3. Groundwater hydrocarbon results for this monitoring event are summarized on Figures 4 and 5.
4. The laboratory analytical data report and chain-of custody are contained in Attachment B.

OZONE REMEDIATION

1. Gribi Associates initiated ozone remediation at the site on February 27, 2012.
2. The system experienced moderate amounts of downtime due to general wear and tear on various components that required repair and/or replacement.
3. The system was shut down in late November 2012 when the present site tenants discontinued business activities and electrical service at the site.

CONCLUSIONS

1. During this monitoring event, groundwater MTBE and TBA concentrations were generally similar to or lower than previous sampling events.
2. Decreases in MTBE/TBA concentrations in “A” Zone wells MW-6S, MW-7, and MW-13, and in “B” Zone wells MW-5D and MW-8 indicate that ozone injection reduced shallow and deep MTBE/TBA groundwater impacts beneath the site.

3. Decreases in MTBE/TBA groundwater concentrations in "A" Zone wells MW-11 and MW-12 indicate that natural attenuation is continuing to degrade MTBE/TBA groundwater impacts beneath the site.
4. Given the significant amount of MTBE/TBA groundwater degradation (from both ozone injection and natural attenuation), this site would seem to meet low-threat closure criteria, either using the recently-adopted *Low-Threat Closure Policy* or the Regional Water Board's 1996 supplemental guidance criteria for low risk case closure.
5. We recommend that Alameda County Department of Environmental Health (ACDEH) review this site for regulatory closure.

PLANNED ACTIVITIES


1. Unless otherwise directed by ACDEH, Gribi Associates plans to conduct semi-annual groundwater monitoring at the site during the second quarter of 2013.

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,



Matthew A. Rosman
Project Engineer




James E. Gribi
Professional Geologist
California No. 5843



Enclosure

- c: Mr. Scott Anderson, Dublin Toyota, 4321 Toyota Drive, Dublin, CA 94568
Mr. Nolan Davis, 50 Oak Court, Danville, CA 94526-4039

FIGURES



DESIGNED BY:	CHECKED BY:
DRAWN BY: MAR	SCALE:
PROJECT NO:	


SITE VICINITY MAP

DUBLIN TOYOTA UST SITE
6450 DUBLIN COURT
DUBLIN, CALIFORNIA


DATE: 02/08/2013

FIGURE: 1





DESIGNED BY:	CHECKED BY:	SITE AREA PLAN DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 02/08/2013	FIGURE: 2
DRAWN BY: MAR	SCALE:			
PROJECT NO:				




DESIGNED BY:	CHECKED BY:	SITE PLAN DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 02/08/2013	FIGURE: 3
DRAWN BY: MAR	SCALE:			
PROJECT NO:				


- "A" Zone Groundwater Monitoring Well - Screened from approximately 0-30 feet below surface grade.
- "B" Zone Groundwater Monitoring Well - Screened from approximately 30-40 feet below surface grade.
- Ozone Injection Well

Groundwater hydrocarbon concentration reported in micrograms per liter (ug/L)

**"A" ZONE
GROUNDWATER
MTBE/TBA = 100 UG/L**




DESIGNED BY:	CHECKED BY:	"A" ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 12/2012 DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 02/08/2013	FIGURE: 4
DRAWN BY: MAR	SCALE:			
PROJECT NO:				



- "A" Zone Groundwater Monitoring Well - Screened from approximately 0-30 feet below surface grade.
 - "B" Zone Groundwater Monitoring Well - Screened from approximately 30-40 feet below surface grade.
 - Ozone Injection Well

Groundwater hydrocarbon concentration reported in micrograms per liter (ug/L)



DESIGNED BY:	CHECKED BY:	“B” ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 12/2012	DATE: 02/08/2013	FIGURE: 5
DRAWN BY: MAR	SCALE:			
PROJECT NO:				
DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA				

TABLE

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-1	12/15/98	5.74	323.14	46,000	<100	<100	<100	<100	-	-	-	-	62,000	-
"A" Zone	04/06/99	5.09	323.79	45,000	<50	<50	<50	<50	-	-	-	-	86,000¹	-
<328.88>	07/14/99	6.18	322.7	2,800	<100	<100	<100	<100	-	-	-	-	65,000¹	-
	10/14/99	6.86	322.02	11,000	<17	<17	<17	<17	-	-	-	-	98,000¹	-
	08/18/00	6.98	321.9	36,000	<50	<50	<50	<50	-	-	-	-	66,000¹	-
	05/29/02	6.42	322.46	29,100	<15	<15	<15	<30	841	<500	<100	N50	27,800¹	-
	11/20/02	6.65	322.23	110	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	20,000	-
	04/06/03	5.95	322.93	1,300	<1.0	<1.0	<1.0	<1.0	10	360	<2.0	2.2	15,000	-
	07/13/03	6.55	322.33	74	<0.50	<0.50	<0.50	<1.0	10	42	<5.0	<5.0	15,000	-
	02/11/04	5.74	323.14	<50	<0.50	<0.50	<0.50	<1.0	10	420	<2.0	2.5	34,000	-
	06/16/04	6.37	322.51	180	<0.50	<0.50	<0.50	<1.0	6.8	290	<2.0	<2.0	7,600	-
	10/16/04	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6,720	-
	12/30/04	5.84	323.04	92	<0.50	<0.50	<0.50	<1.0	5.2	<10	<2.0	<2.0	2,600	-
	03/22/05	5.22	323.66	<50	<0.50	<0.50	<0.50	<1.0	7.3	<10	<2.0	<2.0	6,900	-
	06/10/05	6.17	322.71	100	<0.50	<0.50	<0.50	<1.0	9.8	<10	<2.0	<2.0	25,000	-
	10/04/05	7.49	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,500	-
	12/21/05	7.18	321.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6,800	-
	03/30/06	5.81	323.07	<50	<0.50	<0.50	1.1	2.6	<2.0	<10	<2.0	<2.0	6,900	-
	06/01/06	7.20	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5,100	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	09/12/06	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	2.2	960	<2.0	<2.0	2,400	-
	11/21/06	7.68	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	930	-
	02/27/07	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,100	-
	06/07/07	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,500	<2.0	<2.0	1,100	-
	09/14/07	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<20	640	<2.0	<2.0	280	-
	11/17/07	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<20	1,400	<2.0	<2.0	260	-
	02/28/08	5.56	323.32	NA	<0.50	<0.50	<0.50	<1.0	<20	1,300	<2.0	<2.0	130	-
	06/04/08	6.96	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,700	<2.0	<2.0	290	-
	09/11/08	7.24	321.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	160	-
	12/23/08	6.84	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	-
	03/17/09	5.91	322.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	17	-
	06/26/09	7.21	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	390	<2.0	<2.0	74	-
	12/03/09	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	2,800	<2.0	<2.0	15	-
	06/11/10	6.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	58	-
	11/11/10	7.65	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	29	-
	06/01/11	6.64	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	14	-
	12/06/11	7.43	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	10	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	88	<2.0	<2.0	8.3	-
	12/10/12	6.21	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	38	<2.0	<2.0	8.0	-
MW-2	12/15/98	4.3	323.34	<50	<0.50	0.90	<0.50	1.5	-	-	-	-	<5.0	-
"A" Zone	04/06/99	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-	<5.0	-
<327.64>	07/14/99	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-	<5.0	-
	10/14/99	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-	<5.0	-
	08/18/00	5.72	321.92	<50	<0.50	<0.50	<0.50	1.1	-	-	-	-	16	-
	05/29/02	5.18	322.46	<50	<0.3	<0.3	<0.3	3.9	<2.0	<10	<2.0	<2.0	2.6	-
	11/20/02	5.52	322.12	57	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	9.1	-
	04/06/03	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	5.7	-
	07/13/03	5.24	322.40	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	6.5	-
	02/11/04	4.45	323.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5	-
	06/16/04	4.93	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120	-
	10/16/04	5.97	321.67	78	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	43.2	-
	12/30/04	4.74	322.9	<50	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	14	-
	03/22/05	3.86	323.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	-
	06/10/05	4.83	322.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	14	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	10/04/05	6.19	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2	-
	12/21/05	5.81	321.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	03/30/06	4.55	323.09	<50	<0.50	<0.50	<0.50	3.9	<2.0	<10	<2.0	<2.0	13	-
	06/01/06	5.93	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	14	-
	09/12/06	8.65	318.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22	-
	11/21/06	6.42	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19	-
	02/27/07	5.14	322.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	-
	06/07/07	6.18	321.46	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	30	-
	09/14/07	6.31	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	25	-
	11/17/07	5.90	321.74	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	-
	02/28/08	4.19	323.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10.0	<2.0	<2.0	14	-
	06/04/08	5.58	322.06	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18	-
	09/11/08	5.92	321.72	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	38	-
	12/23/08	5.56	322.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	39	-
	03/17/09	4.64	323.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	36	-
	06/26/09	5.90	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18	-
	12/03/09	5.98	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	-
	06/11/10	5.30	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6	-
	11/11/10	6.39	321.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.4	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	06/01/11	5.39	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.1	-
	12/07/11	6.17	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.8	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	6.07	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0	-
	12/10/12	5.00	322.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.9	-
MW-3	08/18/00	5.67	321.77	210	<0.50	0.58	<0.50	0.59	-	-	-	-	570¹	-
"A" Zone	05/29/02	5.1	322.34	<50	<0.3	<0.3	<0.3	219	<2.0	<10	<2.0	<2.0	281	-
<327.44>	11/20/02	5.56	321.88	200	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	460	-
	04/06/03	4.64	322.8	270	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	340	-
	07/13/03	5.48	321.96	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	460	-
	02/11/04	4.47	322.97	<50	<0.50	<0.50	<0.50	<1.0	2.2	1,000	<2.0	<2.0	4,000	-
	06/16/04	5.23	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	240	-
	10/16/04	5.92	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	210	-
	12/30/04	4.54	322.9	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	190	-
	03/22/05	3.9	323.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	210	-
	06/10/05	4.83	322.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	230	-
	10/04/05	6.02	321.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	380	-
	12/21/05	5.74	321.7	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	320	-
	03/30/06	4.35	323.09	<50	<0.50	<0.50	1.3	3.0	<2.0	<10	<2.0	<2.0	160	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	06/01/06	5.69	321.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	270	-
	09/12/06	6.21	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130	-
	11/21/06	6.29	321.15	<50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	90	-
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	39	-
	06/7/07	5.98	321.46	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	270	-
	09/14/07	6.11	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	59	-
	11/17/07	5.86	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	75	-
	02/28/08	4.12	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	36	-
	06/04/08	5.47	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	20	<2.0	<2.0	30	-
	09/11/08	5.75	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	51	<2.0	<2.0	36	-
	12/23/08	5.45	321.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	41	-
	03/17/09	4.55	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12	-
	06/26/09	5.78	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12	-
	12/03/09	5.87	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	62	<2.0	<2.0	15	-
	06/10/10	5.19	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20	-
	11/11/10	6.20	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	26	<2.0	<2.0	27	-
	06/01/11	5.17	322.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	10	<2.0	<2.0	7.9	-
	12/06/11	6.03	321.41	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	5.83	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.8	-
	12/20/12	5.02	322.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.2	-
MW-4S	04/27/06	5.03	322.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
"A" Zone	06/01/06	3.72	324.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<327.80>	9/12/06	6.01	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	11/21/06	6.68	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.1	-
	02/27/07	5.39	322.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.0	-
	06/07/07	6.38	321.42	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	27	-
	09/14/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	-
	11/17/07	6.39	321.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73	-
	02/28/08	4.65	323.15	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	360	-
	06/04/08	5.93	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	820	-
	09/11/08	6.09	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	190	<2.0	<2.0	400	-
	12/23/08	5.93	321.87	86	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	310	-
	03/17/09	4.98	322.82	540	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,100	-
	06/26/09	6.13	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	170	-
	12/03/09	6.33	321.47	280	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	590	-
	06/10/10	5.56	322.24	160	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	690	-
	11/11/10	6.50	321.30	250	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	460	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	06/03/11	5.46	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	670	-
	12/07/11	6.34	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	380	<2.0	<2.0	640	-
Ozone Remediation Initiated on February 27, 2012														
	03/22/12	5.48	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	370	<2.0	<2.0	540	<0.40 / <5,000
	04/27/12	5.07	322.73	<50	<0.50	<0.50	<0.50	<1.0	<2.0	460	<2.0	<2.0	770	<0.40 / <5,000
	07/13/12	6.22	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	370	<2.0	<2.0	1,100	-
	12/20/12	5.35	322.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	250	<2.0	<2.0	290	-
MW-4D	04/27/06	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
"B" Zone	06/01/06	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<327.67>	09/12/06	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	11/21/06	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	06/07/07	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	09/14/07	-	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	11/17/07	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	02/28/08	6.05	321.62	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	06/04/08	6.49	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.2	-
	09/11/08	7.06	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.0	-
	12/23/08	6.60	321.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	03/17/09	5.05	322.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.9	-
	06/26/09	5.93	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9	-
	12/03/09	6.21	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	56	-
	06/10/10	5.44	322.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	54	-
	11/10/10	6.33	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	59	-
	06/03/11	5.07	322.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	11	<2.0	<2.0	40	-
	12/07/11	6.12	321.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	40	<2.0	<2.0	60	-
Ozone Remediation Initiated on February 27, 2012														
	3/22/12	5.43	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	51	<0.20 / <5,000
	04/27/12	4.92	322.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	66	<0.20 / <5,000
	07/13/12	6.19	321.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	41	-
	12/20/12	4.97	322.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	87	-
MW-5S	04/27/06	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	4.6	<10	<2.0	<2.0	10,000	-
"A" Zone	06/01/06	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8,300	-
<327.09>	09/12/06	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	3.5	340	<2.0	<2.0	6,500	-
	11/21/06	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	3.5	1,200	<2.0	<2.0	4,700	-
	02/27/07	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	2.9	1,400	<2.0	<2.0	3,800	-
	06/07/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	3.2	<10	<2.0	<2.0	7,800	-
	09/14/07	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	640	<2.0	<2.0	2,700	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	11/17/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	47	<2.0	<2.0	4,700	-
	02/28/08	3.86	323.23	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700	-
	06/04/08	5.21	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.7	1,500	<2.0	<2.0	7,300	-
	09/11/08	-	-	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,800	<2.0	<2.0	2,700	-
	12/23/08	5.15	321.94	600	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,400	-
	03/17/09	4.29	322.80	830	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900	-
	06/26/09	5.49	321.60	150	<0.50	<0.50	<0.50	<1.0	<2.0	590	<2.0	<2.0	620	-
	12/03/09	5.66	321.43	160	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	190	-
	06/09/10	4.91	322.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	390	<2.0	<2.0	60	-
	11/11/10	5.90	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	51	-
	06/03/11	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	23	<2.0	<2.0	9.2	-
	12/07/11	5.70	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	16	-
Ozone Remediation Initiated on February 27, 2012														
	03/22/12	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6	<0.2 / <50
	04/27/12	4.46	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	13	<2.0	<2.0	20	<0.2 / <50
	07/13/12	5.56	321.53	<50	<0.50	<0.50	<0.50	<1.0	<2.0	53	<2.0	<2.0	35	-
	12/20/12	4.65	322.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	94	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-5D	04/27/06	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900	-
"B" Zone	06/01/06	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300	-
<327.30>	09/12/06	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	2.6	150	<2.0	<2.0	3,900	-
	11/21/06	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	4.0	1,300	<2.0	<2.0	2,600	-
	02/27/07	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	440	<2.0	<2.0	1,900	-
	06/07/07	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700	-
	09/14/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	170	<2.0	<2.0	1,600	-
	11/17/07	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3,000	-
	02/28/08	5.22	322.08	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	890	-
	06/04/08	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	160	<2.0	<2.0	1,500	-
	09/11/08	-	-	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	2,500	-
	12/23/08	7.57	319.73	670	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,800	-
	03/17/09	5.35	321.95	720	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,100	-
	06/26/09	6.54	320.76	360	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,600	-
	12/03/09	5.81	321.49	1,100	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	1,500	-
	06/09/10	5.09	322.21	560	<0.50	<0.50	<0.50	<1.0	<2.0	560	<2.0	<2.0	2,200	-
	11/11/10	6.08	321.22	700	<0.50	<0.50	<0.50	<1.0	<2.0	360	<2.0	<2.0	2,300	-
	06/03/11	4.98	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	610	<2.0	<2.0	1,200	-
	12/07/11	5.91	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	430	<2.0	<2.0	690	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
Ozone Remediation Initiated on February 27, 2012														
	03/22/12	5.14	322.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	390	<0.2 / <10,000
	04/27/12	4.59	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	16	<2.0	<2.0	450	<0.2 / <10,000
	07/13/12	5.64	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	93	-
	12/20/12	4.84	322.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	63	-
MW-6S	04/27/06	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	190	-
"A" Zone	06/01/06	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73	-
<326.53>	09/12/06	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130	-
	11/21/06	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	140	-
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	87	-
	06/07/07	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83	-
	09/14/07	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72	-
	11/17/07	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72	-
	02/28/08	5.03	321.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	68	-
	06/04/08	5.34	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	65	-
	09/11/08	5.74	320.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130	-
	12/23/08	5.86	320.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83	-
	03/17/09	4.80	321.73	61	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	160	-
	06/26/09	5.44	321.09	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	12/03/09	5.03	321.50	130	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	220	-
	06/11/10	4.05	322.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120	-
	11/11/10	5.50	321.03	110	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	170	-
	06/03/11	4.06	322.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	31	<2.0	<2.0	110	-
	12/07/11	4.73	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	62	<2.0	<2.0	98	-
Ozone Remediation Initiated on February 27, 2012														
	03/22/12	1.21	325.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	90	-
	04/27/12	8.14	318.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	39	-
	07/13/12	6.30	320.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	15	<2.0	<2.0	35	-
	12/20/12	5.14	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	70	-
MW-6D	04/27/06	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22	-
"B" Zone	06/01/06	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	-
<326.72>	09/12/06	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.3	-
	11/21/06	5.52	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8	-
	02/27/07	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6	-
	06/07/07	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5	-
	09/14/07	5.42	321.3	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	-
	11/17/07	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26	-
	02/28/08	3.41	323.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.3	-
	06/04/08	4.78	321.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	09/11/08	5.10	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	64	-
	12/23/08	4.67	322.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.8	-
	03/17/09	3.88	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26	-
	06/26/09	5.06	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/03/09	5.25	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	52	-
	06/11/10	4.50	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19	-
	11/11/10	5.51	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	44	-
	06/03/11	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	17	-
	12/07/11	5.38	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	24	-
Ozone Remediation Initiated on February 27, 2012														
	03/22/12	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19	-
	04/27/12	4.06	322.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	-
	07/13/12	5.12	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	-
	12/20/12	4.28	322.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20	-
MW-7	04/27/06	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
"A" Zone	06/01/06	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	16	-
<326.16>	09/12/06	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81	-
	11/21/06	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	180	-
	02/27/07	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	350	-
	06/07/07	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	520	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	09/14/07	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	13	<2.0	<2.0	270	-
	11/17/07	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	710	-
	02/28/08	3.07	323.09	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,800	-
	06/04/08	4.31	321.85	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,100	<2.0	<2.0	4,300	-
	09/11/08	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,100	<2.0	<2.0	3,200	-
	12/23/08	4.24	321.92	590	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300	-
	03/17/09	3.41	322.75	1,700	<0.50	<0.50	<0.50	<1.0	2.9	<10	<2.0	<2.0	4,100	-
	06/26/09	4.61	321.55	440	<0.50	<0.50	<0.50	<1.0	<2.0	2,000	<2.0	<2.0	2,400	-
	12/03/09	4.75	321.41	2,500	<0.50	<0.50	<0.50	<1.0	<2.0	21	<2.0	<2.0	3,400	-
	06/11/10	4.03	322.13	630	<0.50	<0.50	<0.50	<1.0	<2.0	680	<2.0	<2.0	2,700	-
	11/10/10	4.92	321.24	790	<0.50	<0.50	<0.50	<1.0	<2.0	790	<2.0	<2.0	2,700	-
	06/03/11	3.92	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	830	<2.0	<2.0	2,000	-
	12/07/11	4.88	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	950	<2.0	<2.0	1,200	-
Ozone Remediation Initiated on February 27, 2012														
	03/22/12	3.64	322.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	320	<2.0	<2.0	780	<0.40 / <5,000
	04/27/12	3.47	322.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	23	<2.0	<2.0	530	<0.40 / <5,000
	07/13/12	4.55	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	16	<2.0	<2.0	49	-
	12/20/12	3.84	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-8	04/27/06	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000	-
"B" Zone	06/01/06	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000	-
<325.88>	09/12/06	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	2,500	-
	11/21/06	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	2.2	430	<2.0	<2.0	1,900	-
	02/27/07	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	330	<2.0	<2.0	1,600	-
	06/07/07	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,500	-
	09/14/07	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	58	<2.0	<2.0	630	-
	11/17/07	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	640	-
	02/28/08	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	06/04/08	4.02	321.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	870	-
	09/11/08	4.26	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	290	<2.0	<2.0	1,300	-
	12/23/08	3.91	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	150	-
	03/17/09	3.11	322.77	640	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400	-
	06/26/09	4.27	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	85	-
	12/03/09	4.45	321.43	540	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	770	-
	06/11/10	3.74	322.14	220	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	1,100	-
	11/10/10	4.63	321.25	220	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	350	-
	06/03/11	3.67	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	220	<2.0	<2.0	100	-
	12/06/11	4.62	321.26	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	110	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
Ozone Remediation Initiated on February 27, 2012														
	03/22/12	3.92	321.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	58	<0.40 / <5,000
	04/27/12	3.51	322.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	110	<0.40 / <5,000
	07/13/12	4.51	321.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	42	<2.0	<2.0	87	-
	12/20/12	3.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120	-
MW-9	04/27/06	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,200	-
"B" Zone	06/01/06	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,000	-
<325.29>	09/12/06	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	2,100	-
	11/21/06	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	180	<2.0	<2.0	1,200	-
	02/27/07	2.69	322.60	NA	<0.50	<0.50	<0.50	<1.0	<2.0	270	<2.0	<2.0	930	-
	06/07/07	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400	-
	09/14/07	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	460	-
	11/17/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	910	-
	02/28/08	2.13	323.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200	-
	06/04/08	3.41	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.4	1,400	<2.0	<2.0	5,500	-
	09/11/08	3.70	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	810	<2.0	<2.0	2,700	-
	12/23/08	3.29	322.00	62	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	260	-
	03/17/09	2.59	322.70	1,800	<0.50	<0.50	<0.50	<1.0	3.0	<10	<2.0	<2.0	3,800	-
	06/26/09	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	41	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	12/03/09	-	-	2,200	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	2,800	-
	06/09/10	3.20	322.09	850	<0.50	<0.50	<0.50	<1.0	<2.0	660	<2.0	<2.0	3,800	-
	11/10/10	-	-	400	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	800	-
	06/03/11	3.07	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	460	<2.0	<2.0	260	-
	12/06/11	4.07	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	330	<2.0	<2.0	47	-
Ozone Remediation Initiated on February 27, 2012														
	03/22/12	3.37	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	860	<2.0	<2.0	470	<0.2 / <5.0
	04/27/12	3.00	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	340	<2.0	<2.0	1,500	<0.2 / <5.0
	07/13/12	3.85	321.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	400	<2.0	<2.0	410	-
	12/20/12	2.95	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	700	<2.0	<2.0	140	-
MW-10	04/27/06	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	-
"B" Zone	06/01/06	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<325.54>	09/12/06	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12	-
	11/21/06	4.35	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	-
	02/27/07	3.78	321.76	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	-
	06/07/07	3.91	321.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12	-
	09/14/07	4.22	321.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	11/17/07	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.1	-
	02/28/08	2.83	322.71	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	06/04/08	-	-	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.5	-
	09/11/08	4.33	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8	-
	12/23/08	3.44	322.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	03/17/09	3.50	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	06/26/09	4.63	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/03/09	4.11	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.4	-
	06/09/10	3.42	322.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.4	-
	11/10/10	4.32	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.4	-
	06/03/11	3.29	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0	-
	12/06/11	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2	-
Ozone Remediation Initiated on February 27, 2012														
	07/13/12	3.96	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9	-
	12/20/12	3.24	322.30	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2	-
MW-11	06/11/10	6.68	322.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	550	<2.0	<2.0	160	-
"A" Zone	11/11/10	7.81	321.23	110	<0.50	<0.50	<0.50	<1.0	<2.0	530	<2.0	<2.0	180	-
<329.04>	06/01/11	6.53	322.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	66	-
	12/07/11	7.54	321.50	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	59	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	7.48	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	84	<2.0	<2.0	51	-
	12/10/12	6.45	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	28	<2.0	<2.0	38	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-12	06/11/10	6.83	322.29	190	<0.50	<0.50	<0.50	<1.0	<2.0	2,400	<2.0	<2.0	870	-
"A" Zone	11/11/10	7.92	321.20	380	<0.50	<0.50	<0.50	<1.0	<2.0	1,300	<2.0	<2.0	680	-
<329.12>	06/01/11	6.90	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	230	<2.0	<2.0	230	-
	12/07/11	7.69	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	87	<2.0	<2.0	110	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	7.54	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	26	<2.0	<2.0	8.6	-
	12/10/12	6.53	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	-
MW-13	06/11/10	6.64	322.29	150	<0.50	<0.50	<0.50	<1.0	<2.0	780	<2.0	<2.0	800	-
"A" Zone	11/11/10	7.72	321.21	320	<0.50	<0.50	<0.50	<1.0	<2.0	810	<2.0	<2.0	550	-
<328.93>	06/01/11	6.72	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	210	<2.0	<2.0	160	-
	12/07/11	7.53	321.40	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	110	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	7.33	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	40	-
	12/10/12	6.34	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	24	-
MW-14	06/10/10	2.48	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	150	-
"B" Zone	11/10/10	3.20	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.8	-
<324.38>	06/01/11	2.38	322.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	36	-
	12/06/11	3.23	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.4	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	2.87	321.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/20/12	2.18	322.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
MW-15	06/10/10	4.24	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
"B" Zone	11/10/10	4.84	320.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<325.76>	06/01/11	4.18	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/06/11	4.95	320.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	4.40	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/21/12	3.96	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
MW-16	06/10/10	4.65	321.64	230	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200	-
"B" Zone	11/10/10	5.42	320.87	520	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	830	-
<326.29>	06/01/11	4.58	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	230	<2.0	<2.0	960	-
	12/06/11	5.47	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	510	<2.0	<2.0	730	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	5.00	321.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	350	<2.0	<2.0	750	-
	12/20/12	4.36	321.93	<50	<0.50	<0.50	<0.50	<1.0	<2.0	220	<2.0	<2.0	950	-
MW-17	06/10/10	3.50	322.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
"B" Zone	11/10/10	5.63	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<326.46>	06/01/11	4.78	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	12/06/11	5.68	320.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.8	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	5.18	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/20/12	4.56	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
EW-1	06/10/10	6.47	322.47	170	15	<0.50	4.4	1.2	<2.0	<10	<2.0	<2.0	76	-
"A" Zone	11/11/10	7.69	321.25	740	53	<0.50	7.5	<1.0	<2.0	150	<2.0	<2.0	140	-
<328.94>	06/03/11	6.68	322.26	<50	11	<0.50	1.7	<1.0	<2.0	140	<2.0	<2.0	35	-
	12/07/11	7.53	321.41	440	38	<0.50	3.5	<1.0	<2.0	110	<2.0	<2.0	48	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	7.38	321.56	980	22	1.4	4.6	<1.0	<2.0	180	<2.0	<2.0	36	-
	12/10/12	6.36	322.58	320	42	<0.50	37	1.8	<2.0	150	<2.0	<2.0	53	-
EW-2	06/10/10	6.62	322.37	99	11	1.0	3.0	3.3	<2.0	<10	<2.0	<2.0	110	-
"A" Zone	11/11/10			Well was not gauged or sampled on this date.										
<328.99>	06/01/11			Well was not gauged or sampled on this date.										
	12/07/11	7.49	321.50	570	26	<0.50	42	1.9	<2.0	490	<2.0	<2.0	150	-
Ozone Remediation Initiated on February 27, 2012														
	07/12/12	7.41	321.58	570	19	<0.5	8.1	<1.0	<2.0	620	<2.0	<2.0	100	-
	12/10/12	6.36	322.63	99	14	<0.5	6.2	8.9	<2.0	2,100	<2.0	<2.0	100	-

Table Notes:

GW Depth = Groundwater depth below top of casing.
GW Elevation = Groundwater mean sea level elevation.
TPH-D = Total Petroleum Hydrocarbons as Diesel
TPH-MO = Total Petroleum Hydrocarbons as Motor Oil
TPH-G = Total Petroleum Hydrocarbons as Gasoline
B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes
TAME = Tert-amyl Methyl Ether TBA = tert-Butanol

DIPE = Diisopropyle ether
ETBE = Ethyl-tert-butyl ether
MTBE = Methyl-t-Butyl Ether
NA = Not analyzed for particular parameter
<0.050 = Not detected above the expressed value.
<328.88> = Surveyed top of casing mean sea level elevation.
"A" Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.
"B" Zone = Semi-continuous sand and gravel layer between about 30 and 35 feet in depth.
1 = MTBE result was confirmed using USEPA Method 8260B.

ATTACHMENT A
GROUNDWATER MONITORING FIELD DATA RECORDS

Groundwater Gauging Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Field Personnel M. Kasman Date 12/10/2012
 Weather Conditions PC, Cool

Well ID	Depth to Free Product (feet)	Depth to Groundwater (feet)	Casing Elevation (msl)	Groundwater Elevation (msl)	Total Well Depth (feet)	Well Box Conditions
MW-1	—	6.21	328.88	322.67	20.2	
MW-2	—	5.00	327.64	322.64	20.2	
MW-3	—	5.02	327.44	322.42	20	
MW-4S	—	5.35	327.80	322.45	20	
MW-4D	—	4.77	327.67	322.70	30.8	
MW-5S	—	4.65	327.09	322.44	20.2	
MW-5D	—	4.84	327.30	322.46	25.7	
MW-6S	—	5.14	326.53	321.39	19.0	
MW-6D	—	4.28	326.72	322.44	33.9	
MW-7	—	3.84	326.16	322.32	20.0	
MW-8	—	3.59	325.88	322.29	35.0	
MW-9	—	2.95	325.29	322.34	40	
MW-10	—	3.24	325.54	322.30	39.4	
MW-11	—	6.45	329.04	322.59	19.6	
MW-12	—	6.53	329.12	322.59	19.6	
MW-13	—	6.24	328.93	322.59	19.6	
MW-14	—	2.18	324.38	322.20	39.5	
MW-15	—	3.96	325.76	321.80	39.6	
MW-16	—	4.36	326.29	321.93	39.5	
MW-17	—	4.56	326.46	321.90	38.5	
EW-1	—	6.36	328.94	322.58	14.4	
EW-2	—	6.36	328.99	322.63	14.3	

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/10/2012
 Weather Conditions PC, Cool

Well ID MW-1
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.2
 Depth to Water 6.21 Depth to Free Product —
 Water Column (ft) 13.99 Product Thickness φ
 One Well Volume (gal) 2.38 3x Well Volume (gal) 7.1

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12" purge pump
Sample Method		X	12" purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1153							
1156	2	20.5	2.93		6.88		
1158	4	20.3	2.97		6.92		
1200	6	20.3	2.98		6.96		
1201	7	20.2	3.01		6.96		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1205 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAH Date 12/10/2012
 Weather Conditions pc, mild

Well ID MW-2
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.2
 Depth to Water 5.00 Depth to Free Product —
 Water Column (ft) 15.2 Product Thickness φ
 One Well Volume (gal) 2.58 3x Well Volume (gal) 7.8

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1220							
1222	2	19.2	1.79		7.15		
1224	4	19.1	1.79		7.19		
1226	6	19.1	1.80		7.22		
1228	8	19.0	1.80		7.23		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1230 Sampler's Signature MAH

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAH Date 12/20/2012
 Weather Conditions pc, v. cold

Well ID MW-3
 Casing Diameter (inches) 2.0 Total Depth (feet) 20
 Depth to Water 5.02 Depth to Free Product —
 Water Column (ft) 14.98 Product Thickness φ
 One Well Volume (gal) 2.55 3x Well Volume (gal) 7.6

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0933							
0935	2	22.8	1.47		7.30		
0937	4	22.4	1.40		7.22		
0940	6	22.8	2.93		7.25		
0942	8	22.9	3.60		7.18		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 0945 Sampler's Signature MAH

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions PC, Cold

Well ID MW-4S
 Casing Diameter (inches) 0.75 Total Depth (feet) 20
 Depth to Water 5.35 Depth to Free Product —
 Water Column (ft) 14.65 Product Thickness ∅
 One Well Volume (gal) 0.86 3x Well Volume (gal) 2.6

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1512							
1518	1	22.0	4.81		6.77		
1524	2	22.0	4.88		6.76		
1530	3	21.8	4.90		6.75		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1530 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions PC, Cold

Well ID MW-4D
 Casing Diameter (inches) 0.75 Total Depth (feet) 30.8
 Depth to Water 4.97 Depth to Free Product —
 Water Column (ft) 25.83 Product Thickness ∅
 One Well Volume (gal) 152 3x Well Volume (gal) 4.6

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1457							
	2						
	4						
	5						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1545 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAK Date 12/20/2012
 Weather Conditions clear, cold

Well ID MW-5S
 Casing Diameter (inches) 0.75 Total Depth (feet) 20.2
 Depth to Water 4.65 Depth to Free Product —
 Water Column (ft) 15.55 Product Thickness ∅
 One Well Volume (gal) 0.92 3x Well Volume (gal) 2.8

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1414							
1420	1	21.8	3.49	/	6.82	/	
1425	2	21.8	3.53	/	6.81	/	
1431	3	21.7	3.54	/	6.81	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1435 Sampler's Signature MAK

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAK Date 12/20/2012
 Weather Conditions clear, cold

Well ID MW-5D
 Casing Diameter (inches) 0.75 Total Depth (feet) 25.3
 Depth to Water 4.84 Depth to Free Product —
 Water Column (ft) 20.46 Product Thickness ∅
 One Well Volume (gal) 1.21 3x Well Volume (gal) 3.6

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1403							
1407	1			/		/	Dye ~0.5 gal
	2			/		/	
	3			/		/	
	4			/		/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			grey
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1445 Sampler's Signature MAK

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions Clear, Cold

Well ID MW-6S
 Casing Diameter (inches) 0.75 Total Depth (feet) 19.0
 Depth to Water 5.14 Depth to Free Product
 Water Column (ft) 13.86 Product Thickness 0
 One Well Volume (gal) 0.82 3x Well Volume (gal) 2.5

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1258							
1302	2	20.6	4.88	/	6.85	/	DY@CIGA
	2			/		/	
	3			/		/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1345 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions Clear, Cold

Well ID MW-6D
 Casing Diameter (inches) 0.75 Total Depth (feet) 33.9
 Depth to Water 4.28 Depth to Free Product
 Water Column (ft) 29.62 Product Thickness 0
 One Well Volume (gal) 1.75 3x Well Volume (gal) 5.2

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1309							
1317	2	19.8	3.77	/	6.98	/	
1326	4	19.8	3.69	/	6.99	/	
1331	5	19.7	3.66	/	7.00	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1335 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions PL, COLD

Well ID MW-7
 Casing Diameter (inches) 0.75 Total Depth (feet) 20.0
 Depth to Water 3.84 Depth to Free Product —
 Water Column (ft) 16.16 Product Thickness φ
 One Well Volume (gal) 0.95 3x Well Volume (gal) 2.9

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1222							
1228	1	21.1	6.31	/	6.90	/	
1233	2	21.2	5.91	/	6.92	/	
1238	3	21.2	5.67	/	6.93	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1240 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions PL, V-COLD

Well ID MW-8
 Casing Diameter (inches) 0.75 Total Depth (feet) 35.0
 Depth to Water 3.59 Depth to Free Product —
 Water Column (ft) 31.41 Product Thickness φ
 One Well Volume (gal) 1.85 3x Well Volume (gal) 5.6

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1054							
1103	2	19.7	3.69	/	6.84	/	
1112	4	19.6	3.71	/	6.83	/	
1122	6	19.6	3.75	/	6.83	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1125 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions PC, v. cold

Well ID MW-9
 Casing Diameter (inches) 0.75 Total Depth (feet) 40
 Depth to Water 2.95 Depth to Free Product —
 Water Column (ft) 37.05 Product Thickness Ø
 One Well Volume (gal) 2.19 3x Well Volume (gal) 6.6

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method			12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1003							
1013	2	19.3	5.05		6.74		
1022	4	19.3	5.09		6.73		
1031	6	19.3	5.14		6.74		
1035	7	19.3	5.14		6.74		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1035 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions PC, cold

Well ID MW-10
 Casing Diameter (inches) 0.75 Total Depth (feet) 39.4
 Depth to Water 3.24 Depth to Free Product —
 Water Column (ft) 36.16 Product Thickness Ø
 One Well Volume (gal) 2.13 3x Well Volume (gal) 6.4

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1143							
1151	2	19.7	4.39		6.93		
1159	4	19.7	4.39		6.93		
1208	6	19.7	4.40		6.92		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1210 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/10/2012
 Weather Conditions PC, mild

Well ID MW-11 Total Depth (feet) 19.6
 Casing Diameter (inches) 2.0 Depth to Free Product
 Depth to Water 6.45 Product Thickness ∅
 Water Column (ft) 13.17 3x Well Volume (gal) 6.7
 One Well Volume (gal) 2.24

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1210				/		/	
1212	2	19.2	3.01	/	7.20	/	
1214	4	19.3	3.00	/	7.15	/	
1216	6	19.3	3.00	/	7.12	/	
1217	7	19.3	2.99	/	7.11	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1250 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/10/2012
 Weather Conditions PC, cool

Well ID MW-12 Total Depth (feet) 19.6
 Casing Diameter (inches) 2.0 Depth to Free Product
 Depth to Water 6.53 Product Thickness ∅
 Water Column (ft) 13.07 3x Well Volume (gal) 6.7
 One Well Volume (gal) 2.22

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1105				/		/	
1107	2	19.1	4.18	/	6.90	/	
1108	4	19.2	4.21	/	6.92	/	
1110	6	19.2	4.19	/	6.92	/	
1111	7	19.2	4.15	/	6.92	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X	X			grey
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1115 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/10/2012
 Weather Conditions PC, Cool

Well ID MW-13
 Casing Diameter (inches) 2.0 Total Depth (feet) 19.6
 Depth to Water 6.34 Depth to Free Product —
 Water Column (ft) 13.26 Product Thickness φ
 One Well Volume (gal) 2.25 3x Well Volume (gal) 6.7

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1043							
1045	2	20.2	510		6.82		
1047	4	20.3	510		6.83		
1049	6	20.1	496		6.83		
1050	7	20.0	4.83		6.83		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1050 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/20/2012
 Weather Conditions PC, V. COOL

Well ID MW-14
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.5
 Depth to Water 2.18 Depth to Free Product —
 Water Column (ft) 37.32 Product Thickness φ
 One Well Volume (gal) 6.34 3x Well Volume (gal) 19.0

Notes:
 One Well Volume is determine by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0906							
0908	4	19.4	4.82		7.01		
0910	8	19.4	4.86		6.99		
0912	12	19.4	4.87		6.98		
0914	16	19.4	4.89		6.97		
0917	20	19.4	4.89		6.97		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 0920 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/21/2012
 Weather Conditions cloudy, cold

Well ID MW-15
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.6
 Depth to Water 3.96 Depth to Free Product —
 Water Column (ft) 35.64 Product Thickness φ
 One Well Volume (gal) 6.06 3x Well Volume (gal) 18.2

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1024				/		/	
1027	5	18.8	6.67	/	6.97	/	
1032	10	18.6	6.36	/	6.98	/	
1038	15	18.5	6.04	/	6.94	/	
1042	18	18.5	6.18	/	7.00	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:	X				

Sample Time 1045 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/21/2012
 Weather Conditions cloudy, cold

Well ID MW-16
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.5
 Depth to Water 4.36 Depth to Free Product —
 Water Column (ft) 35.14 Product Thickness φ
 One Well Volume (gal) 5.97 3x Well Volume (gal) 17.9

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1220				/		/	
1224	5	19.3	5.20	/	6.82	/	
1228	10	19.3	5.20	/	6.32	/	
1233	15	19.3	5.21	/	6.82	/	
1237	18			/		/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1240 Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota Project Name Dublin Toyota
 Sampling Personnel MAR Date 12/21/2012
 Weather Conditions cloudy, cold

Well ID MW-17 Total Depth (feet) 38.5
 Casing Diameter (inches) 2.0 Depth to Free Product 7
 Depth to Water 4.56 Product Thickness φ
 Water Column (ft) 33.94 3x Well Volume (gal) 17.3
 One Well Volume (gal) 5.77

Notes:
 One Well Volume is determined by multiplying "Water Column" by:
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method			

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1114							
1120	5	19.7	5.82	/	6.91	/	
1127	10	19.6	5.82	/	6.92	/	
1136	15	19.5	5.85	/	6.92	/	
1141	18	19.4	5.84	/	6.91	/	

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			grey
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1145 Sampler's Signature MAR

ATTACHMENT B

**LABORATORY DATA REPORTS AND
CHAIN-OF-CUSTODY RECORDS**



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

08 January 2013

Jim Gribi
Gribi Associates
1090 Adam Street, Suite K
Benicia, CA 94510
RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 12/20/12 08:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Daniel Chavez
Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/08/13 14:02
--	--	------------------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	T122400-01	Water	12/10/12 12:05	12/20/12 08:30
MW-2	T122400-02	Water	12/10/12 12:30	12/20/12 08:30
MW-11	T122400-03	Water	12/10/12 12:50	12/20/12 08:30
MW-12	T122400-04	Water	12/10/12 11:15	12/20/12 08:30
MW-13	T122400-05	Water	12/10/12 10:50	12/20/12 08:30
EW-1	T122400-06	Water	12/10/12 13:10	12/20/12 08:30
EW-2	T122400-07	Water	12/10/12 13:30	12/20/12 08:30

SunStar Laboratories, Inc.

Daniel Chavez, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

MW-1
T122400-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122117	12/22/12	01/03/13	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	38	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	8.0	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		93.2 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99.1 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		124 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

MW-2
T122400-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122117	12/22/12	01/03/13	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	5.9	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		100 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		100 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		109 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

MW-11
T122400-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122117	12/22/12	01/03/13	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	28	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	38	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	99.4 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	110 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

MW-12
T122400-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122117	12/22/12	01/03/13	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	11	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	96.1 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	123 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

MW-13
T122400-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122117	12/22/12	01/03/13	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	24	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	95.9 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	98.6 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	120 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

EW-1
T122400-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	42	0.50	ug/l	1	2122117	12/22/12	01/03/13	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	37	0.50	"	"	"	"	"	"	
m,p-Xylene	1.8	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	150	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	53	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	320	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	97.8 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	104 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	123 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

**EW-2
T122400-07 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	14	0.50	ug/l	1	2122117	12/22/12	01/03/13	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	6.2	0.50	"	"	"	"	"	"	
m,p-Xylene	6.3	1.0	"	"	"	"	"	"	
o-Xylene	2.6	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	2100	10	"	"	"	"	"	"	E-1
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	100	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	99	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	96.1 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	104 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	122 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

**Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2122117 - EPA 5030 GCMS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (2122117-BLK1)										
Prepared: 12/22/12 Analyzed: 01/03/13										
Bromobenzene	ND	1.0	ug/l							
Bromochloromethane	ND	1.0	"							
Bromodichloromethane	ND	1.0	"							
Bromoform	ND	1.0	"							
Bromomethane	ND	1.0	"							
n-Butylbenzene	ND	1.0	"							
sec-Butylbenzene	ND	1.0	"							
tert-Butylbenzene	ND	1.0	"							
Carbon tetrachloride	ND	0.50	"							
Chlorobenzene	ND	1.0	"							
Chloroethane	ND	1.0	"							
Chloroform	ND	1.0	"							
Chloromethane	ND	1.0	"							
2-Chlorotoluene	ND	1.0	"							
4-Chlorotoluene	ND	1.0	"							
Dibromochloromethane	ND	1.0	"							
1,2-Dibromo-3-chloropropane	ND	1.0	"							
1,2-Dibromoethane (EDB)	ND	1.0	"							
Dibromomethane	ND	1.0	"							
1,2-Dichlorobenzene	ND	1.0	"							
1,3-Dichlorobenzene	ND	1.0	"							
1,4-Dichlorobenzene	ND	1.0	"							
Dichlorodifluoromethane	ND	0.50	"							
1,1-Dichloroethane	ND	1.0	"							
1,2-Dichloroethane	ND	0.50	"							
1,1-Dichloroethene	ND	1.0	"							
cis-1,2-Dichloroethene	ND	1.0	"							
trans-1,2-Dichloroethene	ND	1.0	"							
1,2-Dichloropropane	ND	1.0	"							
1,3-Dichloropropane	ND	1.0	"							
2,2-Dichloropropane	ND	1.0	"							
1,1-Dichloropropene	ND	1.0	"							
cis-1,3-Dichloropropene	ND	0.50	"							
trans-1,3-Dichloropropene	ND	0.50	"							
Hexachlorobutadiene	ND	1.0	"							
Isopropylbenzene	ND	1.0	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2122117 - EPA 5030 GCMS

Blank (2122117-BLK1)		Prepared: 12/22/12 Analyzed: 01/03/13			
p-Isopropyltoluene	ND	1.0	ug/l		
Methylene chloride	ND	1.0	"		
Naphthalene	ND	1.0	"		
n-Propylbenzene	ND	1.0	"		
Styrene	ND	1.0	"		
1,1,2,2-Tetrachloroethane	ND	1.0	"		
1,1,1,2-Tetrachloroethane	ND	1.0	"		
Tetrachloroethene	ND	1.0	"		
1,2,3-Trichlorobenzene	ND	1.0	"		
1,2,4-Trichlorobenzene	ND	1.0	"		
1,1,2-Trichloroethane	ND	1.0	"		
1,1,1-Trichloroethane	ND	1.0	"		
Trichloroethene	ND	1.0	"		
Trichlorofluoromethane	ND	1.0	"		
1,2,3-Trichloropropane	ND	1.0	"		
1,3,5-Trimethylbenzene	ND	1.0	"		
1,2,4-Trimethylbenzene	ND	1.0	"		
Vinyl chloride	ND	1.0	"		
Benzene	ND	0.50	"		
Toluene	ND	0.50	"		
Ethylbenzene	ND	0.50	"		
m,p-Xylene	ND	1.0	"		
o-Xylene	ND	0.50	"		
Tert-amyl methyl ether	ND	2.0	"		
Tert-butyl alcohol	ND	10	"		
Di-isopropyl ether	ND	2.0	"		
Ethyl tert-butyl ether	ND	2.0	"		
Methyl tert-butyl ether	ND	1.0	"		
C6-C12 (GRO)	ND	50	"		
Surrogate: Toluene-d8	7.53	"	8.00	94.1	88.8-117
Surrogate: 4-Bromofluorobenzene	7.94	"	8.00	99.2	83.5-119
Surrogate: Dibromofluoromethane	9.38	"	8.00	117	81.1-136

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/08/13 14:02

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2122117 - EPA 5030 GCMS

LCS (2122117-BS1)		Prepared: 12/22/12 Analyzed: 01/03/13						
Chlorobenzene	19.8	1.0	ug/l	20.0	99.1	75-125		
1,1-Dichloroethene	19.4	1.0	"	20.0	97.2	75-125		
Trichloroethene	19.6	1.0	"	20.0	98.2	75-125		
Benzene	22.0	0.50	"	20.0	110	75-125		
Toluene	21.4	0.50	"	20.0	107	75-125		
Surrogate: Toluene-d8	7.34	"	"	8.00	91.8	88.8-117		
Surrogate: 4-Bromofluorobenzene	8.04	"	"	8.00	100	83.5-119		
Surrogate: Dibromofluoromethane	10.0	"	"	8.00	125	81.1-136		
LCS Dup (2122117-BSD1)		Prepared: 12/22/12 Analyzed: 01/03/13						
Chlorobenzene	18.9	1.0	ug/l	20.0	94.5	75-125	4.75	20
1,1-Dichloroethene	18.3	1.0	"	20.0	91.4	75-125	6.04	20
Trichloroethene	18.4	1.0	"	20.0	92.2	75-125	6.20	20
Benzene	20.7	0.50	"	20.0	104	75-125	5.99	20
Toluene	22.2	0.50	"	20.0	111	75-125	3.63	20
Surrogate: Toluene-d8	8.10	"	"	8.00	101	88.8-117		
Surrogate: 4-Bromofluorobenzene	8.04	"	"	8.00	100	83.5-119		
Surrogate: Dibromofluoromethane	8.67	"	"	8.00	108	81.1-136		

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager

SAMPLE RECEIVING REVIEW SHEET

BATCH # T122400

Client Name: Gribi Project: DUBLIN TOYOTA

Received by: Brian Date/Time Received: 12.20.12 / 8:30

Delivered by: Client SunStar Courier GSO FedEx Other _____

Total number of coolers received 1 Temp criteria = 6°C > 0°C (no frozen containers)

Temperature: cooler #1 2.6 °C +/- the CF (-0.2°C) = 3.4 °C corrected temperature

cooler #2 _____ °C +/- the CF (-0.2°C) = _____ °C corrected temperature

cooler #3 _____ °C +/- the CF (-0.2°C) = _____ °C corrected temperature

Samples outside temp. but received on ice, w/in 6 hours of final sampling. Yes No* N/A

Custody Seals Intact on Cooler/Sample Yes No* N/A

Sample Containers Intact Yes No*

Sample labels match COC ID's Yes No*

Total number of containers received match COC Yes No*

Proper containers received for analyses requested on COC Yes No*

Proper preservative indicated on COC/containers for analyses requested Yes No* N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times. Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date EC 12.20.12

Comments:



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

07 January 2013

Jim Gribi
Gribi Associates
1090 Adam Street, Suite K
Benicia, CA 94510
RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 12/27/12 10:15. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Daniel Chavez
Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-3	T122443-01	Water	12/20/12 09:45	12/27/12 10:15
MW-4S	T122443-02	Water	12/20/12 15:30	12/27/12 10:15
MW-4D	T122443-03	Water	12/20/12 15:45	12/27/12 10:15
MW-5S	T122443-04	Water	12/20/12 14:35	12/27/12 10:15
MW-5D	T122443-05	Water	12/20/12 14:45	12/27/12 10:15
MW-6S	T122443-06	Water	12/20/12 13:45	12/27/12 10:15
MW-6D	T122443-07	Water	12/20/12 13:35	12/27/12 10:15
MW-7	T122443-08	Water	12/20/12 12:40	12/27/12 10:15
MW-8	T122443-09	Water	12/20/12 11:25	12/27/12 10:15
MW-9	T122443-10	Water	12/20/12 10:35	12/27/12 10:15
MW-10	T122443-11	Water	12/20/12 12:10	12/27/12 10:15
MW-14	T122443-12	Water	12/20/12 09:20	12/27/12 10:15
MW-15	T122443-13	Water	12/20/12 10:45	12/27/12 10:15
MW-16	T122443-14	Water	12/20/12 12:40	12/27/12 10:15
MW-17	T122443-15	Water	12/20/12 11:45	12/27/12 10:15

SunStar Laboratories, Inc.

Daniel Chavez, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

**MW-3
 T122443-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/29/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	7.2	1.0	"	"	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	"
Surrogate: Toluene-d8		91.4 %	88.8-117	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		102 %	83.5-119	"	"	"	"	"	"
Surrogate: Dibromofluoromethane		108 %	81.1-136	"	"	"	"	"	"

SunStar Laboratories, Inc.

Daniel Chavez, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

MW-4S
T122443-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/29/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	250	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	290	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8	90.4 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	110 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

MW-4D
T122443-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	87	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	89.8 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.5 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	112 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/07/13 08:40
--	--	------------------------------------

**MW-5S
T122443-04 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	94	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	89.0 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	109 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/07/13 08:40
--	--	------------------------------------

**MW-5D
T122443-05 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	63	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	92.5 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	106 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

MW-6S
T122443-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	70	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		89.6 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		100 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		112 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

MW-6D
T122443-07 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	20	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		90.0 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		101 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		110 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/07/13 08:40
--	--	------------------------------------

**MW-7
 T122443-08 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	18	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	89.9 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	115 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/07/13 08:40
--	--	------------------------------------

**MW-8
 T122443-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	120	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	93.0 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	113 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/07/13 08:40
--	--	------------------------------------

**MW-9
 T122443-10 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	700	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	140	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>	<i>89.9 %</i>	<i>88.8-117</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>100 %</i>	<i>83.5-119</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>
<i>Surrogate: Dibromofluoromethane</i>	<i>112 %</i>	<i>81.1-136</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/07/13 08:40
--	--	------------------------------------

**MW-10
 T122443-11 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	5.2	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>	<i>91.4 %</i>	<i>88.8-117</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>102 %</i>	<i>83.5-119</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>
<i>Surrogate: Dibromofluoromethane</i>	<i>111 %</i>	<i>81.1-136</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/07/13 08:40
--	--	------------------------------------

MW-14
T122443-12 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	89.9 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	98.6 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	117 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 01/07/13 08:40
--	--	------------------------------------

MW-15
T122443-13 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	89.9 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	109 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

MW-16
T122443-14 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	220	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	950	25	"	25	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8	90.5 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	119 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

MW-17
T122443-15 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	2122715	12/27/12	12/30/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	93.5 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.2 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	117 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	--------	-----	-----------	-------

Batch 2122715 - EPA 5030 GCMS

Blank (2122715-BLK1)		Prepared: 12/27/12 Analyzed: 12/29/12	
Bromobenzene	ND	1.0	ug/l
Bromochloromethane	ND	1.0	"
Bromodichloromethane	ND	1.0	"
Bromoform	ND	1.0	"
Bromomethane	ND	1.0	"
n-Butylbenzene	ND	1.0	"
sec-Butylbenzene	ND	1.0	"
tert-Butylbenzene	ND	1.0	"
Carbon tetrachloride	ND	0.50	"
Chlorobenzene	ND	1.0	"
Chloroethane	ND	1.0	"
Chloroform	ND	1.0	"
Chloromethane	ND	1.0	"
2-Chlorotoluene	ND	1.0	"
4-Chlorotoluene	ND	1.0	"
Dibromochloromethane	ND	1.0	"
1,2-Dibromo-3-chloropropane	ND	1.0	"
1,2-Dibromoethane (EDB)	ND	1.0	"
Dibromomethane	ND	1.0	"
1,2-Dichlorobenzene	ND	1.0	"
1,3-Dichlorobenzene	ND	1.0	"
1,4-Dichlorobenzene	ND	1.0	"
Dichlorodifluoromethane	ND	0.50	"
1,1-Dichloroethane	ND	1.0	"
1,2-Dichloroethane	ND	0.50	"
1,1-Dichloroethene	ND	1.0	"
cis-1,2-Dichloroethene	ND	1.0	"
trans-1,2-Dichloroethene	ND	1.0	"
1,2-Dichloropropane	ND	1.0	"
1,3-Dichloropropane	ND	1.0	"
2,2-Dichloropropane	ND	1.0	"
1,1-Dichloropropene	ND	1.0	"
cis-1,3-Dichloropropene	ND	0.50	"
trans-1,3-Dichloropropene	ND	0.50	"
Hexachlorobutadiene	ND	1.0	"
Isopropylbenzene	ND	1.0	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
1090 Adam Street, Suite K Project Number: [none] Reported:
Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	--------	-----	-----------	-------

Batch 2122715 - EPA 5030 GCMS

Blank (2122715-BLK1)		Prepared: 12/27/12 Analyzed: 12/29/12	
p-Isopropyltoluene	ND	1.0	ug/l
Methylene chloride	ND	1.0	"
Naphthalene	ND	1.0	"
n-Propylbenzene	ND	1.0	"
Styrene	ND	1.0	"
1,1,2,2-Tetrachloroethane	ND	1.0	"
1,1,1,2-Tetrachloroethane	ND	1.0	"
Tetrachloroethene	ND	1.0	"
1,2,3-Trichlorobenzene	ND	1.0	"
1,2,4-Trichlorobenzene	ND	1.0	"
1,1,2-Trichloroethane	ND	1.0	"
1,1,1-Trichloroethane	ND	1.0	"
Trichloroethene	ND	1.0	"
Trichlorofluoromethane	ND	1.0	"
1,2,3-Trichloropropane	ND	1.0	"
1,3,5-Trimethylbenzene	ND	1.0	"
1,2,4-Trimethylbenzene	ND	1.0	"
Vinyl chloride	ND	1.0	"
Benzene	ND	0.50	"
Toluene	ND	0.50	"
Ethylbenzene	ND	0.50	"
m,p-Xylene	ND	1.0	"
o-Xylene	ND	0.50	"
Tert-amyl methyl ether	ND	2.0	"
Tert-butyl alcohol	ND	10	"
Di-isopropyl ether	ND	2.0	"
Ethyl tert-butyl ether	ND	2.0	"
Methyl tert-butyl ether	ND	1.0	"
C6-C12 (GRO)	ND	50	"
Surrogate: Toluene-d8	7.35	"	8.00 91.9 88.8-117
Surrogate: 4-Bromofluorobenzene	7.88	"	8.00 98.5 83.5-119
Surrogate: Dibromofluoromethane	9.13	"	8.00 114 81.1-136

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2122715 - EPA 5030 GCMS

LCS (2122715-BS1) Prepared: 12/27/12 Analyzed: 12/30/12

Chlorobenzene	18.1	1.0	ug/l	20.0	90.4	75-125				
1,1-Dichloroethene	19.4	1.0	"	20.0	97.2	75-125				
Trichloroethene	18.7	1.0	"	20.0	93.7	75-125				
Benzene	20.6	0.50	"	20.0	103	75-125				
Toluene	18.1	0.50	"	20.0	90.3	75-125				
Surrogate: Toluene-d8	7.02		"	8.00	87.8	88.8-117				S-GC
Surrogate: 4-Bromofluorobenzene	7.78		"	8.00	97.2	83.5-119				
Surrogate: Dibromofluoromethane	10.9		"	8.00	136	81.1-136				

Matrix Spike (2122715-MS1) Source: T122443-07 Prepared: 12/27/12 Analyzed: 12/30/12

Chlorobenzene	19.0	1.0	ug/l	20.0	ND	95.1	75-125			
1,1-Dichloroethene	18.6	1.0	"	20.0	ND	93.0	75-125			
Trichloroethene	18.0	1.0	"	20.0	ND	89.9	75-125			
Benzene	21.4	0.50	"	20.0	ND	107	75-125			
Toluene	19.3	0.50	"	20.0	ND	96.6	75-125			
Surrogate: Toluene-d8	7.30		"	8.00	91.2	88.8-117				
Surrogate: 4-Bromofluorobenzene	7.92		"	8.00	99.0	83.5-119				
Surrogate: Dibromofluoromethane	10.4		"	8.00	130	81.1-136				

Matrix Spike Dup (2122715-MSD1) Source: T122443-07 Prepared: 12/27/12 Analyzed: 12/30/12

Chlorobenzene	19.5	1.0	ug/l	20.0	ND	97.6	75-125	2.54	20	
1,1-Dichloroethene	19.4	1.0	"	20.0	ND	97.0	75-125	4.26	20	
Trichloroethene	18.6	1.0	"	20.0	ND	93.0	75-125	3.39	20	
Benzene	22.1	0.50	"	20.0	ND	111	75-125	3.21	20	
Toluene	19.7	0.50	"	20.0	ND	98.4	75-125	1.95	20	
Surrogate: Toluene-d8	7.19		"	8.00	89.9	88.8-117				
Surrogate: 4-Bromofluorobenzene	7.85		"	8.00	98.1	83.5-119				
Surrogate: Dibromofluoromethane	10.6		"	8.00	133	81.1-136				

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota
 1090 Adam Street, Suite K Project Number: [none] Reported:
 Benicia CA, 94510 Project Manager: Jim Gribi 01/07/13 08:40

Notes and Definitions

- S-GC Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager

SUNSTAR LABORATORIES										CHAIN OF CUSTODY RECORD																																												
25712 COMMERCENTRE DRIVE LAKE FOREST, CA 92630 Website: www.SUNSTARLABS.com Email: john@sunstarlabs.com Telephone: (949) 297-5020										T122443 TURN AROUND TIME RUSH 24 HR 48 HR 72 HR 5 DAY GeoTracker EDF PDF Excel Write On (DW)																																												
Report To: James Gribi					Bill To:					Analysis Request					Other					Comments																																		
Company: Gribi Associates										1090 Adams Street, Suite K										Benicia, CA 94510										E-Mail:										Filter Samples for Metals analysis: Yes / No														
Tele: (707) 748-7743										Fax: (707) 748-7763										Client Name: Dublin Toyota										Global ID: T0600102153																								
Project Name: Dublin Toyota										Sampler Signature:																																												
SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX						METHOD PRESERVED																																										
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other	TPH-Gas (8015M)	TPH-Diesel (8015M)	TPH-Motor Oil (8015M)	TPH-Gas, BTEX, MTBE (8260B)	TPH-Gas, BTEX, 5 Oxygenates (8260B)	TPH-Gas, BTEX, 7 Oxygenates (8260B)	5 Oxygenates (8260B)	Lead Scavengers (1,2-DCA & 1,2-EDB) (8260B)	VOC's - Full List (8260B)	Halogenated VOC's (8260B)	SVOC's (8270)																													
MW-12				4	VOA	X						X	X																																									
MW-13				4	VOA	X						X	X																																									
MW-14		12/20	0920	4	VOA	X						X	X																																									
MW-15		12/21	1045	4	VOA	X						X	X																																									
MW-16		12/21	1240	4	VOA	X						X	X																																									
MW-17		12/21	1145	4	VOA	X						X	X																																									
EW-1				4	VOA	X						X	X																																									
EW-2				4	VOA	X						X	X																																									
Relinquished By: <i>MAR</i>					Date: 12/21/12					Time: 12:00					Received By: <i>[Signature]</i>					ICE/T/2					GOOD CONDITION <input checked="" type="checkbox"/>					HEAD SPACE ABSENT <input checked="" type="checkbox"/>					DECHLORINATED IN LAB <input checked="" type="checkbox"/>					APPROPRIATE CONTAINERS <input checked="" type="checkbox"/>					PRESERVED IN LAB <input checked="" type="checkbox"/>					COMMENTS: <i>page 2 of 2</i>				
Relinquished By: <i>GSO</i>					Date: 12/21/12					Time: 10:15					Received By: <i>[Signature]</i>					VOAS					O&G					METALS					OTHER					PH-2														

1-2-13

SUNSTAR LABORATORIES										CHAIN OF CUSTODY RECORD																																												
25712 COMMERCENTRE DRIVE LAKE FOREST, CA 92630 Website: www.SUNSTARLABS.com Email: john@sunstarlabs.com Telephone: (949) 297-5020										T122443 TURN AROUND TIME RUSH 24 HR 48 HR 72 HR 5 DAY GeoTracker EDF PDF Excel Write On (DW)																																												
Report To: James Gribi					Bill To:					Analysis Request					Other					Comments																																		
Company: Gribi Associates										1090 Adams Street, Suite K										Benicia, CA 94510										E-Mail:										Filter Samples for Metals analysis: Yes / No														
Tele: (707) 748-7743										Fax: (707) 748-7763										Client Name: Dublin Toyota										Global ID: T0600102153																								
Project Name: Dublin Toyota										Sampler Signature:																																												
SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX						METHOD PRESERVED																																										
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other	TPH-Gas (8015M)	TPH-Diesel (8015M)	TPH-Motor Oil (8015M)	TPH-Gas, BTEX, MTBE (8260B)	TPH-Gas, BTEX, 5 Oxygenates (8260B)	TPH-Gas, BTEX, 7 Oxygenates (8260B)	5 Oxygenates (8260B)	Lead Scavengers (1,2-DCA & 1,2-EDB) (8260B)	VOC's - Full List (8260B)	Halogenated VOC's (8260B)	SVOC's (8270)																													
MW-1				4	VOA	X						X	X																																									
MW-2				4	VOA	X						X	X																																									
MW-3		12/20	0945	4	VOA	X						X	X																																									
MW-4S		12/20	1530	4	VOA	X						X	X																																									
MW-4D		12/20	1545	4	VOA	X						X	X																																									
MW-5S		12/20	1435	4	VOA	X						X	X																																									
MW-5D		12/20	1445	4	VOA	X						X	X																																									
MW-6S		12/20	1345	4	VOA	X						X	X																																									
MW-6D		12/20	1335	4	VOA	X						X	X																																									
MW-7		12/20	1240	4	VOA	X						X	X																																									
MW-8		12/20	1125	4	VOA	X						X	X																																									
MW-9		12/20	1035	4	VOA	X						X	X																																									
MW-10		12/20	1210	4	VOA	X						X	X																																									
MW-11				4	VOA	X						X	X																																									
Relinquished By: <i>MAR</i>					Date: 12/21/12					Time: 12:00					Received By: <i>[Signature]</i>					ICE/T/2					GOOD CONDITION <input checked="" type="checkbox"/>					HEAD SPACE ABSENT <input checked="" type="checkbox"/>					DECHLORINATED IN LAB <input checked="" type="checkbox"/>					APPROPRIATE CONTAINERS <input checked="" type="checkbox"/>					PRESERVED IN LAB <input checked="" type="checkbox"/>					COMMENTS: <i>page 1 of 2</i>				
Relinquished By: <i>GSO</i>					Date: 12/21/12					Time: 10:15					Received By: <i>[Signature]</i>					VOAS					O&G					METALS					OTHER					PH-2														

SAMPLE RECEIVING REVIEW SHEET

BATCH # T122443

Client Name: GRUBER Project: DUBLIN TOYOTA

Received by: BRIAN Date/Time Received: 12/27/12 10:15

Delivered by: Client SunStar Courier GSO FedEx Other _____

Total number of coolers received 1 Temp criteria = 6°C > 0°C (no frozen containers)

Temperature: cooler #1 2.0 °C +/- the CF (-0.2°C) = 1.8 °C corrected temperature

cooler #2 _____ °C +/- the CF (-0.2°C) = _____ °C corrected temperature

cooler #3 _____ °C +/- the CF (-0.2°C) = _____ °C corrected temperature

Samples outside temp. but received on ice, w/in 6 hours of final sampling. Yes No* N/A

Custody Seals Intact on Cooler/Sample Yes No* N/A

Sample Containers Intact Yes No*

Sample labels match COC ID's Yes No*

Total number of containers received match COC Yes No*

Proper containers received for analyses requested on COC Yes No*

Proper preservative indicated on COC/containers for analyses requested Yes No* N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times. Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date BC 12/27/12

Comments:

