DUBLIN TOYOTA

RECEIVED
By Alameda County Environmental Health 1:27 pm, Feb 26, 2016

January 29, 2016

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Mr. Dilan Roe

Subject: Second Semi-Annual 2015 Groundwater Monitoring Report
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 0000333

Ladies and Gentlemen:

Attached please find a copy of the *Second Semi-Annual 2015 Groundwater Monitoring Report, Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California,* prepared by Gribi Associates. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Very truly yours,

Scott F. Anderson
Chief Financial Officer
Dublin Toyota

Doin' It Right!
6450 DUBLIN COURT • DUBLIN • CA 94568 • 925 829-7700 • FAX 925 829-9025
www.dublintoyota.com

GRIBI
ASSOCIATES

January 29, 2016

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Ms. Dilan Roe

Subject: Second Semi-Annual 2015 Groundwater Monitoring Report
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 0000333,
Geotracker Global ID T0600102153

Ladies and Gentlemen:

Gribi Associates is pleased to submit this Second Semi-Annual 2015 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Figures 1, 2, and 3). This report summarizes groundwater monitoring activities conducted at the site on December 31, 2015.

DESCRIPTION OF MONITORING ACTIVITIES

1. Gribi Associates personnel conducted groundwater monitoring activities for one shallow "Zone A" well (MW-7) and seven deeper "Zone B" wells (MW-8, MW-9, MW-10; and MW-14 through MW-17). Well specifications for site wells are summarized in Table 1.
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
   a. measuring static water levels;
   b. checking for presence of free-product; and
   c. purging of approximately three well volumes while recording temperature, pH, electroconductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

RESULTS OF GROUNDWATER MONITORING

Hydrologic Conditions

1. Groundwater depths ranged from approximately 2.89 feet (MW-14) to 5.32 feet (MW-17).
2. Groundwater elevations, which are shown on Figures 4 and 5, ranged from 321.10 feet (MW-15) to 321.56 feet (MW-8 and MW-9).
3. Groundwater flow direction trends in a southwest to southerly direction.
4. Free-product was not present in any of the wells.

Laboratory Analytical Results

1. Groundwater samples from the 8 wells were analyzed for the following parameters with standard method turn-around-time on results:
   a. USEPA 8260B Total Petroleum Hydrocarbons as Gasoline (TPH-G)
   b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
   c. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Cumulative groundwater analytical results are summarized in Table 2.
3. Groundwater hydrocarbon results for this monitoring event are summarized on Figures 4 and 5.
4. The laboratory analytical data report and chain-of custody record are contained in Attachment B.

OZONE REMEDIATION

1. Gribi Associates initiated ozone remediation at the site on February 27, 2012.
2. The system experienced moderate amounts of downtime due to general wear and tear on various components that required repair and/or replacement.
3. The system was shut down in late November 2012 when the present site tenants discontinued business activities and electrical service at the site.

CONCLUSIONS

1. MTBE and TBA concentrations in onsite wells are significantly lower than pre-remediation historical highs, indicating that previous ozone injection, together with natural attenuation, has significantly degraded MTBE/TBA groundwater impacts on the site.

2. Post-ozone injection groundwater MTBE/TBA concentrations in ”A” Zone and “B” Zone wells within the main plume area have generally remained low, indicating that concentration rebound is not occurring to a significant degree. Furthermore, increases in TBA concentrations in some wells, together with decreases in MTBE concentrations, clearly indicates that natural attenuation of the parent MTBE is occurring over time.
3. Degradation of the groundwater MTBE/TBA impacts has occurred to the extent that both the shallow “A” Zone and deeper “B” Zone MTBE/TBA groundwater plumes have “broken apart”.
    a. The “A” Zone MTBE/TBA groundwater plume is primarily a low-concentration near-source plume with one or two isolated slightly elevated MTBE/TBA impacts.
    b. The “B” Zone MTBE/TBA groundwater plume is no longer present on the site and consists of a slightly elevated MTBE/TBA “orphan” plume that is still present at well MW-16, several hundred feet south from the site.
4. It is expected that the “A” Zone and “B” Zone MTBE/TBA groundwater plumes will continue to degrade relatively rapidly over time.

PLANNED ACTIVITIES

1. Unless otherwise directed by ACDEH, Gribi Associates plans to conduct semi-annual groundwater monitoring at the site during the second quarter of 2016.
2. Gribi Associates is currently conducting additional tasks and will preparing a Revised Site Conceptual Model as directed in the January 7, 2016 letter from ACDEH.

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,

Matthew A. Rosman
Project Engineer

James E. Gribi
Professional Geologist
California No. 5843

Enclosure

c: Mr. Scott Anderson, Dublin Toyota, 4321 Toyota Drive, Dublin, CA 94568
Nolan M. and Velia E. Davis Trust, 50 Oak Court, Danville, CA 94526-4039

TABLE

Table 2

CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
MW-1	12/15/1998	5.74	323.14	**46,000**	<100	<100	<100	<100	–	–	–	–	**62,000** [1]	–	–
"A" Zone	4/6/1999	5.09	323.79	**45,000**	<50	<50	<50	<50	–	–	–	–	**86,000** [1]	–	–
<328.88>	7/14/1999	6.18	322.70	**2,800**	<100	<100	<100	<100	–	–	–	–	**65,000** [1]	–	–
	10/14/1999	6.86	322.02	**11,000**	<17	<17	<17	<17	–	–	–	–	**98,000** [1]	–	–
	8/18/2000	6.98	321.90	**36,000**	<50	<50	<50	<50	–	–	–	–	**66,000** [1]	–	–
	5/29/2002	6.42	322.46	**29,100**	<15	<15	<15	<30	**841**	<500	<100	N50	**27,800** [1]	–	–
	11/20/2002	6.65	322.23	**110**	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	**20,000**	–	–
	4/6/2003	5.95	322.93	**1,300**	<1.0	<1.0	<1.0	<1.0	**10**	**360**	<2.0	2.2	**15,000**	–	–
	7/13/2003	6.55	322.33	**74**	<0.50	<0.50	<0.50	<1.0	**10**	**42**	<5.0	<5.0	**15,000**	–	–
	2/11/2004	5.74	323.14	<50	<0.50	<0.50	<0.50	<1.0	**10**	**420**	<2.0	2.5	**34,000**	–	–
	6/16/2004	6.37	322.51	**180**	<0.50	<0.50	<0.50	<1.0	**6.8**	**290**	<2.0	<2.0	**7,600**	–	–
	10/16/2004	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6,720**	–	–
	12/30/2004	5.84	323.04	**92**	<0.50	<0.50	<0.50	<1.0	**5.2**	<10	<2.0	<2.0	**2,600**	–	–
	3/22/2005	5.22	323.66	<50	<0.50	<0.50	<0.50	<1.0	**7.3**	<10	<2.0	<2.0	**6,900**	–	–
	6/10/2005	6.17	322.71	**100**	<0.50	<0.50	<0.50	<1.0	**9.8**	<10	<2.0	<2.0	**25,000**	–	–
	10/4/2005	7.49	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,500**	–	–
	12/21/2005	7.18	321.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6,800**	–	–
	3/30/2006	5.81	323.07	<50	<0.50	<0.50	1.1	2.6	<2.0	<10	<2.0	<2.0	**6,900**	–	–
	6/1/2006	7.20	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5,100**	–	–
	9/12/2006	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	**2.2**	**960**	<2.0	<2.0	**2,400**	–	–
	11/21/2006	7.68	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,200**	<2.0	<2.0	**930**	–	–
	2/27/2007	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**1,000**	<2.0	<2.0	**1,100**	–	–
	6/7/2007	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**1,500**	<2.0	<2.0	**1,100**	–	–
	9/14/2007	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<20	**640**	<2.0	<2.0	**280**	–	–
	11/17/2007	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<20	**1,400**	<2.0	<2.0	**260**	–	–
	2/28/2008	5.56	323.32	NA	<0.50	<0.50	<0.50	<1.0	<20	**1,300**	<2.0	<2.0	**130**	–	–
	6/4/2008	6.96	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,700**	<2.0	<2.0	**290**	–	–
	9/11/2008	7.24	321.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,000**	<2.0	<2.0	**160**	–	–
	12/23/2008	6.84	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**13**	–	–
	3/17/2009	5.91	322.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**17**	–	–
	6/26/2009	7.21	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**390**	<2.0	<2.0	**74**	–	–
	12/3/2009	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**2,800**	<2.0	<2.0	**15**	–	–
	6/11/2010	6.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**58**	–	–
	11/11/2010	7.65	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**120**	<2.0	<2.0	**29**	–	–
	6/1/2011	6.64	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**150**	<2.0	<2.0	**14**	–	–
	12/6/2011	7.43	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**10**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**88**	<2.0	<2.0	**8.3**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.21	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**38**	<2.0	<2.0	**8**	–	–
	6/26/2013	7.70	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**51**	<2.0	<2.0	**4.2**	–	–
	12/17/2013	7.32	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**4.1**	–	–
	6/20/2014	7.96	320.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**11**	<2.0	**3.3**	**32**	–	–
	12/31/2014	6.72	322.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**15**	<2.0	<2.0	**6.2**	–	–
MW-2	12/15/1998	4.30	323.34	<50	<0.50	**0.9**	<0.50	**1.5**	–	–	–	–	<5.0	–	–
"A" Zone	4/6/1999	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	–	–	–	–	<5.0	–	–
<327.64>	7/14/1999	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	–	–	–	–	<5.0	–	–
	10/14/1999	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	–	–	–	–	<5.0	–	–
	8/18/2000	5.72	321.92	<50	<0.50	<0.50	<0.50	**1.1**	–	–	–	–	**16**	–	–
	5/29/2002	5.18	322.46	<50	<0.3	<0.3	<0.3	**3.9**	<2.0	<10	<2.0	<2.0	**2.6**	–	–
	11/20/2002	5.52	322.12	57	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	**9.1**	–	–
	4/6/2003	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	**5.7**	–	–
	7/13/2003	5.24	322.40	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	**6.5**	–	–
	2/11/2004	4.45	323.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**8.5**	–	–
	6/16/2004	4.93	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**120**	–	–
	10/16/2004	5.97	321.67	78	<0.50	<0.50	<0.50	<1.0	**4.1**	<10	<2.0	<2.0	**43.2**	–	–
	12/30/2004	4.74	322.90	<50	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	**14**	–	–
	3/22/2005	3.86	323.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**13**	–	–
	6/10/2005	4.83	322.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**14**	–	–
	10/4/2005	6.19	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.2**	–	–
	12/21/2005	5.81	321.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	3/30/2006	4.55	323.09	<50	<0.50	<0.50	<0.50	**3.9**	<2.0	<10	<2.0	<2.0	**13**	–	–
	6/1/2006	5.93	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**14**	–	–
	9/12/2006	8.65	318.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**22**	–	–
	11/21/2006	6.42	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**19**	–	–
	2/27/2007	5.14	322.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**13**	–	–
	6/7/2007	6.18	321.46	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**30**	–	–
	9/14/2007	6.31	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**25**	–	–
	11/17/2007	5.9	321.74	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**13**	–	–
	2/28/2008	4.19	323.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10.0	<2.0	<2.0	**14**	–	–
	6/4/2008	5.58	322.06	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**18**	–	–

Table 2

CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	9/11/2008	5.92	321.72	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**38**	–	–
	12/23/2008	5.56	322.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**39**	–	–
	3/17/2009	4.64	323.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**36**	–	–
	6/26/2009	5.90	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**18**	–	–
	12/3/2009	5.98	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**11**	–	–
	6/11/2010	5.30	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**4.6**	–	–
	11/11/2010	6.39	321.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.4**	–	–
	6/1/2011	5.39	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6.1**	–	–
	12/7/2011	6.17	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.8**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	6.07	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.0**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	5.00	322.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.9**	–	–
	6/26/2013	6.45	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.9**	–	–
	12/17/2013	5.92	321.72	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.3**	–	–
	7/1/2014	6.78	320.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2.4**	–	–
	12/31/2014	5.44	322.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.0**	–	–
MW-3	8/18/2000	5.67	321.77	**210**	<0.50	**0.58**	<0.50	**0.59**	–	–	–	–	**570**	–	–
"A" Zone	5/29/2002	5.10	322.34	<50	<0.3	<0.3	<0.3	**219**	<2.0	<10	<2.0	<2.0	**281**	–	–
<327.44>	11/20/2002	5.56	321.88	**200**	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	**460**	–	–
	4/6/2003	4.64	322.80	**270**	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	**340**	–	–
	7/13/2003	5.48	321.96	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	**460**	–	–
	2/11/2004	4.47	322.97	<50	<0.50	<0.50	<0.50	<1.0	**2.2**	**1,000**	<2.0	<2.0	**4,000**	–	–
	6/16/2004	5.23	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**240**	–	–
	10/16/2004	5.92	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**210**	–	–
	12/30/2004	4.54	322.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	**190**	–	–
	3/22/2005	3.90	323.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**210**	–	–
	6/10/2005	4.83	322.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**230**	–	–
	10/4/2005	6.02	321.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**380**	–	–
	12/21/2005	5.74	321.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**320**	–	–
	3/30/2006	4.35	323.09	<50	<0.50	<0.50	**1.3**	**3.0**	<2.0	<10	<2.0	<2.0	**160**	–	–
	6/1/2006	5.69	321.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**270**	–	–
	9/12/2006	6.21	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**130**	–	–
	11/21/2006	6.29	321.15	<50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	**90**	–	–
	2/27/2007	–	–	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	**39**	–	–
	6/7/2007	5.98	321.46	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	**270**	–	–
	9/14/2007	6.11	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**59**	–	–
	11/17/2007	5.86	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**75**	–	–
	2/28/2008	4.12	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**36**	–	–
	6/4/2008	5.47	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	20	<2.0	<2.0	**30**	–	–
	9/11/2008	5.75	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	51	<2.0	<2.0	**36**	–	–
	12/23/2008	5.45	321.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**41**	–	–
	3/17/2009	4.55	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**12**	–	–
	6/26/2009	5.78	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**12**	–	–
	12/3/2009	5.87	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	62	<2.0	<2.0	**15**	–	–
	6/10/2010	5.19	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**20**	–	–
	11/11/2010	6.20	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	26	<2.0	<2.0	**27**	–	–
	6/1/2011	5.17	322.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	10	<2.0	<2.0	**7.9**	–	–
	12/6/2011	6.03	321.41	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**8.5**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	5.83	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**8.8**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	5.02	322.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.2**	–	–
	6/26/2013	6.29	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**8.4**	–	–
	12/17/2013	5.92	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.7**	–	–
	6/20/2014	6.50	320.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**24**	–	–
	12/30/2014	5.11	322.33	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.1**	–	–
MW-4S	4/27/2006	5.03	322.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
"A" Zone	6/1/2006	3.72	324.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
<327.80>	9/12/2006	6.01	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	11/21/2006	6.68	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2.1**	–	–
	2/27/2007	5.39	322.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3**	–	–
	6/7/2007	6.38	321.42	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**27**	–	–
	9/14/2007	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**	–	–
	11/17/2007	6.39	321.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**73**	–	–
	2/28/2008	4.65	323.15	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**360**	–	–
	6/4/2008	5.93	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	**820**	–	–
	9/11/2008	6.09	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	190	<2.0	<2.0	**400**	–	–
	12/23/2008	5.93	321.87	**86**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**310**	–	–
	3/17/2009	4.98	322.82	**540**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,100**	–	–
	6/26/2009	6.13	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**170**	–	–

Table 2

CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	12/3/2009	6.33	321.47	**280**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**590**	–	–
	6/10/2010	5.56	322.24	**160**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**690**	–	–
	11/11/2010	6.50	321.30	**250**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**460**	–	–
	6/3/2011	5.46	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**150**	<2.0	<2.0	**670**	–	–
	12/7/2011	6.34	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**380**	<2.0	<2.0	**640**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	5.48	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**370**	<2.0	<2.0	**540**	<0.40	<5,000
	4/27/2012	5.07	322.73	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**460**	<2.0	<2.0	**770**	<0.40	<5,000
	7/13/2012	6.22	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**370**	<2.0	<2.0	**1,100**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	5.35	322.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**250**	<2.0	<2.0	**290**	–	–
	6/27/2013	6.53	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**250**	<2.0	<2.0	**110**	–	–
	12/18/2013	6.44	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**62**	–	–
	6/20/2014	6.89	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**340**	<2.0	**3.8**	**220**	–	–
	12/30/2014	5.59	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**310**	<2.0	<2.0	**58**	–	–
MW-4D	4/27/2006	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
"B" Zone	6/1/2006	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
<327.67>	9/12/2006	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	11/21/2006	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	2/27/2007	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/7/2007	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	9/14/2007	–	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	11/17/2007	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	2/28/2008	6.05	321.62	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/4/2008	6.49	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.2**	–	–
	9/11/2008	7.06	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.0**	–	–
	12/23/2008	6.60	321.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.0**	–	–
	3/17/2009	5.05	322.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6.9**	–	–
	6/26/2009	5.93	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.9**	–	–
	12/3/2009	6.21	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**56**	–	–
	6/10/2010	5.44	322.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**54**	–	–
	11/10/2010	6.33	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**59**	–	–
	6/3/2011	5.07	322.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	11	<2.0	<2.0	**40**	–	–
	12/7/2011	6.12	321.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	40	<2.0	<2.0	**60**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	5.43	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**51**	<0.20	<5,000
	4/27/2012	4.92	322.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**66**	<0.20	<5,000
	7/13/2012	6.19	321.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	**41**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.97	322.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**87**	–	–
	6/27/2013	6.29	321.38	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**53**	–	–
	12/18/2013	6.07	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**80**	–	–
	6/20/2014	6.74	320.93	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**18**	<2.0	<2.0	**180**	–	–
	12/30/2014	5.52	322.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**47**	–	–
MW-5S	4/27/2006	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	**4.6**	<10	<2.0	<2.0	**10,000**	–	–
"A" Zone	6/1/2006	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**8,300**	–	–
<327.09>	9/12/2006	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	**3.5**	**340**	<2.0	<2.0	**6,500**	–	–
	11/21/2006	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	**3.5**	**1,200**	<2.0	<2.0	**4,700**	–	–
	2/27/2007	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	**2.9**	**1,400**	<2.0	<2.0	**3,800**	–	–
	6/7/2007	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	**3.2**	<10	<2.0	<2.0	**7,800**	–	–
	9/14/2007	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**640**	<2.0	<2.0	**2,700**	–	–
	11/17/2007	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	47	<2.0	<2.0	**4,700**	–	–
	2/28/2008	3.86	323.23	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,700**	–	–
	6/4/2008	5.21	321.88	<50	<0.50	<0.50	<0.50	<1.0	**2.7**	**1,500**	<2.0	<2.0	**7,300**	–	–
	9/11/2008	–	–	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,800**	<2.0	<2.0	**2,700**	–	–
	12/23/2008	5.15	321.94	600	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,400**	–	–
	3/17/2009	4.29	322.80	830	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,900**	–	–
	6/26/2009	5.49	321.60	150	<0.50	<0.50	<0.50	<1.0	<2.0	**590**	<2.0	<2.0	**620**	–	–
	12/3/2009	5.66	321.43	160	<0.50	<0.50	<0.50	<1.0	<2.0	**1,200**	<2.0	<2.0	**190**	–	–
	6/9/2010	4.91	322.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**390**	<2.0	<2.0	**60**	–	–
	11/11/2010	5.90	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,200**	<2.0	<2.0	**51**	–	–
	6/3/2011	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**23**	<2.0	<2.0	**9.2**	–	–
	12/7/2011	5.70	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**16**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**4.6**	<0.2	<50
	4/27/2012	4.46	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**13**	<2.0	<2.0	**20**	<0.2	<50
	7/13/2012	5.56	321.53	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**53**	<2.0	<2.0	**35**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.65	322.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**94**	–	–
	6/27/2013	5.89	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**11**	–	–
	12/18/2013	5.76	321.33	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.8**	–	–

Table 2

CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	6/20/2014	6.21	320.88	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.0**	–	–
	12/30/2014	4.85	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**23**	<2.0	<2.0	**1.3**	–	–
MW-5D	4/27/2006	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,900**	–	–
"B" Zone	6/1/2006	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,300**	–	–
<327.30>	9/12/2006	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	**2.6**	**150**	<2.0	<2.0	**3,900**	–	–
	11/21/2006	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	**4.0**	**1,300**	<2.0	<2.0	**2,600**	–	–
	2/27/2007	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**440**	<2.0	<2.0	**1,900**	–	–
	6/7/2007	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,700**	–	–
	9/14/2007	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**170**	<2.0	<2.0	**1,600**	–	–
	11/17/2007	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3,000**	–	–
	2/28/2008	5.22	322.08	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**890**	–	–
	6/4/2008	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**160**	<2.0	<2.0	**1,500**	–	–
	9/11/2008	–	–	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,000**	<2.0	<2.0	**2,500**	–	–
	12/23/2008	7.57	319.73	**670**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,800**	–	–
	3/17/2009	5.35	321.95	**720**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,100**	–	–
	6/26/2009	6.54	320.76	**360**	<0.50	<0.50	<0.50	<1.0	<2.0	**1,000**	<2.0	<2.0	**1,600**	–	–
	12/3/2009	5.81	321.49	**1,100**	<0.50	<0.50	<0.50	<1.0	<2.0	**120**	<2.0	<2.0	**1,500**	–	–
	6/9/2010	5.09	322.21	**560**	<0.50	<0.50	<0.50	<1.0	<2.0	**560**	<2.0	<2.0	**2,200**	–	–
	11/11/2010	6.08	321.22	**700**	<0.50	<0.50	<0.50	<1.0	<2.0	**360**	<2.0	<2.0	**2,300**	–	–
	6/3/2011	4.98	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**610**	<2.0	<2.0	**1,200**	–	–
	12/7/2011	5.91	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**430**	<2.0	<2.0	**690**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	5.14	322.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**390**	<0.2	<10,000
	4/27/2012	4.59	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**16**	<2.0	<2.0	**450**	<0.2	<10,000
	7/13/2012	5.64	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**35**	<2.0	<2.0	**93**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.84	322.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**63**	–	–
	6/27/2013	6.10	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**	–	–
	12/18/2013	5.94	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**140**	–	–
	6/20/2014	6.39	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**42**	–	–
	12/30/2014	4.96	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
MW-6S	4/27/2006	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**190**	–	–
"A" Zone	6/1/2006	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**73**	–	–
<326.53>	9/12/2006	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**130**	–	–
	11/21/2006	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**140**	–	–
	2/27/2007	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**87**	–	–
	6/7/2007	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**83**	–	–
	9/14/2007	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**72**	–	–
	11/17/2007	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**72**	–	–
	2/28/2008	5.03	321.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**68**	–	–
	6/4/2008	5.34	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**65**	–	–
	9/11/2008	5.74	320.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**130**	–	–
	12/23/2008	5.86	320.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**83**	–	–
	3/17/2009	4.80	321.73	**61**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**160**	–	–
	6/26/2009	5.44	321.09	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**81**	–	–
	12/3/2009	5.03	321.50	**130**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**220**	–	–
	6/11/2010	4.05	322.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**120**	–	–
	11/11/2010	5.50	321.03	**110**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**170**	–	–
	6/3/2011	4.06	322.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**31**	<2.0	<2.0	**110**	–	–
	12/7/2011	4.73	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**62**	<2.0	<2.0	**98**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	1.21	325.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**90**	–	–
	4/27/2012	8.14	318.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**39**	–	–
	7/13/2012	6.30	320.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	15	<2.0	<2.0	**35**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	5.14	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**70**	–	–
	6/27/2013	5.26	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**19**	–	–
	12/18/2013	5.31	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**86**	–	–
	6/20/2014	5.36	321.17	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**24**	<2.0	<2.0	**230**	–	–
	12/30/2014	4.94	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**50**	–	–
MW-6D	4/27/2006	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**22**	–	–
"B" Zone	6/1/2006	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**11**	–	–
<326.72>	9/12/2006	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.3**	–	–
	11/21/2006	5.52	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.8**	–	–
	2/27/2007	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**4.6**	–	–
	6/7/2007	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**8.5**	–	–
	9/14/2007	5.42	321.30	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**	–	–
	11/17/2007	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**26**	–	–
	2/28/2008	3.41	323.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**9.3**	–	–
	6/4/2008	4.78	321.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**18**	–	–
	9/11/2008	5.10	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**64**	–	–

Table 2

CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	12/23/2008	4.67	322.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.8**	–	–
	3/17/2009	3.88	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**26**	–	–
	6/26/2009	5.06	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/3/2009	5.25	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**52**	–	–
	6/11/2010	4.5	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**19**	–	–
	11/11/2010	5.51	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**44**	–	–
	6/3/2011	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**17**	–	–
	12/7/2011	5.38	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**24**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**19**	–	–
	4/27/2012	4.06	322.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**11**	–	–
	7/13/2012	5.12	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**13**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.28	322.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**20**	–	–
	6/27/2013	5.52	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**20**	–	–
	12/18/2013	5.42	321.30	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**27**	–	–
	6/20/2014	5.84	320.88	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**72**	–	–
	12/30/2014	4.46	322.26	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**22**	–	–
MW-7	4/27/2006	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
"A" Zone	6/1/2006	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**16**	–	–
<326.16>	9/12/2006	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**81**	–	–
	11/21/2006	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**180**	–	–
	2/27/2007	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**120**	<2.0	<2.0	**350**	–	–
	6/7/2007	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**520**	–	–
	9/14/2007	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**13**	<2.0	<2.0	**270**	–	–
	11/17/2007	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**710**	–	–
	2/28/2008	3.07	323.09	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,800**	–	–
	6/4/2008	4.31	321.85	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,100**	<2.0	<2.0	**4,300**	–	–
	9/11/2008	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,100**	<2.0	<2.0	**3,200**	–	–
	12/23/2008	4.24	321.92	**590**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,300**	–	–
	3/17/2009	3.41	322.75	**1,700**	<0.50	<0.50	<0.50	<1.0	**2.9**	<10	<2.0	<2.0	**4,100**	–	–
	6/26/2009	4.61	321.55	**440**	<0.50	<0.50	<0.50	<1.0	<2.0	**2,000**	<2.0	<2.0	**2,400**	–	–
	12/3/2009	4.75	321.41	**2,500**	<0.50	<0.50	<0.50	<1.0	<2.0	**21**	<2.0	<2.0	**3,400**	–	–
	6/11/2010	4.03	322.13	**630**	<0.50	<0.50	<0.50	<1.0	<2.0	**680**	<2.0	<2.0	**2,700**	–	–
	11/10/2010	4.92	321.24	**790**	<0.50	<0.50	<0.50	<1.0	<2.0	**790**	<2.0	<2.0	**2,700**	–	–
	6/3/2011	3.92	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**830**	<2.0	<2.0	**2,000**	–	–
	12/7/2011	4.88	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**950**	<2.0	<2.0	**1,200**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	3.64	322.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**320**	<2.0	<2.0	**780**	<0.40	<5,000
	4/27/2012	3.47	322.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**23**	<2.0	<2.0	**530**	<0.40	<5,000
	7/13/2012	4.55	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**16**	<2.0	<2.0	**49**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	3.84	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**18**	–	–
	6/26/2013	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**170**	<2.0	<2.0	**130**	–	–
	12/17/2013	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**230**	<2.0	<2.0	**240**	–	–
	6/20/2014	l Not Accessible													
	12/30/2014	l Not Accessible													
	6/30/2015	5.78	320.38	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**35**	<2.0	<2.0	**160**	–	–
	12/31/2015	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**130**	–	–
MW-8	4/27/2006	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,000**	–	–
"B" Zone	6/1/2006	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,000**	–	–
<325.88>	9/12/2006	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**150**	<2.0	<2.0	**2,500**	–	–
	11/21/2006	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	**2.2**	**430**	<2.0	<2.0	**1,900**	–	–
	2/27/2007	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**330**	<2.0	<2.0	**1,600**	–	–
	6/7/2007	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,500**	–	–
	9/14/2007	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**58**	<2.0	<2.0	**630**	–	–
	11/17/2007	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**640**	–	–
	2/28/2008	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/4/2008	4.02	321.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**120**	<2.0	<2.0	**870**	–	–
	9/11/2008	4.26	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**290**	<2.0	<2.0	**1,300**	–	–
	12/23/2008	3.91	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**150**	–	–
	3/17/2009	3.11	322.77	**640**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,400**	–	–
	6/26/2009	4.27	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**85**	–	–
	12/3/2009	4.45	321.43	**540**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**770**	–	–
	6/11/2010	3.74	322.14	**220**	<0.50	<0.50	<0.50	<1.0	<2.0	**130**	<2.0	<2.0	**1,100**	–	–
	11/10/2010	4.63	321.25	**220**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**350**	–	–
	6/3/2011	3.67	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**220**	<2.0	<2.0	**100**	–	–
	12/6/2011	4.62	321.26	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**120**	<2.0	<2.0	**110**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	3.92	321.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**130**	<2.0	<2.0	**58**	<0.40	<5,000
	4/27/2012	3.51	322.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**110**	<2.0	<2.0	**110**	<0.40	<5,000

Table 2

CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	7/13/2012	4.51	321.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**42**	<2.0	<2.0	**87**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	3.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**120**	–	–
	6/27/2013	4.71	321.17	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**53**	–	–
	12/17/2013	4.70	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**34**	–	–
	6/20/2014	5.04	320.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**29**	<2.0	**2.4**	**160**	–	–
	12/30/2014	3.69	322.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**49**	–	–
	6/30/2015	5.48	320.40	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**30**	–	–
	12/31/2015	4.32	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**47**	–	–
MW-9	4/27/2006	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,200**	–	–
"B" Zone	6/1/2006	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,000**	–	–
<325.29>	9/12/2006	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**130**	<2.0	<2.0	**2,100**	–	–
	11/21/2006	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**180**	<2.0	<2.0	**1,200**	–	–
	2/27/2007	2.69	322.6	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**270**	<2.0	<2.0	**930**	–	–
	6/7/2007	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,400**	–	–
	9/14/2007	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**35**	<2.0	<2.0	**460**	–	–
	11/17/2007	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**910**	–	–
	2/28/2008	2.13	323.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,200**	–	–
	6/4/2008	3.41	321.88	<50	<0.50	<0.50	<0.50	<1.0	**2.4**	**1,400**	<2.0	<2.0	**5,500**	–	–
	9/11/2008	3.70	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**810**	<2.0	<2.0	**2,700**	–	–
	12/23/2008	3.29	322.00	**62**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**260**	–	–
	3/17/2009	2.59	322.70	**1,800**	<0.50	<0.50	<0.50	<1.0	**3.0**	<10	<2.0	<2.0	**3,800**	–	–
	6/26/2009	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**41**	–	–
	12/3/2009	–	–	**2,200**	<0.50	<0.50	<0.50	<1.0	<2.0	**12**	<2.0	<2.0	**2,800**	–	–
	6/9/2010	3.20	322.09	**850**	<0.50	<0.50	<0.50	<1.0	<2.0	**660**	<2.0	<2.0	**3,800**	–	–
	11/10/2010	–	–	**400**	<0.50	<0.50	<0.50	<1.0	<2.0	**1,200**	<2.0	<2.0	**800**	–	–
	6/3/2011	3.07	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**460**	<2.0	<2.0	**260**	–	–
	12/6/2011	4.07	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**330**	<2.0	<2.0	**47**	–	–
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	3.37	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**860**	<2.0	<2.0	**470**	<0.2	<5.0
	4/27/2012	3.00	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**340**	<2.0	<2.0	**1,500**	<0.2	<5.0
	7/13/2012	3.85	321.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**400**	<2.0	<2.0	**410**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	2.95	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**700**	<2.0	<2.0	**140**	–	–
	6/26/2013	4.15	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**19**	–	–
	12/17/2013	4.11	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**32**	–	–
	6/20/2014	4.46	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**60**	<2.0	**3.6**	**250**	–	–
	12/30/2014	3.10	322.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**15**	<2.0	<2.0	**79**	–	–
	6/30/2015	4.88	320.41	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**84**	–	–
	12/31/2015	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**40**	–	–
MW-10	4/27/2006	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**	–	–
"B" Zone	6/1/2006	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
<325.54>	9/12/2006	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**12**	–	–
	11/21/2006	4.35	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**	–	–
	2/27/2007	3.78	321.76	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**11**	–	–
	6/7/2007	3.91	321.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**12**	–	–
	9/14/2007	4.22	321.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	11/17/2007	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6.1**	–	–
	2/28/2008	2.83	322.71	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/4/2008	–	–	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**9.5**	–	–
	9/11/2008	4.33	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.8**	–	–
	12/23/2008	3.44	322.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	3/17/2009	3.50	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/26/2009	4.63	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/3/2009	4.11	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.4**	–	–
	6/9/2010	3.42	322.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6.4**	–	–
	11/10/2010	4.32	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6.4**	–	–
	6/3/2011	3.29	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.0**	–	–
	12/6/2011	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.2**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/13/2012	3.96	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.9**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	3.24	322.30	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.2**	–	–
	6/26/2013	4.39	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**4.1**	–	–
	12/17/2013	4.31	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.7**	–	–
	6/20/2014	4.72	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**20**	–	–
	12/31/2014	3.31	322.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6.3**	–	–
	6/30/2015	5.11	320.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**4.0**	–	–
	12/31/2015	4.00	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.1**	–	–

Table 2

CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
MW-11	6/11/2010	6.68	322.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**550**	<2.0	<2.0	**160**	–	–
"A" Zone	11/11/2010	7.81	321.23	**110**	<0.50	<0.50	<0.50	<1.0	<2.0	**530**	<2.0	<2.0	**180**	–	–
<329.04>	6/1/2011	6.53	322.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**150**	<2.0	<2.0	**66**	–	–
	12/7/2011	7.54	321.50	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**120**	<2.0	<2.0	**59**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.48	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**84**	<2.0	<2.0	**51**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.45	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**23**	–	–
	6/26/2013	7.86	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**23**	–	–
	12/17/2013	Not Accessible													
	7/1/2014	Not Accessible													
	12/31/2014	7.07	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**100**	<2.0	<2.0	**14**	–	–
MW-12	6/11/2010	6.83	322.29	**190**	<0.50	<0.50	<0.50	<1.0	<2.0	**2,400**	<2.0	<2.0	**870**	–	–
"A" Zone	11/11/2010	7.92	321.20	**380**	<0.50	<0.50	<0.50	<1.0	<2.0	**1,300**	<2.0	<2.0	**680**	–	–
<329.12>	6/1/2011	6.90	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**230**	<2.0	<2.0	**230**	–	–
	12/7/2011	7.69	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**87**	<2.0	<2.0	**110**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.54	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**26**	<2.0	<2.0	**8.6**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.53	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**11**	–	–
	6/26/2013	7.94	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.9**	–	–
	12/17/2013	7.55	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.9**	–	–
	7/1/2014	Not Accessible													
	12/31/2014	6.99	322.13	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2.4**	–	–
MW-13	6/11/2010	6.64	322.29	**150**	<0.50	<0.50	<0.50	<1.0	<2.0	**780**	<2.0	<2.0	**800**	–	–
"A" Zone	11/11/2010	7.72	321.21	**320**	<0.50	<0.50	<0.50	<1.0	<2.0	**810**	<2.0	<2.0	**550**	–	–
<328.93>	6/1/2011	6.72	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**210**	<2.0	<2.0	**160**	–	–
	12/7/2011	7.53	321.4	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**110**	<2.0	<2.0	**110**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.33	321.6	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**35**	<2.0	<2.0	**40**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.34	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**24**	–	–
	6/26/2013	7.74	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**13**	–	–
	12/17/2013	Not Accessible													
	7/1/2014	Not Accessible													
	12/31/2014	Not Accessible													
MW-14	6/10/2010	2.48	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**150**	–	–
"B" Zone	11/10/2010	3.20	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**4.8**	–	–
<324.38>	6/1/2011	2.38	322	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**12**	<2.0	<2.0	**36**	–	–
	12/6/2011	3.23	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.4**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	2.87	321.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	2.18	322.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/26/2013	3.33	321.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/17/2013	3.38	321.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	7/1/2014	3.69	320.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/30/2014	2.26	322.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/30/2015	4.03	320.35	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/31/2015	2.89	321.49	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
MW-15	6/10/2010	4.24	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
"B" Zone	11/10/2010	4.84	320.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
<325.76>	6/1/2011	4.18	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/6/2011	4.95	320.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	4.40	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
Ozone Remediation Ended on November 23, 2012															
	12/21/2012	3.96	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/26/2013	5.01	320.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/17/2013	5.21	320.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	7/01/20140	5.39	320.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.0**	–	–
	12/30/2014	4.16	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.0**	–	–
	6/30/2015	5.71	320.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/31/2015	4.64	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
MW-16	6/10/2010	4.65	321.64	**230**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,200**	–	–
"B" Zone	11/10/2010	5.42	320.87	**520**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**830**	–	–
<326.29>	6/1/2011	4.58	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**230**	<2.0	<2.0	**960**	–	–
	12/6/2011	5.47	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**510**	<2.0	<2.0	**730**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	5.00	321.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**350**	<2.0	<2.0	**750**	–	–

Table 2

CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L) TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.36	321.93	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**220**	<2.0	<2.0	**950**	–	–
	6/26/2013	5.48	320.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**90**	<2.0	<2.0	**1,000**	–	–
	12/17/2013	5.67	320.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**61**	<2.0	<2.0	**870**	–	–
	7/1/2014	5.95	320.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**320**	<2.0	<2.0	**610**	–	–
	12/30/2014	4.65	321.64	**240**	<0.50	<0.50	<0.50	<1.0	<2.0	**73**	<2.0	<2.0	**430**	–	–
	6/30/2015	6.22	320.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**83**	<2.0	<2.0	**370**	–	–
	12/31/2015	5.12	321.17	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**240**	–	–
MW-17	6/10/2010	3.50	322.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
"B" Zone	11/10/2010	5.63	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
<326.46>	6/1/2011	4.78	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/6/2011	5.68	320.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.8	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	5.18	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.56	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/26/2013	5.91	320.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/17/2013	5.85	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	7/1/2014	6.12	320.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/31/2014	4.79	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	6/30/2015	6.38	320.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
	12/31/2015	5.32	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–	–
EW-1	6/10/2010	6.47	322.47	**170**	**15**	<0.50	**4.4**	**1.2**	<2.0	<10	<2.0	<2.0	**76**	–	–
"A" Zone	11/11/2010	7.69	321.25	**740**	**53**	<0.50	**7.5**	<1.0	<2.0	**150**	<2.0	<2.0	**140**	–	–
<328.94>	6/3/2011	6.68	322.26	<50	**11**	<0.50	**1.7**	<1.0	<2.0	**140**	<2.0	<2.0	**35**	–	–
	12/7/2011	7.53	321.41	**440**	**38**	<0.50	**3.5**	<1.0	<2.0	**110**	<2.0	<2.0	**48**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.38	321.56	**980**	**22**	1.4	**4.6**	<1.0	<2.0	**180**	<2.0	<2.0	**36**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.36	322.58	**320**	**42**	<0.50	**37**	**1.8**	<2.0	**150**	<2.0	<2.0	**53**	–	–
	6/26/2013	7.78	321.16	**350**	**7.4**	<0.50	**8**	**24.8**	<2.0	**60**	<2.0	<2.0	**20**	–	–
	12/17/2013	Not Accessible													
	7/1/2014	Not Accessible													
	12/31/2014	Not Accessible													
EW-2	6/10/2010	6.62	322.37	**99**	**11**	**1**	**3**	**3.3**	<2.0	<10	<2.0	<2.0	**110**	–	–
"A" Zone	11/11/2010	Well was not gauged or sam			–	–									
<328.99>	6/1/2011	Well was not gauged or sampled on this date.													
	12/7/2011	7.49	321.5	**570**	**26**	<0.50	**42**	**1.9**	<2.0	**490**	<2.0	<2.0	**150**	–	–
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.41	321.58	**570**	**19**	<0.5	**8.1**	<1.0	<2.0	**620**	<2.0	<2.0	**100**	–	–
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.36	322.63	**99**	**14**	<0.5	**6.2**	**8.9**	<2.0	**2,100**	<2.0	<2.0	**100**	–	–
	6/26/2013	7.78	321.16	**270**	**3.1**	<0.50	**3.3**	<1.0	<2.0	**740**	<2.0	<2.0	**62**	–	–
	12/17/2013	Not Accessible													
	7/1/2014	Not Accessible													
	12/31/2014	Not Accessible													

Table Notes:

GW Depth = Groundwater depth below top of casing.
GW Elevation = Groundwater mean sea level elevation.
TPH-G = Total Petroleum Hydrocarbons as Gasoline
B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes
TAME = Tert-amyl Methyl EtherTBA = tert-Butanol
DIPE = Diisopropyle ether
ETBE = Ethyl-tert-butyl ether
MTBE = Methyl-t-Butyl Ether
Cr6 = Hexavalent Chromium
Br = Bromate
NA = Not analyzed for particular parameter
<0.050 = Not detected above the expressed value.
<328.88> = Surveyed top of casing mean sea level elevation.
"A" Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.
"B" Zone = Semi-continuos sand and gravel layer between about 30 and 35 feet in depth.
1 = MTBE result was confirmed using USEPA Method 8260B.

FIGURES



DESIGNED BY:	CHECKED BY:	**SITE VICINITY MAP**	DATE: 01/28/2016	FIGURE: **1**
DRAWN BY: MAR	SCALE:	DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	GRIBI	
PROJECT NO:				



DESIGNED BY:	CHECKED BY:	**SITE AREA PLAN**	DATE: 01/28/2016
DRAWN BY: MAR	SCALE:	DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	FIGURE: **2**
PROJECT NO:			GRIBI



DESIGNED BY:	CHECKED BY:	**SITE PLAN**	DATE: 01/28/2016	FIGURE: 3
DRAWN BY: MAR	SCALE:	DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	GRIBI	
PROJECT NO:				



DESIGNED BY:	CHECKED BY:	**"A" ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 6/30/2015** DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 01/28/2016	FIGURE: **4**
DRAWN BY: MAR	SCALE:			GRIBI
PROJECT NO:				



DESIGNED BY:	CHECKED BY:	**"B" ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 6/30/2015** DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 01/28/2016	FIGURE: 5
DRAWN BY: MAR	SCALE:			GRIBI
PROJECT NO:				

ATTACHMENT A

GROUNDWATER MONITORING
FIELD DATA RECORDS

Groundwater Monitoring Field Sheet

Client Name: **Dublin Toyota**
Project Name: **Dublin Toyota**
Sampling Personnel: MAR
Date: 12/31/2015
Weather Conditions: clear, cold

Well ID: **MW-7**
Casing Diameter (inches): **0.75**
Total Depth (feet): **20.0**
Depth to Water: 4.62
Depth to Free Product: —
Water Column (ft): 15.38
Product Thickness: Ø
One Well Volume (gal): 0.91
3x Well Volume (gal): 2.7

Notes:
One Well Volume is determine by multiplying "Water Column" by:
- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	*Bailer*	*Pump*	*Comments*
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	*Volume Purged*	*Temp. (F or C)*	*E.C. (mS/cm)*	*D.O. (mg/L)*	*pH*	*ORP (mV)*	*Comments*
1605							
1610	1	20.6	6.14		7.06		
1615	2	20.7	5.94		7.05		
1620	3	20.8	5.88		7.08		

SAMPLE OBSERVATIONS

Characteristic	*None*	*Slight*	*Moderate*	*Strong*	*Comments*
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time: 1620
Sampler's Signature: MAR

Groundwater Monitoring Field Sheet

Client Name **Dublin Toyota**

Project Name **Dublin Toyota**

Sampling Personnel MAK

Date 12/31/2015

Weather Conditions Clear, cold

Well ID **MW-8**

Casing Diameter (inches) **0.75**

Total Depth (feet) **35.0**

Depth to Water 4.32

Depth to Free Product —

Water Column (ft) 30.68

Product Thickness Ø

One Well Volume (gal) 1.81

3x Well Volume (gal) 5.4

Notes:
One Well Volume is determine by multiplying "Water Column" by:
- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	*Bailer*	*Pump*	*Comments*
Purge Method		X	12V Peristaltic Pump
Sample Method			12V Peristaltic Pump

FIELD PARAMETERS

Time	*Volume Purged*	*Temp. (F or C)*	*E.C. (mS/cm)*	*D.O. (mg/L)*	*pH*	*ORP (mV)*	*Comments*
1358							
1406	2	20.3	4.52		7.08		
1413	4	20.2	4.55		7.07		
1418	5.5	20.1	4.56		7.07		

SAMPLE OBSERVATIONS

Characteristic	*None*	*Slight*	*Moderate*	*Strong*	*Comments*
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1420 **Sampler's Signature** MAK

Groundwater Monitoring Field Sheet

Client Name **Dublin Toyota**

Project Name **Dublin Toyota**

Sampling Personnel MVK

Date 12/31/2015

Weather Conditions Clear, Cold

Well ID **MW-9**

Casing Diameter (inches) **0.75**

Total Depth (feet) **40**

Depth to Water 3.73

Depth to Free Product —

Water Column (ft) 36.27

Product Thickness Ø

One Well Volume (gal) 2.14

3x Well Volume (gal) 6.4

Notes:
One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	*Bailer*	*Pump*	*Comments*
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	*Volume Purged*	*Temp. (F or C)*	*E.C. (mS/cm)*	*D.O. (mg/L)*	*pH*	*ORP (mV)*	*Comments*
1435							
1443	2	19.8	5.22		7.09		
1450	4	19.9	5.22		7.02		
1457	6	19.8	5.24		7.02		

SAMPLE OBSERVATIONS

Characteristic	*None*	*Slight*	*Moderate*	*Strong*	*Comments*
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1500

Sampler's Signature MVK

Groundwater Monitoring Field Sheet

Client Name **Dublin Toyota**

Project Name **Dublin Toyota**

Sampling Personnel MVK

Date 12/31/2015

Weather Conditions Clear, Cold

Well ID **MW-10**

Casing Diameter (inches) **0.75**

Total Depth (feet) **39.4**

Depth to Water 4.00

Depth to Free Product —

Water Column (ft) 35.4

Product Thickness Ø

One Well Volume (gal) 2.09

3x Well Volume (gal) 6.3

Notes:
One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	*Bailer*	*Pump*	*Comments*
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

FIELD PARAMETERS

Time	*Volume Purged*	*Temp. (F or C)*	*E.C. (mS/cm)*	*D.O. (mg/L)*	*pH*	*ORP (mV)*	*Comments*
1515							
1523	2	19.8	4.38		7.06		
1531	4	19.8	4.64		7.07		
1539	6	19.7	4.76		7.06		

SAMPLE OBSERVATIONS

Characteristic	*None*	*Slight*	*Moderate*	*Strong*	*Comments*
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1540

Sampler's Signature MVK

Groundwater Monitoring Field Sheet

Client Name **Dublin Toyota** Project Name **Dublin Toyota**

Sampling Personnel MVK Date 12/31/2015

Weather Conditions clear, cold

Well ID **MW-14**

Casing Diameter (inches) **2.0** Total Depth (feet) **39.5**

Depth to Water 2.89 Depth to Free Product —

Water Column (ft) 36.61 Product Thickness Ø

One Well Volume (gal) 6.22 3x Well Volume (gal) 18.7

Notes:
One Well Volume is determine by multiplying "Water Column" by:
- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	*Bailer*	*Pump*	*Comments*
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

Time	*Volume Purged*	*Temp. (F or C)*	*E.C. (mS/cm)*	*D.O. (mg/L)*	*pH*	*ORP (mV)*	*Comments*
1259							
1301	5	19.9	5.08		7.17		
1304	10	19.9	5.07		7.15		
1307	15	19.9	5.07		7.14		
1309	19	19.9	5.07		7.14		

SAMPLE OBSERVATIONS

Characteristic	*None*	*Slight*	*Moderate*	*Strong*	*Comments*
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1310 **Sampler's Signature** MVK

Groundwater Monitoring Field Sheet

Client Name **Dublin Toyota**

Project Name **Dublin Toyota**

Sampling Personnel MAR

Date 12/31/2015

Weather Conditions Clear, V. Cold

Well ID **MW-15**

Casing Diameter (inches) **2.0**

Total Depth (feet) **39.6**

Depth to Water 4.64

Depth to Free Product —

Water Column (ft) 34.96

Product Thickness Ø

One Well Volume (gal) 5.94

3x Well Volume (gal) 17.8

Notes:
One Well Volume is determine by multiplying "Water Column" by:
- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	*Bailer*	*Pump*	*Comments*
Purge Method		X	12V Purge pump
Sample Method		X	12V Purge pump

FIELD PARAMETERS

Time	*Volume Purged*	*Temp. (F or C)*	*E.C. (mS/cm)*	*D.O. (mg/L)*	*pH*	*ORP (mV)*	*Comments*
0949							
0955	5	19.1	5.70		7.19		
1000	10	19.1	5.60		7.22		
1005	15	19.1	5.51		7.23		
1008	18	19.1	5.50		7.22		

SAMPLE OBSERVATIONS

Characteristic	*None*	*Slight*	*Moderate*	*Strong*	*Comments*
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1010

Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name **Dublin Toyota** Project Name **Dublin Toyota**

Sampling Personnel MBR Date 12/31/2015

Weather Conditions Clear, cold

Well ID **MW-16**

Casing Diameter (inches) **2.0** Total Depth (feet) **39.5**

Depth to Water 5.12 Depth to Free Product —

Water Column (ft) 34.38 Product Thickness ø

One Well Volume (gal) 5.84 3x Well Volume (gal) 17.5

Notes:
One Well Volume is determine by multiplying "Water Column" by:
- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	*Bailer*	*Pump*	*Comments*
Purge Method		X	12V Purge Pump
Sample Method		X	12V Purge Pump

FIELD PARAMETERS

Time	*Volume Purged*	*Temp. (F or C)*	*E.C. (mS/cm)*	*D.O. (mg/L)*	*pH*	*ORP (mV)*	*Comments*
1056							
1059	5	19.4	5.82		7.00		
1102	10	19.6	5.81		6.99		
1105	15	19.6	5.83		6.99		
1106	18	19.6	5.83		6.99		

SAMPLE OBSERVATIONS

Characteristic	*None*	*Slight*	*Moderate*	*Strong*	*Comments*
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1110 **Sampler's Signature** MBR

Groundwater Monitoring Field Sheet

Client Name **Dublin Toyota** Project Name **Dublin Toyota**

Sampling Personnel MAR Date 12/31/2015

Weather Conditions Clear, Cold

Well ID **MW-17**

Casing Diameter (inches) **2.0** Total Depth (feet) **38.5**

Depth to Water 5.32 Depth to Free Product —

Water Column (ft) 33.18 Product Thickness ϕ

One Well Volume (gal) 5.64 3x Well Volume (gal) 17.0

Notes:
One Well Volume is determine by multiplying "Water Column" by:
- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	*Bailer*	*Pump*	*Comments*
Purge Method		X	12V purge pump
Sample Method			

FIELD PARAMETERS

Time	*Volume Purged*	*Temp. (F or C)*	*E.C. (mS/cm)*	*D.O. (mg/L)*	*pH*	*ORP (mV)*	*Comments*
1024							
1028	5	20.5	7.31		7.04		
1032	10	20.0	6.94		7.06		
1038	15	19.9	6.89		7.04		
1041	17	19.9	6.88		7.04		

SAMPLE OBSERVATIONS

Characteristic	*None*	*Slight*	*Moderate*	*Strong*	*Comments*
Color		X			brown
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1045 **Sampler's Signature** MAR

ATTACHMENT B

LABORATORY DATA REPORTS AND CHAIN-OF-CUSTODY RECORDS

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

13 January 2016

Jim Gribi
Gribi Associates
1090 Adam Street, Suite K
Benicia, CA 94510

RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 01/06/16 08:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Katherine RunningCrane
Project Manager

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-7	T160011-01	Water	12/31/15 16:20	01/06/16 08:00
MW-8	T160011-02	Water	12/31/15 14:20	01/06/16 08:00
MW-9	T160011-03	Water	12/31/15 15:00	01/06/16 08:00
MW-10	T160011-04	Water	12/31/15 15:40	01/06/16 08:00
MW-14	T160011-05	Water	12/31/15 13:10	01/06/16 08:00
MW-15	T160011-06	Water	12/31/15 10:10	01/06/16 08:00
MW-16	T160011-07	Water	12/31/15 11:10	01/06/16 08:00
MW-17	T160011-08	Water	12/31/15 10:45	01/06/16 08:00

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

DETECTIONS SUMMARY

Sample ID: MW-7 **Laboratory ID:** T160011-01

Analyte	Result	Reporting Limit	Units	Method	Notes
Methyl tert-butyl ether	**130**	1.0	ug/l	EPA 8260B	

Sample ID: MW-8 **Laboratory ID:** T160011-02

Analyte	Result	Reporting Limit	Units	Method	Notes
Methyl tert-butyl ether	**47**	1.0	ug/l	EPA 8260B	

Sample ID: MW-9 **Laboratory ID:** T160011-03

Analyte	Result	Reporting Limit	Units	Method	Notes
Methyl tert-butyl ether	**40**	1.0	ug/l	EPA 8260B	

Sample ID: MW-10 **Laboratory ID:** T160011-04

Analyte	Result	Reporting Limit	Units	Method	Notes
Methyl tert-butyl ether	**5.1**	1.0	ug/l	EPA 8260B	

Sample ID: MW-14 **Laboratory ID:** T160011-05

No Results Detected

Sample ID: MW-15 **Laboratory ID:** T160011-06

No Results Detected

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

Sample ID: MW-16 **Laboratory ID:** T160011-07

Analyte	Result	Reporting Limit	Units	Method	Notes
Methyl tert-butyl ether	**240**	10	ug/l	EPA 8260B	

Sample ID: MW-17 **Laboratory ID:** T160011-08

No Results Detected

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

MW-7

T160011-01 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	6010616	01/06/16	01/06/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**130**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		*100 %*	*88.8-117*		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*93.0 %*	*83.5-119*		"	"	"	"	
Surrogate: Dibromofluoromethane		*98.6 %*	*81.1-136*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

MW-8

T160011-02 (Water)

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by EPA Method 8260B									
Benzene	ND	0.50	ug/l	1	6010616	01/06/16	01/06/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**47**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		*100 %*		*88.8-117*	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*90.8 %*		*83.5-119*	"	"	"	"	
Surrogate: Dibromofluoromethane		*102 %*		*81.1-136*	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

MW-9

T160011-03 (Water)

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by EPA Method 8260B									
Benzene	ND	0.50	ug/l	1	6010616	01/06/16	01/06/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**40**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		*99.0 %*		*88.8-117*	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*89.5 %*		*83.5-119*	"	"	"	"	
Surrogate: Dibromofluoromethane		*107 %*		*81.1-136*	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

MW-10

T160011-04 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	6010616	01/06/16	01/06/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**5.1**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		*97.4 %*		*88.8-117*	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*87.0 %*		*83.5-119*	"	"	"	"	
Surrogate: Dibromofluoromethane		*114 %*		*81.1-136*	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

MW-14

T160011-05 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	6010616	01/06/16	01/06/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		*95.8 %*		*88.8-117*	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*87.1 %*		*83.5-119*	"	"	"	"	
Surrogate: Dibromofluoromethane		*118 %*		*81.1-136*	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

MW-15

T160011-06 (Water)

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by EPA Method 8260B									
Benzene	ND	0.50	ug/l	1	6010616	01/06/16	01/06/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		*97.4 %*		*88.8-117*	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*86.9 %*		*83.5-119*	"	"	"	"	
Surrogate: Dibromofluoromethane		*110 %*		*81.1-136*	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

MW-16

T160011-07 (Water)

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organic Compounds by EPA Method 8260B									
Benzene	ND	0.50	ug/l	1	6010616	01/06/16	01/06/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**240**	10	"	10	"	"	01/07/16	"	
C6-C12 (GRO)	ND	50	"	1	"	"	01/06/16	"	
Surrogate: Toluene-d8		*100 %*	*88.8-117*		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*91.6 %*	*83.5-119*		"	"	"	"	
Surrogate: Dibromofluoromethane		*102 %*	*81.1-136*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

MW-17

T160011-08 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	6010616	01/06/16	01/06/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		*99.4 %*		*88.8-117*	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*86.5 %*		*83.5-119*	"	"	"	"	
Surrogate: Dibromofluoromethane		*107 %*		*81.1-136*	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

Volatile Organic Compounds by EPA Method 8260B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6010616 - EPA 5030 GCMS										
Blank (6010616-BLK1)				Prepared & Analyzed: 01/06/16						
Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
m,p-Xylene	ND	1.0	"							
o-Xylene	ND	0.50	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	1.0	"							
C6-C12 (GRO)	ND	50	"							
Surrogate: Toluene-d8	*7.88*		*"*	*8.00*		*98.5*	*88.8-117*			
Surrogate: 4-Bromofluorobenzene	*7.41*		*"*	*8.00*		*92.6*	*83.5-119*			
Surrogate: Dibromofluoromethane	*7.49*		*"*	*8.00*		*93.6*	*81.1-136*			
LCS (6010616-BS1)				Prepared & Analyzed: 01/06/16						
Chlorobenzene	19.5	1.0	ug/l	20.0		97.6	75-125			
1,1-Dichloroethene	24.9	1.0	"	20.0		124	75-125			
Trichloroethene	21.7	1.0	"	20.0		108	75-125			
Benzene	19.2	0.50	"	20.0		96.2	75-125			
Toluene	19.0	0.50	"	20.0		95.0	75-125			
Surrogate: Toluene-d8	*7.61*		*"*	*8.00*		*95.1*	*88.8-117*			
Surrogate: 4-Bromofluorobenzene	*8.74*		*"*	*8.00*		*109*	*83.5-119*			
Surrogate: Dibromofluoromethane	*7.69*		*"*	*8.00*		*96.1*	*81.1-136*			
Matrix Spike (6010616-MS1)	**Source: T160011-01**			Prepared & Analyzed: 01/06/16						
Chlorobenzene	18.1	1.0	ug/l	20.0	ND	90.5	75-125			
1,1-Dichloroethene	24.3	1.0	"	20.0	ND	122	75-125			
Trichloroethene	19.9	1.0	"	20.0	ND	99.4	75-125			
Benzene	18.1	0.50	"	20.0	ND	90.3	75-125			
Toluene	17.6	0.50	"	20.0	ND	88.2	75-125			
Surrogate: Toluene-d8	*7.69*		*"*	*8.00*		*96.1*	*88.8-117*			
Surrogate: 4-Bromofluorobenzene	*8.67*		*"*	*8.00*		*108*	*83.5-119*			
Surrogate: Dibromofluoromethane	*7.85*		*"*	*8.00*		*98.1*	*81.1-136*			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

Volatile Organic Compounds by EPA Method 8260B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6010616 - EPA 5030 GCMS										
Matrix Spike Dup (6010616-MSD1)	**Source: T160011-01**			Prepared & Analyzed: 01/06/16						
Chlorobenzene	19.0	1.0	ug/l	20.0	ND	95.0	75-125	4.80	20	
1,1-Dichloroethene	24.7	1.0	"	20.0	ND	123	75-125	1.47	20	
Trichloroethene	21.3	1.0	"	20.0	ND	107	75-125	7.04	20	
Benzene	18.8	0.50	"	20.0	ND	93.8	75-125	3.75	20	
Toluene	18.5	0.50	"	20.0	ND	92.5	75-125	4.82	20	
Surrogate: Toluene-d8	*7.57*		*"*	*8.00*		*94.6*	*88.8-117*			
Surrogate: 4-Bromofluorobenzene	*8.74*		*"*	*8.00*		*109*	*83.5-119*			
Surrogate: Dibromofluoromethane	*7.80*		*"*	*8.00*		*97.5*	*81.1-136*			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	01/13/16 17:46

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Katherine RunningCrane

Katherine RunningCrane, Project Manager

T 160011

SUNSTAR LABORATORIES

25712 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630
Website: www.SUNSTARLABS.com Email: john@sunstarlabs.com
Telephone: (949) 297-5020 Fax: (949) 297-5027

CHAIN OF CUSTODY RECORD

TURN AROUND TIME ☐ RUSH ☐ 24 HR ☐ 48 HR ☐ 72 HR ■ 5 DAY

■ GeoTracker EDF ☐ PDF ☐ Excel ☐ Write On (DW)

Report To: James Gribi	**Bill To:**
Company: Gribi Associates	
1090 Adams Street, Suite K	
Benicia, CA 94510	**E-Mail:**
Tele: (707) 748-7743	**Fax: (707) 748-7763**
Client Name: Dublin Toyota	**Global ID: T0600102153**
Project Name: Dublin Toyota	
Sampler Signature:	

SAMPLE ID	LOCATION/ Field Point Name	SAMPLING Date	SAMPLING Time	# Containers	Type Containers	MATRIX Water	MATRIX Soil	MATRIX Air	MATRIX Sludge	MATRIX Other	METHOD PRESERVED Ice	METHOD PRESERVED HCl	METHOD PRESERVED HNO_3	METHOD PRESERVED Other	TPH-Gas, BTEX, MTBE (8015M/8021B)	TPH-Gas (8015M)	TPH-Diesel (8015M)	TPH-Motor Oil (8015M)	TPH-Gas, BTEX, MTBE (8260B)	TPH-Gas, BTEX, 5 Oxygenates (8260B)	TPH-Gas, BTEX, 7 Oxygenates (8260B)	5 Oxygenates (8260B)	Lead Scavengers [1,2 DCA & 1,2 EDB] (8260B)	VOC's – Full List (8260B)	Halogenated VOC's (8260B)	SVOC's (8270)	Other	Other	Other	Comments
MW-7		12/31	1620	4	voa	X					X	X								X										01
MW-8		12/31	1420	4	voa	X					X	X								X										02
MW-9		12/31	1500	4	voa	X					X	X								X										03
MW-10		12/31	1540	4	voa	X					X	X								X										04
MW-14		12/31	1310	4	voa	X					X	X								X										05
MW-15		12/31	1010	4	voa	X					X	X								X										06
MW-16		12/31	1110	4	voa	X					X	X								X										07
MW-17		12/31	1045	4	voa	X					X	X								X										08

Relinquished By:	**Date:** 01/04/16	**Time:** 1000	**Received By:** 1/5/15 12:30
Relinquished By:	**Date:**	**Time:**	**Received By:** 1/6/16 8:00
Relinquished By:	**Date:**	**Time:**	**Received By:**

ICE/t°_____
GOOD CONDITION_____
HEAD SPACE ABSENT_____
DECHLORINATED IN LAB_____
APPROPRIATE CONTAINERS_____
PRESERVED IN LAB_____

COMMENTS:

STD. TAT ☐

	VOAS	O&G	METALS	OTHER
PRESERVATION			pH<2	

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

SAMPLE RECEIVING REVIEW SHEET

BATCH # T160011

Client Name: Gribi Associates Project: Dublin Toyota

Received by: Kyle Date/Time Received: 1/6/16 8:00

Delivered by : ☐ Client ☐ SunStar Courier ☑ GSO ☐ FedEx ☐ Other _____

Total number of coolers received 1 **Temp criteria = 6°C > 0°C (no frozen containers)**

Temperature: cooler #1 13.9 °C +/- the CF (- 0.2°C) = 13.7 °C corrected temperature

cooler #2 _____ °C +/- the CF (- 0.2°C) = _____ °C corrected temperature

cooler #3 _____ °C +/- the CF (- 0.2°C) = _____ °C corrected temperature

Samples outside temp. but received on ice, w/in 6 hours of final sampling.	☐ Yes	☐ No*	☒ N/A
Custody Seals Intact on Cooler/Sample	☒ Yes	☐ No*	☐ N/A
Sample Containers Intact	☒ Yes	☐ No*	
Sample labels match COC ID's	☒ Yes	☐ No*	
Total number of containers received match COC	☒ Yes	☐ No*	
Proper containers received for analyses requested on COC	☒ Yes	☐ No*	
Proper preservative indicated on COC/containers for analyses requested	☒ Yes	☐ No*	☐ N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times. ☒ **Yes** ☐ **No***

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date KR 1/6/16

Comments:

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

WORK ORDER

T160011

Client: **Gribi Associates** **Project Manager:** **Katherine RunningCrane**
Project: **Dublin Toyota** **Project Number:** **[none]**

Report To:
Gribi Associates
Jim Gribi
1090 Adam Street, Suite K
Benicia, CA 94510

Date Due: 01/13/16 15:00 (5 day TAT)
Received By: Kyler Mondello Date Received: 01/06/16 08:00
Logged In By: Kyler Mondello Date Logged In: 01/06/16 08:08

Samples Received at: **13.7°C**
Custody Seals Yes Received On Ice Yes
Containers Intact Yes
COC/Labels Agree Yes
Preservation Confir No

Analysis	Due	TAT	Expires	Comments
T160011-01 MW-7 [Water] Sampled 12/31/15 16:20 (GMT-08:00) Pacific Time (US &				
8260 BTEX/OXY	01/13/16 15:00	5	01/14/16 16:20	+ GRO
T160011-02 MW-8 [Water] Sampled 12/31/15 14:20 (GMT-08:00) Pacific Time (US &				
8260 BTEX/OXY	01/13/16 15:00	5	01/14/16 14:20	+ GRO
T160011-03 MW-9 [Water] Sampled 12/31/15 15:00 (GMT-08:00) Pacific Time (US &				
8260 BTEX/OXY	01/13/16 15:00	5	01/14/16 15:00	+ GRO
T160011-04 MW-10 [Water] Sampled 12/31/15 15:40 (GMT-08:00) Pacific Time (US &				
8260 BTEX/OXY	01/13/16 15:00	5	01/14/16 15:40	+ GRO
T160011-05 MW-14 [Water] Sampled 12/31/15 13:10 (GMT-08:00) Pacific Time (US &				
8260 BTEX/OXY	01/13/16 15:00	5	01/14/16 13:10	+ GRO
T160011-06 MW-15 [Water] Sampled 12/31/15 10:10 (GMT-08:00) Pacific Time (US &				
8260 BTEX/OXY	01/13/16 15:00	5	01/14/16 10:10	+ GRO
T160011-07 MW-16 [Water] Sampled 12/31/15 11:10 (GMT-08:00) Pacific Time (US &				
8260 BTEX/OXY	01/13/16 15:00	5	01/14/16 11:10	+ GRO

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

WORK ORDER

T160011

Client:	**Gribi Associates**	**Project Manager:**	**Katherine RunningCrane**
Project:	**Dublin Toyota**	**Project Number:**	**[none]**

Analysis	Due	TAT	Expires	Comments
T160011-08 MW-17 [Water] Sampled 12/31/15 10:45 (GMT-08:00) Pacific Time (US &				
8260 BTEX/OXY	01/13/16 15:00	5	01/14/16 10:45	+ GRO

Reviewed By

Date