

6920 Koll Center Parkway
Suite 216
Pleasanton, CA 94566
925.426.2600
Fax 925.426.0106



June 8, 2005

Mr. Amir Gholami
Hazardous Materials Specialists
ALAMEDA COUNTY ENVIRONMENTAL HEALTH
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Clayton Project No.70-04578.00

Subject: First Quarter 2005 Groundwater Monitoring Results for the property at
630 29th Avenue in Oakland, California

Dear Mr. Gholami:

Clayton is pleased to present the results for the First Quarter 2005 groundwater monitoring event performed at 630 29th Avenue in Oakland, California.

If you have any comments or questions regarding the report please contact Clayton at (925) 426-2600.

Sincerely,

A handwritten signature in black ink that appears to read "Mathew Reimer".

Mathew Reimer
Staff Environmental Consultant
Environmental Services
San Francisco Regional Office

A handwritten signature in black ink that appears to read "Timothy G. Bodkin".

Timothy G. Bodkin, C.E.G., R.E.A.
Senior Project Manager
Environmental Services
San Francisco Regional Office

TGB/tgb

cc: Bob Pender AIG Technical Services
 Donna Profitt Bank of America
 Rita Repko Clayton Group Services



**FIRST QUARTER 2005
GROUNDWATER MONITORING REPORT
for the
Former Lemoine Sausage Facility
630 29th Avenue
Oakland, California**

**Clayton Project No. 70-04578.00
June 8, 2005**

*Alameda County
Environmental Health
Division
July 8, 2005*

Prepared by:
**CLAYTON GROUP SERVICES, INC.
6920 Koll Center Parkway
Suite 216
Pleasanton, California
925.426.2600**

CONTENTS

<u>Section</u>	<u>Page</u>
1.0 INTRODUCTION.....	1
2.0 SITE DESCRIPTION AND HISTORY	1
3.0 GROUNDWATER MONITORING FIELD ACTIVITIES.....	1
3.1. GROUNDWATER LEVEL MEASUREMENTS	2
3.2. GROUNDWATER PURGING	2
3.3. GROUNDWATER SAMPLING	2
3.4. LABORATORY ANALYSES.....	3
4.0 FINDINGS.....	3
4.1. GROUNDWATER FLOW CONDITIONS	3
4.2. PETROLEUM AND AROMATIC HYDROCARBONS	3
4.3. HALOGENATED VOLATILE ORGANIC COMPOUNDS	4
5.0 CONCLUSION.....	4

Tables

1. Summary of Groundwater Elevation Data
2. Summary of Groundwater Analytical Results

Figures

1. Property Location Map
2. Groundwater Elevation Contour Map – 1st Quarter 2005
3. TPH-g Concentrations in Groundwater – 1st Quarter 2005
4. Benzene Concentrations in Groundwater – 1st Quarter 2005
5. TCE and cis-1,2- DCE Concentrations in Groundwater – 1st Quarter 2005

Appendices

- A. First Quarter 2005- Field Sampling Data Sheets
- B. First Quarter 2005- Certified Analytical Data Sheets and Chain-of-Custody Documentation

1.0 INTRODUCTION

Clayton Group Services, Inc., (Clayton) has prepared the following First Quarter 2005 Groundwater Monitoring Report for the former Lemoine Sausage Facility located at 630 29th Avenue in Oakland, California (Figure 1). The groundwater monitoring is performed pursuant to a request from Alameda County Environmental Health (ACEH) made in a letter dated June 19, 1999. Groundwater monitoring is required due to past releases from a former gasoline underground storage tank (UST) previously located beneath the sidewalk adjacent to the subject property. The purpose of the groundwater monitoring is to document groundwater flow conditions and water quality beneath the site. Depth to groundwater measurements are made and groundwater samples are collected and analyzed for total petroleum hydrocarbons as gasoline (TPH-g) and associated compounds benzene, toluene, ethylbenzene and total xylenes (BTEX), and the former gasoline fuel additive 1,2-Dichloroethane (1,2-DCA).

As directed by the ACEH, groundwater monitoring is being performed on a quarterly basis. This First Quarter 2005 Groundwater Monitoring Report documents field activities, and presents data used to determine the groundwater elevation, gradient and groundwater quality at the site.

2.0 SITE DESCRIPTION AND HISTORY

A single 1,000-gallon gasoline UST and associated plumbing/piping were formerly located beneath the sidewalk along 7th Street immediately east of the subject building. The associated fuel dispenser was located in a “cubby hole” near the building’s roll-up door. The UST and associated piping were removed on November 21, 1996 and confirmation soil samples were collected. A petroleum hydrocarbon sheen was noted on groundwater that collected in the tank excavation and petroleum hydrocarbons were detected in the confirmation soil samples collected at the time of the UST removal.

Subsequent groundwater investigations were performed to define the vertical and lateral extent of petroleum hydrocarbons in groundwater. Ten (10) groundwater monitoring wells currently exist in the first encountered water bearing zone to test groundwater conditions at and near the site. First encountered water beneath the site occurs in predominantly low permeability clayey and sandy silt. Analysis of groundwater samples for volatile organic compounds revealed several non-gasoline related halogenated volatile organic compounds (HVOCs) in wells located south and southwest of the former UST location. The source of non-gasoline related VOCs, which has not been identified, is most likely related to an off-site source.

3.0 GROUNDWATER MONITORING FIELD ACTIVITIES

Groundwater samples were collected from 9 of the 10 existing monitoring wells (MW-1, MW-2, MW-6, MW-8, MW-9, MW-10, MW-11, MW-12 and MW-13). One of the monitoring wells, MW-7, was inaccessible because the well was covered by a parked vehicle.

3.1. GROUNDWATER LEVEL MEASUREMENTS

On March 22, 2005, depth to water was measured in nine (9) of the ten (10) existing monitoring wells to determine the groundwater elevation, gradient and flow direction. The wells were opened and allowed to stabilize prior to measuring the depth to water. Using an electronic water level probe, the depth to water in each well was measured from the surveyed reference elevation represented as a V-notch at the top of the casing (TOC) to the water surface within the well casing. By subtracting the measured depth to water from the TOC elevation in each monitoring well, the groundwater elevation at each monitoring point was calculated.

3.2. GROUNDWATER PURGING

Prior to collecting a groundwater sample from each monitoring well, approximately four well casing volumes of water were removed or the well casing was purged dry. Two monitoring wells (MW-1 and MW-2) are constructed with $\frac{3}{4}$ -inch diameter PVC well casings and eight monitoring wells (MW-6 through MW-13) are constructed with 2-inch diameter PVC well casings. The purge volume from each monitoring well was determined by multiplying the nominal cross-sectional area of the well casing by the water column within each well casing. The water column height in each well was determined by subtracting the depth to water from the total well casing depth (reported in well construction details). The $\frac{3}{4}$ -inch diameter wells were not purged because they did not contain sufficient water, and the 2-inch diameter wells were purged by hand bailing with a 1-liter Teflon bailer. Water quality parameters (pH, specific conductivity, and temperature) were measured and recorded onto field sampling data sheets. Water quality parameter measurements were taken prior to purging and after removing each well casing volume of water from the monitoring well.

Water-level measurements and well purging and sampling for the First Quarter 2005 monitoring event are presented in Appendix A on Field Sampling Data Sheets. Groundwater purged from monitoring wells during sampling was stored onsite in sealed 55-gallon drums meeting U.S. Department of Transportation (USDOT) regulations and labeled with identifying information. The waste was later manifested and removed from the site by a licensed hauler as non-hazardous waste.

3.3. GROUNDWATER SAMPLING

Prior to collecting a groundwater sample from each monitoring well, the well casing was allowed to recharge to 80-percent of the pre-purged water volume. Groundwater samples for laboratory analyses were retrieved using either a peristaltic pump with polytubing or a new disposable bailer. The groundwater retrieved for analyses was transferred into appropriately sized and preserved laboratory supplied containers. Sample containers were sealed, labeled with identifying information, logged onto a chain-of-custody document, and temporarily stored in a chilled ice-chest until transported to the laboratory.

3.4. LABORATORY ANALYSES

Groundwater samples were submitted for analysis to Curtis and Tompkins, Ltd., Analytical Laboratories of Berkeley, California, a State of California certified laboratory. The samples were analyzed by one or more of the following United States Environmental Protection Agency (USEPA) approved analytical methods:

- USEPA Method 8015B for Total Petroleum Hydrocarbons as Gasoline (TPH-g)
- USEPA Method 8021B for Aromatic Hydrocarbons (Benzene, Toluene, Ethylbenzene, and total Xylenes) (BTEX)
- USEPA Method 8260B for Halogenated Volatile Organic Compounds (HVOCs)

Certified analytical data sheets and chain-of-custody documentation for the First Quarter 2005 groundwater-sampling event are presented in Appendix B.

4.0 FINDINGS

The following discussion presents an interpretation of groundwater flow conditions and water quality at the site based on the results obtained from field measurements and laboratory analyses.

4.1. GROUNDWATER FLOW CONDITIONS

A groundwater elevation contour (water table) map was produced by using the surveyed monitoring well coordinates to produce contouring lines of equal elevation using the groundwater elevation data points for this monitoring event. The gradient of the local groundwater table was determined using groundwater elevations from monitoring wells MW-1 and MW-13. The direction of groundwater flow is inferred to be perpendicular to the piezometric equipotential contours. For the First Quarter 2005 monitoring event, the groundwater gradient was estimated to be 0.0192 feet per foot (ft/ft) towards the west-southwest.

Historical depth to water measurements and groundwater elevation data are presented in Table 1. The First Quarter 2005 groundwater elevation contour map and the approximate groundwater flow direction is presented on Figure 2.

4.2. PETROLEUM AND AROMATIC HYDROCARBONS

The frequency and range of petroleum hydrocarbons detected in groundwater samples are as follows:

- TPH-g was detected in 7 of 9 samples that ranged in concentration from 61 micrograms per liter ($\mu\text{g/L}$) to 66,000 $\mu\text{g/L}$.
- Benzene was detected in 5 of 9 samples that ranged in concentration from 24 $\mu\text{g/L}$ to 13,000 $\mu\text{g/L}$.

- Toluene was detected in 3 of 9 samples that ranged in concentration from 960 µg/L to 2,000 µg/L.
- Ethylbenzene was detected in 5 of 9 samples that ranged in concentration from 9.8 µg/L to 1,200 µg/L.
- Total xylenes were detected in 5 of 9 samples that ranged in concentration from 0.95 µg/L to 5,800 µg/L.

A summary of petroleum hydrocarbons and HVOCs detected in groundwater samples is presented in Table 2. The concentrations of TPH-g and benzene detected in groundwater samples and isoconcentration contours for the First Quarter 2005 monitoring event are presented in Figures 3 and 4, respectively.

4.3. HALOGENATED VOLATILE ORGANIC COMPOUNDS

The frequency and range of VOCs detected in groundwater samples are as follows:

- 1,2-Dichloroethane (1,2-DCA) was not detected in any of the wells sampled.
- Trichloroethylene (TCE) was detected in 2 of 9 samples tested (MW-12 at 95 µg/L and MW-13 at 72 µg/L).
- Cis-1,2-Dichloroethene (cis-1,2-DCE) was detected in 3 of 9 samples tested (MW-8 at 620 µg/L, MW-12 at 26 µg/L, and MW-13 at 120 µg/L).
- Trans-1,2-Dichloroethene (trans-1,2-DCE) was detected in 3 of 9 samples tested (MW-8 at 27 µg/L, MW-12 at 42 µg/L, and MW-13 at 23 µg/L).
- Vinyl Chloride (VC) was detected in 2 of 9 samples tested (MW-8 at 38 µg/L and MW-13 at 6.6 µg/L).

The concentrations of TCE and cis 1,2-DCE detected in groundwater samples for the First Quarter 2005 monitoring event are presented in Figure 5.

5.0 CONCLUSION

The groundwater gradient estimated for the First Quarter 2005 monitoring event was found to be relatively consistent with previous monitoring events. TPH-g and BTEX in groundwater are within observed historic concentration ranges. The highest concentrations of TPH-g and benzene typically occur in monitoring wells MW-2 and MW-9, beneath the central portion of the subject building downgradient of the former UST location. The locations of monitoring wells MW-6, MW-7 and MW-10 define the northern, western, and eastern edge of the hydrocarbon plume.

Chlorinated volatile organic compounds (not a component of gasoline) detected in monitoring wells MW-8, MW-12, and MW-13, which are located downgradient from the former UST location, include TCE and its associated degradation compounds (cis-1,2-DCE, trans-1,2-DCE, and VC). This suite of chlorinated compounds and the apparent changes in concentrations indicate that natural degradation of TCE is occurring. The


source of the chlorinated VOCs is unknown, appears to be originating off-site, and does not appear to be related to the gasoline release.

Report prepared by: Mathew Reimer

Mathew Reimer
Staff Environmental Consultant
Environmental Services
San Francisco Regional Office

Report reviewed by: Timothy G. Bodkin

Timothy G. Bodkin, C.E.G., R.E.A.
Senior Project Manager
Environmental Services
San Francisco Regional Office



June 8, 2005

Table 1
Summary of Groundwater Elevation Data
Former Lemoine Sausage Facility
630 29th Avenue
Oakland, California

Well Identification	Date Measured	Top of Casing Elevation (ft,msl)	Depth to Water (feet)	Groundwater Elevation (ft,msl)
MW-1	3/22/2005	16.69	3.44	13.25
	12/16/2004		4.40	12.29
	9/15/2004		NM	
	6/23/2004		5.96	10.73
	4/6/2004		3.57	13.12
	12/16/2003		NM	
	9/26/2003		6.88	9.81
	6/24/2003		5.29	11.40
	3/28/2003		4.44	12.25
	12/16/2002		3.91	12.78
	9/11/2002		6.17	10.52
	6/28/2002		5.61	11.08
	3/25/2002		2.77	13.92
	12/3/2001		4.17	12.52
	9/25/2001		6.76	9.93
	6/20/2001		5.85	10.84
	3/21/2001		4.29	12.40
	12/19/2000		5.50	11.19
	9/22/2000		6.30	10.39
	6/15/2000		4.82	11.87
	2/8/1999		3.60	13.09
MW-2	3/22/2005	20.79	9.26	11.53
	12/16/2004		NM	
	9/15/2004		10.94	9.85
	6/23/2004		11.60	9.19
	4/6/2004		9.40	11.39
	12/16/2003		11.50	9.29
	9/26/2003		11.20	9.59
	6/24/2003		10.24	10.55
	3/28/2003		10.27	10.52
	12/16/2002		11.15	9.64
	9/11/2002		10.89	9.90
	6/28/2002		10.65	10.14
	3/25/2002		9.21	11.58
	12/3/2001		11.13	9.66
	9/25/2001		11.78	9.01
	6/20/2001		10.92	9.87
	3/21/2001		10.01	10.78
	12/19/2000		11.38	9.41
	9/22/2000		11.49	9.30
	6/15/2000		10.46	10.33
	2/8/1999		14.20	6.59

Table 1
Summary of Groundwater Elevation Data
Former Lemoine Sausage Facility
630 29th Avenue
Oakland, California

Well Identification	Date Measured	Top of Casing Elevation (ft,msl)	Depth to Water (feet)	Groundwater Elevation (ft,msl)
MW-3	Removed from monitoring program in October 2001			
	9/25/2001	21.10	10.74	10.36
	6/20/2001		10.14	10.96
	3/21/2001		8.95	12.15
	12/19/2000		9.72	11.38
	9/22/2000		15.30	5.80
	6/15/2000		10.56	10.54
	2/8/1999		7.45	13.65
MW-4	Removed from monitoring program in October 2001			
	9/25/2001	17.78	7.40	10.38
	6/20/2001		6.78	11.00
	3/21/2001		5.77	12.01
	12/19/2000		6.40	11.38
	9/22/2000		6.90	10.88
	6/15/2000		6.30	11.48
	2/8/1999		4.13	13.65
MW-5	Removed from monitoring program in October 2001			
	9/25/2001	21.12	10.34	10.78
	6/20/2001		9.90	11.22
	3/21/2001		8.68	12.44
	12/19/2000		9.99	11.13
	9/22/2000		9.99	11.13
	6/15/2000		10.36	10.76
	2/8/1999		7.62	13.50
MW-6				
	3/22/2005	16.60	3.63	12.97
	12/16/2004		4.56	12.04
	9/15/2004		6.56	10.04
	6/23/2004		5.76	10.84
	4/6/2004		4.85	11.75
	12/16/2003		4.99	11.61
	9/26/2003		6.70	9.90
	6/24/2003		5.52	11.08
	3/28/2003		NM	
	12/16/2002		3.93	12.67
	9/11/2002		5.43	11.17
	6/28/2002		5.83	10.77
	3/25/2002		3.93	12.67
	12/3/2001		4.72	11.88
	9/25/2001		6.68	9.92
	6/20/2001		6.13	10.47
	3/21/2001		4.70	11.90
	12/19/2000		5.93	10.67
	9/22/2000		6.54	10.06
	6/15/2000		5.47	11.13

Table 1
Summary of Groundwater Elevation Data
Former Lemoine Sausage Facility
630 29th Avenue
Oakland, California

Well Identification	Date Measured	Top of Casing Elevation (ft,msl)	Depth to Water (feet)	Groundwater Elevation (ft,msl)
MW-7	3/22/2005	15.47	NM	
	12/16/2004		5.15	10.32
	9/15/2004		6.70	8.77
	6/23/2004		6.20	9.27
	4/6/2004		5.60	9.87
	12/16/2003		5.68	9.79
	9/26/2003		7.22	8.25
	6/24/2003		6.13	9.34
	3/28/2003		5.68	9.79
	12/16/2002		5.01	10.46
	12/17/2002		6.95	8.52
	12/18/2002		6.94	8.53
	12/19/2002		6.04	9.43
	12/20/2002		6.48	8.99
	12/21/2002		7.25	8.22
	12/22/2002		6.90	8.57
	12/23/2002		5.53	9.94
	12/24/2002		7.20	8.27
	12/25/2002		7.51	7.96
	12/26/2002		6.40	9.07
MW-8	3/22/2005	17.58	5.54	12.04
	12/16/2004		5.61	11.97
	9/15/2004		8.52	9.06
	6/23/2004		7.98	9.60
	4/6/2004		6.74	10.84
	12/16/2003		6.69	10.89
	9/26/2003		8.71	8.87
	6/24/2003		7.44	10.14
	3/28/2003		6.62	10.96
	12/16/2002		5.63	11.95
	9/11/2002		8.40	9.18
	6/28/2002		7.71	9.87
	3/25/2002		5.40	12.18
	12/3/2001		6.58	11.00
	9/25/2001		8.89	8.69
	6/20/2001		7.96	9.62
	3/21/2001		6.40	11.18
	12/19/2000		7.71	9.87
	9/22/2000		8.33	9.25
	6/15/2000		7.14	10.44

Table 1
Summary of Groundwater Elevation Data
Former Lemoine Sausage Facility
630 29th Avenue
Oakland, California

Well Identification	Date Measured	Top of Casing Elevation (ft,msl)	Depth to Water (feet)	Groundwater Elevation (ft,msl)
MW-9	3/22/2005	17.61	5.31	12.30
	12/16/2004		5.73	11.88
	9/15/2004		7.14	10.47
	6/23/2004		7.80	9.81
	4/6/2004		5.97	11.64
	12/16/2003		6.76	10.85
	9/26/2003		8.14	9.47
	6/24/2003		6.42	11.19
	3/28/2003		6.08	11.53
	12/16/2002		6.58	11.03
	9/11/2002		6.91	10.70
	6/28/2002		7.71	9.90
	3/25/2002		4.98	12.63
	12/3/2001		5.79	11.82
MW-10	3/22/2005	16.92	3.56	13.36
	12/16/2004		4.45	12.47
	9/15/2004		6.86	10.06
	6/23/2004		5.96	10.96
	4/6/2004		4.54	12.38
	12/16/2003		4.94	11.98
	9/26/2003		6.98	9.94
	6/24/2003		5.40	11.52
	3/28/2003		4.54	12.38
	12/16/2002		3.74	13.18
	9/11/2002		6.16	10.76
	6/28/2002		5.65	11.27
	3/25/2002		3.00	13.92
	12/3/2001		4.22	12.70
MW-11	3/22/2005	14.87	4.20	10.67
	12/16/2004		4.69	10.18
	9/15/2005		6.45	8.42
	6/23/2004		5.68	9.19
	4/6/2004		5.49	9.38
	12/16/2003		5.61	9.26
	9/26/2003		7.16	7.71
	6/24/2003		5.86	9.01
	3/28/2003		5.17	9.70
	12/16/2002		3.92	10.95
	9/11/2002		6.91	7.96
	6/28/2002		6.35	8.52
	3/25/2002		4.68	10.19
	12/3/2001		5.67	9.20

Table 1
Summary of Groundwater Elevation Data
Former Lemoine Sausage Facility
630 29th Avenue
Oakland, California

Well Identification	Date Measured	Top of Casing Elevation (ft,msl)	Depth to Water (feet)	Groundwater Elevation (ft,msl)
MW-12	3/22/2005	14.05	3.50	10.55
	12/16/2004		4.34	9.71
	9/15/2004		6.43	7.62
	6/23/2004		5.78	8.27
	4/6/2004		5.04	9.01
	12/16/2003		4.99	9.06
	9/26/2003		6.94	7.11
	6/24/2003		5.73	8.32
	3/28/2003		5.08	8.97
	12/16/2002		4.94	9.11
	9/11/2002		6.82	7.23
	6/28/2002		6.13	7.92
MW-13	3/22/2005	13.39	4.86	8.53
	12/16/2004		4.69	8.70
	9/15/2004		6.63	6.76
	6/23/2004		6.12	7.27
	4/6/2004		5.35	8.04
	12/16/2003		5.01	8.58
	9/26/2003		6.99	6.40
	6/24/2003		5.99	7.40
	3/28/2003		5.34	8.05
	12/16/2002		3.90	9.49
	9/11/2002		6.66	6.73
	6/28/2002		6.21	7.18

Notes:

1. All top of casing elevations referenced to mean sea level (msl) and surveyed with reference to the benchmark located at Peterson Street and East 7th Street.
2. NM = Not Measured

Table 2
Summary of Groundwater Analytical Results
Former Lemoine Sausage Facility
630 29th Avenue, Oakland, California

Sample Location	Date Sampled	TPH-g ug/L	MTBE ug/L	Benzene ug/L	Toluene ug/L	Ethyl benzene ug/L	Total Xylenes ug/L	1,2-DCA ug/L	TCE ug/L	cis-1,2-DCE ug/L	trans-1,2-DCE ug/L	VC ug/L
MW-1	3/22/2005	19,000	NA	2,400	960	530	1,330	<3.6	<3.6	<3.6	<3.6	<3.6
	12/16/2004	1,800	NA	260	89	32	119	<2.5	<2.5	<2.5	<2.5	<2.5
	9/15/2004	Not Sampled										
	6/23/2004	25,000	NA	2,700	1,700	680	2,300	<2.5	<2.5	<2.5	<2.5	<2.5
	4/6/2004	18,000	NA	2,400	1,300	550	1,730	<2.0	<2.0	<2.0	<2.0	<2.0
	12/16/2003	Not Sampled										
	9/26/2003	11,000	NA	1,200	960	370	1,600	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2003	14,000	NA	2,400	1,400	500	2,100	<4.2	<4.2	<4.2	<4.2	<4.2
	3/28/2003	20,000	NA	2,700	1,500	650	2,300	<3.6	<3.6	<3.6	<3.6	<3.6
	12/16/2002	20,000	NA	2,800	490	500	2,300	<4.2	<4.2	<4.2	<4.2	<4.2
	9/11/2002	27,000	NA	3,200	1,900	720	3,500	<4.2	<4.2	<4.2	<4.2	<4.2
	6/28/2002	26,000	NA	3,200	1,800	640	2,900	<3.1	<3.1	<3.1	<3.1	<3.1
	3/25/2002	11,000	NA	3,200	1,200	73	1,860	<5	<5	<5	<5	<5
	12/3/2001	15,000	NA	2,800	1,200	310	1,660	<3.1	<3.1	<3.1	<3.1	<3.1
	9/26/2001	16,000	NA	1,100	130	<10	320	<2.5	<2.5	<2.5	<2.5	<2.5
	6/21/2001	12,000	NA	2,000	880	180	1,180	3.0	<0.5	<0.5	<0.5	<0.5
	3/21/2000	21,000	NA	3,200	1,700	290	2,600	<2.5	<2.5	<2.5	<2.5	<2.5
	12/19/2000	25,000	NA	3,200	1,900	480	3,300	<2.5	<2.5	<2.5	<2.5	<2.5
	9/22/2000	25,000	<500	3,100	1,800	470	3,600	NA	NA	NA	NA	NA
	6/15/2000	29,000	NA	3,900	<100	1,900	4,200	<5.0	<5.0	<5.0	<5.0	<5.0
	2/8/1999	48,000	NA	3,900	6,300	970	4,300	<30	NA	NA	NA	NA
MW-2	3/22/2005	42,000	NA	9,900	1,200	1,200	2,530	<17	<17	<17	<17	<17
	12/16/2004	Not Sampled										
	9/15/2004	46,000	NA	13,000	1,300	1,400	2,710	<17	<17	<17	<17	<17
	6/23/2004	33,000	NA	8,200	1,800	870	1,930	<17	<17	<17	<17	<17
	4/6/2004	27,000	NA	7,600	1,700	630	1,420	<10	<10	<10	<10	<10
	12/16/2003	22,000	NA	10,000	2,700	1,200	2,920	<25	<25	<25	<25	<25
	9/26/2003	20,000	NA	10,000	2,100	960	2,520	<17	<17	<17	<17	<17
	6/24/2003	19,000	NA	10,000	1,700	1,100	2,530	<13	<13	<13	<13	<13
	3/28/2003	30,000	NA	9,300	920	930	2,000	14	<13	<13	<13	<13
	12/16/2002	6,000	NA	1,600	410	150	402	2.7	4.5	69	6.9	<2.5
	9/11/2002	23,000	NA	6,600	1,000	600	1,320	10	<6.3	<6.3	<6.3	<6.3
	6/28/2002	8,400	NA	2,200	680	21	220	8.8	<3.1	<3.1	<3.1	<3.1
	3/25/2002	21,000	NA	11,000	3,700	1,000	2,790	<17	<17	<17	<17	<17
	12/3/2001	45,000	NA	13,000	5,100	950	2,930	14	<7.1	<7.1	<7.1	<7.1
	9/26/2001	26,000	NA	12,000	3,900	590	1,960	11	<10	<10	<10	<10
	6/21/2001	30,000	NA	8,600	2,600	440	1,230	5.6	<0.5	<0.5	<0.5	<0.5
	3/23/2001	34,000	NA	10,000	3,200	410	1,220	14	<13	<13	<13	<13
	12/19/2000	43,000	NA	9,800	4,000	810	2,430	21	<13	<13	<13	<13
	9/22/2000	24,000	<500	10,000	2,700	370	1,200	NA	NA	NA	NA	NA
	6/29/2000	31,000	NA	11,000	930	4,400	250	25	<5.0	<5.0	<5.0	<5.0
	2/8/1999	41,000	NA	11,000	4,900	650	1,720	60	NA	NA	NA	NA

Table 2
Summary of Groundwater Analytical Results
Former Lemoine Sausage Facility
630 29th Avenue, Oakland, California

Sample Location	Date Sampled	TPH-g	MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	1,2-DCA	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-3	Removed from sampling program in October 2001											
	9/26/2001	59,000	NA	12,000	13,000	780	3,680	990	< 8.3	< 8.3	< 8.3	< 8.3
	6/21/2001	34,000	NA	5,900	6,200	340	1,550	120	2.4	0.8	<0.5	<0.5
	3/22/2001	1,300	NA	98	67	51	104	2.3	<0.5	<0.5	<0.5	<0.5
	12/19/2000	50,000	NA	1,200	1,600	510	1,810	350	<8.3	<8.3	<8.3	<8.3
	9/22/2000	83,000	<1,000	16,000	20,000	1,300	7,000	NA	NA	NA	NA	NA
	6/29/2000	39,000	NA	7,800	630	8,000	3,400	600	<5.0	<5.0	<5.0	<5.0
	2/8/1999	35,000	NA	1,200	3,400	1,400	4,900	<30	NA	NA	NA	NA
MW-4	Removed from sampling program in October 2001											
	9/26/2001	17,000	NA	7,900	< 50	440	581	1.9	< 0.5	8.1	< 0.5	< 0.5
	6/21/2001	11,000	NA	2,300	26	570	641	1.4	<0.5	3.3	<0.5	<0.5
	3/22/2001	5,600	NA	1,100	13	310	303	<0.5	<0.5	1.6	<0.5	<0.5
	12/19/2000	2,200	NA	200	2.9	100	81.4	<0.5	<0.5	<0.5	<0.5	<0.5
	9/22/2000	12,000	<500	2,800	82	1,100	1,300	NA	NA	NA	NA	NA
	6/15/2000	2,300	NA	230	<5	10	94	0.88	<0.5	2.1	<0.5	<0.5
	2/8/1999	15,000	NA	670	90	780	940	<30	NA	NA	NA	NA
MW-5	Removed from sampling program in October 2001											
	9/26/2001	5,100	NA	2,400	1,200	< 10	460	22	< 3.6	< 3.6	< 3.6	< 3.6
	6/21/2001	18,000	NA	3,400	2,300	350	1,020	21	<0.5* ³	<0.5	<0.5	<0.5
	3/22/2001	6,200	NA	1,500	360	310	288	3.3	<0.5	<0.5	<0.5	<0.5
	12/19/2000	21,000	NA	3,200	1,100	1,100	1,300	15	<4.2	<4.2	<4.2	<4.2
	9/27/2000	16,000	<500	4,300	3,100	420	1,600	NA	NA	NA	NA	NA
	6/29/2000	3,900	NA	1,500	28	330	260	36	<0.5	<0.5	<0.5	<0.5
	2/8/1999	4,900	NA	780	440	230	370	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6												
	3/22/2005	420	NA	< 0.5	< 0.5	< 0.5	0.95	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	12/16/2004	240	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	9/15/2004	<50	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5* ¹³	<0.5	<0.5	<0.5	<0.5
	6/23/2004	63	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<0.5	<0.5	<0.5
	4/6/2004	260	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5* ¹²	<0.5	<0.5	<0.5	<0.5
	12/16/2003	<50	NA	< 0.5	< 0.5	< 0.5	< 0.5	0.88	< 0.5	1.7	0.6	< 0.5
	9/26/2003	<50	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.7* ⁴	< 0.5	< 0.5	< 0.5
	6/24/2003	130	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	3/28/2003	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/16/2002	62	NA	< 0.5	0.54	3.0	8.39	1.0* ⁴	0.7	< 0.5	< 0.5	< 0.5
	9/11/2002	120	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5* ⁴	< 0.5	< 0.5	< 0.5	< 0.5
	6/28/2002	120	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.6	< 0.5	< 0.5	< 0.5
	3/25/2002	1,200	NA	22	8.0	5.7	13.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	12/3/2001	72	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1.6* ³	< 0.5	< 0.5	< 0.5
	9/25/2001	760	NA	< 0.5	< 0.5	< 0.5	< 0.5	2.9	< 0.5* ⁴	< 0.5	< 0.5	< 0.5
	6/21/2001	420	NA	< 0.5	< 0.5	0.59	1.00	0.9	< 0.5	< 0.5	< 0.5	< 0.5
	3/21/2001	820	NA	< 0.5	< 0.5	1.4	0.52	< 0.5* ²	< 0.5	< 0.5	< 0.5	< 0.5
	12/19/2000	320	NA	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5* ¹	< 0.5	< 0.5	< 0.5
	9/22/2000	71	<5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	NA	NA	NA	NA
	6/15/2000	1,100	NA	3.8	2.2	2.1	4.8	0.78	< 0.5	< 0.5	< 0.5	< 0.5

Table 2
Summary of Groundwater Analytical Results
Former Lemoine Sausage Facility
630 29th Avenue, Oakland, California

Sample Location	Date Sampled	TPH-g	MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	1,2-DCA	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-7	3/22/2005	Not Sampled										
	12/16/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	9/15/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/23/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	4/6/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/16/2003	<50	NA	<0.5	<0.5	<0.5	0.75	<0.5	1.8	0.6	<0.5	<0.5
	9/26/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/24/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	3/28/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/16/2002	<50	NA	<0.5	<0.5	1.6	3.7	<0.5	0.5	<0.5	<0.5	<0.5
	9/11/2002	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/28/2002	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	3/25/2002	<50	NA	0.56	0.75	<0.5	0.69	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2001	82	NA	24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	9/25/2001	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/21/2001	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	3/21/2001	160	NA	59	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/19/2000	<50	NA	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	9/22/2000	<50	<5	2	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA
	6/15/2000	1,000	NA	250	<10	<10	16	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	3/22/2005	1,700	NA	120	<1.0	9.8	<1.0	<3.6	<3.6	620	27	38
	12/16/2004	3,800	NA	450	<0.5	75	6.5	<8.3	<8.3	1,500	60	86
	9/15/2004	4,900	NA	710	<1.0	100	<1.0	<7.1	<7.1	1,200	49	100
	6/23/2004	4,600	NA	570	2.9	100	1.5	<8.3	<8.3	1,300	50	80
	4/6/2004	3,800	NA	420	<0.5	53	1.2	3.7	4.4	1,100	39	58
	12/16/2003	1,100	NA	310	<2.5	14	<2.5	4.3	12	1,200	53	110
	9/26/2003	1,300	NA	280	3.9	38	0.85	<3.6	20	890	49	47
	6/24/2003	3,300	NA	520	<0.5	58	0.63	3.7	6.4	1,000	49	61
	3/28/2003	1,500	NA	400	<0.5	50	0.62	<2.5	3.5	700	39	41
	12/16/2002	95	NA	26	<0.5	1	<0.5	2.2	17	330	36	4.7
	9/11/2002	2,000	NA	390	1.6	39	<1.0	<3.6	17	1,000	60	91
	6/28/2002	2,200	NA	410	<1.0	40	<1.0	4.9	18	900	54	80
	3/25/2002	990	NA	280	7.2	1.4	6.8	3.6	10	790	33	49
	12/3/2001	1,200	NA	190	14	2.7	11.3	<2.5	100	650	44	31
	9/25/2001	1,500	NA	170	4.3	1.6	2.7	5.0	36	820	59	53
	6/21/2001	2,400	NA	490	<2.5	29	<2.5	4.9	28	910	48	75
	3/21/2001	3,500	NA	530	<2.5	21	<2.5	<3.6	32	760	39	58
	12/19/2000	2,700	NA	410	<2.5	4.8	<2.5	9.1	130	1,000	67	48
	9/22/2000	1,800	<25	340	<2.5	<2.5	<2.5	NA	NA	NA	NA	NA
	6/15/2000	5,400	NA	150	<5	8.9	8.7	<13	210	1,100	73	25

Table 2
Summary of Groundwater Analytical Results
Former Lemoine Sausage Facility
630 29th Avenue, Oakland, California

Sample Location	Date Sampled	TPH-g	MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	1,2-DCA	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-9	3/22/2005	66,000	NA	13,000	2,000	1,200	5,800	<17	<17	<17	<17	<17
	12/16/2004	63,000	NA	15,000	1,700	1,300	5,900	<20	<20	<20	<20	<20
	9/15/2004	76,000	NA	17,000	2,200	1,500	6,600	<20	<20	<20	<20	<20
	6/23/2004	53,000	NA	12,000	2,600	1,100	4,800	<20	<20	<20	<20	<20
	4/6/2004	60,000	NA	14,000	3,100	1,300	5,500	<17	<17	<17	<17	<17
	12/16/2003	34,000	NA	14,000	4,900	940	4,700	<42	<42	<42	<42	<42
	9/26/2003	34,000	NA	12,000	5,600	880	4,700	<17	<17	<17	<17	<17
	6/24/2003	45,000	NA	15,000	9,600	1,100	5,200	10	<5	<5	<5	<5
	3/28/2003	61,000	NA	13,000	8,600	860	4,800	<20	<20	<20	<20	<20
	12/16/2002	29,000	NA	5,500	3,900	300	1,860	8.9	<5	<5	<5	<5
	9/11/2002	57,000	NA	8,300	6,100	340	4,700	18	<10	<10	<10	<10
	6/28/2002	60,000	NA	5,800	7,400	1,100	5,400	<13	<13	<13	<13	<13
	3/25/2002	71,000	NA	15,000	17,000	1,900	8,000	<31	<31	<31	<31	<31
	12/3/2001	90,000	NA	15,000	15,000	2,200	9,100	<10	<10	<10	<10	<10
MW-10	3/22/2005	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/16/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	9/15/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/23/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	4/6/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/16/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5
	9/26/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/24/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	3/28/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/16/2002	<50	NA	<0.5	0.65	3.0	7.53	<0.5	0.8	<0.5	<0.5	<0.5
	9/11/2002	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/28/2002	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	3/25/2002	51	NA	2.5	3.6	0.53	2.27	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2001	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	3/22/2005	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/16/2004	<50	NA	1.3	<0.5	<0.5	0.59	<0.5	<0.5	<0.5	<0.5	<0.5
	9/15/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/23/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	4/6/2004	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/16/2003	91	NA	4.7	<0.5	<0.5	0.51	<0.5	2.9	0.9	0.6	<0.5
	9/26/2003	<50	NA	1.2	0.69	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	6/24/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	3/28/2003	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/16/2002	160	NA	42	0.89	4.8	11.1	<0.5	3.6	1.1	<0.5	<0.5
	9/11/2002	120	NA	66	<0.5	0.74	<0.5	<0.5	<0.5	0.6	<0.5	<0.5
	6/28/2002	<50	NA	7.7	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5
	3/25/2002	130	NA	11	20	3.3	14.5	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2001	1,600	NA	470	<0.5	3.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 2
Summary of Groundwater Analytical Results
Former Lemoine Sausage Facility
630 29th Avenue, Oakland, California

Sample Location	Date Sampled	TPH-g	MTBE	Benzene	Toluene	Ethyl benzene	Total Xylenes	1,2-DCA	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-12	3/22/2005	61	NA	<0.5	<0.5	<0.5	<0.5	<0.5	95	26	42	<0.5
	12/16/2004	110	NA	0.94	<0.5	<0.5	<0.5	<2.0	240	80	77	<2.0
	9/15/2004	130	NA	<0.5	<0.5	<0.5	<0.5	<1.7	290	73	83	<1.7
	6/23/2004	99	NA	<0.5	<0.5	<0.5	<0.5	<0.5	200	65	74	<0.5
	4/6/2004	76	NA	<0.5	<0.5	<0.5	<0.5	<0.5	160	49	54	<0.5
	12/16/2003	120	NA	<0.5	<0.5	<0.5	0.65	<0.5	140	44	44	<0.5
	9/26/2003	230	NA	2.9	1.1	3.8	6.71	<0.7	210	60	63	<0.7
	6/24/2003	140	NA	<0.5	<0.5	<0.5	<0.5	<1.0	220	58	66	<1.0
	3/28/2003	110	NA	<0.5	<0.5	<0.5	<0.5	<0.7	190	53	53	0.9
	12/16/2002	130	NA	<0.5	0.9	4.2	9.9	<0.5	200	57	60	0.9
	9/11/2002	89	NA	<0.5	<0.5	<0.5	<0.5	<0.5	180	46	51	0.9
	6/28/2002	71	NA	<0.5	<0.5	<0.5	<0.5	<0.5	170	42	47	0.9
MW-13	3/22/2005	3,000	NA	24	<0.5	20	7.6	<0.5	72	120	23	6.6
	12/16/2004	4,300	NA	61	<0.5	44	11.5	<2.0	69	240	32	15
	9/15/2004	6,700	NA	84	<1.0	78	7.2	<1.7	37 ^{*10}	300	40	31
	6/23/2004	7,000	NA	140	25	88	21	<2.0	53 ^{*14}	350	31	25
	4/6/2004	3,300	NA	22	<1.0	37	9.0	<0.5	90 ^{*11}	190	23	8
	12/16/2003	8,100	NA	120	36	72	26.6	<0.7	66 ^{*10}	240	23	10
	9/26/2003	7,200	NA	150	<1.0	89	57	<1.0	51 ^{*8}	270	23	5.1
	6/24/2003	8,300	NA	100	<0.5	94	12	<1.0	68 ^{*9}	250	19	4.2
	3/28/2003	4,400	NA	55	<0.5	51	14.3	<0.5	85 ^{*8}	150	13	1.8
	12/16/2002	4,800	NA	90	<0.5	85	24	<0.5	76	250	9.4	1.8
	9/11/2002	4,500	NA	58	7.5	150	14	<0.5	63 ^{*7}	410	13	<1.3
	6/28/2002	5,600	NA	120	55	130	9.5	<0.5	61 ^{*6}	430	14	4.4


Notes:

- All results in micrograms per liter ($\mu\text{g/L}$).
- NA = Not Analyzed.
- NS = Not Sampled
- 1,2-DCA = 1,2-Dichloroethane.
- TPH-g = Total Petroleum Hydrocarbons as Gasoline.
- MTBE = methyl tert-butyl ether.
- trans-1,2-DCE = trans-1,2-Dichloroethene

- cis-1,2-DCE = cis-1,2-Dichloroethene
- TCE = Trichloroethene.
- DCE = Dichloroethene.
- DCA = Dichloroethane.
- VC= Vinyl Chloride.


- 1,1-DCA detected at 1.1 $\mu\text{g/L}$.
- 1,1-DCA detected at 0.9 $\mu\text{g/L}$.
- Freon-11 detected at 0.6 $\mu\text{g/L}$.
- 1,1-DCA detected at 0.9 $\mu\text{g/L}$.
- 1,1-DCA detected at 0.7 $\mu\text{g/L}$.
- 1,1-DCE detected at 4.7 $\mu\text{g/L}$.
- 1,1-DCB detected at 5.2 $\mu\text{g/L}$.
- 1,1-DCE detected at 1.9 $\mu\text{g/L}$.
- 1,1-DCE detected at 2.8 $\mu\text{g/L}$.
- 1,1-DCE detected at 1.8 $\mu\text{g/L}$.

- 1,1-DCE detected at 1.1 $\mu\text{g/L}$.
- 1,1-DCA detected at 0.5 $\mu\text{g/L}$.
- 1,1-DCE detected at 0.8 $\mu\text{g/L}$.
- 1,1-DCE detected at 2.8 $\mu\text{g/L}$.
- 1,1-DCA detected at 0.6 $\mu\text{g/L}$.
- 1,1-DCE detected at 2.1 $\mu\text{g/L}$.



Map Source: TOPO!© 2000 National Geographic Holdings

Note: Boundaries and Location Information is Approximate



Portion of the 7.5-Minute Series Oakland East, California
Quadrangle Topographic Map (Datum: NAD 27)
United States Department of the Interior
Geological Survey
1997





PROPERTY LOCATION MAP
Former Lemoine Sausage Factory
630 29th Avenue
Oakland, California
Clayton Project No. 70-04578.00


Figure

1

 Clayton
GROUP SERVICES







LEGEND:

Existing Monitoring Well Location

1,700 TPH-g Concentration (ug/L), 03/2/05
120 Benzene Concentration (ug/L), 03/22/05

10 Benzene Isocconcentration Contour (ug/L)
TPH-g Total Petroleum Hydrocarbons as Gasoline
ug/L micrograms per liter
NS Not Sampled

0 40
SCALE: feet

BENZENE CONCENTRATIONS IN GROUNDWATER, 1ST QUARTER 2005


FORMER LEMOINE SAUSAGE FACTORY
630 29TH AVENUE
OAKLAND, CALIFORNIA
Clayton Project No. 70-04578.00

Figure

4

05/13/05
SITE0405.DWG

Clayton
GROUP SERVICES



APPENDIX A
FIRST QUARTER 2005
GROUNDWATER SAMPLING LOGS

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory 630 29th Avenue Oakland, California	Job #:	70-04578.00			
Sampling Location:	MW-1	Date Purged:	3.22.05			
Top of Casing:	16.69 (ft, msl)	Purge Method:	peri pump			
Depth to Water:	3.44	Date & Time Sampled:	3.22.05 12:40			
Groundwater Elevation	17.25	Sampling Method:	peri pump			
Well Bottom	7.69	Sample Type:	TPHG/BTEX /8010 MS			
Water Column:	5.5	Preservatives:	HCL			
Well Casing Volume:	0.05 (WC* 0.01)	# of Containers:	6			
Casing Volumes Purged:		Field Tech:	MR			
Purge Rate:		Weather Conditions:	rain			
Time	Volume Removed (gal)	pH	Specific Conductivity ($\mu\text{mhos}/\text{cm}$)	Redox Potential (mVolts)	Temperature ($^{\circ}\text{F}$ or $^{\circ}\text{C}$)	Turbidity (Visual)
:						
:						
:						
:						
:						
:						
:						
:						
:						
:						
:						
Field Notes:	NO PARAMETERS TAKEN DUE TO GREAT AMOUNT OF WATER IN WELL					

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory	Job #:	70-04578.00			
	630 29th Avenue	Date Purged:	3.22.85			
	Oakland, California	Purge Method:	peri pump			
Sampling Location:	MW-2	Date & Time Sampled:	3.22.85 11:00			
Top of Casing:	20.79 (ft, msl)	Sampling Method:	peri pump			
Depth to Water:	9.26	Sample Type:	TPHG/BTEX /8010 MS			
Groundwater Elevation	11.53	Preservatives:	HCL			
Well Bottom	0.79	# of Containers:	6			
Water Column:	12.32	Field Tech:	MR			
Well Casing Volume:	0.12 (WC* 0.01)	Weather Conditions:				
Casing Volumes Purged:						
Purge Rate:			3/4" dia well			
Time	Volume Removed (gal)	pH	Specific Conductivity (μ mhos/cm)	Redox Potential (mVolts)	Temperature (°F or °C)	Turbidity (Visual)
:						
:						
:						
:						
:						
:						
:						
:						
:						
:						
:						
:						
<u>Field Notes:</u>	NO PARAMETERS TAKEN DUE TO HIGH AMOUNT OF WATER IN WELL.					

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory	Job #:	70-04578.00			
	630 29th Avenue	Date Purged:	3/22/85			
	Oakland, California	Purge Method:	disposable bailer			
Sampling Location:	MW-6	Date & Time Sampled:	3.22.85 10:30			
Top of Casing:	16.6 (ft, msl)	Sampling Method:	disposable bailer			
Depth to Water:	3.43	Sample Type:	TPHG/BTEX /8010 MS			
Groundwater Elevation	12.47	Preservatives:	HCL			
Well Bottom	-3.40	# of Containers:	6			
Water Column:	11.57	Field Tech:	MR			
Well Casing Volume:	2.61 (WC* 0.16)	Weather Conditions:	overcast			
Casing Volumes Purged:						
Purge Rate: 2" dia well						
Time	Volume Removed (gal)	pH	Specific Conductivity (µmhos/cm) <i>(approx.)</i>	Redox Potential (mVolts)	Temperature (°F or °C)	Turbidity (Visual)
8:05	3	7.06	1.44		17.3	clear
10:10	3	7.05	1.46		17.3	clear
10:15	3	7.06	1.43		17.5	clear
10:20	3	7.04	1.37		17.7	clear
:						
:						
:						
:						
:						
:						
:						
Field Notes:						

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory	Job #:	70-04578.00			
	630 29th Avenue	Date Purged:	1.22.85			
	Oakland, California	Purge Method:	disposable bailer			
Sampling Location:	MW-7	Date & Time Sampled:	~			
Top of Casing:	15.47 (ft, msl)	Sampling Method:	disposable bailer			
Depth to Water:	—	Sample Type:	TPHG/BTEX /8010 MS			
Groundwater Elevation	—	Preservatives:	HCL			
Well Bottom	4.53	# of Containers:	✓ 6			
Water Column:	—	Field Tech:	MR			
Well Casing Volume:	— (WC* 0.16)	Weather Conditions:	Partly cloudy			
Casing Volumes Purged:	(0)					
Purge Rate:	—	2" dia well				
Time	Volume Removed (gal)	pH	Specific Conductivity ($\mu\text{mhos}/\text{cm}$)	Redox Potential (mVolts)	Temperature ($^{\circ}\text{F}$ or $^{\circ}\text{C}$)	Turbidity (Visual)
:	NOT SAMPLED					
:						
:						
:						
:						
:						
:						
:						
:						
:						
:						
:						
:						
Field Notes:	WELL COVERED BY VEHICLE. COULD NOT ACCESS MONITORING WELL					

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory	Job #:	70-04578.00			
	630 29th Avenue	Date Purged:	3.22.04			
	Oakland, California	Purge Method:	disposable bailer			
Sampling Location:	MW-8	Date & Time Sampled:	3.22.04 11:40			
Top of Casing:	17.58 (ft, msl)	Sampling Method:	disposable bailer			
Depth to Water:	5.54	Sample Type:	TPHG/BTEX /8010 MS			
Groundwater Elevation	12.04	Preservatives:	HCL			
Well Bottom	-2.42	# of Containers:	6			
Water Column:	14.46	Field Tech:	MR			
Well Casing Volume:	2.31 (WC* 0.16)	Weather Conditions:				
Casing Volumes Purged:						
Purge Rate:		2" dia well				
Time	Volume Removed (gal)	pH	Specific Conductivity ($\mu\text{mhos/cm}$)	Redox Potential (mVolts)	Temperature ($^{\circ}\text{F or }^{\circ}\text{C}$)	Turbidity (Visual)
11:15	2.5	7.00	1.61		14.9	clear
11:19	2.5	7.03	1.62		15.0	clear
11:23	2.5	7.09	1.64		15.3	clear
11:27	2.5	7.08	1.64		15.5	clear
:						
:						
:						
:						
:						
:						
:						
Field Notes:	TRUNK END					

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory	Job #:	70-04578.00
	630 29th Avenue	Date Purged:	3.22.05
	Oakland, California	Purge Method:	disposable bailer
Sampling Location:	MW-9	Date & Time Sampled:	3.22.05 12:30
Top of Casing:	17.61 (ft, msl)	Sampling Method:	disposable bailer
Depth to Water:	5.3	Sample Type:	TPHG/BTEX /8010 MS
Groundwater Elevation	12.3	Preservatives:	HCL
Well Bottom	2.61	# of Containers:	6
Water Column:	1.69	Field Tech:	MR
Well Casing Volume:	1.55 (WC* 0.16)	Weather Conditions:	rain
Casing Volumes Purged:			
Purge Rate:			2" dia well

Time	Volume Removed (gal)	pH	Specific Conductivity ($\mu\text{mhos/cm}$)	Redox Potential (mVolts)	Temperature ($^{\circ}\text{F or }^{\circ}\text{C}$)	Turbidity (Visual)
12 : 00	1.5	6.66	9.24		15.8	clear
12 : 04	1.5	6.61	9.91		16.0	clear
12 : 08	1.5	6.56	11.6		16.3	clear
12 : 12	1.5	6.54	12.0		16.5	clear/cloudy
:						
:						
:						
:						
:						
:						
:						

Field Notes:

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory 630 29th Avenue Oakland, California	Job #:	70-04578.00
Sampling Location:	MW-10	Date Purged:	3/22/05
Top of Casing:	16.92 (ft, msl)	Purge Method:	disposable bailer
Depth to Water:	3.56	Date & Time Sampled:	3/22/05 7:45
Groundwater Elevation	13.36	Sampling Method:	disposable bailer
Well Bottom	7.92	Sample Type:	TPHG/BTEX /8010 MS
Water Column:	5.44	Preservatives:	HCL
Well Casing Volume:	0.87 (WC* 0.16)	# of Containers:	6
Casing Volumes Purged:		Field Tech:	MR
Purge Rate:		Weather Conditions:	rain
			2" dia well

Time	Volume Removed (gal)	pH	Specific Conductivity (µmhos/cm) <small>(mV/m)</small>	Redox Potential (mVolts)	Temperature (°F or °C)	Turbidity (Visual)
9 :20	1	7.29	0.675		16.5	clear
9 :23	1	7.24	0.669		16.7	clear/murky
9 :26	1	7.23	0.687		16.8	clear
9 :30	1	7.22	0.688		16.9	clear
:						
:						
:						
:						
:						
:						
:						

Field Notes:

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory	Job #:	70-04578.00
	630 29th Avenue	Date Purged:	3.22.05
	Oakland, California	Purge Method:	disposable bailer
Sampling Location:	MW-11	Date & Time Sampled:	3.22.05 9:00
Top of Casing:	14.87 (ft, msl)	Sampling Method:	disposable bailer
Depth to Water:	4.20	Sample Type:	TPHG/BTEX /8010 MS
Groundwater Elevation	10.67	Preservatives:	HCL
Well Bottom	-0.13	# of Containers:	6
Water Column:	10.8	Field Tech:	MR
Well Casing Volume:	1.72 (WC* 0.16)	Weather Conditions:	Rain
Casing Volumes Purged:			
Purge Rate:			2" dia well

Time	Volume Removed (gal)	pH	Specific Conductivity ($\mu\text{mhos/cm}$)	Redox Potential (mVolts)	Temperature ($^{\circ}\text{F or }^{\circ}\text{C}$)	Turbidity (Visual)
8 :40	1.75	7.06	1.79		15.9	clear
8 :44	1.75	7.08	1.90		16.0	clear
8 :48	1.75	7.08	2.06		16.3	clear
8 :52	1.75	7.08	2.07		16.5	clear
:						
:						
:						
:						
:						
:						
:						
:						

Field Notes:

Water possibly entering well from street during rain storm. (likely)

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory	Job #:	70-04578.00			
	630 29th Avenue	Date Purged:	3-21-05			
	Oakland, California	Purge Method:	disposable bailer			
Sampling Location:	MW-12	Date & Time Sampled:	3-22-05 8:25			
Top of Casing:	14.05 (ft, msl)	Sampling Method:	disposable bailer			
Depth to Water:	3.50	Sample Type:	TPHG/BTEX /8010 MS			
Groundwater Elevation	10.55	Preservatives:	HCL			
Well Bottom	-0.95	# of Containers:	6			
Water Column:	11.5	Field Tech:	MR			
Well Casing Volume:	1.84 (WC* 0.16)	Weather Conditions:	cloudy/misting			
Casing Volumes Purged:						
Purge Rate: 2" dia well						
Time	Volume Removed (gal)	pH	Specific Conductivity ($\mu\text{mhos/cm}$)	Redox Potential (mVolts)	Temperature ($^{\circ}\text{F or }^{\circ}\text{C}$)	Turbidity (Visual)
8:05	2	7.09	2.12		15.7	clear
8:10	2	7.09	2.11		16.0	clear
8:15	2	7.11	2.13		16.2	clear
8:20	2	7.10	2.11		16.4	clear
:						
:						
:						
:						
:						
:						
:						
Field Notes:						

FIELD SAMPLING DATA SHEET

Job Location:	Former Lemoine Sausage Factory			Job #:	70-04578.00	
	630 29th Avenue			Date Purged:	3.22.05	
	Oakland, California			Purge Method:	disposable bailer	
Sampling Location:	MW-13			Date & Time Sampled:	3.22.05 7:55	
Top of Casing:	13.39 (ft, msl)			Sampling Method:	disposable bailer	
Depth to Water:	7.44 4.36			Sample Type:	TPHG/BTEX /8010 MS	
Groundwater Elevation	5.98 8.53			Preservatives:	HCL	
Well Bottom	-1.61 10.14			# of Containers:	6	
Water Column:	1.59			Field Tech:	MR	
Well Casing Volume:	1.62 +21 (WC* 0.16)			Weather Conditions:	cloudy	
Casing Volumes Purged:						
Purge Rate: 2" dia well						
Time	Volume Removed (gal)	pH	Specific Conductivity ($\mu\text{mhos/cm}$)	Redox Potential (mVolts)	Temperature ($^{\circ}\text{F or }^{\circ}\text{C}$)	Turbidity (Visual)
7:30	1.25	7.16	1.11		17.1	clear
7:34	1.25	7.15	1.10		17.2	clear
7:37	1.25	7.17	1.10		17.3	clear
7:41	1.25	7.16	1.09		17.4	clear
:						
:						
:						
:						
:						
:						
:						
<u>Field Notes:</u>						

APPENDIX B

FIRST QUARTER 2005

**LABORATORY ANALYTICAL DATA SHEETS AND CHAIN-OF-
CUSTODY DOCUMENTATION**



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

A N A L Y T I C A L R E P O R T

Prepared for:

Clayton Group Services
6920 Koll Center Parkway
Suite 216
Pleasanton, CA 94566


Date: 31-MAR-05
Lab Job Number: 178426
Project ID: 70-04578.00
Location: Sausage Factory

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signatures. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis.

Reviewed by:


Project Manager

Reviewed by:


Operations Manager

This package may be reproduced only in its entirety.

NELAP # 01107CA

Page 1 of 34

CASE NARRATIVE

Laboratory number: 178426
Client: Clayton Group Services
Project: 70-04578.00
Location: Sausage Factory
Request Date: 03/22/05
Samples Received: 03/22/05

This hardcopy data package contains sample and QC results for nine water samples, requested for the above referenced project on 03/22/05. The samples were received on ice and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B and EPA 8021B):

High surrogate recovery was observed for bromofluorobenzene (FID) in MW-13 (lab # 178426-009), due to interference from coeluting hydrocarbon peaks; the corresponding trifluorotoluene (FID) surrogate recovery was within limits. MW-08 (lab # 178426-004) and MW-09 (lab # 178426-005) were diluted due to high levels of hydrocarbons. No other analytical problems were encountered.

Volatile Organics by GC/MS (EPA 8260B):

MW-01 (lab # 178426-001), MW-02 (lab # 178426-002), and MW-09 (lab # 178426-005) were diluted due to high levels of non-target analytes. No other analytical problems were encountered.

CT# 178426



CHAIN OF CUSTODY

Page 1 of 1Lab: Curtis&TompkinsTAT: Standard

Report results to:

Name Mat Reimer
 Company Clayton Group Services
 Mailing Address 6920 Koll Center Parkway, Ste. 216
 City, State, Zip Pleasanton, California 94566
 Telephone No. (925) 426-2600
 Fax No. (925) 426-0106
 E-mail: mreimer@claytongrp.com

Project Information

Project No. 70-04578.00
 Name Sausage Factory
 Location 630 29th Avenue, Oakland
 Global_Id T0600102114
 Log_code CGSP

Special instructions and/or specific regulatory requirements:

Sample Identification	Sample Date	Sample Time	Matrix/Media	No. of Conts
MW-01	3.22.05	12:40	w	6
MW-02		11:00		6
MW-06	↓	10:30	↓	6
MW-07				6
MW-08	3.22.05	11:40	w	6
MW-09		12:30		6
MW-10		9:45		6
MW-11		9:00		6
MW-12		8:25		6
MW-13	↓	7:55	↓	6

Analyses Requested									
	TPH as Gasoline/BTEX								
		8010 MS							

Sample Condition/Comments

HCI
HCl
HCl

Collected by: Mat Reimer Date/Time 3.22.05 13:40
 Relinquished by: Mat Reimer Date/Time 3.22.05 11:40
 Relinquished by: _____ Date/Time _____
 Method of Shipment: _____

Collector's Signature: Mat Reimer Date/Time 3.22.05 13:40
 Received by: Jordanne Ochs Date/Time 3.22.05 1:40
 Received by: _____ Date/Time _____
 Sample Condition on Rcpt: _____

Fluid intact ; on ice



Curtis & Tompkins, Ltd.

Curtis & Tompkins Laboratories Analytical Report

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00		
Matrix:	Water	Sampled:	03/22/05
Units:	ug/L	Received:	03/22/05
Batch#:	100381	Analyzed:	03/23/05

Field ID: MW-06 Lab ID: 178426-003
Type: SAMPLE Diln Fac: 1.000

Analyte	Result	RL	Analysis
Gasoline C7-C12	420 Y	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	0.95 C	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	130	63-141	EPA 8015B
Bromofluorobenzene (FID)	131	79-139	EPA 8015B
Trifluorotoluene (PID)	106	63-133	EPA 8021B
Bromofluorobenzene (PID)	107	79-128	EPA 8021B

Field ID: MW-08 Lab ID: 178426-004
Type: SAMPLE Diln Fac: 2.000

Analyte	Result	RL	Analysis
Gasoline C7-C12	1,700	100	EPA 8015B
Benzene	120	1.0	EPA 8021B
Toluene	ND	1.0	EPA 8021B
Ethylbenzene	9.8	1.0	EPA 8021B
m,p-Xylenes	ND	1.0	EPA 8021B
o-Xylene	ND	1.0	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	119	63-141	EPA 8015B
Bromofluorobenzene (FID)	122	79-139	EPA 8015B
Trifluorotoluene (PID)	104	63-133	EPA 8021B
Bromofluorobenzene (PID)	106	79-128	EPA 8021B

*= Value outside of QC limits; see narrative

C= Presence confirmed, but RPD between columns exceeds 40%

Y= Sample exhibits chromatographic pattern which does not resemble standard

Z= Sample exhibits unknown single peak or peaks

ND= Not Detected

RL= Reporting Limit

Page 2 of 5

2.0



Curtis & Tompkins, Ltd.

Curtis & Tompkins Laboratories Analytical Report

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00		
Matrix:	Water	Sampled:	03/22/05
Units:	ug/L	Received:	03/22/05
Batch#:	100381	Analyzed:	03/23/05

Field ID: MW-01 Lab ID: 178426-001
Type: SAMPLE

Analyte	Result	RL	Diln Fac	Analysis
Gasoline C7-C12	19,000	250	5.000	EPA 8015B
Benzene	2,400	5.0	10.00	EPA 8021B
Toluene	960	2.5	5.000	EPA 8021B
Ethylbenzene	530	2.5	5.000	EPA 8021B
m,p-Xylenes	800	2.5	5.000	EPA 8021B
o-Xylene	530	2.5	5.000	EPA 8021B

Surrogate	%REC	Limits	Diln Fac	Analysis
Trifluorotoluene (FID)	125	63-141	5.000	EPA 8015B
Bromofluorobenzene (FID)	121	79-139	5.000	EPA 8015B
Trifluorotoluene (PID)	99	63-133	5.000	EPA 8021B
Bromofluorobenzene (PID)	105	79-128	5.000	EPA 8021B

Field ID: MW-02 Lab ID: 178426-002
Type: SAMPLE Diln Fac: 40.00

Analyte	Result	RL	Analysis
Gasoline C7-C12	42,000	2,000	EPA 8015B
Benzene	9,900	20	EPA 8021B
Toluene	1,200	20	EPA 8021B
Ethylbenzene	1,200	20	EPA 8021B
m,p-Xylenes	2,100	20	EPA 8021B
o-Xylene	430	20	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	106	63-141	EPA 8015B
Bromofluorobenzene (FID)	115	79-139	EPA 8015B
Trifluorotoluene (PID)	90	63-133	EPA 8021B
Bromofluorobenzene (PID)	102	79-128	EPA 8021B

*= Value outside of QC limits; see narrative

C= Presence confirmed, but RPD between columns exceeds 40%

Y= Sample exhibits chromatographic pattern which does not resemble standard

Z= Sample exhibits unknown single peak or peaks

ND= Not Detected

RL= Reporting Limit



Curtis & Tompkins, Ltd.

Curtis & Tompkins Laboratories Analytical Report

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00		
Matrix:	Water	Sampled:	03/22/05
Units:	ug/L	Received:	03/22/05
Batch#:	100381	Analyzed:	03/23/05

Field ID: MW-09 Lab ID: 178426-005
Type: SAMPLE Diln Fac: 200.0

Analyte	Result	RL	Analysis
Gasoline C7-C12	66,000	10,000	EPA 8015B
Benzene	13,000	100	EPA 8021B
Toluene	2,000	100	EPA 8021B
Ethylbenzene	1,200	100	EPA 8021B
m,p-Xylenes	4,600	100	EPA 8021B
o-Xylene	1,200	100	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	102	63-141	EPA 8015B
Bromofluorobenzene (FID)	111	79-139	EPA 8015B
Trifluorotoluene (PID)	87	63-133	EPA 8021B
Bromofluorobenzene (PID)	98	79-128	EPA 8021B

Field ID: MW-10 Lab ID: 178426-006
Type: SAMPLE Diln Fac: 1.000

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	108	63-141	EPA 8015B
Bromofluorobenzene (FID)	120	79-139	EPA 8015B
Trifluorotoluene (PID)	94	63-133	EPA 8021B
Bromofluorobenzene (PID)	108	79-128	EPA 8021B

*= Value outside of QC limits; see narrative
C= Presence confirmed, but RPD between columns exceeds 40%
Y= Sample exhibits chromatographic pattern which does not resemble standard
Z= Sample exhibits unknown single peak or peaks
D= Not Detected
L= Reporting Limit
Page 3 of 5

Curtis & Tompkins Laboratories Analytical Report

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00		
Matrix:	Water	Sampled:	03/22/05
Units:	ug/L	Received:	03/22/05
Batch#:	100381	Analyzed:	03/23/05

Field ID: MW-11 Lab ID: 178426-007
 Type: SAMPLE Diln Fac: 1.000

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	105	63-141	EPA 8015B
Bromofluorobenzene (FID)	118	79-139	EPA 8015B
Trifluorotoluene (PID)	94	63-133	EPA 8021B
Bromofluorobenzene (PID)	105	79-128	EPA 8021B

Field ID: MW-12 Lab ID: 178426-008
 Type: SAMPLE Diln Fac: 1.000

Analyte	Result	RL	Analysis
Gasoline C7-C12	61 Y Z	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	101	63-141	EPA 8015B
Bromofluorobenzene (FID)	112	79-139	EPA 8015B
Trifluorotoluene (PID)	90	63-133	EPA 8021B
Bromofluorobenzene (PID)	100	79-128	EPA 8021B

*= Value outside of QC limits; see narrative

C= Presence confirmed, but RPD between columns exceeds 40%

Y= Sample exhibits chromatographic pattern which does not resemble standard

Z= Sample exhibits unknown single peak or peaks

ND= Not Detected

RL= Reporting Limit

Page 4 of 5

Curtis & Tompkins Laboratories Analytical Report

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00		
Matrix:	Water	Sampled:	03/22/05
Units:	ug/L	Received:	03/22/05
Batch#:	100381	Analyzed:	03/23/05

Field ID: MW-13 Lab ID: 178426-009
 Type: SAMPLE Diln Fac: 1.000

Analyte	Result	RL	Analysis
Gasoline C7-C12	3,000 Y	50	EPA 8015B
Benzene	24 C	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	20	0.50	EPA 8021B
m,p-Xylenes	3.5 C	0.50	EPA 8021B
o-Xylene	4.1 C	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	119	63-141	EPA 8015B
Bromofluorobenzene (FID)	167 *	79-139	EPA 8015B
Trifluorotoluene (PID)	117	63-133	EPA 8021B
Bromofluorobenzene (PID)	119	79-128	EPA 8021B

Type: BLANK Diln Fac: 1.000
 Lab ID: QC287304

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Trifluorotoluene (FID)	98	63-141	EPA 8015B
Bromofluorobenzene (FID)	107	79-139	EPA 8015B
Trifluorotoluene (PID)	84	63-133	EPA 8021B
Bromofluorobenzene (PID)	94	79-128	EPA 8021B

*= Value outside of QC limits; see narrative

C= Presence confirmed, but RPD between columns exceeds 40%

Y= Sample exhibits chromatographic pattern which does not resemble standard

Z= Sample exhibits unknown single peak or peaks

ND= Not Detected

RL= Reporting Limit


GC19 TVH 'X' Data File (FID)

Sample Name : 178426-001,100381
 File Name : G:\GC19\DATA\082X013.raw
 Method : TVHBTEXE
 Start Time : 0.00 min End Time : 26.80 min
 Scale Factor: 1.0 Plot Offset: -21 mV

Sample #: b1.0 Page 1 of 1
 Date : 3/24/05 08:49 AM
 Time of Injection: 3/23/05 05:04 PM
 Low Point : -20.66 mV High Point : 673.22 mV
 Plot Scale: 693.9 mV

MW-01

Response [mV]




GC19 TVH 'X' Data File (FID)

Sample Name : 178426-002,100381
 File Name : C:\GC19\DATA\082X009.raw
 Method : TVHBTXE
 Start Time : 0.00 min End Time : 26.80 min
 Scale Factor: 1.0 Plot Offset: 1 mV

Sample #: b1.0 Page 1 of 1
 Date : 3/24/05 08:49 AM
 Time of Injection: 3/23/05 02:47 PM
 Low Point : 1.10 mV High Point : 238.82 mV
 Plot Scale: 237.7 mV

MW ~ 02


Response [mV]



GC19 TVH 'X' Data File (FID)

Sample Name : 178426-003,100381
 File Name : G:\GC19\DATA\082X004.raw
 Method : TVHBTXB
 Start Time : 0.00 min End Time : 26.80 min
 Scale Factor: 1.0 Plot Offset: 9 mV


Sample #: b1.0 Page 1 of 1
 Date : 3/24/05 08:49 AM
 Time of Injection: 3/23/05 11:56 AM
 Low Point : 8.90 mV High Point : 83.23 mV
 Plot Scale: 74.3 mV



GC19 TVH 'X' Data File (FID)

Sample Name : 178426-004,100381
 File Name : G:\GC19\DATA\082X014.raw
 Method : TVHBTXE
 Start Time : 0.00 min End Time : 26.80 min
 Scale Factor: 1.0 Plot Offset: -9 mV

Sample #: b1.0 Page 1 of 1
 Date : 3/24/05 08:49 AM
 Time of Injection: 3/23/05 05:39 PM
 Low Point : -8.80 mV High Point : 436.48 mV
 Plot Scale: 445.3 mV




GC19 TVH 'X' Data File (FID)

Sample Name : 178426-005,100381
 File Name : G:\GC19\DATA\082X010.raw
 Method : TVHBTXE
 Start Time : 0.00 min End Time : 26.80 min
 Scale Factor: 1.0 Plot Offset: 8 mV

Sample #: b1.0 Page 1 of 1
 Date : 3/24/05 08:49 AM
 Time of Injection: 3/23/05 03:22 PM
 Low Point : 7.74 mV High Point : 105.37 mV
 Plot Scale: 97.6 mV

m/w - 09

Response [mV]




GC19 TVH 'X' Data File (FID)

Sample Name : 178426-008,100381
 File Name : G:\GC19\DATA\082X007.raw
 Method : TVHBTXE
 Start Time : 0.00 min End Time : 26.80 min
 Scale Factor: 1.0 Plot Offset: 9 mV

Sample #: b1.0 Page 1 of 1
 Date : 3/24/05 08:49 AM
 Time of Injection: 3/23/05 01:39 PM
 Low Point : 8.86 mV High Point : 83.89 mV
 Plot Scale: 75.0 mV

MW -12


Response [mV]



GC19 TVH 'X' Data File (FID)

Sample Name : 178426-009,100381
 File Name : G:\GC19\DATA\082X008.raw
 Method : TVHBTXE
 Start Time : 0.00 min End Time : 26.80 min
 Scale Factor: 1.0 Plot Offset: -5 mV

Sample #: b1.0 Page 1 of 1
 Date : 3/24/05 08:49 AM
 Time of Injection: 3/23/05 02:13 PM
 Low Point : -5.36 mV High Point : 368.58 mV
 Plot Scale: 373.9 mV




GC19 TVH 'X' Data File (FID)

Sample Name : ccv/lcs,qc287306,100381,s73,5/5000
 File Name : G:\GC19\DATA\082X002.raw
 Method : TVHBTXE
 Start Time : 0.00 min End Time : 26.80 min
 Scale Factor: 1.0 Plot Offset: -9 mV

Sample #: Page 1 of 1
 Date : 3/23/05 11:08 AM
 Time of Injection: 3/23/05 10:41 AM
 Low Point : -8.53 mV High Point : 432.95 mV
 Plot Scale: 441.5 mV

Gasoline





Curtis & Tompkins, Ltd.

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8021B
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC287305	Batch#:	100381
Matrix:	Water	Analyzed:	03/23/05
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
Benzene	20.00	18.18	91	80-120
Toluene	20.00	18.47	92	80-120
Ethylbenzene	20.00	19.05	95	80-120
m, p-Xylenes	20.00	19.81	99	80-120
o-Xylene	20.00	19.39	97	80-120

Surrogate	%REC	Limits
Trifluorotoluene (PID)	84	63-133
Bromofluorobenzene (PID)	97	79-128

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8015B
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC287306	Batch#:	100381
Matrix:	Water	Analyzed:	03/23/05
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	2,000	2,105	105	80-120

Surrogate	%REC	Limits
Trifluorotoluene (FID)	116	63-141
Bromofluorobenzene (FID)	119	79-139



Curtis & Tompkins, Ltd.

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8015B
Field ID:	ZZZZZZZZZZ	Batch#:	100381
MSS Lab ID:	178456-005	Sampled:	03/22/05
Matrix:	Water	Received:	03/23/05
Units:	ug/L	Analyzed:	03/23/05
Diln Fac:	1.000		

Type: MS Lab ID: QC287407

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	<22.03	2,000	1,887	94	80-120

Surrogate	%REC	Limits
Trifluorotoluene (FID)	105	63-141
Bromofluorobenzene (FID)	104	79-139

Type: MSD Lab ID: QC287408

Analyte	Spiked	Result	%REC	Limits	RPD Lim
Gasoline C7-C12	2,000	1,867	93	80-120	1 20

Surrogate	%REC	Limits
Trifluorotoluene (FID)	110	63-141
Bromofluorobenzene (FID)	108	79-139

RPD= Relative Percent Difference

Page 1 of 1

5.0



Curtis & Tompkins, Ltd.

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-01	Batch#:	100510
Lab ID:	178426-001	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05
Units:	ug/L	Analyzed:	03/26/05
Diln Fac:	7.143		

Analyte	Result	RL
Chloromethane	ND	7.1
Vinyl Chloride	ND	3.6
Bromomethane	ND	7.1
Chloroethane	ND	7.1
Trichlorofluoromethane	ND	7.1
Freon 113	ND	7.1
1,1-Dichloroethene	ND	3.6
Methylene Chloride	ND	140
trans-1,2-Dichloroethene	ND	3.6
1,1-Dichloroethane	ND	3.6
cis-1,2-Dichloroethene	ND	3.6
Chloroform	ND	7.1
1,1,1-Trichloroethane	ND	3.6
Carbon Tetrachloride	ND	3.6
1,2-Dichloroethane	ND	3.6
Trichloroethene	ND	3.6
1,2-Dichloropropane	ND	3.6
Bromodichloromethane	ND	3.6
cis-1,3-Dichloropropene	ND	3.6
trans-1,3-Dichloropropene	ND	3.6
1,1,2-Trichloroethane	ND	3.6
Tetrachloroethene	ND	3.6
Dibromochloromethane	ND	3.6
Chlorobenzene	ND	3.6
Bromoform	ND	3.6
1,1,2,2-Tetrachloroethane	ND	3.6
1,3-Dichlorobenzene	ND	3.6
1,4-Dichlorobenzene	ND	3.6
1,2-Dichlorobenzene	ND	3.6

Surrogate	#REC	Limits
1,2-Dichloroethane-d4	98	80-122
Toluene-d8	101	80-120
Bromofluorobenzene	90	80-124

ND= Not Detected

RL= Reporting Limit

Page 1 of 1



Curtis & Tompkins, Ltd.

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-02	Batch#:	100510
Lab ID:	178426-002	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05
Units:	ug/L	Analyzed:	03/26/05
Diln Fac:	33.33		

Analyte	Result	RL
Chloromethane	ND	33
Vinyl Chloride	ND	17
Bromomethane	ND	33
Chloroethane	ND	33
Trichlorofluoromethane	ND	33
Freon 113	ND	33
1,1-Dichloroethene	ND	17
Methylene Chloride	ND	670
trans-1,2-Dichloroethene	ND	17
1,1-Dichloroethane	ND	17
cis-1,2-Dichloroethene	ND	17
Chloroform	ND	33
1,1,1-Trichloroethane	ND	17
Carbon Tetrachloride	ND	17
1,2-Dichloroethane	ND	17
Trichloroethene	ND	17
1,2-Dichloropropane	ND	17
Bromodichloromethane	ND	17
cis-1,3-Dichloropropene	ND	17
trans-1,3-Dichloropropene	ND	17
1,1,2-Trichloroethane	ND	17
Tetrachloroethene	ND	17
Dibromochloromethane	ND	17
Chlorobenzene	ND	17
Bromoform	ND	17
1,1,2,2-Tetrachloroethane	ND	17
1,3-Dichlorobenzene	ND	17
1,4-Dichlorobenzene	ND	17
1,2-Dichlorobenzene	ND	17

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	99	80-122
Toluene-d8	98	80-120
Bromofluorobenzene	95	80-124

ND= Not Detected

RL= Reporting Limit

Page 1 of 1

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-06	Batch#:	100510
Lab ID:	178426-003	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05
Units:	ug/L	Analyzed:	03/26/05
Diln Fac:	1.000		

Analyte	Result	RL
Chloromethane	ND	1.0
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Chloroethane	ND	1.0
Trichlorofluoromethane	ND	1.0
Freon 113	ND	1.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	20
trans-1,2-Dichloroethene	ND	0.5
1,1-Dichloroethane	ND	0.5
cis-1,2-Dichloroethene	ND	0.5
Chloroform	ND	1.0
1,1,1-Trichloroethane	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
cis-1,3-Dichloropropene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
Chlorobenzene	ND	0.5
Bromoform	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	105	80-122
Toluene-d8	103	80-120
Bromofluorobenzene	98	80-124

ND= Not Detected

RL= Reporting Limit

Page 1 of 1



Curtis & Tompkins, Ltd.

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-08	Batch#:	100510
Lab ID:	178426-004	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05
Units:	ug/L	Analyzed:	03/26/05
Diln Fac:	7.143		

Analyte	Result	RL
Chloromethane	ND	7.1
Vinyl Chloride	38	3.6
Bromomethane	ND	7.1
Chloroethane	ND	7.1
Trichlorofluoromethane	ND	7.1
Freon 113	ND	7.1
1,1-Dichloroethene	ND	3.6
Methylene Chloride	ND	140
trans-1,2-Dichloroethene	27	3.6
1,1-Dichloroethane	ND	3.6
cis-1,2-Dichloroethene	620	3.6
Chloroform	ND	7.1
1,1,1-Trichloroethane	ND	3.6
Carbon Tetrachloride	ND	3.6
1,2-Dichloroethane	ND	3.6
Trichloroethene	ND	3.6
1,2-Dichloropropane	ND	3.6
Bromodichloromethane	ND	3.6
cis-1,3-Dichloropropene	ND	3.6
trans-1,3-Dichloropropene	ND	3.6
1,1,2-Trichloroethane	ND	3.6
Tetrachloroethene	ND	3.6
Dibromochloromethane	ND	3.6
Chlorobenzene	ND	3.6
Bromoform	ND	3.6
1,1,2,2-Tetrachloroethane	ND	3.6
1,3-Dichlorobenzene	ND	3.6
1,4-Dichlorobenzene	ND	3.6
1,2-Dichlorobenzene	ND	3.6

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	102	80-122
Toluene-d8	100	80-120
Bromofluorobenzene	100	80-124

ND= Not Detected

RL= Reporting Limit

Page 1 of 1

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-09	Batch#:	100510
Lab ID:	178426-005	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05
Units:	ug/L	Analyzed:	03/26/05
Diln Fac:	33.33		

Analyte	Result	RL
Chloromethane	ND	33
Vinyl Chloride	ND	17
Bromomethane	ND	33
Chloroethane	ND	33
Trichlorofluoromethane	ND	33
Freon 113	ND	33
1,1-Dichloroethene	ND	17
Methylene Chloride	ND	670
trans-1,2-Dichloroethene	ND	17
1,1-Dichloroethane	ND	17
cis-1,2-Dichloroethene	ND	17
Chloroform	ND	33
1,1,1-Trichloroethane	ND	17
Carbon Tetrachloride	ND	17
1,2-Dichloroethane	ND	17
Trichloroethene	ND	17
1,2-Dichloropropane	ND	17
Bromodichloromethane	ND	17
cis-1,3-Dichloropropene	ND	17
trans-1,3-Dichloropropene	ND	17
1,1,2-Trichloroethane	ND	17
Tetrachloroethene	ND	17
Dibromochloromethane	ND	17
Chlorobenzene	ND	17
Bromoform	ND	17
1,1,2,2-Tetrachloroethane	ND	17
1,3-Dichlorobenzene	ND	17
1,4-Dichlorobenzene	ND	17
1,2-Dichlorobenzene	ND	17

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	97	80-122
Toluene-d8	99	80-120
Bromofluorobenzene	95	80-124

ND= Not Detected

RL= Reporting Limit

Page 1 of 1



Curtis & Tompkins, Ltd.

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-10	Batch#:	100469
Lab ID:	178426-006	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05
Units:	ug/L	Analyzed:	03/25/05
Diln Fac:	1.000		

Analyte	Result	RL
Chloromethane	ND	1.0
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Chloroethane	ND	1.0
Trichlorofluoromethane	ND	1.0
Freon 113	ND	1.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	20
trans-1,2-Dichloroethene	ND	0.5
cis-1,2-Dichloroethene	ND	0.5
Chloroform	ND	1.0
1,1,1-Trichloroethane	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
cis-1,3-Dichloropropene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
Chlorobenzene	ND	0.5
Bromoform	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	120	80-122
Toluene-d8	107	80-120
Bromofluorobenzene	99	80-124

D= Not Detected

RL= Reporting Limit

Page 1 of 1



Curtis & Tompkins, Ltd.

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-11	Batch#:	100469
Lab ID:	178426-007	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05
Units:	ug/L	Analyzed:	03/25/05
Diln Fac:	1.000		

Analyte	Result	RL
Chloromethane	ND	1.0
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Chloroethane	ND	1.0
Trichlorofluoromethane	ND	1.0
Freon 113	ND	1.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	20
trans-1,2-Dichloroethene	ND	0.5
1,1-Dichloroethane	ND	0.5
cis-1,2-Dichloroethene	ND	0.5
Chloroform	ND	1.0
1,1,1-Trichloroethane	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropene	ND	0.5
Bromodichloromethane	ND	0.5
cis-1,3-Dichloropropene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
Chlorobenzene	ND	0.5
Bromoform	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5

Surrogate	REC	Limits
1,2-Dichloroethane-d4	116	80-122
Toluene-d8	106	80-120
Bromofluorobenzene	96	80-124

ND= Not Detected

RL= Reporting Limit

Page 1 of 1



Curtis & Tompkins, Ltd.

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-12	Units:	ug/L
Lab ID:	178426-008	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05

Analyte	Result	RL	Diln Fac	Batch# Analyzed
Chloromethane	ND	1.0	1.000	100469 03/25/05
Vinyl Chloride	ND	0.5	1.000	100469 03/25/05
Bromomethane	ND	1.0	1.000	100469 03/25/05
Chloroethane	ND	1.0	1.000	100469 03/25/05
Trichlorofluoromethane	ND	1.0	1.000	100469 03/25/05
Freon 113	ND	1.0	1.000	100469 03/25/05
1,1-Dichloroethene	ND	0.5	1.000	100469 03/25/05
Methylene Chloride	ND	20	1.000	100469 03/25/05
trans-1,2-Dichloroethene	42	0.5	1.000	100469 03/25/05
1,1-Dichloroethane	ND	0.5	1.000	100469 03/25/05
cis-1,2-Dichloroethene	26	0.5	1.000	100469 03/25/05
Chloroform	ND	1.0	1.000	100469 03/25/05
1,1,1-Trichloroethane	ND	0.5	1.000	100469 03/25/05
Carbon Tetrachloride	ND	0.5	1.000	100469 03/25/05
1,2-Dichloroethane	ND	0.5	1.000	100469 03/25/05
Trichloroethene	95	1.0	2.000	100510 03/26/05
1,2-Dichloropropane	ND	0.5	1.000	100469 03/25/05
Bromodichloromethane	ND	0.5	1.000	100469 03/25/05
cis-1,3-Dichloropropene	ND	0.5	1.000	100469 03/25/05
trans-1,3-Dichloropropene	ND	0.5	1.000	100469 03/25/05
1,1,2-Trichloroethane	ND	0.5	1.000	100469 03/25/05
Tetrachloroethene	ND	0.5	1.000	100469 03/25/05
Dibromochloromethane	ND	0.5	1.000	100469 03/25/05
Chlorobenzene	ND	0.5	1.000	100469 03/25/05
Bromoform	ND	0.5	1.000	100469 03/25/05
1,1,2,2-Tetrachloroethane	ND	0.5	1.000	100469 03/25/05
1,3-Dichlorobenzene	ND	0.5	1.000	100469 03/25/05
1,4-Dichlorobenzene	ND	0.5	1.000	100469 03/25/05
1,2-Dichlorobenzene	ND	0.5	1.000	100469 03/25/05

Surrogate	RBC	Limits	Diln Fac	Batch# Analyzed
1,2-Dichloroethane-d4	116	80-122	1.000	100469 03/25/05
Toluene-d8	104	80-120	1.000	100469 03/25/05
Bromofluorobenzene	96	80-124	1.000	100469 03/25/05

ND= Not Detected

RL= Reporting Limit

Page 1 of 1



Curtis & Tompkins, Ltd.

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Field ID:	MW-13	Units:	ug/L
Lab ID:	178426-009	Sampled:	03/22/05
Matrix:	Water	Received:	03/22/05

Analyte	Result	RL	Diln Fac	Batch# Analyzed
Chloromethane	ND	1.0	1.000	100510 03/26/05
Vinyl Chloride	6.6	0.5	1.000	100510 03/26/05
Bromomethane	ND	1.0	1.000	100510 03/26/05
Chloroethane	ND	1.0	1.000	100510 03/26/05
Trichlorofluoromethane	ND	1.0	1.000	100510 03/26/05
Freon 113	ND	1.0	1.000	100510 03/26/05
1,1-Dichloroethene	ND	0.5	1.000	100510 03/26/05
Methylene Chloride	ND	20	1.000	100510 03/26/05
trans-1,2-Dichloroethene	23	0.5	1.000	100510 03/26/05
1,1-Dichloroethane	ND	0.5	1.000	100510 03/26/05
cis-1,2-Dichloroethene	120	1.0	2.000	100536 03/28/05
Chloroform	ND	1.0	1.000	100510 03/26/05
1,1,1-Trichloroethane	ND	0.5	1.000	100510 03/26/05
Carbon Tetrachloride	ND	0.5	1.000	100510 03/26/05
1,2-Dichloroethane	ND	0.5	1.000	100510 03/26/05
Trichloroethene	72	0.5	1.000	100510 03/26/05
1,2-Dichloropropane	ND	0.5	1.000	100510 03/26/05
Bromodichloromethane	ND	0.5	1.000	100510 03/26/05
cis-1,3-Dichloropropene	ND	0.5	1.000	100510 03/26/05
trans-1,3-Dichloropropene	ND	0.5	1.000	100510 03/26/05
1,1,2-Trichloroethane	ND	0.5	1.000	100510 03/26/05
Tetrachloroethene	ND	0.5	1.000	100510 03/26/05
Dibromochloromethane	ND	0.5	1.000	100510 03/26/05
Chlorobenzene	ND	0.5	1.000	100510 03/26/05
Bromoform	ND	0.5	1.000	100510 03/26/05
1,1,2,2-Tetrachloroethane	ND	0.5	1.000	100510 03/26/05
1,3-Dichlorobenzene	ND	0.5	1.000	100510 03/26/05
1,4-Dichlorobenzene	ND	0.5	1.000	100510 03/26/05
1,2-Dichlorobenzene	ND	0.5	1.000	100510 03/26/05

Surrogate	%REC	Limits	Diln Fac	Batch# Analyzed
1,2-Dichloroethane-d4	106	80-122	1.000	100510 03/26/05
Toluene-d8	106	80-120	1.000	100510 03/26/05
Bromofluorobenzene	96	80-124	1.000	100510 03/26/05

D= Not Detected

RL= Reporting Limit

Page 1 of 1

Batch QC Report

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC287698	Batch#:	100469
Matrix:	Water	Analyzed:	03/25/05
Units:	ug/L		

Analyte	Result	RL
Chloromethane	ND	1.0
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Chloroethane	ND	1.0
Trichlorofluoromethane	ND	1.0
Freon 113	ND	1.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	20
trans-1,2-Dichloroethene	ND	0.5
1,1-Dichloroethane	ND	0.5
cis-1,2-Dichloroethene	ND	0.5
Chloroform	ND	1.0
1,1,1-Trichloroethane	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
cis-1,3-Dichloropropene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
Chlorobenzene	ND	0.5
Bromoform	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5

Surrogate	#REC	Limits
1,2-Dichloroethane-d4	112	80-122
Toluene-d8	104	80-120
Bromofluorobenzene	97	80-124

ND= Not Detected

RL= Reporting Limit

Page 1 of 1



Curtis & Tompkins, Ltd.

Batch QC Report

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC287833	Batch#:	100510
Matrix:	Water	Analyzed:	03/26/05
Units:	ug/L		

Analyte	Result	RL
Chloromethane	ND	1.0
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Chloroethane	ND	1.0
Trichlorofluoromethane	ND	1.0
Freon 113	ND	1.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	20
trans-1,2-Dichloroethene	ND	0.5
1,1-Dichloroethane	ND	0.5
cis-1,2-Dichloroethene	ND	0.5
Chloroform	ND	1.0
1,1,1-Trichloroethane	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropene	ND	0.5
Bromodichloromethane	ND	0.5
cis-1,3-Dichloropropene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
Chlorobenzene	ND	0.5
Bromoform	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	114	80-122
Toluene-d8	101	80-120
Bromofluorobenzene	99	80-124

ND= Not Detected

RL= Reporting Limit

Page 1 of 1



Curtis & Tompkins, Ltd.

Batch QC Report

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC287941	Batch#:	100536
Matrix:	Water	Analyzed:	03/28/05
Units:	ug/L		

Analyte	Result	RL
Chloromethane	ND	1.0
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Chloroethane	ND	1.0
Trichlorofluoromethane	ND	1.0
Freon 113	ND	1.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	20
trans-1,2-Dichloroethene	ND	0.5
cis-1,2-Dichloroethene	ND	0.5
Chloroform	ND	1.0
1,1,1-Trichloroethane	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
cis-1,3-Dichloropropene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
Chlorobenzene	ND	0.5
Bromoform	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	94	80-122
Toluene-d8	105	80-120
Bromofluorobenzene	104	80-124

D= Not Detected

RL= Reporting Limit

Page 1 of 1

Batch QC Report

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	100469
Units:	ug/L	Analyzed:	03/25/05
Diln Fac:	1.000		

Type: BS Lab ID: QC287696

Analyte	Spiked	Result	%REC	Limits
1,1-Dichloroethene	25.00	25.85	103	75-121
Trichloroethene	25.00	22.27	89	78-120
Chlorobenzene	25.00	26.03	104	80-120

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	114	80-122
Toluene-d8	111	80-120
Bromofluorobenzene	91	80-124

Type: BSD Lab ID: QC287697

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
1,1-Dichloroethene	25.00	24.32	97	75-121	6	20
Trichloroethene	25.00	21.02	84	78-120	6	20
Chlorobenzene	25.00	25.95	104	80-120	0	20

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	112	80-122
Toluene-d8	111	80-120
Bromofluorobenzene	92	80-124

RPD= Relative Percent Difference

Page 1 of 1

18.0



Curtis & Tompkins, Ltd.

Batch QC Report

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	100510
Units:	ug/L	Analyzed:	03/26/05
Diln Fac:	1.000		

Type: BS Lab ID: QC287831

Analyte	Spiked	Result	%REC	Limits
1,1-Dichloroethene	25.00	23.53	94	75-121
Trichloroethene	25.00	21.93	88	78-120
Chlorobenzene	25.00	25.93	104	80-120

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	116	80-122
Toluene-d8	112	80-120
Bromofluorobenzene	93	80-124

Type: BSD Lab ID: QC287832

Analyte	Spiked	Result	%REC	Limits	RPD Lim
1,1-Dichloroethene	25.00	23.50	94	75-121	0 20
Trichloroethene	25.00	21.44	86	78-120	2 20
Chlorobenzene	25.00	24.80	99	80-120	4 20

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	109	80-122
Toluene-d8	111	80-120
Bromofluorobenzene	92	80-124

RPD= Relative Percent Difference

Page 1 of 1

19.0



Curtis & Tompkins, Ltd.

Batch QC Report

Purgeable Halocarbons by GC/MS

Lab #:	178426	Location:	Sausage Factory
Client:	Clayton Group Services	Prep:	EPA 5030B
Project#:	70-04578.00	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	100536
Units:	ug/L	Analyzed:	03/28/05
Diln Fac:	1.000		

Type: BS Lab ID: QC287939

Analyte	Spiked	Result	%REC	Limits
1,1-Dichloroethene	25.00	22.21	89	75-121
Trichloroethene	25.00	22.18	89	78-120
Chlorobenzene	25.00	24.85	99	80-120

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	89	80-122
Toluene-d8	102	80-120
Bromofluorobenzene	102	80-124

Type: BSD Lab ID: QC287940

Analyte	Spiked	Result	%REC	Limits	RPD Lim
1,1-Dichloroethene	25.00	21.73	87	75-121	2 20
Trichloroethene	25.00	22.21	89	78-120	0 20
Chlorobenzene	25.00	23.63	95	80-120	5 20

Surrogate	%REC	Limits
1,2-Dichloroethane-d4	89	80-122
Toluene-d8	103	80-120
Bromofluorobenzene	103	80-124

RPD= Relative Percent Difference

Page 1 of 1

20.0