

ENVIRONMENTAL
TECHNOLOGY
270 PERKINS ST
SONOMA, CA 95476
PH: (707) 935-4850
FAX: (707) 935-6649

5510 4257
LS

February 28, 1998

Mr. Alex Perez
Shell Oil Products Company
P.O. Box 8080
Martinez, California 94553

Re: **Semi-Annual Monitoring Report - First Quarter 1998**
Former Shell Service Station
461 8th Street
Oakland, California
WIC #204-5508-6205

Dear Mr. Perez:

This Semi-Annual Monitoring Report describes the recently completed activities associated with ground water monitoring and sampling at the referenced site (Plate 1). This report was prepared to meet reporting guidelines issued by the Regional Water Quality Control Board, San Francisco Bay Region and the Alameda County Health Care Services Agency.

Semi-Annual Monitoring & Sampling Summary

Ground water monitoring and sampling for the first quarter of 1998 are summarized below:

- Blaine Tech Services, Inc. (Blaine) of San Jose, California measured ground water levels in the Wells S-4 through S-6 and S-8 through S-10 and collected ground water samples from Wells S-4, S-6, and S-8 through S-10 on January 22, 1998. The samples were transported to Sequoia Analytical of Redwood City, California for chemical analysis.
- Approximately 60 gallons of water and separate phase product were purged from Well S-5.
- Cambria Environmental Technology, Inc. (Cambria) evaluated water-level measurement data and prepared a ground water contour map (Plate 2). The ground water flow direction appears to be southwesterly at an approximate hydraulic gradient of 0.01.
- TPPH concentrations in ground water samples collected from the wells ranged from ND to 46,000 ppb, benzene concentrations ranged from ND to 14,000 ppb, and MTBE concentrations ranged from ND to 160 ppb. Well S-5 contained 0.04 feet of separate

CAMBRIA
ENVIRONMENTAL
TECHNOLOGY, INC.
270 PERKINS STREET,
P.O. BOX 259
SONOMA,
CA 95476
PH: (707) 935-4850
FAX: (707) 935-6649

phase (SP) hydrocarbons. A chemical concentration map was prepared and is presented on Plate 2.

Semi-Annual Sampling

Monitoring Wells S-4, S-6, and S-8 through S-10 were sampled and analyzed for Total Purgeable Petroleum Hydrocarbons quantitated as gasoline (TPPH) according to EPA Method 8015 (Modified) and benzene, toluene, ethylbenzene, xylenes (BTEX), and methyl-tertiary-butyl-ether (MTBE) according to EPA Method 8020. Additionally, a duplicate sample was prepared and analyzed for quality control purposes.

SP hydrocarbon recovery data are summarized in Table 1. Field monitoring data and chemical analytical data are summarized in Table 2. Blaine's ground water monitoring report is presented in Appendix A.

Remediation is being performed by quarterly pump-outs of Wells S-5 and S-6.

If you have any questions regarding the contents of this document, please call.

Sincerely,
Cambria Environmental Technology, Inc.



Michael R. Murphy
Project Scientist



Diane M. Lundquist, P.E.
Senior Engineer
C46725



Attachments

Table 1. Separate Phase Hydrocarbon Recovery

Table 2. Well Concentrations

Plate 1. Vicinity Map

Plate 2. Ground Water Contour/Chemical Concentration Map

Appendix A

Blaine Tech Services Inc. - Ground Water Monitoring Report

cc: Ms. Jennifer Eberle, Alameda County Health Care Services Agency
Mr. Rory Campbell, Hanson, Bridgett, Marcus, Vlahos & Rudy
Mr. Sheldon E. Crandall

TABLE 1

**SEPARATE PHASE HYDROCARBON RECOVERY
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205**

Well No.	Mont. Date	Product Thickness (feet)	Volume Removed (gal)	Recovery To Date (gal)
S-5	13-May-93	0.27	0	0
	22-Jul-93	0.25	200	200
	20-Oct-93	0.23	200	400
	25-Jan-94	0.18	150	550
	25-Apr-94	0.35	36	586
	26-May-94	0.35	130	716
	16-Jun-94	0.32	50	766
	21-Jul-94	0.47	50	816
	25-Aug-94	0.44	80	896
	22-Sep-94	0.15	45	941
	24-Oct-94	0.56	40	981
	29-Nov-94	1.13	85	1066
	22-Dec-94	0.99	0	1066
	3-Jan-95	1.21	40	1106
	22-Feb-95	0.60	60	1166
	31-Mar-95	0.02	40	1206
	20-Apr-95	0.33	60	1266
	26-May-95	0.28	50	1316
	30-Jun-95*	0.02	60	1376
	4-Oct-95	0.00	0	1376
	3-Jan-96	0.83	0	1376
	11-Apr-96	0.67	0	1376
	11-Jul-96	0.90	0	1376
	2-Oct-96	0.64	0	1376
	22-Jan-97	0.16	0	1376
	21-Jul-97	0.05	75	1451
	22-Jan-98	0.04	60	1511

Notes:

1. "Volume Removed" and "Recovery to Date" refer to a mixture of separate phase hydrocarbon and ground water.
2. Product recovery booms were installed from 3Q95 to 4Q96.

TABLE 2

WELL CONCENTRATIONS
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
S-4		Top casing elevation (ft):	93.51							
26-Oct-88	NA	NA	NA	130	3.8	13	4.0	30	NA	
14-Feb-89	12.82	80.69	0.00	<50	0.5	<1	<1	3.0	NA	
01-May-89	16.48	77.03	0.00	NA	NA	NA	NA	NA	NA	Dry Well
27-Jul-89	15.84	77.67	0.00	NA	NA	NA	NA	NA	NA	Dry Well
05-Oct-89	15.98	77.53	0.00	NA	NA	NA	NA	NA	NA	Dry Well
09-Jan-90	15.86	77.65	0.00	NA	NA	NA	NA	NA	NA	Dry Well
30-Apr-90	14.48	79.03	0.00	<50	<0.5	<0.5	<0.5	<1	NA	
31-Jul-90	NA	NA	NA	NA	NA	NA	NA	NA	NA	Dry Well
30-Oct-90	NA	NA	NA	NA	NA	NA	NA	NA	NA	Dry Well
06-May-91	15.23	78.28	0.00	NA	NA	NA	NA	NA	NA	Dry Well
27-Jun-91	13.54	79.97	0.00	<50	<0.5	<0.5	<0.5	<0.5	NA	
24-Sep-91	15.85	77.66	0.00	NA	NA	NA	NA	NA	NA	Dry Well
07-Nov-91	15.60	77.91	0.00	NA	NA	NA	NA	NA	NA	Dry Well
13-Feb-92	14.27	79.24	0.00	<50	<0.5	<0.5	<0.5	3.0	NA	
11-May-92	NA	NA	NA	NA	NA	NA	NA	NA	NA	Dry Well
03-Dec-92	NA	NA	NA	NA	NA	NA	NA	NA	NA	Well Inaccessible
13-May-93	14.81	78.70	0.00	NA	NA	NA	NA	NA	NA	Well Inaccessible
22-Jul-93	14.42	79.09	0.00	NA	NA	NA	NA	NA	NA	Well Inaccessible
20-Oct-93	NA	NA	NA	NA	NA	NA	NA	NA	NA	Well Inaccessible
25-Jan-94	14.60	78.91	0.00	NA	NA	NA	NA	NA	NA	Well Inaccessible
25-Apr-94	14.39	79.12	0.00	NA	NA	NA	NA	NA	NA	Well Inaccessible
21-Jul-94	22.29	71.22	0.00	<50	<0.5	<0.5	<0.5	<0.5	NA	
24-Oct-94	22.72	70.79	0.00	<500	<0.3	<0.3	<0.3	<0.6	NA	
		New top of box elevation (ft):	25.77							
22-Dec-94	22.25	3.52	0.00	<50	<0.5	<0.5	<0.5	<0.5	NA	

TABLE 2

WELL CONCENTRATIONS
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
20-Apr-95	21.16	4.61	0.00	<50	<0.5	<0.5	<0.5	<0.5	NA	
04-Oct-95	22.25	3.52	0.00	<50	1.2	0.7	<0.5	<0.5	NA	
03-Jan-96	23.28	2.49	0.00	<50	0.6	<0.5	<0.5	1.7	NA	
11-Apr-96	21.58	4.19	0.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
11-Jul-96	21.60	4.17	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
02-Oct-96	22.46	3.31	0.00	<50	<0.50	<0.50	<0.50	<0.50	2.6	
22-Jan-97	20.06	5.71	0.00	<50	0.73	<0.50	<0.50	0.63	<2.5	
21-Jul-97	22.10	3.67	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
22-Jan-98	20.50	5.27	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	

S-5	Top casing elevation (ft):			99.36							
16-Apr-87	NA	NA	NA	130000	15000	16000	NA	14000	NA	Ethylbenzene and xylenes	
26-Oct-88	NA	NA	NA	110000	20000	25000	2300	10000	NA	combined	
14-Feb-89	19.87	79.49	0.00	94000	16000	21000	1800	10000	NA		
01-May-89	21.23	78.13	0.00	120000	29000	35000	3100	15000	NA		
27-Jul-89	20.41	78.95	0.00	110000	20000	29000	2400	14000	NA		
05-Oct-89	20.43	78.94	0.01	NA	NA	NA	NA	NA	NA		
09-Jan-90	21.16	78.21	0.01	NA	NA	NA	NA	NA	NA		
30-Apr-90	20.96	78.40	0.00	100000	13000	22000	2100	11000	NA		
31-Jul-90	20.88	78.48	0.00	53000	8300	14000	1200	7400	NA		
30-Oct-90	21.96	77.42	0.03	NA	NA	NA	NA	NA	NA		
06-May-91	23.00	76.46	0.13	NA	NA	NA	NA	NA	NA		
27-Jun-91	20.53	78.85	0.03	NA	NA	NA	NA	NA	NA		
24-Sep-91	21.40	78.01	0.06	NA	NA	NA	NA	NA	NA		
07-Nov-91	21.33	78.23	0.25	NA	NA	NA	NA	NA	NA		
13-Feb-92	22.52	77.09	0.31	NA	NA	NA	NA	NA	NA		

TABLE 2

WELL CONCENTRATIONS
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
11-May-92	22.46	77.36	0.58	NA	NA	NA	NA	NA	NA	
03-Dec-92	NA	NA	NA	NA	NA	NA	NA	NA	NA	Well Inaccessible
13-May-93	22.22	77.36	0.27	NA	NA	NA	NA	NA	NA	
22-Jul-93	21.68	77.88	0.25	NA	NA	NA	NA	NA	NA	
20-Oct-93	20.51	79.03	0.23	NA	NA	NA	NA	NA	NA	
25-Jan-94	21.93	77.57	0.18	NA	NA	NA	NA	NA	NA	
25-Apr-94	21.97	77.67	0.35	NA	NA	NA	NA	NA	NA	
26-May-94	20.84	78.80	0.35	NA	NA	NA	NA	NA	NA	
10-Jun-94	21.01	78.61	0.32	NA	NA	NA	NA	NA	NA	
21-Jul-94	22.18	77.56	0.47	NA	NA	NA	NA	NA	NA	
25-Aug-94	22.01	77.70	0.44	NA	NA	NA	NA	NA	NA	
22-Sep-94	22.00	77.48	0.15	NA	NA	NA	NA	NA	NA	
24-Oct-94	22.28	77.53	0.56	NA	NA	NA	NA	NA	NA	
New top of box elevation (ft): 22.94										
22-Dec-94	22.88	0.85	0.99	NA	NA	NA	NA	NA	NA	
20-Apr-95	21.66	1.54	0.33	NA	NA	NA	NA	NA	NA	
04-Oct-95	22.18	0.76	0.00	NA	NA	NA	NA	NA	NA	
03-Jan-96	22.80	0.80	0.83	NA	NA	NA	NA	NA	NA	
11-Apr-96	21.15	2.33	0.67	NA	NA	NA	NA	NA	NA	
11-Jul-96	22.62	1.04	0.90	NA	NA	NA	NA	NA	NA	
02-Oct-96	23.07	0.38	0.64	NA	NA	NA	NA	NA	NA	
22-Jan-97	20.83	2.24	0.16	NA	NA	NA	NA	NA	NA	
21-Jul-97	21.16	1.82	0.05	NA	NA	NA	NA	NA	NA	
22-Jan-98	20.04	2.93	0.04	NA	NA	NA	NA	NA	NA	

TABLE 2

WELL CONCENTRATIONS
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
S-6		Top casing elevation (ft):		100.58						
16-Apr-87	NA	NA	0.00	81000	16000	9000	NA	6400	NA	Ethylbenzene and xylenes
26-Oct-88	NA	NA	0.00	110000	29000	18000	2500	8200	NA	combined
14-Feb-89	20.87	79.71	0.00	54000	18000	4500	1400	4000	NA	
01-May-89	20.49	80.09	0.00	93000	43000	9900	3000	8000	NA	
27-Jul-89	21.01	79.57	0.00	52000	20000	3200	1700	5500	NA	
05-Oct-89	21.24	79.34	0.00	55000	20000	2900	1600	5500	NA	
09-Jan-90	22.62	77.96	SHEEN	76000	35000	9100	2300	8600	NA	
30-Apr-90	22.10	78.48	0.00	39000	13000	2300	900	2800	NA	
31-Jul-90	22.00	78.58	0.00	48000	20000	4600	1500	4900	NA	
30-Oct-90	22.14	78.44	0.00	27000	7400	900	600	1400	NA	
06-May-91	22.40	78.18	0.00	35000	3900	2700	2300	3500	NA	
27-Jun-91	21.21	79.37	0.00	51000	19000	5600	1700	6300	NA	
24-Sep-91	22.26	78.32	0.00	42000	14000	4300	1200	4000	NA	
07-Nov-91	22.35	78.23	0.00	39000	11000	2000	800	2300	NA	
13-Feb-92	22.28	78.30	0.00	64000	21000	6200	1600	5100	NA	
11-May-92	22.10	78.48	0.00	57000	22000	7600	2200	7700	NA	
03-Dec-92	22.14	78.44	0.00	110000	26000	9400	2100	8700	NA	
13-May-93	22.16	78.42	0.00	58000	21000	6800	2500	9800	NA	
22-Jul-93	21.64	78.94	0.00	70000	31000	14000	3000	13000	NA	
20-Oct-93	21.62	78.96	0.00	48000	28000	9800	3200	12000	NA	
25-Jan-94	21.80	78.78	0.00	70000	23000	7500	2500	8000	NA	
25-Apr-94	21.68	78.90	0.00	61000	16000	4000	1800	5100	NA	
21-Jul-94	21.78	78.80	0.00	44000	8200	3600	1400	3900	NA	
24-Oct-94	22.06	78.52	0.00	2936	1184	440.6	163.4	648.4	NA	

TABLE 2

WELL CONCENTRATIONS
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
-------------	------------------------	------------------------	---------	-------------	----------	----------	----------	----------	-------------	----------

New top of box elevation (ft): 22.08										
22-Dec-94	21.91	0.17	0.00	32000	7000	2900	790	2400	NA	
20-Apr-95	21.38	0.70	0.00	56000	15000	3800	1900	4900	NA	
04-Oct-95	21.80	0.28	0.00	49000	8400	4700	1800	4800	NA	
03-Jan-96	21.70	0.38	0.00	52000	9100	7100	1800	5800	NA	
11-Apr-96	21.62	0.46	0.00	59000	11000	7100	2100	6400	<500	
11-Jul-96	21.65	0.43	0.00	72000	18000	6600	2500	8400	<1000	
02-Oct-96	21.80	0.28	0.00	57000	11000	6500	1500	5100	<500	
22-Jan-97	19.95	2.13	0.00	67000	15000	5000	1800	5400	<1000	
21-Jul-97	20.61	1.47	0.00	61000	15000	2100	1100	3500	1900	
22-Jan-98	19.82	2.26	0.00	46000	14000	3200	1300	3400	<500	

S-6 (DUP)										
21-Jul-94	NA	NA	NA	32000	7800	3400	1300	3700	NA	
24-Oct-94	NA	NA	NA	2968	770.8	325.3	144.1	622	NA	
22-Dec-94	NA	NA	NA	32000	8000	3800	1100	3400	NA	
20-Apr-95	NA	NA	NA	49000	13000	3500	1800	4700	NA	
04-Oct-95	NA	NA	NA	41000	8400	4100	1400	4400	NA	
11-Apr-96	NA	NA	NA	59000	11000	6800	1900	6400	<500	
22-Jan-97	NA	NA	NA	63000	15000	4800	1800	5200	<1000	

S-8										
Top of box elevation (ft):			27.21							
22-Dec-94	24.87	2.34	0.00	600	120	32	5.2	34	NA	
20-Apr-95	23.90	3.31	0.00	460	180	23	5.2	21	NA	
04-Oct-95	24.48	2.73	0.00	830	210	38	11	42	NA	
03-Jan-96	24.62	2.59	0.00	350	61	12	2.5	12	NA	

TABLE 2

WELL CONCENTRATIONS
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
11-Apr-96	24.32	2.89	0.00	570	140	37	12	47	<6.2	
11-Jul-96	24.10	3.11	0.00	980	98	32	9.1	160	<12	
02-Oct-96	25.38	1.83	0.00	280	62	13	3.3	25	15	
22-Jan-97	23.91	3.30	0.00	400	90	13	4.9	25	12	
21-Jul-97	23.62	3.59	0.00	2900	380	110	26	260	85	
22-Jan-98	23.52	3.69	0.00	3800	790	140	42	330	160	
S-8 (DUP)										
03-Jan-96	NA	NA	NA	340	54	12	2.4	12	NA	
02-Oct-96	NA	NA	NA	490	110	24	7.0	45	22 ⁽¹⁾	MTBE by 8260: <2.0 ppb
21-Jul-97	NA	NA	NA	3200	420	120	32	300	130	
22-Jan-98	NA	NA	NA	3500	780	120	33	300	160	
S-9										
		Top of box elevation (ft):		26.06						
22-Dec-94	24.37	1.69	0.00	2600	400	150	42	310	NA	
20-Apr-95	23.49	2.57	0.00	1900	400	130	51	200	NA	
04-Oct-95	24.01	2.05	0.00	3200	590	260	68	280	NA	
03-Jan-96	NA	NA	NA	NA	NA	NA	NA	NA	NA	Well Inaccessible
11-Apr-96	23.61	2.45	0.00	2100	440	1500	42	210	<25	
11-Jul-96	23.78	2.28	0.00	5200	940	450	120	520	<50	
02-Oct-96	24.31	1.75	0.00	3000	680	220	56	270	<62	
22-Jan-97	23.08	2.98	0.00	1500	230	71	36	130	<12	
21-Jul-97	22.83	3.23	0.00	3400	590	57	19	210	96	
22-Jan-98	21.96	4.10	0.00	2600	300	46	<10	270	62	

TABLE 2

**WELL CONCENTRATIONS
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205**

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
-------------	------------------------	------------------------	---------	-------------	----------	----------	----------	----------	-------------	----------

S-9 (DUP)										
11-Jul-96	NA	NA	NA	4800	890	430	110	500	<50	

S-10	Top of box elevation (ft):			28.04						
22-Dec-94	25.84	2.20	0.00	420	27	8.0	18	45	NA	
20-Apr-95	24.92	3.12	0.00	820	49	3.7	97	52	NA	
04-Oct-95	25.47	2.57	0.00	240	6.5	1.1	16	12	NA	
03-Jan-96	25.60	2.44	0.00	1100	27	4.9	110	70	NA	
11-Apr-96	25.27	2.77	0.00	530	19	1.6	82	52	<5.0	
11-Jul-96	25.46	2.58	0.00	570	16	3.2	53	53	<2.5	
02-Oct-96	25.81	2.23	0.00	270	8.2	0.77	24	23	3.3	
22-Jan-97	24.74	3.30	0.00	160	4.8	0.73	16	11	<2.5	
21-Jul-97	24.50	3.54	0.00	530	5.7	0.70	29	69	<2.5	
22-Jan-98	24.44	3.60	0.00	1500	15	<5.0	88	130	<25	

Abbreviations:

NA = Not analyzed or not available

SP = Separate Phase hydrocarbon

<x = Not detected at detection limit of x

(DUP) = Duplicate sample

TPPH = Total Purgeable Petroleum Hydrocarbons carbon range C6 to C12 by EPA Method 8015 (Modified)
(previously reported as Total Petroleum Hydrocarbons as Gasoline)

BTEX = benzene, toluene, ethylbenzene, and xylenes by EPA Method 8020

MTBE = methyl-tertiary-butyl ether by EPA Method 8020

TABLE 2


**WELL CONCENTRATIONS
Shell Oil Products Company
461 8th Street
Oakland, California
WIC# 204-5508-6205**

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
-------------	------------------------	------------------------	---------	-------------	----------	----------	----------	----------	-------------	----------

Notes:

0.8 used for hydrocarbon specific gravity

(1) The MTBE result did not confirm by EPA method 8260, therefore, MTBE results at this site should be considered suspect.



Base Map: 1993 Thomas Guide

PLATE

1

VICINITY MAP
 Former Shell Service Station
 461 Eighth Street
 Oakland, California

CAMBRIA

216

Drawn By: JWN



Date: 10/3/94

Approved By: *rub*

Date: 2-27-98

EXPLANATION

- ◆ Ground water monitoring well
 - Ground water elevation contour in feet referenced to mean sea level (MSL).
Arrows indicate approximate ground water flow direction.
 - 3.60** Ground water elevation in feet MSL
 - (15)** Benzene concentration in ppb
ND = Not Detected
 - (62)** MTBE concentration in ppb
 - <x Not detected at detection limit of x
 - SP (0.04)** Separate phase hydrocarbon thickness in feet
- Notes: Quarterly monitoring performed on 22-Jan-98
Approximate hydraulic gradient = 0.01
* Well S-4 not used in ground water contouring



Note: Base Map taken from GeoStrategies Inc. Report dated 10-4-93.

PLATE

2

GROUND WATER CONTOUR/CHEMICAL CONCENTRATION MAP

Former Shell Service Station
461 Eighth Street
Oakland, California

CAMBRIA

216

Drawn By: MRM

Date: 26-Feb-98

Approved By: *nh* Date: *2-27-98*

Appendix A

**Blaine Tech Services Inc.
Quarterly Ground Water Monitoring Report**

BLAINE
TECH SERVICES INC.




1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

February 19, 1998

Shell Oil Company
P.O. Box 8080
Martinez, CA 94553

Attn: Alex Perez



Shell WIC #204-5508-6200
461 8th Street
Oakland, California

1st Quarter 1998

Groundwater Monitoring Report 980122-T-1

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. Copies of our Sampling Report along with the laboratory's Certified Analytical Report are forwarded to the consultant overseeing work at this site. Submission of the assembled documents to interested regulatory agencies will be made by the designated consultant.

Groundwater monitoring at this site was performed in accordance with Standard Operating Procedures provided to the interested regulatory agencies. If you have any questions about the work performed at this site please call me at (408) 573-0555 ext. 201.

Yours truly,

Francis Thie

attachments: Table of Well Gauging Data
Chain of Custody
Field Data Sheets
Certified Analytical Report

cc: Cambria Environmental Technology, Inc.
P.O. Box 259
Sonoma, CA 95476-0259
Attn: Joe Neely

(Any professional evaluations or recommendations will be made by the consultant under separate cover.)

TABLE OF WELL GAUGING DATA

WELL I.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLES LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLES LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (gal.)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
S-4	01/22/98	TOB	-	NONE	--	-	20.50	29.00
S-5	01/22/98	TOB	FREE PRODUCT	20.00	0.04	60	20.04	-
S-6	01/22/98	TOB	--	NONE	--	-	19.82	36.74
S-8 *	01/22/98	TOB	--	NONE	--	--	23.52	29.30
S-9	01/22/98	TOB	--	NONE	--	-	21.96	30.16
S-10	01/22/98	TOB	-	NONE	--	--	24.44	36.65

* Sample DUP was a duplicate sample taken from well S-8.



SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD

Serial No: 980204-5

Date: _____
Page 1 of 1

Site Address: 461 8th Street, Oakland, CA

WIC#: 204-5508-6200

Shell Engineer: Alex Perez
Phone No.: (510) 675-6168
Fax #: 675-6172

Consultant Name & Address:
Blaine Tech Services, Inc.
1680 Rogers Ave., San Jose, CA 95112

Consultant Contact: Fran Thie
Phone No.: (408) 573-0555
Fax #: 573-7771

Comments:

Sampled by: *[Signature]*

Printed Name: Mat James

Analysis Required

TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020/MTBE	Asbestos	Container Size	Preparation Used	Composite Y/N
-------------------------	----------------------------	---------------------	------------------------------	-------------------	---------------------------------------	----------	----------------	------------------	---------------

LAB: SEQ

CHECK ONE (1) BOX ONLY	CT/DI	TURN AROUND TIME
G.W. Monitoring <input checked="" type="checkbox"/>	4461	24 hours <input type="checkbox"/>
Site Investigation <input type="checkbox"/>	4441	48 hours <input type="checkbox"/>
Soil Classfy/Disposal <input type="checkbox"/>	4442	16 days <input checked="" type="checkbox"/> (Normal)
Water Classfy/Disposal <input type="checkbox"/>	4443	Other <input type="checkbox"/>
Soil/Air Rem. or Sys. O & M <input type="checkbox"/>	4452	
Water Rem. or Sys. O & M <input type="checkbox"/>	4453	
Other <input type="checkbox"/>		

NOTE: Notify Lab as soon as possible of 24/48 hrs. TAT.

UST AGENCY: _____

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020/MTBE	Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS	
1 S-6	2/4			X		3						X							

FE 5 1 58

Relinquished By (signature): <i>[Signature]</i>	Printed Name: <u>Mat James</u>	Date: <u>2/5</u>	Received (signature): <i>[Signature]</i>	Printed Name: <u>ERWIN VILLEROS</u>	Date: <u>2/5/98</u>
Relinquished By (signature): <i>[Signature]</i>	Printed Name: <u>ERWIN VILLEROS</u>	Date: <u>2/5/98</u>	Received (signature): <i>[Signature]</i>	Printed Name: _____	Date: _____
Relinquished By (signature): _____	Printed Name: _____	Date: _____	Received (signature): <i>[Signature]</i>	Printed Name: <u>M. SALAS</u>	Date: <u>2-5-98</u>

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS

g equipm



Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Project: Shell Oakland/980122-T1

Enclosed are the results from samples received at Sequoia Analytical on January 23, 1998.
The requested analyses are listed below:

<u>SAMPLE #</u>	<u>SAMPLE DESCRIPTION</u>	<u>DATE COLLECTED</u>	<u>TEST METHOD</u>
9801D77 -01	LIQUID, S-4	01/22/98	TPGM2W Purgeable TPH/BTEX
9801D77 -02	LIQUID, S-8	01/22/98	TPGM2W Purgeable TPH/BTEX
9801D77 -03	LIQUID, S-9	01/22/98	TPGM2W Purgeable TPH/BTEX
9801D77 -04	LIQUID, S-10	01/22/98	TPGM2W Purgeable TPH/BTEX
9801D77 -05	LIQUID, DUP	01/22/98	TPGM2W Purgeable TPH/BTEX

Please contact me if you have any questions. In the meantime, thank you for the opportunity to work with you on this project.

Very truly yours,

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager





Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Client Proj. ID: Shell Oakland/980122-T1
Sample Descript: S-4
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801D77-01

Sampled: 01/22/98
Received: 01/23/98
Analyzed: 02/04/98
Reported: 02/06/98

QC Batch Number: GC020498BTEX03A
Instrument ID: GCHP3

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	92

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/980122-T1 Sample Descript: S-8 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9801D77-02	Sampled: 01/22/98 Received: 01/23/98 Analyzed: 02/05/98 Reported: 02/06/98
Attention: Fran Thie		

QC Batch Number: GC020598BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	3800
Methyl t-Butyl Ether	50	160
Benzene	10	790
Toluene	10	140
Ethyl Benzene	10	42
Xylenes (Total)	10	330
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	79

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/980122-T1 Sample Descript: S-9 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9801D77-03	Sampled: 01/22/98 Received: 01/23/98 Analyzed: 02/05/98 Reported: 02/06/98
Attention: Fran Thie		

QC Batch Number: GC020598BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	2600
Methyl t-Butyl Ether	50	62
Benzene	10	300
Toluene	10	46
Ethyl Benzene	10	N.D.
Xylenes (Total)	10	270
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	84

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/980122-T1 Sample Descript: S-10 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9801D77-04	Sampled: 01/22/98 Received: 01/23/98 Analyzed: 02/05/98 Reported: 02/06/98
--	--	---

QC Batch Number: GC020598BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	1500
Methyl t-Butyl Ether	25	N.D.
Benzene	5.0	15
Toluene	5.0	N.D.
Ethyl Benzene	5.0	88
Xylenes (Total)	5.0	130
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	89

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/980122-T1 Sample Descript: DUP Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9801D77-05	Sampled: 01/22/98 Received: 01/23/98 Analyzed: 02/05/98 Reported: 02/06/98
Attention: Fran Thie		

QC Batch Number: GC020598BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	3500
Methyl t-Butyl Ether	50	160
Benzene	10	780
Toluene	10	120
Ethyl Benzene	10	33
Xylenes (Total)	10	300
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	90

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services, Inc. Client Project ID: Shell Oakland / 980122-T1
1680 Rogers Ave. Matrix: Liquid
San Jose, CA 95112
Attention: Fran Thie Work Order #: 9801D77 -01 Reported: Feb 9, 1998

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC020498BTEX03A	GC020498BTEX03A	GC020498BTEX03A	GC020498BTEX03A	GC020498BTEX03A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Miraftab	A. Miraftab	A. Miraftab	A. Miraftab	A. Miraftab
MS/MSD #:	9801B6207	9801B6207	9801B6207	9801B6207	9801B6207
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	2/4/98	2/4/98	2/4/98	2/4/98	2/4/98
Analyzed Date:	2/4/98	2/4/98	2/4/98	2/4/98	2/4/98
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	8.3	8.6	8.9	27	53
MS % Recovery:	83	86	89	90	88
Dup. Result:	8.5	8.8	9.1	27	55
MSD % Recov.:	85	88	91	90	92
RPD:	2.4	2.3	2.2	0.0	3.7
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK020498	BLK020498	BLK020498	BLK020498	BLK020498
Prepared Date:	2/4/98	2/4/98	2/4/98	2/4/98	2/4/98
Analyzed Date:	2/4/98	2/4/98	2/4/98	2/4/98	2/4/98
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	8.6	8.8	9.1	28	55
LCS % Recov.:	86	88	91	93	92

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD= MS Duplicate, RPD=Relative % Difference

9801D77.BLA <1>





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Shell Oakland / 980122-T1
Matrix: Liquid

Work Order #: 9801D77-02-05

Reported: Feb 9, 1998

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC020598BTEX21A	GC020598BTEX21A	GC020598BTEX21A	GC020598BTEX21A	GC020598BTEX21A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Miraftab	A. Miraftab	A. Miraftab	A. Miraftab	A. Miraftab
MS/MSD #:	9801E3301	9801E3301	9801E3301	9801E3301	9801E3301
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	2/5/98	2/5/98	2/5/98	2/5/98	2/5/98
Analyzed Date:	2/5/98	2/5/98	2/5/98	2/5/98	2/5/98
Instrument I.D.#:	GCHP21	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	8.5	8.4	8.6	25	47
MS % Recovery:	85	84	86	83	78
Dup. Result:	8.9	8.9	9.0	26	50
MSD % Recov.:	89	89	90	87	83
RPD:	4.6	5.8	4.5	3.9	6.2
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK020598	BLK020598	BLK020598	BLK020598	BLK020598
Prepared Date:	2/5/98	2/5/98	2/5/98	2/5/98	2/5/98
Analyzed Date:	2/5/98	2/5/98	2/5/98	2/5/98	2/5/98
Instrument I.D.#:	GCHP21	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	8.0	8.0	8.1	23	48
LCS % Recov.:	80	80	81	77	80

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Shell Oakland/980122-T1
Lab Proj. ID: 9801D77

Received: 01/23/98
Reported: 02/06/98

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 9 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

SEQUOIA ANALYTICAL


Peggy Benner
Project Manager





SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD

Serial No: 980122-T1

Date: 1/23/98
 Page 1 of 1

Site Address: 461 8th Street, Oakland, CA

WIC#: 204-5508-6200

Shell Engineer: Alex Perez Phone No.: (510) 675-6168
 Fax #: 675-6172

Consultant Name & Address:
Blaine Tech Services, Inc.
1680 Rogers Ave., San Jose, CA 95112

Consultant Contact: Fran Thie Phone No.: (408) 573-0555
 Fax #: 573-7771

Comments:

Sampled by: mfatall

Printed Name: Mike Toll

Analysis Required

TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020, MTBE	Asbestos	Container Size	Preparation Used	Composite Y/N									

LAB: SEQUOIA

CHECK ONE (1) BOX ONLY	CT/DT	TURN AROUND TIME
G.W. Monitoring <input checked="" type="checkbox"/>	4441	24 hours <input type="checkbox"/>
Site Investigation <input type="checkbox"/>	4441	48 hours <input type="checkbox"/>
Soil Classify/Disposal <input type="checkbox"/>	4442	16 days <input checked="" type="checkbox"/> (Normal)
Water Classify/Disposal <input type="checkbox"/>	4443	Other <input type="checkbox"/>
Soil/Air Rem. or Sys. O & M <input type="checkbox"/>	4452	
Water Rem. or Sys. O & M <input type="checkbox"/>	4453	
Other <input type="checkbox"/>		

NOTE: Notify Lab as soon as possible of 24/48 hrs. TAT.

UST AGENCY: _____

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020, MTBE	Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS	
S-4	1	1/22		X		3						X							5 23 25
S-8	2	1/22		X		3						X							
S-9	3	1/22		X		3						X							
S-10	4	1/22		X		3						X							
DUP	5	1/22		X		3						X							

Relinquished By (signature): <u>[Signature]</u>	Printed Name: <u>Mike Toll</u>	Date: <u>1/23/98</u>	Received (signature): <u>[Signature]</u>	Printed Name: <u>F. V. H. C. H. E. R</u>	Date: <u>1/23/98</u>
Relinquished By (signature): <u>[Signature]</u>	Printed Name: _____	Date: <u>1/23/98</u>	Received (signature): _____	Printed Name: _____	Date: _____
Relinquished By (signature): _____	Printed Name: _____	Date: _____	Received (signature): <u>[Signature]</u>	Printed Name: <u>MIKE YOUNG</u>	Date: <u>1/23/98</u>

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS



Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Project: Shell Oakland/980204-J

Enclosed are the results from samples received at Sequoia Analytical on February 5, 1998.
The requested analyses are listed below:

<u>SAMPLE #</u>	<u>SAMPLE DESCRIPTION</u>	<u>DATE COLLECTED</u>	<u>TEST METHOD</u>
9802230 -01	LIQUID, S-6	02/04/98	TPGM2W Purgeable TPH/BTEX

Please contact me if you have any questions. In the meantime, thank you for the opportunity to work with you on this project.

Very truly yours,

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/980204-J Sample Descript: S-6 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9802230-01	Sampled: 02/04/98 Received: 02/05/98 Analyzed: 02/11/98 Reported: 02/13/98
--	--	---

QC Batch Number: GC021198BTEX02A
Instrument ID: GCHP2

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	10000	46000
Methyl t-Butyl Ether	500	N.D.
Benzene	100	14000
Toluene	100	3200
Ethyl Benzene	100	1300
Xylenes (Total)	100	3400
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	113

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1271

Peggy Penner
Project Manager





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Shell Oakland/980204-J
Matrix: Liquid

Work Order #: 9802230 -01

Reported: Feb 15, 1998

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC021198BTEX02A	GC021198BTEX02A	GC021198BTEX02A	GC021198BTEX02A	GC021198BTEX02A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	D. Newcomb	D. Newcomb	D. Newcomb	D. Newcomb	D. Newcomb
MS/MSD #:	8020514	8020514	8020514	8020514	8020514
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	2/11/98	2/11/98	2/11/98	2/11/98	2/11/98
Analyzed Date:	2/11/98	2/11/98	2/11/98	2/11/98	2/11/98
Instrument I.D.#:	GCHP2	GCHP2	GCHP2	GCHP2	GCHP2
Conc. Spiked:	20 µg/L	20 µg/L	20 µg/L	60 µg/L	310 µg/L
Result:	17	18	20	59	320
MS % Recovery:	85	90	100	98	103
Dup. Result:	21	21	21	63	340
MSD % Recov.:	105	105	105	105	110
RPD:	21	15	4.9	6.6	6.1
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK021198	BLK021198	BLK021198	BLK021198	BLK021198
Prepared Date:	2/11/98	2/11/98	2/11/98	2/11/98	2/11/98
Analyzed Date:	2/11/98	2/11/98	2/11/98	2/11/98	2/11/98
Instrument I.D.#:	GCHP2	GCHP2	GCHP2	GCHP2	GCHP2
Conc. Spiked:	20 µg/L	20 µg/L	20 µg/L	60 µg/L	310 µg/L
LCS Result:	20	21	23	67	310
LCS % Recov.:	100	105	115	112	100

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9802230.BLA <1>





Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Shell Oakland/980204-J

Received: 02/05/98

Lab Proj. ID: 9802230

Reported: 02/13/98

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 3 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

SEQUOIA ANALYTICAL


Peggy Penner
Project Manager

