



ENVIRONMENTAL ENGINEERING, INC.
6620 Owens Drive, Suite A • Pleasanton, CA 94588
TEL (925)734-6400 • FAX (925)734-6401
www.somaenv.com

February 13, 2015

RECEIVED

By Alameda County Environmental Health at 10:53 am, Feb 17, 2015

Ms. Karel Detterman
Alameda County
Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Oakland, California 94502

Subject: Fuel Leak Case#RO0000346
Site Location: 3519 Castro Valley Boulevard, Castro Valley


Dear Ms. Detterman:

SOMA's "First Semi-Annual 2015 Groundwater Monitoring Report" for the subject site has been uploaded to the State's GeoTracker database and to the Alameda County FTP site for your review.

If you have any questions or comments, please do not hesitate to call me. Your time is greatly appreciated in reviewing our report.

Sincerely,

Mansour Sepehr, Ph.D., PE
Principal Hydrogeologist



cc: Mr. Mirazim Shakoori w/enclosure
Ms. Dilan Roe, PE-Alameda County Env. Health Services

**First Semi-Annual 2015
Groundwater Monitoring Report**

**Castro Valley Chevron
3519 Castro Valley Boulevard
Castro Valley, California**

February 13, 2015

Project 2761

**Prepared for
Mr. Mirazim Shakoori
4313 Mansfield Drive
Danville, California 94506**



ENVIRONMENTAL ENGINEERING, INC.

6620 Owens Drive Suite A Pleasanton CA 94588 Ph: 925.734.6400 F: 925.734-6401 www.somaenv.com

PERJURY STATEMENT

Site Location: 3519 Castro Valley Boulevard, Castro Valley, CA

"I declare under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge".



Mirazim Shakoori
4313 Mansfield Drive
Danville, California 94506
Responsible Party

CERTIFICATION

SOMA Environmental Engineering, Inc. has prepared this report on behalf of Mr. Mirazim Shakoori, property owner of 3519 Castro Valley Boulevard, Castro Valley, California to comply with requirements of Alameda County Environmental Health Services for the First Semi-Annual 2015 groundwater monitoring event.



Mansour Sepehr, PhD, PE
Principal Hydrogeologist




TABLE OF CONTENTS

CERTIFICATION	i
TABLE OF CONTENTS.....	ii
LIST OF TABLES.....	iii
LIST OF FIGURES	iii
LIST OF APPENDICES	iv
1. INTRODUCTION	1
1.1 Overview.....	1
1.2 Summary of Field Activities and Laboratory Analysis	1
1.2.1 Field Activities	1
1.2.2 Laboratory Analysis.....	2
2. RESULTS	2
2.1 Field Measurements for Shallow WBZ wells.....	2
2.2 Laboratory Analyses for Shallow WBZ Wells.....	2
2.3 Field Measurements for Semi-Confined WBZ Wells.....	3
2.4 Laboratory Analyses for Semi-Confined WBZ Wells.....	4
3. CONCLUSIONS AND RECOMMENDATIONS.....	5
3.1 Conclusions	5
3.2 Recommendations.....	6

LIST OF TABLES

- Table 1: Historical Groundwater Elevations and Analytical Data
TPH-g, BTEX, and MtBE
- Table 2: Historical Groundwater Analytical Data, Gasoline Oxygenates and
Lead Scavengers

LIST OF FIGURES

- Figure 1: Site vicinity map
- Figure 2: Site Map Showing Locations of Existing Monitoring Wells,
Decommissioned Wells, Off-site Temporary Well Boreholes,
Monitoring Wells Installed by SOMA, and Monitoring Wells Located
at Neighboring Service Station
- Figure 3: Groundwater Elevation Contour Map for Shallow WBZ Wells in
Feet. January 19, 2015
- Figure 4: Contour Map of TPH-g Concentrations in Shallow WBZ Wells.
January 19 and 20, 2015
- Figure 5: Contour Map of Benzene Concentrations in Shallow WBZ Wells.
January 19 and 20, 2015
- Figure 6: Contour Map of MtBE Concentrations in Shallow WBZ Wells.
January 19 and 20, 2015
- Figure 7: Contour Map of TBA Concentrations in Shallow WBZ Wells.
January 19 and 20, 2015
- Figure 8: Groundwater Elevation Contour Map for Semi-Confined WBZ Wells
in Feet. January 19, 2015
- Figure 9: Map of TPH-g and Benzene Concentrations in Semi-Confined WBZ
Wells. January 19 and 20, 2015
- Figure 10: Contour Map of MtBE and Map of TBA Concentrations in Semi-
Confined WBZ Wells. January 19 and 20, 2015

LIST OF APPENDICES

- Appendix A: Standard Operating Procedures for Conducting Groundwater Monitoring Activities
- Appendix B: Table of Elevations and Coordinates for Monitoring Wells, Field Measurements of Groundwater Sample Properties and Groundwater Gradient Calculations
- Appendix C: Chain of Custody Form and Laboratory Report for the First Semi-Annual 2015 Monitoring Event

1. INTRODUCTION

1.1 Overview

SOMA Environmental Engineering, Inc. (SOMA) has prepared this report on behalf of Mr. Mirazim Shakoori, property owner of the former BP gasoline service station located at 3519 Castro Valley Boulevard, Castro Valley, California. The site is located in an area of primarily residential and commercial properties (Figure 1).

This report summarizes results of the First Semi-Annual 2015 groundwater monitoring event conducted at the site on January 19 and 20, 2015. Included are laboratory analytical results for groundwater samples and physical and chemical properties measured in the field for each groundwater sample including pH, temperature, and electrical conductivity (EC).

A joint monitoring event was conducted in coordination with the neighboring service station at 3459 Castro Valley Boulevard.

1.2 Summary of Field Activities and Laboratory Analysis

1.2.1 Field Activities

On January 19, 2015, ten on-site monitoring wells (five in Semi-Confined water-bearing zone [WBZ] including ESE-1R, ESE-2R, ESE-5R, MW-6R, SOMA-1; five in the Shallow WBZ including SOMA-5, SOMA-7, SOMA-8, OB-1, OB-2) and four off-site monitoring wells (two in the Semi-Confined WBZ including MW-7R, SOMA-4 and two in the Shallow WBZ including SOMA-2, SOMA-3) were measured for depth to groundwater. On January 19 and 20, 2015 additional field measurements and groundwater samples were collected from all monitoring wells. Figure 2 shows well locations.

Top of casing elevation data and depth to groundwater in each monitoring well were used to calculate groundwater elevation. The top of casing elevation was based on an elevation datum of 56.33 feet NAVD88. Appendix B includes survey data.

Activities were performed in accordance with general guidelines of California Regional Water Quality Control Board (CRWQCB) and Alameda County Environmental Health Services (ACEHS). Appendix A details standard procedures followed by SOMA during this monitoring event.

Purged groundwater from each well was temporarily stored on-site in one 55-gallon drum, pending transport to an appropriate disposal facility.

1.2.2 Laboratory Analysis

Curtis and Tompkins Laboratories, a California state-certified environmental laboratory, analyzed groundwater samples for the following: total petroleum hydrocarbons as gasoline (TPH-g); benzene, toluene, ethylbenzene, total xylenes (collectively termed BTEX); methyl tertiary-butyl ether (MtBE); gasoline oxygenates, and lead scavengers. All samples were analyzed using EPA Method 8260B.

2. RESULTS

Following are results of field measurements and laboratory analysis for the First Semi-Annual 2015 groundwater monitoring event.

2.1 Field Measurements for Shallow WBZ wells

Table 1 presents calculated groundwater elevation and depth to groundwater in each monitoring well. Depths to groundwater ranged from 8.41 feet in OB-1 to 10.44 feet in SOMA-8. Groundwater elevations ranged from 166.91 feet in SOMA-3 to 171.13 feet in SOMA-8 and OB-2. Table 1 also presents historical groundwater elevations in monitoring wells.

The groundwater elevation contour map is displayed in Figure 3. Groundwater flows southerly in the Shallow WBZ at an approximate gradient of 0.014 feet/feet. Groundwater gradient calculations are attached in Appendix B.

Since the previous monitoring event (July 2014), the groundwater flow direction has changed from southeasterly to southerly and the gradient has remained the same. Refer to Table 1 for detailed historical groundwater elevation trends.

2.2 Laboratory Analyses for Shallow WBZ Wells

Table 1 presents laboratory analytical results of groundwater samples for TPH-g, BTEX, and MtBE. Table 2 presents laboratory analytical results of groundwater samples for gasoline oxygenates and lead scavengers.

TPH-g was below the laboratory-reporting limit in groundwater samples from SOMA-2, SOMA-3, and SOMA-8. TPH-g was detected in other wells in concentrations ranging from 470 µg/L in SOMA-5 to 14,000 µg/L in OB-2. Figure 4 displays the contour map of TPH-g concentrations in groundwater. The highest TPH-g concentration was observed in the vicinity of the former UST cavity at OB-2.

Since the previous monitoring event (July 2014), TPH-g increased in SOMA-5 and SOMA-7 and decreased in OB-1 and OB-2.

The following BTEX analytes were observed during this monitoring event:

- In SOMA-2, SOMA-3, and SOMA-8, all BTEX analytes were below laboratory-reporting limits.
- Toluene was below laboratory-reporting limits in all shallow wells except SOMA-7 where it was detected at 7.4 µg/L.
- Detectable concentrations of benzene ranged from 4.8 µg/L in OB-1 to 540 µg/L in OB-2. Detectable concentrations of ethylbenzene ranged from 11 µg/L in OB-1 to 1,000 µg/L in OB-2. Detectable concentrations of total xylenes ranged from 6.70 µg/L in SOMA-7 to 370 µg/L in OB-2.

Figure 5 displays the contour map of benzene concentrations in groundwater. As illustrated, the highest benzene concentration was observed in the vicinity of the former UST cavity at OB-2. Since the previous monitoring event (July 2014), benzene increased in SOMA-5 and SOMA-7 and decreased in OB-1 and OB-2.

MtBE was below the laboratory-reporting limit in SOMA-2, SOMA-3, and SOMA-8. Detectable MtBE concentrations ranged from 3.60 µg/L in SOMA-5 to 62 µg/L in OB-2. Figure 6 displays the contour map of MtBE concentrations in groundwater. Since the previous monitoring event (July 2014), MtBE increased in SOMA-7 and decreased in SOMA-5, OB-1, and OB-2.

Tertiary-butyl alcohol (TBA) was below the laboratory reporting limit in SOMA-3 and was detected in other shallow WBZ wells at concentration ranging from 2.5 µg/L in SOMA-2 to 40 µg/L in OB-2. All other gasoline oxygenate and lead scavenger analytes [Isopropyl ether (DIPE), ethyl tertiary-butyl ether (ETBE), tertiary-amyl methyl ether (TAME), ethanol, 1,2-dichloroethane (1,2-DCA), and 1,2-dibromoethane (EDB)] were below laboratory-reporting limits in all groundwater samples. Figure 7 shows a contour map of TBA concentrations in Shallow WBZ.

2.3 Field Measurements for Semi-Confined WBZ Wells

Table 1 presents calculated groundwater elevation and depth to groundwater in each monitoring well. Depths to groundwater ranged from 8.11 feet in ESE-5R to 11.33 feet in SOMA-1. Groundwater elevations ranged from 167.55 feet in SOMA-4 to 170.95 feet in MW-6R. Table 1 also presents historical groundwater elevations in monitoring wells. The groundwater elevation contour map is displayed in Figure 8. Groundwater flows southeasterly across the site at an approximate gradient of 0.012 feet/feet.

Since the previous monitoring event (July 2014), the groundwater flow direction has remained southeasterly and gradient has slightly increased. Refer to Table 1 for detailed historical groundwater elevation trends.

2.4 Laboratory Analyses for Semi-Confined WBZ Wells

Table 1 presents laboratory analytical results of groundwater samples for TPH-g, BTEX, and MtBE. Table 2 presents laboratory analytical results of groundwater samples for gasoline oxygenates and lead scavengers.

TPH-g was below the laboratory-reporting limit in groundwater samples from the Semi-Confined WBZ except at ESE-1R, where TPH-g was detected at 410 µg/L. Figure 9 displays the map of TPH-g concentrations in groundwater.

Since the previous monitoring event (July 2014), TPH-g has decreased in ESE-1R, and remained below the laboratory-reporting limit in other wells.

The following BTEX analytes were observed during this monitoring event:

- BTEX analytes were below laboratory-reporting limits in all semi-confined WBZ wells except ESE-1R.
- In ESE-1R, benzene and total xylenes were detected at 4.20 µg/L and 1.20 µg/L, respectively while toluene and ethylbenzene were below laboratory-reporting limits.

Figure 9 displays a map of benzene concentrations in groundwater. As illustrated, benzene has only minimally impacted groundwater in the Semi-Confined WBZ. Since the previous monitoring event (July 2014), BTEX concentrations have decreased in ESE-1R.

MtBE was below the laboratory-reporting limit in ESE-2R, MW-6R, and MW-7R. Detectable MtBE concentrations ranged from 0.61 µg/L in SOMA-4 to 13 µg/L in ESE-1R. Figure 10 displays the contour map of MtBE concentrations in groundwater. Since the previous monitoring event (July 2014), detectable MtBE concentrations decreased in ESE-1R, ESE-2R, ESE-5R, MW-7R, SOMA-1 and SOMA-4.

The following gasoline oxygenate and lead scavenger analytes were observed during this monitoring event.

- DIPE, ETBE, ethanol, 1,2-DCA, and EDB were below laboratory-reporting limits in all groundwater samples.

- TBA was detected in ESE-1R, ESE-2R, and SOMA-1 at 49 µg/L, 6.8 µg/L, and 13 µg/L, respectively. It was below the laboratory-reporting limit in other wells.
- TAME was detected in wells ESE-1R at 0.81 µg/L. It was below the laboratory reporting limit in other wells.

Figure 10 displays a map of TBA concentrations in groundwater. Since the previous monitoring event (July 2014), TBA has increased in SOMA-1 and decreased in ESE-1R; TAME has decreased in ESE-1R.

Refer to Tables 1 and 2 for detailed historical concentration trends. Appendix C includes the laboratory report and chain of custody form for the Second Semi-Annual 2014 groundwater monitoring event.

3. CONCLUSIONS AND RECOMMENDATIONS

3.1 Conclusions

Conclusions based on the First Semi-Annual 2015 groundwater monitoring event are summarized as follows:

- Groundwater flow direction was southerly in the Shallow WBZ and southeasterly in the Semi-Confined WBZ.
- In the Shallow WBZ, TPH-g, benzene, MtBE, and TBA plumes appear to be located in the vicinity of the former UST cavity, at OB-2. Since the previous monitoring event (July 2014), TPH-g and benzene have increased in SOMA-5 and SOMA-7 and decreased in OB-1 and OB-2; MtBE has increased in SOMA-7 and decreased in SOMA-5, OB-1, and OB-2. High TPH-g and benzene concentrations suggest that this WBZ is significantly impacted by petroleum hydrocarbons.
- Within the Semi-Confined WBZ, TPH-g, benzene, MtBE, and TBA contamination is present around the former UST cavity in the southern section of the site, around ESE-1R. Since the previous monitoring event (July 2014) TPH-g, benzene, MtBE, TBA, and TAME have decreased in ESE-1R; MtBE has also decreased in ESE-2R, ESE-5R, MW-7R, SOMA-1 and SOMA-4; and TBA has increased in SOMA-1.
- In the northern section of the site, at MW-6R, all tested constituents were at non-detectable levels.

SOMA conducted three rounds of soil vapor sampling events at the site during fall 2013, spring 2014, and fall 2014. Results of these events were presented in

SOMA's reports dated November 21, 2013, June 26, 2014, and December 10, 2014, respectively.

3.2 Recommendations

SOMA recommends the following:

- Continue semi-annual groundwater monitoring events at the site based on ACEHS directive dated June 14, 2013.
- Due to the presence of elevated TPH-g and benzene concentrations and the presence of sheen in shallow WBZ wells (OB-2 and SOMA-7), SOMA proposes to excavate contaminated soil in three areas of the site as proposed previously in reports dated September 22, 2011 and January 10, 2013. Removal of smear zone and the upper portion of the saturated area via excavation will immediately discontinue the mass transfer from soil to groundwater.

Tables

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
Semi-Confined WBZ Wells											
ESE-1	10/5/1992	177.69	11.22	166.47	-	2,100	370	150	17	110	NA
	10/5/1992	177.69	NM	NM	-	2,300	370	160	16	110	NA
	4/1/1993	177.69	8.79	168.90	-	5,900	1500	410	110	390	NA
	6/29/1993	177.69	10.34	167.35	-	7,600	2900	390	130	460	NA
	9/23/1993	177.69	10.91	166.78	-	2,000	490	40	20	56	600
	9/23/1993	177.69	NM	NM	-	1,500	420	39	19	56	550
	12/10/1993	177.69	9.93	167.76	-	1,800	480	42	19	66	921
	12/10/1993	177.69	NM	NM	-	1,500	380	38	17	55	770
	2/17/1994	177.69	9.64	168.05	-	1,900	380	48	24	80	585
	2/17/1994	177.69	NM	NM	-	2,200	430	42	19	65	491
	8/8/1994	177.69	11.72	165.97	-	2,100	450	46	16	50	760
	10/12/1994	177.69	10.48	167.21	-	760	240	16	51	39	230
	1/19/1995	177.69	7.77	169.92	-	840	600	120	22	58	NA
	5/2/1995	177.69	8.69	169.00	-	2,000	640	67	24	98	NA
	7/28/1995	177.69	10.12	167.57	-	190	<0.50	<0.50	<0.50	<1.0	NA
	11/17/1995	177.69	10.57	167.12	-	200	3.4	<1.0	1	<2.0	600
	2/7/1996	177.69	7.41	170.28	-	750	370	23	21	64	680
	4/23/1996	177.69	9.12	168.57	-	310	100	<1.0	<1.0	<1.0	1500
	7/9/1996	177.69	10.12	167.57	-	730	230	74	13	63	750
	10/10/1996	177.69	10.80	166.89	-	420	26	1.6	7.3	12	430
	1/20/1997	177.69	10.52	167.17	-	660	290	4.2	13	36	450
	4/25/1997	177.69	9.77	167.92	-	410	<0.5	<1.0	<1.0	<1.0	580
	7/18/1997	177.69	10.55	167.14	-	420	<0.5	<1.0	<1.0	<1.0	370
10/27/1997	177.69	10.36	167.33	-	300	56	<1.0	6.5	<1.0	220	
1/22/1998	177.69	7.52	170.17	-	4,200	440	9	15	17.7	1300	
4/23/1998	177.69	8.80	168.89	-	15,000	3400	190	910	900	4900	
4/23/1998	177.69	NM	NM	-	15,000	2800	140	730	730	4400	
7/29/1998	177.69	9.73	167.96	-	NA	NA	NA	NA	NA	NA	
7/30/1998	177.69	NM	NM	-	15,000	<2.5	<5.0	<5.0	<5.0	15000	
12/17/1998	177.69	9.51	168.18	-	2,400	73	1	2.8	4.6	2000	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-1 cont.	3/19/1999	177.69	8.65	169.04	-	4,700	58	<1.0	<1.0	<1.0	4700
	6/23/1999	177.69	10.51	167.18	-	600	170	<1.0	7.2	5	3900
	9/27/1999	177.69	10.32	167.37	-	920	200	<25	<25	<25	4900
	12/9/1999	177.69	10.24	167.45	-	460	130	1.2	5.2	1.5	5100
	3/9/2000	177.69	7.72	169.97	-	3,000	1300	120	80	140	7300
	6/8/2000	177.69	9.40	168.29	-	2,900	540	9.7	20	17	5200
	9/18/2000	177.69	10.05	167.64	-	890	3.4	<0.5	1.4	<0.5	2800
	12/14/2000	177.69	8.20	169.49	-	1,600	11.1	<0.5	<0.5	<0.5	2730
	3/21/2001	177.69	9.75	167.94	-	5,700	2.28	<0.5	0.51	<1.5	6810
	6/18/2001	177.69	10.21	167.48	-	2,000	152	0.669	3.62	2.34	1980
	9/18/2001	177.69	10.30	167.39	-	2,500	57.1	<5.0	6.25	<15	2090
	12/13/2001	177.69	9.82	167.87	-	2,800	208	6.05	8.54	9.66	2030
	3/14/2002	177.69	9.10	168.59	-	1,800	140	6.31	4.5	9.41	1970
	6/19/2002	177.69	9.92	167.77	-	1,100	220	2.02	4.23	3.8	1280
	9/10/2002	177.69	10.21	167.48	-	490	39	2.9	<2.0	4.9	670
	12/16/2002	177.69	8.56	169.13	-	730	140	6	3.2	9.1	670
	3/11/2003	177.69	9.40	168.29	-	1,700	490	21	22	41	530
	6/17/2003	177.69	9.86	167.83	-	1,300	140	<10	<10	<10	480
	12/9/2003	177.69	9.32	168.37	-	1,400	390	12	14	26.1	260
	2/26/2004	177.69	7.71	169.98	-	3,200	880	50	44	89	200
	5/21/2004	177.69	10.19	167.50	-	1,500	370	10	14	25.2	140
	8/10/2004	180.24	10.41	169.83	-	460	390	7	8.1	15.4	110
	10/19/2004	180.24	10.40	169.84	-	1,600	490	13	12	25.3	110
	1/14/2005	180.24	8.26	171.98	-	790 Z	420	26	19	52	91
	4/14/2005	180.24	8.77	171.47	-	3,020	766	25.6	21.3	25.26	88.2
	7/7/2005	180.24	9.94	170.30	-	1,940	440	15.5	15.7	21	80.6
	11/15/2005	180.24	10.21	170.03	-	1,260	259	6.2	8.2	10.81	45.8
	2/8/2006	180.24	9.01	171.23	-	1,430	332	13.6	18.1	25.03	43
	4/27/2006	180.24	9.14	171.10	-	1,600	519	23.2	32.4	40.20	63.4
	8/1/2006	180.24	9.92	170.32	-	1,530	395	11.8	25.4	28.01	40
10/19/2006	180.24	10.34	169.90	-	1,230	327	10.2	21.6	21.19	29.6	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-1 cont.	1/12/2007	180.24	9.84	170.40	-	561	153	7.18	14.4	14.95	30.9
	4/17/2007	180.24	9.78	170.46	-	467	192	7.59	13.8	16.42	30.4
	7/17/2007	180.24	9.82	170.42	-	755	271	8.6	17.8	22.06	26.7
	10/16/2007	180.24	8.99	171.25	-	164	80.2	<2.0	5.24	2.47	16.6
	1/17/2008	180.24	9.35	170.89	-	70	10.8	<2.0	<0.5	<2.0	19.3
	4/17/2008	180.24	9.80	170.44	-	687	89.7	<2.0	4.01	5.30	8.79
	7/16/2008	180.24	10.17	170.07	-	1,400	223	3.88	12.6	17.88	18.1
	10/14/2008	180.24	10.86	169.38	-	540	95	2.7	7.7	18	15
	1/6/2009	180.24	10.10	170.14	-	500 ^Y	130	3	8.8	17.1	13
	4/6/2009	180.24	10.05	170.19	-	910 ^Y	230	2.4	11	12.1	17
	7/7/2009	180.24	10.42	169.82	-	850 ^Y	89	1.9	7.8	15.1	15
	1/27/2010	180.24	7.94	172.30	-	1,600	250	8.8	30	69	23
	7/26/2010	180.24	9.95	170.29	-	1,000	96	1.2	4.2	6	17
ESE-1R	8/30/2010	180.20	10.17	170.03	-	2,100	110	5.2	19	151	15
	11/16/2010	180.20	9.94	170.26	-	100	5.8	<0.5	1	<0.5	16
	2/15/2011	180.20	10.12	170.08	-	1,400	96	1.7	14	7.9	22
	7/19/2011	180.20	10.37	169.83	-	620	30	0.76	4.4	0.96	21
	1/18/2012	180.20	10.78	169.42	-	1,800 ^Y	18	<0.19	11	3.53	14
	7/10/2012	180.20	10.87	169.33	-	1,100 ^Y	16	1.1	9.8	1.70	23
	1/10/2013	180.20	9.59	170.61	No Sheen	69	1.1	<0.5	<0.5	<0.5	1.6
	7/9/2013	180.20	11.26	168.94	No Sheen	1,300	76	2.6	23	47.50	15
	1/30/2014	180.20	11.62	168.58	No Sheen	1,800	14	0.91	3.2	6.30	18
7/25/2014	180.20	11.71	168.49	No Sheen	760	25	0.79	5.4	11.80	15	
1/19/2015	180.20	10.73	169.47	No Sheen	410	4.2	<0.5	<0.5	1.20	13	
ESE-2	10/5/1992	178.23	11.68	166.55	-	300	5.4	16	3.9	45	NA

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-2 cont.	4/1/1993	178.23	9.17	169.06	-	240	27	<0.5	17	2.6	123
	6/29/1993	178.23	10.88	167.35	-	1,700	260	24	110	23	NA
	6/29/1993	178.23	NM	NM	-	1,300	240	17	110	25	NA
	9/23/1993	178.23	11.56	166.67	-	240	3.1	0.5	0.6	2.5	643
	12/10/1993	178.23	10.48	167.75	-	250	2.4	2.4	1.5	11	940
	2/17/1994	178.23	10.06	168.17	-	900	<0.5	<0.5	<0.5	<0.5	930
	8/8/1994	178.23	11.11	167.12	-	750	<0.5	<0.5	<0.5	<0.5	1400
	10/12/1994	178.23	11.31	166.92	-	1,700	<0.5	<0.5	<0.5	<0.5	3000
	1/19/1995	178.23	8.25	169.98	-	300	2	0.9	0.7	1	NA
	5/2/1995	178.23	9.21	169.02	-	1,200	4	<2.5	<2.5	<5	NA
	7/28/1995	178.23	10.64	167.59	-	2,000	<2.5	<2.5	<2.5	<5	NA
	11/17/1995	178.23	11.13	167.10	-	3,600	<25	<25	<25	<50	12000
	11/17/1995	178.23	NM	NM	-	3,400	<25	<25	<25	<50	12000
	2/7/1996	178.23	7.94	170.29	-	450	<0.5	<1	<1	<1	2300
	4/23/1996	178.23	9.73	168.50	-	260	0.9	<1	<1	<1	8600
	7/9/1996	178.23	10.70	167.53	-	780	<2.5	<5	<5	<5	13393
	10/10/1996	178.23	11.39	166.84	-	2,900	<0.5	<1	<1	<1	12000
	1/20/1997	178.23	9.04	169.19	-	<250	<2.5	<5	<5	<5	13000
	4/25/1997	178.23	10.31	167.92	-	2,700	<0.5	<1	<1	<1	15000
	7/18/1997	178.23	11.02	167.21	-	11,000	<5	<10	<10	<10	11000
	10/27/1997	178.23	10.93	167.30	-	6,100	<2.5	<5.0	<5.0	<5.0	7100
	10/27/1997	178.23	NM	NM	-	6,600	<2.5	<5.0	<5.0	<5.0	7400
	1/22/1998	178.23	7.93	170.30	-	13,000	<0.5	<1	<1	<1	10000
1/22/1998	178.23	NM	NM	-	13,000	<0.5	<1	<1	<1	10000	
4/23/1998	178.23	9.34	168.89	-	19,000	<5	<10	<10	<10	36000	
7/29/1998	178.23	10.29	167.94	-	NA	NA	NA	NA	NA	NA	
7/30/1998	178.23	NM	NM	-	19,000	<5	<10	<10	<10	36000	
12/17/1998	178.23	10.20	168.03	-	12,000	<5	<5	<5	<5	13000	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-2 cont	3/19/1999	178.23	9.02	169.21	-	18,000	160	<1	<1	<1	18000
	6/23/1999	178.23	9.99	168.24	-	280	<1	<1	<1	<1	16000
	9/27/1999	178.23	10.69	167.54	-	<500	<25	<25	<25	<25	12000
	12/9/1999	178.23	11.26	166.97	-	<50	<0.3	<0.3	<0.3	<0.6	12000
	3/9/2000	178.23	7.95	170.28	-	<50	1.6	<0.5	<0.5	<0.5	7900
	6/8/2000	178.23	9.66	168.57	-	1,600	<0.5	0.73	<0.5	2.2	9400
	12/14/2000	178.23	11.15	167.08	-	6,000	0.75	<0.5	<0.5	<0.5	11200
	3/21/2001	178.23	10.35	167.88	-	6,900	786	45.7	37.7	71.5	3790
	6/18/2001	178.23	11.24	166.99	-	6,400	<2.5	<2.5	<2.5	<7.5	9320
	9/18/2001	178.23	11.35	166.88	-	4,800	<12.5	<12.5	<12.5	<37.5	6960
	12/13/2001	178.23	10.97	167.26	-	59,000	0.592	<0.5	<0.5	<1	5940
	3/14/2002	178.23	10.13	168.10	-	4,500	76	<0.5	<0.5	<1	6660
	6/19/2002	178.23	10.91	167.32	-	250	<12.5	<12.5	<12.5	<25	4900
	9/10/2002	178.23	10.82	167.41	-	1,500	<5	<5	<5	6.3	3100
	12/16/2002	178.23	7.87	170.36	-	1,400	<5	<5	<5	<5	2400
	3/11/2003	178.23	10.24	167.99	-	2,800	<10	<10	<10	<10	4800
	6/17/2003	178.23	10.19	168.04	-	10,000	<100	<100	<100	<100	4400
	12/9/2003	178.23	9.97	168.26	-	<50	<0.5	<0.5	<0.5	<0.5	3400
	2/26/2004	178.23	7.89	170.34	-	<50	<0.5	<0.5	<0.5	<0.5	3000
	5/21/2004	178.23	10.70	167.53	-	<50	<0.5	<0.5	<0.5	<0.5	1100
	8/10/2004	180.79	10.99	169.80	-	<50	<0.5	<0.5	<0.5	<0.5	550
	10/19/2004	180.79	10.46	170.33	-	<50	<0.5	<0.5	<0.5	<0.5	410
	1/14/2005	180.79	8.66	172.13	-	<50	<8.3	<8.3	<8.3	<8.3	1200
	4/14/2005	180.79	9.38	171.41	-	<860	<2.15	<2.15	<2.15	<4.30	1020
	7/7/2005	180.79	10.46	170.33	-	<860	<2.15	<8.60	<2.15	<4.30	378
	11/15/2005	180.79	10.55	170.24	-	<50	<0.5	<2.0	<0.5	<1.0	210
	2/8/2006	180.79	9.46	171.33	-	<215	<2.15	<8.6	<2.15	<4.3	419
	4/27/2006	180.79	10.67	170.12	-	<100	1.71	<4.0	<1.0	<2.0	432
	8/1/2006	180.79	10.29	170.50	-	<100	2.83	<4.0	<1.0	<2.0	222
	10/19/2006	180.79	10.65	170.14	-	<50	0.8	<2.0	<0.5	<1.0	221

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-2 cont	1/12/2007	180.79	NM	NM	-	NA	NA	NA	NA	NA	NA
	4/17/2007	180.79	10.20	170.59	-	<50	3.17	<2.0	4.49	<2.0	158
	7/17/2007	180.79	10.31	170.48	-	<50	1.65	<2.0	<0.5	<2.0	105
	10/16/2007	180.79	9.22	171.57	-	<50	5.67	<2.0	<0.5	<2.0	73.9
	1/17/2008	180.79	9.88	170.91	-	<50.0	<0.50	<2.0	<0.50	<2.0	80.2
	4/17/2008	180.79	10.29	170.50	-	<50	<0.5	<2.0	<0.5	<2.0	45
	7/16/2008	180.79	10.64	170.15	-	<50	<0.5	<2.0	<0.5	<2.0	54
	10/14/2008	180.79	11.41	169.38	-	<50	<0.5	<0.5	<0.5	<0.5	41
	1/6/2009	180.79	10.60	170.19	-	<50	<0.5	<0.5	<0.5	<0.5	36
	4/6/2009	180.79	10.62	170.17	-	<50	<0.5	<0.5	<0.5	<0.5	30
	7/7/2009	180.79	10.92	169.87	-	<50	2.4	<0.5	<0.5	<0.5	32
	1/27/2010	180.79	8.36	172.43	-	<50	<0.5	<0.5	<0.5	<0.5	26
	7/26/2010	180.79	10.44	170.35	-	<50	<0.5	<0.5	<0.5	<0.5	13
	ESE-2R	8/30/2010	180.70	10.61	170.09	-	200	0.93	<0.5	1.3	13.5
11/16/2010		180.70	10.33	170.37	-	<50	<0.5	<0.5	<0.5	<0.5	18
2/14/2011		180.70	10.50	170.20	-	<50	<0.5	<0.5	<0.5	<0.5	12
7/19/2011		180.70	10.62	170.08	-	<50	<0.5	<0.5	<0.5	<0.5	8.3
1/18/2012		180.70	10.92	169.78	-	<22	<0.33	<0.19	<0.15	<0.20	1.1
7/10/2012		180.70	11.17	169.53	-	<50	<0.5	<0.5	<0.5	<0.5	5.1
1/10/2013		180.70	10.00	170.70	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
7/9/2013		180.70	11.55	169.15	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	2.9
1/29/2014		180.70	12.00	168.70	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	0.89
7/25/2014	180.70	12.02	168.68	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	1.6	
	1/19/2015	180.70	11.14	169.56	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
ESE-3	10/5/1992	178.20	10.58	167.62	-	430	57	31	3.6	34	NA
	4/1/1993	178.20	8.14	170.06	-	2,400	460	220	74	210	NA
	6/29/1993	178.20	9.72	168.48	-	280	56	14	15	13	NA
	9/23/1993	178.20	10.46	167.74	-	72	13	3.5	1.7	4.1	NA
	12/10/1993	178.20	9.30	168.90	-	270	71	32	6.1	33	NA
	2/17/1994	178.20	8.97	169.23	-	520	140	10	20	33	5.74
	8/8/1994	178.20	10.02	168.18	-	<50	8.8	1.6	1.6	2.3	<5.0
	10/12/1994	178.20	10.32	167.88	-	470	190	6.4	15	18	<5.0

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-3 cont.	1/19/1995	178.20	7.40	170.80	-	330	260	27	21	20	NA
	5/2/1995	178.20	8.26	169.94	-	530	180	30	23	44	NA
	7/28/1995	178.20	9.54	168.66	-	<50	<0.50	<0.50	<0.50	<1	NA
	11/17/1995	178.20	10.04	168.16	-	<50	1.7	<0.50	<0.50	<1	<5.0
	2/7/1996	178.20	7.08	171.12	-	<50	8.6	<1	<1	<1	<10
	4/1/2396	178.20	8.79	169.41	-	<50	7.6	<1	<1	<1	65
	7/9/1996	178.20	10.09	168.11	-	<50	12	2.6	2	3.9	26
	10/10/1996	178.20	10.48	167.72	-	NA	NA	NA	NA	NA	NA
	10/11/1996	178.20	NM	NM	-	260	140	<1	<1	2.6	<10
	1/20/1997	178.20	8.65	169.55	-	<50	1.5	1.7	<1	<1	14
	4/25/1997	178.20	10.02	168.18	-	<50	<0.5	<1	<1	<1	14
	7/18/1997	178.20	10.66	167.54	-	10,000	1400	1400	300	1280	<250
	10/27/1997	178.20	9.83	168.37	-	<250	<2.5	<5.0	<5.0	36	<50
	1/22/1998	178.20	7.06	171.14	-	130	<0.5	<1.0	<1.0	<1.0	120
	4/23/1998	178.20	8.44	169.76	-	4,800	560	<10	15	<10	4000
	7/29/1998	178.20	9.27	168.93	-	NA	NA	NA	NA	NA	NA
	7/30/1998	178.20	NM	NM	-	1,800	6.2	<5.0	<5.0	<5.0	1700
	12/17/1998	178.20	9.15	169.05	-	600	54	<1.0	2.1	4.9	340/480
	3/19/1999	178.20	8.14	170.06	-	2,000	260	4.4	13	28	870
	6/23/1999	178.20	9.44	168.76	-	290	91	<1.0	8.3	16	240
	9/27/1999	178.20	9.69	168.51	-	130	35	<1.0	2.7	3.8	100
	12/9/1999	178.20	10.99	167.21	-	380	84	1.7	8.7	6.3	160
	3/9/2000	178.20	7.12	171.08	-	950	190	4.6	39	62	350
	6/8/2000	178.20	10.92	167.28	-	300	37	<0.5	2.3	1.3	400
	9/18/2000	178.20	11.12	167.08	-	920	140	1.3	15	4.8	170
	12/14/2000	178.20	9.70	168.50	-	320	64	<0.5	6.24	1.76	201
	3/21/2001	178.20	10.07	168.13	-	680	80.5	0.546	21.1	18.2	398
	6/18/2001	178.20	11.42	166.78	-	380	47	<0.5	3.11	<1.5	242
	9/18/2001	178.20	11.55	166.65	-	340	54.8	<0.5	4.36	<1.5	79.7
	12/13/2001	178.20	10.12	168.08	-	270	31.4	<0.5	1.31	2.24	129

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-3 cont.	3/14/2002	178.20	9.84	168.36	-	670	89.8	0.769	23.4	30.4	413
	6/19/2002	178.20	10.57	167.63	-	130	18.6	<0.5	<0.5	<1	166
	9/10/2002	178.20	9.90	168.30	-	88	12	<0.5	<0.5	<0.5	93
	12/16/2002	178.20	9.23	168.97	-	290	55	17	3.7	14	78
	3/11/2003	178.20	9.05	169.15	-	100	3.4	<0.5	0.54	<0.50	140
	6/17/2003	178.20	9.30	168.90	-	520	17	<5	5.3	<5	130
ESE-4	10/5/1992	177.73	10.33	167.40	-	98	7.2	1.3	1.1	6.1	NA
	4/1/1993	177.73	7.88	169.85	-	550	93	20	23	33	NA
	6/29/1993	177.66	8.33	169.33	-	150	23	0.6	5.4	0.5	54
	9/23/1993	177.66	10.05	167.61	-	110	14	1.7	3.2	4.6	NA
	12/10/1993	177.66	8.95	168.71	-	110	21	7.2	4.2	10	28.75
	2/17/1994	177.66	8.65	169.01	-	210	26	1.2	4.7	11	113
	8/8/1994	177.66	9.76	167.90	-	76	9.6	<0.5	2	<0.5	62
	10/12/1994	177.66	9.62	168.04	-	<50	<0.5	<0.5	<0.5	<0.5	44
	1/19/1995	177.66	6.97	170.69	-	140	56	14	24	23	NA
	5/2/1995	177.66	7.85	169.81	-	130	21	2.8	8.6	8.2	NA
	7/28/1995	177.66	9.20	168.46	-	<50	<0.5	<0.5	<0.5	<1	NA
	11/17/1995	177.66	9.68	167.98	-	<50	<0.5	0.6	<0.5	<1	18
	2/7/1996	177.66	6.59	171.07	-	100	2.6	<1	1.6	4.1	42
	4/23/1996	177.66	8.30	169.36	-	160	37	15	16	31	43
	7/9/1996	177.66	9.21	168.45	-	60	17	1.5	6.8	11.6	27
	10/10/1996	177.66	9.97	167.69	-	NA	NA	NA	NA	NA	NA
	10/11/1996	177.66	NM	NM	-	<50	<0.5	<1.0	<1.0	<1.0	18
1/20/1997	177.66	7.68	169.98	-	<50	<0.5	<1.0	<1.0	<1.0	130	
4/25/1997	177.66	9.15	168.51	-	<250	<2.5	<5.0	<5.0	<5.0	<50	
7/18/1997	177.66	9.71	167.95	-	<50	15	<10	<10	<10	<100	
10/27/1997	177.66	9.38	168.28	-	<250	<2.5	<5.0	<5.0	<5.0	<50	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-4 cont.	1/22/1998	177.66	6.59	171.07	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	4/23/1998	177.66	7.90	169.76	-	<250	<2.5	<5.0	<5.0	<5.0	<50
	7/29/1998	177.66	8.96	168.70	-	NA	NA	NA	NA	NA	NA
	7/30/1998	177.66	NM	NM	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	12/17/1998	177.66	8.32	169.34	-	NA	NA	NA	NA	NA	NA
	3/19/1999	177.66	7.71	169.95	-	NA	NA	NA	NA	NA	NA
	6/23/1999	177.66	8.78	168.88	-	NA	NA	NA	NA	NA	NA
	9/27/1999	177.66	9.27	168.39	-	NA	NA	NA	NA	NA	NA
	12/9/1999	177.66	9.21	168.45	-	NA	NA	NA	NA	NA	NA
	3/9/2000	177.66	6.82	170.84	-	NA	NA	NA	NA	NA	NA
	6/8/2000	177.66	8.72	168.94	-	NA	NA	NA	NA	NA	NA
	9/18/2000	177.66	8.72	168.94	-	NA	NA	NA	NA	NA	NA
	12/14/2000	177.66	8.61	169.05	-	NA	NA	NA	NA	NA	NA
	3/21/2001	177.66	8.61	169.05	-	NA	NA	NA	NA	NA	NA
	6/18/2001	177.66	9.24	168.42	-	NA	NA	NA	NA	NA	NA
	9/18/2001	177.66	9.35	168.31	-	NA	NA	NA	NA	NA	NA
	12/13/2001	177.66	8.53	169.13	-	NA	NA	NA	NA	NA	NA
	3/14/2002	177.66	8.44	169.22	-	NA	NA	NA	NA	NA	NA
	6/19/2002	177.66	10.97	166.69	-	NA	NA	NA	NA	NA	NA
	9/10/2002	177.66	9.27	168.39	-	NA	NA	NA	NA	NA	NA
12/16/2002	177.66	6.90	170.76	-	NA	NA	NA	NA	NA	NA	
3/11/2003	177.66	8.83	168.83	-	NA	NA	NA	NA	NA	NA	
6/17/2003	177.66	8.84	168.82	-	NA	NA	NA	NA	NA	NA	
ESE-5	10/5/1992	176.08	9.22	166.86	-	1,300	200	3.8	1.2	18	NA
	4/1/1993	176.08	7.02	169.06	-	13,000	2200	26	730	1000	NA
	4/1/1993	176.08	NM	NM	-	13,000	2500	25	740	1100	NA
	6/29/1993	176.08	10.21	165.87	-	7,600	1500	9.3	170	100	NA
	9/23/1993	176.08	10.64	165.44	-	560	19	1.2	0.9	1.8	NA
	12/10/1993	176.08	9.42	166.66	-	1,700	300	3	76	110	14.07

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-5 cont.	2/7/1994	176.08	9.35	166.73	-	3,500	640	7.8	90	130	45.13
	8/8/1994	176.08	8.76	167.32	-	2,600	210	4.6	9.4	4.4	33
	8/8/1994	176.08	NM	NM	-	2,500	230	4.6	13	4.8	32
	10/12/1994	176.08	8.95	167.13	-	5,600	560	9.5	75	21	79.2
	10/12/1994	176.08	NM	NM	-	6,000	550	10	78	22	77
	1/19/1995	176.08	5.40	170.68	-	1,900	620	<5	95	15	NA
	1/19/1995	176.08	NM	NM	-	1,600	620	<5	93	17	NA
	5/2/1995	176.08	6.48	169.60	-	5,700	1100	<10	180	58	NA
	5/2/1995	176.08	NM	NM	-	5,300	1100	<10	180	58	NA
	7/28/1995	176.08	7.97	168.11	-	520	15	<0.50	1.7	1.3	NA
	7/28/1995	176.08	NM	NM	-	460	7.2	<0.50	1.9	1.5	NA
	11/17/1995	176.08	8.39	167.69	-	850	39	1.8	7.6	2.7	24
	2/7/1996	176.08	4.71	171.37	-	4,100	670	6	190	140	<50
	4/23/1996	176.08	7.35	168.73	-	3,000	570	<5	79	100	84
	7/9/1996	176.08	9.40	166.68	-	620	150	1.7	9.3	6.4	25
	10/10/1996	176.08	9.04	167.04	-	1,100	29	<5	<5	<5	<50
	10/10/1996	176.08	NM	NM	-	1,100	31	<5	<5	<5	<50
	1/20/1997	176.08	5.82	170.26	-	2,100	980	<25	280	80	<250
	1/20/1997	176.08	NM	NM	-	2,700	910	8.8	280	84	180
	4/25/1997	176.08	7.24	168.84	-	NA	NA	NA	NA	NA	NA
	4/28/1997	176.08	NM	NM	-	<250	7.9	<5.0	<5.0	<5.0	<50
	7/18/1997	176.08	7.86	168.22	-	1200	<5	<10	<10	<10	<100
	7/18/1997	176.08	NM	NM	-	630	31	<5.0	<5.0	<5.0	130
	10/27/1997	176.08	7.91	168.17	-	<250	5.4	<5.0	<5.0	<5.0	<50
	1/22/1998	176.08	4.64	171.44	-	170	7.7	<1.0	<1.0	<1.0	130
	4/23/1998	176.08	6.31	169.77	-	720	79	<5.0	9	<5.0	180
	7/29/1998	176.08	7.43	168.65	-	NA	NA	NA	NA	NA	NA
	7/30/1998	176.08	NM	NM	-	840	9.8	<1.0	4	<1.0	710
	12/17/1998	176.08	7.05	169.03	-	NA	NA	NA	NA	NA	NA

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-5 cont.	3/19/1999	176.08	5.00	171.08	-	<250	<5.0	<5.0	<5.0	<5.0	<5.0
	6/23/1999	176.08	7.77	168.31	-	NA	NA	NA	NA	NA	NA
	9/27/1999	176.08	8.11	167.97	-	450	10	<5.0	6.3	<5.0	220
	12/9/1999	176.08	7.66	168.42	-	NA	NA	NA	NA	NA	NA
	3/9/2000	176.08	5.08	171.00	-	1,700	170	2.5	45	6.4	140
	6/8/2000	176.08	7.36	168.72	-	NA	NA	NA	NA	NA	NA
	9/18/2000	176.08	7.71	168.37	-	130	0.65	<0.50	0.71	<0.50	51
	12/14/2000	176.08	2.36	173.72	-	NA	NA	NA	NA	NA	NA
	3/21/2001	176.08	7.42	168.66	-	1,000	10.3	<2.5	11	<7.5	70.8
	6/18/2001	176.08	7.92	168.16	-	NA	NA	NA	NA	NA	NA
	9/18/2001	176.26	8.23	168.03	-	200	0.868	<0.50	0.55	<1.5	57.5
	12/13/2001	176.26	7.80	168.46	-	NA	NA	NA	NA	NA	NA
	3/14/2002	176.26	6.55	169.71	-	1,300	17.1	1.35	15.4	1.42	37.4
	6/19/2002	176.26	7.83	168.43	-	NA	NA	NA	NA	NA	NA
	9/10/2002	176.26	8.22	168.04	-	680	9.9	<5.0	<5.0	<5.0	44
	12/16/2002	176.26	6.58	169.68	-	NA	NA	NA	NA	NA	NA
	3/11/2003	176.26	6.77	169.49	-	2,100	14	<2.5	15	3	80
	6/17/2003	176.26	6.75	169.51	-	NA	NA	NA	NA	NA	NA
	9/17/2003	176.26	8.48	167.78	-	970	10 C	<0.5	<0.5	5.3	34
	12/9/2003	176.26	7.32	168.94	-	700	6.5	<0.5	3.1	2.7 C	34
	2/26/2004	176.26	5.21	171.05	-	2,400 H	41	2.8 C	18	2.4 C	29
	5/21/2004	176.26	7.50	168.76	-	1,500	2.6 C	<0.5	2.1 C	2.1 C	25
	8/10/2004	178.80	8.28	170.52	-	680	<0.5	<0.5	<0.5	<0.5	33
	10/19/2004	178.80	8.26	170.54	-	380	<0.5	<0.5	<0.5	1.4	39
	1/14/2005	178.80	5.16	173.64	-	2,400	18	1.4	22	2.1	26
	4/14/2005	178.80	6.13	172.67	-	4,800	7.75	1.26	14.3	<1.0	23.1
7/7/2005	178.80	7.52	171.28	-	3,240	0.78	<2.0	1.18	<1.0	36.6	
11/15/2005	178.80	7.85	170.95	-	1,190	0.51	<2.0	<0.5	<1.0	30	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
ESE-5 cont.	2/8/2006	178.80	5.83	172.97	-	2,510	1.91	<2.0	2.82	<1.0	20.7
	4/27/2006	178.80	5.71	173.09	-	4,700	2.76	<2.0	4.77	<1.0	28.3
	8/1/2006	178.80	7.71	171.09	-	1,890	0.7	<2.0	0.75	<1.0	24.7
	10/19/2006	178.80	8.00	170.80	-	474	<0.5	<2.0	3.39	<1.0	29
	1/12/2007	178.80	7.41	171.39	-	868	2.18	<2.0	2.66	<2.0	16.3
	4/17/2007	178.80	7.51	171.29	-	1,240	10.2	<2.0	10.4	2.37	17.2
	7/17/2007	178.80	7.47	171.33	-	836	3.1	<2.0	4.91	2.35	25.8
	10/16/2007	178.80	6.26	172.54	-	2,120	2.5	<2.0	6.19	2.61	17.5
	1/17/2008	178.80	6.59	172.21	-	2,730	5.74	<2.0	14.3	<2.0	13.1
	4/17/2008	178.80	6.81	171.99	-	2,770	4.7	<2.0	15.9	<2.0	<0.5
	7/16/2008	178.80	7.76	171.04	-	2,160	0.9	<2.0	1.1	<2.0	6.28
	10/14/2008	178.80	8.40	170.40	-	1,300	<0.5	<0.5	0.6	<0.5	9.9
	1/6/2009	178.80	7.66	171.14	-	1,100 ^Y	0.61	<0.5	1.6	<0.5	8
	4/6/2009	178.80	7.79	171.01	-	1,900 ^Y	4.6	<0.5	9.3	0.59	5.3
	7/7/2009	178.80	7.84	170.96	-	2,700 ^Y	3.0	<0.5	2.3	<0.5	6.6
	1/27/2010	178.80	4.82	173.98	-	1,300 ^Y	0.76	<0.5	1.0	<0.5	3.5
7/26/2010	178.80	7.01	171.79	-	1,800	0.75	<0.5	1.8	<0.5	2	
ESE-5R	8/30/2010	178.64	8.97	169.67	-	75	<0.5	<0.5	<0.5	<0.5	7.3
	11/16/2010	178.64	10.46	168.18	-	74	<0.5	<0.5	<0.5	<0.5	12
	2/15/2011	178.64	11.19	167.45	-	140	<0.5	<0.5	<0.5	<0.5	9.6
	7/19/2011	178.64	7.92	170.72	-	140	<0.5	<0.5	<0.5	<0.5	6.7
	1/18/2012	178.64	8.84	169.80	-	68 ^Y	<0.33	<0.19	<0.15	<0.2	7.3
	7/11/2012	178.64	8.85	169.79	-	<50	<0.5	<0.5	<0.5	<0.5	6.1
	1/10/2013	178.64	8.06	170.58	No Sheen	74	<0.5	<0.5	<0.5	<0.5	6.3
	7/9/2013	178.64	11.25	167.39	No Sheen	1,800	41.00	0.72	67.0	54.30	14
	1/30/2014	178.64	9.55	169.09	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	6.8
7/24/2014	178.64	9.56	169.08	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	6.3	
	1/20/2015	178.64	8.11	170.53	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	5.9
MW-6	7/28/1995	179.24	10.00	169.24	-	<50	<0.50	<0.50	<0.50	<1.0	NA
	11/17/1995	179.24	10.44	168.80	-	<50	<0.50	<0.50	<0.50	<1.0	<5.0

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
MW-6 cont	2/7/1996	179.24	7.68	171.56	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	4/23/1996	179.24	9.33	169.91	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	7/9/1996	179.24	10.10	169.14	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	10/10/1996	179.24	11.00	168.24	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	1/20/1997	179.24	8.70	170.54	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	4/25/1997	179.24	10.16	169.08	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	7/18/1997	179.24	10.66	168.58	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	10/27/1997	179.24	10.25	168.99	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	1/22/1998	179.24	7.76	171.48	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	4/23/1998	179.24	9.10	170.14	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	7/29/1998	179.24	10.40	168.84	-	NA	NA	NA	NA	NA	NA
	7/30/1998	179.24	NM	NM	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	12/17/1998	179.24	9.40	169.84	-	NA	NA	NA	NA	NA	NA
	3/19/1999	179.24	9.10	170.14	-	NA	NA	NA	NA	NA	NA
	6/23/1999	179.24	9.79	169.45	-	NA	NA	NA	NA	NA	NA
	9/27/1999	179.24	10.10	169.14	-	NA	NA	NA	NA	NA	NA
	12/9/1999	179.24	9.97	169.27	-	NA	NA	NA	NA	NA	NA
	3/9/2000	179.24	8.56	170.68	-	NA	NA	NA	NA	NA	NA
	6/8/2000	179.24	9.11	170.13	-	NA	NA	NA	NA	NA	NA
	9/18/2000	179.24	9.77	169.47	-	NA	NA	NA	NA	NA	NA
	12/14/2000	179.24	9.17	170.07	-	NA	NA	NA	NA	NA	NA
	3/21/2001	179.24	9.82	169.42	-	NA	NA	NA	NA	NA	NA
	6/18/2001	179.24	10.19	169.05	-	NA	NA	NA	NA	NA	NA
	9/18/2001	179.24	10.25	168.99	-	NA	NA	NA	NA	NA	NA
	12/13/2001	179.24	9.75	169.49	-	NA	NA	NA	NA	NA	NA
	3/14/2002	179.24	9.53	169.71	-	NA	NA	NA	NA	NA	NA
	6/19/2002	179.24	9.87	169.37	-	NA	NA	NA	NA	NA	NA
	9/10/2002	179.24	9.49	169.75	-	NA	NA	NA	NA	NA	NA
12/16/2002	179.24	8.39	170.85	-	NA	NA	NA	NA	NA	NA	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
MW-6 cont	3/11/2003	179.24	9.40	169.84	-	NA	NA	NA	NA	NA	NA
	6/17/2003	179.24	9.71	169.53	-	NA	NA	NA	NA	NA	NA
	9/17/2003	179.24	10.21	169.03	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
	12/9/2003	179.24	9.66	169.58	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	2/26/2004	179.24	7.83	171.41	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	5/21/2004	179.24	9.75	169.49	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	8/10/2004	181.80	10.28	171.52	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	10/19/2004	181.80	9.91	171.89	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/14/2005	181.80	8.40	173.40	-	<50	0.6	<0.5	<0.5	<0.5	<0.5
	4/14/2005	181.80	9.04	172.76	-	<200	<0.5	<0.5	<0.5	<1.0	<0.5
	7/7/2005	181.80	9.94	171.86	-	<200	<0.5	<2.00	<0.5	<1.00	<0.5
	11/15/2005	181.80	9.98	171.82	-	<50	<0.5	<2.0	<0.5	<1.0	<0.5
	2/8/2006	181.80	9.91	171.89	-	<50	<0.5	<2.0	<0.5	<1.0	<0.5
	4/27/2006	181.80	9.54	172.26	-	<50	<0.5	<2.0	<0.5	<1.0	<0.5
	8/1/2006	181.80	9.61	172.19	-	<50	<0.5	<2.0	<0.5	<1.0	0.51
	10/19/2006	181.80	10.23	171.57	-	<50	<0.5	<2.0	<0.5	<1.0	0.63
	1/12/2007	181.80	10.13	171.67	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	4/17/2007	181.80	10.22	171.58	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/17/2007	181.80	9.76	172.04	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	10/16/2007	181.80	9.82	171.98	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	1/17/2008	181.80	9.43	172.37	-	<50	<0.50	<2.0	<0.50	<2.0	<0.5
	4/17/2008	181.80	9.54	172.26	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/16/2008	181.80	9.80	172.00	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	10/14/2008	181.80	10.48	171.32	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/6/2009	181.80	10.01	171.79	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	4/6/2009	181.80	10.15	171.65	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/7/2009	181.80	10.28	171.52	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/27/2010	181.80	8.28	173.52	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
7/26/2010	181.80	9.64	172.16	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
MW-6R	8/30/2010	181.34	9.55	171.79	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	11/15/2010	181.34	9.32	172.02	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	2/14/2011	181.34	9.79	171.55	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/19/2011	181.34	9.60	171.74	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/18/2012	181.34	10.08	171.26	-	<22	<0.33	<0.19	<0.15	<0.2	<0.38
	7/10/2012	181.34	10.30	171.04	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/9/2013	181.34	9.50	171.84	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/8/2013	181.34	10.29	171.05	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/29/2014	181.34	11.01	170.33	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/24/2014	181.34	11.00	170.34	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/19/2015	181.34	10.39	170.95	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	7/28/1995	176.55	9.25	167.30	-	<50	0.54	0.54	<0.50	<1.0	NA
	11/17/1995	176.55	9.73	166.82	-	1100	<10	<10	<10	<20	4000
	2/7/1996	176.55	6.48	170.07	-	610	<0.50	<1.0	<1.0	<1.0	2500
	2/7/1996	176.55	NM	NM	-	280	<0.50	<1.0	<1.0	<1.0	2600
	4/23/1996	176.55	8.37	168.18	-	110	<0.50	<1.0	<1.0	<1.0	3500
	4/23/1996	176.55	NM	NM	-	230	<0.50	<1.0	<1.0	<1.0	3500
	7/9/1996	176.55	9.24	167.31	-	230	<0.50	<1.0	<1.0	<1.0	4296
	7/9/1996	176.55	NM	NM	-	220	<0.50	<1.0	<1.0	<1.0	4400
	10/10/1996	176.55	10.05	166.50	-	NA	NA	NA	NA	NA	NA
	10/11/1996	176.55	NM	NM	-	1600	<0.50	<1.0	<1.0	<1.0	3000
	1/20/1997	176.55	7.51	169.04	-	<50	0.63	<1.0	<1.0	<1.0	2600
	4/25/1997	176.55	8.79	167.76	-	NA	NA	NA	NA	NA	NA
	4/28/1997	176.55	NM	NM	-	1500	<0.50	<1.0	<1.0	<1.0	3600
	4/28/1997	176.55	NM	NM	-	7700	3500	<25	74	37	<250
	7/18/1997	176.55	9.50	167.05	-	1400	<0.50	<1.0	<1.0	<1.0	2600
10/27/1997	176.55	9.19	167.36	-	420	<0.50	<1.0	<1.0	<1.0	560	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
MW-7 cont.	1/22/1998	176.55	6.45	170.10	-	3100	<0.50	<1.0	<1.0	1.4	2300
	4/23/1998	176.55	8.02	168.53	-	3800	<0.50	<1.0	<1.0	<1.0	3800
	7/29/1998	176.55	8.88	167.67	-	NA	NA	NA	NA	NA	NA
	7/30/1998	176.55	NM	NM	-	500	<2.5	<5.0	<5.0	<5.0	<50
	7/30/1998	176.55	NM	NM	-	4700	<12	<25	<25	<25	4700
	12/17/1998	176.55	8.62	167.93	-	NA	NA	NA	NA	NA	NA
	3/19/1999	176.55	7.52	169.03	-	3800	<1.0	<1.0	<1.0	<1.0	3800
	6/23/1999	176.55	9.63	166.92	-	NA	NA	NA	NA	NA	NA
	9/27/1999	176.55	9.39	167.16	-	140	<10	<10	<10	<10	3800
	12/9/1999	176.55	9.94	166.61	-	NA	NA	NA	NA	NA	NA
	3/9/2000	176.55	6.72	169.83	-	<50	<0.50	<0.50	<0.50	<0.50	1400
	6/8/2000	176.55	7.38	169.17	-	NA	NA	NA	NA	NA	NA
	9/18/2000	176.55	9.18	167.37	-	190	<0.50	<0.50	<0.50	<0.50	580
	12/14/2000	176.55	8.13	168.42	-	NA	NA	NA	NA	NA	NA
	3/21/2001	176.55	8.98	167.57	-	1300	<0.50	<0.50	<0.50	<1.5	1460
	6/18/2001	176.55	9.68	166.87	-	NA	NA	NA	NA	NA	NA
	9/18/2001	176.55	9.80	166.75	-	<0.50	<0.50	<0.50	<0.50	<1.5	94.9
	12/13/2001	176.55	9.26	167.29	-	NA	NA	NA	NA	NA	NA
	3/14/2002	176.55	8.69	167.86	-	800	<0.50	<0.50	<0.50	<1.0	952
	6/19/2002	176.55	9.06	167.49	-	NA	NA	NA	NA	NA	NA
	9/10/2002	176.55	9.23	167.32	-	260	<2.0	<2.0	<2.0	<2.0	580
	12/16/2002	176.55	7.77	168.78	-	NA	NA	NA	NA	NA	NA
	3/11/2003	176.55	8.30	168.25	-	620	<2.5	<2.5	<2.5	<2.5	1100
	6/17/2003	176.55	9.51	167.04	-	NA	NA	NA	NA	NA	NA
	9/17/2003	176.55	9.52	167.03	-	<50	<0.5	<0.5	<0.5	<0.5	460
	12/9/2003	176.55	8.99	167.56	-	<50	<0.5	<0.5	<0.5	<0.5	420
	2/26/2004	176.55	6.55	170.00	-	<50	<0.5	<0.5	<0.5	<0.5	330
	5/21/2004	176.55	8.90	167.65	-	<50	<0.5	<0.5	<0.5	<0.5	630
	8/10/2004	179.11	9.58	169.53	-	<50	<0.5	<0.5	<0.5	<0.5	750
	10/19/2004	179.11	9.20	169.91	-	<50	<0.5	<0.5	<0.5	<0.5	550

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
MW-7 cont.	1/14/2005	179.11	7.25	171.86	-	<50	<2.0	<2.0	<2.0	<2.0	250
	4/14/2005	179.11	7.94	171.17	-	<200	<0.5	<0.5	<0.5	<1.0	285
	7/7/2005	179.11	9.08	170.03	-	<400	<1.0	<4.0	<1.0	<2.0	452
	11/15/2005	179.11	9.14	169.97	-	<50	<0.5	<2.0	<0.5	<1.0	110
	2/8/2006	179.11	7.93	171.18	-	<50	<0.5	<2.0	<0.5	<1.0	101
	4/27/2006	179.11	8.40	170.71	-	<50	<0.5	<2.0	<0.5	<1.0	131
	8/1/2006	179.11	8.89	170.22	-	<50	<0.5	<2.0	<0.5	<1.0	68.6
	10/19/2006	179.11	9.44	169.67	-	<50	<0.5	<2.0	<0.5	<1.0	65.5
	1/12/2007	179.11	8.91	170.20	-	<50	<0.5	<2.0	<0.5	<2.0	38
	4/17/2007	179.11	8.58	170.53	-	<50	<0.5	<2.0	<0.5	<2.0	24.7
	7/17/2007	179.11	9.04	170.07	-	<50	2.07	<2.0	<0.5	<2.0	29.3
	10/6/2007	179.11	7.88	171.23	-	<50	0.88	<2.0	<0.5	<2.0	5.26
	1/17/2008	179.11	NM	NM	-	NA	NA	NA	NA	NA	NA
	4/17/2008	179.11	8.85	170.26	-	<50	1.87	<2.0	<0.5	<2.0	21.6
	7/16/2008	179.11	9.34	169.77	-	<50	<0.5	<2.0	<0.5	<2.0	11.4
	10/14/2008	179.11	10.06	169.05	-	<50	0.78	<0.5	<0.5	<0.5	12
	1/6/2009	179.11	9.12	169.99	-	<50	<0.5	<0.5	<0.5	<0.5	14
	4/6/2009	179.11	9.28	169.83	-	<50	<0.5	<0.5	<0.5	<0.5	13
	7/7/2009	179.11	9.59	169.52	-	<50	<0.5	<0.5	<0.5	<0.5	15
	1/27/2010	179.11	6.98	172.13	-	<50	<0.5	<0.5	<0.5	<0.5	6.3
7/26/2010	179.11	9.11	170.00	-	<50	<0.5	<0.5	<0.5	<0.5	6	
MW-7R	8/30/2010	179.14	9.39	169.75	-	<50	<0.5	<0.5	<0.5	<0.5	24
	11/16/2010	179.14	9.10	170.04	-	<50	<0.5	<0.5	<0.5	<0.5	4.9
	2/14/2011	179.14	9.26	169.88	-	<50	<0.5	<0.5	<0.5	<0.5	5.3
	7/19/2011	179.14	9.38	169.76	-	<50	<0.5	<0.5	<0.5	<0.5	2.8
	1/18/2012	179.14	9.70	169.44	-	<22	<0.33	<0.19	<0.15	<0.2	0.93
	7/10/2012	179.14	9.92	169.22	-	<50	<0.5	<0.5	<0.5	<0.5	3.4
	1/9/2013	179.14	8.75	170.39	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/8/2013	179.14	11.31	167.83	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	2.6
	1/29/2014	179.14	10.70	168.44	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	1.0
	7/25/2014	179.14	10.78	168.36	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	1.2
1/19/2015	179.14	9.70	169.44	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
MW-8	7/28/1995	176.34	7.80	168.54	-	1,100	<2.5	<2.5	<2.5	<5.0	NA
	11/17/1995	176.34	8.29	168.05	-	8,300	75	5.3	670	240	140
	2/7/1996	176.34	4.99	171.35	-	2,300	33	<10	190	216	<100
	4/23/1996	176.34	6.09	170.25	-	2,000	390	<10	150	26	<250
QC-2	4/1/1993	NM	NM	NM	-	<50	<0.5	<0.5	<0.5	<0.5	NA
	6/29/1993	NM	NM	NM	-	<50	<0.5	<0.5	<0.5	<0.5	NA
	9/23/1993	NM	NM	NM	-	<50	<0.5	<0.5	<0.5	<0.5	NA
	12/10/1993	NM	NM	NM	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	2/17/1994	NM	NM	NM	-	<50	<0.5	<0.5	<0.5	<0.5	NA
	8/8/1994	NM	NM	NM	-	<50	<0.5	<0.5	<0.5	<0.5	NA
	10/12/1994	NM	NM	NM	-	<50	<0.5	<0.5	<0.5	<0.5	NA
	1/19/1995	NM	NM	NM	-	<50	<0.5	<0.5	<0.5	<1.0	NA
	5/2/1995	NM	NM	NM	-	<50	<0.50	<0.50	<0.50	<1.0	NA
	7/28/1995	NM	NM	NM	-	<50	<0.50	<0.50	<0.50	<1.0	NA
	11/17/1995	NM	NM	NM	-	<50	<0.50	<0.50	<0.50	<1.0	<5.0
	2/7/1996	NM	NM	NM	-	<50	<0.5	<1.0	<1.0	<1.0	<10
	4/23/1996	NM	NM	NM	-	<50	<0.5	<1.0	<1.0	<1.0	<10
7/9/1996	NM	NM	NM	-	<50	<0.5	<1.0	<1.0	<1.0	<10	
SOMA-1	8/10/2004	180.95	11.53	169.42	-	84	<0.5	<0.5	1.5 C	2.2	2100
	10/19/2004	180.95	10.41	170.54	-	56	<0.5	<0.5	1.3 C	1.4 C	1600
	1/14/2005	180.95	9.68	171.27	-	58	<3.1	<3.1	<3.1	<3.1	330
	4/14/2005	180.95	9.37	171.58	-	<2200	<5.5	<5.5	<5.5	<11	668
	7/7/2005	180.95	10.21	170.74	-	<860	<2.15	<8.6	<2.15	<4.3	591
	11/15/2005	180.95	10.70	170.25	-	<50	<0.5	<2.0	1.1	<1.0	256
	2/8/2006	180.95	9.30	171.65	-	127	1.56	<2.0	3.23	3.12	176
	4/27/2006	180.95	9.64	171.31	-	81.6	1.14	<2.0	2.8	<1.0	189
	8/1/2006	180.95	10.25	170.70	-	<50	1.07	<2.0	1.46	<1.0	122
	10/19/2006	180.95	10.73	170.22	-	<50	0.68	<2.0	4.17	<1.0	116

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
SOMA-1 cont.	1/12/2007	180.95	10.38	170.57	-	<50	<0.5	<2.0	<0.5	<2.0	68.7
	4/17/2007	180.95	10.09	170.86	-	<50	5.76	<2.0	4.33	2.59	33.4
	7/17/2007	180.95	10.35	170.60	-	<50	14.8	<2.0	4.63	3.32	39.4
	10/16/2007	180.95	9.71	171.24	-	<50	5.7	<2.0	<0.5	<2.0	14.2
	1/17/2008	180.95	10.01	170.94	-	<50	1.02	<2.0	<0.5	<2.0	12.8
	4/17/2008	180.95	10.17	170.78	-	<50	3.13	<2.0	<0.5	<2.0	12.8
	7/16/2008	180.95	10.63	170.32	-	<50	10.6	<2.0	<0.5	<2.0	15.8
	10/14/2008	180.95	11.36	169.59	-	<50	1.1	<0.5	<0.5	<0.5	15
	1/6/2009	180.95	10.81	170.14	-	<50	0.6	<0.5	<0.5	<0.5	14
	4/6/2009	180.95	10.69	170.26	-	<50	<0.5	<0.5	<0.5	<0.5	12
	7/7/2009	180.95	11.01	169.94	-	<50	0.57	<0.5	1.2	0.91	12
	1/27/2010	180.95	8.81	172.14	-	<50	<0.5	<0.5	<0.5	<0.5	9.9
	7/26/2010	180.95	10.49	170.46	-	<50	<0.5	<0.5	<0.5	<0.5	5.9
	11/16/2010	180.95	10.49	170.46	-	<50	<0.5	<0.5	<0.5	<0.5	7.0
	2/15/2011	180.95	10.64	170.31	-	<50	<0.5	<0.5	<0.5	<0.5	5.3
	7/19/2011	180.95	10.70	170.25	-	<50	2.3	<0.5	<0.5	<0.5	5.2
	1/18/2012	180.95	10.90	170.05	-	77 ^Y	<0.33	<0.19	<0.15	<0.2	4.0
	7/10/2012	180.95	11.25	169.70	-	<50	<0.5	<0.5	<0.5	<0.5	3.7
	1/10/2013	180.95	10.10	170.85	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	2.2
	7/8/2013	180.95	11.72	169.23	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	2.7
1/29/2014	180.95	12.15	168.80	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	1.7	
7/25/2014	180.95	12.21	168.74	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	1.4	
1/19/2014	180.95	11.33	169.62	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	1.1	
SOMA-4	8/10/2004	176.94	9.44	167.50	-	140	0.98	<0.5	7.8	<0.5	11
	10/19/2004	176.94	9.91	167.03	-	150	<0.5	<0.5	10	<0.5	8.8
	1/14/2005	176.94	8.36	168.58	-	500	3.7	<0.5	53	<0.5	7.6
	4/14/2005	176.94	7.89	169.05	-	<200	0.74	<0.5	3.21	<1.0	5.65
	7/7/2005	176.94	11.62	165.32	-	<200	<0.5	<2.0	0.56	<1.0	7.09
	11/15/2005	176.94	9.33	167.61	-	<50	<0.5	<2.0	<0.5	<1.0	8.6

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
SOMA-4 cont	2/8/2006	176.94	9.18	167.76	-	55.8	<0.5	<2.0	0.85	<1.0	10.4
	4/27/2006	176.94	8.75	168.19	-	172	1.35	<2.0	8.83	<1.0	11.7
	8/1/2006	176.94	9.52	167.42	-	<50	0.52	<2.0	1.53	<1.0	14.1
	10/19/2006	176.94	9.51	167.43	-	<50	<0.5	<2.0	<0.5	<1.0	19.2
	1/12/2007	176.94	8.98	167.96	-	<50	<0.5	<2.0	<0.5	<2.0	20.4
	4/17/2007	176.94	8.96	167.98	-	<50	<0.5	<2.0	4.33	<2.0	15.8
	7/17/2007	176.94	9.31	167.63	-	<50	<0.5	<2.0	4.47	<2.0	13.3
	10/16/2007	176.94	8.96	167.98	-	<50	<0.5	<2.0	4.5	<2.0	8.57
	1/17/2008	176.94	8.84	168.10	-	<50	<0.5	<2.0	<0.5	<2.0	8.87
	4/17/2008	176.94	9.44	167.50	-	<50	<0.5	<2.0	<0.5	<2.0	1.22
	7/16/2008	176.94	9.52	167.42	-	<50	<0.5	<2.0	<0.5	<2.0	8.58
	10/14/2008	176.94	9.98	166.96	-	<50	<0.5	<0.5	<0.5	<0.5	9.7
	1/6/2009	176.94	9.29	167.65	-	<50	<0.5	<0.5	<0.5	<0.5	10
	4/6/2009	176.94	9.31	167.63	-	<50	<0.5	<0.5	<0.5	<0.5	5.3
	7/7/2009	176.94	9.54	167.40	-	<50	<0.5	<0.5	<0.5	<0.5	7
	1/27/2010	176.94	7.35	169.59	-	<50	<0.5	<0.5	<0.5	<0.5	5.1
	7/26/2010	176.94	9.13	167.81	-	220	<0.5	<0.5	<0.5	<0.5	2.3
	11/15/2010	176.94	8.85	168.09	-	75	<0.5	<0.5	<0.5	<0.5	2.5
	2/14/2011	176.94	8.92	168.02	-	<50	<0.5	<0.5	<0.5	<0.5	1.5
	7/19/2011	176.94	9.19	167.75	-	57	<0.5	<0.5	<0.5	<0.5	0.97
	1/18/2012	176.94	9.61	167.33	-	<22	<0.33	<0.19	<0.15	<0.2	1.2
	7/10/2012	176.94	9.71	167.23	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/9/2013	176.94	8.52	168.42	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	0.77
7/8/2013	176.94	9.89	167.05	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	1.4	
1/29/2014	176.94	10.35	166.59	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	0.74	
7/24/2014	176.94	10.40	166.54	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	1.3	
1/19/2015	176.94	9.39	167.55	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	0.61	
Shallow WBZ Wells											
SOMA-2	8/10/2004	178.99	10.69	168.30	-	<50	<0.5	<0.5	<0.5	<0.5	0.8
	10/19/2004	178.99	10.75	168.24	-	<50	<0.5	<0.5	<0.5	<0.5	2.4

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
SOMA-2 cont.	1/14/2005	178.99	9.45	169.54	-	<50	<0.5	<0.5	<0.5	<0.5	1.1
	4/14/2005	178.99	10.46	168.53	-	<200	<0.5	<0.5	<0.5	<1.0	<0.5
	7/7/2005	178.99	11.81	167.18	-	<200	<0.5	<2.0	<0.5	<1.0	<0.5
	11/15/2005	178.99	12.02	166.97	-	<50	<0.5	<2.0	<0.5	<1.0	1.61
	2/8/2006	178.99	11.88	167.11	-	<50	<0.5	<2.0	<0.5	<1.0	<0.5
	4/27/2006	178.99	10.95	168.04	-	<50	<0.5	<2.0	<0.5	<1.0	<0.5
	8/1/2006	178.99	11.85	167.14	-	<50	<0.5	<2.0	<0.5	<1.0	1.11
	10/19/2006	178.99	10.62	168.37	-	<50	<0.5	<2.0	<0.5	<1.0	1.36
	1/12/2007	178.99	10.26	168.73	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	4/17/2007	178.99	11.88	167.11	-	<50	<0.5	<2.0	<0.5	<2.0	0.87
	7/17/2007	178.99	10.84	168.15	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	10/16/2007	178.99	9.69	169.30	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	1/17/2008	178.99	9.62	169.37	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	4/17/2008	178.99	10.06	168.93	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/16/2008	178.99	10.63	168.36	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	10/14/2008	178.99	11.26	167.73	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/6/2009	178.99	10.22	168.77	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	4/6/2009	178.99	10.38	168.61	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/7/2009	178.99	10.40	168.59	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/27/2010	178.99	8.19	170.80	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/26/2010	178.99	10.24	168.75	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	11/15/2010	178.99	10.04	168.95	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	2/14/2011	178.99	9.95	169.04	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/19/2011	178.99	10.20	168.79	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/18/2012	178.99	10.56	168.43	-	<22	<0.33	<0.19	<0.15	<0.2	<0.38
	7/10/2012	178.99	10.45	168.54	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/9/2013	178.99	9.63	169.36	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
7/8/2013	178.99	10.36	168.63	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
1/29/2014	178.99	11.36	167.63	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
7/24/2014	178.99	11.90	167.09	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
1/19/2014	178.99	10.09	168.90	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
SOMA-3	8/10/2004	176.81	9.97	166.84	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	10/19/2004	176.81	9.59	167.22	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
SOMA-3 cont.	1/14/2005	176.81	8.23	168.58	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	4/14/2005	176.81	8.64	168.17	-	<200	<0.5	<0.5	<0.5	<1.0	<0.5
	7/7/2005	176.81	9.60	167.21	-	<200	<0.5	<2.0	<0.5	<1.0	<0.5
	11/15/2005	176.81	10.01	166.80	-	<50	<0.5	<2.0	<0.5	<1.0	5.1
	2/8/2006	176.81	8.80	168.01	-	<50	<0.5	<2.0	<0.5	<1.0	7.16
	4/27/2006	176.81	9.00	167.81	-	<50	<0.5	<2.0	<0.5	<1.0	14.2
	8/1/2006	176.81	9.91	166.90	-	<50	<0.5	<2.0	<0.5	<1.0	7.29
	10/19/2006	176.81	10.21	166.60	-	<50	<0.5	<2.0	<0.5	<1.0	41.4
	1/12/2007	176.81	9.73	167.08	-	<50	<0.5	<2.0	<0.5	<2.0	20.9
	4/17/2007	176.81	9.81	167.00	-	<50	<0.5	<2.0	<0.5	<2.0	32.1
	7/17/2007	176.81	10.06	166.75	-	<50	<0.5	<2.0	<0.5	<2.0	23.6
	10/16/2007	176.81	9.54	167.27	-	<50	<0.5	<2.0	<0.5	<2.0	22.3
	1/17/2008	176.81	9.06	167.75	-	<50	<0.5	<2.0	<0.5	<2.0	11.1
	4/17/2008	176.81	9.57	167.24	-	<50	<0.5	<2.0	<0.5	<2.0	23.7
	7/16/2008	176.81	10.25	166.56	-	<50	<0.5	<2.0	<0.5	<2.0	10.6
	10/14/2008	176.81	10.76	166.05	-	<50	<0.5	<0.5	<0.5	<0.5	19
	1/6/2009	176.81	9.53	167.28	-	<50	<0.5	<0.5	<0.5	<0.5	1.1
	4/6/2009	176.81	9.65	167.16	-	<50	<0.5	<0.5	<0.5	<0.5	5.7
	7/7/2009	176.81	10.19	166.62	-	<50	<0.5	<0.5	<0.5	<0.5	6
	1/27/2010	176.81	7.80	169.01	-	<50	<0.5	<0.5	<0.5	<0.5	56
	7/26/2010	176.81	9.67	167.14	-	<50	<0.5	<0.5	<0.5	<0.5	9.8
	11/15/2010	176.81	9.35	167.46	-	<50	<0.5	<0.5	<0.5	<0.5	30
	2/14/2011	176.81	10.57	166.24	-	<50	<0.5	<0.5	<0.5	<0.5	32
	7/19/2011	176.81	9.74	167.07	-	<50	<0.5	<0.5	<0.5	<0.5	17
	1/18/2012	176.81	10.14	166.67	-	<22	<0.33	<0.19	<0.15	<0.2	24
	7/10/2012	176.81	9.99	166.82	-	<50	<0.5	<0.5	<0.5	<0.5	1.6
	1/9/2013	176.81	8.86	167.95	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	6.9
7/8/2013	176.81	10.56	166.25	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	2	
1/29/2014	176.81	10.69	166.12	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	0.52	
7/24/2014	176.81	11.03	165.78	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
1/19/2015	176.81	9.90	166.91	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5	

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
SOMA-5 pre-MPE	1/27/2010	180.31	7.94	172.37	-	14,000	2,600	1.5	800	914	190
	7/26/2010	180.31	9.99	170.32	-	14,000	3,300	<20	1,100	1,340	150
	11/15/2010	180.31	10.01	170.30	-	11,000	2,400	3.3	920	733	130
	2/15/2011	180.31	10.22	170.09	-	4,900	1,600	<13	430	84	94
	6/16/2011	180.31	NM	NC	-	6,400	2,500	<20	670	160	150
	7/19/2011	180.31	9.95	170.36	-	1,300	470	<3.6	<3.6	212	8.8
	1/18/2012	180.31	10.16	170.15	-	600 ^Y	160	<0.19	27	<0.2	6.5
	7/10/2012	180.31	10.16	170.15	-	<50	3.6	<0.5	<0.5	<0.5	4.6
	1/10/2013	180.31	9.21	171.10	No Sheen	180	25.0	<0.5	28	<0.5	3.9
	7/9/2013	180.31	10.98	169.33	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	4.8
	1/30/2014	180.31	11.67	168.64	No Sheen	<50	2.4	<0.5	<0.5	<0.5	10
	7/25/2014	180.31	11.70	168.61	No Sheen	100	56	<0.5	1.1	4.06	11
	1/20/2015	180.31	9.82	170.49	No Sheen	470	61	<0.5	12	28	3.6
SOMA-7 pre-MPE	8/30/2010	178.54	7.63	170.91	-	2,900	190	3.7	74	19.80	8.4
	11/16/2010	178.54	7.89	170.65	-	1,500	190	2.1	41	8.30	5.7
	2/15/2011	178.54	7.33	171.21	-	1,900	380	4	27	5.50	5.2
	6/16/2011	178.54	NM	NC	-	1,900	330	4.3	24	5.20	4.7
	7/19/2011	178.54	7.89	170.65	-	7,600	1,100	15	200	61	12
	1/18/2012	178.54	8.74	169.80	-	1,300 ^Y	190	2.2	29	5.2	<1.7
	7/11/2012	178.54	8.66	169.88	-	5,600	390	5.5	45	9.1	5.2
	1/10/2013	178.54	6.72	171.82	Rainbow Sheen	4,400	500	8.9	66	11	4.1
	7/9/2013	178.54	9.05	169.49	Rainbow Sheen	2,800	420	6.5	51	6	4.5
	1/30/2014	178.54	9.44	169.10	Rainbow Sheen	2,400	270	5.1	21	4.3	4.4
	7/24/2014	178.54	9.57	168.97	No Sheen	3,000	310	6.3	13	5.1	4.1
	1/20/2015	178.54	8.43	170.11	Rainbow Sheen	3,400	410	7.4	35	6.7	4.9
SOMA-8	8/30/2010	181.57	9.89	171.68	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	11/15/2010	181.57	9.37	172.20	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	2/14/2011	181.57	9.89	171.68	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/19/2011	181.57	9.67	171.90	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
SOMA-8 cont.	1/18/2012	181.57	10.29	171.28	-	<22	<0.33	<0.19	<0.15	<0.2	<0.38
	7/10/2012	181.57	10.31	171.26	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/9/2013	181.57	9.62	171.95	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/8/2013	181.57	10.09	171.48	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/29/2014	181.57	10.96	170.61	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	7/24/2014	181.57	11.04	170.53	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/19/2015	181.57	10.44	171.13	No Sheen	<50	<0.5	<0.5	<0.5	<0.5	<0.5
OB-1 pre-MPE	6/16/2011	178.7	NM	NC	-	1,900	9.3	<0.5	3.7	5.80	23
	7/19/2011	178.7	7.89	170.81	-	250	1.9	<0.5	0.63	0.78	4.1
	1/18/2012	178.7	8.72	169.98	-	2,400 ^Y	12	<0.19	3.0	6.35	16
	7/11/2012	178.7	7.96	170.74	-	2,100 ^Y	12	0.5	0.7	2.50	18
	1/10/2013	178.7	6.58	172.12	No Sheen	500	<0.5	<0.5	1.1	1.20	6.8
	7/9/2013	178.7	8.59	170.11	No Sheen	2,200	17	<0.5	2.7	8.36	23
	1/30/2014	178.7	9.42	169.28	No Sheen	1,600	1.1	<0.5	<0.5	1.30	17
	7/24/2014	178.7	9.61	169.09	No Sheen	2,400	7.4	<0.5	<0.5	2.00	23
	1/20/2014	178.7	8.41	170.29	No Sheen	1,600	4.8	<0.5	11	8.36	19
OB-2 pre-MPE	6/16/2011	180.23	NM	NC	-	12,000	870	18	590	1,140	310
	7/19/2011	180.23	9.76	170.47	-	30,000	1,000	31	1,300	3,020	310
	1/18/2012	180.23	9.92	170.31	-	22,000 ^Y	930	13	1,300	2,100	<3.3
	7/11/2012	180.23	10.34	169.89	-	46,000	580	11	1,300	2,130	94
	1/10/2013	180.23	9.18	171.05	Rainbow Sheen	21,000	530	<7.1	980	1,258	79
	7/9/2013	180.23	10.65	169.58	Rainbow Sheen	1,600	42	<0.5	68	73.1	7.4
	1/30/2014	180.23	11.21	169.02	Rainbow Sheen	22,000	750	5.6	1,300	1,144	130
	7/25/2014	180.23	11.21	169.02	Rainbow Sheen	21,000	940	<10	1,300	848	120
	1/20/2015	180.23	9.10	171.13	Rainbow Sheen	14,000	540	<7.1	1,000	370	62
Equipment Blanks											
EB-PMP	1/17/2008	NA	NA	NA	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
EB-PRB	1/17/2008	NA	NA	NA	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
EB-PMP2	1/17/2008	NA	NA	NA	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5
EB-PRB2	1/17/2008	NA	NA	NA	-	<50	<0.5	<2.0	<0.5	<2.0	<0.5

Table 1
Historical Groundwater Elevations & Analytical Data
TPH-g, BTEX, MtBE
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	Top of casing elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Observed Sheen	TPH-g (µg/L) 8260B	Benzene (µg/L)	Toluene (µg/L)	Ethyl benzene (µg/L)	Total Xylenes (µg/L)	MtBE (µg/L) 8260B
-----------------	------	---	-----------------------------	------------------------------	----------------	-----------------------	----------------	----------------	----------------------	----------------------	----------------------

Notes:

< : Not detected above laboratory reporting limit.

1 Top of Casing Elevations were resurveyed by Kier & Wright Engineers Surveyors of Pleasanton, CA on June 21, 2004.

C: Presence confirmed, but RPD between columns exceeds 40%.

H: Heavier hydrocarbons contributed to the quantitation.

NA: Not Applicable/Not Analyzed. Due to construction activities in the Third Quarter 2003, which consisted of the replacement of the USTs and dispensers, wells ESE-1 & ESE-2 were inaccessible. Well ESE-2 also inaccessible during the First Quarter 2007. Well MW-7 had a car parked over it and was inaccessible during the First Quarter 2008 monitoring event

NM: Not Measured

Well ESE-2 was covered over with dirt during the First Quarter 2007 monitoring event.

Well MW-7 had a car parked over it and was inaccessible during the First Quarter 2008 monitoring event.

Equipment Blanks (EB-PRB & EB-PMP) were done to make sure decon efforts were adequate.

Z: Sample exhibits unknown single peak or peaks.

- The Third Quarter 2003 was the first time that SOMA analyzed groundwater samples at the site.
- The Third Quarter 2004 was the first time that SOMA analyzed groundwater samples at wells SOMA-1 to SOMA-4.
- August 2010, reconstruct ESE-1R, ESE-2R, ESE-5R, MW-6R, MW-7R; install SOMA-7, SOMA-8. 8/30/10 investigation sampling
- pre-MPE sampling conducted on 6/16/2011 prior to start of MPE pilot testing from June 20 to July 1, 2011
- In July 2012, TPH-g was analyzed by method EPA 8015B due to laboratory error instead of EPA 8260B

Table 2
Historical Groundwater Analytical Data
Gasoline Oxygenates & Lead Scavengers
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	ETHANOL (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
Semi-Confined WBZ Wells								
ESE-1	6/17/2003	<400	<10	<10	18	NA	NA	NA
	9/17/2003	NA	NA	NA	NA	NA	NA	NA
	12/9/2003	290	<1.0	<1.0	9.5	<2,000	<1.0	<1.0
	2/26/2004	410	<0.5	<0.5	9.7	<1000	<0.5	<0.5
	5/21/2004	190	<0.5	<0.5	<0.5	<1000	<0.5	<0.5
	8/10/2004	180	<0.5	<0.5	<0.5	<1000	<0.5	<0.5
	10/19/2004	270	<0.7	<0.7	4.4	<1400	9.9	<0.7
	1/14/2005	280	<1.3	<1.3	<1.3	<2,500	<1.3	<1.3
	4/14/2005	144	<2.15	<2.15	<8.6	<4300	<2.15	<2.15
	7/7/2005	119	<2.15	<2.15	<8.6	<4300	<2.15	<2.15
	11/15/2005	107	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
	2/8/2006	181	<2.15	<2.15	<8.6	<4300	<2.15	<2.15
	4/27/2006	261	<2.15	<2.15	<8.6	<4300	<2.15	<2.15
	8/1/2006	165	<1.0	<1.0	<4.0	<2000	<1.0	<1.0
	10/19/2006	154	<1.0	<1.0	<4.0	<2000	<1.0	<1.0
	1/12/2007	103	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
	4/17/2007	80.5	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
	7/17/2007	128	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
	10/16/2007	98.7	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
	1/17/2008	61.5	<0.5	<0.5	2.52	<1000	<0.5	<0.5
	4/17/2008	76.4	<0.5	<0.5	<2.0	<1000	59.2	<0.5
	7/16/2008	179	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
	10/14/2008	87	<0.5	<0.5	2.6	<1000	<0.5	<0.5
1/6/2009	93	<1.0	<1.0	<1.0	<2000	<1.0	<1.0	
4/6/2009	130	<1.0	<1.0	<1.0	<2000	<1.0	<1.0	
7/7/2009	100	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/27/2010	200	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/26/2010	110	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
ESE-1R	8/30/2010	83	<0.71	<0.71	3.4	<1,400	<0.71	<0.71
	11/16/2010	64	<0.5	<0.5	0.94	<1,000	<0.5	<0.5
	2/15/2011	130	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	82	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	79	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/10/2012	110	<0.5	<0.5	1.6	<1,000	<0.5	<0.5
	1/10/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/9/2013	51	<0.5	<0.5	0.95	<1,000	<0.5	<0.5
	1/30/2014	120	<0.5	<0.5	1.7	<1,000	<0.5	<0.5
	7/25/2014	66	<0.5	<0.5	1.3	<1,000	<0.5	<0.5
1/19/2015	49	<0.5	<0.5	0.81	<1,000	<0.5	<0.5	
ESE-2	6/17/2003	<4000	<100	<100	<100	NA	NA	NA
	9/17/2003	NA	NA	NA	NA	NA	NA	NA
	12/9/2003	500	<13	<13	77	<25,000	<13	<13
	2/26/2004	1200	<0.5	<0.5	92	<1,000	<0.5	<0.5
	5/21/2004	2400	<10	<10	25	<20,000	<10	<10
	8/10/2004	2300	<2.5	<2.5	12	<5,000	<2.5	<2.5
	10/19/2004	1800	<3.6	<3.6	8.6	<7100	<3.6	<3.6
	1/14/2005	470	<8.3	<8.3	28	<17,000	<8.3	<8.3
	4/14/2005	<10.8	<2.15	<2.15	17.9	<4,300	<2.15	<2.15
	7/7/2005	109	<2.15	<2.15	9.7	<4,300	<2.15	<2.15
	11/15/2005	64.7	<0.5	<0.5	3.43	<1,000	<0.5	<0.5

Table 2
Historical Groundwater Analytical Data
Gasoline Oxygenates & Lead Scavengers
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	ETHANOL (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
ESE-2 cont.	2/8/2006	46.4	<2.15	<2.15	11	<4,300	<2.15	<2.15
	4/27/2006	47.7	<1.0	<1.0	8.29	<2,000	<1.0	<1.0
	8/1/2006	20.6	<1.0	<1.0	4.67	<2,000	<1.0	<1.0
	10/19/2006	28.9	<0.5	<0.5	4.55	<1,000	<0.5	<0.5
	1/12/2007	NA	NA	NA	NA	NA	NA	NA
	4/17/2007	60.8	<0.5	<0.5	3.85	<1,000	<0.5	<0.5
	7/17/2007	62.3	<0.5	<0.5	2.95	<1,000	<0.5	<0.5
	10/16/2007	46	<0.5	<0.5	2.21	<1,000	<0.5	<0.5
	1/17/2008	18.8	<0.5	<0.5	3.38	<1,000	<0.5	<0.5
	4/17/2008	18.8	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/16/2008	9.95	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/14/2008	<10	<0.5	<0.5	0.85	<1,000	<0.5	<0.5
	1/6/2009	27	<0.5	<0.5	0.83	<1,000	<0.5	<0.5
	4/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/7/2009	18	<0.5	<0.5	0.56	<1,000	<0.5	<0.5
	1/27/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/26/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
ESE-2R	8/30/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	11/16/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/14/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/10/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/10/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
1/29/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/25/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/19/2015	6.8 J	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
ESE-3	6/17/2003	<200	<5.0	<5.0	<5.0	NA	NA	NA
ESE-5	9/17/2003	<10	<0.5	<0.5	<0.5	<1000	<0.5	<0.5
	12/9/2003	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/26/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	5/21/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	8/10/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	10/19/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/14/2005	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/14/2005	17	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/7/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	11/15/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	2/8/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/27/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	8/1/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/19/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/12/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
4/17/2007	8.7	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5	
7/17/2007	15.4	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5	
10/16/2007	11.5	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5	

Table 2
Historical Groundwater Analytical Data
Gasoline Oxygenates & Lead Scavengers
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	ETHANOL (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
ESE-5 cont.	1/17/2008	17.2	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2008	<2.0	<0.5	<0.5	<2.0	<1,000	5.44	<0.5
	7/16/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/14/2008	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/7/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/27/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/26/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	ESE-5R	8/30/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5
	11/16/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/15/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/11/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/10/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/9/2013	18	<0.5	<0.5	1.0	<1,000	<0.5	<0.5
	1/30/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/24/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/20/2015	<2.2	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
MW-6	9/17/2003	<10	<0.5	<0.5	<0.5	<1000	<0.5	<0.5
	12/9/2003	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/26/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	5/21/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	8/10/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	10/19/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/14/2005	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/14/2005	<2.5	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/7/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	11/15/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	2/8/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/27/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	8/1/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/19/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/12/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/17/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/16/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/17/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/16/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/14/2008	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/7/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/27/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/26/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5

Table 2
Historical Groundwater Analytical Data
Gasoline Oxygenates & Lead Scavengers
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	ETHANOL (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-6R	8/30/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	11/15/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/14/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/10/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/8/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/29/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/24/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
1/19/2015	<2.2	<0.5	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
MW-7	9/17/2003	<10	<0.5	<0.5	9.8	<1,000	<0.5	<0.5
	12/9/2003	<25	<1.3	<1.3	8.1	<2,500	<1.3	<1.3
	2/26/2004	<10	<0.5	<0.5	9.9	<1,000	<0.5	<0.5
	5/21/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	8/10/2004	<25	<1.3	<1.3	19	<2,500	<1.3	<1.3
	10/19/2004	<100	<5.0	<5.0	11	<10,000	<5.0	<5.0
	1/14/2005	<40	<2.0	<2.0	5.1	<4,000	<2.0	<2.0
	4/14/2005	2.62	<0.5	<0.5	4.57	<1,000	<0.5	<0.5
	7/7/2005	55.6	<1.0	<1.0	10.2	<2,000	<1.0	<1.0
	11/15/2005	10.6	<0.5	<0.5	2.07	<1,000	<0.5	<0.5
	2/8/2006	<10	<0.5	<0.5	2.19	<1,000	<0.5	<0.5
	4/27/2006	<10	<0.5	<0.5	2.63	<1,000	<0.5	<0.5
	8/1/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/19/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/12/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2007	11.6	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/17/2007	13.3	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/16/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/17/2008	NA	NA	NA	NA	NA	NA	NA
	4/17/2008	8.63	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/16/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/14/2008	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
4/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/7/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/27/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/26/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
MW-7R	8/30/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	11/16/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/14/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/10/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/8/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/29/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/25/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
1/19/2015	<2.2	<0.5	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5

Table 2
Historical Groundwater Analytical Data
Gasoline Oxygenates & Lead Scavengers
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	ETHANOL (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
SOMA-1	8/10/2004	2300	<6.3	<6.3	53	<13,000	<6.3	<6.3
	10/19/2004	2400	<13	<13	36	<25,000	<13	<13
	1/14/2005	530	<3.1	<3.1	7.1	<6,300	<3.1	<3.1
	4/14/2005	<27.5	<5.5	<5.5	<22	<11,000	<5.5	<5.5
	7/7/2005	2180	<2.15	<2.15	12.9	<4,300	<2.15	<2.15
	11/15/2005	792	<0.5	<0.5	5.01	<1,000	<0.5	<0.5
	2/8/2006	618	<0.5	<0.5	3.67	<1,000	<0.5	<0.5
	4/27/2006	983	<0.5	<0.5	3.48	<1,000	<0.5	<0.5
	8/1/2006	639	<0.5	<0.5	2.27	<1,000	<0.5	<0.5
	10/19/2006	603	<0.5	<0.5	2.25	<1,000	<0.5	<0.5
	1/12/2007	396	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2007	148	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/17/2007	555	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/16/2007	65	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/17/2008	29.6	<0.5	<0.5	2.06	<1,000	<0.5	<0.5
	4/17/2008	339	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/16/2008	264	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/14/2008	250	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/6/2009	180	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/6/2009	120	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/7/2009	250	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/27/2010	310	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/26/2010	68	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	11/16/2010	84	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/15/2011	120	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	130	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
1/18/2012	150	<0.36	<0.4	<0.32	<100	<0.28	<0.19	
7/10/2012	79	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/10/2013	22	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/8/2013	11	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/29/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/25/2014	11	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/19/2015	13	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
SOMA-4	8/10/2004	<10	<0.5	<0.5	<0.5	<1000	<0.5	<0.5
	10/19/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/14/2005	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/14/2005	<2.5	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/7/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	11/15/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	2/8/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/27/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	8/1/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/19/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/12/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2007	3.98	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/17/2007	6.31	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/16/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/17/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/16/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/14/2008	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
7/7/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	

Table 2
Historical Groundwater Analytical Data
Gasoline Oxygenates & Lead Scavengers
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	ETHANOL (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
SOMA-4 contd	1/27/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/26/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	11/15/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/14/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/10/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/8/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/29/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/24/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/19/2015	<2.2	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	Shallow WBZ Wells							
SOMA-2	8/10/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	10/19/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/14/2005	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/14/2005	<2.5	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/7/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	11/15/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	2/8/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/27/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	8/1/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/19/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/12/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2007	14.6	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/17/2007	2.58	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/16/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/17/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/16/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/14/2008	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/7/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/27/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/26/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	11/15/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/14/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19
7/10/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/8/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/29/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/24/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/19/2015	2.5 J	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
SOMA-3	8/10/2004	<10	<0.5	<0.5	<0.5	<1000	<0.5	<0.5
	10/19/2004	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/14/2005	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/14/2005	<2.5	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/7/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	11/15/2005	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5

Table 2
Historical Groundwater Analytical Data
Gasoline Oxygenates & Lead Scavengers
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	ETHANOL (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
SOMA-3 cont.	2/8/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/27/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	8/1/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/19/2006	<10	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/12/2007	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2007	6.72	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/17/2007	7.6	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/16/2007	9.96	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	1/17/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	4/17/2008	6.05	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	7/16/2008	<2.0	<0.5	<0.5	<2.0	<1,000	<0.5	<0.5
	10/14/2008	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	4/6/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/7/2009	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/27/2010	<10	<0.5	<0.5	0.8	<1,000	<0.5	<0.5
	7/26/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	11/15/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/14/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19	
7/10/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/8/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/29/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
7/24/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5	
1/19/2015	<2.2	<0.5	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
SOMA-5 pre-MPE	1/27/2010	500	<13	<13	<13	<25,000	<13	<13
	7/26/2010	<400	<20	<20	<20	<40,000	<20	<20
	11/15/2010	480	<2.0	<2.0	<2.0	<4,000	<2.0	<2.0
	2/15/2011	390	<13	<13	<13	<25,000	<13	<13
	6/16/2011	450	<20	<20	<20	NA	<20	<20
	7/19/2011	<71	<3.6	<3.6	<3.6	<7,100	<3.6	<3.6
	1/18/2012	11	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/10/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/10/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/30/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/25/2014	16	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/20/2015	9.1 J	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
SOMA-7 pre-MPE	8/30/2010	<33	<1.7	<1.7	<1.7	<3,300	<1.7	<1.7
	11/16/2010	<25	<1.3	<1.3	<1.3	<2,500	<1.3	<1.3
	2/15/2011	<25	<1.3	<1.3	<1.3	<2,500	<1.3	<1.3
	6/16/2011	<33	<1.7	<1.7	<1.7	NA	<1.7	<1.7
	7/19/2011	<25	<1.3	<1.3	<1.3	<2,500	<1.3	<1.3
	1/18/2012	<6.6	<1.6	<1.7	<1.4	<440	<1.2	<0.86
	7/11/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/10/2013	<71	<3.6	<3.6	<3.6	<7,100	<3.6	<3.6
	7/9/2013	<83	<4.2	<4.2	<4.2	<8,300	<4.2	<4.2
	1/30/2014	<40	<2.0	<2.0	<2.0	<4,000	<2.0	<2.0
7/24/2014	<50	<2.5	<2.5	<2.5	<5,000	<2.5	<2.5	
1/20/2015	14 J	<2.5	<2.5	<2.5	<5,000	<2.5	<2.5	

Table 2
Historical Groundwater Analytical Data
Gasoline Oxygenates & Lead Scavengers
3519 Castro Valley Blvd, Castro Valley, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	ETHANOL (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
SOMA-8	8/30/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	11/15/2010	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	2/14/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/10/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/8/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/29/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/24/2014	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/19/2015	2.6 J	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
OB-1 pre-MPE	6/16/2011	20	<0.5	<0.5	<0.5	NA	<0.5	<0.5
	7/19/2011	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/18/2012	<1.5	<0.36	<0.4	<0.32	<100	<0.28	<0.19
	7/11/2012	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/10/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/9/2013	11	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/30/2014	10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	7/24/2014	14	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
		1/20/2015	18	<0.5	<0.5	<0.5	<1,000	<0.5
OB-2 pre-MPE	6/16/2011	220	<5.0	<5.0	<5.0	NA	<5.0	<5.0
	7/19/2011	260	<10	<10	<10	<20,000	<10	<10
	1/18/2012	94	<3.2	<3.5	<2.8	<880	<2.4	<1.7
	7/11/2012	44	<0.5	<0.5	20	<1,000	0.6	<0.5
	1/10/2013	<140	<7.1	<7.1	<7.1	<14,000	<7.1	<7.1
	7/9/2013	<10	<0.5	<0.5	<0.5	<1,000	<0.5	<0.5
	1/30/2014	<100	<5.0	<5.0	<5.0	<10,000	<5.0	<5.0
	7/25/2014	<200	<10	<10	<10	<20,000	<10	<10
		1/20/2015	40 J	<7.1	<7.1	<7.1	<14,000	<7.1
Equipment Blanks								
EB-PMP	1/17/2008	<2.0	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
EB-PRB	1/17/2008	<2.0	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
EB-PMP2	1/17/2008	<2.0	<0.5	<0.5	<2.0	<1000	<0.5	<0.5
EB-PRB2	1/17/2008	<2.0	<0.5	<0.5	<2.0	<1000	<0.5	<0.5

Notes:

< : Not detected above laboratory reporting limit.

NA: Not Analyzed.

Well ESE-2 was inaccessible during the First Quarter 2007, dirt was covered over well

Well MW-7 had a car parked over it and was inaccessible during the First Quarter 2008 monitoring event.

The Third Quarter 2003 was the first time that SOMA analyzed groundwater samples at the Site.

The Third Quarter 2004 was the first time that SOMA analyzed groundwater samples at wells SOMA-1 to SOMA-4.

Gasoline Oxygenates:

TBA: tertiary butyl alcohol

DIPE: isopropyl ether

ETBE: ethyl tertiary butyl ether

TAME: methyl tertiary amyl ether

Ethanol


Lead Scavengers:

1,2-DCA: 1,2-Dichloroethane

EDB: 1,2-Dibromoethane

August 2010, reconstruct ESE-1R, ESE-2R, ESE-5R, MW-6R, MW-7R; install SOMA-7, SOMA-8. 8/30/10 investigation sampling

Figures



approximate scale in feet








Figure 1: Site vicinity map.



Rose Diagram of Approximate Groundwater Flow Direction (3495 Castro Valley)



- ▲ Observation Wells June 2011
- ▲ Reconstructed Wells August 2010
- ▲ Shallow WBZ Wells, August 2010
- Shallow Soil Borings, August 2010
- ▲ MONITORING WELL, INSTALLED AUG. 2009
- SOIL BORINGS - SOMA ENV., AUG. 2009
- ⊕ SOIL BORINGS - DELTA CONS. SEPT. 2008
- ⊕ SOIL BORINGS REDWOOD ROAD EXPANSION FEB 1995
- ▲ MONITORING WELL
- ▲ DECOMMISSIONED WELL
- ⊕ COMPLETED OFFSITE TEMPORARY WELL BOREHOLE DRILLED DEC. 2003
- ⊕ SOIL BORINGS DRILLED PRIOR TO UST REMOVAL AUG. 2003
- ▲ MONITORING WELL (Located at 3495 Castro Valley Blvd.)

NOTES:
 ESE-3 and ESE-4 were decommissioned during UST tank excavation activities.
 MW-8 was decommissioned by the previous consultant.
 Proposed wells SOMA-6 and SOMA-9 were not installed and they subsequently became soil borings SB-6 and SB-9





Figure 2: Site Map Showing Locations of Existing Monitoring Wells, Decommissioned Wells, Off-site Temporary Well Boreholes, Monitoring Wells Installed by SOMA, and Monitoring Wells Located at Neighboring Service Station







Figure 3: Groundwater Elevation Contour Map for Shallow WBZ Wells in Feet. January 19, 2015



approximate scale in feet







Figure 4: Contour Map of TPH-g Concentrations in Shallow WBZ Wells in Feet. January 19 and 20, 2015

approximate scale in feet







Figure 5: Contour Map of Benzene Concentrations in Shallow WBZ Wells in Feet. January 19 and 20, 2015

approximate scale in feet






Figure 6: Contour Map of MtBE Concentrations in Shallow WBZ Wells in Feet. January 19 and 20, 2015




Figure 7: Contour Map of TBA Concentrations in Shallow WBZ Wells in Feet. January 19 and 20, 2015






Figure 8: Groundwater Elevation Contour Map for Semi-Confined WBZ Wells in Feet. January 19, 2015





approximate scale in feet




Figure 9: Map of TPH-g and Benzene Concentrations in Semi-Confined WBZ Wells. January 19 and 20, 2015






Figure 10: Contour Map of MtBE and Map of TBA Concentrations in Semi-Confined WBZ Wells. January 19 and 20, 2015



Appendix A

Standard Operating Procedures for Conducting Groundwater Monitoring Activities

Standard Operating Procedures for Conducting Groundwater Monitoring Activities

Water Level Measurements

Prior to measurement of groundwater depth at each monitoring well, equalization with the surrounding aquifer must be achieved. Initially, the well cap is removed and the pressure is allowed to dissipate, creating a more stable water table level within the well. After about 10-15 minutes, once the water level in the well stabilizes, the depth to groundwater in each monitoring well is measured from the top of the casing to the nearest 0.01 foot using an electric sounder.

Purging and Field Measurements

Prior to sample collection, each monitoring well is purged using a battery-operated, 2-inch-diameter pump (Model ES-60 DC). To ensure that final samples are in equilibrium with, and representative of, the surrounding groundwater, during purging several samples are taken for field measurements of pH, temperature and electrical conductivity (EC). These parameters are measured with a Hanna pH, conductivity, and temperature meter. Equipment is calibrated on-site using standard solutions and procedures provided by the manufacturer.

The pH of groundwater has an effect on the activity of microbial populations in the groundwater. The groundwater temperature affects the metabolic activity of bacteria. The groundwater EC is directly related to the concentration of total dissolved solids (TDS) in solution.

Purging continues until these parameters stabilize or three casing volumes are purged.

Sampling

For sampling purposes, after purging a disposable polyethylene bailer is used to collect sufficient samples from each monitoring well for laboratory analyses. Groundwater samples are transferred to 40-mL VOA vials and preserved with hydrochloric acid. The vials are sealed to prevent air bubbles from forming within the headspace. For TPH-d analysis, groundwater samples are collected using 1-L, amber, nonpreserved glass containers. Samples are placed in an ice-filled cooler and maintained at 4°C. A chain of custody form for all samples is prepared to accompany the samples, which are promptly delivered to a California state-certified analytical laboratory.

Appendix B

Table of Elevations and Coordinates for
Monitoring Wells,
Field Measurements of Groundwater Sample
Properties, and Groundwater Gradient Calculations

**TABLE OF ELEVATIONS & COORDINATES
ON MONITORING WELLS**
SOMA ENVIRONMENTAL
3519 CASTRO VALLEY BLVD., CASTRO VALLEY

WELL ID #	NORTHING (FT.) / LATITUDE (D.M.S.)	EASTING (FT.) / LONGITUDE (D.M.S.)	ELEVATION (FT.)	DESCRIPTION
ESE-1	2079361.15	6106465.13	180.24	2" PVC, NOTVH N. SIDE
	N 37° 41' 42.07112"	W 122° 04' 24.07899"	180.71	SET PUNCH NORTH SIDE RIM
			180.69	PAVEMENT NORTH SIDE
ESE-2	2079361.30	6106501.97	180.79	2" PVC, NOTVH N. SIDE
	N 37° 41' 42.07873"	W 122° 04' 23.62071"	181.16	SET PUNCH NORTH SIDE RIM
			181.14	CONC. NORTH SIDE
ESE-5	2079381.46	6106387.63	178.80	2" PVC, NOTVH N. SIDE
	N 37° 41' 42.25902"	W 122° 04' 25.04739"	179.07	FELT X ON NORTH SIDE RIM
			179.10	CONC. NORTH SIDE
MW-6	2079451.94	6106492.77	181.80	2" PVC, NOTVH N. SIDE
	N 37° 41' 42.97323"	W 122° 04' 23.75412"	181.97	SET PUNCH NORTH SIDE RIM
			181.88	GROUND NORTH SIDE
MW-7	2079337.18	6106516.12	179.11	2" PVC, NOTVH N. SIDE
	N 37° 41' 41.84264"	W 122° 04' 23.43963"	179.55	SET PUNCH NORTH SIDE RIM
			179.49	CONC. NORTH SIDE
SOMA-1	2079370.39	6106506.79	180.95	2" PVC, NOTVH N. SIDE
	N 37° 41' 42.16939"	W 122° 04' 23.56265"	181.25	SET PUNCH NORTH SIDE RIM
			181.22	CONC. NORTH SIDE
SOMA-2	2079297.44	6106567.02	178.99	2" PVC, NOTVH N. SIDE
	N 37° 41' 41.45825"	W 122° 04' 22.79809"	179.29	SET PUNCH NORTH SIDE RIM
			179.28	CONC. NORTH SIDE
SOMA-3	2079130.83	6106567.48	176.81	2" PVC, NOTVH N. SIDE
	N 37° 41' 39.81129"	W 122° 04' 22.75752"	177.18	SET PUNCH NORTH SIDE RIM
			177.12	PAVEMENT NORTH SIDE
SOMA-4	2079141.57	6106464.22	176.94	2" PVC, NOTVH N. SIDE
	N 37° 41' 39.9003"	W 122° 04' 24.04438"	177.43	SET PUNCH NORTH SIDE RIM
			177.44	PAVEMENT NORTH SIDE

Kier & Wright Engineers Surveyors, Inc.

6/21/2005
10:19 AM
3519 Castro Valley

1233 Quarry Lane, Suite 145, Pleasanton, CA 94566
Phone (925) 249-6555,
Fax (925) 249-6563

**TABLE OF ELEVATIONS & COORDINATES
ON MONITORING WELLS**

SOMA ENVIRONMENTAL
3519 CASTRO VALLEY BLVD., CASTRO VALLEY

ADDITIONAL POINTS

PT#	NORTHING (FT.)	EASTING (FT.)	ELEVATION (FT.)	DESCRIPTION
320	2079386.87	6106408.85	N/A	BL. INTX
321	2079387.18	6106455.22	N/A	BL. INTX
331	2079351.06	6106409.27	N/A	BL<
318	2079384.55	6106369.10	N/A	DWY
329	2079106.74	6106368.58	N/A	DWY
330	2079148.74	6106368.66	N/A	DWY
317	2079424.72	6106369.39	N/A	DWY E-C
315	2079481.34	6106432.38	N/A	DWY PCC
310	2079415.57	6106624.48	N/A	DWY POC
311	2079423.23	6106606.56	N/A	DWY POC
312	2079447.91	6106542.76	N/A	DWY POC
313	2079461.36	6106504.01	N/A	DWY POC
314	2079472.67	6106468.07	N/A	DWY POC
316	2079466.76	6106389.18	N/A	HCRMP POC
319	2079237.38	6106368.78	N/A	TC

BENCH MARK: NGS Bench mark No.PID# HT0223

THE STATION IS LOCATED IN THE CITY OF HAYWARD AT THE RAILROAD CROSSING OF THE SOUTHERN PACIFIC RAIL-ROAD AND BLOSSOM WAY, IN THE TOP OF THE NORTHWEST CURB OF BLOSSOM WAY.

TO REACH THE STATION FROM THE JUNCTION OF U S HIGHWAY 880 ON WEST A STREET, GO SOUTHEAST ON WEST A STREET FOR 0.2 MILES TO A CROSSROAD, HATHAWAY AVE ON THE LEFT, SANTA CLARA STREET ON THE RIGHT. TURN LEFT, NORTH, ON HATHAWAY AVENUE AND CONTINUE FOR 0.7 MILES TO WEST BLOSSOM WAY. TURN RIGHT, NORTH, ON WEST BLOSSOM WAY AND CONTINUE FOR 0.25 MILES TO THE STATION ON THE LEFT, JUST PAST THE RAIL-ROAD TRACKS.

THE STATION IS 48.95 M (160.6 FT) NORTHEAST OF THE NORTHEAST RAIL, 7.01 M NORTHWEST OF THE CENTER OF BLOSSOM WAY, 0.24 M (0.8 FT) NORTH OF THE NORTH CORNER OF A STEEL GRATE IN THE STREET, 5.6 M (18.5 FT) SOUTHWEST OF A POWER POLE AND 0.12 M (0.4 FT) HIGHER THAN THE STREET.

Elevation =56.33 FEET NAVD88 Datum
ADJUSTED

HORIZONTAL CONTROL:

PID - HT0223

NORTHING =2,072,670.26 , EASTING = 6,095,650.79 FEET; EPOCH DATE = 1998.50

PID - HT 2583

Kier & Wright Engineers Surveyors, Inc.

6/21/2005
10:19 AM
3519 Castro Valley

1233 Quarry Lane, Suite 145, Pleasanton, CA 94566
Phone (925) 249-6555,
Fax (925) 249-6563

**TABLE OF ELEVATIONS & COORDINATES
ON MONITORING WELLS**

SOMA ENVIRONMENTAL
3519 CASTRO VALLEY BLVD., CASTRO VALLEY

NORTHING =2,082,510.30 , EASTING = 6,116,892.13 FEET; EPOCH DATE = 1991.35

Coordinate values are based on the California Coordinate System, Zone III NAD 83 Datum.

Ben Harrington PLS

Land Surveying & Mapping

2278 Larkey Lane, Walnut Creek, Ca. 94596 Phone (925)935-7228 Fax (925)935-5118
Cel (925)788-7359 E-Mail (ben5132@pacbell.net)

Soma Environmental Engineering
6620 Owens Dr
Suite A
Pleasanton Ca. 94588

Sept 04, 2009

Attn: Elena
Job # 2903

Ref: 3519 Castro Valley Blvd. Castro Valley Ca.

HORIZONTAL CONTROL, NAD 88:

Survey based previous survey dated 6/21/04 by Kier & Wright Surveyors on California
Coordinate System, Zone 3, NAD 83.

ESE-1 NOTCH IN TOP OF 2" PVC, NORTH 2,079,361.15 EAST 6,106,465.13 LAT.
N37°41'42.17112" W122°04'24.07899", NAVD 88, ELEV.180.24.

ESE-2 NOTCH IN TOP OF 2" PVC, NORTH 2,079,361.30 EAST 6,106,501.97, LAT.
N37°41'42.07873" W122°04'23.62071", NAVD 88, ELEV. 180.79.

GPS: TRIMBLE 5800, LEICA TCA 1800, 1" HORZ. & VERT.

EPOCH DATE 2007.00

OBSERVATION: EPOCH=180.

FIELD SURVEY: 9-04-09.

Ben Harrington
PLS 5132




NEW MONITORING WELL
 3519 CASTRO VALLEY BLVD.
 CASTRO VALLEY CA.

BEN HARRINGTON PLS
 2278 LARKEY LANE
 WALNUT CREEK CA 94597

JOB # 2913
 DATE: 09/04/09

PT#	NORTH	EAST	ELEV	DESC.	LATITUDE N.DMS	LONGTITUDE W.DMS	LAT.N. DEC. DEG.	LONG.W.DEC.DEG.
21	2079379.07	6106486.97	180.65	SET X IN CONC.	N37°41'42.25136"	W122°04'23.62071"	N37°.695069822"	W122°.073227975"
2	2079361.30	6106501.97	180.79	ESE-2 2" PVC	N37°41'42.25902"	W122°04'28.81106"	N37°.695071950"	W122°.074669739"
1	2079361.15	6106465.13	180.24	ESE-1 2" PVC	N37°41'42.17112"	W122°04'24.07899"	N37°.695047533"	W122°.073355275"
22	2079365.14	6106472.19	180.31	SOMA-5 2" PVC	N37°41'42.11178"	W122°04'23.99204"	N37°.695031050"	W122°.073331122"
23	2079365.35	6106472.21	180.65	SPMA-5 PUNCH	N37°41'42.11384"	W122°04'23.99185"	N37°.695031622"	W122°.073331069"
24	2079364.24	6106472.19	180.66	SOMA-5 CONC.	N37°41'42.39919"	W122°04'23.99187"	N37°.695110886"	W122°.073331075"



DATE: 08/30/2010

JOB# 10022

**TABLE OF ELEVATIONS & COORDINATES
ON MONITORING WELLS**

SOMA ENVIRONMENTAL ENGINEERING
3519 CASTRO VALLEY
CASTRO VALLEY, CA

WELL ID #	NORTHING (FT.) / LATITUDE (D.DEG.)	EASTING (FT.) / LONGITUDE (D.DEG.)	ELEVATION (FT.)	DESCRIPTION
ESE-1R	2079361.109	6106465.242	180.20	2" PVC NOTCH NORTH SIDE
	37.695019649N	122.073354886W	180.72	SET PUNCH NORTH SIDE RIM
			180.69	CONCRETE NORTH SIDE
ESE-2R	2079361.241	6106502.129	180.70	2" PVC NOTCH NORTH SIDE
	37.695021715N	122.073227422W	181.20	SET PUNCH NORTH SIDE RIM
			181.16	CONCRETE NORTH SIDE
ESE-5R	2079381.529	6106387.748	178.64	2" PVC NOTCH NORTH SIDE
	37.695072144N	122.073623872W	179.14	SET PUNCH NORTH SIDE RIM
			179.12	PAVEMENT NORTH SIDE
MW-6R	2079451.45	6106492.729	181.34	2" PVC NOTCH NORTH SIDE
	37.695268993N	122.073265147W	182.10	SET PUNCH NORTH SIDE RIM
			182.01	GROUND NORTH SIDE
SOMA-7	2079374.578	6106387.784	178.54	2" PVC NOTCH NORTH SIDE
	37.695053058N	122.073623344W	179.09	SET PUNCH NORTH SIDE RIM
			179.06	PAVEMENT NORTH SIDE
MW-7R	2079337.204	6106516.216	179.14	2" PVC NOTCH NORTH SIDE
	37.694956360N	122.073177344W	179.71	SET PUNCH NORTH SIDE RIM
			179.70	PAVEMENT NORTH SIDE
SOMA-8	2079453.231	6106488.22	181.57	2" PVC NOTCH NORTH SIDE
	37.695273676N	122.073280832W	182.03	SET PUNCH NORTH SIDE RIM
			181.92	GROUND NORTH SIDE


HORIZONTAL AND VERTICAL CONTROL

SURVEY BASED ON PREVIOUS SURVEY BY KIER & WRIGHT ENGINEERS SURVEYORS, INC. DATED:
6/21/2005

COORDINATE VALUES ARE BASED ON THE CALIFORNIA COORDINATE SYSTEM, ZONE 3, NAD83.
ELEVATIONS ARE NAVD 88 DATUM.

SOMA-1, NOTCH
NORTHING 2,079,370.39, EASTING 6,106,506.79
ELEVATION 180.95

SOMA-2, NOTCH
NORTHING 2,079,297.44, EASTING 6,106,567.02
ELEVATION 178.99



Eduardo A. Espinoza
Land Surveying and Mapping
1374 Garland Avenue, Clovis, CA 93612
Phone (559) 906-3554 Fax (559) 292-0560
email: edgis@aol.com

**TABLE OF ELEVATIONS & COORDINATES
ON MONITORING WELLS**

SOMA ENVIRONMENTAL ENGINEERING
3519 CASTRO VALLEY BOULEVARD
CASTRO VALLEY, CA

WELL ID #	NORTHING (FT.) / LATITUDE (D.DEG.)	EASTING (FT.) / LONGITUDE (D.DEG.)	ELEVATION (FT.)	DESCRIPTION
OB-1	2079384.618	6106391.986	178.698	2" PVC NOTCH NORTH SIDE
	37.695080822 N	122.073609406 W	179.254	PUNCH NORTH SIDE RIM
			179.247	PAVEMENT NORTH SIDE
OB-2	2079378.94	6106477.954	180.227	2" PVC NOTCH NORTH SIDE
	37.695069200 N	122.073311993 W	180.616	PUNCH NORTH SIDE RIM
			180.595	PAVEMENT NORTH SIDE

HORIZONTAL AND VERTICAL CONTROL
 SURVEY BASED ON PREVIOUS SURVEY BY EDGIS LAND SURVEYING DATED: 8/30/2010
 COORDINATE VALUES ARE BASED ON THE CALIFORNIA COORDINATE SYSTEM, ZONE 3, NAD83.
 ELEVATIONS ARE NAVD 88 DATUM.

SOMA-1, NOTCH
 NORTHING 2,079,370.39, EASTING 6,106,506.79, ELEVATION 180.95

SOMA-8, PUNCH
 NORTHING 2,079,453.45, EASTING 6,106,488.28, ELEVATION 181.65

EQUIPMENT USED: TRIMBLE S6, TOPCON GT-3S



Well No.: ESE-1R
 Casing Diameter: 2 inches
 Depth of Well: 24.53 feet
 Top of Casing Elevation: 180.20 feet
 Depth to Groundwater: 10.73 feet
 Groundwater Elevation: 169.47 feet
 Water Column Height: 13.80 feet
 Purged Volume: 9 gallons


Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy/Gray
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: Petro odor

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
15:05	Started purging well			
15:06	3	6.51	19.6	902
15:07	6	6.42	19.8	921
15:08	9	6.45	19.8	902
15:13	Sampled			




Well No.: ESE-2R
 Casing Diameter: 2 inches
 Depth of Well: 27.51 feet
 Top of Casing Elevation: 180.70 feet
 Depth to Groundwater: 11.14 feet
 Groundwater Elevation: 169.56 feet
 Water Column Height: 16.40 feet
 Purged Volume: 9 gallons

Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump
 Color: No Yes Describe: _____
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
14:41	Started purging well			
14:42	3	6.82	19.7	633
14:43	6	6.65	19.8	662
14:44	9	6.61	19.9	660
14:49	Sampled			



Well No.: ESE-SR
 Casing Diameter: 2 inches
 Depth of Well: 23.54 feet
 Top of Casing Elevation: 178.64 feet
 Depth to Groundwater: 8.11 feet
 Groundwater Elevation: 170.53 feet
 Water Column Height: 15.43 feet
 Purged Volume: 9 gallons


Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 20, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Slightly Cloudy
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
11:25	Started purging well			
11:26	3	7.17	19.3	826
11:27	6	6.87	20.3	846
11:28	9	6.88	20.4	890
11:33	Sampled			



Well No.: MW-6R
 Casing Diameter: 2 inches
 Depth of Well: 27.57 feet
 Top of Casing Elevation: 181.34 feet
 Depth to Groundwater: 10.39 feet
 Groundwater Elevation: 170.95 feet
 Water Column Height: 17.18 feet
 Purged Volume: 9 gallons

Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: _____
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
13:24	started purging well			
13:25	3	6.39	19.8	447
13:26	6	6.38	20.0	524
13:27	9	6.39	20.0	544
13:32	sampled			



Well No.: MW-7R
 Casing Diameter: 2 inches
 Depth of Well: 29.59 feet
 Top of Casing Elevation: 179.14 feet
 Depth to Groundwater: 9.70 feet
 Groundwater Elevation: 169.44 feet
 Water Column Height: 18.89 feet
 Purged Volume: 9 gallons

Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
11:15	Started purging well			
11:16	3	6.04	19.0	583
11:17	6	6.10	19.1	602
11:18	9	6.13	19.2	604
11:23	Sampled			



Well No.: SOMA-1
 Casing Diameter: 2 inches
 Depth of Well: 29.74 feet
 Top of Casing Elevation: 180.95 feet
 Depth to Groundwater: 11.33 feet
 Groundwater Elevation: 169.62 feet
 Water Column Height: 18.41 feet
 Purged Volume: 9 gallons

Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump
 Color: No Yes Describe: _____
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
14:16	Started purging well			
14:17	3	6.64	20.5	650
14:18	6	6.57	20.4	662
14:19	9	6.55	20.3	692
14:24	Sampled			



Well No.: SOMA-4
 Casing Diameter: 2 inches
 Depth of Well: 22.65 feet
 Top of Casing Elevation: 176.94 feet
 Depth to Groundwater: 9.39 feet
 Groundwater Elevation: 167.55 feet
 Water Column Height: 13.26 feet
 Purged Volume: 9 gallons


Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: _____
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
12:31	started purging well			
12:32	3	6.49	22.2	259
12:33	6	6.25	23.3	467
12:34	9	6.28	23.4	494
12:39	sampled			



Well No.: SOMA-2
 Casing Diameter: 2 inches
 Depth of Well: 14.70 feet
 Top of Casing Elevation: 178.99 feet
 Depth to Groundwater: 10.09 feet
 Groundwater Elevation: 168.90 feet
 Water Column Height: 4.61 feet
 Purged Volume: 2 gallons

Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump


Color: No Yes Describe: Cloudy

Sheen: No Yes Describe: _____

Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
11:42	Started purging well			
11:44	1	6.33	19.8	580
11:46	1.5	6.51	20.0	575
11:47	2	6.53	20.2	575
11:52	sampled			



Well No.: SOMA-3
 Casing Diameter: 2 inches
 Depth of Well: 14.70 feet
 Top of Casing Elevation: 176.81 feet
 Depth to Groundwater: 9.90 feet
 Groundwater Elevation: 166.91 feet
 Water Column Height: 9.80 feet
 Purged Volume: 2 gallons

Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
<u>12:06</u>	<u>Started purging well</u>			
<u>12:08</u>	<u>1</u>	<u>6.52</u>	<u>21.4</u>	<u>765</u>
<u>12:10</u>	<u>1.5</u>	<u>6.49</u>	<u>21.9</u>	<u>747</u>
<u>12:11</u>	<u>2</u>	<u>6.50</u>	<u>22.1</u>	<u>744</u>
<u>12:16</u>	<u>Sampled</u>			



Well No.: SOMA-5
 Casing Diameter: 2 inches
 Depth of Well: 14.87 feet
 Top of Casing Elevation: 180.31 feet
 Depth to Groundwater: 9.82 feet
 Groundwater Elevation: 170.49 feet
 Water Column Height: 5.05 feet
 Purged Volume: 2.5 gallons


Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 20, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Slightly Cloudy
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
10:01	Started purging well			
10:03	1	6.20	18.3	1313
10:07	2	6.53	19.0	1340
10:10	2.5	6.56	19.2	1335
10:15	Sampled			



Well No.: SOMA-7
 Casing Diameter: 2 inches
 Depth of Well: 14.89 feet
 Top of Casing Elevation: 178.54 feet
 Depth to Groundwater: 8.43 feet
 Groundwater Elevation: 170.11 feet
 Water Column Height: 6.46 feet
 Purged Volume: 3 gallons


Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 20, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy
 Sheen: No Yes Describe: Rainbow Sheen
 Odor: No Yes Describe: Petro odor

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
11:00	Started purging well			
11:02	1	6.55	18.3	1031
11:05	2	6.67	19.4	1000
11:08	3	6.67	19.8	955
11:13	Sampled			



Well No.: SOMA-8
 Casing Diameter: 2 inches
 Depth of Well: 14.89 feet
 Top of Casing Elevation: 181.57 feet
 Depth to Groundwater: 10.44 feet
 Groundwater Elevation: 171.13 feet
 Water Column Height: 4.45 feet
 Purged Volume: 2.5 gallons


Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 19, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
13:47	Started purging well			
13:49	1	6.65	18.6	745
13:52	2	6.62	19.3	746
13:54	2.5	6.64	19.6	739
13:59	Sampled			



Well No.: OB-1
 Casing Diameter: 2 inches
 Depth of Well: 15.59 feet
 Top of Casing Elevation: 178.70 feet
 Depth to Groundwater: 8.41 feet
 Groundwater Elevation: 170.29 feet
 Water Column Height: 7.18 feet
 Purged Volume: 3.5 gallons


Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 20, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
11:46	Started purging well			
11:48	1	6.77	18.9	983
11:51	2	6.63	19.8	966
11:55	3.5	6.63	20.3	964
12:00	Sampled			



Well No.: OB-2
 Casing Diameter: 2 inches
 Depth of Well: 16.49 feet
 Top of Casing Elevation: 180.23 feet
 Depth to Groundwater: 9.10 feet
 Groundwater Elevation: 171.13 feet
 Water Column Height: 7.39 feet
 Purged Volume: 2.5 gallons

Project No.: 2761
 Address: 3519 Castro Valley Blvd
 Castro Valley, CA
 Date: Jan. 20, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy
 Sheen: No Yes Describe: Rainbow Sheen
 Odor: No Yes Describe: Petro Odor

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
10:25	Started purging well			
10:28	1	6.39	18.8	802
10:31	2	6.45	19.6	804
10:34	2.5	6.44	20.2	812
10:39	Sampled			



EPA On-line Tools for Site Assessment Calculation

Hydraulic Gradient -- Magnitude and Direction

Gradient Calculation from fitting a plane to as many as thirty points


$$\begin{aligned}
 a x_1 + b y_1 + c &= h_1 \\
 a x_2 + b y_2 + c &= h_2 \\
 a x_3 + b y_3 + c &= h_3 \\
 &\dots \\
 a x_{30} + b y_{30} + c &= h_{30}
 \end{aligned}$$

where (x_i, y_i) are the coordinates of the well and h_i is the head

$i = 1, 2, 3, \dots, 30$

The coefficients a , b , and c are calculated by a least-squares fitting of the the data to a plane

The gradient is calculated from the square root of $(a^2 + b^2)$ and the angle from the arctangent of a/b or b/a depending on the quadrant



Inputs

Example Data Set 1	Example Data Set 2	Calculate	Clear
Save Data	Recall Data	Go Back	
Site Name	3519 Castro Valley Blvd.		
Date	January 19, 2015	Current Date	
Calculation basis	Head		
Coordinates	ft		
I.D.	x-coordinate	y-coordinate	head ft
1) SOMA-2	337.5997649	211.223775	168.9
2) SOMA-3	339.7877931	53.66065088	166.91
3) SOMA-5	245.7025814	289.2758782	170.49
4) SOMA-7	160.3694824	298.0293851	170.11
5) SOMA-8	256.6427223	378.9993239	171.13
6) OB-1	165.0323759	308.9034515	170.29
7) OB-2	248.9533418	301.9534748	171.13
8)			
9)			
10)			
11)			
12)			
13)			
14)			
15)			

16)				
17)				
18)				
19)				
20)				
21)				
22)				
23)				
24)				
25)				
26)				
27)				
28)				
29)				
30)				

Results

Number of Points Used in Calculation	7
Max. Difference Between Head Values	1.286
Gradient Magnitude (i)	0.01414
Flow direction as degrees from North (positive y axis)	182.2
Coefficient of Determination (R ²)	0.935

WCMS

Last updated on 1/10/2013



EPA On-line Tools for Site Assessment Calculation

Hydraulic Gradient -- Magnitude and Direction

Gradient Calculation from fitting a plane to as many as thirty points


$$\begin{aligned}
 a x_1 + b y_1 + c &= h_1 \\
 a x_2 + b y_2 + c &= h_2 \\
 a x_3 + b y_3 + c &= h_3 \\
 &\dots \\
 a x_{30} + b y_{30} + c &= h_{30}
 \end{aligned}$$

where (x_i, y_i) are the coordinates of the well and h_i is the head

$i = 1, 2, 3, \dots, 30$

The coefficients a , b , and c are calculated by a least-squares fitting of the the data to a plane

The gradient is calculated from the square root of $(a^2 + b^2)$ and the angle from the arctangent of a/b or b/a depending on the quadrant



Inputs

Example Data Set 1	Example Data Set 2	Calculate	Clear
Save Data	Recall Data	Go Back	
Site Name	3519 Castro Valley Blvd.		
Date	January 19, 2015	Current Date	
Calculation basis	Head		
Coordinates	ft		
I.D.	x-coordinate	y-coordinate	head ft
1) ESE-1R	238.4091541	283.4402069	169.47
2) ESE-2R	273.417605	284.8991247	169.56
3) ESE-5R	160.3694824	304.5945152	170.53
4) MW-6R	261.7481214	378.269865	170.95
5) MW-7R	288.0044595	261.5564397	169.44
6) SOMA-1	280.7110322	294.3820905	169.62
7) SOMA-4	239.1384968	64.6025345	167.55
8)			
9)			
10)			
11)			
12)			
13)			
14)			
15)			

16)				
17)				
18)				
19)				
20)				
21)				
22)				
23)				
24)				
25)				
26)				
27)				
28)				
29)				
30)				

Results

Number of Points Used in Calculation	7
Max. Difference Between Head Values	1.036
Gradient Magnitude (i)	0.01203
Flow direction as degrees from North (positive y axis)	153.5
Coefficient of Determination (R^2)	0.968

WCMS

Last updated on 1/10/2013

Appendix C

Chain of Custody Form and Laboratory Report
for the
First Semi-Annual 2015 Monitoring Event



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

Laboratory Job Number 264087
ANALYTICAL REPORT

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2761
Location : 3519 Castro Valley Blvd.
Level : II

Table with 2 columns: Sample ID and Lab ID. Rows include ESE-1R through ESE-5R, MW-6R through MW-7R, SOMA-1 through SOMA-8, and OB-1 through OB-2.

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: Tracy Babjar
Tracy Babjar
Project Manager
tracy.babjar@ctberk.com
(510) 204-2226

Date: 01/27/2015

CASE NARRATIVE

Laboratory number: 264087
Client: SOMA Environmental Engineering Inc.
Project: 2761
Location: 3519 Castro Valley Blvd.
Request Date: 01/21/15
Samples Received: 01/21/15

This data package contains sample and QC results for fourteen water samples, requested for the above referenced project on 01/21/15. The samples were received cold and intact.

Volatile Organics by GC/MS (EPA 8260B):

High surrogate recovery was observed for 1,2-dichloroethane-d4 in the method blank for batch 219733; no target analytes were detected in the sample. No other analytical problems were encountered.

CHAIN OF CUSTODY

Analyses

Curtis & Tompkins, Ltd.
 Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

C&T LOGIN # 264087

Sampler: Lizzie Hightower

Project No: 2761

Report To: Joyce Bobek

Project Name: 3519 Castro Valley Blvd., Castro Valley Company : SOMA Environmental

Turnaround Time: Standard

Telephone: 925-734-6400

Fax: 925-734-6401

TPHg, BTEX, MIBF 8260B	*																				
Gasoline Oxygenates & Lead Scavengers	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Ethanol	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	

Lab No.	Sample ID.	Sampling Date	Time	Matrix			# of Containers	Preservative					
				Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE		
1	ESE-1R	1/19/15	15:13	*	*	*	4-VOAS	*	*	*	*	*	*
2	ESE-2R	1/19/15	14:49	*	*	*	4-VOAS	*	*	*	*	*	*
3	ESE-5R	1/20/15	11:33	*	*	*	4-VOAS	*	*	*	*	*	*
4	MW-6R	1/19/15	13:32	*	*	*	4-VOAS	*	*	*	*	*	*
5	MW-7R	1/19/15	11:23	*	*	*	4-VOAS	*	*	*	*	*	*
6	SOMA-1	1/19/15	14:24	*	*	*	4-VOAS	*	*	*	*	*	*
7	SOMA-2	1/19/15	11:52	*	*	*	4-VOAS	*	*	*	*	*	*
8	SOMA-3	1/19/15	12:10	*	*	*	4-VOAS	*	*	*	*	*	*
9	SOMA-4	1/19/15	12:39	*	*	*	4-VOAS	*	*	*	*	*	*
10	SOMA-5	1/20/15	10:15	*	*	*	4-VOAS	*	*	*	*	*	*
11	SOMA-7	1/20/15	11:13	*	*	*	4-VOAS	*	*	*	*	*	*
12	SOMA-8	1/19/15	13:59	*	*	*	4-VOAS	*	*	*	*	*	*
13	OB-1	1/20/15	12:00	*	*	*	4 VOAS	*	*	*	*	*	*
14	OB-2	1/20/15	10:37	*	*	*	4 VOAS	*	*	*	*	*	*

RELINQUISHED BY: [Signature]

<u>[Signature]</u>	DATE/TIME
1/20/15	12:15
<u>[Signature]</u>	DATE/TIME
1/21/15	12:15

RECEIVED BY: [Signature]

<u>[Signature]</u>	DATE/TIME
1/21/15	10:05
<u>[Signature]</u>	DATE/TIME
1/21/15	10:05

Notes: EDF OUTPUT REQUIRED
 GASOLINE OXYGENATES: TBA, DIPE, ETBE, TAME
 LEAD SCAVENGERS: 1,2-DCA, EDB

COOLER RECEIPT CHECKLIST



Login # 264087 Date Received 01/21/15 Number of coolers 1
Client SOMA Environmental Project 3519 Castro Valley Blvd., Castro Valley

Date Opened 01/21/15 By (print) BL (sign) [Signature]
Date Logged in 01/21/15 By (print) BL (sign) [Signature]

1. Did cooler come with a shipping slip (airbill, etc) YES NO
Shipping info

2A. Were custody seals present? ... YES (circle) on cooler on samples NO
How many Name Date

2B. Were custody seals intact upon arrival? YES NO N/A

3. Were custody papers dry and intact when received? YES NO

4. Were custody papers filled out properly (ink, signed, etc)? YES NO

5. Is the project identifiable from custody papers? (If so fill out top of form) YES NO

6. Indicate the packing in cooler: (if other, describe)

- Bubble Wrap, Foam blocks, Bags, None, Cloth material, Cardboard, Styrofoam, Paper towels

7. Temperature documentation: * Notify PM if temperature exceeds 6°C

Type of ice used: Wet, Blue/Gel, None, Temp(°C)

Samples Received on ice & cold without a temperature blank; temp. taken with IR gun

Samples received on ice directly from the field. Cooling process had begun

8. Were Method 5035 sampling containers present? YES NO
If YES, what time were they transferred to freezer?

9. Did all bottles arrive unbroken/unopened? YES NO

10. Are there any missing / extra samples? YES NO

11. Are samples in the appropriate containers for indicated tests? YES NO

12. Are sample labels present, in good condition and complete? YES NO

13. Do the sample labels agree with custody papers? YES NO

14. Was sufficient amount of sample sent for tests requested? YES NO

15. Are the samples appropriately preserved? YES NO N/A

16. Did you check preservatives for all bottles for each sample? YES NO N/A

17. Did you document your preservative check? YES NO N/A

18. Did you change the hold time in LIMS for unpreserved VOAs? YES NO N/A

19. Did you change the hold time in LIMS for preserved terracores? YES NO N/A

20. Are bubbles > 6mm absent in VOA samples? YES NO N/A

21. Was the client contacted concerning this sample delivery? YES NO

If YES, Who was called? By Date:

COMMENTS

Blank lines for handwritten comments.

Detections Summary for 264087

Results for any subcontracted analyses are not included in this summary.

Client : SOMA Environmental Engineering Inc.
 Project : 2761
 Location : 3519 Castro Valley Blvd.

Client Sample ID : ESE-1R Laboratory Sample ID : 264087-001

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
Gasoline C7-C12	410		50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
tert-Butyl Alcohol (TBA)	49		10	2.2	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
Methyl tert-Amyl Ether (TAME)	0.81		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
MTBE	13		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
Benzene	4.2		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
m,p-Xylenes	1.2		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : ESE-2R Laboratory Sample ID : 264087-002

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
tert-Butyl Alcohol (TBA)	6.8	J	10	2.2	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : ESE-5R Laboratory Sample ID : 264087-003

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
MTBE	5.9		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : MW-6R Laboratory Sample ID : 264087-004

No Detections

Client Sample ID : MW-7R Laboratory Sample ID : 264087-005

No Detections

Client Sample ID : SOMA-1 Laboratory Sample ID : 264087-006

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
tert-Butyl Alcohol (TBA)	13		10	2.2	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
MTBE	1.1		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : SOMA-2 Laboratory Sample ID : 264087-007

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
tert-Butyl Alcohol (TBA)	2.5	J	10	2.2	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : SOMA-3

Laboratory Sample ID :

264087-008

No Detections

Client Sample ID : SOMA-4

Laboratory Sample ID :

264087-009

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
MTBE	0.61		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : SOMA-5

Laboratory Sample ID :

264087-010

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
Gasoline C7-C12	470		50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
tert-Butyl Alcohol (TBA)	9.1	J	10	2.2	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
MTBE	3.6		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
Benzene	61		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
Ethylbenzene	12		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
m,p-Xylenes	24		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
o-Xylene	4.0		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : SOMA-7

Laboratory Sample ID :

264087-011

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
Gasoline C7-C12	3,400		250		ug/L	As Recd	5.000	EPA 8260B	EPA 5030B
tert-Butyl Alcohol (TBA)	14	J	50	11	ug/L	As Recd	5.000	EPA 8260B	EPA 5030B
MTBE	4.9		2.5		ug/L	As Recd	5.000	EPA 8260B	EPA 5030B
Benzene	410		2.5		ug/L	As Recd	5.000	EPA 8260B	EPA 5030B
Toluene	7.4		2.5		ug/L	As Recd	5.000	EPA 8260B	EPA 5030B
Ethylbenzene	35		2.5		ug/L	As Recd	5.000	EPA 8260B	EPA 5030B
m,p-Xylenes	6.7		2.5		ug/L	As Recd	5.000	EPA 8260B	EPA 5030B

Client Sample ID : SOMA-8

Laboratory Sample ID :

264087-012

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
tert-Butyl Alcohol (TBA)	2.6	J	10	2.2	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : OB-1

Laboratory Sample ID :

264087-013

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
Gasoline C7-C12	1,600		50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
tert-Butyl Alcohol (TBA)	18		10	2.2	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
MTBE	19		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
Benzene	4.8		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
Ethylbenzene	11		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
m,p-Xylenes	7.8		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
o-Xylene	0.56		0.50		ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Client Sample ID : OB-2

Laboratory Sample ID :

264087-014

Analyte	Result	Flags	RL	MDL	Units	Basis	IDF	Method	Prep Method
Gasoline C7-C12	14,000		1,000		ug/L	As Recd	20.00	EPA 8260B	EPA 5030B
tert-Butyl Alcohol (TBA)	40	J	140	24	ug/L	As Recd	14.29	EPA 8260B	EPA 5030B
MTBE	62		7.1		ug/L	As Recd	14.29	EPA 8260B	EPA 5030B
Benzene	540		7.1		ug/L	As Recd	14.29	EPA 8260B	EPA 5030B
Ethylbenzene	1,000		7.1		ug/L	As Recd	14.29	EPA 8260B	EPA 5030B
m,p-Xylenes	370		7.1		ug/L	As Recd	14.29	EPA 8260B	EPA 5030B

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: ESE-1R	Diln Fac: 1.000
Lab ID: 264087-001	Sampled: 01/19/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	410	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	49	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	0.81	0.50		219666	01/22/15
Ethanol	ND	1,000		219733	01/23/15
MTBE	13	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	4.2	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	1.2	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	102	80-128	219666	01/22/15
1,2-Dichloroethane-d4	102	75-139	219666	01/22/15
Toluene-d8	100	80-120	219666	01/22/15
Bromofluorobenzene	105	80-120	219666	01/22/15

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: ESE-2R	Diln Fac: 1.000
Lab ID: 264087-002	Sampled: 01/19/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	6.8 J	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219733	01/23/15
MTBE	ND	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	105	80-128	219666	01/22/15
1,2-Dichloroethane-d4	103	75-139	219666	01/22/15
Toluene-d8	102	80-120	219666	01/22/15
Bromofluorobenzene	102	80-120	219666	01/22/15

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: ESE-5R	Diln Fac: 1.000
Lab ID: 264087-003	Sampled: 01/20/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	ND	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219733	01/23/15
MTBE	5.9	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	104	80-128	219666	01/22/15
1,2-Dichloroethane-d4	104	75-139	219666	01/22/15
Toluene-d8	102	80-120	219666	01/22/15
Bromofluorobenzene	105	80-120	219666	01/22/15

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: MW-6R	Diln Fac: 1.000
Lab ID: 264087-004	Sampled: 01/19/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	ND	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219733	01/23/15
MTBE	ND	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	105	80-128	219666	01/22/15
1,2-Dichloroethane-d4	107	75-139	219666	01/22/15
Toluene-d8	100	80-120	219666	01/22/15
Bromofluorobenzene	105	80-120	219666	01/22/15

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: MW-7R	Diln Fac: 1.000
Lab ID: 264087-005	Sampled: 01/19/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	ND	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219733	01/23/15
MTBE	ND	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	108	80-128	219666	01/22/15
1,2-Dichloroethane-d4	105	75-139	219666	01/22/15
Toluene-d8	104	80-120	219666	01/22/15
Bromofluorobenzene	103	80-120	219666	01/22/15

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: SOMA-1	Diln Fac: 1.000
Lab ID: 264087-006	Sampled: 01/19/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	13	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219733	01/23/15
MTBE	1.1	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	106	80-128	219666	01/22/15
1,2-Dichloroethane-d4	111	75-139	219666	01/22/15
Toluene-d8	102	80-120	219666	01/22/15
Bromofluorobenzene	104	80-120	219666	01/22/15

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: SOMA-2	Diln Fac: 1.000
Lab ID: 264087-007	Sampled: 01/19/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	2.5 J	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219733	01/23/15
MTBE	ND	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	105	80-128	219666	01/22/15
1,2-Dichloroethane-d4	106	75-139	219666	01/22/15
Toluene-d8	100	80-120	219666	01/22/15
Bromofluorobenzene	103	80-120	219666	01/22/15

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Field ID:	SOMA-3	Diln Fac:	1.000
Lab ID:	264087-008	Sampled:	01/19/15
Matrix:	Water	Received:	01/21/15
Units:	ug/L		

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	ND	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219733	01/24/15
MTBE	ND	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	107	80-128	219666	01/22/15
1,2-Dichloroethane-d4	109	75-139	219666	01/22/15
Toluene-d8	103	80-120	219666	01/22/15
Bromofluorobenzene	104	80-120	219666	01/22/15

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: SOMA-4	Diln Fac: 1.000
Lab ID: 264087-009	Sampled: 01/19/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	ND	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219764	01/26/15
MTBE	0.61	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	107	80-128	219666	01/22/15
1,2-Dichloroethane-d4	110	75-139	219666	01/22/15
Toluene-d8	104	80-120	219666	01/22/15
Bromofluorobenzene	106	80-120	219666	01/22/15

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: SOMA-5	Diln Fac: 1.000
Lab ID: 264087-010	Sampled: 01/20/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	470	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	9.1 J	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219756	01/25/15
MTBE	3.6	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	61	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	12	0.50		219666	01/22/15
m,p-Xylenes	24	0.50		219666	01/22/15
o-Xylene	4.0	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	105	80-128	219666	01/22/15
1,2-Dichloroethane-d4	103	75-139	219666	01/22/15
Toluene-d8	100	80-120	219666	01/22/15
Bromofluorobenzene	102	80-120	219666	01/22/15

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Field ID:	SOMA-7	Diln Fac:	5.000
Lab ID:	264087-011	Sampled:	01/20/15
Matrix:	Water	Received:	01/21/15
Units:	ug/L		

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	3,400	250		219666	01/22/15
tert-Butyl Alcohol (TBA)	14 J	50	11	219666	01/22/15
Isopropyl Ether (DIPE)	ND	2.5		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	2.5		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	2.5		219666	01/22/15
Ethanol	ND	5,000		219756	01/25/15
MTBE	4.9	2.5		219666	01/22/15
1,2-Dichloroethane	ND	2.5		219666	01/22/15
Benzene	410	2.5		219666	01/22/15
Toluene	7.4	2.5		219666	01/22/15
1,2-Dibromoethane	ND	2.5		219666	01/22/15
Ethylbenzene	35	2.5		219666	01/22/15
m,p-Xylenes	6.7	2.5		219666	01/22/15
o-Xylene	ND	2.5		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	98	80-128	219666	01/22/15
1,2-Dichloroethane-d4	93	75-139	219666	01/22/15
Toluene-d8	97	80-120	219666	01/22/15
Bromofluorobenzene	104	80-120	219666	01/22/15

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: SOMA-8	Diln Fac: 1.000
Lab ID: 264087-012	Sampled: 01/19/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	ND	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	2.6 J	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219756	01/25/15
MTBE	ND	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	ND	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	ND	0.50		219666	01/22/15
m,p-Xylenes	ND	0.50		219666	01/22/15
o-Xylene	ND	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	104	80-128	219666	01/22/15
1,2-Dichloroethane-d4	105	75-139	219666	01/22/15
Toluene-d8	100	80-120	219666	01/22/15
Bromofluorobenzene	103	80-120	219666	01/22/15

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 264087	Location: 3519 Castro Valley Blvd.
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2761	Analysis: EPA 8260B
Field ID: OB-1	Diln Fac: 1.000
Lab ID: 264087-013	Sampled: 01/20/15
Matrix: Water	Received: 01/21/15
Units: ug/L	

Analyte	Result	RL	MDL	Batch#	Analyzed
Gasoline C7-C12	1,600	50		219666	01/22/15
tert-Butyl Alcohol (TBA)	18	10	2.2	219666	01/22/15
Isopropyl Ether (DIPE)	ND	0.50		219666	01/22/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50		219666	01/22/15
Methyl tert-Amyl Ether (TAME)	ND	0.50		219666	01/22/15
Ethanol	ND	1,000		219756	01/25/15
MTBE	19	0.50		219666	01/22/15
1,2-Dichloroethane	ND	0.50		219666	01/22/15
Benzene	4.8	0.50		219666	01/22/15
Toluene	ND	0.50		219666	01/22/15
1,2-Dibromoethane	ND	0.50		219666	01/22/15
Ethylbenzene	11	0.50		219666	01/22/15
m,p-Xylenes	7.8	0.50		219666	01/22/15
o-Xylene	0.56	0.50		219666	01/22/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	101	80-128	219666	01/22/15
1,2-Dichloroethane-d4	99	75-139	219666	01/22/15
Toluene-d8	101	80-120	219666	01/22/15
Bromofluorobenzene	104	80-120	219666	01/22/15

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Field ID:	OB-2	Units:	ug/L
Lab ID:	264087-014	Sampled:	01/20/15
Matrix:	Water	Received:	01/21/15

Analyte	Result	RL	MDL	Diln Fac	Batch#	Analyzed
Gasoline C7-C12	14,000	1,000		20.00	219666	01/22/15
tert-Butyl Alcohol (TBA)	40 J	140	24	14.29	219756	01/25/15
Isopropyl Ether (DIPE)	ND	7.1		14.29	219756	01/25/15
Ethyl tert-Butyl Ether (ETBE)	ND	7.1		14.29	219756	01/25/15
Methyl tert-Amyl Ether (TAME)	ND	7.1		14.29	219756	01/25/15
Ethanol	ND	14,000		14.29	219756	01/25/15
MTBE	62	7.1		14.29	219756	01/25/15
1,2-Dichloroethane	ND	7.1		14.29	219756	01/25/15
Benzene	540	7.1		14.29	219756	01/25/15
Toluene	ND	7.1		14.29	219756	01/25/15
1,2-Dibromoethane	ND	7.1		14.29	219756	01/25/15
Ethylbenzene	1,000	7.1		14.29	219756	01/25/15
m,p-Xylenes	370	7.1		14.29	219756	01/25/15
o-Xylene	ND	7.1		14.29	219756	01/25/15

Surrogate	%REC	Limits	Diln Fac	Batch#	Analyzed
Dibromofluoromethane	99	80-128	14.29	219756	01/25/15
1,2-Dichloroethane-d4	101	75-139	14.29	219756	01/25/15
Toluene-d8	102	80-120	14.29	219756	01/25/15
Bromofluorobenzene	90	80-120	14.29	219756	01/25/15

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	219666
Units:	ug/L	Analyzed:	01/22/15
Diln Fac:	1.000		

Type: BS Lab ID: QC774280

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	116.0	93	32-155
Isopropyl Ether (DIPE)	25.00	25.07	100	57-128
Ethyl tert-Butyl Ether (ETBE)	25.00	23.14	93	62-120
Methyl tert-Amyl Ether (TAME)	25.00	21.52	86	69-120
MTBE	25.00	21.96	88	65-120
1,2-Dichloroethane	25.00	21.99	88	74-133
Benzene	25.00	23.76	95	80-123
Toluene	25.00	23.15	93	80-121
1,2-Dibromoethane	25.00	21.86	87	80-120
Ethylbenzene	25.00	22.61	90	80-123
m,p-Xylenes	50.00	45.47	91	80-126
o-Xylene	25.00	23.64	95	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	102	80-128
1,2-Dichloroethane-d4	98	75-139
Toluene-d8	99	80-120
Bromofluorobenzene	103	80-120

Type: BSD Lab ID: QC774281

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	128.3	103	32-155	10	33
Isopropyl Ether (DIPE)	25.00	24.49	98	57-128	2	20
Ethyl tert-Butyl Ether (ETBE)	25.00	23.32	93	62-120	1	20
Methyl tert-Amyl Ether (TAME)	25.00	21.95	88	69-120	2	20
MTBE	25.00	23.16	93	65-120	5	22
1,2-Dichloroethane	25.00	22.04	88	74-133	0	20
Benzene	25.00	22.84	91	80-123	4	20
Toluene	25.00	22.52	90	80-121	3	20
1,2-Dibromoethane	25.00	22.54	90	80-120	3	20
Ethylbenzene	25.00	21.97	88	80-123	3	21
m,p-Xylenes	50.00	43.60	87	80-126	4	21
o-Xylene	25.00	22.24	89	80-126	6	20

Surrogate	%REC	Limits
Dibromofluoromethane	103	80-128
1,2-Dichloroethane-d4	95	75-139
Toluene-d8	100	80-120
Bromofluorobenzene	104	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC774282	Batch#:	219666
Matrix:	Water	Analyzed:	01/22/15
Units:	ug/L		

Analyte	Result	RL	MDL
Gasoline C7-C12	ND	50	
tert-Butyl Alcohol (TBA)	ND	10	2.2
Isopropyl Ether (DIPE)	ND	0.50	
Ethyl tert-Butyl Ether (ETBE)	ND	0.50	
Methyl tert-Amyl Ether (TAME)	ND	0.50	
Ethanol	ND	1,000	
MTBE	ND	0.50	
1,2-Dichloroethane	ND	0.50	
Benzene	ND	0.50	
Toluene	ND	0.50	
1,2-Dibromoethane	ND	0.50	
Ethylbenzene	ND	0.50	
m,p-Xylenes	ND	0.50	
o-Xylene	ND	0.50	

Surrogate	%REC	Limits
Dibromofluoromethane	103	80-128
1,2-Dichloroethane-d4	106	75-139
Toluene-d8	98	80-120
Bromofluorobenzene	103	80-120

ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	219666
Units:	ug/L	Analyzed:	01/22/15
Diln Fac:	1.000		

Type: BS Lab ID: QC774318

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	881.1	88	76-120

Surrogate	%REC	Limits
Dibromofluoromethane	103	80-128
1,2-Dichloroethane-d4	94	75-139
Toluene-d8	98	80-120
Bromofluorobenzene	101	80-120

Type: BSD Lab ID: QC774319

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	1,000	853.8	85	76-120	3	20

Surrogate	%REC	Limits
Dibromofluoromethane	100	80-128
1,2-Dichloroethane-d4	96	75-139
Toluene-d8	99	80-120
Bromofluorobenzene	102	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	219733
Units:	ug/L	Analyzed:	01/23/15
Diln Fac:	1.000		

Type: BS Lab ID: QC774543

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	131.6	105	32-155
Isopropyl Ether (DIPE)	25.00	23.75	95	57-128
Ethyl tert-Butyl Ether (ETBE)	25.00	23.75	95	62-120
Methyl tert-Amyl Ether (TAME)	25.00	25.57	102	69-120
MTBE	25.00	24.79	99	65-120
1,2-Dichloroethane	25.00	29.39	118	74-133
Benzene	25.00	25.45	102	80-123
Toluene	25.00	26.27	105	80-121
1,2-Dibromoethane	25.00	25.27	101	80-120
Ethylbenzene	25.00	28.18	113	80-123
m,p-Xylenes	50.00	54.52	109	80-126
o-Xylene	25.00	27.67	111	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	98	80-128
1,2-Dichloroethane-d4	124	75-139
Toluene-d8	107	80-120
Bromofluorobenzene	105	80-120

Type: BSD Lab ID: QC774544

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	141.8	113	32-155	8	33
Isopropyl Ether (DIPE)	25.00	23.04	92	57-128	3	20
Ethyl tert-Butyl Ether (ETBE)	25.00	23.74	95	62-120	0	20
Methyl tert-Amyl Ether (TAME)	25.00	25.16	101	69-120	2	20
MTBE	25.00	25.22	101	65-120	2	22
1,2-Dichloroethane	25.00	29.69	119	74-133	1	20
Benzene	25.00	23.38	94	80-123	8	20
Toluene	25.00	24.48	98	80-121	7	20
1,2-Dibromoethane	25.00	25.19	101	80-120	0	20
Ethylbenzene	25.00	25.79	103	80-123	9	21
m,p-Xylenes	50.00	50.04	100	80-126	9	21
o-Xylene	25.00	25.89	104	80-126	7	20

Surrogate	%REC	Limits
Dibromofluoromethane	100	80-128
1,2-Dichloroethane-d4	127	75-139
Toluene-d8	108	80-120
Bromofluorobenzene	108	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC774577	Batch#:	219733
Matrix:	Water	Analyzed:	01/23/15
Units:	ug/L		

Analyte	Result	RL	MDL
Gasoline C7-C12	NA		
tert-Butyl Alcohol (TBA)	ND	10	2.1
Isopropyl Ether (DIPE)	ND	0.50	
Ethyl tert-Butyl Ether (ETBE)	ND	0.50	
Methyl tert-Amyl Ether (TAME)	ND	0.50	
Ethanol	ND	1,000	
MTBE	ND	0.50	
1,2-Dichloroethane	ND	0.50	
Benzene	ND	0.50	
Toluene	ND	0.50	
1,2-Dibromoethane	ND	0.50	
Ethylbenzene	ND	0.50	
m,p-Xylenes	ND	0.50	
o-Xylene	ND	0.50	

Surrogate	%REC	Limits
Dibromofluoromethane	104	80-128
1,2-Dichloroethane-d4	147 *	75-139
Toluene-d8	110	80-120
Bromofluorobenzene	120	80-120

*= Value outside of QC limits; see narrative

NA= Not Analyzed

ND= Not Detected

RL= Reporting Limit

MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC774622	Batch#:	219756
Matrix:	Water	Analyzed:	01/25/15
Units:	ug/L		

Analyte	Result	RL	MDL
Gasoline C7-C12	NA		
tert-Butyl Alcohol (TBA)	ND	10	1.7
Isopropyl Ether (DIPE)	ND	0.50	
Ethyl tert-Butyl Ether (ETBE)	ND	0.50	
Methyl tert-Amyl Ether (TAME)	ND	0.50	
Ethanol	ND	1,000	
MTBE	ND	0.50	
1,2-Dichloroethane	ND	0.50	
Benzene	ND	0.50	
Toluene	ND	0.50	
1,2-Dibromoethane	ND	0.50	
Ethylbenzene	ND	0.50	
m,p-Xylenes	ND	0.50	
o-Xylene	ND	0.50	

Surrogate	%REC	Limits
Dibromofluoromethane	99	80-128
1,2-Dichloroethane-d4	95	75-139
Toluene-d8	102	80-120
Bromofluorobenzene	101	80-120

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	219756
Units:	ug/L	Analyzed:	01/25/15
Diln Fac:	1.000		

Type: BS Lab ID: QC774623

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	62.50	60.69	97	32-155
Isopropyl Ether (DIPE)	12.50	11.01	88	57-128
Ethyl tert-Butyl Ether (ETBE)	12.50	11.13	89	62-120
Methyl tert-Amyl Ether (TAME)	12.50	11.22	90	69-120
MTBE	12.50	11.24	90	65-120
1,2-Dichloroethane	12.50	11.54	92	74-133
Benzene	12.50	11.75	94	80-123
Toluene	12.50	12.12	97	80-121
1,2-Dibromoethane	12.50	12.24	98	80-120
Ethylbenzene	12.50	12.36	99	80-123
m,p-Xylenes	25.00	25.88	104	80-126
o-Xylene	12.50	12.37	99	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	98	80-128
1,2-Dichloroethane-d4	96	75-139
Toluene-d8	101	80-120
Bromofluorobenzene	95	80-120

Type: BSD Lab ID: QC774624

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	62.50	64.06	102	32-155	5	33
Isopropyl Ether (DIPE)	12.50	11.07	89	57-128	1	20
Ethyl tert-Butyl Ether (ETBE)	12.50	11.11	89	62-120	0	20
Methyl tert-Amyl Ether (TAME)	12.50	11.17	89	69-120	0	20
MTBE	12.50	11.55	92	65-120	3	22
1,2-Dichloroethane	12.50	11.54	92	74-133	0	20
Benzene	12.50	11.45	92	80-123	3	20
Toluene	12.50	12.21	98	80-121	1	20
1,2-Dibromoethane	12.50	12.43	99	80-120	2	20
Ethylbenzene	12.50	12.21	98	80-123	1	21
m,p-Xylenes	25.00	25.12	100	80-126	3	21
o-Xylene	12.50	12.14	97	80-126	2	20

Surrogate	%REC	Limits
Dibromofluoromethane	100	80-128
1,2-Dichloroethane-d4	97	75-139
Toluene-d8	102	80-120
Bromofluorobenzene	96	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	219764
Units:	ug/L	Analyzed:	01/26/15
Diln Fac:	1.000		

Type: BS Lab ID: QC774646

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	102.6	82	32-155
Isopropyl Ether (DIPE)	25.00	20.69	83	57-128
Ethyl tert-Butyl Ether (ETBE)	25.00	20.77	83	62-120
Methyl tert-Amyl Ether (TAME)	25.00	21.75	87	69-120
MTBE	25.00	20.69	83	65-120
1,2-Dichloroethane	25.00	23.15	93	74-133
Benzene	25.00	23.80	95	80-123
Toluene	25.00	24.19	97	80-121
1,2-Dibromoethane	25.00	22.93	92	80-120
Ethylbenzene	25.00	24.62	98	80-123
m,p-Xylenes	50.00	52.81	106	80-126
o-Xylene	25.00	25.17	101	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	98	80-128
1,2-Dichloroethane-d4	96	75-139
Toluene-d8	98	80-120
Bromofluorobenzene	91	80-120

Type: BSD Lab ID: QC774647

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	119.3	95	32-155	15	33
Isopropyl Ether (DIPE)	25.00	20.57	82	57-128	1	20
Ethyl tert-Butyl Ether (ETBE)	25.00	21.37	85	62-120	3	20
Methyl tert-Amyl Ether (TAME)	25.00	22.35	89	69-120	3	20
MTBE	25.00	22.11	88	65-120	7	22
1,2-Dichloroethane	24.75	23.31	94	74-133	2	20
Benzene	24.75	22.89	92	80-123	3	20
Toluene	24.75	23.44	95	80-121	2	20
1,2-Dibromoethane	24.75	24.45	99	80-120	7	20
Ethylbenzene	24.75	24.01	97	80-123	2	21
m,p-Xylenes	49.51	51.00	103	80-126	2	21
o-Xylene	24.75	24.69	100	80-126	1	20

Surrogate	%REC	Limits
Dibromofluoromethane	98	80-128
1,2-Dichloroethane-d4	97	75-139
Toluene-d8	100	80-120
Bromofluorobenzene	92	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC774648	Batch#:	219764
Matrix:	Water	Analyzed:	01/26/15
Units:	ug/L		

Analyte	Result	RL	MDL
Gasoline C7-C12	NA		
tert-Butyl Alcohol (TBA)	ND	10	1.7
Isopropyl Ether (DIPE)	ND	0.50	
Ethyl tert-Butyl Ether (ETBE)	ND	0.50	
Methyl tert-Amyl Ether (TAME)	ND	0.50	
Ethanol	ND	1,000	
MTBE	ND	0.50	
1,2-Dichloroethane	ND	0.50	
Benzene	ND	0.50	
Toluene	ND	0.50	
1,2-Dibromoethane	ND	0.50	
Ethylbenzene	ND	0.50	
m,p-Xylenes	ND	0.50	
o-Xylene	ND	0.50	

Surrogate	%REC	Limits
Dibromofluoromethane	96	80-128
1,2-Dichloroethane-d4	93	75-139
Toluene-d8	101	80-120
Bromofluorobenzene	99	80-120

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Field ID:	ZZZZZZZZZZ	Batch#:	219764
MSS Lab ID:	264137-004	Sampled:	01/22/15
Matrix:	Water	Received:	01/22/15
Units:	ug/L	Analyzed:	01/26/15
Diln Fac:	6.250		

Type: MS Lab ID: QC774735

Analyte	MSS Result	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	<10.63	781.3	693.8	89	49-155
Isopropyl Ether (DIPE)	<0.6250	156.3	129.1	83	65-122
Ethyl tert-Butyl Ether (ETBE)	<0.6250	156.3	135.4	87	69-120
Methyl tert-Amyl Ether (TAME)	<0.6250	156.3	143.1	92	74-120
MTBE	<0.6250	156.3	141.0	90	71-120
1,2-Dichloroethane	<0.6250	156.3	145.2	93	80-130
Benzene	<0.6250	156.3	147.1	94	80-120
Toluene	<0.6250	156.3	165.8	106	80-120
1,2-Dibromoethane	<0.7826	156.3	167.6	107	80-120
Ethylbenzene	<0.6250	156.3	166.9	107	80-120
m,p-Xylenes	<0.8179	312.5	359.2	115	80-121
o-Xylene	<0.6250	156.3	173.4	111	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	98	80-128
1,2-Dichloroethane-d4	101	75-139
Toluene-d8	108	80-120
Bromofluorobenzene	92	80-120

Type: MSD Lab ID: QC774736

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	781.3	754.8	97	49-155	8	33
Isopropyl Ether (DIPE)	156.3	127.2	81	65-122	1	22
Ethyl tert-Butyl Ether (ETBE)	156.3	135.7	87	69-120	0	20
Methyl tert-Amyl Ether (TAME)	156.3	145.5	93	74-120	2	20
MTBE	156.3	141.3	90	71-120	0	20
1,2-Dichloroethane	156.3	142.6	91	80-130	2	20
Benzene	156.3	141.6	91	80-120	4	20
Toluene	156.3	144.6	93	80-120	14	21
1,2-Dibromoethane	156.3	151.0	97	80-120	10	20
Ethylbenzene	156.3	145.1	93	80-120	14	25
m,p-Xylenes	312.5	311.9	100	80-121	14	23
o-Xylene	156.3	153.8	98	80-120	12	25

Surrogate	%REC	Limits
Dibromofluoromethane	99	80-128
1,2-Dichloroethane-d4	100	75-139
Toluene-d8	98	80-120
Bromofluorobenzene	92	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	264087	Location:	3519 Castro Valley Blvd.
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2761	Analysis:	EPA 8260B
Field ID:	ZZZZZZZZZZ	Batch#:	219764
MSS Lab ID:	264109-006	Sampled:	01/20/15
Matrix:	Water	Received:	01/22/15
Units:	ug/L	Analyzed:	01/26/15
Diln Fac:	1.000		

Type: MS Lab ID: QC774737

Analyte	MSS Result	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	<1.701	125.0	109.9	88	49-155
Isopropyl Ether (DIPE)	<0.1000	25.00	20.22	81	65-122
Ethyl tert-Butyl Ether (ETBE)	<0.1000	25.00	20.95	84	69-120
Methyl tert-Amyl Ether (TAME)	<0.1000	25.00	22.37	89	74-120
MTBE	<0.1000	25.00	21.83	87	71-120
1,2-Dichloroethane	<0.1000	25.00	22.29	89	80-130
Benzene	<0.1000	25.00	22.41	90	80-120
Toluene	<0.1000	25.00	22.95	92	80-120
1,2-Dibromoethane	<0.1252	25.00	22.90	92	80-120
Ethylbenzene	<0.1000	25.00	23.29	93	80-120
m,p-Xylenes	<0.1309	50.00	49.31	99	80-121
o-Xylene	<0.1000	25.00	23.93	96	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	99	80-128
1,2-Dichloroethane-d4	102	75-139
Toluene-d8	99	80-120
Bromofluorobenzene	92	80-120

Type: MSD Lab ID: QC774738

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	127.5	102	49-155	15	33
Isopropyl Ether (DIPE)	25.00	19.99	80	65-122	1	22
Ethyl tert-Butyl Ether (ETBE)	25.00	20.73	83	69-120	1	20
Methyl tert-Amyl Ether (TAME)	25.00	22.83	91	74-120	2	20
MTBE	25.00	22.40	90	71-120	3	20
1,2-Dichloroethane	25.00	21.86	87	80-130	2	20
Benzene	25.00	21.07	84	80-120	6	20
Toluene	25.00	21.99	88	80-120	4	21
1,2-Dibromoethane	25.00	23.46	94	80-120	2	20
Ethylbenzene	25.00	21.99	88	80-120	6	25
m,p-Xylenes	50.00	47.28	95	80-121	4	23
o-Xylene	25.00	22.84	91	80-120	5	25


Surrogate	%REC	Limits
Dibromofluoromethane	99	80-128
1,2-Dichloroethane-d4	99	75-139
Toluene-d8	99	80-120
Bromofluorobenzene	92	80-120

RPD= Relative Percent Difference

Date : 22-JAN-2015 14:04
Client ID: DYNA P&T
Sample Info: S,264087-001

Instrument: MSV0A06.i
Operator: VOC
Column diameter: 2.00


Column phase:



Date : 22-JAN-2015 18:55
Client ID: DYNA P&T
Sample Info: S,264087-010

Instrument: MSV0A06.i
Operator: VOC
Column diameter: 2.00

Column phase:



Date : 22-JAN-2015 20:32

Client ID: DYNA P&T


Sample Info: S,264087-011

Instrument: MSV0A06.i

Operator: VOC

Column diameter: 2.00

Column phase:



Date : 22-JAN-2015 20:00

Client ID: DYNA P&T


Sample Info: S,264087-013

Instrument: MSV0A06.i

Operator: VOC

Column diameter: 2.00

Column phase:




Date : 22-JAN-2015 21:04
Client ID: DYNA P&T
Sample Info: S,264087-014

Instrument: MSV0A06.i

Operator: VOC
Column diameter: 2.00

Column phase:



Date : 22-JAN-2015 11:55

Client ID: DYNA P&T

Sample Info: CCV/BS, QC774318, 219666, S26208, .01/100

Instrument: MSV0A06.i

Operator: VOC

Column diameter: 2.00

Column phase:

