THRIFTY OIL CO.

RECEIVED

By lopprojectop at 9:09 am, May 10, 2006

April 27, 2006

O.66040

Mr. Amir Gholami Alameda County Health Care Agency Hazardous Material Specialist 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502 Local #RO0000348 RWQCB #01-1476

RE:

Former Thrifty Oil Co. Station #054

TOSCO Station #2602486 2504 Castro Valley Boulevard Castro Valley, CA 1st Quarter 2006, Status Report

Dear Mr. Gholami:

Presented herein is the First Quarter 2006, Status Report prepared for Former Thrifty Oil Co. (Thrifty) Station #054 located at 2504 Castro Valley Boulevard, Castro Valley, California (**Figure 1**). This report presents the results of the groundwater monitoring activities conducted during the first quarter of 2006. Thrifty has again provided evidence of a recent release of hydrocarbons at the site.

Should you have any questions regarding this report, please contact Michael Bowery or myself at 562 921-3581.

Respectfully submitted,

Chris Panaitescu General Manager

Environmental Affairs

cc:

- Erika Assadi, SRWQCB (USTCF)
- Liz Sewell, TOSCO Marketing Company 76 Broadway

Sacramento CA 95818

- File



Summary of Monitoring and Sampling Activities

Former Thrifty Oil Co. Station #054 First Quarter 2006

Reporting Period: 1/1/2006 to 3/31/2006

| CI. | * * | | | |
|------|------|--------|------|-----|
| Site | Into | rm | atio | m . |
| DILL | LHIV | ,, ,,, | auu | 11. |

| Site address: | TOC SS #054 (TOSCO #2602486) |
|--|---|
| | 2504 Castro Valley Boulevard |
| | Castro Valley, CA |
| Global ID No.: | T0600101363 |
| EDF Confirmation No.: | 7072239577 |
| Lead Agency No.: | Local # RO0000348 |
| Lead Agency: | Alameda County Health Care Services |
| Agency Contact: | Mr. Amir Gholami / 510 567-6735 |
| Project Manager: | Michael Bowery / 562-921-3581 ext. 404 |
| Ctivity: Groundwater wells onsite: | 9 |
| | |
| Groundwater wells offsite: | 4 |
| Date(s) monitored: | 3/15/2006 |
| Date(s) sampled: | 3/15/2006 |
| Groundwater wells gauged: | 13 |
| Groundwater wells sampled: | 8 |
| | |
| Purging method: | Bailer / Pump |
| Purging method: Treatment / disposal method during sampling event: | |
| Purging method: Treatment / disposal method during sampling event: Groundwater wells with free product: | Bailer / Pump |
| Purging method: Treatment / disposal method during sampling event: Groundwater wells with free product: Free product thickness (feet): | Bailer / Pump Drums – Safety-Kleen pickup |
| Purging method: Treatment / disposal method during sampling event: Groundwater wells with free product: Free product thickness (feet): Free product bailouts other than sampling event: | Bailer / Pump Drums – Safety-Kleen pickup 0 |
| Purging method: Treatment / disposal method during sampling event: Groundwater wells with free product: Free product thickness (feet): Free product bailouts other than sampling event: | Bailer / Pump Drums – Safety-Kleen pickup 0 NA |
| Purging method: Treatment / disposal method during sampling event: Groundwater wells with free product: Free product thickness (feet): Free product bailouts other than sampling event: Treatment / disposal method/free product bailouts: | Bailer / Pump Drums – Safety-Kleen pickup 0 NA NA |
| Purging method: Treatment / disposal method during sampling event: Groundwater wells with free product: Free product thickness (feet): Free product bailouts other than sampling event: Treatment / disposal method/free product bailouts: drogeology: Depth to groundwater (feet bgs): | Bailer / Pump Drums – Safety-Kleen pickup 0 NA NA |

East-Northeast at approximately 0.0479 ft./ft.

Consistent with previous quarters

Groundwater gradient and flow direction:

Consistent with previous quarter:

Groundwater Conditions:

| TPHg concentration (ug/L): | ND<2.9 to 35,500 |
|-------------------------------------|-------------------|
| Benzene concentration (ug/L): | ND<0.32 to 73 |
| Toluene concentration (ug/L): | ND<0.1 to <1 |
| Ethyl benzene concentration (ug/L): | ND<0.24 to 143 |
| Total Xylenes concentration (ug/L): | ND<0.3 to 862 |
| MTBE concentration (ug/L) | ND<0.63 to 28,500 |

Remediation Activity:

| System type: | GWPT |
|--------------------------------------|--------------|
| System start-up: | April 1990 |
| System Shut Down | January 2000 |
| Cumulative Operation (hrs.): | 19,388 |
| Total GW discharge (gal.): | 27,992 |
| Total hydrocarbons extracted (lbs.): | 5,631 |
| | |

Groundwater Monitoring

Depth to groundwater is measured in each monitoring well quarterly. Historic groundwater gauging data obtained from April 11, 1988 through March 15, 2006, is presented in **Table 1**. A groundwater elevation contour map based on the March 15, 2006, data is presented in **Figure 1**. Groundwater elevation data indicates that the general direction of groundwater flow beneath the site is toward the east-northeast with a hydraulic gradient of approximately 0.0479 feet/foot.

Quarterly Groundwater Sampling

As part of the ongoing groundwater-monitoring program, groundwater samples were obtained from selected monitoring wells PW-1, RE-2, RE-3, RE-4, RE-6, RE-7, RS-9, and RS-11 on March 15, 2006. In a letter from the Alameda County Health Care Services (ACHCS) dated November 6, 2001, the ACHCS released Thrifty from collecting groundwater samples from wells PW-2, RE-1, RE-5, RS-8, and RS-10 until further notice.

Groundwater samples were obtained by EMC and delivered in a chilled state in an ice chest following strict Chain-of-Custody procedures to a state-certified laboratory. The samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by EPA Method 8015M for gasoline and for benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tert-butyl ether (MTBE) by EPA Method 8260B. Copies of the EMC Field Status Reports are presented in **Appendix A**, and copies of the laboratory analytical reports are contained in **Appendix B**.

TPHg, BTEX, and MTBE concentrations appear in **Table 1** and laboratory reports are provided in **Appendix B**. TPHg, benzene, and MTBE isoconcentration maps are presented in **Figures 2, 3**, and **4**, respectively. The highest laboratory analytical concentrations for TPHg and MTBE were found in well PW-1 (35,500 ug/L and 28,500 ug/L, respectively). The highest benzene concentration was found in well RE-7 (73 ug/L).

Well RS-9 is located upgradient of the Thrifty site, and any contamination found in this well appears to be originating from an upgradient off-site source. However, the recent elevated dissolved hydrocarbon concentrations at the former Thrifty site appear to be from an onsite unauthorized release, as discussed in detail later in this report. TOSCO (ConocoPhillips) Marketing Company is the current operator of the service station and acquired the lease in 1994 from BP Oil, who previously leased the property beginning on July 10, 1991.

Site Remediation Activities

In August 1989, Remediation Service, Int'l. (RSI) installed a Spray Aeration Vapor Extraction (SAVE) system at the site for soil and groundwater remediation. However, due to unanticipated delays in permits, the system was not started until April 1990. Due to noise complaints, the system was operated only during daylight hours recovering hydrocarbon vapors during the first three months of operation. The equipment was moved to another location onsite in late June 1990, and from that date on the equipment was in operation for 24 hours a day.

On January 31, 2000, Thrifty submitted a *Request for Shutdown and Removal of the Vapor Extraction System* to the ACHCS. The ACHCS authorized the vapor extraction system shut down and removal on February 16, 2000. By the end of the operation, the system had destroyed a total of 5,631 pounds of hydrocarbons (**Table 2**) and treated/discharged 27,992 gallons of groundwater.

Continued Evidence of New/Recent Release or Possible Presence of an Active Source

In a letter dated December 30, 2004, submitted jointly to TOSCO (ConocoPhillips) and the ACHCS, Thrifty provided evidence of a recent release of hydrocarbons as detected in groundwater samples collected during the 2nd, 3rd, and 4th Quarters 2004. Data collected during the 1st Quarter 2005 indicated that while TPHg, benzene, and MTBE concentrations appeared to be decreasing, they were still significantly elevated over March, June, and September 2004 levels in onsite wells RE-2, RE-4, RE-6, and RE-7 located near the underground storage tanks and pump islands. The decrease in concentrations may simply be the result that the dissolved plume is moving away from the source and/or that some of the plume is being sorbed onto the soil particles.

In a letter dated February 1, 2005, TOSCO (Conoco Phillips) responded to Thrifty's assertion that a recent release had occurred and indicated that the site is likely being impacted by an offsite source. TOSCO (ConocoPhillips) indicated in their letter that no pattern of fluctuation in dissolved hydrocarbon concentrations has been established to date that has not been seen before at the site. Thrifty's review of the data, however, indicates that over the past 14 years (since 1991), there have been no fluctuations in dissolved hydrocarbon concentrations even close to those seen between the 3rd and 4th Quarters of 2004. TOSCO (ConocoPhillips) stated in their letter that dissolved elevated concentrations of hydrocarbons were present in wells RE-6 and RE-7, but were not present in well PW-1 located between RE-6 and RE-7, therefore a recent release was unlikely. Data collected during the 2nd Quarter 2005 and the current quarter indicated that well PW-1 contained the highest TPHg and MTBE concentrations. Thus, it appears that the recent release did impact well PW-1. Data during the third quarter 2005 indicates that dissolved hydrocarbon concentrations were not detected in well PW-1. However, the dissolved concentrations in adjacent, upgradient well RE-6 continued to decline whereas in downgradient well RE-7 the concentrations remained high indicating that the contamination is simply migrating in the area of these three wells. During the 1st quarter 2006, elevated TPHg and MTBE concentrations were again detected in well PW-1 at concentrations of 35,500 and 28,200 ug/L, respectively. TPHg and MTBE remained high in RE-7 during the 1st quarter 2006 and benzene increased from ND<16 to 73 ug/L.

TOSCO (ConocoPhillips) has asserted that the dissolved hydrocarbon concentrations noted in wells RE-3 and RE-4 were the result of migration of the dissolved plume from well RE-1. However, the maximum TPHg concentrations detected in well RE-1 was 150,000 ug/L on January 8, 1991, 28,000 ug/L on March 8, 1995, then consistently decreased to <50 ug/L beginning on December 1, 1999, as a result of active remediation conducted by Thrifty at the site from April 1990 to January 2000, whereas the TPHg concentration in well RE-4 was 297,000 ug/L in December 2004. The December 2004 levels were almost double than the highest historical level recorded 13 years ago, when the active remediation was just initiated.

Thrifty has plotted TPHg, benzene, and MTBE concentrations over time versus groundwater elevations for wells RE-2 (Figure 5), RE-3 (Figure 6), RE-4 (Figure 7), RE-6 (Figure 8), RE-7 (Figure 9), and PW-1 (Figure 10). The increases in TPHg and MTBE in wells RE-2, RE-4, RE-6, and RE-7 for the 3rd and 4th quarters of 2004 and 1st quarter of 2005 are quite dramatic when compared to the TPHg and MTBE concentrations over time. There is also a significant increase in TPHg and MTBE concentrations in well PW-1 in the 1st quarter 2005 and the 1st quarter 2006 (Figure 10). There is a corresponding rise in groundwater elevation in each of these wells; however, there have been comparable rises in groundwater elevations in the past with no corresponding increase in dissolved hydrocarbon concentrations. Thus, it appears that a rise in groundwater elevation is not the reason for the significant increases in dissolved hydrocarbon concentrations at the site.

Further evidence of a recent release is provided by the use of BTEX ratios that are used as a means to compare the relative age of gasoline releases into the subsurface. The most common method is the cumulative BTEX ration that is described as B+T/E+X. Site investigations indicate that values between 1 and 6 are supportive of a recent release and that values less than 0.5 usually indicate a release older than about 8 to 10 years (Kaplan et. al. 1997, "Forensic Environmental Geochemistry: Differentiation of Fuel Types, Their Sources and Release Time;" Robert D. Morrison: "Forensic Techniques for Establishing the Origin and Timing of Contaminant Release"). The table provided below provides B+T/E+X ratios based on the groundwater samples collected during sampling events beginning in September 2004.

| Sampling | Well | В | T | B+T | E | X | E+X | B+T/E+X |
|----------|------|-------|--------|--------|-------|--------|--------|---------|
| Date | ID | | | | | | | |
| 9/2/04 | RE-3 | 982 | 65 | 1,047 | 77 | 86 | 163 | 6.42 |
| 9/2/04 | RE-4 | 587 | 50 | 637 | 34 | 65 | 99 | 6.43 |
| 12/8/04 | RE-4 | 4,680 | 44,900 | 49,580 | 4,850 | 29,000 | 33,850 | 1.46 |
| 12/8/04 | RE-7 | 4,380 | 34,800 | 39,180 | 5,370 | 25,000 | 30,370 | 1.29 |
| 3/16/05 | RE-7 | 2,840 | 19,400 | 22,240 | 2,760 | 14,400 | 17,160 | 1.30 |
| 6/1/05 | RE-4 | 1,530 | 6,890 | 8,420 | 39 | 6,880 | 6,919 | 1.22 |
| 6/1/05 | RE-7 | 1,860 | 8,690 | 10,550 | 1,180 | 4,980 | 6,160 | 1.71 |

Based on the September 2, 2004, sampling results, the B+T/E+X for monitoring wells RE-4 and RE-3 were 6.43 and 6.42, respectively. Beginning in September 2004, the BTEX ratios ranged between 0.54 and 6.43 thus providing additional evidence of a recent release at former Thrifty Station #054. Wells RE-3 and RE-4 are located downgradient of the USTs/piping and well RE-7 is located downgradient of the dispensers. Although well RE-2 is not located downgradient of the dispensers, it is located very close to the dispensers which appear to be a source of the recent release along with the USTs and/or piping.

Thrifty has contended in the past that an offsite upgradient source contributed to the contamination previously detected in offsite, upgradient well RS-9. The concentrations in well RS-9, however, have never been detected at nearly as high of concentrations recently found in wells RE-2, RE-4, RE-6, and RE-7.

TOSCO (ConocoPhillips) also provided evidence of tank tightness testing and secondary containment testing. Unfortunately, the most recent tank tightness test report was dated May 5, 2004 and the most recent secondary containment test report was dated September 7, 2004, both of which could have predated the recent release that apparently occurred during the 4th Quarter 2004. The UST Monitor Certification

Summary Report dated May 5, 2004 also reported one gallon of water in the 89 turbine sump and about 8 ounces of fuel in the 91 turbine sump.

In addition, the presence of MTBE in groundwater indicates a post 1991 release since Thrifty did not dispense MTBE blended gasoline during its operation. Thrifty's refinery (Golden West Refining Co.) began using MTBE in gasoline manufacturing processes in October 1992 when this site was already operated by BP Oil and later by TOSCO.

Thrifty believes that the recent increase (June 2005 and March 2006) in TPHg and MTBE concentrations in well PW-1 provide further evidence of a recent release at the site and strongly support Thrifty's position that if further assessment and remediation becomes necessary, it should be the responsibility of TOSCO (ConocoPhillips) and that TOSCO (ConocoPhillips) should investigate to determine if an upgradient source is contributing to the dissolved hydrocarbon plume at the site. Thrifty respectfully repeats its request that the ACHCS acknowledge the evidence of a new release (s) that occurred after 1991 and to designate the current operator of the facility as the Primary Responsible Party for any corrective actions required in the future.

Planned Activities

In a letter received by Thrifty dated December 7, 2005, the ACHCS requested site information including depth to water, groundwater flow direction, dissolved constituents concentrations, well screen levels, plume stability, and if active remediation was occurring onsite. Thrifty forwarded the requested information on January 10, 2006. The ACHCS also requested that a site conceptual model (SCM) be prepared for the site. Thrifty will submit the SCM under separate cover by May 2, 2005.

Thrifty will continue the groundwater monitoring, gauging, and sampling events at this site on a quarterly basis. All interpretations expressed in this report are based solely upon the review of data collected by EMC and laboratory analyses by Associated Laboratories.

Sincerely,

Michael H. Bowery, P.G. 5027

Project Manager

TABLES

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTIC | AL PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|----------|----------------|-----------------|----------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | <u> </u> | | | | (Aect) | 1 (1000) | (ICCI) |
| MONITOR | ING WELL | #PW-1 | 188 | Screen Interva | l = 5 to 15 fee | t (Est.) | | | | | |
| 04/11/88 | - | - | - | - | - | - | - | _ | - | _ | _ |
| 04/09/90 | 230,000 | 600 | 2,700 | 1,000 | 16,000 | - | 5.10 | NP | 0.00 | 166.46 | 161.36 |
| 10/30/90 | 35,000 | 240 | 970 | 240 | 3,580 | - | 6.17 | NP | 0.00 | 166.46 | 160.29 |
| 01/18/91 | 37,000 | 43 | 140 | 42 | 1,600 | _ | 6.28 | NP | 0.00 | 166.46 | 160.18 |
| 02/12/91 | 45,000 | 99 | 130 | 25 | 700 | _ | 5.88 | NP | 0.00 | 166.46 | 160.58 |
| 03/20/91 | 1,900 | 0.43 | ND | ND | 2.8 | - | 4.75 | NP | 0.00 | 166.46 | 161.71 |
| 05/22/91 | 41,000 | 600 | 730 | 250 | 3,800 | - | 5.10 | NP | 0.00 | 166.46 | 161.36 |
| 06/19/91 | - | - | - | - | - | - | 5.61 | NP | 0.00 | 166.46 | 160.85 |
| 07/17/91 | - | - | - | - | - | • | 5.53 | FILM | 0.00 | 166.46 | 160.93 |
| 08/07/91 | - | - | - | - | - | - | 5.67 | FILM | 0.00 | 166.46 | 160.79 |
| 09/24/91 | - | - | _ | - | - | _ | 5.57 | FILM | 0.00 | 166.46 | 160.89 |
| 10/23/91 | - | - | - | - | - | - | 6.53 | FILM | 0.00 | 166.46 | 159.93 |
| 11/06/91 | - | - | - | - | - | - | 5.85 | FILM | 0.00 | 166.46 | 160,61 |
| 12/04/91 | - | - | - | - | - | _ | 5.91 | FILM | 0.00 | 166.46 | 160.55 |
| 01/29/92 | - | - | - | - | - | - | 5.43 | FILM | 0.00 | 166.46 | 161.03 |
| 02/26/92 | - | - | - | - | - | - | 5.54 | FILM | 0.00 | 166.46 | 160.92 |
| 03/19/92 | ND | ND | ND | ND | ND | - | 5.47 | NP | 0.00 | 166.46 | 160.99 |
| 04/22/92 | • | - | - | - | - | - | 5.62 | FILM | 0.00 | 166.46 | 160.84 |
| 05/21/92 | 1,300 | 19 | 2.9 | 0.7 | 58 | - | 6.21 | NP | 0.00 | 166.46 | 160.25 |
| 06/25/92 | 1 | - | - | - | - | - | 6.94 | NP | 0.00 | 166.46 | 159.52 |
| 07/30/92 | - | - | - | - | - | - | 5.90 | FILM | 0.00 | 166.46 | 160.56 |
| 08/20/92 | - | - | - | - | - | | 7.12 | FILM | 0.00 | 166.46 | 159.34 |
| 09/30/92 | 3,400 | 57 | ND | 26 | 240 | - | 6.42 | NP | 0.00 | 166.46 | 160.04 |
| 12/23/92 | - | - | - | - | - | - | 5.56 | FILM | 0.00 | 166.46 | 160.90 |
| 03/10/93 | - | - | - | - | - | - | 5.65 | FILM | 0.00 | 166.46 | 160.81 |
| 06/09/93 | 400 | <0.5 | 1.1 | <1.0 | <1.0 | - | 5.30 | NP | 0.00 | 166.46 | 161.16 |
| 09/14/93 | 180 | 3.7 | 3.2 | 1.5 | 14 | - | 5.43 | NP | 0.00 | 166.46 | 161.03 |
| 12/14/93 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | - | 4.65 | NP | 0.00 | 166.46 | 161.81 |
| 03/02/94 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | - | 5.43 | NP | 0.00 | 166.46 | 161.03 |
| 06/06/94 | 330 | 1.3 | <0.3 | 0.88 | 9.8 | - | 4.70 | NP | 0.00 | 166.46 | 161.76 |
| 09/06/94 | 1,100 | 67 | <0.3 | <0.3 | 24 | - | 6.48 | NP | 0.00 | 166.46 | 159.98 |
| 12/07/94 | <50 | <0.3 | <0.3 | <0.5 | <0.5 | - | 5.22 | NP | 0.00 | 166.46 | 161.24 |
| 03/08/95 | <100 | <0.5 | <0.5 | <0.5 | <1 | - | 6.94 | NP | 0.00 | 166.46 | 159.52 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | AL PARAMETER | S | | DEPTH TO | DEPTH TO | -PRODUCT | CASING | GROUNDWATER |
|----------|--------|---------|-----------|--------------|--------|----------------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ng/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | | | | | | 1 (1000) | (tee) |
| 06/15/95 | 260 | 0.8 | 0.6 | <0.5 | 3.2 | - | 5.72 | NP | 0.00 | 166.46 | 160.74 |
| 09/05/95 | 330 | 2.1 | <0.5 | 2.1 | 9.6 | - | 5.96 | NP | 0.00 | 166.46 | 160.50 |
| 11/21/95 | 660 | 13 | 1.3 | <0.3 | 4.0 | - | 6.04 | NP | 0.00 | 166.46 | 160.42 |
| 03/11/96 | 660 | 0.94 | 0.77 | <0.3 | 8.1 | | 3.60 | NP | 0.00 | 166.46 | 162.86 |
| 06/19/96 | 120 | 0.53 | <0.3 | <0.3 | 2.3 | - | 4.80 | NP | 0.00 | 166.46 | 161.66 |
| 09/16/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 5.10 | NP | 0.00 | 166.46 | 161.36 |
| 12/10/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 4.92 | NP | 0.00 | 166.46 | 161.54 |
| 03/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 4.50 | NP | 0.00 | 166.46 | 161.96 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | - | - | - | - | - |
| 09/16/97 | 690 | 0.97 | <0.3 | <0.3 | <0.5 | <20 | 4.55 | NP | 0.00 | 166.46 | 161.91 |
| 12/09/97 | 640 | 150 | 0.64 | <0.3 | 5.2 | 1,300 | 5.60 | NP | 0.00 | 166.46 | 160.86 |
| 03/03/98 | <50 | <0.3 | 0.57 | <0.3 | <0.5 | <20 | 4.13 | NP | 0.00 | 166.46 | 162.33 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | - | - | - | - | - |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 6.35 | NP | 0.00 | 166.46 | 160.11 |
| 12/30/98 | <50 | 1.1 | <0.3 | <0.3 | <0.5 | <5 | 6.40 | NP | 0.00 | 166.46 | 160.06 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 6.35 | NP | 0.00 | 166.46 | 160.11 |
| 06/22/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 53 | 4.95 | NP | 0.00 | 166.46 | 161.51 |
| 09/08/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 4.80 | NP | 0.00 | 166.46 | 161.66 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 3.64 | NP | 0.00 | 166.46 | 162.82 |
| 03/23/00 | <50 | 0.5 | 0.5 | 1.1 | <0.5 | · <5 | 4.03 | NP | 0.00 | 166.46 | 162.43 |
| 06/08/00 | <50 | <5 | <5 | <5 | <5 | <5 | 4.40 | NP | 0.00 | 166.46 | 162.06 |
| 09/27/00 | <50 | <0.18 | < 0.14 | <0.18 | <0.26 | <0.24 | 4.73 | NP | 0.00 | 166.46 | 161.73 |
| 12/13/00 | <50 | <0.18 | < 0.14 | <0.18 | <0.26 | <0.24 | 4.01 | NP | 0.00 | 166.46 | 162.45 |
| 03/22/01 | 600 | <0.18 | 1.3 | <0.18 | <0.26 | *1,010 / 1,970 | 6.32 | NP | 0.00 | 166.46 | 160.14 |
| 06/15/01 | <50 | <0.18 | < 0.14 | <0.18 | <0.26 | <0.24 | 6.32 | NP | 0.00 | 166.46 | 160.14 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 6.32 | NP | 0.00 | 166.46 | 160.14 |
| 12/12/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 6.02 | NP | 0.00 | 166.46 | 160.44 |
| 03/13/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 6.30 | NP | 0.00 | 166.46 | 160.16 |
| 06/12/02 | 1,320 | 1 | 1 | <0.18 | 2 | 2,060 | 6.30 | NP | 0.00 | 166.46 | 160.16 |
| 09/18/02 | <50 | <0.18 | < 0.14 | <0.18 | <0.26 | <0.24 | 7.06 | NP | 0.00 | 166.46 | 159.40 |
| 12/18/02 | 113 | <0.18 | 1.1 | <0.18 | <0.26 | 89 | 6.30 | NP | 0.00 | 166.46 | 160.16 |
| 03/19/03 | <15 | <0.04 | 2.2 | <0.02 | 2.7 | <0.03 | 6.35 | NP | 0.00 | 166.46 | 160.11 |
| 06/11/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 6.35 | NP | 0.00 | 166.46 | 160.11 |
| 09/04/03 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 5.90 | NP | 0.00 | 166.46 | 160.56 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | Sit Consultation | ANALYTICA | L PARAMETERS | \$ | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|------------------|-----------|-----------------|---------------|----------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | | | | | | | <u> </u> |
| 12/04/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | < 0.03 | 3.38 | NP | 0.00 | 165.95 | 162.57 |
| 03/18/04 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 5.51 | NP | 0.00 | 165.95 | 160.44 |
| 06/09/04 | <15 | <0.14 | <0.16 | <0.18 | <0.45 | <0.22 | 5.35 | NP | 0.00 | 165.95 | 160.60 |
| 09/02/04 | 133 | <0.14 | 2.4 | <0.18 | 1.9 | <0.22 | 6.33 | NP | 0.00 | 165.95 | 159.62 |
| 12/08/04 | <15 | <0.14 | 1.3 | <0.18 | <0.45 | <0.22 | 4.59 | NP | 0.00 | 165.95 | 161.36 |
| 03/16/05 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 5.90 | NP | 0.00 | 165.95 | 160.05 |
| 06/01/05 | 49,300 | 1,540 | 3,990.0 | 154 | 6,190 | 69,000 | 4.81 | NP | 0.00 | 165.95 | 161.14 |
| 09/14/05 | <2.9 | <0.32 | <0.10 | <0.24 | <0.30 | <0.63 | 4.74 | NP | 0.00 | 165.95 | 161.21 |
| 12/06/05 | 272 | 6.6 | 1.5 J | 5.1 | 9.6 | 217 | 4.35 | NP | 0.00 | 165.95 | 161.60 |
| 03/15/06 | 35,500 | <3.2 | <1.0 | <2.4 | 862 | 28,500 | 4.79 | NP | 0.00 | 165.95 | 161.16 |
| | <u></u> | | | | | | | | | | |
| | | | | | | | | | | | |
| | ING WELL | PW-2 | | Screen Interval | = 5 to 15 fee | t (Est.) | | | 100 | | |
| 04/11/88 | - | - | - | - | - | - | - | - | - | - | - |
| 04/09/90 | 600,000 | 1,300 | 11,000 | 4,600 | 4,300 | - | 5.81 | NP | 0.00 | 166.18 | 160.37 |
| 10/30/90 | 48,000 | 310 | 51 | 10 | 480 | _ | 6.95 | NP | 0.00 | 166.18 | 159.23 |
| 01/18/91 | 86,000 | 230 | 1,400 | 350 | 8,300 | <u>-</u> | 6.92 | NP | 0.00 | 166.18 | 159.26 |
| 02/12/91 | 160,000 | 680 | 1,300 | 250 | 7,000 | - | 6.78 | NP | 0.00 | 166.18 | 159.40 |
| 03/20/91 | 17,000 | 34 | 50 | ND | 1,100 | • | 5.54 | NP | 0.00 | 166.18 | 160.64 |
| 05/22/91 | 14,000 | 57 | 2,100 | 500 | 8,200 | - | 6.07 | NP | 0.00 | 166.18 | 160.11 |
| 06/19/91 | - | - | - | - | - | - | 6.37 | FILM | 0.00 | 166.18 | 159.81 |
| 07/17/91 | - | - | - | - | - | _ | 6.38 | FILM | 0.00 | 166.18 | 159.80 |
| 08/07/91 | - | - | - | - | - | - | 6.63 | FILM | 0.00 | 166.18 | 159.55 |
| 09/24/91 | - | - | - | - | - | | 6.42 | FILM | 0.00 | 166.18 | 159.76 |
| 10/23/91 | - | - | - | - | - | | 7.25 | FILM | 0.00 | 166.18 | 158.93 |
| 11/06/91 | - | - | _ | - | - | <u> </u> | 6.44 | FILM | 0.00 | 166.18 | 159.74 |
| 12/04/91 | - | - | | - | - | _ | 6.65 | FILM | 0.00 | 166.18 | 159.53 |
| 01/29/92 | | - | - | - | - | - | 6.17 | FILM | 0.00 | 166.18 | 160.01 |
| 02/26/92 | - | - | - | - | - | - | 5.90 | FILM | 0.00 | 166.18 | 160.28 |
| 03/19/92 | - | - | - | | - | - | 5.80 | FILM | 0.00 | 166.18 | 160.38 |
| 04/22/92 | - | - | - | - | - | - | 5.88 | FILM | 0.00 | 166.18 | 160.30 |
| 05/21/92 | - | - | - | - | - | _ | 6.03 | FILM | 0.00 | 166.18 | 160.15 |
| 06/25/92 | - | - | - | - | - | - | 6.57 | FILM | 0.00 | 166.18 | 159.61 |
| 07/30/92 | _ | - | <u> </u> | | - | - | 6.20 | FILM | 0.00 | 166.18 | 159.98 |

TABLE 1 GROUNDWATER DATA THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETEI | ks . | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|--------|---------|-----------|--------------|--------|--------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | мтве | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | 44.0 | |
| | | 1 59/ | | (-0) | 1 (-8) | 1 7000 | (xeet) | (100) | (rect) | (feet) | (feet) |
| 08/20/92 | - | - | - | - | - | - | 6.64 | FILM | 0.00 | 166.18 | 159.54 |
| 09/30/92 | - | - | - | - | - | - | 6.88 | FILM | 0.00 | 166.18 | 159.30 |
| 12/23/92 | - | - | - | - | - | _ | 6.08 | FILM | 0.00 | 166.18 | 160.10 |
| 03/10/93 | - | - | - | - | - | - | 5.95 | FILM | 0.00 | 166.18 | 160.23 |
| 06/09/93 | 3,400 | 24 | 22 | <0.5 | 240 | - | 5.38 | NP | 0.00 | 166.18 | 160.80 |
| 09/14/93 | 4,900 | 190 | 15 | 6.8 | 480 | - | 6.26 | NP | 0.00 | 166.18 | 159.92 |
| 12/14/93 | 1,700 | 4.2 | <0.3 | <0.3 | <0.5 | - | 5.22 | NP | 0.00 | 166.18 | 160.96 |
| 03/02/94 | - | - | - | - | - | - | 5.75 | FILM | 0.00 | 166.18 | 160.43 |
| 06/06/94 | 980 | 25 | 1.2 | <0.3 | 42 | - | 5.25 | NP | 0.00 | 166.18 | 160.93 |
| 09/06/94 | 3,200 | 95 | 3.0 | <1.7 | 76 | - | 6.80 | NP | 0.00 | 166.18 | 159.38 |
| 12/07/94 | 510 | 1.8 | <0.3 | <0.5 | 1.7 | - | 5.57 | NP | 0.00 | 166.18 | 160.61 |
| 03/08/95 | 1,900 | <0.5 | <0.5 | 1.4 | 35 | - | 4.10 | NP | 0.00 | 166.18 | 162.08 |
| 06/15/95 | 1,700 | 5.6 | <0.5 | <0.5 | 1.6 | - | 5.44 | NP | 0.00 | 166.18 | 160.74 |
| 09/05/95 | 2,500 | 33 | 1.0 | 0.86 | 18 | | 6.13 | NP | 0.00 | 166.18 | 160.05 |
| 11/21/95 | 2,800 | 130 | 59 | 18 | 190 | - | 6.23 | NP | 0.00 | 166.18 | 159.95 |
| 03/11/96 | 13,000 | 330 | 460 | <15 | 3,800 | - | 4.48 | NP | 0.00 | 166.18 | 161.70 |
| 06/19/96 | 1,400 | <0.3 | <0.3 | <0.3 | <0.5 | - | 5.38 | NP | 0.00 | 166.18 | 160.80 |
| 09/16/96 | 3,500 | <0.3 | <0.3 | <0.3 | <0.5 | 5,900 | 5.21 | NP | 0.00 | 166.18 | 160.97 |
| 12/10/96 | 2,100 | <0.3 | <0.3 | <0.3 | <0.5 | 4,700 | 4.87 | NP | 0.00 | 166.18 | 161.31 |
| 03/12/97 | 600 | 1.6 | <0.3 | <0.3 | 5.8 | 1,100 | 4.43 | NP | 0.00 | 166.18 | 161.75 |
| 06/12/97 | 270 | <0.3 | <0.3 | <0.3 | <0.5 | 630 | - | - | - | _ | - |
| 09/10/97 | 220 | <0.3 | <0.3 | <0.3 | <0.5 | 320 | 4.07 | NP | 0.00 | 166.18 | 162.11 |
| 12/09/97 | 120 | <0.3 | 0.73 | <0.3 | <0.5 | 420 | 5.20 | NP | 0.00 | 166.18 | 160.98 |
| 03/03/98 | <50 | 0.43 | 0.48 | <0.3 | <0.5 | 47 | 3.30 | NP | 0.00 | 166.18 | 162.88 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | - | - | - | _ | _ |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 5.15 | NP | 0.00 | 166.18 | 161.03 |
| 12/30/98 | <50 | 1.1 | <0.3 | <0.3 | <0.5 | <5 | 4.75 | NP | 0.00 | 166.18 | 161.43 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 4.40 | NP | 0.00 | 166.18 | 161.78 |
| 06/22/99 | - | - | - | _ | - | - | 4.50 | NP | 0.00 | 166.18 | 161.68 |
| 09/08/99 | 100 | <0.3 | <0.3 | <0.3 | <0.5 | 230 | 3.99 | NP | 0.00 | 166.18 | 162.19 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 3.62 | NP | 0.00 | 166.18 | 162.56 |
| 03/23/00 | <50 | <0.25 | <0.25 | <0.25 | <0.5 | <5 | 2.93 | NP | 0.00 | 166.18 | 163.25 |
| 06/08/00 | <50 | <5 | <5 . | <5 | <5 | <5 | 3.60 | NP | 0.00 | 166.18 | 162.58 |
| 09/27/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 3.61 | NP | 0.00 | 166.18 | 162.57 |

TABLE 1 GROUNDWATER DATA THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | The Contract | ANALYTICA | L PARAMETER | S that | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|------------|--------------|-----------|----------------|---------------|--------|-------------|----------|-----------|---|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | МТВЕ | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | | | | | (| (,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | (reci) |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 3.60 | NP | 0.00 | 166.18 | 162.58 |
| 03/22/01 | <50 | < 0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.14 | NP | 0.00 | 166.18 | 161.04 |
| 06/15/01 | <50 | < 0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.13 | NP | 0.00 | 166.18 | 161.05 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.90 | NP | 0.00 | 166.18 | 160.28 |
| 12/12/01 | <50 | < 0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 6.20 | NP | 0.00 | 166.18 | 159.98 |
| 03/13/02 | - | - | - | - | - | - | 5.14 | NP | 0.00 | 166.18 | 161.04 |
| 06/12/02 | - | - | - | - | - | - | - | _ | - | - | - |
| 09/18/02 | - | - | - | - | - | - | - | - | _ | - | - |
| 12/18/02 | - | - | - | - | - | - | - | | _ | - | _ |
| 03/19/03 | - | - | - | - | - | - | - | - | - | _ | - |
| 06/11/03 | - | - | - | - | - | · - | - | - | _ | - | _ |
| 09/04/03 | - | - | - | - | - | - | - | - | - | - | - |
| 12/04/03 | - | - | - | - | - | - | 3.20 | NP | 0.00 | 165.61 | 162.41 |
| 03/18/04 | - | - | - | - | - | - | 5.12 | NP | 0.00 | 165.61 | 160.49 |
| 06/09/04 | • | - | <u>-</u> | - | - | - | 4.72 | NP | 0.00 | 165.61 | 160.89 |
| 09/02/04 | - | - | | - | - | - | 6.95 | NP | 0.00 | 165.61 | 158.66 |
| 12/08/04 | - | - | - | - | - | - | 3.63 | NP | 0.00 | 165.61 | 161.98 |
| 03/16/05 | - | - | - | - | - | - | 5.12 | NP | 0.00 | 165.61 | 160.49 |
| 06/01/05 | - | - | - | - | - | - | 4.00 | NP | 0.00 | 165.61 | 161.61 |
| 09/14/05 | - | - | - | - | - | - | 3.97 | NP | 0.00 | 165.61 | 161.64 |
| 12/06/05 | - | - | - | - | - | - | 3.97 | NP | 0.00 | 165.61 | 161.64 |
| 03/15/06 | <u>-</u> | - | - | - | - | - | 4.00 | NP | 0.00 | 165.61 | 161.61 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | ING WELL I | | | Screen Interva | | 1 | 1000 | 100 | 1 | | |
| 04/11/88 | 37,000 | 1,900 | 8,400 | 1,200 | 15,000 | - | - | - | - | - | - |
| 04/09/90 | 45,000 | 6,100 | 7,000 | 2,000 | 8,800 | - | 4.99 | NP | 0.00 | 166.82 | 161.83 |
| 10/30/90 | 72,000 | 7,700 | 5,300 | 1,800 | 8,900 | - | 5.95 | NP | 0.00 | 166.82 | 160.87 |
| 01/18/91 | 150,000 | 11,000 | 14,000 | 1,800 | 4,300 | - | 5.17 | NP | 0.00 | 166.82 | 161.65 |
| 02/12/91 | 140,000 | 11,000 | 12,000 | 1,600 | 13,000 | - | 4.16 | NP | 0.00 | 166.82 | 162.66 |
| 03/20/91 | 53,000 | 3,100 | 4,200 | 400 | 5,500 | _ | 4.75 | NP | 0.00 | 166.82 | 162.07 |
| 05/22/91 | 85,000 | 8,700 | 10,000 | 1,800 | 12,000 | _ | 4.42 | NP | 0.00 | 166.82 | 162.40 |
| 06/19/91 | 110,000 | 8,500 | 9,600 | 2,600 | 16,000 | - | 4.93 | NP | 0.00 | 166.82 | 161.89 |
| 07/17/91 | 5,500 | 950 | ND | 26 | ND | - | 5.19 | NP | 0.00 | 166.82 | 161.63 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | Pin | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|-----------|--------------|--------|-----------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | |
| | | 1 (3-/ | | V-0-/ | (-6-2) | [(4B,27) | (1000) | (roce) | 1 (1007) | (rect) | (feet) |
| 08/07/91 | - | 6,700 | 5,000 | ND | 7,100 | | 5.12 | NP | 0.00 | 166.82 | 161.70 |
| 09/24/91 | 60,000 | 6,800 | 4,300 | 640 | 6,900 | _ | 5.87 | NP | 0.00 | 166.82 | 160.95 |
| 10/23/91 | 79,000 | 7,900 | 8,300 | 450 | 7,100 | | 5.81 | NP | 0.00 | 166.82 | 161.01 |
| 11/06/91 | 130,000 | 14,000 | 15,000 | 1,100 | 8,800 | | 5.56 | NP | 0.00 | 166.82 | 161.26 |
| 12/04/91 | 50,000 | 8,000 | 4,700 | 520 | 4,100 | | 5.35 | NP | 0.00 | 166.82 | 161.47 |
| 01/29/92 | 21,000 | 10,300 | 11,000 | 780 | 6,000 | - | 4.50 | NP | 0.00 | 166.82 | 162.32 |
| 02/26/92 | 38000 | 8,400 | 10,500 | 720 | 7,100 | _ | 5.27 | NP | 0.00 | 166.82 | 161.55 |
| 03/19/92 | 48,000 | 6,200 | 9,700 | 780 | 7,200 | | 4.47 | NP | 0.00 | 166.82 | 162.35 |
| 04/22/92 | - | - | - | - | - | _ | 4.62 | NP | 0.00 | 166.82 | 162.20 |
| 05/21/92 | 20,000 | 7,600 | 10,100 | 830 | 6,900 | _ | 4.98 | NP | 0.00 | 166.82 | 161.84 |
| 06/25/92 | - | - | - | _ | _ | _ | 5.14 | FILM | 0.00 | 166.82 | 161.68 |
| 07/30/92 | - | - | - | - | - | _ | 5.30 | FILM | 0.00 | 166.82 | 161.52 |
| 08/20/92 | - | - | - | _ | - | _ | 5.28 | FILM | 0.00 | 166.82 | 161.54 |
| 09/30/92 | - | - | - | • | - | _ | 5.66 | FILM | 0.00 | 166.82 | 161.16 |
| 12/23/92 | - | - | - | - | _ | _ | 4.81 | FILM | 0.00 | 166.82 | 162.01 |
| 03/10/93 | - | - | - | Ţ. | - | - | 4.13 | FILM | 0.00 | 166.82 | 162.69 |
| 06/09/93 | - | - | - | - | - | - , | 4.48 | FILM | 0.00 | 166.82 | 162.34 |
| 09/14/93 | 19,000 | 3,600 | 1,100 | 740 | 4,300 | - | 5.35 | NP | 0.00 | 166.82 | 161.47 |
| 12/14/93 | 38,000 | 4,300 | 1,300 | <6.6 | 11 | - | 4.38 | NP | 0.00 | 166.82 | 162,44 |
| 03/02/94 | - | - | - | - | - | - | 4.22 | FILM | 0.00 | 166.82 | 162.60 |
| 06/06/94 | - | - | - | - | - | - | 2.16 | FILM | 0.00 | 166.82 | 164.66 |
| 09/06/94 | 74,000 | 3,300 | 3,900 | 1,200 | 6,100 | _ | 5.00 | NP | 0.00 | 166.82 | 161.82 |
| 12/07/94 | 30,000 | 3,200 | 2,900 | 1,200 | 4,600 | - | 4.10 | NP | 0.00 | 166.82 | 162.72 |
| 03/08/95 | 28,000 | 4,200 | 2,300 | 810 | 7,800 | - | 3.92 | NP | 0.00 | 166.82 | 162.90 |
| 06/15/95 | - | - | - | - | - | - | - | - | • | - | - |
| 09/05/95 | - | | - | - | - | - | 4.78 | FILM | 0.00 | 166.82 | 162.04 |
| 11/21/95 | <u>-</u> | - | - | - | , | | 4.82 | NP | 0.00 | 166.82 | 162.00 |
| 03/11/96 | 270 | 2.4 | 6.0 | 4.5 | 19 | - | 3.32 | NP | 0.00 | 166.82 | 163.50 |
| 06/19/96 | 3,000 | 570 | 63 | <1.5 | 400 | - | 4.20 | NP | 0.00 | 166.82 | 162.62 |
| 09/16/96 | 7,700 | 440 | 69 | <1.5 | 680 | 230 | 4.68 | NP | 0.00 | 166.82 | 162.14 |
| 12/10/96 | 52 | <0.3 | <0.3 | <0.3 | <0.5 | 120 | 4.93 | NP | 0.00 | 166.82 | 161.89 |
| 03/12/97 | 8,700 | 180 | 5.4 | 40 | 1,100 | 130 | 4.10 | NP | 0.00 | 166.82 | 162.72 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 36 | - | - | - | - | |
| 09/16/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 4.55 | NP | 0.00 | 166.82 | 162.27 |

TABLE 1 GROUNDWATER DATA THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | IL PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|------------|---------|-----------|--------------|--------|--------|-------------|--------------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| 1911 | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | |
| | \ <u>\</u> | | (0) | <u> </u> | (46-2) | (45.0) | (1001) | (ICCE) | L (tect) | (1ect) | (feet) |
| 12/09/97 | <50 | <0.3 | 0.44 | <0.3 | <0.5 | <20 | 5.30 | NP | 0.00 | 166.82 | 161.52 |
| 03/03/98 | 1,100 | 13 | 0.51 | <0.3 | <0.5 | 220 | 4.55 | NP | 0.00 | 166.82 | 162.27 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | - | - | - 0.00 | 100.82 | 102.27 |
| 09/10/98 | 60 | <0.3 | <0.3 | <0.3 | <0.5 | 180 | 6.05 | NP | 0.00 | 166.82 | 160.77 |
| 12/30/98 | <50 | 1.1 | <0.3 | <0.3 | <0.5 | · <5 | 5.65 | NP | 0.00 | 166.82 | 161.17 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 5.68 | NP | 0.00 | 166.82 | 161.14 |
| 06/22/99 | 880 | 14 | 0.98 | <0.3 | 8.1 | 260 | 4.95 | NP | 0.00 | 166.82 | 161.87 |
| 09/08/99 | 72 | <0.3 | <0.3 | <0.3 | <0.5 | 120 | 4.46 | NP | 0.00 | 166.82 | 162.36 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 4.08 | NP | 0.00 | 166.82 | 162.74 |
| 03/23/00 | <50 | <0.25 | <0.25 | <0.25 | <0.5 | <5 | 3.68 | NP | 0.00 | 166.82 | 163.14 |
| 06/08/00 | <50 | <5 | <5 | <5 | <5 | <5 | 4.07 | NP | 0.00 | 166.82 | 162.75 |
| 09/27/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.07 | NP | 0.00 | 166.82 | 162.75 |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.06 | NP | 0.00 | 166.82 | 162.76 |
| 03/22/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.22 | NP | 0.00 | 166.82 | 161.60 |
| 06/15/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.99 | NP | 0.00 | 166.82 | 160.83 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.84 | NP | 0.00 | 166.82 | 161.98 |
| 12/12/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.80 | NP | 0.00 | 166.82 | 162.02 |
| 03/13/02 | - | - | - | - | - | - | 5.18 | NP | 0.00 | 166.82 | 161.64 |
| 06/12/02 | - | - | - | - | 1 | - | - | - | - | - | - |
| 09/18/02 | <u>-</u> | - | - | - | - | - | - | - | - | - | - |
| 12/18/02 | - | - | - | - | - | - | - | - | - | - | • |
| 03/19/03 | - | | - | - | - | - | - | - | - | - | - |
| 06/11/03 | - | - | - | - | - | - | - | - | - | - | - |
| 09/04/03 | - | - | - | - | - | - | - | - | - | - | - |
| 12/04/03 | - | - | - | - | - | _ | 4.50 | NP | 0.00 | 166.46 | 161.96 |
| 03/18/04 | | - | - | - | - | - | 5.64 | NP | 0.00 | 166.46 | 160.82 |
| 06/09/04 | - | - | | - | - | - | 5.65 | NP | 0.00 | 166.46 | 160.81 |
| 09/02/04 | - | - | - | - | - | - | 5.45 | NP | 0.00 | 166.46 | 161.01 |
| 12/08/04 | - | - | - | - | - | _ | 4.64 | NP | 0.00 | 166.46 | 161.82 |
| 03/16/05 | - | - | - | - | - | - | 6.79 | NP | 0.00 | 166.46 | 159.67 |
| 06/01/05 | | - | - | - | _ | - | 4.43 | NP | 0.00 | 166.46 | 162.03 |
| 09/14/05 | - | - | - | - | - | _ | 5.64 | NP | 0.00 | 166.46 | 160.82 |
| 12/06/05 | _ | - | - | - | - | - | 5.64 | NP | 0.00 | 166.46 | 160.82 |
| 03/15/06 | - | - | - | - | - | - | 4.44 | NP | 0.00 | 166.46 | 162.02 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | 100 | ANALYTICA | L PARAMETER | S | 777 | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|-----------|----------------|-----------------|----------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | | <u> </u> | | V-7/ | (400.7) | (rect) | (icci) |
| MONITOR | ING WELL | #RE-2 | | Screen Interva | l = 5 to 17 fee | et . | | | | | |
| 04/11/88 | - | - | - | - | - | · - | - | - | _ | - | _ |
| 04/09/90 | 850 | 5.8 | 0.5 | 4.8 | 1.1 | - | 4.90 | NP | 0.00 | 167.19 | 162.29 |
| 10/30/90 | 440 | 2.8 | 0.91 | 13 | 3.14 | - | 5.34 | NP | 0.00 | 167.19 | 161.85 |
| 01/18/91 | 1,100 | 8.4 | 3.1 | ND | 10 | - | 4.90 | NP | 0.00 | 167.19 | 162.29 |
| 02/12/91 | 1,100 | 5.9 | ND | 1.77 | ND | - | 4.94 | NP | 0.00 | 167.19 | 162.25 |
| 03/20/91 | 550 | 4.3 | ND | ND | ND | - | 4.32 | NP | 0.00 | 167.19 | 162.87 |
| 05/22/91 | 1,000 | 5.3 | 3.6 | 4.4 | 8.9 | - | 4.43 | NP | 0.00 | 167.19 | 162.76 |
| 06/19/91 | 700 | 2.1 | 1.4 | 3.8 | 3.5 | _ | 6.43 | NP | 0.00 | 167.19 | 160.76 |
| 07/17/91 | 880 | 12 | 8.0 | 4.3 | 28 | - | 4.75 | NP | 0.00 | 167.19 | 162.44 |
| 08/07/91 | - | 3.8 | 1.6 | ND | ND | - | 4.87 | NP | 0.00 | 167.19 | 162.32 |
| 09/24/91 | 670 | 7.2 | 7.1 | ND | 23 | - | 5.50 | NP | 0.00 | 167.19 | 161.69 |
| 10/23/91 | 2,700 | 52 | 60 | 22 | 130 | - | 5.63 | NP | 0.00 | 167.19 | 161.56 |
| 11/06/91 | 1,900 | 18 | 61 | 9.1 | 83 | - | 5.14 | NP | 0.00 | 167.19 | 162.05 |
| 12/04/91 | 1,100 | 26 | 47 | 4.3 | 42 | - | 5.26 | NP | 0.00 | 167.19 | 161.93 |
| 01/29/92 | 900 | 14 | 24 | 5.3 | 19 | - | 5.11 | NP | 0.00 | 167.19 | 162.08 |
| 02/26/92 | 500 | 3.4 | 3.5 | 2.7 | 2.7 | - | 4.31 | NP | 0.00 | 167.19 | 162.88 |
| 03/19/92 | 1,200 | 14 | 20 | 15 | 18 | | 4.45 | NP | 0.00 | 167.19 | 162.74 |
| 04/22/92 | 200 | ND | ND | ND | ND | <u>-</u> | 4.78 | NP | 0.00 | 167.19 | 162.41 |
| 05/21/92 | 500 | 7.5 | 6.8 | 3.9 | 7.4 | - | 5.02 | NP | 0.00 | 167.19 | 162.17 |
| 06/25/92 | ND | ND | 0.9 | 0.7 | ND | _ | 5.13 | NP | 0.00 | 167.19 | 162.06 |
| 07/30/92 | 500 | 7.7 | 8.6 | 3.2 | 1.7 | - | 5.19 | NP | 0.00 | 167.19 | 162.00 |
| 08/20/92 | 1,100 | 6.6 | 4.5 | 2.7 | 2.0 | - | 5.27 | NP | 0.00 | 167.19 | 161.92 |
| 09/30/92 | 500 | 5.4 | 2.4 | 1.8 | 4.5 | - | 5.45 | NP | 0.00 | 167.19 | 161.74 |
| 12/23/92 | 800 | 1.9 | ND | ND | 2.3 | _ | 4.60 | NP | 0.00 | 167.19 | 162.59 |
| 03/10/93 | 1,200 | ND | 1.4 | ND | 2.1 | - | 4.18 | NP | 0.00 | 167.19 | 163.01 |
| 06/09/93 | 200 | ND | ND | ND | ND | - | 4.53 | NP | 0.00 | 167.19 | 162.66 |
| 09/17/93 | 360 | 1.6 | 1.1 | 3.2 | 8.9 | - | 5.26 | NP | 0.00 | 167.19 | 161.93 |
| 12/14/93 | 260 | 5.6 | 3.9 | <0.3 | 21.0 | - | 2.75 | NP | 0.00 | 167.19 | 164.44 |
| 03/02/94 | 410 | <0.3 | <0.3 | <0.3 | <0.5 | - | 4.27 | NP | 0.00 | 167.19 | 162.92 |
| 06/06/94 | 760 | 4.6 | <0.3 | 0.32 | 1.3 | - | 4.88 | NP | 0.00 | 167.19 | 162.31 |
| 09/06/94 | 1,300 | 43 | 45 | 8.9 | 69 | _ | 5.16 | NP | 0.00 | 167.19 | 162.03 |
| 12/07/94 | - | - | - | - | - | - | 4.16 | NP | 0.00 | 167.19 | 163.03 |
| 03/08/95 | <100 | <0.5 | <0.5 | <0.5 | <1 | • | 3.96 | NP | 0.00 | 167.19 | 163.23 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTIC | L PARAMETER | S | 2.00 | Т БЕРТН ТО | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|--------|----------|-----------|--------------|--------|--------------|-------------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | 100 |
| 100 | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | | | | ELEVATION |
| | (-0-/ | 1 (5-/ | 1 (45,17) | I (46.27 | (ug)D) | 1 (ug/L) | (ICCI) | (feet) | (feet) | (feet) | (feet) |
| 06/15/95 | 130 | <0.5 | <0.5 | <0.5 | <1 | _ | 4.52 | NP | 0.00 | 167.19 | 162.67 |
| 09/05/95 | 210 | <0.5 | <0.5 | <0.5 | <1 | - | 4.76 | NP | 0.00 | 167.19 | 162.43 |
| 11/21/95 | 160 | 0.65 | <0.3 | 0.35 | 0.95 | - | 4.83 | NP | 0.00 | 167.19 | 162.36 |
| 03/11/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | - | 3.36 | NP | 0.00 | 167.19 | 163.83 |
| 06/19/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | _ | 4.68 | NP | 0.00 | 167.19 | 162.51 |
| 09/16/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 5.10 | NP | 0.00 | 167.19 | 162.09 |
| 12/10/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 4.47 | NP | 0.00 | 167.19 | 162.72 |
| 03/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 4.05 | NP | 0.00 | 167.19 | 163.14 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | _ | - | - | - | 105.14 |
| 09/10/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 4.08 | NP | 0.00 | 167.19 | 163.11 |
| 12/09/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 4.40 | NP | 0.00 | 167.19 | 162.79 |
| 03/03/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 3.30 | NP | 0.00 | 167.19 | 163.89 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 15 | - | _ | - | - | - |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 4.93 | NP | 0.00 | 167.19 | 162.26 |
| 12/30/98 | 460 | 0.92 | <0.3 | <0.3 | <0.5 | 1,400 | 4.20 | NP | 0.00 | 167.19 | 162.99 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 4.20 | NP | 0.00 | 167.19 | 162.99 |
| 06/22/99 | 2,900 | 7.4 | <0.3 | 0.43 | 4.1 | 4,500 | 3.70 | NP | 0.00 | 167.19 | 163.49 |
| 09/08/99 | 1,400 | <3 | <3 | <3 | <5 | 3,200 | 3.96 | NP | 0.00 | 167.19 | 163.23 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 3.58 | NP | 0.00 | 167.19 | 163.61 |
| 03/23/00 | <50 | <0.25 | <0.25 | <0.25 | <0.5 | <5 | 3.19 | NP | 0.00 | 167.19 | 164.00 |
| 06/08/00 | <50 | <5 | <5 | <5 | <5 | <5 | 3.18 | NP | 0.00 | 167.19 | 164.01 |
| 09/27/00 | <50 | <0.18 | <0.14 | <0.18 | < 0.26 | <0.24 | 3.58 | NP | 0.00 | 167.19 | 163.61 |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 3.58 | NP | 0.00 | 167.19 | 163.61 |
| 03/22/01 | 575 | <0.18 | 1.3 | <0.18 | <0.26 | *950 / 2,070 | 4.33 | NP | 0.00 | 167.19 | 162.86 |
| 06/15/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.10 | NP | 0.00 | 167.19 | 162.09 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.86 | NP | 0.00 | 167.19 | 161.33 |
| 12/12/01 | <50 | < 0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.81 | NP | 0.00 | 167.19 | 162.38 |
| 03/13/02 | - | <u>-</u> | - | 1 | - | - | 4.33 | NP | 0.00 | 167.19 | 162.86 |
| 06/12/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.86 | NP | 0.00 | 167.19 | 161.33 |
| 09/18/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.86 | NP | 0.00 | 167.19 | 161.33 |
| 12/18/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.48 | NP | 0.00 | 167.19 | 161.71 |
| 03/19/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 5.86 | NP | 0.00 | 167.19 | 161.33 |
| 06/11/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 5.86 | NP | 0.00 | 167.19 | 161.33 |
| 09/04/03 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 5.48 | NP | 0.00 | 167.19 | 161.71 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | AL PARAMETER | S | • | - DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|-----------|----------|-----------|----------------|-----------------|------------------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | | | |
| | (481) | 1 (46 0) | (46/2) | (4812) | (ug)L) | (ug/L) | (Jeel) | (1ect) | (feet) | (feet) | (feet) |
| 12/04/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 3.20 | NP | 0.00 | 166.61 | 163.41 |
| 03/18/04 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | 8.4 | 4.33 | NP | 0.00 | 166.61 | 162.28 |
| 06/09/04 | <15 | <0.14 | <0.16 | <0.18 | <0.45 | 8.4 | 4.32 | NP | 0.00 | 166.61 | 162.29 |
| 09/02/04 | 877 | 2.3 | 2.2 | 5.8 | 4.0 | *743 / 516 | 5.12 | NP | 0.00 | 166.61 | 161.49 |
| 12/08/04 | 194,000 | 1,960 | 26,900 | 4,660 | 23,200 | *10,700 / 13,000 | 3.65 | NP | 0.00 | 166.61 | 162.96 |
| 03/16/05 | 50,600 | 901 | 10,100 | 130 J | 12,100 | 4,040 | 5.47 | NP | 0.00 | 166.61 | 161.14 |
| 06/01/05 | 23,300 | 519 | 3,370 | <7 | 7,180 | 3,800 | 3.95 | NP | 0.00 | 166.61 | 162.66 |
| 09/14/05 | 14,000 | 22 | 15 J | <2.4 | 3,930 | 2,420 | 4.32 | NP | 0.00 | 166.61 | 162.29 |
| 12/06/05 | 140 | <0.32 | <0.10 | <0.24 | <0.3 | 34 | 3.55 | NP | 0.00 | 166.61 | 163.06 |
| 03/15/06 | 57 | <0.32 | <0.10 | <0.24 | <0.30 | 31 | 3.95 | NP | 0.00 | 166.61 | 162.66 |
| | | | | | | | 3.73 | 111 | 0.00 | 100.01 | 102.00 |
| **** | L, | | | I | | | | | <u> </u> | <u> </u> | |
| MONITOR | ING WELL: | #RE-3 | | Screen Interva | l = 5 to 18 fee | et | | | | | |
| 04/11/88 | 70,000 | 6,600 | 5,300 | 800 | 13,000 | - | - | - | _ | - | _ |
| 04/09/90 | 370,000 | 2,300 | 4,900 | 3,200 | 31,000 | - | 7.15 | NP | 0.00 | 167.39 | 160.24 |
| 10/30/90 | 13,000 | 860 | 660 | 220 | 2,210 | - | 7.84 | NP | 0.00 | 167.39 | 159.55 |
| 01/18/91 | 42,000 | 4,700 | 4,500 | 21 | 7,700 | - | 6.90 | NP | 0.00 | 167.39 | 160.49 |
| 02/12/91 | 72,000 | 3,600 | 4,500 | ND | 7,600 | - | 6.62 | NP | 0.00 | 167.39 | 160.77 |
| 03/20/91 | 65,000 | 2,400 | 9,400 | 50 | 9,800 | _ | 5.87 | NP | 0.00 | 167.39 | 161.52 |
| 05/22/91 | - | - | - | - | _ | _ | 5.98 | FILM | 0.00 | 167.39 | 161.41 |
| 06/19/91 | - | - | - | - | - | <u>-</u> | 6.84 | FILM | 0.00 | 167.39 | 160.55 |
| 07/17/91 | - | - | • | - | - | - | 7.10 | FILM | 0.00 | 167.39 | 160,29 |
| 08/07/91 | • | - | - | - | - | - | 7.30 | FILM | 0.00 | 167.39 | 160.09 |
| 09/24/91 | - | - | 1 | - | - | | 7.84 | FILM | 0.00 | 167.39 | 159.55 |
| 10/23/91 | - | - | | - | | - | 8.07 | FILM | 0.00 | 167.39 | 159.32 |
| 11/06/91 | | - | - | - | • | - | 7.63 | FILM | 0.00 | 167.39 | 159.76 |
| 12/04/91 | - | - | • | - | - | - | 7.83 | FILM | 0.00 | 167.39 | 159.56 |
| 01/29/92 | - | - | - | - | - | - | 7.17 | FILM | 0.00 | 167.39 | 160.22 |
| 02/26/92 | - | - | - | - | - | - | 5.56 | FILM | 0.00 | 167.39 | 161.83 |
| 03/19/92 | - | - | - | - | - | - | 5.44 | FILM | 0.00 | 167.39 | 161.95 |
| 04/22/92 | - | - | - | - | - | - | 6.56 | FILM | 0.00 | 167.39 | 160.83 |
| 05/21/92 | _ | - | - | - | - | - | 6.90 | FILM | 0.00 | 167.39 | 160.49 |
| 06/25/92 | - | - | - | - | - | - | 7.18 | FILM | 0.00 | 167.39 | 160.21 |
| 07/30/92 | <u>-</u> | - | - | - | • | - | 6.80 | FILM | 0.00 | 167.39 | 160.59 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTIC | AL PARAMETER | S. T. | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|--------|----------|----------|--------------|--------|------------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | | 1.0 |
| | | <u> </u> | 1 . 5 | | 1 19-7 | 1 (96.2) | (deci) | (ICCC) | (Icci) | (feet) | (feet) |
| 08/20/92 | - | _ | - | - | _ | - | 7.25 | FILM | 0.00 | 167.39 | 160.14 |
| 09/30/92 | - | - | - | - | - | - | 7.68 | FILM | 0.00 | 167.39 | 159.71 |
| 12/23/92 | - | - | - | - | - | - | 6.07 | FILM | 0.00 | 167.39 | 161.32 |
| 03/10/93 | - | - | - | - | - | - | 5.66 | FILM | 0.00 | 167.39 | 161.73 |
| 06/09/93 | _ | - | - | - | - | - | 6.66 | FILM | 0.00 | 167.39 | 160.73 |
| 09/14/93 | 40,000 | 2,900 | 1,500 | 180 | 6,900 | - | 7.30 | NP | 0.00 | 167.39 | 160.09 |
| 12/14/93 | - | - | - | - | - | - | 5.95 | NP | 0.00 | 167.39 | 161.44 |
| 03/02/94 | - | - | - | - | - | - | 5.08 | NP | 0.00 | 167.39 | 162.31 |
| 06/06/94 | - | - | - | - | - | - | 6.35 | FILM | 0.00 | 167.39 | 161.04 |
| 09/06/94 | 11,000 | 260 | 26 | <6.6 | 1,000 | - | 7.50 | NP | 0.00 | 167.39 | 159.89 |
| 12/07/94 | - | _ | - | - | - | - | 5.48 | FILM | 0.00 | 167.39 | 161.91 |
| 03/08/95 | - | - | - | - | - | - | 5.18 | FILM | 0.00 | 167.39 | 162.21 |
| 06/15/95 | - | _ | - | - | - | - | | _ | - | - | 102.21 |
| 09/05/95 | - | - | - | - | - | - | 6.84 | FILM | 0.00 | 167.39 | 160.55 |
| 11/21/95 | 10,000 | 210 | <3 | 4.5 | 330 | - | 7.38 | NP | 0.00 | 167.39 | 160.01 |
| 03/11/96 | 1,600 | 640 | 15 | 10 | 46 | - | 4.85 | NP | 0.00 | 167.39 | 162.54 |
| 06/19/96 | 2,100 | 280 | <3 | <3 | 120 | - | 5.80 | NP | 0.00 | 167.39 | 161.59 |
| 09/16/96 | 140 | <0.3 | <0.3 | <0.3 | <0.5 | 110 | 4.50 | NP | 0.00 | 167.39 | 162.89 |
| 12/10/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 5.35 | NP | 0.00 | 167,39 | 162,04 |
| 03/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 3.48 | NP | 0.00 | 167.39 | 163.91 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | 0.58 | <20 | - | - | - | - | - |
| 09/10/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 3.10 | NP | 0.00 | 167.39 | 164.29 |
| 12/09/97 | 3,600 | 1,000 | 1,000 | <6 | 570 | 260 | 4.55 | NP | 0.00 | 167.39 | 162.84 |
| 03/03/98 | 2,800 | 20 | 0.65 | 0.39 | 16 | 5,600 | 2.30 | NP | 0.00 | 167.39 | 165.09 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | - | - | - | - | - |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 23 | 4.95 | NP | 0.00 | 167.39 | 162.44 |
| 12/30/98 | <50 | 1.1 | <0.3 | <0.3 | <0.5 | <5 | 4.55 | NP | 0.00 | 167.39 | 162.84 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 4.15 | NP | 0.00 | 167.39 | 163.24 |
| 06/22/99 | 670 | 17 | 1.2 | 0.36 | 1.7 | 340 | 3.85 | NP | 0.00 | 167.39 | 163.54 |
| 09/08/99 | 140 | 0.72 | <0.3 | <0.3 | <0.5 | 230 | 2.63 | NP | 0.00 | 167.39 | 164.76 |
| 12/01/99 | 95 | <0.3 | <0.3 | <0.3 | <0.5 | 200 | 2.63 | NP | 0.00 | 167.39 | 164.76 |
| 03/23/00 | 315 | <0.25 | <0.25 | <0.25 | <0.5 | *293/422 | 2.25 | NP | 0.00 | 167.39 | 165.14 |
| 06/08/00 | <100 | <5 | <5 | <5 | <5 | 201 | 3.02 | NP | 0.00 | 167.39 | 164.37 |
| 09/27/00 | 154 | <0.18 | <0.14 | <0.18 | <0.26 | *254 / 160 | 3.01 | NP | 0.00 | 167.39 | 164.38 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|-----------|----------------|---------------|----------------|-------------|----------|-----------|------------------|------------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | | |
| | | | 1 | | V-8/ | (-6.2) | (Xeer) | (RCI) | (reet) | (feet) | (feet) |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | *124 / 111 | 3.02 | NP | 0.00 | 167.20 | 16400 |
| 03/22/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | *90 / 57 | 4.54 | NP | 0.00 | 167.39 167.39 | 164.37 |
| 06/15/01 | 649 | 28 | 2.4 | 3.1 | 9 | *1,790 / 2,560 | 4.92 | NP | 0.00 | 167.39 | 162.85 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.80 | NP | 0.00 | 167.39 | 162.47 159.59 |
| 12/12/01 | <50 | < 0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.35 | NP | 0.00 | 167.39 | 160.04 |
| 03/13/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.53 | NP | 0.00 | 167.39 | 162.86 |
| 06/12/02 | 969 | <0.18 | 1.0 | <0.18 | <0.26 | 1,430 | 4.90 | NP | 0.00 | 167.39 | 162.49 |
| 09/18/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.28 | NP | 0.00 | 167.39 | 162.11 |
| 12/18/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.52 | NP | 0.00 | 167.39 | 162.87 |
| 03/19/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 5.67 | NP | 0.00 | 167.39 | 161.72 |
| 06/11/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 5.67 | NP | 0.00 | 167.39 | 161.72 |
| 09/04/03 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 5.26 | NP | 0.00 | 167.39 | 162.13 |
| 12/04/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 2.59 | NP | 0.00 | 166.69 | 164.10 |
| 03/18/04 | 57 | <0.22 | 1.7 J | <0.31 | <0.4 | 13 | 4.50 | NP | 0.00 | 166.69 | 162.19 |
| 06/09/04 | 7,950 | 39 | 21 | <1.8 | 20 | 4,590 | 5.85 | NP | 0.00 | 166.69 | 160.84 |
| 09/02/04 | 9,560 | 982 | 65 | 77 | 86 | *5,950 / 4,360 | 6.30 | NP | 0.00 | 166.69 | 160.39 |
| 12/08/04 | 233 | 1.3 | 3.9 | 1.7 | 2.6 | *72 / 80 | 4.48 | NP | 0.00 | 166.69 | 162.21 |
| 03/16/05 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 6.80 | NP | 0.00 | 166.69 | 159.89 |
| 06/01/05 | 1,710 | 3.7 | <1.1 | <0.7 | 9.2 | 20,100 | 2.62 | NP | 0.00 | 166.69 | 164.07 |
| 09/14/05 | <2.9 | <0.32 | < 0.10 | <0.24 | <0.30 | <0.63 | 4.51 | NP | 0.00 | 166.69 | 162.18 |
| 12/06/05 | <2.9 | <0.32 | <0.10 | <0.24 | <0.3 | <0.63 | 4.88 | NP | 0.00 | 166.69 | 161.81 |
| 03/15/06 | <5.6 | <0.32 | <0.10 | <0.24 | <0.30 | < 0.63 | 2.64 | NP | 0.00 | 166.69 | 164.05 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | ING WELL | | | Screen Interva | = 5 to 15 fee | ď | | 100 | 1000 | | |
| 04/11/88 | 15,000 | 12,000 | 8,000 | 1,000 | 2,700 | - | - | - | - | - | - |
| 04/09/90 | - | - | - | - | - | - | - | - | - | - | - |
| 10/30/90 | 87,000 | 7,200 | 10,000 | 1,600 | 12,900 | - | 7.04 | NP | 0.00 | 166.94 | 159.90 |
| 01/18/91 | 70,000 | 5,000 | 5,400 | 790 | 9,900 | - | 11.62 | NP | 0.00 | 166.94 | 155.32 |
| 02/12/91 | 87,000 | 5,200 | 2,800 | 240 | 11,000 | - | 11.63 | NP | 0.00 | 166.94 | 155.31 |
| 03/20/91 | 6,500 | 370 | 230 | 17 | 670 | - | 11.61 | NP | 0.00 | 166.94 | 155.33 |
| 05/22/91 | - | - | - | - | <u>-</u> | - | 10.30 | FILM | 0.00 | 166.94 | 156.64 |
| 06/19/91 | - | - | - | - | - | - | 11.10 | FILM | 0.00 | 166.94 | 155.84 |
| 07/17/91 | - | - | - | - | - | - | 6.20 | FILM | 0.00 | 166.94 | 160.74 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|-----------|--------------|--------|--------|---|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | <u> </u> | 1 | <u> </u> | | (C / | | λ / / / · · · · · · · · · · · · · · · · | V-7/ | (000) | (1001) | (roct) |
| 08/17/91 | - | _ | - | - | - | - | 8.15 | FILM | 0.00 | 166.94 | 158.79 |
| 09/24/91 | | - | - | - | - | - | 10.40 | FILM | 0.00 | 166.94 | 156.54 |
| 10/23/91 | - | - | - | - | _ | - | 11.20 | FILM | 0.00 | 166.94 | 155.74 |
| 11/06/91 | - | - | - | - | - | - | 6.62 | FILM | 0.00 | 166.94 | 160.32 |
| 12/04/91 | - | - | - | - | - | - | 11.20 | ILM | 0.00 | 166.94 | 155.74 |
| 01/29/92 | - | - | - | - | - | - | 7.72 | FILM | 0.00 | 166.94 | 159.22 |
| 02/26/92 | - | - | - | - | - | - | 5.13 | FILM | 0.00 | 166.94 | 161.81 |
| 03/19/92 | · - | - | - | - | - | - | 5.00 | FILM | 0.00 | 166.94 | 161.94 |
| 04/22/92 | - | - | - | - | - | - | 5.94 | FILM | 0.00 | 166.94 | 161.00 |
| 05/21/92 | - | - | - | - | - | - | 5.40 | FILM | 0.00 | 166.94 | 161.54 |
| 06/25/92 | - | - | - | - | _ | - | 5.71 | FILM | 0.00 | 166.94 | 161.23 |
| 07/30/92 | - | - | - | - | - | - | 6.33 | FILM | 0.00 | 166.94 | 160.61 |
| 08/20/92 | - | - | - | - | - | - | 5.80 | FILM | 0.00 | 166.94 | 161.14 |
| 09/30/92 | - | - | - | - | - | - | 6.34 | FILM | 0.00 | 166.94 | 160.60 |
| 12/23/92 | - | - | - | - | - | - | 5.50 | FILM | 0.00 | 166.94 | 161.44 |
| 03/10/93 | - | - | - | - | - | - | 4.67 | FILM | 0.00 | 166.94 | 162.27 |
| 06/09/93 | - | - | - | - | - | - | 5.12 | FILM | 0.00 | 166.94 | 161.82 |
| 09/14/93 | - | - | - | - | - | - | 10.44 | NP | 0.00 | 166.94 | 156.50 |
| 12/14/93 | | - | - | - | - | - | 7.52 | NP | 0.00 | 166.94 | 159.42 |
| 03/02/94 | - | - | - | - | - | - | 4.85 | NP | 0.00 | 166.94 | 162.09 |
| 06/06/94 | | - | - | - | - | - | 5.20 | FILM | 0.00 | 166.94 | 161.74 |
| 09/06/94 | - | - | - | - | - | - | 9.85 | FILM | 0.00 | 166.94 | 157.09 |
| 12/07/94 | - | - | | | - | - | 5.20 | FILM | 0.00 | 166.94 | 161.74 |
| 03/08/95 | - | - | - | - | | - | 4.98 | FILM | 0.00 | 166.94 | 161.96 |
| 06/15/95 | - | - | - | - | - | - | - | - | <u>-</u> | - | - |
| 09/05/95 | - | - | - | <u>-</u> | - | - | 13.72 | FILM | 0.00 | 166.94 | 153.22 |
| 11/21/95 | 32,000 | 46 | 21 | 66 | 340 | - | 12.53 | NP | 0.00 | 166,94 | 154.41 |
| 03/11/96 | 1,700 | 130 | 15 | 2.0 | 120 | - | 4.72 | NP | 0.00 | 166.94 | 162.22 |
| 06/19/96 | 1,700 | 230 | 30 | 0.35 | 100 | - | 5.40 | NP | 0.00 | 166.94 | 161.54 |
| 09/16/96 | 510 | <0.3 | 0.73 | <0.3 | <0.5 | 800 | 5.18 | NP | 0.00 | 166.94 | 161.76 |
| 12/10/96 | 520 | <0.3 | <0.3 | <0.3 | <0.5 | 1,000 | 4.65 | NP | 0.00 | 166.94 | 162,29 |
| 03/12/97 | 420 | 3.2 | <0.3 | <0.3 | 11 | 370 | 3.87 | NP | 0.00 | 166.94 | 163.07 |
| 06/12/97 | 510 | 0.66 | <0.3 | <0.3 | <0.5 | 1,600 | - | - | _ | - | - |
| 09/10/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 5.40 | NP | 0.00 | 166.94 | 161.54 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | ДЕРТН ТО | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|---------|---------|-----------|--------------|----------|------------------|-----------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | МТВЕ | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | 15.0 |
| | | V-8-/ | 1 (-0.4) | (-9-/ | 1 \40.27 | 1 (380) | (sect) | (ICC) | (rec) | (rect) | (feet) |
| 12/09/97 | 1,400 | 330 | 2.3 | <0.3 | 1.5 | 2,500 | 4.60 | NP | 0.00 | 166.94 | 162.34 |
| 03/03/98 | 3,000 | 400 | 0.61 | 0.5 | 97 | 3,800 | 5.05 | NP | 0.00 | 166.94 | 161.89 |
| 07/08/98 | 650 | <0.3 | <0.3 | <0.3 | <0.5 | 1,800 | - | _ | - | - | - |
| 09/10/98 | 2,700 | <0.3 | <0.3 | <0.3 | 1.4 | 7,600 | 4.60 | NP | 0.00 | 166.94 | 162.34 |
| 12/30/98 | 530 | <0.3 | <0.3 | <0.3 | <0.5 | 1,500 | 4.20 | NP | 0.00 | 166.94 | 162.74 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 3.85 | NP | 0.00 | 166.94 | 163.09 |
| 06/22/99 | 1,200 | 23 | 1.5 | <0.3 | 2.4 | 1,400 | 3.90 | NP | 0.00 | 166.94 | 163.04 |
| 09/08/99 | 590 | 1.5 | <0.6 | <0.6 | <1 | 1,100 | 5.72 | NP | 0.00 | 166.94 | 161.22 |
| 12/01/99 | 540 | <0.3 | <0.3 | <0.3 | <0.5 | 880 | 5.34 | NP | 0.00 | 166.94 | 161.60 |
| 03/23/00 | <50 | <0.25 | <0.25 | <0.25 | <0.5 | <5 | 5.36 | NP | 0.00 | 166.94 | 161.58 |
| 06/08/00 | 67 | <5 | . <5 | <5 | <5 | <5 | 5.34 | NP | 0.00 | 166.94 | 161.60 |
| 09/27/00 | <50 | <0.18 | < 0.14 | <0.18 | <0.26 | <0.24 | 5.35 | NP | 0.00 | 166.94 | 161.59 |
| 12/13/00 | <50 | <0.18 | < 0.14 | <0.18 | <0.26 | <0.24 | 5.71 | NP | 0.00 | 166.94 | 161.23 |
| 03/22/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.19 | NP | 0.00 | 166.94 | 162.75 |
| 06/15/01 | 409 | 18 | 2 | 2 | 5 | *1,060 / 1,480 | 4.57 | NP | 0.00 | 166.94 | 162.37 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 6.10 | NP | 0.00 | 166.94 | 160.84 |
| 12/12/01 | <50 | <0.18 | < 0.14 | <0.18 | 3 | *7/3.7 | 4.95 | NP | 0.00 | 166.94 | 161.99 |
| 03/13/02 | 511 | 3 | 3 | <0.18 | 2 | 519 | 4.17 | NP | 0.00 | 166.94 | 162.77 |
| 06/12/02 | 380 | 2 | 2 | 1 | 2 | 479 | 4.93 | NP | 0.00 | 166.94 | 162.01 |
| 09/18/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.32 | NP | 0.00 | 166.94 | 161.62 |
| 12/18/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.93 | NP | 0.00 | 166.94 | 162.01 |
| 03/19/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 5.32 | NP | 0.00 | 166.94 | 161.62 |
| 06/11/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 5.32 | NP | 0.00 | 166.94 | 161.62 |
| 09/04/03 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 4.93 | NP | 0.00 | 166.94 | 162.01 |
| 12/04/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 4.93 | NP | 0.00 | 166.23 | 161.30 |
| 03/18/04 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | 1.1 | 4.93 | NP | 0.00 | 166.23 | 161.30 |
| 06/09/04 | <15 | < 0.14 | <0.16 | <0.18 | <0.45 | <0.22 | 4.56 | NP | 0.00 | 166.23 | 161.67 |
| 09/02/04 | 6,390 | 587 | 50 | 34 | 65 | *4,150 / 2,650 | 6.00 | NP | 0.00 | 166.23 | 160.23 |
| 12/08/04 | 278,000 | 4,680 | 44,900 | 4,850 | 29,000 | *54,800 / 43,400 | 4.93 | NP | 0.00 | 166.23 | 161.30 |
| 03/16/05 | 110,000 | 2,360 | 18,900 | 1,780 | 17,800 | 24,400 | 5.32 | NP | 0.00 | 166.23 | 160.91 |
| 06/01/05 | 40,800 | 1,530 | 6,890 | 39 | 6,880 | 25,800 | 5.7 | NP | 0.00 | 166.23 | 160.53 |
| 09/14/05 | 23,600 | 190 | 73 | <2.4 | 3,460 | 14,200 | 5.32 | NP | 0.00 | 166.23 | 160.91 |
| 12/06/05 | 16,000 | <3.2 | <1.0 | <2.4 | <3 | 13,200 | 4.55 | NP | 0.00 | 166.23 | 161.68 |
| 03/15/06 | 4,910 | 37 | <1.0 | 65 | 15 J | 4,940 | 5.70 | NP | 0.00 | 166.23 | 160.53 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|----------|-----------|----------------|-----------------|--------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | <u> </u> | | | 1 | (-6-7) | (2000) | (1000) | (1001) | (rect) | (ICCI) |
| MONITOR | ING WELL | #RE-5 | | Screen Interva | I = 5 to 20 fee | | | | | | |
| 04/11/88 | 14,000 | 1,300 | 1,100 | 100 | 2,600 | - | - | | _ | _ | _ |
| 04/09/90 | 3,000 | 690 | 190 | 40 | 270 | _ | 4.79 | NP | 0.00 | 166,51 | 161.72 |
| 10/30/90 | 3,400 | 910 | 48 | 87 | 249 | - | 5.86 | NP | 0.00 | 166.51 | 160.65 |
| 01/18/91 | 1,400 | 180 | 8.6 | 0.52 | 48 | - | 4.40 | NP | 0.00 | 166.51 | 162.11 |
| 02/12/91 | 1,000 | ND | ND | 0.65 | ND | - | 4.76 | NP | 0.00 | 166.51 | 161.75 |
| 03/20/91 | 3,000 | 250 | 53 | ND | 110 | - | 5.08 | NP | 0.00 | 166.51 | 161.43 |
| 05/22/91 | 2,500 | 330 | 7.8 | 5.6 | 200 | - | 4.52 | NP | 0.00 | 166.51 | 161.99 |
| 01/19/91 | 2,000 | 59 | 1.6 | 5.1 | 110 | - | 4.39 | NP | 0.00 | 166.51 | 162.12 |
| 07/17/91 | - | - | - | - | - | - | 5.05 | FILM | 0.00 | 166.51 | 161.46 |
| 08/07/91 | - | - | - | - | - | - | 5.02 | FILM | 0.00 | 166.51 | 161.49 |
| 09/24/91 | - | - | - | - . | - | _ | 5.86 | FILM | 0.00 | 166.51 | 160.65 |
| 10/23/91 | - | - | - | - | - | _ | 5.84 | FILM | 0.00 | 166.51 | 160.67 |
| 11/06/91 | 9,900 | 2,300 | 37 | 260 | 160 | - | 5.48 | NP | 0.00 | 166.51 | 161.03 |
| 12/04/91 | 4,500 | 1,000 | 27 | ND | 180 | - | 5.43 | NP | 0.00 | 166.51 | 161.08 |
| 01/29/92 | 600 | 6.1 | 2.3 | ND | 47 | - | 5.12 | NP | 0.00 | 166.51 | 161.39 |
| 02/26/92 | 500 | 5.4 | 2.7 | 1.2 | 14 | - | 4.93 | NP | 0.00 | 166.51 | 161.58 |
| 03/19/92 | ND | 1.7 | 1.1 | ND | 5.5 | - | 4.45 | NP | 0.00 | 166.51 | 162.06 |
| 04/22/92 | 1,600 | 240 | 2.2 | ND | 160 | - | 4.63 | NP | 0.00 | 166.51 | 161.88 |
| 05/21/92 | 1,200 | 410 | 37 | ND | 118 | - | 4.90 | NP | 0.00 | 166.51 | 161.61 |
| 06/25/92 | ND | 1.0 | 0.8 | 0.8 | 0.4 | - | 5.15 | NP | 0.00 | 166.51 | 161.36 |
| 07/30/92 | ND | 2.0 | 1.8 | 1.9 | 6.4 | - | 5.30 | NP | 0.00 | 166.51 | 161.21 |
| 08/20/92 | 300 | 1.7 | 3.3 | 0.7 | 12 | - | 5.44 | NP | 0.00 | 166.51 | 161.07 |
| 09/30/92 | 1,900 | 140 | ND | 19 | 35 | - | 5.73 | NP | 0.00 | 166.51 | 160.78 |
| 12/23/92 | 400 | 8.0 | ND | ND | ND | - | 4.75 | NP | 0.00 | 166.51 | 161.76 |
| 03/10/93 | 1,100 | 290 | 9.7 | ND | 75 | - | 4.14 | NP | 0.00 | 166.51 | 162.37 |
| 06/09/93 | 400 | 1.5 | 0.5 | ND | 12 | - | 5.42 | NP | 0.00 | 166.51 | 161.09 |
| 09/14/93 | 240 | 6.9 | 8.8 | 1.4 | 67 | - | 5.53 | NP | 0.00 | 166.51 | 160.98 |
| 12/14/93 | 3,300 | 510 | 5.4 | 4.1 | 55 | - | 478 | NP | 0.00 | 166.51 | -311.49 |
| 03/02/94 | 2,400 | 270 | 4.5 | <0.3 | 13 | - | 4.20 | NP | 0.00 | 166.51 | 162.31 |
| 06/06/94 | 730 | <0.3 | <0.3 | 0.70 | 22 | - | 5.13 | NP | 0.00 | 166.51 | 161.38 |
| 09/06/94 | 2,400 | 180 | 28 | 2.3 | 76 | - | 5.45 | NP | 0.00 | 166.51 | 161.06 |
| 12/07/94 | 540 | 5.6 | <0.3 | <0.5 | 6.9 | - | 4.13 | NP | 0.00 | 166.51 | 162.38 |
| 03/08/95 | 1,500 | 220 | 5.5 | <0.5 | 83 | - | 5.20 | NP | 0.00 | 166.51 | 161.31 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTIC | AL PARAMETERS | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|--------|---------|----------|---------------|----------|--------|-------------|----------|-----------|-----------|----------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | <u> </u> | | | V+ | (Keel) | 1 (1000) | <u> (141)</u> |
| 06/15/95 | 3,200 | 820 | 53 | 6.2 | 74 | | 4.93 | NP | 0.00 | 166.51 | 161.58 |
| 09/05/95 | 4,400 | 440 | 22 | <2.5 | 57 | - | 5.03 | NP | 0.00 | 166.51 | 161.48 |
| 11/21/95 | 660 | 3.4 | <0.3 | <0.3 | 0.6 | = | 5.23 | NP | 0.00 | 166.51 | 161.28 |
| 03/11/96 | 1,000 | 76 | 2.2 | <0.3 | 130 | • | 4.16 | NP | 0.00 | 166.51 | 162.35 |
| 06/09/96 | 90 | <0.3 | <0.3 | <0.3 | <0.5 | - | 5.42 | NP | 0.00 | 166.51 | 161.09 |
| 09/16/96 | 1,900 | 58 | <0.3 | <0.3 | 5.9 | 1,100 | 5.20 | NP | 0.00 | 166.51 | 161.31 |
| 12/10/96 | 740 | <0.3 | <0.3 | <0.3 | <0.5 | 1,300 | 5.27 | NP | 0.00 | 166.51 | 161.24 |
| 03/12/97 | 2,000 | 600 | 59 | 5.1 | 54 | 1,300 | 3.85 | NP | 0.00 | 166.51 | 162.66 |
| 06/12/97 | 230 | <0.3 | <0.3 | <0.3 | <0.5 | 720 | - | - | - | - | _ |
| 09/10/97 | 210 | <0.3 | <0.3 | <0.3 | <0.5 | 210 | 4.10 | NP | 0.00 | 166.51 | 162.41 |
| 12/09/97 | 11,000 | 2,500 | 2,700 | <6 | 1,500 | 510 | 5.20 | NP | 0.00 | 166.51 | 161.31 |
| 03/03/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 3.70 | NP | 0.00 | 166.51 | 162.81 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | - | - | - | - | _ |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 6.77 | NP | 0.00 | 166.51 | 159.74 |
| 12/30/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 5.95 | NP | 0.00 | 166.51 | 160.56 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 5.25 | NP | 0.00 | 166.51 | 161.26 |
| 06/22/99 | 110 | <0.3 | <0.3 | <0.3 | <0.5 | 200 | 4.50 | NP | 0.00 | 166.51 | 162.01 |
| 09/08/99 | 68 | <0.3 | <0.3 | <0.3 | <0.5 | 110 | 4.43 | NP | 0.00 | 166.51 | 162.08 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 3.66 | NP | 0.00 | 166.51 | 162.85 |
| 03/23/00 | <50 | <0.25 | <0.25 | <0.25 | <0.5 | <5 | 4.06 | NP | 0.00 | 166.51 | 162.45 |
| 06/08/00 | <50 | <5 | <5 | <5 | <5 | . <5 | 4.43 | NP | 0.00 | 166.51 | 162.08 |
| 09/27/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.06 | NP | 0.00 | 166.51 | 162,45 |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.80 | NP | 0.00 | 166.51 | 161.71 |
| 03/22/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 6.33 | NP | 0.00 | 166.51 | 160.18 |
| 06/15/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.79 | NP | 0.00 | 166.51 | 161.72 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.54 | NP | 0.00 | 166.51 | 160.97 |
| 12/12/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.21 | NP | 0.00 | 166.51 | 161.30 |
| 03/13/02 | | - | - | - | - | - | 6.32 | NP | 0.00 | 166.51 | 160.19 |
| 06/12/02 | • | - | | - | - | - | - | - | - | - | - |
| 09/18/02 | - | - | 1 | - | - | - | - | - | - | - | - |
| 12/18/02 | - | - | - | - | - | - | - | - | - | - | - |
| 03/19/03 | • | - | - | - | - | - | - | - | - | | |
| 06/11/03 | - | - | - | - | - | - | - | - | - | - | - |
| 09/04/03 | - | - | • | - | - | | - | - | - | - | - |

TABLE 1 GROUNDWATER DATA THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | 101 | | ANALYTICA | AL PARAMETER | 5 | 187 | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|-----------|----------------|---------------|--------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | | | | | | <u> </u> | La Carada |
| 12/04/03 | _ | - | - | - | - | - | 3.67 | NP | 0.00 | 166,56 | 162.89 |
| 03/18/04 | - | - | - | - | - | - | 5.20 | NP | 0.00 | 166.56 | 161.36 |
| 06/09/04 | - | - | - | - | - | - | 4.61 | NP | 0.00 | 166.56 | 161.95 |
| 09/02/04 | - | - | - | - | - | - | 4.93 | NP | 0.00 | 166.56 | 161.63 |
| 12/08/04 | - | - | - | - | _ | - | 4.06 | NP | 0.00 | 166.56 | 162.50 |
| 03/16/05 | _ | - | - | - | - | - | 5.56 | NP | 0.00 | 166.56 | 161.00 |
| 06/01/05 | - | - | - | - | - | - | 4.42 | NP | 0.00 | 166.56 | 162.14 |
| 09/14/05 | - | - | - | - | - | - | 4.41 | NP | 0.00 | 166.56 | 162.15 |
| 12/06/05 | - | - | - | - | - | - | 4.03 | NP | 0.00 | 166.56 | 162.53 |
| 03/15/06 | - | - | - | - | - | - | 4.42 | NP | 0.00 | 166.56 | 162.14 |
| | | | | | | | | | | | |
| | | | | | | | | | · | | |
| MONITOR | ING WELL | #RE-6 | 440.0 | Screen Interva | = 5 to 15 fee | et . | | | 100 | | |
| 04/11/88 | 6,000 | 3,000 | 40 | 80 | 140 | - | - | - | - | - | . - |
| 04/09/90 | 3,000 | 990 | ND | 70 | ND | - | 5.64 | NP | 0.00 | 166.51 | 160.87 |
| 10/30/90 | 3,400 | 1,000 | 28 | ND | ND | - | 6.68 | NP | 0.00 | 166.51 | 159.83 |
| 01/18/91 | 6,300 | 1,200 | ND | 3.0 | 15 | - | 6.61 | NP | 0.00 | 166.51 | 159.90 |
| 02/12/91 | 5,200 | 850 | 8.4 | 4.9 | 41 | - | 6.20 | NP | 0.00 | 166.51 | 160.31 |
| 03/20/91 | 5,800 | 680 | 12 | 8.0 | 16 | - | 5.62 | NP | 0.00 | 166.51 | 160.89 |
| 05/22/91 | 8,500 | 1,700 | 14 | 24 | 6.7 | - | 6.05 | NP | 0.00 | 166.51 | 160.46 |
| 06/19/91 | - | - | - | - | - | - | 6.12 | FILM | 0.00 | 166.51 | 160.39 |
| 07/17/91 | 120,000 | 9,300 | 13,000 | 2,400 | 16,000 | - | 6.20 | NP | 0.00 | 166.51 | 160.31 |
| 08/07/91 | <u>-</u> | 590 | 5.3 | ND | 14 | - | 6.27 | NP | 0.00 | 166.51 | 160.24 |
| 09/24/91 | 7,000 | 310 | 11 | 5.3 | 35 | - | 6.63 | NP | 0.00 | 166.51 | 159.88 |
| 10/23/91 | - | - | _ | - | - | - | 6.36 | FILM | 0.00 | 166.51 | 160.15 |
| 11/06/91 | 4,000 | 710 | 18 | 29 | 49 | - | 6.15 | NP | 0.00 | 166.51 | 160.36 |
| 12/04/91 | 4,100 | 1,100 | 14 | 33 | 39 | - | 6.19 | NP | 0.00 | 166.51 | 160.32 |
| 01/29/92 | 2,600 | 790 | 14 | ND | 49 | - | 6.70 | NP | 0.00 | 166.51 | 159.81 |
| 02/26/92 | 3,100 | 950 | 21 | 30 | 33 | - | 5.44 | NP | 0.00 | 166.51 | 161.07 |
| 03/19/92 | 2,200 | 630 | 14 | 12 | 40 | - | 5.30 | NP | 0.00 | 166.51 | 161.21 |
| 04/22/92 | - | 730 | 2.2 | ND | 40 | - | 6.00 | NP | 0.00 | 166.51 | 160.51 |
| 05/21/92 | 1,500 | 840 | 7.8 | 7.1 | 34 | - | 6.25 | NP | 0.00 | 166.51 | 160.26 |
| 06/25/92 | <2000 | 740 | 8.0 | 27 | 28 | - | 6.38 | NP | 0.00 | 166.51 | 160.13 |
| 07/30/92 | - | -] | - | - | <u>-</u> | - | 6.42 | FILM | 0.00 | 166.51 | 160.09 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | ДЕРТН ТО | DEPTH TO | PRODUCT | CASING | CBOYDIBLE |
|----------|--------|----------|-----------|--------------|--------|--------|-----------------|-------------------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | | | GROUNDWATER |
| 554 | (ug/L) | (ug/L) | (ug/L) | (ug/L) | | 100 | 6500 | The second second | THICKNESS | ELEVATION | ELEVATION |
| | (ug.C) | 1 (48/1) | (ugil) | (dg/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| 08/20/92 | 2,800 | 630 | 17 | 23 | 22 | I | (60 | | T | | |
| 09/30/92 | 7,800 | 540 | ND | 12 | 29 | - | 6.50 | NP | 0.00 | 166.51 | 160.01 |
| 12/23/92 | 1,800 | 350 | ND | 7.7 | 11 | - | 6.66 | NP | 0.00 | 166.51 | 159.85 |
| 03/10/93 | 3,000 | 830 | 5.6 | 19 | 16 | - | 5.83 | NP | 0.00 | 166.51 | 160.68 |
| 06/09/93 | 4,800 | 920 | 6.2 | 3.2 | 12 | - | 5.63 | NP | 0.00 | 166.51 | 160.88 |
| 09/14/93 | 3,600 | 660 | 7.5 | 11 | | - | 6.01 | NP | 0.00 | 166.51 | 160.50 |
| 12/14/93 | 1,500 | 200 | <0.3 | | 27 | - | 6.53 | NP | 0.00 | 166.51 | 159.98 |
| 03/02/94 | 1,500 | - | <0.3 | <0.3 | 8.8 | - | 3.58 | NP | 0.00 | 166.51 | 162.93 |
| 06/06/94 | 2,400 | 290 | - | - 1.2 | - | - | 5.12 | NP | 0.00 | 166.51 | 161.39 |
| 09/06/94 | 4,300 | | 4.6 | 1.3 | 24 | - | 1.85 | NP | 0.00 | 166.51 | 164.66 |
| 12/07/94 | 1,500 | 230 | 21 | <6.6 | 130 | | 6.40 | NPNP | 0.00 | 166.51 | 160.11 |
| 03/08/95 | | 17 | 2.5 | 3.2 | 22 | - | 5.68 | NP | 0.00 | 166.51 | 160.83 |
| | 2,500 | 460 | 5.5 | 2.1 | 51 | - | 5.12 | NP | 0.00 | 166.51 | 161.39 |
| 06/15/95 | 2,300 | 91 | 1.1 | 0.7 | 97 | - | 5.72 | NP | 0.00 | 166.51 | 160.79 |
| 09/05/95 | 3,300 | 60 | <10 | <10 | 74 | - | 5.94 | NP | 0.00 | 166.51 | 160.57 |
| 11/21/95 | 2,000 | 7.3 | <0.3 | 0.56 | 8.7 | - | 6.24 | NP | 0.00 | 166.51 | 160.27 |
| 03/11/96 | 840 | 43 | 0.96 | 5.7 | 14 | - | 5.16 | NP | 0.00 | 166.51 | 161.35 |
| 06/19/96 | 1,800 | 160 | 2.7 | 9.9 | 25 | | 5.80 | NP | 0.00 | 166.51 | 160.71 |
| 09/16/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 5.38 | NP | 0.00 | 166.51 | 161.13 |
| 12/10/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 5.62 | NP | 0.00 | 166.51 | 160.89 |
| 03/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 5.20 | NP | 0.00 | 166.51 | 161.31 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | - | - | - | _ | |
| 09/10/97 | 440 | <0.3 | <0.3 | <0.3 | <0.5 | 320 | 5.20 | NP | 0.00 | 166.51 | 161.31 |
| 12/09/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 5.97 | NP | 0.00 | 166.51 | 160.54 |
| 03/03/98 | 400 | 7.0 | <0.3 | <0.3 | 4.3 | 65 | 4.45 | NP | 0.00 | 166.51 | 162.06 |
| 07/08/98 | 300 | <0.3 | <0.3 | <0.3 | 1.0 | 35 | - | - | - | - | - |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 5.90 | NP | 0.00 | 166.51 | 160.61 |
| 12/30/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 5.20 | NP | 0.00 | 166.51 | 161.31 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 8.4 | 4.82 | NP | 0.00 | 166.51 | 161.69 |
| 06/22/99 | 700 | 11 | 1.9 | <0.3 | 3.9 | 140 | 6.00 | NP | 0.00 | 166.51 | 160.51 |
| 09/08/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 5.15 | NP | 0.00 | 166.51 | 161.36 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 12 | 4.02 | NP | 0.00 | 166.51 | 162.49 |
| 03/23/00 | <50 | <0.25 | <0.25 | <0.25 | <0.5 | <5 | 4.41 | NP | 0.00 | 166.51 | 162.10 |
| 06/08/00 | <50 | <5 | <5 | <5 | <5 | <5 | 4.78 | NP | 0.00 | 166.51 | 161.73 |
| 09/27/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.78 | NP | 0.00 | 166.51 | 161,73 |

TABLE 1 GROUNDWATER DATA THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | | | Ċ | | | | | | |
|----------|-----------|---------|---------|----------------|--------|----------------|-------------|----------|------------|------------|-------------|
| DATE | | T T | | L PARAMETER | , | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS- | ELEVATION: | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | | | | | | | |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 4.77 | NP | 0.00 | 166.51 | 161.74 |
| 03/22/01 | 367 | <0.18 | <0.14 | <0.18 | <0.26 | *581 / 674 | 5.54 | NP | 0.00 | 166.51 | 160.97 |
| 06/15/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.92 | NP | 0.00 | 166.51 | 160.59 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.93 | NP | 0.00 | 166.51 | 160.58 |
| 12/12/01 | 138 | <0.18 | <0.14 | <0.18 | <0.26 | *7 / <0.6 | 6.20 | NP | 0.00 | 166.51 | 160.31 |
| 03/13/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 5.55 | NP | 0.00 | 166.51 | 160.96 |
| 06/12/02 | 895 | <0.18 | 1.0 | <0.18 | <0.26 | 1,360 | 5.93 | NP | 0.00 | 166.51 | 160.58 |
| 09/18/02 | 759 | <0.18 | <0.14 | <0.18 | <0.26 | 644 | 6.03 | NP | 0.00 | 166.51 | 160.48 |
| 12/18/02 | 531 | <0.18 | <0.14 | <0.18 | <0.26 | 441 | 5.65 | NP | 0.00 | 166.51 | 160.86 |
| 03/19/03 | 955 | <0.04 | <0.02 | <0.02 | <0.06 | 585 | 6.34 | NP | 0.00 | 166.51 | 160.17 |
| 06/11/03 | 945 | <0.04 | <0.02 | <0.02 | <0.06 | 328 | 6.34 | NP | 0.00 | 166.51 | 160.17 |
| 09/04/03 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | . <0.18 | 5.92 | NP | 0.00 | 166.51 | 160.59 |
| 12/04/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | < 0.03 | 4.00 | NP | 0.00 | 166.15 | 162.15 |
| 03/18/04 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 5.54 | NP | 0.00 | 166.15 | 160.61 |
| 06/10/04 | 340 | 2.6 | 1.5 | <0.18 | 1.8 | 283 | 6.12 | NP | 0.00 | 166.15 | 160.03 |
| 09/02/04 | 1,720 | 4.9 | 8.2 | 8.7 | 7.7 | *633 / 410 | 6.50 | NP | 0.00 | 166.15 | 159.65 |
| 12/09/04 | 297,000 | 1,620 | 38,500 | 9,470 | 56,000 | *6,660 / 8,870 | 4.48 | NP | 0.00 | 166.15 | 161.67 |
| 03/16/05 | 55,000 | 630 | 9,470 | 1,590 | 10,100 | 4,480 | 6.67 | NP | 0.00 | 166.15 | 159.48 |
| 06/01/05 | 19,400 | 380 | 4,350 | 864 | 4,850 | 3,140 | 5.14 | NP | 0.00 | 166.15 | 161.01 |
| 09/14/05 | 1,730 | 31 | 1.2 J | <0.24 | 126 | 1,090 | 3.99 | NP | 0.00 | 166.15 | 162.16 |
| 12/06/05 | 8,040 | 143 | 30 J | 113 | 218 | 4,410 | 4.38 | NP | 0.00 | 166.15 | 161.77 |
| 03/15/06 | 166 | <0.32 | <0.10 | <0.24 | < 0.30 | 117 | 5.12 | NP | 0.00 | 166.15 | 161.03 |
| | | | | | | - | | | | | |
| | | | | | | | | | | | |
| | ING WELL: | | | Screen Interva | • | र्भ | | 14. | | | |
| 04/11/88 | <50,000 | 17,000 | 4,400 | 600 | 8,400 | - | - | _ | - | - | - |
| 04/09/90 | 16,000 | 7,000 | 1,200 | 640 | 1,600 | - | 5.93 | NP · | 0.00 | 166.04 | 160.11 |
| 10/30/90 | 31,000 | 14,000 | ND | ND | ND | | 8.21 | NP | 0.00 | 166.04 | 157.83 |
| 01/18/91 | | - | | - | _ | - | 11.80 | NP | 0.00 | 166.04 | 154.24 |
| 02/12/91 | - | - | - | - | - | - | 10.80 | FILM | 0.00 | 166.04 | 155.24 |
| 03/20/91 | 120,000 | 12,000 | 2,800 | 490 | 6,600 | - | 9.96 | NP | 0.00 | 166.04 | 156.08 |
| 05/22/91 | _ | | • | - | - | - | 11.70 | FILM | 0.00 | 166.04 | 154.34 |
| 06/19/91 | - | - | - | - | - | - | 11.50 | FILM | 0.00 | 166.04 | 154.54 |
| 07/17/91 | - | | | - | - | - | 7.80 | FILM | 0.00 | 166.04 | 158.24 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTIC | L PARAMETEI | 8 S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|----------|--------------|------------|--------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | МТВЕ | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | |
| | | | <u> </u> | <u> </u> | 1 15/ | 1 5-7 | 1 (2-00) | (TOUL) | l (lect) | (lect) | (feet) |
| 08/07/91 | - | _ | _ | _ | _ | T - | 9.88 | 0.03 | 9.85 | 166.04 | 163.60 |
| 09/24/91 | - | - | _ | | _ | _ | 9.85 | 0.03 | 9.82 | 166.04 | 163.60 |
| 10/23/91 | _ | - | _ | _ | - | _ | 9.96 | FILM | 0.00 | 166.04 | 156.08 |
| 11/06/91 | - | - | _ | - | _ | | 6.77 | FILM | 0.00 | 166.04 | 159.27 |
| 12/04/91 | - | - | - | - | _ | - | 10.80 | FILM | 0.00 | 166.04 | 155.24 |
| 01/29/92 | - | - | - | - | | _ | 8.64 | FILM | 0.00 | 166.04 | 157.40 |
| 02/26/92 | - | - | - | - | _ | - | 6.00 | FILM | 0.00 | 166.04 | 160.04 |
| 03/19/92 | - | - | _ | _ | _ | _ | 5.55 | FILM | 0.00 | 166.04 | 160.49 |
| 04/22/92 | - | - | | - | _ | | 6.12 | FILM | 0.00 | 166.04 | 159.92 |
| 05/21/92 | - | - | - | - | _ | - | 6,40 | FILM | 0.00 | 166.04 | 159.64 |
| 06/25/92 | - | - | - | - | - | - | 6.73 | 0.02 | 6.71 | 166.04 | 164.38 |
| 07/30/92 | - | - | - | - | _ | _ | 6.73 | FILM | 0.00 | 166.04 | 159.31 |
| 08/20/92 | - | - | - | - | - | _ | 6.82 | FILM | 0.00 | 166.04 | 159.22 |
| 09/30/92 | - | - | - | - | - | - | 7.26 | FILM | 0.00 | 166.04 | 158.78 |
| 12/23/92 | - | - | | - | - | - | 6.22 | FILM | 0.00 | 166.04 | 159.82 |
| 03/10/93 | _ | - | - | - | - | - | 5.82 | FILM | 0.00 | 166.04 | 160.22 |
| 06/09/93 | - | - | - | - | - | - | 6.17 | FILM | 0.00 | 166.04 | 159.87 |
| 09/14/93 | - | - | - | - | - | - | 11.33 | NP | 0.00 | 166.04 | 154.71 |
| 12/14/93 | - | - | - | - | - | - | 8.40 | NP | 0.00 | 166.04 | 157.64 |
| 03/02/94 | - | - | - | - | - | - | 6.82 | NP | 0.00 | 166.04 | 159.22 |
| 06/06/94 | - | - | - | - | - | - | 10.95 | FILM | 0.00 | 166.04 | 155.09 |
| 09/06/94 | - | - | - | - | - | - | 11.30 | FILM | 0.00 | 166.04 | 154,74 |
| 12/07/94 | - | - | • | - | - | - | 5.63 | FILM | 0.00 | 166.04 | 160.41 |
| 03/08/95 | <u>-</u> | - | - | - | - | - | 5.06 | FILM | 0.00 | 166.04 | 160.98 |
| 06/15/95 | - | - | _ | - | - | - | - | - | - | - | - |
| 09/05/95 | - | - | - | - | - | - | 7.98 | FILM | 0.00 | 166.04 | 158.06 |
| 11/21/95 | 20,000 | 8,800 | 110 | <30 | 310 | - | 7.32 | NP | 0.00 | 166.04 | 158.72 |
| 03/11/96 | 4,800 | 2,200 | 38 | 26 | 120 | - | 5.62 | NP | 0.00 | 166.04 | 160.42 |
| 06/19/96 | 4,400 | 3,300 | 49 | 5.8 | 70 | - | 6.40 | NP | 0.00 | 166.04 | 159.64 |
| 09/19/96 | 7,200 | 510 | 83 | <0.3 | 710 | 130 | 6.20 | NP | 0.00 | 166.04 | 159.84 |
| 12/10/96 | 700 | <0.3 | <0.3 | <0.3 | <0.5 | 1,400 | 5.92 | NP | 0.00 | 166.04 | 160.12 |
| 03/12/97 | 660 | 0.31 | <0.3 | <0.3 | <0.5 | 1,400 | 5.62 | NP | 0.00 | 166.04 | 160.42 |
| 06/12/97 | 320 | <0.3 | 0.45 | <0.3 | <0.5 | 850 | | - | - | - | - |
| 09/10/97 | 780 | <0.3 | <0.3 | <0.3 | <0.5 | 930 | 7.45 | NP | 0.00 | 166.04 | 158.59 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|---------|---------|---|--------------|----------|------------------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | МТВЕ | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | , | 1 | <u> </u> | <u> </u> | | | (AGC) | (rece) | Ι - (ιωι) |
| 12/09/97 | 14,000 | 3,500 | 3,700 | <15 | 2,100 | 1,100 | 7.10 | NP | 0.00 | 166.04 | 158.94 |
| 03/03/98 | 6,100 | 2,500 | 18 | <6 | 110 | 270 | 6.70 | NP | 0.00 | 166.04 | 159.34 |
| 07/08/98 | 1,300 | 8.7 | <0.3 | <0.3 | <0.5 | 350 | _ | - | - | - | |
| 09/10/98 | 690 | 2.2 | <0.3 | <0.3 | <0.5 | 350 | 7.04 | NP | 0.00 | 166.04 | 159.00 |
| 12/30/98 | 600 | 2.0 | 0.55 | <0.3 | <0.5 | 350 | 6.25 | NP | 0.00 | 166.04 | 159.79 |
| 03/15/99 | 350 | 0.71 | <0.3 | <0.3 | <0.5 | . 140 | 6.02 | NP | 0.00 | 166.04 | 160.02 |
| 06/22/99 | 5,900 | 2,100 | 16 | 4.6 | 48 | 170 | 6.35 | NP | 0.00 | 166.04 | 159.69 |
| 09/08/99 | 1,700 | 380 | <3 | <3 | 13 | 160 | 7.03 | NP | 0.00 | 166.04 | 159.01 |
| 12/01/99 | 930 | 3.7 | <0.3 | <0.3 | <0.5 | 390 | 6.25 | NP | 0.00 | 166.04 | 159.79 |
| 03/23/00 | 581 | 5.4 | 5.3 | 1.9 | 7.3 | *168/183 | 6.24 | NP | 0.00 | 166.04 | 159.80 |
| 06/08/00 | <100 | <5 | <5 | <5 | <5 | 74 | 6.64 | NP | 0.00 | 166.04 | 159.40 |
| 09/27/00 | 236 | <0.18 | <0.14 | <0.18 | < 0.26 | *21 / 28 | 7.03 | NP | 0.00 | 166.04 | 159.01 |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | < 0.26 | *13 / 19.8 | 6.63 | NP | 0.00 | 166.04 | 159.41 |
| 03/22/01 | 504 | <0.18 | <0.14 | <0.18 | 1 | *666 / 1,420 | 7.02 | NP | 0.00 | 166.04 | 159.02 |
| 06/15/01 | 144 | 5.0 | <0.14 | 0.5 | 2 | *369 / 408 | 7.02 | NP | 0.00 | 166.04 | 159.02 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.79 | NP | 0.00 | 166.04 | 158.25 |
| 12/12/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.28 | NP | 0.00 | 166.04 | 158.76 |
| 03/13/02 | <50 | <0.18 | <0.14 | <0.18 | < 0.26 | <0.24 | 6.02 | NP | 0.00 | 166.04 | 160.02 |
| 06/12/02 | 5,130 | 772 | 970 | 59 | 550 | 113 | 7.79 | NP | 0.00 | 166.04 | 158.25 |
| 09/18/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.40 | NP | 0.00 | 166.04 | 158.64 |
| 12/18/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 6.63 | NP | 0.00 | 166.04 | 159.41 |
| 03/19/03 | <15 | <0.04 | <0.02 | <0.02 | < 0.06 | <0.03 | 7.40 | NP | 0.00 | 166.04 | 158.64 |
| 06/11/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | 8.3 | 7.40 | NP | 0.00 | 166.04 | 158.64 |
| 09/04/03 | <15 | <0.22 | < 0.32 | <0.31 | <0.4 | <0.18 | 7.39 | NP | 0.00 | 166.04 | 158.65 |
| 12/04/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | <0.03 | 6.63 | NP | 0.00 | 165.33 | 158.70 |
| 03/18/04 | <15 | <0.22 | < 0.32 | <0.31 | <0.4 | <0.18 | 6.63 | NP | 0.00 | 165.33 | 158.70 |
| 06/10/04 | 14,500 | 348 | 1,460 | 306 | 3,070 | 207 | 6.20 | NP | 0.00 | 165.33 | 159.13 |
| 09/02/04 | 35,900 | 2,390 | 174 | 1,250 | 8,020 | *419 / 274 | 7.05 | NP | 0.00 | 165.33 | 158.28 |
| 12/08/04 | 276,000 | 4,380 | 34,800 | 5,370 | 25,000 | *59,600 / 70,500 | 3.80 | NP | 0.00 | 165.33 | 161.53 |
| 03/16/05 | 114,000 | 2,840 | 19,400 | 2,760 | 14,400 | 29,300 | 6.64 | NP | 0.00 | 165.33 | 158.69 |
| 06/01/05 | 45,200 | 1,860 | 8,690 | 1,180 | 4,980 | 38,000 | 7.06 | NP | 0.00 | 165.33 | 158.27 |
| 09/14/05 | 33,900 | 770 | 943 | <12 | 3,160 | 24,500 | 7.02 | NP | 0.00 | 165.33 | 158.31 |
| 12/06/05 | 25,600 | <16 | <5 | <12 | <15 | 22,300 | 3.96 | NP | 0.00 | 165.33 | 161.37 |
| 03/15/06 | 11,700 | 73 | <1.0 | 143 | 22 J | 10,200 | 7.05 | NP | 0.00 | 165.33 | 158.28 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | 200 | ДЕРТН ТО | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|-----------|---------|-----------|----------------|-----------------|----------|---|----------|-----------|-------------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | МТВЕ | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | 1 | 1 2 -/ | 1 | 1 (-8) | 1 (-0-2) | (,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | (Josef) | 1 (1661) | (ICCL) | (ICGL) |
| MONITOR | ING WELL: | #RS-8 | 200 | Screen Interva | l = 5 to 25 fee | rt | 200 | | | Frankling (| |
| 08/07/91 | ND | ND | ND | ND | ND | - | 9.68 | NP | 0.00 | 164,32 | 154.64 |
| 09/27/91 | ND | ND | ND | ND | ND | | 9.89 | NP | 0.00 | 164.32 | 154.43 |
| 10/23/91 | ND | ND | ND | ND | ND | - | 10.05 | NP | 0.00 | 164.32 | 154.27 |
| 11/06/91 | ND | ND | ND | ND | ND | - | 9.71 | NP | 0.00 | 164.32 | 154.61 |
| 12/04/91 | ND | ND | ND | ND | ND | - | 10.00 | NP | 0.00 | 164.32 | 154.32 |
| 01/29/92 | ND | 2.1 | 1.0 | 2.5 | 3.6 | - | 9.28 | NP | 0.00 | 164.32 | 155.04 |
| 02/26/92 | ND | ND | 0.7 | ND | 0.7 | - | 7.05 | NP | 0.00 | 164.32 | 157.27 |
| 03/19/92 | ND | 0.5 | 1.0 | 1.5 | 2.7 | - | 7.30 | NP | 0.00 | 164.32 | 157.02 |
| 04/22/92 | ND ' | ND | ND | ND | ND | - | 8.60 | NP | 0.00 | 164.32 | 155.72 |
| 05/21/92 | ND | ND | ND | ND | ND | - | 9.22 | NP | 0.00 | 164.32 | 155.10 |
| 06/25/92 | ND | ND | ND | ND | ND | _ | 9.49 | NP | 0.00 | 164.32 | 154.83 |
| 07/30/92 | ND | 1.1 | 4.2 | ND | 3.0 | - | 9.55 | NP | 0.00 | 164.32 | 154.77 |
| 08/20/92 | ND | 2.0 | 4.7 | ND | 5.7 | - | 9.63 | NP | 0.00 | 164.32 | 154.69 |
| 09/30/92 | ND | ND | ND | ND | ND | - | 9.90 | NP | 0.00 | 164.32 | 154.42 |
| 12/23/92 | ND | ND | ND | ND | ND | - | 9.96 | NP | 0.00 | 164.32 | 154.36 |
| 05/10/93 | ND | ND | ND | ND | ND | - | 8.95 | NP | 0.00 | 164.32 | 155.37 |
| 06/09/93 | ND | ND | ND | ND | ND | - | 9.00 | NP | 0.00 | 164.32 | 155.32 |
| 09/14/93 | 200 | 0.3 | ND | ND | ND | - | 9.50 | NP | 0.00 | 164.32 | 154.82 |
| 12/14/93 | ND | ND | ND | ND | ND | - | 8.75 | NP | 0.00 | 164.32 | 155.57 |
| 03/02/94 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | - | 7.52 | NP | 0.00 | 164.32 | 156.80 |
| 06/06/94 | 54 | <0.3 | <0.3 | <0.3 | 2.4 | - | 9.00 | NP | 0.00 | 164.32 | 155.32 |
| 09/06/94 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | - | 9.26 | NP | 0.00 | 164.32 | 155.06 |
| 12/07/94 | 130 | 2.5 | 1.9 | 1.3 | 3.6 | - | 8.67 | NP | 0.00 | 164.32 | 155.65 |
| 03/08/95 | <100 | <0.5 | <0.5 | <0.5 | <1 | - | 8.34 | NP | 0.00 | 164.32 | 155.98 |
| 06/15/95 | <100 | 1.0 | <0.5 | <0.5 | <1 | - | 9.12 | NP | 0.00 | 164.32 | 155.20 |
| 09/05/95 | <100 | <0.5 | <0.5 | <0.5 | <1 | - | 9.56 | NP | 0.00 | 164.32 | 154.76 |
| 11/21/95 | <50 | 0.44 | <0.3 | <0.3 | 1.5 | - | 9.28 | NP | 0.00 | 164.32 | 155.04 |
| 03/11/96 | <50 | 1.3 | <0.3 | <0.3 | 0.6 | - | 7.52 | NP | 0.00 | 164.32 | 156.80 |
| 06/19/96 | 640 | 72 | 20 | 34 | 150 | - | 7.80 | NP | 0.00 | 164.32 | 156.52 |
| 09/16/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 20 | 9.18 | NP | 0.00 | 164.32 | 155.14 |
| 12/10/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 6.08 | NP | 0.00 | 164.32 | 158.24 |
| 03/12/97 | 53 | 0.45 | <0.3 | <0.3 | <0.5 | 140 | 8.65 | NP | 0.00 | 164.32 | 155.67 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 68 | - | - | - | - | - |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTHTO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|--------------|--------------|--------|------------|-------------|---------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | <u> </u> | | | | 1 (6) | 1 | (3000) | (Level) | (Icci) | [(1001) | (1601) |
| 09/10/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 8.30 | NP | 0.00 | 164.32 | 156.02 |
| 12/09/97 | <50 | 1.7 | 2.1 | <0.3 | 1.4 | 82 | 9.98 | NP | 0.00 | 164.32 | 154,34 |
| 03/03/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 84 | 8.33 | NP | 0.00 | 164.32 | 155.99 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 97 | - | - | _ | - | - |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 97 | 12.95 | NP | 0.00 | 164.32 | 151.37 |
| 12/30/98 | <50 | 1.3 | 1.5 | <0.3 | 0.86 | 19 | 11.35 | NP | 0.00 | 164.32 | 152.97 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 9.6 | 9.85 | NP | 0.00 | 164.32 | 154,47 |
| 06/22/99 | 66 | 0.39 | <0.3 | <0.3 | <0.5 | 62 | 9.90 | NP | 0.00 | 164.32 | 154.42 |
| 09/08/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 25 | 9.85 | NP | 0.00 | 164.32 | 154.47 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 30 | 8.30 | NP | 0.00 | 164.32 | 156.02 |
| 03/23/00 | <50 | <0.25 | < 0.25 | <0.25 | <0.5 | *13.6/18.2 | 6.76 | NP | 0.00 | 164.32 | 157.56 |
| 06/08/00 | <50 | <5 | <5 | <5 | <5 | 10 | 8.30 | NP | 0.00 | 164.32 | 156.02 |
| 09/27/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | *6/4.9 | 8.30 | NP | 0.00 | 164.32 | 156.02 |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | < 0.26 | <0.24 | 8.28 | NP | 0.00 | 164.32 | 156.04 |
| 03/22/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 12.89 | NP | 0.00 | 164.32 | 151.43 |
| 06/15/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 12.89 | NP | 0.00 | 164.32 | 151.43 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 9.82 | NP | 0.00 | 164.32 | 154.50 |
| 12/12/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 9.25 | NP | 0.00 | 164.32 | 155.07 |
| 03/13/02 | _ | - | - | - | - | - | 12.89 | NP | 0.00 | 164.32 | 151.43 |
| 06/12/02 | - | _ | - | - | - | - | - | - | - | _ | - |
| 09/18/02 | - | - | - | _ | - | - | - | - | _ | - | - |
| 12/18/02 | - | - | - | - | - | - | - | - | - | _ | - |
| 03/19/03 | _ | - | - | - | - | - | <u>-</u> | - | - | _ | _ |
| 06/11/03 | - | - | - | - | - | - | - | - | - | - | <u>-</u> |
| 09/04/03 | - | - | - | - | - | - | - | - | - | - | _ |
| 12/04/03 | - | - | - | _ | - | - | 6.78 | NP | 0.00 | 164.03 | 157.25 |
| 03/18/04 | | - | - | - | - | - | 9.65 | NP | 0.00 | 164.03 | 154.38 |
| 06/09/04 | | - | - | - | - | - | 6.86 | NP | 0.00 | 164.03 | 157.17 |
| 09/02/04 | - | _ | - | - | - | - | 8.23 | NP | 0.00 | 164.03 | 155.80 |
| 12/08/04 | - | - | - | - | - | - | 6.76 | NP | 0.00 | 164.03 | 157.27 |
| 03/16/05 | - | - | - | _ | - | - | 8.29 | NP | 0.00 | 164.03 | 155.74 |
| 06/01/05 | • | - | - | - | - | - | 9.83 | NP | 0.00 | 164.03 | 154.20 |
| 09/14/05 | - | - | <u>-</u> | - | - | - | 6.76 | NP | 0.00 | 164.03 | 157.27 |
| 12/06/05 | - | | - | | - | - | 6.76 | NP | 0.00 | 164.03 | 157.27 |

TABLE 1 GROUNDWATER DATA THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|----------|---------|-----------|----------------|-----------------|--------|-------------|----------|-----------|------------------|--|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | | | The state of the s |
| | | 1 , , , | | <u> </u> | 1 (-6-2) | (460) | (100) | (icci) | (feet) | (feet) | (feet) |
| 03/15/06 | _ | _ | - | _ | _ | _ | 9.83 | NP | 0.00 | 164.02 | 15400 |
| | | | | | | | 7.03 | 141 | 0.00 | 164.03 | 154.20 |
| | | 11 | | | <u> </u> | L | | | | | |
| MONITOR | ING WELL | #RS-9 | | Screen Interva | I = 5 to 15 fee | rt . | | | | | |
| 08/07/91 | - | 0.5 | ND | 330 | 1,200 | _ | 2.28 | NP | 0.00 | 1/2.51 | 16500 |
| 09/27/91 | 13,000 | 3.5 | 3.0 | 82 | 140 | | 2.77 | NP | 0.00 | 167.51 | 165.23 |
| 10/23/91 | 11,000 | ND | ND | 39 | 340 | - | 3.53 | NP | 0.00 | 167.51 167.51 | 164.74 |
| 11/06/91 | 6,800 | 8.4 | 0.6 | 22 | 230 | | 2.51 | NP | 0.00 | 167.51 | 163.98 |
| 12/04/91 | 6,500 | 6.5 | 0.7 | 87 | 200 | - | 3.20 | NP | 0.00 | 167.51 | 165.00 164.31 |
| 01/29/92 | 8,100 | 22 | 10 | 140 | 260 | - | 2.65 | NP | 0.00 | 167.51 | 164.86 |
| 02/26/92 | 13,000 | 40 | 16 | 220 | 600 | - | 3.42 | NP | 0.00 | 167.51 | 164.09 |
| 03/19/92 | 12,000 | 21 | 12 | 100 | 280 | - | 3.12 | NP | 0.00 | 167.51 | 164.39 |
| 04/22/92 | 8,600 | ND | ND | 20 | 37 | | 3.24 | NP | 0.00 | 167.51 | 164.27 |
| 05/21/92 | 6,000 | 21 | 10 | 53 | 210 | - | 3.75 | NP | 0.00 | 167.51 | 163.76 |
| 06/25/92 | 370 | 2.3 | 1.5 | 0.7 | 4.3 | | 2.65 | NP | 0.00 | 167.51 | 164.86 |
| 07/30/92 | 3,600 | 20 | ND | 39 . | 80 | _ | 2.70 | NP | 0.00 | 167.51 | 164.81 |
| 08/20/92 | 3,000 | 0.7 | 5.2 | 2.0 | 5.3 | - | 2.83 | NP | 0.00 | 167.51 | 164.68 |
| 09/30/92 | 9,200 | 4.8 | 6.5 | 12 | 91 | - | 2.80 | NP | 0.00 | 167.51 | 164.71 |
| 12/23/92 | 2,000 | 17 | ND | 8.2 | 18 | _ | 2.45 | NP | 0.00 | 167.51 | 165.06 |
| 03/10/93 | 1,500 | ND | 2.6 | 21 | 12 | - | 2.40 | NP | 0.00 | 167.51 | 165.11 |
| 06/09/93 | 1,300 | 0.6 | 1.7 | ND | 7.5 | - | 3.55 | NP | 0.00 | 167.51 | 163.96 |
| 09/14/93 | 1,500 | 1.3 | 7.6 | 4.1 | 14 | - | 2.81 | NP | 0.00 | 167.51 | 164.70 |
| 12/14/93 | 560 | ND | ND | ND | 5.5 | - | 2.63 | NP | 0.00 | 167.51 | 164.88 |
| 03/02/94 | 1,100 | <0.3 | <0.3 | <0.3 | <0.5 | - | 2.60 | NP | 0.00 | 167.51 | 164.91 |
| 06/06/94 | 290 | 0.58 | 0.53 | 1.1 | 5.8 | - | 2.52 | NP | 0.00 | 167.51 | 164.99 |
| 09/06/94 | 890 | <0.3 | <0.3 | <0.3 | 3.1 | - | 3.16 | NP | 0.00 | 167.51 | 164.35 |
| 12/07/94 | 940 | 22 | 23 | 10 | 32 | - | 5.18 | NP | 0.00 | 167.51 | 162.33 |
| 03/08/95 | 1,600 | <0.5 | <0.5 | <0.5 | 2.3 | _ | 4.57 | NP | 0.00 | 167.51 | 162.94 |
| 06/15/95 | 3,200 | 2.2 | 5.3 | 4.3 | 3.1 | _ | 5.08 | NP | 0.00 | 167.51 | 162.43 |
| 09/05/95 | 1,100 | <0.5 | <0.5 | <0.5 | <1 | _ | 5.72 | NP | 0.00 | 167.51 | 161.79 |
| 11/21/95 | 1,100 | 1.1 | 2.9 | 3.5 | 3.0 | _ | 2.46 | NP | 0.00 | 167.51 | 165.05 |
| 03/11/96 | 440 | 0.7 | 0.34 | <0.3 | 3.7 | - | 3.44 | NP | 0.00 | 167.51 | 164.07 |
| 06/19/96 | 580 | 3.8 | 0.49 | 1.2 | <0.5 | | 3.80 | NP | 0.00 | 167.51 | 163.71 |
| 09/16/96 | 490 | <0.3 | 1.6 | <0.3 | <0.5 | <20 | 3.80 | NP | 0.00 | 167.51 | 163.71 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTIC | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|--------|---------|----------|--------------|--------|----------------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | | | | | | . | |
| 12/10/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 2.76 | NP | 0.00 | 167.51 | 164,75 |
| 03/12/97 | <50 | <0.3 | 0.42 | <0.3 | 1.5 | <20 | 3.20 | NP | 0.00 | 167.51 | 164.31 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | 0.51 | <20 | - | - | - | - | - |
| 09/10/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 4.24 | NP | 0.00 | 167.51 | 163.27 |
| 12/09/97 | <50 | <0.3 | 0.48 | <0.3 | <0.5 | <20 | 2.72 | NP | 0.00 | 167.51 | 164.79 |
| 03/03/98 | 190 | <0.3 | <0.3 | 0.38 | <0.5 | <20 | 1.90 | NP | 0.00 | 167.51 | 165.61 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | - | | - | - | - |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 2.72 | NP | 0.00 | 167.51 | 164.79 |
| 12/30/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 1.20 | NP | 0.00 | 167.51 | 166.31 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 4.25 | NP | 0.00 | 167.51 | 163.26 |
| 06/22/99 | 1,300 | 4.2 | 1.2 | 0.69 | 0.74 | <5 | 3.70 | NP | 0.00 | 167.51 | 163.81 |
| 09/08/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 2.71 | NP | 0.00 | 167.51 | 164.80 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 2.70 | NP | 0.00 | 167.51 | 164.81 |
| 03/23/00 | <50 | <0.25 | <0.25 | <0.25 | <0.5 | <5 | 2.70 | NP | 0.00 | 167.51 | 164.81 |
| 06/08/00 | 585 | <5 | <5 | <5 | <5 | 821 | 2.72 | NP | 0.00 | 167.51 | 164.79 |
| 09/27/00 | 592 | <0.18 | <0.14 | <0.18 | <0.26 | *1,180 / 1,360 | 2.72 | NP | 0.00 | 167.51 | 164.79 |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | *403 / 444 | 2.70 | NP | 0.00 | 167.51 | 164.81 |
| 03/22/01 | 425 | <0.18 | <0.14 | <0.18 | <0.26 | *738 / 1,640 | 2.69 | NP | 0.00 | 167.51 | 164.82 |
| 06/15/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 2.68 | NP | 0.00 | 167.51 | 164.83 |
| 08/30/01 | 164 | <0.18 | < 0.14 | <0.18 | <0.26 | *396 / 284 | 2.68 | NP | 0.00 | 167.51 | 164.83 |
| 12/12/01 | 1,540 | <0.18 | <0.14 | <0.18 | <0.26 | *4,370 / 2,480 | 2.41 | NP | 0.00 | 167.51 | 165.10 |
| 03/13/02 | 1,540 | <0.18 | <0.14 | <0.18 | <0.26 | 3,360 | 2.68 | NP | 0.00 | 167.51 | 164.83 |
| 06/12/02 | 2,020 | 1 | 3 | 1 | 3 | 3,280 | 4.21 | NP | 0.00 | 167.51 | 163.30 |
| 09/18/02 | 915 | <0.18 | <0.14 | <0.18 | <0.26 | 768 | 4.21 | NP | 0.00 | 167.51 | 163.30 |
| 12/18/02 | 1,070 | <0.18 | <0.14 | <0.18 | <0.26 | 960 | 2.68 | NP | 0.00 | 167.51 | 164.83 |
| 03/19/03 | 1,600 | <0.04 | <0.02 | <0.02 | <0.06 | 836 | 4.21 | NP | 0.00 | 167.51 | 163.30 |
| 06/11/03 | 1,960 | <0.04 | <0.02 | <0.02 | <0.06 | 583 | 4.21 | NP | 0.00 | 167.51 | 163.30 |
| 09/04/03 | 117 | <0.22 | <0.32 | <0.31 | 13 | 8.3 | 4.21 | NP | 0.00 | 167.51 | 163.30 |
| 12/04/03 | 19,200 | 5,270 | 6,550 | 144 | 2,540 | 217 | 1.16 | NP | 0.00 | 167.05 | 165.89 |
| 03/18/04 | 193 | 7.5 | 18 | 1.4 J | 6.1 | 127 | 2.68 | NP | 0.00 | 167.05 | 164.37 |
| 06/10/04 | 159 | <0.14 | 3.3 | 1.9 | 2.5 | <0.22 | 3.74 | NP | 0.00 | 167.05 | 163.31 |
| 09/02/04 | <15 | <0.14 | <0.16 | <0.18 | <0.45 | <0.22 | 3.68 | NP | 0.00 | 167.05 | 163.37 |
| 12/09/04 | <15 | 1.2 | 2.1 | <0.18 | 0.99 | <0.22 | 1.20 | NP | 0.00 | 167.05 | 165.85 |
| 03/16/05 | <15 | <0.22 | 1.1 J | <0.31 | <0.4 | 2.1 | 4.21 | NP | 0.00 | 167.05 | 162.84 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | G. OD. G | |
|----------|----------|----------|-----------|----------------|-----------------|--------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | МТВЕ | GROUNDWATER | PRODUCT | | CASING | GROUNDWATER |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | | | | THICKNESS | ELEVATION | ELEVATION |
| | (45,0) | 1 (46/1) | /uE/L/ | (ug/L) | (ugil) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| 06/01/05 | <2.9 | <0.17 | <0.22 | < 0.14 | 0.94 | 2.97 J | 2.71 | NP | 0.00 | 167.05 | 16101 |
| 09/14/05 | 63 | <0.32 | <0.10 | <0.24 | <0.30 | 36 | 4.21 | NP | 0.00 | 167.05 | 164.34 |
| 12/06/05 | <2.9 | <0.32 | <0.10 | <0.24 | <0.3 | 32 | 1.14 | NP | 0.00 | 167.05 | 162.84 |
| 03/15/06 | <5.6 | <0.32 | <0.10 | <0.24 | 1.6 J | 17 | 2.71 | NP | 0.00 | 167.05 | 165.91 |
| | | | | | 1.00 | 1, | 2.71 | INF | 0.00 | 167.05 | 164.34 |
| | | | | | | | | | L | <u> </u> | |
| MONITOR | ING WELL | #RS-10 | | Screen Interva | l = 5 to 25 fee | et . | | | | | |
| 08/07/91 | ND | ND | ND | ND | ND | - | 6.16 | NP | 0.00 | 162.89 | 156.73 |
| 09/27/91 | ND | ND | ND | ND | ND | - | 6.48 | NP | 0.00 | 162.89 | 156.41 |
| 10/23/91 | ND | ND | ND | ND | ND | - | 7.37 | NP | 0.00 | 162.89 | 155.52 |
| 11/06/91 | ND | ND | ND | ND | ND | - | 6.44 | NP | 0.00 | 162.89 | 156.45 |
| 12/04/91 | ND | ND | ND | ND | ND | - | 7.02 | NP | 0.00 | 162.89 | 155.87 |
| 01/29/92 | ND | ND | ND | ND | ND | - | 6.78 | NP | 0.00 | 162.89 | 156.11 |
| 02/26/92 | ND | ND | ND | ND | ND | - | 8.33 | NP | 0.00 | 162.89 | 154.56 |
| 03/19/92 | ND | ND | ND | ND | 0.6 | - | 8.02 | NP | 0.00 | 162.89 | 154.87 |
| 04/22/92 | ND | ND | ND | ND | ND | - | 7.78 | NP | 0.00 | 162.89 | 155.11 |
| 05/21/92 | ND | ND | 0.6 | ND | 1.2 | - | 6.21 | NP | 0.00 | 162.89 | 156.68 |
| 06/25/92 | ND | ND | ND | ND | ND | - | 7.73 | NP | 0.00 | 162.89 | 155.16 |
| 07/30/92 | ND | ND | 0.5 | ND | 1.0 | - | 7.84 | NP | 0.00 | 162.89 | 155.05 |
| 08/20/92 | ND | ND | ND | ND | ND | - | 7.50 | NP | 0.00 | 162.89 | 155.39 |
| 09/30/92 | ND | ND | ND | ND | ND | - | 7.63 | NP | 0.00 | 162.89 | 155.26 |
| 12/23/92 | ND | ND | ND | ND | ND | - | 7.24 | NP | 0.00 | 162.89 | 155.65 |
| 03/10/93 | ND | ND | ND | ND | ND | - | 6.38 | NP | 0.00 | 162.89 | 156.51 |
| 06/09/93 | ND | ND | ND | ND | ND | - | 7.98 | NP | 0.00 | 162.89 | 154.91 |
| 09/14/93 | ND | ND | ND | ND | ND | - | 7.35 | NP | 0.00 | 162.89 | 155.54 |
| 03/02/94 | <50 | <0.3 | <0.3 | <0.3 | <0.3 | - | 7.00 | NP | 0.00 | 162.89 | 155.89 |
| 06/06/94 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | _ | 6.55 | NP | 0.00 | 162.89 | 156.34 |
| 09/06/94 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | _ | 7.63 | NP | 0.00 | 162.89 | 155.26 |
| 12/07/94 | 56 | <0.3 | <0.3 | <0.5 | 2.1 | - | 5.92 | NP | 0.00 | 162.89 | 156.97 |
| 03/08/95 | <100 | <0.5 | <0.5 | <0.5 | <1 | - | 7.84 | NP | 0.00 | 162.89 | 155.05 |
| 06/15/95 | <100 | <0.5 | <0.5 | <0.5 | <1 | - | 6.97 | NP | 0.00 | 162.89 | 155.92 |
| 09/05/95 | <100 | <0.5 | <0.5 | <0.5 | <1 | _ | 8.14 | NP | 0.00 | 162.89 | 154.75 |
| 11/21/95 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | - | 7.68 | NP | 0.00 | 162.89 | 155.21 |
| 03/11/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | - | 6.76 | NP | 0.00 | 162.89 | 156.13 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | inang pangan | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|--------------|---------|-----------|---------------------------------------|--------|--------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | ТРН | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | , , , | | | · · · · · · · · · · · · · · · · · · · | | V-6-7 | | (1550) | (Acci) | (1001) | (ICCI) |
| 06/19/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | | 7.20 | NP | 0.00 | 162.89 | 155.69 |
| 09/16/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 6.30 | NP | 0.00 | 162.89 | 156.59 |
| 12/10/96 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 6.05 | NP | 0.00 | 162.89 | 156.84 |
| 03/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 7.56 | NP | 0.00 | 162.89 | 155.33 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | - | - | _ | - | - |
| 09/10/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 7.55 | NP | 0.00 | 162.89 | 155.34 |
| 12/09/97 | 1,900 | 610 | 510 | <6 | 290 | <20 | 7.55 | NP | 0.00 | 162.89 | 155.34 |
| 03/03/98 | <50 | 2.0 | <0.3 | <0.3 | <0.5 | 27 | 6.03 | NP | 0.00 | 162.89 | 156.86 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | - | - | _ | - | - |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | 72 | 7.55 | NP | 0.00 | 162.89 | 155.34 |
| 12/30/98 | <50 | 1.1 | <0.3 | <0.3 | <0.5 | <5 | 4.45 | NP | 0.00 | 162.89 | 158.44 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | 1.3 | <5 | 4.50 | NP | 0.00 | 162.89 | 158.39 |
| 06/22/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 9.15 | NP | 0.00 | 162.89 | 153.74 |
| 09/08/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 7.51 | NP | 0.00 | 162.89 | 155.38 |
| 12/01/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 5.97 | NP | 0.00 | 162.89 | 156.92 |
| 03/23/00 | <50 | <0.25 | <0.25 | <0.25 | <0.5 | <5 | 4.47 | NP | 0.00 | 162.89 | 158.42 |
| 06/08/00 | <50 | <5 | <5 | <5 | <5 | <5 | 5.97 | NP | 0.00 | 162.89 | 156.92 |
| 09/27/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.50 | NP | 0.00 | 162,89 | 155.39 |
| 12/13/00 | <50 | <0.18 | < 0.14 | <0.18 | <0.26 | <0.24 | 5.94 | NP | 0.00 | 162.89 | 156.95 |
| 03/22/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.51 | NP | 0.00 | 162.89 | 155.38 |
| 06/15/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.50 | NP | 0.00 | 162.89 | 155.39 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 9.05 | NP | 0.00 | 162.89 | 153.84 |
| 12/12/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.65 | NP | 0.00 | 162.89 | 155.24 |
| 03/13/02 | <u>-</u> | - | - | - | - | - | 9.05 | NP | 0.00 | 162.89 | 153.84 |
| 06/12/02 | - | - | - | - | - | - | - | - | - | - | - |
| 09/18/02 | - | - | - | - | - | - | - | - | - | - | - |
| 12/18/02 | - | - | - | - | - | | - | - | - | - | - |
| 03/19/03 | - | - | - | • | - | - | - | - | - | - | - |
| 06/11/03 | - | - | - | - | - | - | - | - | - | | |
| 09/04/03 | - | - | - | • | - | - | - | - | - | - | - |
| 12/04/03 | - | - | - | - | - | - | 5.98 | NP | 0.00 | 162.43 | 156.45 |
| 03/18/04 | - | - | - | - | - | - | 8.85 | NP | 0.00 | 162.43 | 153.58 |
| 06/09/04 | - | - | • | - | - | - | 6.27 | NP | 0.00 | 162.43 | 156.16 |
| 09/02/04 | - | - | • | - | - | - | 6.17 | NP | 0.00 | 162.43 | 156.26 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATER |
|----------|-----------|---------|-----------|----------------|-----------------|-------------|-------------|---------------------------------------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | |
| | 1 2 / | 1 | 1 | | <u> </u> | (=0-4/ | 1 (2000) | (1000) | L (recr) | (ICCI) | (feet) |
| 12/08/04 | - | _ | _ | - | _ | - | 6.00 | NP | 0.00 | 162.43 | 156.43 |
| 03/16/05 | - | _ | - | - | _ | - | 9.05 | NP | 0.00 | 162.43 | 153.38 |
| 06/01/05 | - | - | - | _ | _ | - | 7.49 | NP | 0.00 | 162.43 | 154.94 |
| 09/14/05 | - | - | - | - | - | _ | 7.49 | NP | 0.00 | 162.43 | 154.94 |
| 12/06/05 | - | - | - | - | - | - | 5.96 | NP | 0.00 | 162.43 | 156.47 |
| 03/15/06 | - | _ | - | - | - | - | 7.52 | NP | 0.00 | 162.43 | 154.91 |
| | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | |
| | | | | | | | | | <u> </u> | | |
| | ING WELL# | ‡RS-11 | | Screen Interva | l = 5 to 25 fee | t | | 1442 | | | |
| 09/21/95 | 110 | <0.5 | <0.5 | <0.5 | <1 | - | 9.37 | NP | 0.00 | 163.28 | 153.91 |
| 11/21/95 | - | - | - | - | - | - | - | - | - | - | - |
| 03/11/96 | - | - | - | - | - | _ | - | - | - | - | - |
| 06/19/96 | - | - | - | - | - | _ | - | - | - | - | |
| 09/16/96 | - | - | - | - | - | <u>-</u> | - | - | - | - | - |
| 03/12/97 | 74 | 9.5 | <0.3 | <0.3 | 0.57 | <20 | 7.75 | NP | 0.00 | 163.28 | 155.53 |
| 06/12/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | - | | - | - | - |
| 09/10/97 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <20 | 9.50 | NP | 0.00 | 163.28 | 153.78 |
| 12/09/97 | <50 | 0.79 | 1.2 | <0.3 | <0.5 | <20 | 9.50 | NP | 0.00 | 163.28 | 153.78 |
| 03/03/98 | 140 | 22 | 0.63 | <0.3 | <0.5 | <20 | 7.93 | NP | 0.00 | 163.28 | 155.35 |
| 07/08/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | - | _ | - | - | - |
| 09/10/98 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 9.48 | NP | 0.00 | 163.28 | 153.80 |
| 12/30/98 | <50 | 1.3 | 0.87 | <0.3 | 0.55 | <5 | 7.95 | NP | 0.00 | 163.28 | 155.33 |
| 03/15/99 | <50 | <0.3 | <0.3 | <0.3 | <0.5 | <5 | 6.40 | NP | 0.00 | 163.28 | 156.88 |
| 06/22/99 | 350 | 89 | 2.9 | 3.3 | 0.91 | 6.8 | 11.00 | NP | 0.00 | 163.28 | 152.28 |
| 09/08/99 | 99 | 9.1 | 0.37 | <0.3 | <0.5 | <5 | 7.90 | NP | 0.00 | 163.28 | 155.38 |
| 12/01/99 | 82 | 9.7 | 0.44 | <0.3 | <0.5 | <5 | 7.90 | NP | 0.00 | 163.28 | 155.38 |
| 03/23/00 | 73 | 5.8 | 2.3 | <0.25 | <0.5 | *11.2 / 7.9 | 4.85 | NP | 0.00 | 163.28 | 158.43 |
| 06/08/00 | 306 | <5 | <5 | <5 | <5 | <5 | 7.90 | NP | 0.00 | 163.28 | 155.38 |
| 09/27/00 | <50 | 1 .0.10 | <0.14 | <0.18 | <0.26 | 3 J/3.6 | 9.44 | NP | 0.00 | 163.28 | 153.84 |
| 12/13/00 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 6.34 | NP | 0.00 | 163.28 | 156.94 |
| 03/22/01 | 408 | <0.18 | <0.14 | <0.18 | <0.26 | *664 / 941 | 7.96 | NP | 0.00 | 163.28 | 155.32 |
| 06/15/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.87 | NP | 0.00 | 163.28 | 155.41 |
| 08/30/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 9.41 | NP | 0.00 | 163.28 | 153.87 |
| 12/12/01 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.86 | NP | 0.00 | 163.28 | 155.42 |

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

| DATE | | | ANALYTICA | L PARAMETER | S | 1984 | DEPTH TO | DEPTH TO | PRODUCT | CASING | GROUNDWATEI |
|----------|--------|-------------|-----------|--------------|--------|-------------|-------------|----------|-----------|-----------|-------------|
| SAMPLED | TPH | BENZENE | TOLUENE | EthylBenzene | XYLENE | MTBE | GROUNDWATER | PRODUCT | THICKNESS | ELEVATION | ELEVATION |
| | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | (feet) | (feet) | (feet) | (feet) | (feet) |
| | | | | | | | | | | | |
| 03/13/02 | <50 | <0.18 | <0.14 | <0.18 | <0.26 | <0.24 | 7.85 | NP | 0.00 | 163.28 | 155.43 |
| 06/12/02 | <50 | <0.18 | 1 | <0.18 | <0.26 | <0.24 | 9.39 | NP | 0.00 | 163.28 | 153.89 |
| 09/18/02 | <50 | <0.18 | < 0.14 | <0.18 | <0.26 | <0.24 | 9.38 | NP | 0.00 | 163.28 | 153.90 |
| 12/18/02 | 110 | < 0.18 | <0.14 | <0.18 | <0.26 | 101 | 6.32 | NP | 0.00 | 163.28 | 156.96 |
| 03/19/03 | <15 | <0.04 | <0.02 | < 0.02 | <0.06 | <0.03 | 9.39 | NP | 0.00 | 163.28 | 153.89 |
| 06/11/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | 20 | 9.39 | NP | 0.00 | 163.28 | 153.89 |
| 09/04/03 | <15 | <0.22 | <0.32 | <031 | <0.4 | <0.18 | 7.85 | NP | 0.00 | 163.28 | 155.43 |
| 12/04/03 | <15 | <0.04 | <0.02 | <0.02 | <0.06 | < 0.03 | 6.32 | NP | 0.00 | 162.71 | 156.39 |
| 03/18/04 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | <0.18 | 9.39 | NP | 0.00 | 162.71 | 153.32 |
| 06/10/04 | 1,080 | 48 | 3.8 | 30 | 1.8 | 68 | 6.87 | NP | 0.00 | 162.71 | 155.84 |
| 09/02/04 | 1,600 | 94 | 5.9 | 4.3 | 3.8 | *185 / 78 | 7.07 | NP | 0.00 | 162.71 | 155.64 |
| 12/09/04 | <15 | 1.2 | 1.3 | <0.18 | <0.45 | *22 / <0.18 | 6.34 | NP | 0.00 | 162.71 | 156.37 |
| 03/16/05 | <15 | <0.22 | <0.32 | <0.31 | <0.4 | 16 | 7.85 | NP | 0.00 | 162.71 | 154.86 |
| 06/01/05 | <2.9 | 0.97 | 1.4 | <0.14 | 2 | 22 | 7.88 | NP | 0.00 | 162.71 | 154.83 |
| 09/14/05 | 133 | <0.32 | <0.10 | <0.24 | < 0.30 | 79 | 7.84 | NP | 0.00 | 162.71 | 154.87 |
| 12/06/05 | 905 | 16.00 | 3.1 J | 11.0 | 23 | 578 | 6.32 | NP | 0.00 | 162.71 | 156.39 |
| 03/15/06 | 426 | < 0.32 | <0.10 | <0.24 | <0.30 | 336 | 7.89 | NP | 0.00 | 162.71 | 154.82 |
| | | | | | | | | | | | 231.02 |

NOTE:

ND = Nondetectable

" - " = Not Analyzed / Not Available

NP = No Free Product

*MTBE 8020/8260

Benzene, toluene, ethlybenzene, and xylene analyzed by EPA method 8020.

Total petroleum hydrocarbons (TPH) analyzed by EPA method 8015 modified for gasoline

Methyl-tert Butyl Ether (MTBE) analyzed by EPA method 8020

On 3/16/05, 3/18/04, 9/4/03 & 6/8/00, BTEX and MTBE analyzed by EPA Method 8260B

TABLE 2 Vapor Extraction Operating Data Thrifty Oil Station # 054, CASTRO VALLEY, CA

| | | 1 | | | let | la proposition | | |
|--------|----------------|------------|-----------|---|-------------|----------------|------------|---|
| | Donrosantellus | Hour Meter | Acaratia. | *************************************** | | пусносанос | ns Removed | |
| | Representative | | Operation | Average | Average | <u>.</u> . | | |
| Month | Date | Reading | Duration | Flow | FID Conc. | Period | Cumulative | |
| | | (hrs) | (hrs) | (cfm) | (ppmV) | (ibs) | (lbs) | Remark |
| Jan-91 | 1/9/1991 | 929 | 0 | 30 | est. 10,000 | 0.0 | 0 | |
| Feb-91 | 2/6/1991 | 979 | 50 | 30 | est. 10,000 | 38.0 | 38 | |
| Mar-91 | 3/6/1991 | 1,028 | 49 | 5 | est. 10,000 | 6.2 | 44 | System off 4/91 - 9/91 |
| Oct-91 | 10/23/1991 | 1,786 | 758 | 15 | est. 10,000 | 288.0 | 332 | |
| Nov-91 | 11/6/1991 | 1,789 | 3 | 14 | est. 10,000 | 1.1 | 333 | |
| Dec-91 | 12/4/1991 | 1,896 | 107 | 14 | est. 10,000 | 37.9 | 371 | |
| Jan-92 | 1/29/1992 | 2,025 | 129 | 14 | est. 10,000 | 45.7 | 417 | |
| Feb-92 | 2/26/1999 | 2,293 | 268 | 14 | est. 10,000 | 95.0 | 512 | System off 3/92 - 7/92 |
| Aug-93 | 8/11/1993 | 2,293 | 0 | 18 | est. 10,000 | 0.0 | 512 | |
| Sep-93 | 9/8/1993 | 2,446 | 153 | 17 | est. 10,000 | 65.9 | 578 | |
| Oct-93 | 10/7/1993 | 2,960 | 514 | 18 | est. 10,000 | 234.4 | 812 | , |
| Nov-93 | 11/3/1993 | 3,381 | 421 | 18 | est. 10,000 | 191.9 | 1,004 | |
| Dec-93 | 12/1/1993 | 3,705 | 324 | 18 | est. 10,000 | 147.7 | 1,152 | |
| Jan-94 | 1/3/1994 | 4,313 | 608 | 18 | est. 10,000 | 277.2 | 1,429 | |
| Feb-94 | 2/7/1994 | 4,849 | 536 | 17 | 10,000 | 230.8 | 1,660 | |
| Mar-94 | 3/7/1994 | 5,196 | 347 | 20 | 10,000 | 175.8 | 1,836 | · · · · · · · · · · · · · · · · · · · |
| Арг-94 | 4/4/1994 | 5,597 | 401 | 16 | 10,000 | 162.5 | 1,998 | |
| May-94 | 5/2/1994 | 6,003 | 406 | 17 | est. 10,000 | 174.8 | 2,173 | |
| Jun-94 | 6/6/1994 | 6,514 | 511 | 16 | 10,000 | 207.1 | 2,170 | |
| Jul-94 | 7/18/1994 | 6,679 | 165 | 15 | 10,000 | 62.7 | 2,443 | |
| Aug-94 | 8/1/1994 | 6,735 | 56 | 16 | | 22.7 | 2,466 | |
| Sep-94 | 9/20/1994 | 7,340 | 605 | 16 | | 245.2 | 2,711 | |
| Oct-94 | 10/5/1994 | 7,554 | 214 | 15 | 40.000 | 81.3 | 2,711 | |
| Dec-94 | 12/13/1994 | 7,656 | 102 | 15 | 10.000 | 38.8 | | |
| | | | ~ | | 12.22 | | 2,831 | |
| Jan-95 | 1/6/1995 | 7,742 | 86 | 12 | est. 10,000 | 26.1 | 2,857 | |
| Feb-95 | 2/14/1995 | 7,906 | 164 | 13 | est. 10,000 | 54.0 | 2,911 | |
| Mar-95 | 3/2/1995 | 7,976 | 70 | 15 | est. 10,000 | 26.6 | 2,938 | *************************************** |
| Apr-95 | 4/7/1995 | 8,009 | 33 | 8 | est. 10,000 | 6.7 | 2,944 | |
| May-95 | 5/5/1995 | 8,405 | 396 | 16 | est. 10,000 | 160.5 | 3,105 | |
| Jun-95 | 6/1/1995 | 8,436 | 31 | 16 | est. 10,000 | 12.6 | 3,117 | |
| Jul-95 | 7/7/1993 | 8,834 | 398 | 16 | est. 10,000 | 161.3 | 3,279 | |
| Aug-95 | 8/3/1995 | 8,910 | 76 | 16 | 10,000 | 30.8 | 3,309 | |
| Sep-95 | 9/5/1995 | 9,068 | 158 | 16 | est. 10,000 | 64.0 | 3,373 | |
| Oct-95 | 10/24/1995 | 9,163 | 95 | 14 | 10,000 | 33.7 | 3,407 | |
| Nov-95 | 11/2/1995 | 9,194 | 31 | 16 | est. 10,000 | 12.6 | 3,420 | |
| Jan-96 | 1/4/1996 | 8,930 | 0 | 9 | est. 10,000 | 0.0 | 3,420 | Replaced hour meter (8930) |
| Feb-96 | 2/1/1996 | 8,991 | 61 | 8 | est. 10,000 | 12.4 | 3,432 | System off 2/96 - 4/96 |
| Apr-96 | 4/25/1996 | 9,084 | 93 | 8 | 210 | 0.4 | 3,432 | |
| May-96 | 5/2/1996 | 9,124 | 40 | 12 | 220 | 0,3 | 3,433 | |
| Jun-96 | 6/3/1996 | 9,279 | 155 | 9 | 1,000 | 3.5 | 3,436 | |
| Jul-96 | 7/2/1996 | 9,370 | 91 | 17 | 420 | 1.6 | 3,438 | |
| Aug-96 | 8/1/1996 | 9,391 | 21 | 9 | 340 | 0.2 | 3,438 | |
| Sep-96 | 9/5/1996 | 9,721 | 330 | 17 | est. 340 | 4.8 | 3,443 | |
| Oct-96 | 10/24/1996 | 9,773 | 52 | 7 | est. 340 | 0.3 | 3,443 | |
| Dec-96 | 12/26/1996 | 9,776 | 3 | 8 | est. 340 | 0.0 | 3,443 | System off 10/96 - 12/96 |
| Apr-97 | 4/3/1997 | 9,781 | 5 | 15 | 10,000 | 1.9 | 3,445 | System off 1/97 - 4/97 |
| May-97 | 5/1/1997 | 10,032 | 251 | 15 | 9,800 | 93.5 | 3,539 | |
| Jun-97 | 6/12/1997 | 10,663 | 631 | 11 | est. 9,000 | 158.2 | 3,697 | |
| Jul-97 | 7/3/1997 | 10,712 | 49 | 12 | est. 9,000 | 13.4 | 3,710 | |
| Aug-97 | 8/7/1997 | 10,950 | 238 | 12 | est. 9,000 | 65.1 | 3,775 | |
| Sep-97 | 9/3/1997 | 11,136 | 186 | 16 | est. 9,000 | 67.8 | 3,843 | |
| Oct-97 | 10/9/1997 | 11,320 | 184 | 12 | est. 9,000 | 50.3 | 3,893 | |
| Nov-97 | 11/6/1997 | 11,452 | 132 | 17 | est. 9,000 | 51.2 | 3,945 | |
| Dec-97 | 12/4/1997 | 11,510 | 58 | 19 | 9,000 | 25.1 | 3,970 | |
| Jan-98 | 1/8/1998 | 11,784 | 274 | 17 | 10,000 | 118.0 | 4,088 | |
| Feb-98 | 2/3/1998 | 12,180 | 396 | 16 | 10,000 | 160.5 | 4,248 | |
| Mar-98 | 3/10/1998 | 13,011 | 831 | 17 | 10,000 | 357.8 | 4,606 | |
| Арг-98 | 4/15/1998 | 13,060 | 49 | 17 | | 21.1 | 4,600 | |
| | 7/10/1000 | 10,000 | 70 | 11 | est. 10,000 | Z 1. 1 | 14,027 | l |


TABLE 2 Vapor Extraction Operating Data Thrifty Oil Station # 054, CASTRO VALLEY, CA


| | | | | ir | ilet | | Hydrocarbo | ns Removed | |
|--------|------------------------|-----------------------|-----------------------|-----------------|------|----------------|------------|------------|---------------------------|
| Month | Representative Date | Hour Meter Reading | Operation Duration | Average Flow | | erage Conc. | Period | Cumulative | |
| | | (hrs) | (hrs) | (cim) | (P) | mV) | (lbs) | (lbs) | Remark |
| May-98 | 5/7/1998 | 13,311 | 251 | 16 | Π | 10,000 | 101.7 | 4,729 | |
| Jun-98 | 6/2/1998 | 13,658 | 347 | 17 | | 10,000 | 149.4 | 4,878 | |
| Jul-98 | 7/6/1998 | 14,340 | 682 | 16 | est. | 10,000 | 276.4 | 5,155 | |
| Sep-98 | 9/21/1998 | 14,542 | 202 | 12 | est. | 10,000 | 61.4 | 5,216 | System shut down, 10/98 |
| Nov-98 | 11/16/1998 | 14,730 | 188 | 12 | est. | 10,000 | 57.1 | 5,273 | |
| Dec-98 | 12/7/1998 | 15,124 | 394 | 11 | est. | 10,000 | 109.8 | 5,383 | |
| Feb-99 | 2/9/1999 | 16,115 | 991 | 10 | | 2,800 | 70.3 | 5,453 | |
| Mar-99 | 3/12/1999 | 16,698 | 583 | 13 | | 210 | 4.0 | 5,457 | |
| Apr-99 | 4/6/1999 | 17,009 | 311 | 13 | est. | 210 | 2.2 | 5,459 | |
| May-99 | 5/3/1999 | 17,098 | 89 | 10 | est. | 210 | 0.5 | 5,460 | |
| Jun-99 | 6/28/1999 | 18,130 | 1,032 | 10 | | 4,100 | 107.2 | 5,567 | |
| Jul-99 | 7/7/1999 | 18,163 | 33 | 10 | est. | 4,000 | 3,3 | 5,570 | |
| Aug-99 | 8/2/1999 | 18,196 | 33 | 11 | est. | 4,000 | 3.7 | 5,574 | |
| Sep-99 | 9/13/1999 | 18,318 | 122 | 12 | est. | 4,000 | 14.8 | 5,589 | |
| Oct-99 | 10/18/1999 | 18,348 | 30 | 13 | est. | 4,000 | 4.0 | 5,593 | |
| Nov-99 | 11/29/1999 | 18,617 | 269 | 12 | est. | 4,000 | 32.7 | 5,626 | |
| Dec-99 | 12/27/1999 | 19,096 | 479 | 12 | | 210 | 3.1 | 5,629 | |
| Jan-00 | 1/24/2000 | 19,388 | 292 | 12 | est. | 210 | 1.9 | 5,631 | System shut down, 1/24/00 |
| | | | | | | | | | |
| | | | | | | | | | |


Note: 1. The "duration" is derived from subtracting the hour meter from a representative day of the month by the hour meter from a representative day of the previous month. Some months may have more than 30 days.

^{2.} In January 2000, the "hydrocarbons removed" calculations were corrected to reflect the actual calibration gas (methane) of the instrument used. Therefore, the corrected cumulative total value is different than the previous versions of this table.

FIGURES










Figure 5

Groundwater Data - Monitoring Well RE-2

Thrifty Oil Co. SS#054 - Castro Valley, CA




Figure 6

Groundwater Data - Monitoring Well RE-3

Thrifty Oil Co. SS#054 - Castro Valley, CA




Figure 7

Groundwater Data - Monitoring Well RE-4

Thrifty Oil Co. SS#054 - Castro Valley, CA




Figure 8

Groundwater Data - Monitoring Well RE-6

Thrifty Oil Co. SS#054 - Castro Valley, CA




Figure 9 **Groundwater Data - Monitoring Well RE-7 Thrifty Oil Co. SS#054 - Castro Valley, CA**





Figure 10

Groundwater Data - Monitoring Well PW-1

Thrifty Oil Co. SS#054 - Castro Valley, CA



APPENDIX A



PROJECT STATUS REPORT

SITE: ADDRESS: THRIFTY OIL CO. # 054

2504 CASTRO VALLEY BLVD: CASTRO VALLEY, CA.94546

DATE:

03-15-06

PERSONNEL:

SERBAH

| | | | | | | -, | JININEL. | | ERBITA |
|---------------------------------------|---------|-------------|-------|-------------|-------------|------------|-------------|---------|---------------------------------------|
| WELL | DTP | DTW | DTB | PT | WC | DIA | PURG | E (GAL) | COMMENT |
| D | (FT) | (FT) | (FT) | (FT) | (FT) | (IN) | EST. | ACT. | |
| QUARTER | LY | T | 1 | | | | | , | |
| PW-1 | | | 13.92 | | | 4" | 24 | 24 | |
| RE-2 | | | 16.95 | | | 4" | 34 | 34 | |
| RE-3 | | 2.64 | 17.5% | | | 4" | 39 | 39 | |
| RE-4 | | 5.70 | 14.50 | | | 4" | 23 | 23 | |
| RE-6 | | 5.12 | 13.56 | | | 4" | 22 | 22 | |
| RE-7 | | 7.05 | 13.13 | | | 4" | 16 | 16 | - |
| RS-9 | | 2.71 | 14.94 | | | 2" | 8 | 8 | |
| RS-11 | | 7.89 | 24.72 | | | 2" | 11 | 11 | - |
| | | | · | | ···· | | | | |
| GAUGING (| ONLY | | | | | Г | | | |
| W-2 | | | 14.30 | | | 4" | | | |
| RE-1 | | 4.44 | 19.80 | | | 4" | | | |
| UE-5 | | 4.42 | 18.19 | | | 4" | | | |
| RS-8 | | 9.83 | 25.16 | | | 2" | | | |
| S-10 | | 7.52 | 24.36 | | | 2" | | | Ol |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | . ' | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | , , , , , , , , , , , , , , , , , , , |
| REE PRODU | CT REMO | | DD OV | CAI | | PURGE- | WATER RE | EMOVED: | [***] · · · · |
| DEM ADEC | | | PROX. | | | | | | APPROX. 177 GALLON |
| REMARKS: | | | | | | | | ATER | SAMPLE FROM |
| | | KNOT | WEW | SFO | e u | $\omega.s$ | 2_ | | |
| | | | | · | | | | | |
| | | | | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | | | | |
| | | | | | | | | | |

| Site: | te | 54 | | _Date: | 03- | 15-06 |
|--------------|--------------------|---------|------|--------------|------------|--------------|
| Address: | | | | • | | ,, 06 |
| Personnel: | 5 | FRBAH | | Weather: | Suelei | |
| Well No: | Ĥ |) W - 1 | | Equip: | BAI | y DAy |
| | | | | | - 5 AT | LOSIZ |
| | | | | | | |
| Before Pur | | | | | | |
| Total Well | Depth: (ft.) | 13 | .92 | _Well Diame | 120 | 44 |
| Depth to W | enth to Water (ft) | | 1.79 | Est. Purge V | _ | |
| | | | | 1 61 26 | · OIUIIIC; | 24 |
| | | | | | | |
| ampling D |)2t2: | | | | | |
| | • | | | | | |
| nitial Turbi | dity: | | | Final Turbid | im | |
| ime | 8:36 | 8:42 | 8:48 | 8:54 | 9:00 | |
| C | 1390 | 13.70 | 1410 | 1420 | 1410 | |
| H | 6.03 | 6.11 | 6.01 | 5.93 | 5.96 | |
| emp | 74.3 | 71.5 | 71.4 | 71.6 | 716 | |
| al. | 4 | q | th | 19 | 24 | |
| | | | : | | 24 | |
| | | | | | | •• |
| ime | | | | | | |
| C | | | | | | |
| 1 | | | | | | |
| mp | | | | 1 | | |
| . 7 | | | | | | |
| al. | | | | - I | • | 1 |

Total Weil Depth(ft).

13.92

8.11

Depth to Water (ft.)

| Site: | | 九 054 | | Date: | 03 | 15-06 | |
|---------------|---------------------------------------|----------|------|--------------|-------------|---------------------------------------|--------------|
| Address: | | | | ·. | * | | |
| Personnel: | | SERBAN | | Weather: | 8V N | HY DA |)-L, |
| Well No: | | RE-3 | | Eguip: | | "UFIZ | |
| | | | | | | | |
| Before Pur | ring: | | | | | | |
| Total Well I | | ! 11. | .52 | W 11 5: | | | L |
| Deoth to Wa | | | .64. | _Well Diame | | | 1. |
| | | | . 64 | Est. Purge V | olume: | პ | 9 |
| | | | | | | | |
| ampling D | 2ta: | | | | | | |
| | • | | • | | | | |
| nitial Turbic | | | | Final Turbid | itv: | | |
| ime | 9:04 | 9:13 | 9:22 | 9:31 | 9:40 | | 7 |
| C | 1460 | 1470 | 1460 | 1460 | 1460 | | |
| Н | 5.46 | 6.03 | G.H | 6.06 | 6.06. | | |
| emp | 71.3 | 71.4 | 71.6 | I.1.F | 71.7 | · | |
| al. | 7 | 15 | 23 | 31 | 39 | | |
| ٠ | | | : | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | - | | | |
| ime | | | | | | | T |
| | | | | | | · · · · · · · · · · · · · · · · · · · | |
| 1 | | | | | | | |
| mp | | | | | | | |
| <u>ul.</u> | | | | | | | |

| After Purging/Before Sample Coll | ection | | | |
|----------------------------------|--------|-----------------------|-------|--|
| Depth to Water (ft.) | 6.10 | Total Weil Depth(ft). | 17.51 | |

| Site: | | H 050 | 1 | Date: | <u>۸</u> 2 . | 15-0 | |
|-------------|--------------|---------------|------|----------------|--------------|--------|-------------|
| Address: | | | | | | 15 - 0 | 6 |
| Personnel | : | SERBA | z.+ | Weather: | · O-1 · | | |
| Well No: | | 25-9 | | Equip: | 00 | THY | Dity |
| | | | | coaib; | 011 | したれ | |
| • | | | | | | | |
| Before Pr | | | | | | | |
| | Depth: (ft.) | 14 | .94 | _Well Diame: | 120 | | 34 |
| Depth to V | Vater (ft) | 2 | .71 | Est. Purge V | | | 24 |
| | | | | -it fulde A | olume: | | 8 |
| | | - | | | ٠. | | |
| ampling | Data: | | | | | | |
| | | . | | | | | |
| nitial Turt | oidity: | • | | Einst Tour Co. | • | | |
| ime | 9:48 | 9:51 | 9:54 | Final Turbidi | | | |
| C | 1490 | 1500 | 1520 | 1520 | 10:00 | | |
| Н | 5.93 | 5.93 | 6.06 | 6. U | 1530 | | |
| emp | 71.3 | TIM | 71.3 | | 6.06 | | |
| al. | | 3 | 4 | 71.2 | 71.4 | | |
| • . | | | | .6 | 8 | | |
| | | | · | | | | , |
| ime | | 1 | | γ- | | | |
| <u> </u> | | | | | | | |
| { | | | | | | | |
| mp | | | | | | | |
| d. | | | 1 | j | 1 | | |

Total Weil Depth(ft).

After Purging/Before Sample Collection

7.11

Depth to Water (ft.)

| Sice: | | H 054 | | Date: | 0.2 | 15-06 |
|-------------|----------------|--------|-------|--------------|------------|----------|
| Address: | | | | ~u | | 17-06 |
| Personnel | | SERBA | 1 | Weather: | SUNN | 1 001 |
| Well No: | | RS-11 | | Equip: | 0.45 | Y DAY |
| | | | | | BATU | |
| | | | | • | | |
| Before Pu | | | | | | |
| | l Depth: (ft.) | 24 | .72 | Well Diame | 12r | 24 |
| Depth to V | Vater (ft) | | .89 | Est. Purge V | | 11 |
| | • | | | | orame: | NA. |
| | | | | | | |
| ampling | Data: | | | | | |
| | , | | | | | • |
| nitial Turt | oidity: | , | | Final Turbid | i m | |
| ime | 10:08 | ,10:11 | 10:14 | 10:17 | 10:20 | |
| C | 1690 | 1670 | 1670 | 1690 | 1690 | |
| H | 6.03 | 604 | 6.03 | 5.96 | 5.93 | |
| emp | 74.3 | 71.6 | 71.5 | 71.6 | H.I | |
| al. | 1 2 | 4 | 6 | 8 | 11 | |
| | | | : | | | |
| | 7 | | | | | |
| ime | | | | | | |
| <u>C</u> | | | | | | |
| 1 | | | | | | |
| mp | | | | | | |
| <u>u</u> | | | | | | , |

| After Purging/Before Sample Collection | |
|--|-----------------------------|
| Depth to Water (ft.) 12,07 | Total Weil Depth(ft). 24.72 |

| Site: | | 12051 | 4 | Date: | 0ス~ | 15-06 | | |
|-------------|---|----------|-------|--------------|---------|-----------|-------------|--|
| Address: | · | | | `, | | 3 1) 00 | | |
| Personnel: | *************************************** | SERBA | t | Weather: | SUN | SUNHY DAY | | |
| Well No: | | RE-G | | Equip: | BAT | (50) | | |
| | | | | | | 0,0,0 | | |
| Before Pu | rging: | | | | | | | |
| | Depth: (ft.) | - 13. | 56 | _Well Diame | | ; L | | |
| Depth to W | | | .12. | • | | 44 | | |
| | | | | Est. Purge \ | Volume: | 22 | , | |
| | | | | | | | | |
| ampling l | Data: | | | | | | | |
| | • | • | | | | | | |
| nitial Turb | idity: | • | | Final Turbid | • | | | |
| ime | 10:26 | 10:32 | 10:38 | 10:44 | | | | |
| C | 1580 | 1570 | 1560 | 1270 | 1670 | | | |
| н | 5.96 | 6.06 | 6.M | 6.03 | 6.04 | | | |
| стр | 71.4 | 71.6 | 71.5 | 71.6 | 31.8 | | | |
| al. | 4 | 8 | 1,3 | 17 | 22 | | | |
| | | | : | | | | | |
| | | | • | | | | | |
| me | | | | | T | T | | |
| <u> </u> | | | | | | | | |
| 1 | | | | | | | | |
| mp | | | | | | | | |
| վ | | | | | | | | |

13.56

Total Weil Depth(ft).

Depth to Water (ft.)

8.06

| Site: | | 4054 | | Date: | 03- | 15-06 | | |
|----------------|--------------|-------|-------|---------------|--------|---------------------------------------|--------------|-------------|
| Address: | | | | | | 7, 00 | · | |
| Personnel: | | ERBAH | | Weather: | SUL | 144 | A A - | |
| Well No: | | 2/2-2 | | Equip: | 901 | iven | Diry | |
| | | | | Eddio. | BM | 1 WEIL | | |
| • | | | | 4 | | | | |
| Before Pur | ging: | | | | | | | |
| Total Well | Depth: (ft.) | | 95 | _Well Diame: | ••• | | 14 | |
| Depth to Wa | | 3 | .95 | • | | | 44 | |
| | | | | Est. Purge V | olume: | | 34 | - |
| | | | | | • | | | |
| Sampling D | ata: | | | | | | | |
| , | | | | | | | · | · |
| Initial Turbio | ditv: | • | | Time the sine | | | | i |
| L ime | 10:58 | 11:06 | 11:14 | Final Turbidi | | | | |
| EC | 1690. | ATW | 1730 | 17-20 | 11:30 | | | |
| Н | 5.83 | 6.03 | 6. N | | 1730 | | | |
| Temp | 71.3 | 71.4 | 71. C | 6.06 | 6.03 | · · · · · · · · · · · · · · · · · · · | | <u>.</u> |
| Gal, | G | 13 | 20 | 71.3 | 71.5 | | | |
| | <u> </u> | | | 27 | 34 | | | |
| | | | • | | | | | |
| ime | T | | | | | | | |
| C | | | | | | ···· | | |
| Н | | | | | | | | |
| emp | | + | | | | | | |
| ai. | | | | | | | | |
| | | | | | | | | |

Total Weil Depth(ft). 16.45

After Purging/Before Sample Collection

7.09

Depth to Water (ft.)

| Site: | | nd 054 | | Date: | 03 | -15-0 | <u></u> | |
|---------------|--------------|---------------|-------|---------------|---------|---------------------------------------|-------------|---------------|
| Address: | | | | | | | | |
| Personnel: | | ERBAH 2E-4 | | Weather: | SUHI | 44 NA | H. | |
| Well No: | ĺ, | 2E-4 | | Eouio: | BAT | LY DA | .7 | سيسيت |
| • | | | | | | | | - |
| Before Pur | ging: | | | | | | | - · |
| Total Well | Depth: (ft.) | 14. | 50 | _Well Diame: | iar | | 44 | |
| Depth to W | ater (ft) | 5.` | 70 . | Est. Purge V | | | 13 | |
| • | • | | | | Oranic. | | -) | |
| Sampling D |)ata: | | | | | | | |
| Initial Turbi | ditv: | • | | Final Turbidi | iru· | | | |
| Cime | 11:36 | 11:42 | 11:48 | 11:54 | 12:00 | | -γ | |
| EC | 1530 | 1510 | 1490 | 1470 | 1470 | | | |
| H | 6.03 | G. 003 | 5,46 | 5.42 | 5.91. | | | |
| Гетр | 71.4 | N.6 | 21.8 | 71.6 | 71.8 | | | |
| Jal. | 4 | 9 | 13 | .18 | 23 | | | |
| , | | | ; | | | | <u> </u> | |
| ime | | | | T | | · · · · · · · · · · · · · · · · · · · | | |
| C | | | | | | | | |
| Н | | | | | | | | |
| emp | | | | | | · | | |
| al. | | | | | | | | |
| | | | | J | I I | | i | I |

| After Purging/Before Sample Co | llection | | | |
|--------------------------------|----------|-----------------------|-------|--|
| Depth to Water (ft.) | 9.06 | Total Weil Depth(ft). | 14.50 | |

| Site: | | 054 | | Date: | 03 | -15-06 | |
|-------------|---------------------------------------|-------|-------------|---------------|-------|---------|-------------|
| Address: | | | | <u>'</u> | | | |
| Personnei | | ERBAH | | Weather: | SUNI | 14 DAY | |
| Well No: | R | R-7 | | Eauio: | BATI | FR | |
| | , | | | | | | |
| | | | | | | | |
| Before Pu | | _] | | | | | |
| | Depth: (ft.) | 13.1 | | _Well Diames | er | 44 | |
| Deoth to V | Vater (ft) | 7.6 | 5 | Est. Purge V | - | 16 | |
| | • | , | | | | , , , , | |
| | | | | | | | |
| ampling | Data: | | | | | | |
| | | • | | | | | |
| nitial Turb | oidity: | | | Final Turbidi | ru• | | |
| ime | 12:09 | 12:13 | 12:17 | 12:21 | 12:25 | | |
| C | 1540 | 1640 | 1620 | 1640 | 1620 | | |
| Н | 5.46 | 5.46 | 6.04 | 6.07 | 6. W. | | |
| emp | 41.3 | 74.6 | 21.4 | 74.4 | M.5 | | |
| al. | 3 | 6 | 9 | 12 | | | |
| | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | 12 | 16 | | ···· |
| | | | | | | | |
| ime | | | | | | | |
| С | | | | | | | |
| 1 | | | | | | | |
| | 1 | | | | | | |
| emp | | | I | ľ | | • | |

13.13

Total Weil Depth(ft).

After Purging/Before Sample Collection

10.06

Depth to Water (ft.)

APPENDIX B



FAX 714/538-1209

CLIENT Thrifty Oil Company

(8871)

LAB REQUEST

166382 √

ATTN: Jeff Suryakusuma

13116 Imperial Hwy.

REPORTED

03/28/2006

P.O. Box 2128

Santa Fe Springs, CA 90670

RECEIVED

03/16/2006

PROJECT

Station #054

2504 Castro Valley Blvd., Castro Valley

SUBMITTER

Client

COMMENTS

Global ID #T0600101363

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

| Order No. | Client Sample Identification |
|-----------|------------------------------|
| 695537 | TOC #054 PW-1 |
| 695538 | TOC #054 RE-3 |
| 695539 | TOC #054 RS-9 |
| 695540 | TOC #054 RS-11 |
| 695541 | TOC #054 RE-6 |
| 695542 | TOC #054 RE-2 |
| 695543 | TOC #054 RE-4 |
| 695544 | TOC #054 RE-7 |
| 695545 | Trip Blank |
| 695546 | Laboratory Method Blank |

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Behare, Ph.D.

Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING Chemical Microbiological Environmental

Order #: 695537 Matrix: WATER

Tample ID: TOC #054 PW-1

Date Sampled: 03/15/2006 Time Sampled: 12:40

| Analyte | Result | DF | PQL | MDL | Units | Date/Analyst |
|-------------------------------|--------|-----|--------|------|-------|----------------|
| 8260B BTEX/MTBE Only | | | | | | • |
| Benzene | ND | 10 | 10.0 | 0.32 | ug/L | 03/21/06 LB |
| Ethyl benzene | ND | 10 | 50.0 | 0.24 | ug/L | 03/21/06 LB |
| Methyl-tert-butylether (MTBE) | 28500 | 250 | 250.0 | 0.63 | ug/L | 03/22/06 LB |
| Toluene | ND | 10 | 50.0 | 0.10 | ug/L | 03/21/06 LB |
| Xylenes, total | . 862 | 10 | 50.0 | 0.3 | ug/L | 03/21/06 LB |
| Surrogates | | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 93 | | | | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 100 | | | | % | 70 - 130 |
| Surr3 - Toluene-d8 | 95 | | | | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 93 | | | | % | 70 - 130 |
| 8015B - Gasoline | | | | | | |
| Gasoline | 35500 | 20 | 1000.0 | 5.6 | ug/L | 03/21/06 SU |
| Surrogates | | | | | Units | Control Limits |
| a,a,a-Trifluorotoluene | 104 | | | | % | 55 - 200 |

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor ND = Not detected below indicated MDL, J=Trace



Order #: 695538 Clier Sample ID: TOC #054 RE-3 Matrix: WATER

Date Sampled: 03/15/2006 **Time Sampled:** 12:50

| Analyte | Result | DF | PQL | MDL | Units | Date/Analyst |
|-------------------------------|--------|----|-----|---|-------|---|
| 8260B BTEX/MTBE Only | | | | | | _ |
| Benzene | ND | 1 | 1 | 0.32 | ug/L | 03/21/06 LB |
| Ethyl benzene | ND | 1 | 5 | 0.24 | ug/L | 03/21/06 LB |
| Methyl-tert-butylether (MTBE) | ND | 1 | 1 | 0.63 | ug/L | 03/21/06 LB |
| Toluene | ND | 1 | 5 | 0.10 | ug/L | 03/21/06 LB |
| Xylenes, total | ND | 1 | 5 | 0.3 | ug/L | 03/21/06 LB |
| Surrogates | | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 98 | | | | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 99 | | | | % | 70 - 130 |
| Surr3 - Toluene-d8 | 94 | | | | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 101 | | | * * * * * * * * * * * * * * * * * * * | % | 70 - 130 |
| 8015B - Gasoline | | | | | | *************************************** |
| Gasoline | ND | 1 | 50 | 5.6 | ug/L | 03/21/06 SU |
| Surrogates | | | | | Units | Control Limits |
| a,a,a-Trifluorotoluene | 79 | | | ······································ | % | 55 - 200 |

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor ND = Not detected below indicated MDL, J=Trace



Order #: 695539 Matrix: WATER Clier Sample ID: TOC #054 RS-9

Date Sampled: 03/15/2006 Time Sampled: 13:00

| Analyte | Result | DF | PQL | MDL U | <u>nits</u> | Date/Analyst |
|-------------------------------|--------|-------------|-----|----------|-------------|-----------------------|
| 8260B BTEX/MTBE Only | | | | | | |
| Benzene | ND | 1 | 1 | 0.32 ug/ | /L | 03/21/06 LB |
| Ethyl benzene | ND | 1 | 5 | 0.24 ug/ | /L | 03/21/06 LB |
| Methyl-tert-butylether (MTBE) | 17 | 1 | 1 | 0.63 ug/ | /L | 03/21/06 LB |
| Toluene | ND | 1 | 5 | 0.10 ug/ | /L | 03/21/06 LB |
| Xylenes, total | 1.6 | J 1 | 5 | 0.3 ug/ | /L, | 03/21/06 LB |
| Surrogates | | | | Un | nits | Control Limits |
| Surr1 - Dibromofluoromethane | 104 | | | % | | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 109 | ******** | | % | | 70 - 130 |
| Surr3 - Toluene-d8 | 93 | | | % | | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 99 | | | % | | 70 - 130 |
| 8015B - Gasoline | | | | | | |
| Gasoline | ND | 1 | 50 | 5.6 ug/ | /L | 03/21/06 SU |
| Surrogates | | | | Un | nits | Control Limits |
| a,a,a-Trifluorotoluene | 78 | | | % | | 55 - 200 |

$$\label{eq:pql} \begin{split} PQL = & \text{Practical Quantitation Limit, } MDL = & \text{Method detection limit, } DF = & \text{Dilution Factor } ND = & \text{Not detected below indicated } MDL, \\ & \text{J=Trace} \end{split}$$



Order #: 695540 Clie ample ID TOC #054 RS-11
Matrix: WATER Date Sampled: 03/15/2006 Time Sampled: 13:10

| Analyte | Result | DF | PQL | MDL | Units | Date/Analyst |
|-------------------------------|--------|----|---|------|-------|-----------------------|
| 8260B BTEX/MTBE Only | | | | | | |
| Benzene | ND | 1 | 1 | 0.32 | ug/L | 03/22/06 LB |
| Ethyl benzene | ND | 1 | 5 | 0.24 | ug/L | 03/22/06 LB |
| Methyl-tert-butylether (MTBE) | 336 | 1 | 1 | 0.63 | ug/L | 03/22/06 LB |
| Tolucne | ND | 1 | 5 | 0.10 | ug/L | 03/22/06 LB |
| Xylenes, total | ND | 1 | 5 | 0.3 | ug/L | 03/22/06 LB |
| Surrogates | | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 98 | • | *************************************** | | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 100 | | *************************************** | | % | 70 - 130 |
| Surr3 - Toluene-d8 | 94 | | | | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 105 | | | **** | % | 70 - 130 |
| 8015B - Gasoline | | | | | | |
| Gasoline | 426 | 1 | 50 | 5.6 | ug/L | 03/21/06 SU |
| Surrogates | | | | | Units | Control Limits |
| a,a,a-Trifluorotoluene | 89 | | | | % | 55 - 200 |

$$\label{eq:polynomial} \begin{split} PQL = & \mbox{ Practical Quantitation Limit, } \mbox{ MDL} = \mbox{ Method detection limit, } \mbox{ DF} = \mbox{ Dilution Factor } \mbox{ ND} = \mbox{ Not detected below indicated MDL, } \mbox{ J=Trace} \end{split}$$



Order #: Sample ID: TOC #054 RE-6 Clier Matrix: WATER

Date Sampled: 03/15/2006 Time Sampled: 13:20

| Analyte | Result | DF | PQL | MDL Units | Date/Analyst |
|-------------------------------|--------|----|-----|-----------|-----------------------|
| 8260B BTEX/MTBE Only | | | | | |
| Benzene | ND | 1 | 1 | 0.32 ug/L | 03/22/06 LB |
| Ethyl benzene | ND | 1 | 5 | 0.24 ug/L | 03/22/06 LB |
| Methyl-tert-butylether (MTBE) | 117 | 1 | 1 | 0.63 ug/L | 03/22/06 LB |
| Toluene | ND | 1 | 5 | 0.10 ug/L | 03/22/06 LB |
| Xylenes, total | ND | 1 | 5 | 0.3 ug/L | 03/22/06 LB |
| Surrogates | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 95 | | | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 98 | | — | % | 70 - 130 |
| Surr3 - Toluene-d8 | 91 | | | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 101 | | | % | 70 - 130 |
| 8015B - Gasoline | | | | | |
| Gasoline | 166 | 1 | 50 | 5.6 ug/L | 03/21/06 SU |
| Surrogates | | | | Units | Control Limits |
| a,a,a-Trifluorotoluene | 80 | | | % | 55 - 200 |

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor ND = Not detected below indicated MDL, J=Trace



Order #: 695542 Matrix: WATER

Sample ID: TOC #054 RE-2

Date Sampled: 03/15/2006 Time Sampled: 13:35

| Analyte | Result | DF | PQL | MDL | Units | Date/Analyst |
|-------------------------------|--------|-------------|-----|------|-------|-----------------------|
| 8260B BTEX/MTBE Only | | | | | | |
| Benzene | ND | 1 | 1 | 0.32 | ug/L | 03/22/06 LB |
| Ethyl benzene | ND | 1 | 5 | 0.24 | ug/L | 03/22/06 LB |
| Methyl-tert-butylether (MTBE) | 31 | 1 | 1 | 0.63 | ug/L | 03/22/06 LB |
| Toluene | ND | 1 | 5 | 0.10 | ug/L | 03/22/06 LB |
| Xylenes, total | ND | 1 | 5 | 0.3 | ug/L | 03/22/06 LB |
| Surrogates | | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 96 | | | | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 100 | | | | % | 70 - 130 |
| Surr3 - Toluene-d8 | 94 | | | ··· | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 103 | | | | % | 70 - 130 |
| 8015B - Gasoline | | | | | | |
| Gasoline | 57 | 1 | 50 | 5.6 | ug/L | 03/21/06 SU |
| Surrogates | | | | | Units | Control Limits |
| a,a,a-Trifluorotoluene | 76 | | | | % | 55 - 200 |

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor ND = Not detected below indicated MDL, J=Trace



Order #: 695543 Clie Tample ID: TOC #054 RE-4 Matrix: WATER

Date Sampled: 03/15/2006 Time Sampled: 14:05

| Analyte | Result | DF | PQL | MDL | Units | Date/Analyst |
|-------------------------------|--------|-----------|-------------|------|-------|----------------|
| 8260B BTEX/MTBE Only | | | | | | |
| Benzene | 37 | 10 | 10.0 | 0.32 | ug/L | 03/22/06 LB |
| Ethyl benzene | 65 | 10 | 50.0 | 0.24 | ug/L | 03/22/06 LB |
| Methyl-tert-butylether (MTBE) | 4940 | 10 | 10.0 | 0.63 | ug/L | 03/22/06 LB |
| Toluene | ND | 10 | 50.0 | 0.10 | ug/L | 03/22/06 LB |
| Xylenes, total | 15 | J 10 | 50.0 | 0.3 | ug/L | 03/22/06 LB |
| Surrogates | | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 93 | | | | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 101 | | | | % | 70 - 130 |
| Surr3 - Toluene-d8 | 98 | ········· | | | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 93 | | | | % | 70 - 130 |
| 8015B - Gasoline | | | | · | | |
| Gasoline | 4910 | 1 | 50 | 5.6 | ug/L | 03/21/06 SU |
| Surrogates | | | | | Units | Control Limits |
| a,a,a-Trifluorotoluene | 166 | | | | % | 55 - 200 |

 $PQL = Practical \ Quantitation \ Limit, \ MDL = Method \ detection \ limit, \ DF = Dilution \ Factor$ ND = Not detected below indicated MDL, J=Trace



Order #: 695544 Tample ID: TOC #054 RE-7 Clie Matrix: WATER

Date Sampled: 03/15/2006 Time Sampled: 14:30

| Analyte | Result | DF | PQL | MDL | <u>Units</u> | Date/Analyst |
|-------------------------------|--------|------|-------|------|--------------|-----------------------|
| 8260B BTEX/MTBE Only | | | | | | |
| Benzene | 73 | 10 | 10.0 | 0.32 | ug/L | 03/22/06 LB |
| Ethyl benzene | 143 | 10 | 50.0 | 0.24 | ug/L | 03/22/06 LB |
| Methyl-tert-butylether (MTBE) | 10200 | 50 | 50.0 | 0.63 | ug/L | 03/22/06 LB |
| Toluene | ND | 10 | 50.0 | 0.10 | ug/L | 03/22/06 LB |
| Xylenes, total | 22 | J 10 | 50.0 | 0.3 | ug/L | 03/22/06 LB |
| Surrogates | | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 99 | | | , | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 107 | | | | % | 70 - 130 |
| Surr3 - Toluene-d8 | 93 | | | | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 97 | | | | % | 70 - 130 |
| 8015B - Gasoline | | | | | | |
| Gasoline | 11700 | 10 | 500.0 | 5.6 | ug/L | 03/21/06 SU |
| Surrogates | | | | | Units | Control Limits |
| a,a,a-Trifluorotoluene | 106 | | | | % | 55 - 200 |

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor ND = Not detected below indicated MDL, J=Trace



Order #: 695545 Clie Cample ID: Trip Blank Matrix: WATER Date Sampled: 03/15/2006

| Analyte | Result | DF | PQL | MDL | Units | Date/Analyst |
|-------------------------------|--------|----|-----|---|-------|----------------|
| 8260B BTEX/MTBE Only | | | | | | |
| Benzene | ND | 1 | 1 | 0.32 | ug/L | 03/22/06 LB |
| Ethyl benzene | ND | 1 | 5 | 0.24 | ug/L | 03/22/06 LB |
| Toluene | ND | 1 | 5 | 0.10 | ug/L | 03/22/06 LB |
| Xylenes, total | ND | 1 | 5 | 0.3 | ug/L | 03/22/06 LB |
| Surrogates | | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 98 | | | | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 101 | | | | % | 70 - 130 |
| Surr3 - Toluene-d8 | 95 | | | | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 93 | | | | % | 70 - 130 |
| 8015B - Gasoline | | | | *************************************** | | |
| Gasoline | ND | 1 | 50 | 5.6 | ug/L | 03/21/06 SU |
| Surrogates | | | | | Units | Control Limits |
| a,a,a-Trifluorotoluene | 77 | | | | % | 55 - 200 |

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor ND = Not detected below indicated MDL, J=Trace



| Analyte | Result | DF | PQL | MDL | Units | Date/Analys |
|-------------------------------|--------|-------|---|--|-------|----------------|
| 60B BTEX/MTBE Only | | | | | | |
| Benzene | ND | 1 | 1 | 0.32 | ug/L | 03/21/06 LB |
| Ethyl benzene | ND | 1 | 5 | 0.24 | ug/L | 03/21/06 LB |
| Methyl-tert-butylether (MTBE) | ND | 1 | 1 | 0.63 | ug/L | 03/21/06 LB |
| Toluene | ND | 1 | 5 | 0.10 | ug/L | 03/21/06 LB |
| Xylenes, total | ND | 1 | 5 | 0.3 | ug/L | 03/21/06 LB |
| urrogates | | | | | Units | Control Limits |
| Surr1 - Dibromofluoromethane | 99 | | | ************************************** | % | 70 - 130 |
| Surr2 - 1,2-Dichloroethane-d4 | 102 | ····· | | | % | 70 - 130 |
| Surr3 - Toluene-d8 | 93 | | *************************************** | | % | 70 - 130 |
| Surr4 - p-Bromofluorobenzene | 93 | ····· | · · · · · · · · · · · · · · · · · · · | | % | 70 - 130 |
| 15B - Gasoline | | | | | | |
| Gasoline | ND | 1 | 50 | 5.6 | ug/L | 03/21/06 SU |
| urrogates | | | | | Units | Control Limits |
| | | | | | | |

ample ID: Laboratory Method Blank

 $PQL = Practical \ Quantitation \ Limit, \ MDL = Method \ detection \ limit, \ DF = Dilution \ Factor$ ND = Not detected below indicated MDL, J=Trace



Order #:

695546

Clie

Associated Laboratories QA / QC EPA Methods 8260, 624, & 524.2 - GCMS # 3

Sample ID: MS/MSD-water sample 166382-539 Date Analyzed: March 22, 2006

Sample Matrix: water Units: µg/L

Applies to LR: 166424, 166425, 166423, 166382, 166426

| Compound | Sample Conc. | Spike Added | Spike Res | Dup Res | Spike % Rec | Dup % Rec | RPD | QC RPD | Limits % Rec |
|--------------------|-----------------|----------------|--------------|------------|----------------|--------------|-----|-----------|-----------------|
| 1,1-Dichloroethene | 0.00 | 50.0 | 52.42 | 53.69 | 105 | 107 | 2 | 22 | 59 - 172 |
| MTBE | 0.00 | 50.0 | 51.64 | 50.63 | 103 | 101 | 2 | 24 | 62 - 137 |
| Benzene | 0.00 | 50.0 | 43.26 | 42.83 | 87 | 86 | 1 | 24 | 62 - 137 |
| Trichloroethene | 0.00 | 50.0 | 63.29 | 60.04 | 127 | 120 | 5 | 21 | 66 - 142 |
| Toluene | 0.00 | 50.0 | 56.67 | 55.82 | 113 | 112 | 2 | 21 | 59 - 139 |
| Chlorobenzene | 0.00 | 50.0 | 52.84 | 51.92 | 106 | 104 | 2 | 21 | 60 - 133 |

^{*=}Outside QC limits due to high concentration in sample

Sample ID: LCS - water

Date Analyzed: March 21, 2006

2:35pm

Sample Matrix: water

Units: µg/L

| Compound | Sample Conc. | Spike Added | Spike Res | Spike % Rec | QC RPD | Limits % Rec |
|--------------------|-----------------|----------------|--------------|----------------|-----------|-----------------|
| 1,1-Dichloroethene | 0.00 | 50.0 | 56.41 | 113 | 22 | 59 - 172 |
| MTBE | 0.00 | 50.0 | 40.27 | 81 | 24 | 62 - 137 |
| Benzene | 0.00 | 50.0 | 44.17 | 88 | 24 | 62 - 137 |
| Trichloroethene | 0.00 | 50.0 | 58.81 | 118 | 21 | 66 - 142 |
| Toluene | 0.00 | 50.0 | 53.61 | 107 | 21 | 59 - 139 |
| Chlorobenzene | 0.00 | 50.0 | 51.75 | 104 | 21 | 60 - 133 |

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery GCMS # 3

| | | | | | | Limits |
|-----------------------|-----|-----|-----|-----|-----|--------|
| Compound | MB1 | MB2 | MS | MSD | LCS | % Rec |
| Dibromofluoromethane | 99 | 102 | 95 | 99 | 103 | 70-135 |
| 1,2-Dichloroethane-d4 | 102 | 101 | 97 | 90 | 99 | 70-135 |
| Toluene-d8 | 93 | 96 | 100 | 100 | 103 | 70-135 |
| p-Bromofluorobenzene | 93 | 104 | 112 | 117 | 110 | 70-135 |

Associated Laboratories QA / QC EPA Methods 8260, 624, & 524.2 - GCMS # 3

Sample ID: MS/MSD-water sample 166422-703

Date Analyzed: March 23, 2006

Sample Matrix: water

Units: µg/L

Applies to LR: 166423, 166382, 166422, 166427

| | Sample | Spike | Spike | Dup | Spike | Dup | | αc | Limits |
|--------------------|--------|-------|-------|-------|-------|-------|-----|-----|----------|
| Compound | Conc. | Added | Res | Res | % Rec | % Rec | RPD | RPD | % Rec |
| 1,1-Dichloroethene | 0.00 | 50.0 | 48.88 | 51.02 | 98 | 102 | 4 | 22 | 59 - 172 |
| MTBE | 59.28 | 50.0 | 96.70 | 93.90 | 75 | 69 | 3 | 24 | 62 - 137 |
| Benzene | 0.00 | 50.0 | 37.97 | 38.88 | 76 | 78 | 2 | 24 | 62 - 137 |
| Trichloroethene | 0.00 | 50.0 | 56.19 | 58.88 | 112 | 118 | 5 | 21 | 66 - 142 |
| Toluene | 0.00 | 50.0 | 49.80 | 53.51 | 100 | 107 | 7 | 21 | 59 - 139 |
| Chlorobenzene | 0.00 | 50.0 | 48.33 | 50.77 | 97 | 102 | 5 | 21 | 60 - 133 |

^{* =} Outside QC limits due to high concentration in sample

Sample ID: LCS - water

Date Analyzed: March 22, 2006

5:22pm

7:45am

Sample Matrix: water

Units: µg/L

| Compound | Sample Conc. | Spike Added | Spike Res | Spike % Rec | QC RPD | Limits % Rec |
|--------------------|-----------------|----------------|--------------|----------------|-----------|-----------------|
| 1,1-Dichloroethene | 0.00 | 50.0 | 54.03 | 108 | 22 | 59 - 172 |
| MTBE | 0.00 | 50.0 | 40.32 | 81 | 24 | 62 - 137 |
| Benzene | 0.00 | 50.0 | 42.65 | 85 | 24 | 62 - 137 |
| Trichloroethene | 0.00 | 50.0 | 55.84 | 112 | 21 | 66 - 142 |
| Toluene | 0.00 | 50.0 | 50.15 | 100 | 21 | 59 - 139 |
| Chlorobenzene | 0.00 | 50.0 | 50.00 | 100 | 21 | 60 - 133 |

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery GCMS #3

| | | | | | | Limits |
|-----------------------|-----|-----|-----|-----|-----|--------|
| Compound | MB1 | MB2 | MS | MSD | LCS | % Rec |
| Dibromofluoromethane | 100 | 94 | 107 | 91 | 103 | 70-135 |
| 1,2-Dichloroethane-d4 | 108 | 104 | 96 | 94 | 98 | 70-135 |
| Toluene-d8 | 95 | 97 | 102 | 101 | 103 | 70-135 |
| p-Bromofluorobenzene | 95 | 98 | 111 | 112 | 112 | 70-135 |

ASSOCIATED LABORATORIES LCS REPORT FORM

QC Sample:

LCS/LCSD

Matrix:

WATER

Prep. Date:

March 20, 2006

Analysis Date

03/20/06-03/21/06

ID#'s in Batch:

LR 166382

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = ug/L

| Test | Method | Method Blank | Spike Added | - | | %Rec LCS | %Rec LCSD | RPD |
|------|---------|-----------------|----------------|-----|-----|-------------|--------------|-----|
| ТРН | 8015M-G | ND | 500 | 435 | 435 | 87 | 87 | 0 |

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

| %REC LIMITS | · = | = | 70 | - | 130 |
|-------------|-----|---|----|---|-----|
| RPD LIMITS | = | | 30 | | |

SURROGATE RECOVERY

| Sample No. | AAA-TFT |
|--------------|---------|
| QC Limit | 55-200 |
| Method Blank | 76 |
| LCS | 145 |
| LCSD | 147 |

AAA-TFT = a,a,a-Trifluorotoluene

Chain of Custody Record

ASSOCIATED LABORATORIES

806 North Batavia = Orange, CA 92868

Phone: (714) 771-6900 Fax: (714) 538-1209



| Project Manager Project Name | TYOIL | co. | | Phone | 5621 | 121- | 357 | 31 | A.L. | Job N | lo. | | | | (d | 0 | 38 |) | l of 1 |
|------------------------------|------------------|-----------------------|------------------|--------------|------|-----------------------|--------|--------|----------------|-------|----------------|---------|--------|---------------|--|----------|--|---------------------|----------|
| Project Manager | EFF SURY | AKUSUMA | | Fax (| 562) | 921- | 7,5 | 10 | | | A | nalysi | s Re | ques | ted | | · | Test Instructions & | Comments |
| Project Name | a w | 5- | | Project | * C | 54 | V | · | E | 2 | 2 | | | | | T | \top | T060010136 | • |
| and 250 | 14 CASTI | 20 VALLEY | BL | ND. | | | | | 80/5M | 260B) | 8260B) | | | | | | | , CBODION JE | 3 |
| Address CAS | STRO VAL | -124 | 945 | 46 | | | | | (%) | 00 | · ~ | | | | | | | | |
| Sample ID | Lab ID | Date | Time | Matrix | | ainer er/Size | Pi | es. | TPHY | BTEX | MTBB | | | | | | | | |
| 1 PW-1 | | 03-15-06 | 12:ho | 420 | 3-1 | VOA | 14 | CL | Х | X | کر | | | | - | \vdash | | | |
| 2 RE-3 | | ì | 12:50 | | 1 | | 1 | ١ | X | X | X | | 1 | + | | | 1 | | |
| 3 RS-9 | | | 13:00 | | | | | | Х | X | × | | 1 | | | | 1 | | |
| 4 RS-11 | | | 13:10 | | | | | | 又 | У | × | | | | + | | | | |
| 5 RE-G | | | 13:20 | | | | | _ | × | X | X | | | | | | | | |
| 6 RE-2 | | | 18:35 | | | | | | 火 | X | X | | \top | - | 1 | | | | |
| 7 RE-4 | | | 14:05 | | | , | | _ | У | × | X | | | | 187. | | 1 | | |
| 8 RE-7 | | | 14:30 | , | V | _ | V | | × | × | × | | | T | 1 | | | | |
| TRIP BLACK | | V | ග ුව (ඉගු | Y | 2-V | DA | 1-1 | CL | × | × | | | | | | | | | |
| 10 | | | | | / | | , | | | | × | | | \mathcal{T} | | | 1, | | |
| 11 | | | | | | | | | | | | | / | | | / | 1 | | |
| 12 | | | | | | | | | $\overline{/}$ | | | / | 1 | | 1 | 1 | | | |
| 13 | | | | | | / | | | | | | 1 | | | | | 1 | | |
| 14 / | | | | | | | , | | | | \overline{A} | | | 17 | | / | 1 | | |
| 15 | | | | | 1 | | | | | 1 | | | | 1 | 1 | / | | | |
| Sar | nple Receipt - 1 | o Be Filled By La | boratory | ′ | | Relinquis Sampler: | hed by | E.N | 1.0 | . 1 | • | Relinq | uished | by G | S. | 0. | 2. | Relinquished by | 3. |
| Total Number of Containe | rs If | Properly Cooled | 9/N/NA | | | Signature | 13 | مية. (| | | | Signatu | | | | | | Signature: | |
| Custody Seals Y/N/NA | | Samples Intact | Y) N/NA | | | Printed N | SE | RBI | Art | P | | Printed | Name | | | | | Printed Name: | |
| Received in Good Conditi | or(V) N | Samples Accept | eq Y)N | | | 07.2 | 16 | ola ' | "''e. ' | 16: | 0 <i>0</i> | Date: | | | Time | e: | | Date: Tim | ne: |
| | Turn | Around Time | | | - | Received | Ву: | ÷, S. | 0. | 1. | | Receiv | ed By: | . 1. | | | 2. | Received By: | 3. |
| / | | | | | | Signature | : | | | - | | Signatu | re: | | | | | Signature: | <u>-</u> |
| ☑ Normal | Rush | ☐ Same D ☐ 24 hrs. | ay | □ 48 □ 72 | | Printed N | ame: | | | | | Printed | Name: | oner) M. | <u>,</u> No- | a Ck | | Printed Name: | |
| | | | | <u> </u> | | Date: | | Ť | ime: | | | Date: | 3/6 | 106 | Time | l e va | 3 | Date: Tim | ie: |