

Environmental Management  
Company  
6001 Bollinger Canyon Rd, L4050  
P.O. Box 6012  
San Ramon, CA 94583-2324  
Tel 925-842-1589  
Fax 925-842-8370

Karen Streich  
Project Manager

Rw 351

May 4, 2004

**ChevronTexaco**

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Alameda County  
MAY 06 2004  
Environmental Health

Re: Chevron Service Station # 9-3864

Address: 5101 Telegraph Ave., Oakland, CA

I have reviewed the attached routine groundwater monitoring report dated April 9, 2004.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich  
Project Manager

Enclosure: Report

20351 ✓



# GETTLER-RYAN INC.

## TRANSMITTAL

April 9, 2004  
G-R #386358

Alameda County  
MAY 04 2004  
Environmental Health

TO: Mr. Bruce H. Eppler  
Cambria Environmental Technology, Inc.  
4111 Citrus Avenue, Suite 12  
Rocklin, California 95677

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Former Chevron Service Station  
#9-3864  
5101 Telegraph Avenue  
Oakland, California  
MTI: 61D-1951**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	April 7, 2004	Groundwater Monitoring and Sampling Report First Semi-Annual - Event of March 18, 2004

### COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **May 3, 2004**, at which time the final report will be distributed to the following:

- cc: Ms. Susan Hugo, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
- Mr. Chuck Headlee, RWQCB-San Francisco Bay Region, 1515 Clay St., Suite 1400, Oakland, CA 94612
- Mr. John Gwynn, Gwynn-Schields & Associates, 300 Lakeside Dr., Ste. 1980, Oakland, CA 94612

Enclosures

trans/9-3864-KS



# GETTLER-RYAN INC.

April 7, 2004  
G-R Job #386358

Ms. Karen Streich  
ChevronTexaco Company  
P.O. Box 6004  
San Ramon, CA 94583

**RE: First Semi-Annual Event of March 18, 2004**  
Groundwater Monitoring & Sampling Report  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

*Deanna L. Harding*  
Deanna L. Harding  
Project Coordinator

*Hagop Kevork*  
Hagop Kevork  
P.E. No. C55734



Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Dissolved Oxygen Concentrations  
Table 3: Groundwater Analytical Results - Oxygenate Compounds  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports

**EXPLANATION**

- ◆ Groundwater monitoring well
- ◆ Groundwater monitoring well, Tri-Star Partnership (Former Chevron Well)
- ✕ Abandoned well


99.99 Groundwater elevation in feet referenced to Mean Sea Level

— 99.99 — Groundwater elevation contour, dashed where inferred.

\* Discontinued from monitoring/sampling program



Approximate groundwater flow direction at a gradient of 0.02 to 0.03 Ft./Ft.



Source: Figure modified from drawing provided by RRM engineering contracting firm.

**GETTLER - RYAN INC.**  
 6747 Sierra Ct., Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Former Chevron Service Station #9-3864  
 5101 Telegraph Avenue  
 Oakland, California

FIGURE  
**1**

PROJECT NUMBER  
**386358**

REVIEWED BY

DATE  
 March 18, 2004

REVISED DATE

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>C-1</b>									
12/06/90	117.45	102.11	15.34	1,900	17	11	3.0	21	--
06/06/91	117.45	102.83	14.62	3,400	21	15	11	18	--
12/04/91	117.45	102.97	14.48	2,700	22	16	13	23	--
06/02/92	117.45	102.92	14.53	1,900	170	170	13	83	--
09/16/92	117.45	102.52	14.93	810	5.8	5.7	2.0	6.3	--
12/21/92	117.45	103.72	13.73	75	2.4	2.9	1.4	4.7	--
03/11/93	117.45	103.62	13.83	150	2.4	20	3.3	23	--
06/11/93	117.45	103.26	14.19	400	4.3	2.3	1.0	3.5	--
09/13/93	117.45	102.85	14.60	4,100	62	43	34	57	--
12/14/93	117.45	103.67	13.78	3,100	9.5	4.5	1.2	11	--
03/16/94	117.45	103.44	14.01	410	6.3	3.1	1.3	4.5	--
06/17/94	117.45	102.90	14.55	3,700	100	42	30	91	--
08/29/94	117.45	102.96	14.49	2,600	15	<0.5	6.7	9.7	--
12/06/94	117.45	104.04	13.41	510	2.0	2.2	1.7	9.4	--
03/31/95	117.45	105.33	12.12	5,440	9.0	2.3	2.0	3.6	--
06/24/95	117.45	103.45	14.00	260	5.8	1.0	0.94	0.88	--
09/12/95	117.45	103.42	14.03	650	14	1.1	1.6	2.4	--
12/29/95	117.45	104.50	12.95	990	32	6.3	4.0	3.2	46
02/29/96	117.45	105.27	12.18	840	2.5	<1.0	2.6	7.3	<5.0
06/26/96	117.45	103.72	13.73	290	3.6	0.73	1.0	1.1	9.9
09/12/96	117.45	103.32	14.13	1,200	17	1.8	4.0	4.4	24
12/11/96	117.45	104.66	12.79	7,700	<10	53	19	44	87
ABANDONED									
<b>C-2</b>									
12/06/90	116.16	100.82	15.34	210	140	9.0	2.0	11	--
06/06/91	116.16	101.54	14.62	4,800	340	23	19	23	--
12/04/91	116.16	100.73	15.43	3,900	85	15	9.1	15	--
06/02/92	116.16	101.74	14.42	3,300	76	9.2	14	15	--
09/16/92	116.16	101.35	14.81	3,000	16	15	3.4	7.5	--
12/21/92	116.16	102.79	13.37	2,200	21	12	7.1	15	--
03/11/93	116.16	102.69	13.47	2,200	33	24	12	25	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>C-2 (cont)</b>									
06/11/93	116.16	102.18	13.98	2,600	21	25	11	26	--
09/13/93	116.16	101.61	14.55	2,100	31	25	18	39	--
12/14/93	116.16	102.46	13.70	3,800	<2.5	24	12	20	--
03/16/94	116.16	102.51	13.65	2,600	12	15	10	17	--
06/17/94	116.16	102.87	13.29	2,400	17	19	28	71	--
08/29/94	116.16	111.60	4.56	3,000	29	15	20	4.2	--
12/06/94	116.16	102.98	13.18	1,900	7.9	30	14	31	--
03/31/95	116.16	104.10	12.06	890	<1.3	<1.3	2.6	<1.3	--
06/24/95	116.16	102.19	13.97	730	4.8	<0.5	5.4	0.96	--
09/12/95	116.16	102.28	13.88	1,600	<2.5	<2.5	5.4	<2.5	--
12/29/95	116.16	103.31	12.85	1,000	9.1	2.7	8.7	2.7	19
02/29/96	116.16	104.09	12.07	850	<2.5	<2.5	8.7	11	<12
06/26/96	116.16	102.50	13.66	2,500	14	<5.0	13	6.3	<25
09/12/96	116.16	102.25	13.91	1,800	26	19	17	31	37
12/11/96	116.16	103.82	12.34	2,800	<5.0	34	14	<5.0	41
ABANDONED									
<b>C-3</b>									
12/06/90	115.70	98.84	16.86	210	2.0	<0.5	<0.5	1.0	--
12/06/90 (D)	--	--	--	220	2.0	0.6	<0.5	2.0	--
06/06/91	115.70	100.01	15.69	6,400	310	21	16	21	--
09/16/92	115.70	99.81	15.89	7,100	130	26	12	30	--
12/04/91	115.70	100.32	15.38	5,100	120	18	17	20	--
06/02/92	115.70	100.30	15.40	6,700	140	44	17	37	--
12/21/92	115.70	101.79	13.91	13,000	390	360	100	410	--
03/11/93	115.70	101.95	13.75	5,100	86	20	12	23	--
06/11/93	115.70	101.03	14.67	7,200	91	38	19	38	--
09/13/93	115.70	100.17	15.53	6,800	100	52	41	75	--
12/14/93	115.70	101.30	14.40	8,600	74	23	18	36	--
03/16/94	115.70	101.44	14.26	6,000	100	42	27	30	--
06/17/94	115.70	100.60	15.10	15,000	170	120	120	270	--
08/29/94	115.70	100.30	15.40	26,000	51	<0.5	58	107	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>C-3 (cont)</b>									
12/06/94	115.70	101.90	13.80	34,000	88	140	98	390	--
03/31/95	115.70	102.91	12.79	2,800	42	<5.0	<5.0	6.6	--
06/24/95	115.70	100.84	14.86	5,200	34	<10	<10	13	--
09/12/95	115.70	100.76	14.94	7,000	45	<10	28	42	--
12/29/95	115.70	102.12	13.58	5,100	20	<10	<10	19	<50
02/29/96	115.70	102.88	12.82	2,600	15	<5.0	17	16	<25
06/26/96	115.70	101.32	14.38	4,400	<10	<10	<10	<10	<50
09/12/96	115.70	100.75	14.95	5,800	73	22	18	17	61
12/11/96	115.70	103.08	12.62	8,800	81	<20	<20	37	200
03/31/97	115.70	100.70	15.00	8,100	38	62	30	42	38
06/29/97	115.70	100.08	15.62	5,800	<10	<10	<10	67	<50
09/30/97	115.70	100.70	15.00	6,200	<10	28	21	27	130
12/12/97	115.70	103.68	12.02	330	1.6	1.1	<1.0	3.4	<5.0
02/19/98	115.70	103.26	12.44	110	1.7	<0.5	<0.5	0.51	<2.5
06/16/98	115.70	102.29	13.41	7,400	63	16	<10	<10	170
08/31/98	115.70	101.70	14.00	4,400	6.4	<2.5	5.4	16	15
12/23/98	115.70	102.91	12.79	11,000	83	37	69	76	86
03/09/99	115.70	102.70	13.00	6,500	45	38	17	30	110
06/23/99 <sup>1</sup>	115.70	101.92	13.78	--	--	--	--	--	--
09/30/99	115.70	99.70	16.00	3,870	29.7	8.72	7.08	7.75	<50
02/29/00	115.70	102.14	13.56	2,660	22.5	<5.0	11.2	11.6	<50
09/18/00 <sup>3</sup>	115.70	103.25	12.45	740 <sup>4</sup>	6.0	4.5	<2.5	6.0	<13
03/21/01 <sup>3</sup>	115.70	102.05	13.65	1,700 <sup>4</sup>	21	12	14	19	59
09/04/01 <sup>3</sup>	115.70	101.09	14.61	4,100	<10	4.8	6.5	14	<5.0/<2 <sup>5</sup>
03/22/02 <sup>3,6</sup>	115.70	102.49	13.21	3,600	<5.0	<5.0	6.1	<15	<2.5
09/16/02 <sup>3</sup>	115.70	100.39	15.31	4,000	<10	<5.0	4.3	<10	7.9
03/28/03 <sup>3</sup>	115.70	101.38	14.32	2,400	<2.5	<2.5	5.5	<7.5	<13
09/02/03 <sup>3,7</sup>	115.70	101.33	14.37	2,800	1	0.9	0.9	4	<0.5
<b>03/18/04<sup>7,8</sup></b>	<b>115.70</b>	<b>101.56</b>	<b>14.14</b>	<b>5,300</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>C-4</b>									
12/06/90	116.10	98.42	17.68	<50	<0.5	<0.5	<0.5	<0.5	--
12/18/90	116.10	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/06/91	116.10	99.61	16.49	<50	1.0	1.0	<0.5	0.7	--
12/04/91	116.10	99.28	16.82	70	6.5	9.8	1.7	8.6	--
06/02/92	116.10	99.18	16.92	70	3.0	4.4	1.8	9.0	--
09/16/92	116.10	98.39	17.71	<50	1.4	1.8	<0.5	1.1	--
12/21/92	116.10	100.74	15.36	<50	0.6	0.7	<0.5	1.5	--
03/11/93	116.10	100.61	15.49	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	116.10	99.83	16.27	52	0.9	3.1	0.7	3.8	--
09/13/93	116.10	98.92	17.18	64	0.9	1.0	<0.5	1.7	--
12/14/93	116.10	101.03	15.07	<50	<0.5	0.8	<0.5	0.7	--
03/16/94	116.10	100.19	15.91	<50	<0.5	1.0	<0.5	0.8	--
06/17/94	116.10	99.46	16.64	230	0.6	2.2	2.2	11	--
08/29/94	116.10	99.05	17.05	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	116.10	101.52	14.58	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	116.10	102.26	13.84	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	116.10	100.05	16.05	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	116.10	99.87	16.23	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	116.10	101.35	14.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	116.10	102.40	13.70	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	116.10	100.30	15.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	116.10	99.67	16.43	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	116.10	103.18	12.92	<50	<0.5	<0.5	<0.5	<0.5	<2.5
ABANDONED									
<b>MW-1</b>									
09/20/93	115.05	102.37	12.68	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	115.05	105.01	10.04	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	115.05	103.10	11.95	<50	<0.5	1.7	<0.5	2.1	--
06/17/94	115.05	102.51	12.54	350	1.2	3.7	2.0	12	--
08/29/94	115.05	101.98	13.07	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	115.05	104.45	10.60	140	0.9	2.8	1.1	4.2	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-1 (cont)</b>									
03/31/95	115.05	104.74	10.31	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	115.05	102.44	12.61	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	115.05	102.00	13.05	<50	<0.5	<0.5	<0.5	<0.5	--
02/02/96	115.05	106.19	8.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	115.05	105.39	9.66	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	115.05	102.85	12.20	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	115.05	101.55	13.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	115.05	105.90	9.15	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	115.05	102.30	12.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/97	115.05	102.01	13.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/97	115.05	101.80	13.25	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	115.05	106.06	8.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	115.05	105.64	9.41	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	115.02	103.48	11.54	<50	<0.5	<0.5	<0.5	<0.5	2.6
08/31/98	115.02	102.51	12.51	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	115.02	103.03	11.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/09/99	115.02	104.57	10.45	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	115.02	102.07	12.95	SAMPLED ANNUALLY		--	--	--	--
02/29/00	115.02	105.90	9.12	<50	<0.5	0.816	<0.5	<0.5	<5.0
09/18/00	115.02	104.14	10.88	--	--	--	--	--	--
03/21/01	115.02	104.01	11.01	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/04/01	115.02	103.60	11.42	--	--	--	--	--	<2 <sup>5</sup>
03/22/02 <sup>6</sup>	115.02	104.68	10.34	100	<0.50	24	0.80	4.9	15
09/16/02	115.02	102.35	12.67	SAMPLED ANNUALLY		--	--	--	--
03/28/03	115.02	103.29	11.73	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/02/03	115.02	102.74	12.28	SAMPLED ANNUALLY		--	--	--	--
03/18/04 <sup>7</sup>	115.02	103.11	11.91	<50	<0.5	<0.5	<0.5	<0.5	<0.5
<b>MW-2</b>									
09/20/93	112.08	99.93	12.15	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	112.08	97.36	14.72	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	112.08	100.92	11.16	<50	<0.5	1.1	<0.5	0.9	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-2 (cont)</b>									
06/17/94	112.08	100.41	11.67	330	1.4	3.3	1.9	11	--
08/29/94	112.08	100.08	12.00	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	112.08	102.57	9.51	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	112.08	103.24	8.84	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	112.08	100.44	11.64	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	112.08	100.00	12.08	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	112.08	101.58	10.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	112.08	104.08	8.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	112.08	100.58	11.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	112.08	99.81	12.27	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	112.08	104.17	7.91	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	112.08	100.20	11.88	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/97	112.08	99.89	12.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/97	112.08	99.46	12.62	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	112.08	102.85	9.23	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	112.08	104.87	7.21	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	112.03	101.10	10.93	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	112.03	99.69	12.34	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	112.03	100.59	11.44	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/09/99	112.03	103.23	8.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	112.03	101.22	10.81	SAMPLED ANNUALLY		--	--	--	--
02/29/00	112.03	105.12	6.91	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/18/00	112.03	101.00	11.03	--	--	--	--	--	--
03/21/01	112.03	101.61	10.42	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/04/01	112.03	101.04	10.99	--	--	--	--	--	<2 <sup>5</sup>
03/22/02	112.03	102.14	9.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/16/02	112.03	100.02	12.01	SAMPLED ANNUALLY		--	--	--	--
03/28/03	112.03	101.23	10.80	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/02/03	112.03	100.15	11.88	SAMPLED ANNUALLY		--	--	--	--
03/18/04 <sup>7</sup>	112.03	101.04	10.99	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-3</b>									
09/20/93	113.67	97.25	16.42	6,600	400	11	32	23	--
12/14/93	113.67	98.95	14.72	8,400	390	9.4	13	<2.5	--
03/16/94	113.67	98.45	15.22	6,900	260	30	32	27	--
06/17/94	113.67	97.62	16.05	10,000	190	61	58	190	--
08/29/94	113.67	97.44	16.23	7,200	74	9.8	26	24	--
12/06/94	113.67	99.35	14.32	13,000	610	86	88	140	--
03/31/95	113.67	99.98	13.69	4,300	120	<10	12	<10	--
06/24/95	113.67	98.02	15.65	6,200	210	24	29	12	--
09/12/95	113.67	97.68	15.99	7,200	190	<20	<20	<20	--
12/29/95	113.67	99.67	14.00	7,100	200	<10	45	24	<50
02/29/96	113.67	100.91	12.76	1,200	30	<5.0	<5.0	<5.0	<25
06/26/96	113.67	98.44	15.23	7,900	180	<20	35	28	240
09/12/96	113.67	97.73	15.94	11,000	150	<5.0	35	28	170
12/11/96	113.67	99.86	13.81	7,500	75	8.8	30	45	110
03/31/97	113.67	98.23	15.44	8,700	100	<10	20	23	50
06/29/97	113.67	97.99	15.68	9,300	120	28	22	19	150
09/30/97	113.67	97.76	15.91	8,200	78	<10	22	25	96
12/12/97	113.67	100.82	12.85	68	1.8	<0.5	<0.5	<0.5	<2.5
02/19/98	113.67	100.41	13.26	220	5.6	1.5	<0.5	<0.5	6.1
06/16/98	113.63	99.12	14.51	7,500	97	21	21	27	160
08/31/98	113.63	98.62	15.01	7,600	24	<2.5	9.5	16	38
12/23/98	113.63	100.03	13.60	5,800	69	<50	<50	<50	<250
03/09/99	113.63	99.59	14.04	5,300	<10	<10	16	20	88
06/23/99 <sup>1</sup>	113.63	--	--	--	--	--	--	--	--
07/19/99 <sup>1</sup>	113.63	--	--	--	--	--	--	--	--
09/30/99	113.63	96.74	16.89	8,660	53.7	16.9	17	19.6	132
02/29/00	113.63	INACCESSIBLE	--	--	--	--	--	--	--
09/18/00 <sup>3</sup>	113.63	100.41	13.22	2,400 <sup>4</sup>	14	6.8	4.7	7.4	28
03/21/01 <sup>3</sup>	113.63	98.88	14.75	7,600 <sup>4</sup>	41	30	<25	50	160
09/04/01	113.63	INACCESSIBLE - CAR PARKED OVER WELL			--	--	--	--	--
03/22/02 <sup>3</sup>	113.63	99.46	14.17	7,600	<10	4.2	11	<25	<5.0
09/16/02 <sup>3</sup>	113.63	97.34	16.29	5,900	<20	<10	7.7	<15	21

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-3 (cont)</b>									
03/28/03 <sup>3</sup>	113.63	98.67	14.96	3,500	<20	3.3	7.3	10	<13
09/02/03 <sup>3,7</sup>	113.63	98.20	15.43	4,500	3	2	2	5	<0.5
03/18/04 <sup>7,8</sup>	113.63	98.91	14.72	5,300	3	1	3	4	<0.5
<b>MW-4</b>									
09/20/93	118.10	107.17	10.93	5,800	16	4.2	35	48	--
12/14/93	118.10	108.33	9.77	7,100	19	6.5	24	35	--
03/16/94	118.10	107.99	10.11	8,500	83	43	60	70	--
06/17/94	118.10	107.20	10.90	21,000	150	20	140	350	--
08/29/94	118.10	107.28	10.82	10,000	86	71	44	85	--
12/06/94	118.10	108.70	9.40	13,000	68	56	67	110	--
03/31/95	118.10	109.31	8.79	6,700	100	9.4	26	23	--
06/24/95	118.10	107.60	10.50	6,300	<20	<20	<20	24	--
09/12/95	118.10	107.90	10.20	7,100	65	16	<10	21	--
12/29/95	118.10	108.86	9.24	3,300	<10	<10	12	14	720
02/29/96	118.10	111.85	6.25	5,100	<10	37	23	21	85
06/26/96	118.10	107.92	10.18	6,800	<20	<20	<20	<20	<100
09/12/96	118.10	107.53	10.57	13,000	150	<10	38	35	240
12/11/96	118.10	109.39	8.71	26,000	<20	<20	<20	170	<100
03/31/97	118.10	107.18	10.92	12,000	120	74	45	70	240
06/29/97	118.10	106.43	11.67	8,800	24	<10	35	36	62
09/30/97	118.10	107.20	10.90	10,000	<10	<10	37	35	72
12/12/97	118.10	105.16	12.94	4,600	95	41	20	25	91
02/19/98	118.10	110.33	7.77	5,400	87	16	32	31	110
06/16/98 <sup>2</sup>	118.08	107.82	10.26	10,000	<20	<20	35	37	150
NOT MONITORED/SAMPLED									
<b>MW-5</b>									
09/20/93	116.74	101.43	15.31	590	25	1.8	0.6	2.0	--
12/14/93	116.74	102.19	14.55	210	11	6.3	2.3	6.1	--
03/16/94	116.74	101.77	14.97	270	12	16	4.8	17	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-5 (cont)</b>									
06/17/94	116.74	101.36	15.38	220	24	17	6.7	28	--
08/29/94	116.74	101.54	15.20	1,000	<0.5	<0.5	<0.5	<0.5	--
12/06/94	116.74	102.09	14.65	110	9.2	9.7	2.2	11	--
03/31/95	116.74	103.04	13.70	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	116.74	101.95	14.79	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	116.74	102.15	14.59	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	116.74	101.76	14.98	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	116.74	103.07	13.67	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	116.74	102.50	14.24	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	116.74	102.12	14.62	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	116.74	102.93	13.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	116.74	101.29	15.45	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/97	116.74	102.07	14.67	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/97	116.74	101.89	14.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	116.74	102.99	13.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	116.74	103.68	13.06	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	116.70	102.35	14.35	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	116.70	101.54	15.16	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	116.70	102.15	14.55	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/09/99	116.70	102.63	14.07	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	116.70	100.80	15.90	SAMPLED ANNUALLY		--	--	--	--
02/29/00	116.70	103.40	13.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/18/00	116.70	101.62	15.08	--	--	--	--	--	--
03/21/01	116.70	102.04	14.66	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/04/01	116.70	101.26	15.44	--	--	--	--	--	<2.5
03/22/02 <sup>6</sup>	116.70	101.99	14.71	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/16/02	116.70	101.02	15.68	SAMPLED ANNUALLY		--	--	--	--
03/28/03	116.70	101.65	15.05	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/02/03	116.70	101.34	15.36	SAMPLED ANNUALLY		--	--	--	--
03/18/04 <sup>7</sup>	116.70	102.14	14.56	<50	1	0.7	1	3	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>TRIP BLANK</b>									
12/06/90	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/18/90	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/06/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/04/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/02/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/16/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/21/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/11/93	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/13/93	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/29/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/29/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/11/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.9
03/09/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>TRIP BLANK (cont)</b>									
02/29/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/18/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
03/21/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/04/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
<b>QA</b>									
03/22/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/16/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/28/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/02/03 <sup>7</sup>	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/18/04 <sup>7</sup>	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to February 9, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

(D) = Duplicate

QA = Quality Assurance/Trip Blank

- <sup>1</sup> ORC installed.
- <sup>2</sup> Transfer of title to Tri-Star Partnership, Inc. effective July 14, 1998.
- <sup>3</sup> ORC in well.
- <sup>4</sup> Laboratory report indicates gasoline C6-C12.
- <sup>5</sup> MTBE by EPA Method 8260.
- <sup>6</sup> Split samples taken by Harding ESE.
- <sup>7</sup> BTEX and MTBE by EPA Method 8260.
- <sup>8</sup> ORC removed from well.



**Table 2**  
**Dissolved Oxygen Concentrations**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID	DATE	PRE-PURGE (mg/L)	POST-PURGE (mg/L)
C-3 <sup>1</sup>	09/18/00	3.64	--
	03/21/01	1.00	--
	09/04/01	1.40	--
	03/22/02	1.10	--
	09/16/02	1.20	--
	03/28/03 <sup>2</sup>	--	--
	09/02/03	0.80	--
	03/18/04 <sup>3</sup>	0.56	--
MW-3 <sup>1</sup>	09/18/00	4.01	--
	03/21/01	1.30	--
	09/04/01	INACCESSIBLE - CAR PARKED OVER WELL	
	03/22/02	1.30	--
	09/16/02	1.00	--
	03/28/03 <sup>2</sup>	--	--
	09/02/03	0.90	--
	03/18/04 <sup>3</sup>	1.21	--

**EXPLANATIONS:**

(mg/L) = Milligrams per liter

-- = Not Measured

<sup>1</sup> ORC in well.

<sup>2</sup> Meter inoperable; unable to take Dissolved Oxygen measurements

<sup>3</sup> ORC removed from well.

**Table 3**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Former Chevron Service Station #9-3864  
5101 Telegraph Avenue  
Oakland, California

WELL ID	DATE	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
C-3	09/04/01	<100	<2	<2	<2	<2	<2	<2
	09/02/03	--	<0.5	--	--	--	--	--
	03/18/04	--	<0.5	--	--	--	--	--
MW-1	09/04/01	<100	<2	<2	<2	<2	<2	<2
	03/18/04	--	<0.5	--	--	--	--	--
MW-2	09/04/01	<100	<2	<2	<2	<2	<2	<2
	03/18/04	--	<0.5	--	--	--	--	--
MW-3	09/02/03	--	<0.5	--	--	--	--	--
	03/18/04	--	<0.5	--	--	--	--	--
MW-5	09/04/01	<100	<2	<2	<2	<2	<2	<2
	03/18/04	--	<0.5	--	--	--	--	--

**EXPLANATIONS:**

TBA = Tertiary butyl alcohol  
MTBE = Methyl tertiary butyl ether  
DIPE = Di-isopropyl ether  
ETBE = Ethyl tertiary butyl ether  
TAME = Tertiary amyl methyl ether  
1,2-DCA = 1,2-Dichloroethane  
EDB = 1,2-Dibromoethane  
(ppb) = Parts per billion  
-- = Not Analyzed

**ANALYTICAL METHOD:**

EPA Method 8260 for Oxygenate Compounds

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864  
 Site Address: 5101 Telegraph Avenue  
 City: Oakland, CA

Job Number: 386358  
 Event Date: 3/18/04 (inclusive)  
 Sampler: Andrew Smith

Well ID: C-3 Date Monitored: 3/18/04 Well Condition: OK

Well Diameter: 2 in.  
 Total Depth: 29.13 ft.  
 Depth to Water: 14.14 ft.  
14.99

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

$0.17 \times 2.55 \times 3$  (case volume) = Estimated Purge Volume: 7.65 gal.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump  \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer  \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft.  
 Depth to Water: \_\_\_\_\_ ft.  
 Hydrocarbon Thickness: \_\_\_\_\_ ft.  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1330 Weather Conditions: Sunny  
 Sample Time/Date: 1345 3/18/04 Water Color: cloudy/Brown Odor: yes  
 Purging Flow Rate: 2 gpm. Sediment Description: none  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: 0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1331</u>	<u>2</u>	<u>7.23</u>	<u>540</u>	<u>22.7</u>	<u>Pre: 0.50</u>	
<u>1332</u>	<u>4</u>	<u>7.11</u>	<u>529</u>	<u>22.2</u>		
<u>1336</u>	<u>8</u>	<u>7.19</u>	<u>534</u>	<u>22.5</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)</u>

COMMENTS: Removed ORC from well.

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864  
 Site Address: 5101 Telegraph Avenue  
 City: Oakland, CA

Job Number: 386358  
 Event Date: 3/18/04 (inclusive)  
 Sampler: Andrew Smith

Well ID: Mw - 1  
 Well Diameter: 2 in.  
 Total Depth: 22.45 ft.  
 Depth to Water: 11.91 ft.  
10.54 xVF 0.17 = 1.79 x3 (case volume) = Estimated Purge Volume: 5.37 gal.

Date Monitored: 3/18/04 Well Condition: OK

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:  
 Disposable Bailor   
 Stainless Steel Bailor \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:   
 Disposable Bailor \_\_\_\_\_  
 Pressure Bailor \_\_\_\_\_  
 Discrete Bailor \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1120 Weather Conditions: Sunny  
 Sample Time/Date: 1135 / 3/18/04 Water Color: cloudy brown Odor: yes  
 Purging Flow Rate: 100 gpm. Sediment Description: Silt  
 Did well de-water? NO If yes, Time: 0 Volume: 0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1124</u>	<u>2</u>	<u>7.14</u>	<u>424</u>	<u>24.5</u>	Pre: _____	_____
<u>1128</u>	<u>4</u>	<u>7.05</u>	<u>398</u>	<u>21.0</u>	_____	_____
<u>1133</u>	<u>5</u>	<u>7.09</u>	<u>371</u>	<u>21.9</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>Mw - 1</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864 Job Number: 386358  
 Site Address: 5101 Telegraph Avenue Event Date: 3/18/04 (inclusive)  
 City: Oakland, CA Sampler: Andrew Smith

Well ID: MW-2 Date Monitored: 3/18/04 Well Condition: OK

Well Diameter: 2 in.  
 Total Depth: 23.95 ft.  
 Depth to Water: 10.97 ft.  
12.96

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

$\times VF \ 0.17 = 2.20 \times 3 \text{ (case volume)} = \text{Estimated Purge Volume: } 6.6 \text{ gal.}$

Purge Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump  \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer  \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1145 Weather Conditions: Sunny  
 Sample Time/Date: 1155 13/18/04 Water Color: Cloudy Odor: None  
 Purging Flow Rate: 2 gpm. Sediment Description: None  
 Did well de-water? NO If yes, Time: 0 Volume: 4 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1146</u>	<u>2</u>	<u>7.20</u>	<u>361</u>	<u>25.2</u>	Pre: _____	_____
<u>1147</u>	<u>4</u>	<u>7.04</u>	<u>343</u>	<u>22.5</u>	_____	_____
<u>1148</u>	<u>6</u>	<u>6.93</u>	<u>338</u>	<u>22.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864  
 Site Address: 5101 Telegraph Avenue  
 City: Oakland, CA

Job Number: 386358  
 Event Date: 3/18/04 (inclusive)  
 Sampler: Andrew Smith

Well ID: MW - 3 Date Monitored: 3/18/04 Well Condition: OK

Well Diameter: 2 in.

Total Depth: 26.69 ft.

Depth to Water: 14.72 ft.

11.97

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

$\times VF \ 0.17 = 2.03 \times 3 \text{ (case volume)} = \text{Estimated Purge Volume: } 6.09 \text{ gal.}$

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1215 Weather Conditions: Sunny  
 Sample Time/Date: 1235/3/18/04 Water Color: Clear Odor: yes  
 Purging Flow Rate: NA gpm. Sediment Description: none  
 Did well de-water? no If yes, Time: 0 Volume: 0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu$ mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1219</u>	<u>2</u>	<u>7.32</u>	<u>532</u>	<u>230</u>	<u>Pre: 1.21</u>	
<u>1226</u>	<u>4</u>	<u>7.04</u>	<u>522</u>	<u>216</u>		
<u>1230</u>	<u>6</u>	<u>7.01</u>	<u>520</u>	<u>216</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW - 3</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: Removed ORC from well.

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864  
 Site Address: 5101 Telegraph Avenue  
 City: Oakland, CA

Job Number: 386358  
 Event Date: 3/18/04 (inclusive)  
 Sampler: Andrew Smith

Well ID: MW-5 Date Monitored: 3/18/04 Well Condition: OK  
 Well Diameter: 2 in.  
 Total Depth: 21.74 ft.  
 Depth to Water: 14.56 ft.  
7.18 x VF 0.17 = 1.22 x3 (case volume) = Estimated Purge Volume: 3.66 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft.  
 Depth to Water: \_\_\_\_\_ ft.  
 Hydrocarbon Thickness: \_\_\_\_\_ ft.  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1300 Weather Conditions: Sunny  
 Sample Time/Date: 1315 3/18/04 Water Color: Cloudy Brown Odor: none  
 Purging Flow Rate: 2.14 gpm. Sediment Description: none  
 Did well de-water? no If yes, Time: 0 Volume: 0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1303</u>	<u>1</u>	<u>7.16</u>	<u>310</u>	<u>22.8</u>	Pre: _____	_____
<u>1306</u>	<u>2</u>	<u>7.60</u>	<u>294</u>	<u>22.1</u>	_____	_____
<u>1312</u>	<u>4</u>	<u>7.50</u>	<u>293</u>	<u>21.9</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_





**ANALYTICAL RESULTS**

Prepared for:

ChevronTexaco c/o Cambria  
Suite 9  
4111 Citrus Avenue  
Rocklin CA 95677  
916-630-1855

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

**SAMPLE GROUP**

The sample group for this submittal is 889070. Samples arrived at the laboratory on Saturday, March 20, 2004. The PO# for this group is 99011184 and the release number is MTL.


<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-040318	NA Water	4238957
MW-1-W-040318	Grab Water	4238958
MW-2-W-040318	Grab Water	4238959
MW-3-W-040318	Grab Water	4238960
MW-5-W-040318	Grab Water	4238961
C-3-W-040318	Grab Water	4238962

1 COPY TO Cambria C/O Gettler- Ryan  
ELECTRONIC Gettler-Ryan  
COPY TO

Attn: Deanna L. Harding  
Attn: Cheryl Hansen

Questions? Contact your Client Services Representative  
Teresa L Cunningham at (717) 656-2300.

Respectfully Submitted,



Tina L. Thoman  
Senior Chemist, Coordinator

Lancaster Laboratories Sample No. WW 4238957

 QA-T-040318 NA Water  
 Facility# 93864 Job# 386358 MTI# 61D-1951 GRD  
 5101 Telegraph-Oakland T0600100343 QA  
 Collected: 03/18/2004

Account Number: 10904

 Submitted: 03/20/2004 09:00  
 Reported: 03/29/2004 at 15:13  
 Discard: 04/29/2004

 ChevronTexaco c/o Cambria  
 Suite 9  
 4111 Citrus Avenue  
 Rocklin CA 95677

TAOQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/21/2004	15:03	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/27/2004	12:09	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/21/2004	15:03	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/27/2004	12:09	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. **WW 4238958**

 MW-1-W-040318                      Grab                      Water  
 Facility# 93864    Job# 386358    MTI# 61D-1951    GRD  
 5101 Telegraph-Oakland    T0600100343    MW-1  
 Collected: 03/18/2004 11:35                      by AS

Account Number: 10904

 Submitted: 03/20/2004 09:00  
 Reported: 03/29/2004 at 15:13  
 Discard: 04/29/2004

 ChevronTexaco c/o Cambria  
 Suite 9  
 4111 Citrus Avenue  
 Rocklin CA 95677

TAO01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/22/2004 08:16	Linda C Pape	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/27/2004 09:56	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/22/2004 08:16	Linda C Pape	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/27/2004 09:56	Carrie J McCullough	n.a.



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4238959

MW-2-W-040318 Grab Water  
Facility# 93864 Job# 386358 MTI# 61D-1951 GRD  
5101 Telegraph-Oakland T0600100343 MW-2  
Collected: 03/18/2004 11:55 by AS

Account Number: 10904

Submitted: 03/20/2004 09:00  
Reported: 03/29/2004 at 15:13  
Discard: 04/29/2004

ChevronTexaco c/o Cambria  
Suite 9  
4111 Citrus Avenue  
Rocklin CA 95677

TAO02

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

## Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/22/2004 08:46	Linda C Pape	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/27/2004 10:23	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/22/2004 08:46	Linda C Pape	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/27/2004 10:23	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4238960

 MW-3-W-040318 Grab Water  
 Facility# 93864 Job# 386358 MTI# 61D-1951 GRD  
 5101 Telegraph-Oakland T0600100343 MW-3  
 Collected: 03/18/2004 12:35 by AS

Account Number: 10904

 Submitted: 03/20/2004 09:00  
 Reported: 03/29/2004 at 15:13  
 Discard: 04/29/2004

 ChevronTexaco c/o Cambria  
 Suite 9  
 4111 Citrus Avenue  
 Rocklin CA 95677

TAO03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	5,300.		500.	ug/l	10
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	3.		0.5	ug/l	1
05407	Toluene	108-88-3	1.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	3.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	4.		0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/22/2004 11:02		K. Robert Caulfeild-James	10
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/27/2004 12:36		Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/22/2004 11:02		K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/27/2004 12:36		Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4238961

 MW-5-W-040318 Grab Water  
 Facility# 93864 Job# 386358 MTI# 61D-1951 GRD  
 5101 Telegraph-Oakland T0600100343 MW-5  
 Collected: 03/18/2004 13:15 by AS

Account Number: 10904

 Submitted: 03/20/2004 09:00  
 Reported: 03/29/2004 at 15:13  
 Discard: 04/29/2004

 ChevronTexaco c/o Cambria  
 Suite 9  
 4111 Citrus Avenue  
 Rocklin CA 95677

TAO05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	1.		0.5	ug/l	1
05407	Toluene	108-88-3	0.7		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	1.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	3.		0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/23/2004 17:09	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/27/2004 13:02	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/23/2004 17:09	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/27/2004 13:02	Carrie J McCullough	n.a.



**Lancaster Laboratories Sample No. WW 4238962**

 C-3-W-040318                      Grab              Water  
 Facility# 93864    Job# 386358    MTI# 61D-1951    GRD  
 5101 Telegraph-Oakland    T0600100343    C-3  
 Collected: 03/18/2004 13:45              by AS

Account Number: 10904

 Submitted: 03/20/2004 09:00  
 Reported: 03/29/2004 at 15:14  
 Discard: 04/29/2004

 ChevronTexaco c/o Cambria  
 Suite 9  
 4111 Citrus Avenue  
 Rocklin CA 95677

TAOC3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received	Units	Dilution Factor
				Method		
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	5,300.	Detection Limit 250.	ug/l	5
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/24/2004 03:19	K. Robert Caulfeild-James	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/27/2004 13:55	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/24/2004 03:19	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/27/2004 13:55	Carrie J McCullough	n.a.

## Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria  
 Reported: 03/29/04 at 03:14 PM

Group Number: 889070

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

### Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 04081A16A TPH-GRO - Waters	N.D.	50.	Sample number(s): 4238957 ug/l	114	119	70-130	4	30
Batch number: 04081A16B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4238958-4238960 ug/l	114	119	70-130	4	30
Batch number: 04083A16A TPH-GRO - Waters	N.D.	50.	Sample number(s): 4238961-4238962 ug/l	102	110	70-130	7	30
Batch number: P040872AA Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4238957-4238962 ug/l	99		77-127		
Benzene	N.D.	0.5	ug/l	100		85-117		
Toluene	N.D.	0.5	ug/l	99		85-115		
Ethylbenzene	N.D.	0.5	ug/l	99		82-119		
Xylene (Total)	N.D.	0.5	ug/l	100		84-120		

### Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04081A16A TPH-GRO - Waters	108		Sample number(s): 4238957 63-154					
Batch number: 04081A16B TPH-GRO - Waters	108		Sample number(s): 4238958-4238960 63-154					
Batch number: 04083A16A TPH-GRO - Waters	118		Sample number(s): 4238961-4238962 63-154					
Batch number: P040872AA Methyl Tertiary Butyl Ether	100	97	Sample number(s): 4238957-4238962 69-134	3	30			
Benzene	103	101	83-128	2	30			
Toluene	106	104	83-127	2	30			
Ethylbenzene	105	105	82-129	0	30			
Xylene (Total)	106	107	82-130	1	30			

### Surrogate Quality Control

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

## Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria  
 Reported: 03/29/04 at 03:14 PM

Group Number: 889070

### Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters  
 Batch number: 04081A16A  
 Trifluorotoluene-F

4238957	115
Blank	113
LCS	116
LCSD	121
MS	113

Limits: 57-146

 Analysis Name: TPH-GRO - Waters  
 Batch number: 04081A16B  
 Trifluorotoluene-F

4238958	112
4238959	111
4238960	126
Blank	109
LCS	116
LCSD	121
MS	113

Limits: 57-146

 Analysis Name: TPH-GRO - Waters  
 Batch number: 04083A16A  
 Trifluorotoluene-F

4238961	110
4238962	128
Blank	106
LCS	120
LCSD	114
MS	116

Limits: 57-146

 Analysis Name: BTEX+MTBE by 8260B  
 Batch number: P040872AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4238957	100	96	95	94
4238958	100	95	97	95
4238959	101	97	96	95
4238960	101	99	94	99
4238961	100	96	95	93
4238962	101	97	95	94
Blank	100	98	97	95
LCS	99	96	97	95
MS	100	98	97	95
MSD	100	98	96	94
Limits:	81-120	82-112	85-112	83-113

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

## Quality Control Summary

Client Name: ChevronTexaco c/o Cambria  
Reported: 03/29/04 at 03:14 PM

Group Number: 889070

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.