

Environmental Management
Company
6001 Bollinger Canyon Rd, K2256
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

Karen Streich
Project Manager

351 ✓

ChevronTexaco

November 4, 2004

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Alameda County
NOV 08 2004
Environmental Health

Re: Chevron Service Station # 9-3864

Address: 5101 Telegraph Ave., Oakland, California

I have reviewed the attached routine groundwater monitoring report dated October 15, 2004.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

October 15, 2004
G-R #386358

Alameda County
NOV 6 8 2004
Environmental Health

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Suite 12
Rocklin, California 95677

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-3864
5101 Telegraph Avenue
Oakland, California
MTI: 61D-1951**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	October 15, 2004	Groundwater Monitoring and Sampling Report Second Semi-Annual - Event of September 15, 2004

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Ms. Karen Streich, ChevronTexaco Company, P.O. Box 6012, Room K2256, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **November 3, 2004**, at which time the final report will be distributed to the following:

- cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
- Mr. Chuck Headlee, RWQCB-San Francisco Bay Region, 1515 Clay St., Suite 1400, Oakland, CA 94612
- Mr. John Gwynn, Gwynn-Schildes & Associates, 300 Lakeside Dr., Ste. 1980, Oakland, CA 94612

Enclosures

trans/9-3864-KS



GETTLER - RYAN INC.

October 15, 2004
G-R Job #386358

Ms. Karen Streich
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: Second Semi-Annual Event of September 15, 2004
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

Dear Ms. Streich:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


Deanna L. Harding
Project Coordinator



Hagop Kevork
P.E. No. C55734






Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Dissolved Oxygen Concentrations
Table 3: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports

EXPLANATION

- ◆ Groundwater monitoring well
- ◆ Groundwater monitoring well, Tri-Star Partnership (Former Chevron Well)
- ✖ Abandoned well
- * Discontinued from monitoring/sampling program
- ☒ Inaccessible

99.99 Groundwater elevation in feet referenced to Mean Sea Level

--99.99-- Groundwater elevation contour, dashed where inferred



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-3864
 5101 Telegraph Avenue
 Oakland, California

FIGURE
1

PROJECT NUMBER
386358

REVIEWED BY

DATE
September 15, 2004

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (pph)	X (ppb)	MTBE (pph)
C-1									
12/06/90	117.45	102.11	15.34	1,900	17	11	3.0	21	--
06/06/91	117.45	102.83	14.62	3,400	21	15	11	18	--
12/04/91	117.45	102.97	14.48	2,700	22	16	13	23	--
06/02/92	117.45	102.92	14.53	1,900	170	170	13	83	--
09/16/92	117.45	102.52	14.93	810	5.8	5.7	2.0	6.3	--
12/21/92	117.45	103.72	13.73	75	2.4	2.9	1.4	4.7	--
03/11/93	117.45	103.62	13.83	150	2.4	20	3.3	23	--
06/11/93	117.45	103.26	14.19	400	4.3	2.3	1.0	3.5	--
09/13/93	117.45	102.85	14.60	4,100	62	43	34	57	--
12/14/93	117.45	103.67	13.78	3,100	9.5	4.5	1.2	11	--
03/16/94	117.45	103.44	14.01	410	6.3	3.1	1.3	4.5	--
06/17/94	117.45	102.90	14.55	3,700	100	42	30	91	--
08/29/94	117.45	102.96	14.49	2,600	15	<0.5	6.7	9.7	--
12/06/94	117.45	104.04	13.41	510	2.0	2.2	1.7	9.4	--
03/31/95	117.45	105.33	12.12	5,440	9.0	2.3	2.0	3.6	--
06/24/95	117.45	103.45	14.00	260	5.8	1.0	0.94	0.88	--
09/12/95	117.45	103.42	14.03	650	14	1.1	1.6	2.4	--
12/29/95	117.45	104.50	12.95	990	32	6.3	4.0	3.2	46
02/29/96	117.45	105.27	12.18	840	2.5	<1.0	2.6	7.3	<5.0
06/26/96	117.45	103.72	13.73	290	3.6	0.73	1.0	1.1	9.9
09/12/96	117.45	103.32	14.13	1,200	17	1.8	4.0	4.4	24
12/11/96	117.45	104.66	12.79	7,700	<10	53	19	44	87
ABANDONED									
C-2									
12/06/90	116.16	100.82	15.34	210	140	9.0	2.0	11	--
06/06/91	116.16	101.54	14.62	4,800	340	23	19	23	--
12/04/91	116.16	100.73	15.43	3,900	85	15	9.1	15	--
06/02/92	116.16	101.74	14.42	3,300	76	9.2	14	15	--
09/16/92	116.16	101.35	14.81	3,000	16	15	3.4	7.5	--
12/21/92	116.16	102.79	13.37	2,200	21	12	7.1	15	--
03/11/93	116.16	102.69	13.47	2,200	33	24	12	25	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-2 (cont)									
06/11/93	116.16	102.18	13.98	2,600	21	25	11	26	--
09/13/93	116.16	101.61	14.55	2,100	31	25	18	39	--
12/14/93	116.16	102.46	13.70	3,800	<2.5	24	12	20	--
03/16/94	116.16	102.51	13.65	2,600	12	15	10	17	--
06/17/94	116.16	102.87	13.29	2,400	17	19	28	71	--
08/29/94	116.16	111.60	4.56	3,000	29	15	20	4.2	--
12/06/94	116.16	102.98	13.18	1,900	7.9	30	14	31	--
03/31/95	116.16	104.10	12.06	890	<1.3	<1.3	2.6	<1.3	--
06/24/95	116.16	102.19	13.97	730	4.8	<0.5	5.4	0.96	--
09/12/95	116.16	102.28	13.88	1,600	<2.5	<2.5	5.4	<2.5	--
12/29/95	116.16	103.31	12.85	1,000	9.1	2.7	8.7	2.7	19
02/29/96	116.16	104.09	12.07	850	<2.5	<2.5	8.7	11	<12
06/26/96	116.16	102.50	13.66	2,500	14	<5.0	13	6.3	<25
09/12/96	116.16	102.25	13.91	1,800	26	19	17	31	37
12/11/96	116.16	103.82	12.34	2,800	<5.0	34	14	<5.0	41
ABANDONED									
C-3									
12/06/90	115.70	98.84	16.86	210	2.0	<0.5	<0.5	1.0	--
12/06/90 (D)	--	--	--	220	2.0	0.6	<0.5	2.0	--
06/06/91	115.70	100.01	15.69	6,400	310	21	16	21	--
09/16/92	115.70	99.81	15.89	7,100	130	26	12	30	--
12/04/91	115.70	100.32	15.38	5,100	120	18	17	20	--
06/02/92	115.70	100.30	15.40	6,700	140	44	17	37	--
12/21/92	115.70	101.79	13.91	13,000	390	360	100	410	--
03/11/93	115.70	101.95	13.75	5,100	86	20	12	23	--
06/11/93	115.70	101.03	14.67	7,200	91	38	19	38	--
09/13/93	115.70	100.17	15.53	6,800	100	52	41	75	--
12/14/93	115.70	101.30	14.40	8,600	74	23	18	36	--
03/16/94	115.70	101.44	14.26	6,000	100	42	27	30	--
06/17/94	115.70	100.60	15.10	15,000	170	120	120	270	--
08/29/94	115.70	100.30	15.40	26,000	51	<0.5	58	107	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)									
12/06/94	115.70	101.90	13.80	34,000	88	140	98	390	--
03/31/95	115.70	102.91	12.79	2,800	42	<5.0	<5.0	6.6	--
06/24/95	115.70	100.84	14.86	5,200	34	<10	<10	13	--
09/12/95	115.70	100.76	14.94	7,000	45	<10	28	42	--
12/29/95	115.70	102.12	13.58	5,100	20	<10	<10	19	<50
02/29/96	115.70	102.88	12.82	2,600	15	<5.0	17	16	<25
06/26/96	115.70	101.32	14.38	4,400	<10	<10	<10	<10	<50
09/12/96	115.70	100.75	14.95	5,800	73	22	18	17	61
12/11/96	115.70	103.08	12.62	8,800	81	<20	<20	37	200
03/31/97	115.70	100.70	15.00	8,100	38	62	30	42	38
06/29/97	115.70	100.08	15.62	5,800	<10	<10	<10	67	<50
09/30/97	115.70	100.70	15.00	6,200	<10	28	21	27	130
12/12/97	115.70	103.68	12.02	330	1.6	1.1	<1.0	3.4	<5.0
02/19/98	115.70	103.26	12.44	110	1.7	<0.5	<0.5	0.51	<2.5
06/16/98	115.70	102.29	13.41	7,400	63	16	<10	<10	170
08/31/98	115.70	101.70	14.00	4,400	6.4	<2.5	5.4	16	15
12/23/98	115.70	102.91	12.79	11,000	83	37	69	76	86
03/09/99	115.70	102.70	13.00	6,500	45	38	17	30	110
06/23/99 ¹	115.70	101.92	13.78	--	--	--	--	--	--
09/30/99	115.70	99.70	16.00	3,870	29.7	8.72	7.08	7.75	<50
02/29/00	115.70	102.14	13.56	2,660	22.5	<5.0	11.2	11.6	<50
09/18/00 ²	115.70	103.25	12.45	740 ⁴	6.0	4.5	<2.5	6.0	<13
03/21/01 ³	115.70	102.05	13.65	1,700 ⁴	21	12	14	19	59
09/04/01 ³	115.70	101.09	14.61	4,100	<10	4.8	6.5	14	<5.0/<2 ⁵
03/22/02 ^{3,6}	115.70	102.49	13.21	3,600	<5.0	<5.0	6.1	<15	<2.5
09/16/02 ³	115.70	100.39	15.31	4,000	<10	<5.0	4.3	<10	7.9
03/28/03 ³	115.70	101.38	14.32	2,400	<2.5	<2.5	5.5	<7.5	<13
09/02/03 ^{3,7}	115.70	101.33	14.37	2,800	1	0.9	0.9	4	<0.5
03/18/04 ^{7,8}	115.70	101.56	14.14	5,300	<0.5	<0.5	<0.5	<0.5	<0.5
09/15/04⁷	115.70	101.50	14.20	3,200	0.8	0.8	1	3	10

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-4									
12/06/90	116.10	98.42	17.68	<50	<0.5	<0.5	<0.5	<0.5	--
12/18/90	116.10	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/06/91	116.10	99.61	16.49	<50	1.0	1.0	<0.5	0.7	--
12/04/91	116.10	99.28	16.82	70	6.5	9.8	1.7	8.6	--
06/02/92	116.10	99.18	16.92	70	3.0	4.4	1.8	9.0	--
09/16/92	116.10	98.39	17.71	<50	1.4	1.8	<0.5	1.1	--
12/21/92	116.10	100.74	15.36	<50	0.6	0.7	<0.5	1.5	--
03/11/93	116.10	100.61	15.49	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	116.10	99.83	16.27	52	0.9	3.1	0.7	3.8	--
09/13/93	116.10	98.92	17.18	64	0.9	1.0	<0.5	1.7	--
12/14/93	116.10	101.03	15.07	<50	<0.5	0.8	<0.5	0.7	--
03/16/94	116.10	100.19	15.91	<50	<0.5	1.0	<0.5	0.8	--
06/17/94	116.10	99.46	16.64	230	0.6	2.2	2.2	11	--
08/29/94	116.10	99.05	17.05	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	116.10	101.52	14.58	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	116.10	102.26	13.84	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	116.10	100.05	16.05	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	116.10	99.87	16.23	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	116.10	101.35	14.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	116.10	102.40	13.70	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	116.10	100.30	15.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	116.10	99.67	16.43	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	116.10	103.18	12.92	<50	<0.5	<0.5	<0.5	<0.5	<2.5
ABANDONED									
MW-1									
09/20/93	115.05	102.37	12.68	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	115.05	105.01	10.04	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	115.05	103.10	11.95	<50	<0.5	1.7	<0.5	2.1	--
06/17/94	115.05	102.51	12.54	350	1.2	3.7	2.0	12	--
08/29/94	115.05	101.98	13.07	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	115.05	104.45	10.60	140	0.9	2.8	1.1	4.2	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-1 (cont)									
03/31/95	115.05	104.74	10.31	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	115.05	102.44	12.61	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	115.05	102.00	13.05	<50	<0.5	<0.5	<0.5	<0.5	--
02/02/96	115.05	106.19	8.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	115.05	105.39	9.66	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	115.05	102.85	12.20	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	115.05	101.55	13.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	115.05	105.90	9.15	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	115.05	102.30	12.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/97	115.05	102.01	13.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/97	115.05	101.80	13.25	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	115.05	106.06	8.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	115.05	105.64	9.41	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	115.02	103.48	11.54	<50	<0.5	<0.5	<0.5	<0.5	2.6
08/31/98	115.02	102.51	12.51	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	115.02	103.03	11.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/09/99	115.02	104.57	10.45	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	115.02	102.07	12.95	SAMPLED ANNUALLY	--	--	--	--	--
02/29/00	115.02	105.90	9.12	<50	<0.5	0.816	<0.5	<0.5	<5.0
09/18/00	115.02	104.14	10.88	--	--	--	--	--	--
03/21/01	115.02	104.01	11.01	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/04/01	115.02	103.60	11.42	--	--	--	--	--	<2 ⁵
03/22/02 ⁶	115.02	104.68	10.34	100	<0.50	24	0.80	4.9	15
09/16/02	115.02	102.35	12.67	SAMPLED ANNUALLY	--	--	--	--	--
03/28/03	115.02	103.29	11.73	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/02/03	115.02	102.74	12.28	SAMPLED ANNUALLY	--	--	--	--	--
03/18/04 ⁷	115.02	103.11	11.91	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/15/04	115.02	101.89	13.13	SAMPLED ANNUALLY	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-2									
09/20/93	112.08	99.93	12.15	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	112.08	97.36	14.72	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	112.08	100.92	11.16	<50	<0.5	1.1	<0.5	0.9	--
06/17/94	112.08	100.41	11.67	330	1.4	3.3	1.9	11	--
08/29/94	112.08	100.08	12.00	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	112.08	102.57	9.51	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	112.08	103.24	8.84	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	112.08	100.44	11.64	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	112.08	100.00	12.08	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	112.08	101.58	10.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	112.08	104.08	8.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	112.08	100.58	11.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	112.08	99.81	12.27	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	112.08	104.17	7.91	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	112.08	100.20	11.88	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/97	112.08	99.89	12.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/97	112.08	99.46	12.62	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	112.08	102.85	9.23	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	112.08	104.87	7.21	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	112.03	101.10	10.93	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	112.03	99.69	12.34	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	112.03	100.59	11.44	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/09/99	112.03	103.23	8.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	112.03	101.22	10.81	SAMPLED ANNUALLY	--	--	--	--	--
02/29/00	112.03	105.12	6.91	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/18/00	112.03	101.00	11.03	--	--	--	--	--	--
03/21/01	112.03	101.61	10.42	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/04/01	112.03	101.04	10.99	--	--	--	--	--	--<2 ^s
03/22/02	112.03	102.14	9.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/16/02	112.03	100.02	12.01	SAMPLED ANNUALLY	--	--	--	--	--
03/28/03	112.03	101.23	10.80	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-2 (cont)									
09/02/03	112.03	100.15	11.88	SAMPLED ANNUALLY		--	--	--	--
03/18/04 ⁷	112.03	101.04	10.99	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/15/04	112.03	99.15	12.88	SAMPLED ANNUALLY		--	--	--	--
MW-3									
09/20/93	113.67	97.25	16.42	6,600	400	11	32	23	--
12/14/93	113.67	98.95	14.72	8,400	390	9.4	13	<2.5	--
03/16/94	113.67	98.45	15.22	6,900	260	30	32	27	--
06/17/94	113.67	97.62	16.05	10,000	190	61	58	190	--
08/29/94	113.67	97.44	16.23	7,200	74	9.8	26	24	--
12/06/94	113.67	99.35	14.32	13,000	610	86	88	140	--
03/31/95	113.67	99.98	13.69	4,300	120	<10	12	<10	--
06/24/95	113.67	98.02	15.65	6,200	210	24	29	12	--
09/12/95	113.67	97.68	15.99	7,200	190	<20	<20	<20	--
12/29/95	113.67	99.67	14.00	7,100	200	<10	45	24	<50
02/29/96	113.67	100.91	12.76	1,200	30	<5.0	<5.0	<5.0	<25
06/26/96	113.67	98.44	15.23	7,900	180	<20	35	28	240
09/12/96	113.67	97.73	15.94	11,000	150	<5.0	35	28	170
12/11/96	113.67	99.86	13.81	7,500	75	8.8	30	45	110
03/31/97	113.67	98.23	15.44	8,700	100	<10	20	23	50
06/29/97	113.67	97.99	15.68	9,300	120	28	22	19	150
09/30/97	113.67	97.76	15.91	8,200	78	<10	22	25	96
12/12/97	113.67	100.82	12.85	68	1.8	<0.5	<0.5	<0.5	<2.5
02/19/98	113.67	100.41	13.26	220	5.6	1.5	<0.5	<0.5	6.1
06/16/98	113.63	99.12	14.51	7,500	97	21	21	27	160
08/31/98	113.63	98.62	15.01	7,600	24	<2.5	9.5	16	38
12/23/98	113.63	100.03	13.60	5,800	69	<50	<50	<50	<250
03/09/99	113.63	99.59	14.04	5,300	<10	<10	16	20	88
06/23/99 ¹	113.63	--	--	--	--	--	--	--	--
07/19/99 ¹	113.63	--	--	--	--	--	--	--	--
09/30/99	113.63	96.74	16.89	8,660	53.7	16.9	17	19.6	132
02/29/00	113.63	INACCESSIBLE	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-3 (cont)									
09/18/00 ³	113.63	100.41	13.22	2,400 ⁴	14	6.8	4.7	7.4	28
03/21/01 ²	113.63	98.88	14.75	7,600 ⁴	41	30	<25	50	160
09/04/01	113.63	INACCESSIBLE - CAR PARKED OVER WELL			--	--	--	--	--
03/22/02 ³	113.63	99.46	14.17	7,600	<10	4.2	11	<25	<5.0
09/16/02 ³	113.63	97.34	16.29	5,900	<20	<10	7.7	<15	21
03/28/03 ³	113.63	98.67	14.96	3,500	<20	3.3	7.3	10 ²	<13
09/02/03 ^{3,7}	113.63	98.20	15.43	4,500	3	2	2	5	<0.5
03/18/04 ^{7,8}	113.63	98.91	14.72	5,300	3	1	3	4	<0.5
09/15/04	113.63	INACCESSIBLE - CAR PARKED OVER WELL			--	--	--	--	--
MW-4									
09/20/93	118.10	107.17	10.93	5,800	16	4.2	35	48	--
12/14/93	118.10	108.33	9.77	7,100	19	6.5	24	35	--
03/16/94	118.10	107.99	10.11	8,500	83	43	60	70	--
06/17/94	118.10	107.20	10.90	21,000	150	20	140	350	--
08/29/94	118.10	107.28	10.82	10,000	86	71	44	85	--
12/06/94	118.10	108.70	9.40	13,000	68	56	67	110	--
03/31/95	118.10	109.31	8.79	6,700	100	9.4	26	23	--
06/24/95	118.10	107.60	10.50	6,300	<20	<20	<20	24	--
09/12/95	118.10	107.90	10.20	7,100	65	16	<10	21	--
12/29/95	118.10	108.86	9.24	3,300	<10	<10	12	14	720
02/29/96	118.10	111.85	6.25	5,100	<10	37	23	21	85
06/26/96	118.10	107.92	10.18	6,800	<20	<20	<20	<20	<100
09/12/96	118.10	107.53	10.57	13,000	150	<10	38	35	240
12/11/96	118.10	109.39	8.71	26,000	<20	<20	<20	170	<100
03/31/97	118.10	107.18	10.92	12,000	120	74	45	70	240
06/29/97	118.10	106.43	11.67	8,800	24	<10	35	36	62
09/30/97	118.10	107.20	10.90	10,000	<10	<10	37	35	72
12/12/97	118.10	105.16	12.94	4,600	95	41	20	25	91
02/19/98	118.10	110.33	7.77	5,400	87	16	32	31	110
06/16/98 ²	118.08	107.82	10.26	10,000	<20	<20	35	37	150

NOT MONITORED/SAMPLED

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5									
09/20/93	116.74	101.43	15.31	590	25	1.8	0.6	2.0	--
12/14/93	116.74	102.19	14.55	210	11	6.3	2.3	6.1	--
03/16/94	116.74	101.77	14.97	270	12	16	4.8	17	--
06/17/94	116.74	101.36	15.38	220	24	17	6.7	28	--
08/29/94	116.74	101.54	15.20	1,000	<0.5	<0.5	<0.5	<0.5	--
12/06/94	116.74	102.09	14.65	110	9.2	9.7	2.2	11	--
03/31/95	116.74	103.04	13.70	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	116.74	101.95	14.79	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	116.74	102.15	14.59	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	116.74	101.76	14.98	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	116.74	103.07	13.67	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	116.74	102.50	14.24	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	116.74	102.12	14.62	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	116.74	102.93	13.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	116.74	101.29	15.45	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/97	116.74	102.07	14.67	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/97	116.74	101.89	14.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	116.74	102.99	13.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	116.74	103.68	13.06	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	116.70	102.35	14.35	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	116.70	101.54	15.16	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	116.70	102.15	14.55	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/09/99	116.70	102.63	14.07	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	116.70	100.80	15.90	SAMPLED ANNUALLY	--	--	--	--	--
02/29/00	116.70	103.40	13.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/18/00	116.70	101.62	15.08	--	--	--	--	--	--
03/21/01	116.70	102.04	14.66	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/04/01	116.70	101.26	15.44	--	--	--	--	--	<2.5
03/22/02 ⁶	116.70	101.99	14.71	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/16/02	116.70	101.02	15.68	SAMPLED ANNUALLY	--	--	--	--	--
03/28/03	116.70	101.65	15.05	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)									
09/02/03	116.70	101.34	15.36	SAMPLED ANNUALLY		--	--	--	--
03/18/04 ⁷	116.70	102.14	14.56	<50	1	0.7	1	3	<0.5
09/15/04	116.70	101.30	15.40	SAMPLED ANNUALLY		--	--	--	--
TRIP BLANK									
12/06/90	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/18/90	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/06/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/04/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/02/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/16/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/21/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/11/93	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/13/93	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/29/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/29/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/11/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK (cont)									
02/19/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.9
03/09/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
02/29/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/18/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
03/21/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/04/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA									
03/22/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/16/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/28/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/02/03 ⁷	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/18/04 ⁷	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/15/04 ⁷	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to February 9, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet
GWE = Groundwater Elevation
(msl) = Mean sea level
DTW = Depth to Water
TPII-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes
MTBE = Methyl tertiary butyl ether
(ppb) = Parts per billion

-- = Not Measured/Not Analyzed
(D) = Duplicate
QA = Quality Assurance/Trip Blank

- ¹ ORC installed.
- ² Transfer of title to Tri-Star Partnership, Inc. effective July 14, 1998.
- ³ ORC in well.
- ⁴ Laboratory report indicates gasoline C6-C12.
- ⁵ MTBE by EPA Method 8260.
- ⁶ Split samples taken by Harding ESE.
- ⁷ BTEX and MTBE by EPA Method 8260.
- ⁸ ORC removed from well.

Table 2
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID	DATE	PRE-PURGE (mg/L)	POST-PURGE (mg/L)
C-3 ¹	09/18/00	3.64	--
	03/21/01	1.00	--
	09/04/01	1.40	--
	03/22/02	1.10	--
	09/16/02	1.20	--
	03/28/03 ²	--	--
	09/02/03	0.80	--
	03/18/04 ³	0.56	--
MW-3 ¹	09/18/00	4.01	--
	03/21/01	1.30	--
	09/04/01	INACCESSIBLE - CAR PARKED OVER WELL	
	03/22/02	1.30	--
	09/16/02	1.00	--
	03/28/03 ²	--	--
	09/02/03	0.90	--
	03/18/04 ³	1.21	--

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

¹ ORC in well.

² Meter inoperable; unable to take Dissolved Oxygen measurements

³ ORC removed from well.

Table 3
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

WELL ID	DATE	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
C-3	09/04/01	<100	<2	<2	<2	<2	<2	<2
	09/02/03	--	<0.5	--	--	--	--	--
	03/18/04	--	<0.5	--	--	--	--	--
	09/15/04	--	10	--	--	--	--	--
MW-1	09/04/01	<100	<2	<2	<2	<2	<2	<2
	03/18/04	--	<0.5	--	--	--	--	--
	09/15/04	SAMPLED ANNUALLY		--	--	--	--	--
MW-2	09/04/01	<100	<2	<2	<2	<2	<2	<2
	03/18/04	--	<0.5	--	--	--	--	--
	09/15/04	SAMPLED ANNUALLY		--	--	--	--	--
MW-3	09/02/03	--	<0.5	--	--	--	--	--
	03/18/04	--	<0.5	--	--	--	--	--
	09/15/04	INACCESSIBLE - CAR PARKED OVER WELL			--	--	--	--
MW-5	09/04/01	<100	<2	<2	<2	<2	<2	<2
	03/18/04	--	<0.5	--	--	--	--	--
	09/15/04	SAMPLED ANNUALLY		--	--	--	--	--

Table 3
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-3864
5101 Telegraph Avenue
Oakland, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = 1,2-Dibromoethane
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864 Job Number: 386358
 Site Address: 5101 Telegraph Avenue Event Date: 9.15.04 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: C-3 Date Monitored: 9.15.04 Well Condition: 0'

Well Diameter: 2 in.

Total Depth: 29.13 ft.

Depth to Water: 14.20 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

14.93 xVF .17 = 2.53 x3 case volume= Estimated Purge Volume: 7.61 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer /
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer /
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0903 Weather Conditions: SUNNY
 Sample Time/Date: 0925 / 9.15.04 Water Color: MILKY / V. CL. GR. Odor: YES
 Purging Flow Rate: 2.5 gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0904</u>	<u>2.5</u>	<u>7.15</u>	<u>148.1</u>	<u>19.7</u>	_____	_____
<u>0905</u>	<u>5.0</u>	<u>7.12</u>	<u>126.7</u>	<u>19.2</u>	_____	_____
<u>0907</u>	<u>7.5</u>	<u>7.09</u>	<u>96.4</u>	<u>19.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
C-3	<u>6</u> x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: /

Add/Replaced Plug: / Size: 2"



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864
 Site Address: 5101 Telegraph Avenue
 City: Oakland, CA

Job Number: 386358
 Event Date: 9.15.04 (inclusive)
 Sampler: FT

Well ID: MW-1
 Well Diameter: 2 in.
 Total Depth: 22.45 ft.
 Depth to Water: 13.13 ft.
NA xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9.15.04 Well Condition: SEE PHOTO

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17'	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS:

"MONITORED ONLY"

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864 Job Number: 386358
 Site Address: 5101 Telegraph Avenue Event Date: 9.15.04 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-2 Date Monitored: 9.15.04 Well Condition: SEE PHOTO
 Well Diameter: 2 in.
 Total Depth: 23.95 ft.
 Depth to Water: 12.88 ft.
 xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 9/15/04 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS:

"MONITORED ONLY"

Add/Replaced Lock: ✓

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864 Job Number: 386358
 Site Address: 5101 Telegraph Avenue Event Date: 9.15.04 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-3 Date Monitored: N/A Well Condition: INACCESSIBLE
 Well Diameter: 2 in.
 Total Depth: 26.69 ft.
 Depth to Water: NA ft.
 \downarrow xVF .17 = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: INACCESSIBLE, VAN PARKED OVER THIS WELL.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3864
 Site Address: 5101 Telegraph Avenue
 City: Oakland, CA

Job Number: 386358
 Event Date: 9.15.04 (inclusive)
 Sampler: FT

Well ID: MW-5
 Well Diameter: 2 in.
 Total Depth: 21.74 ft.
 Depth to Water: 15.40 ft.
N/A xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9.15.04

Well Condition: 3 STRIPPED FLANGES
BRAINARD KILMAN 8" BOX

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer /
 Stainless Steel Bailer /
 Stack Pump /
 Suction Pump /
 Grundfos /
 Other: _____

Sampling Equipment:

Disposable Bailer /
 Pressure Bailer /
 Discrete Bailer /
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____

Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): / Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: _____
 Purging Flow Rate: gpm. Sediment Description: _____
 Did well de-water? / If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: "MONITORED ONLY"

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



091604-06

Cambria MTI Project #: 61D-1951

Acc. #: 10904 For Lancaster Laboratories use only Sample #: 4354097-98

Group# 912462

SCR#:

Facility #: SS#9-3864 G-R#386358 Global ID#T0600100343 Site Address: 5101 TELEGRAPH AVENUE, OAKLAND, CA Chevron PM: MTI Lead Consultant: CAMBRIA Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com) Consultant Phone #: 925-551-7555 Fax #: 925-551-7899 Sampler: FRANK TERZANO Service Order #: <input type="checkbox"/> Non SAR:				Matrix <input type="checkbox"/> Potable <input type="checkbox"/> MPDES <input type="checkbox"/> Water <input type="checkbox"/> <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes								Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ____ oxy s on highest hit <input type="checkbox"/> Run ____ oxy s on all hits					
Sample Identification		Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260 8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 Full scan	Oxygenates	Lead 7420	7421	Comments / Remarks	
QA		9-15-04					W			2	X	X							
C-3		↓	0925	X			↓			6	X	X							
Turnaround Time Requested (TAT) (please circle) <input checked="" type="radio"/> STD. TAT 72 hour 48 hour 24 hour 4 day 5 day											Relinquished by: <i>Frank Terzano</i> Date: 9-15-04 Time:		Received by: Date: Time:						
Data Package Options (please circle if required) QC Summary Type I - Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed EDF/EDD WIP (RWOCB) Disk											Relinquished by: <i>Andres Amay</i> Date: 9/16/04 Time: 1530		Received by: <i>Andres Amay</i> Date: 9/16/04 Time:						
Relinquished by Commercial Carrier: UPS FedEx Other: _____											Received by: <i>Andres Amay</i> Date: 9-17-04 Time: 0905		Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No						
Temperature Upon Receipt: 1.5-3.0 C°																			



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 912462. Samples arrived at the laboratory on Friday, September 17, 2004. The PO# for this group is 99011184 and the release number is MT1.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-040915	NA Water	4354097
C-3-W-040915	Grab Water	4354098

1 COPY TO Cambria C/O Gettler- Ryan
ELECTRONIC Gettler-Ryan
COPY TO

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2651 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads 'Victoria M. Martell'.

Victoria M. Martell
Chemist

Lancaster Laboratories Sample No. WW 4354097

QA-T-040915 NA Water
 Facility# 93864 Job# 386358 MTI# 61D-1951 GRD
 5101 Telegraph-Oakland T0600100343 QA
 Collected: 09/15/2004

Account Number: 10904

Submitted: 09/17/2004 09:05
 Reported: 09/27/2004 at 22:37
 Discard: 10/28/2004

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

QATEL

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/20/2004 18:12	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/24/2004 11:03	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030E	1	09/20/2004 18:12	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030E	1	09/24/2004 11:03	Anita M Dale	n.a.

Lancaster Laboratories Sample No. WW 4354098

 C-3-W-040915 Grab Water
 Facility# 93864 Job# 386358 MTI# 61D-1951 GRD
 5101 Telegraph-Oakland T0600100343 C-3
 Collected: 09/15/2004 09:25 by FT

Account Number: 10904

 Submitted: 09/17/2004 09:05
 Reported: 09/27/2004 at 22:37
 Discard: 10/28/2004

 ChevronTexaco c/o Gambia
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

C3TEL

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	3,200.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	10.		0.5	ug/l	1
05401	Benzene	71-43-2	0.8		0.5	ug/l	1
05407	Toluene	108-88-3	0.8		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	1.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	3.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/20/2004	21:16	K. Robert Caulfeild-James	1
06054	ETEX+MTBE by 8260B	SW-846 8260B	1	09/24/2004	11:28	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/20/2004	21:16	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/24/2004	11:28	Anita M Dale	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 09/27/04 at 10:37 PM

Group Number: 912462

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 04264A16A TPH-GRO - Waters	N.D.	50.	ug/l	94	94	70-130	1	30
Batch number: Z042682AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	101		77-127		
Benzene	N.D.	0.5	ug/l	96		85-117		
Toluene	N.D.	0.5	ug/l	95		85-115		
Ethylbenzene	N.D.	0.5	ug/l	95		82-119		
Xylene (Total)	N.D.	0.5	ug/l	96		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04264A16A TPH-GRO - Waters				92					
Batch number: Z042682AA Methyl Tertiary Butyl Ether	96	95	69-134	0	30				
Benzene	93	91	83-128	2	30				
Toluene	93	92	83-127	1	30				
Ethylbenzene	94	96	82-129	2	30				
Xylene (Total)	91	90	82-130	1	30				

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 04264A16A
 Trifluorotoluene-F

4354097	107
4354098	145
Blank	109
LCS	110
LCSD	113
MS	111

Limits: 57-146

* - Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 09/27/04 at 10:37 PM

Group Number: 912462

Surrogate Quality Control

Analysis Name: ETEX+MTEE by 8260E
Batch number: Z042682AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4354097	105	102	99	94
4354098	104	101	97	100
Blank	102	94	101	92
LCS	103	98	100	96
MS	102	99	101	102
MSD	101	95	100	101
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.