

Khatri, Paresh, Env. Health

From: Khatri, Paresh, Env. Health
Sent: Wednesday, October 22, 2008 8:15 AM
To: 'Doran, Neil'
Cc: McGrath, Angus; Drogos, Donna, Env. Health
Subject: RE: status update and question regarding Penske Trucking, 725 Julie Ann Way, Oakland

Neil,

Alameda County Environmental Health (ACEH) recommends that the preferential pathway evaluation is completed and incorporated into the scope of work presented in the work plan so that the results can be review by ACEH. This will allow for selected sampling locations to not only delineate the contaminant plume but also evaluate the potential preferential migration should it be determined that groundwater possibly intersects utility corridors or other preferential pathways, etc. at the site.

Should additional time be required to complete the preferential pathway evaluation and work plan, please request a submittal extension to ACEH for consideration.

Sincerely,

Paresh C. Khatri
Hazardous Materials Specialist
Alameda County Environmental Health
Local Oversight Program
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

Phone: (510) 777-2478
Fax: (510) 337-9335

E-mail: Paresh.Khatri@acgov.org

<http://www.acgov.org/aceh/lop/lop.htm>

Confidentiality Notice: This e-mail message, including any attachments, is for the sole use of intended recipient(s) and may contain confidential and protected information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.

From: Doran, Neil [mailto:Neil.Doran@stantec.com]
Sent: Tuesday, October 21, 2008 11:23 AM
To: Khatri, Paresh, Env. Health
Cc: McGrath, Angus
Subject: status update and question regarding Penske Trucking, 725 Julie Ann Way, Oakland

Paresh,

This email is to follow up on my voice message to you this morning in reference to the Penske site at 725 Julie Ann Way in Oakland (RO0000354).

Penske and Stantec are in the process of submitting a work plan in response to your letter dated April 8, 2008, and subsequent conversations. Your letter requests the completion of a preferential pathway study at the site, with the results transmitted in the work plan. In the interest of expediting the work plan, we would like to propose completing the study as part of the subsurface investigation, and transmitting the findings with the summary report.

Stantec anticipates that the preferential pathway study will be completed before the drilling phase as part of our utility clearance protocol. Should the presence of identified trenches, utility lines, or other features influence the proposed scope of work, Stantec will convey our findings to you before commencing drilling activities.

Please let me know your thoughts on this.

Regards,

Neil Doran, PG

Senior Geologist

Stantec Consulting Corporation

Ph: (925) 299-9300 Ext. 237

Fx: (925) 299-9302

Cell: (510) 919-0059

neil.doran@stantec.com

stantec.com

The content of this email is the confidential property of Stantec and should not be copied, modified, retransmitted, or used for any purpose except with Stantec's written authorization. If you are not the intended recipient, please delete all copies and notify us immediately.

 Please consider the environment before printing this email.