

ExxonMobil
Refining & Supply Company
Global Remediation

4096 Piedmont Avenue #194
Oakland, California 94611
510.547.8196
510.547.8706 Fax
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek
Project Manager

RECEIVED

By dehloptoxic at 12:36 pm, Jan 17, 2007

ExxonMobil
Refining & Supply

January 15, 2007

Mr. Steven Plunkett
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #7-0235/2225 Telegraph Avenue, Oakland California.

Dear Mr. Plunkett:

Attached for your review and comment is a copy of the letter report entitled *Groundwater Monitoring Report, Fourth Quarter 2006*, dated January 15, 2007, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring and sampling activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Groundwater Monitoring Report, Fourth Quarter 2006, dated January 15, 2007

cc: w/ attachment
Mr. Chuck Headlee, California Regional Water Quality Control Board, San Francisco Bay Region
Mr. Robert C. Elhers, M.S., P.E., The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



January 15, 2007
ERI 222913.Q064

Ms. Jennifer C. Sedlachek
ExxonMobil Refining & Supply – Global Remediation
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT Groundwater Monitoring Report, Fourth Quarter 2006
Former Exxon Service Station 7-0235
2225 Telegraph Avenue, Oakland, California

INTRODUCTION

At the request of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) performed fourth quarter 2006 groundwater monitoring and sampling activities at the subject site. Relevant tables, plates, and attachments are included at the end of this report. Currently, the site is an active Valero Service Station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling date:	10/27/06
Wells gauged and sampled:	MW6B, MW6E through MW6H, MW6J, RW1, RW2, RW3A
Well gauged only:	MW6I
Presence of NAPL:	Not observed
Laboratory:	TestAmerica Analytical Testing Corporation Nashville, Tennessee
Analyses performed:	EPA Method 8015B TPHd, TPHg, TPHmo EPA Method 8021B BTEX EPA Method 8260B MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE EPA Method 8260B Ethanol (Select Samples)
Waste disposal:	125 gallons purge and decon water delivered to Romic Environmental Technologies Corporation on 11/03/06

REMEDIATION SYSTEM SUMMARY

Prior to 1990, a groundwater extraction and treatment (GET) system operated at the site under the ownership of Texaco. The GET system was shut down in 1990 and replaced with a soil vapor extraction (SVE) system, which operated from approximately 1991 until 1996. The SVE system was shut down when ownership of the site transferred from Texaco to Exxon Mobil in 1996 and has been non-operational since that time. Additional information on the remediation systems is not available in Exxon Mobil or ERI's files.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Mr. Steven Plunkett
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Mr. Chuck Headlee
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612

Mr. Robert C. Ehlers, M.S., P.E.
The Valero Companies
Environmental Liability Management
685 West Third Street
Hanford, California 93230

LIMITATIONS

This report was prepared in accordance with generally accepted standards of environmental practice in California at the time this investigation was performed. This report has been prepared for Exxon Mobil, and any reliance on this report by third parties shall be at such party's sole risk.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.



Sincerely,
Environmental Resolutions, Inc.

Karen Navarro
Karen L. Navarro
Technical Writer

Heidi Dieffenbach-Carle
Heidi Dieffenbach-Carle
P.G. 6793

- Attachments: Table 1A: Cumulative Groundwater Monitoring and Sampling Data
- Table 1B: Additional Cumulative Groundwater Monitoring and Sampling Data
- Table 2: Well Construction Details

- Plate 1: Site Vicinity Map
- Plate 2: Select Analytical Results
- Plate 3: Groundwater Elevation Map

- Attachment A: Groundwater Sampling Protocol
- Attachment B: Laboratory Analytical Report and Chain-of-Custody Record
- Attachment C: Waste Disposal Documentation

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 10)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)		
MW6B	11/26/96	17.48	12.26	5.22	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5		
MW6B	02/27/97	17.48	11.73	5.75	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5		
MW6B	05/21/97	17.48	12.70	4.78	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	0.80		
MW6B	08/18/97	17.48	12.89	4.59	NLPH	---	380	---	---	<30	4.3	<0.5	<0.5	<0.5		
MW6B	03/13/98	17.48	11.15	6.33	NLPH	---	360	---	---	<6.2	93	4.9	4.1	1.2		
MW6B	04/20/98	17.48	11.49	5.99	NLPH	---	110	---	---	5.5	19	1.3	1.5	3.9		
MW6B	07/21/98	21.37	12.18	9.19	NLPH	---	<50	---	---	8.7	0.84	0.59	<0.5	<0.5		
MW6B	10/06/98	21.37	12.70	8.67	NLPH	---	190	---	---	6.0	2.4	0.56	0.51	1.2		
MW6B	01/11/99	21.37	12.48	8.89	NLPH	---	50	---	---	3.9	1.2	<0.5	<0.5	0.95		
MW6B	04/08/99	21.37	11.52	9.85	NLPH	---	85	---	---	14.0	4.4	<0.5	<0.5	<0.5		
MW6B	07/19/99	21.37	11.39	9.98	NLPH	---	<50	---	---	<2.50	<0.5	<0.5	<0.5	<0.5		
MW6B	07/27/99	21.37	12.71	8.66	NLPH	---	---	---	---	---	---	---	---	---		
MW6B	10/25/99	21.37	12.49	8.88	NLPH	---	260	---	---	---	---	---	---	---		
MW6B	01/27/00	21.37	11.80	9.57	NLPH	---	770	---	---	<2	2.3	<0.5	<0.5	<0.5		
MW6B	04/03/00	21.37	11.61	9.76	NLPH	---	670	---	---	13	210	4.8	4.9	13		
MW6B	07/05/00	21.37	12.27	9.10	NLPH	---	<50	---	---	3.4	110	6.6	3.8	9.45		
MW6B	10/04/00	21.37	12.67	8.70	NLPH	---	<50	---	---	2.1	0.89	<0.5	<0.5	<0.5		
MW6B	10/05/00	21.37	---	---	---	---	---	---	---	54	<0.5	<0.5	<0.5	2		
MW6B	01/04/01	21.37	12.47	8.90	NLPH	---	<50	<1,000	---	---	---	---	---	---		
MW6B	04/03/01	21.37	11.81	9.56	NLPH	---	<50	---	---	35	<0.5	<0.5	<0.5	<0.5		
MW6B	07/05/01	21.37	12.44	8.93	NLPH	---	<50	---	---	7.8	<0.5	<0.5	<0.5	<0.5		
MW6B	10/03/01	21.37	12.52	8.85	NLPH	---	310	---	---	3	<0.5	<0.5	<0.5	<0.5		
MW6B	Nov-01	21.09	Well surveyed in compliance with AB 2886 requirements.										2.1	<0.5	6.5	11.6
MW6B	01/02/02	21.09	11.25	9.84	NLPH	---	710	---	---	10	<0.5	<0.5	<0.5	<0.5		
MW6B	04/02/02	21.09	11.72	9.37	NLPH	---	<50.0	<100	---	21.8	99.5	4.40	3.30	7.40		
MW6B	07/01/02	21.09	12.34	8.75	NLPH	---	<50	<100a	---	12.2	0.60	<0.50	<0.50	<0.50		
MW6B	10/02/02	21.09	12.71	8.38	NLPH	---	<50.0	<100	---	10.7	<0.5	<0.5	<0.5	<0.5		
MW6B	01/07/03	21.09	11.65	9.44	NLPH	---	82.5	<50	27.8	10.9	<0.5	<0.5	<0.5	<0.5		
MW6B	06/17/03	21.09	12.09	9.00	NLPH	---	<50.0	<100	6.10a	20.8	3.7	0.5	<0.5	0.8		
MW6B	07/16/03	21.09	12.29	8.80	NLPH	---	<50.0	<100	8.5	7.3	0.50	<0.5	<0.5	<0.5		
MW6B	10/07/03	21.09	12.63	8.46	NLPH	<50	<50.0	<100	8.5	11.0	<0.50	<0.5	<0.5	<0.5		
MW6B	01/14/04	21.09	11.50	9.59	NLPH	54	62.0	<100	3.10	4.1	<0.50	<0.5	<0.5	<0.5		
MW6B	06/03/04	21.09	12.12	8.97	NLPH	---	56.0	<100	11.0	9.0	2.10	<0.5	<0.5	<0.5		
MW6B	08/12/04	21.09	c	c	c	<50c	94.0c	<100c	5.90	6.2	0.60	<0.5	<0.5	<0.5		
MW6B	11/04/04	21.09	12.27	8.82	NLPH	<50	<50.0	143	3.40c	---	0.70c	<0.5c	<0.5c	0.9c		
MW6B	02/01/05	21.09	11.48	9.61	NLPH	<100	55.9	<100	2.60	---	<0.50	<0.5	<0.5	0.7		
MW6B	05/03/05	21.09	11.48	9.61	NLPH	<50	<50.0	<100	7.50	---	1.30	<0.5	<0.5	<0.5		
MW6B	08/04/05	21.09	12.23	8.86	NLPH	<50.0	<50.0	<100	4.90	---	0.50	<0.5	<0.5	0.8		
MW6B	10/27/05	21.09	12.60	8.49	NLPH	<50.0	<50.0	<100	5.99	---	<0.500	<0.500	<0.500	0.692		
MW6B	01/26/06	21.09	11.39	9.70	NLPH	83d	510	<500	1.65	---	<0.50	0.94f	<0.50	1.29		
MW6B	04/28/06	21.09	10.99	10.10	NLPH	240d	3,100	<470	12	---	130	12	14	39		
MW6B	07/05/06	21.09	12.05	9.04	NLPH	<47.6	79.4	<95.2	43	---	920h	110	130	290		
MW6B	10/27/06	21.09	12.53	8.56	NLPH	<47	<50.0	<470	11.4	---	2.95	<1.00	<1.00	<3.00		
MW6E	11/26/96	17.63	12.94	4.69	NLPH	---	<50	---	---	<30	1.1	<0.5	<0.5	<0.5		
MW6E	02/27/97	17.63	12.28	5.35	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5		
MW6E	05/21/97	17.63	13.60	4.03	NLPH	---	160	---	---	<5	10	1.4	5.5	4.8		

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 4 of 10)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6G	04/08/99	20.72	10.04	10.68	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/19/99	20.72	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	07/27/99	20.72	11.75	8.97	NLPH	---	---	---	---	---	---	---	---	---
MW6G	10/25/99	20.72	11.76	8.96	NLPH	---	---	---	---	---	---	---	---	---
MW6G	01/27/00	20.72	11.46	9.26	NLPH	---	---	---	---	---	---	---	---	---
MW6G	04/03/00	20.72	10.00	10.72	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/05/00	20.72	11.24	9.48	NLPH	---	<50	---	---	---	---	---	---	---
MW6G	10/04/00	20.72	11.88	8.84	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	10/05/00	20.72	---	---	---	---	---	<1,000	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	01/04/01	20.72	11.56	9.16	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	04/03/01	20.72	10.45	10.27	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	07/05/01	20.72	11.51	9.21	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	10/03/01	20.72	11.63	9.09	NLPH	---	<50	---	---	<2	0.75	<0.5	<0.5	<0.5
MW6G	Nov-01	20.46	Well surveyed in compliance with AB 2886 requirements.											
MW6G	01/02/02	20.46	9.15	11.31	NLPH	---	<100	---	---	1.8	<0.50	<0.50	<0.50	<0.50
MW6G	04/02/02	20.46	10.19	10.27	NLPH	---	<50.0	<100	---	1.10	<0.50	<0.50	<0.50	<0.50
MW6G	07/01/02	20.46	11.35	9.11	NLPH	---	<50	<100a	---	1.3	<0.5	<0.5	<0.5	<0.5
MW6G	10/02/02	20.46	11.99	8.47	NLPH	---	<50.0	<100	---	0.7	<0.5	<0.5	<0.5	<0.5
MW6G	01/07/03	20.46	9.97	10.49	NLPH	---	<50.0	<50	2.0	1.3	<0.5	<0.5	<0.5	<0.5
MW6G	06/17/03	20.46	10.98	9.48	NLPH	---	<50.0	<100	1.6	1.5	<0.50	<0.5	<0.5	<0.5
MW6G	07/16/03	20.46	11.37	9.09	NLPH	---	<50.0	<100	0.9	1.2	<0.50	<0.5	<0.5	<0.5
MW6G	10/07/03	20.46	11.90	8.56	NLPH	<50	<50.0	<100	0.80	0.8	<0.50	<0.5	<0.5	<0.5
MW6G	01/14/04	20.46	10.10	10.36	NLPH	<50	<50.0	<100	1.40	1.0	<0.50	<0.5	<0.5	<0.5
MW6G	06/03/04	20.46	11.10	9.36	NLPH	<50	<50.0	<100	1.4	1.40	<0.50	<0.5	<0.5	<0.5
MW6G	08/12/04	20.46	c	c	c	99c	<50.0c	101c	1.10c	---	<0.50c	<0.5c	<0.5c	<0.5c
MW6G	11/04/04	20.46	11.18	9.28	NLPH	<50	<50.0	<100	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW6G	02/01/05	20.46	9.79	10.67	NLPH	<100	<50.0	<100	3.40	---	<0.50	<0.5	<0.5	<0.5
MW6G	05/03/05	20.46	9.95	10.51	NLPH	<50	<50.0	<100	1.40	---	<0.50	<0.5	<0.5	<0.5
MW6G	08/04/05	20.46	11.22	9.24	NLPH	<50.0	<50.0	<100	1.42	---	<0.500	<0.500	<0.500	<0.500
MW6G	10/27/05	20.46	11.76	8.70	NLPH	<50.0	<50.0	61.3	0.810	---	<0.50	0.93f	<0.50	<0.50
MW6G	01/26/06	20.46	11.07	9.39	NLPH	<50	<50	<500	1.8	---	<0.50	<0.50	<0.50	<0.50
MW6G	04/28/06	20.46	9.11	11.35	NLPH	<47	<50	<470	2.8	---	<0.50	<0.50	<0.50	<0.50
MW6G	07/05/06	20.46	10.70	9.76	NLPH	88.6	<50.0	277	2.49	---	<1.00	<1.00	<1.00	<3.00
MW6G	10/27/06	20.46	11.75	8.71	NLPH	<47	61.9	<470	1.40	---	<0.50	<0.50	<0.50	<0.50
MW6H	11/26/96	16.58	11.87	4.71	NLPH	---	1,200	---	---	<30	320	110	22	85
MW6H	02/27/97	16.58	11.58	5.00	NLPH	---	1,800	---	---	<200	760	31	8.4	44
MW6H	05/21/97	16.58	12.23	4.35	NLPH	---	1,100	---	---	81	640	18	5.4	45
MW6H	08/18/97	16.58	12.29	4.29	NLPH	---	870	---	---	26	200	3.6	2.4	7.4
MW6H	03/13/98	20.47	11.44	9.03	NLPH	---	5,300	---	---	<125	1,900	720	100	470
MW6H	04/20/98	20.47	11.58	8.89	NLPH	---	6,000	---	---	2,700	1,500	600	91	440
MW6H	07/21/98	20.47	11.97	8.50	NLPH	---	2,200	---	---	1,600	740	44	15	63
MW6H	10/06/98	20.47	12.23	8.24	NLPH	---	5,400	---	---	3,000	1,900	<25	<25	76
MW6H	01/11/99	20.47	12.17	8.30	NLPH	---	2,600	---	---	4,300	1,200	<12	<12	20
MW6H	04/08/99	20.47	11.56	8.91	NLPH	---	13,000	---	---	13,000	3,400	1,300	260	1,200
MW6H	07/19/99	20.47	11.71	8.76	NLPH	---	<2,000	---	8,520	6,920	732	<20	<20	<20

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 6 of 10)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6I	01/27/00	20.24	12.06	8.18	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	04/03/00	20.24	12.24	8.00	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/05/00	20.24	12.48	7.76	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	10/04/00	20.24	---	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	10/05/00	20.24	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6I	01/04/01	20.24	12.54	7.70	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	04/03/01	20.24	12.32	7.92	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	07/05/01	20.24	12.55	7.69	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	10/03/01	20.24	12.67	7.57	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	Nov-01	19.87	Well surveyed in compliance with AB 2886 requirements.											
MW6I	01/02/02	19.87	10.98	8.89	NLPH	---	<100	---	---	<0.5	<0.50	<0.50	<0.50	<0.50
MW6I	04/02/02 b	19.87	12.24	7.63	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/01/02	19.87	12.51	7.36	NLPH	---	<50	<100a	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW6I	10/02/02 b	19.87	12.72	7.15	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/07/03	19.87	12.09	7.78	NLPH	---	<50.0	<50	1.10	<0.5	<0.5	<0.5	<0.5	<0.5
MW6I	06/17/03 b	19.87	---	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	07/16/03	19.87	12.49	7.38	NLPH	---	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5
MW6I	10/07/03 b	19.87	12.64	7.23	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/14/04	19.87	12.13	7.74	NLPH	---	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5
MW6I	06/03/04 b	19.87	12.56	7.31	NLPH	---	---	---	---	---	<0.50	<0.5	<0.5	<0.5
MW6I	08/12/04	19.87	c	c	c	99c	<50.0c	155c	<0.50c	---	<0.50c	<0.5c	<0.5c	0.8c
MW6I	11/04/04 b	19.87	12.33	7.54	NLPH	---	---	---	---	---	---	---	---	---
MW6I	02/01/05	19.87	12.09	7.78	NLPH	<100	<50.0	<100	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW6I	05/03/05 b	19.87	12.16	7.71	NLPH	---	---	---	---	---	<0.50	<0.5	<0.5	<0.5
MW6I	08/04/05	19.87	12.46	7.41	NLPH	54.2d	<50.0	<100	<0.500	---	<0.500	<0.500	<0.500	<0.500
MW6I	10/27/05 b	19.87	12.58	7.29	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/26/06	19.87	12.04	7.83	NLPH	<50	<50	<500	<0.50	---	<0.50	<0.50	<0.50	<0.50
MW6I	04/28/06 b	19.87	11.94	7.93	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/05/06	19.87	13.06	6.81	NLPH	<47.6	<50.0	<95.2	<0.500	---	<1.00	<1.00	<1.00	<3.00
MW6I	10/27/06 b	19.87	12.64	7.23	NLPH	---	---	---	---	---	---	---	---	---
MW6J	07/05/01	20.72	13.47	7.25	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6J	10/03/01	20.72	13.57	7.15	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6J	Nov-01	20.75	Well surveyed in compliance with AB 2886 requirements.											
MW6J	01/02/02	20.75	13.19	7.56	NLPH	---	<100	---	---	<0.5	<0.50	<0.50	<0.50	<0.50
MW6J	04/02/02	20.75	13.74	7.01	NLPH	---	<50.0	<100	---	1.00	0.80	<0.50	<0.50	0.80
MW6J	07/01/02	20.75	13.58	7.17	NLPH	---	<50	<100a	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW6J	10/02/02	20.75	13.79	6.96	NLPH	---	<50.0	<100	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW6J	01/07/03	20.75	13.49	7.26	NLPH	---	<50.0	<50	1.30	0.60	<0.5	<0.5	<0.5	<0.5
MW6J	06/17/03	20.75	13.76	6.99	NLPH	---	<50.0	<100	0.70	3.00	<0.50	<0.5	<0.5	<0.5
MW6J	07/16/03	20.75	13.57	7.18	NLPH	---	<50.0	<100	0.60	0.70	<0.50	<0.5	<0.5	<0.5
MW6J	10/07/03	20.75	13.74	7.01	NLPH	---	<50.0	<100	1.20	1.1	<0.50	<0.5	<0.5	<0.5
MW6J	01/14/04	20.75	13.46	7.29	NLPH	<50	<50.0	<100	1.80	1.8	<0.50	<0.5	<0.5	<0.5
MW6J	06/03/04	20.75	13.72	7.03	NLPH	<50	<50.0	<100	10.3	5.1	0.50	<0.5	<0.5	<0.5
MW6J	08/12/04	20.75	c	c	c	<50c	<50.0c	<100c	3.30c	---	1.40c	2.1c	1.3c	4.6c
MW6J	11/04/04	20.75	13.68	7.07	NLPH	<50	<50.0	116	3.50	---	0.50	0.5	<0.5	<0.5
MW6J	02/01/05	20.75	13.47	7.28	NLPH	<100	<50.0	<100	5.50	---	<0.50	<0.5	<0.5	0.6
MW6J	05/03/05	20.75	13.66	7.09	NLPH	<50	<50.0	<100	3.00	---	0.70	0.9	0.6	0.8

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 7 of 10)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW6J	08/04/05	20.75	13.75	7.00	NLPH	55.8d	<50.0	130	<0.500	---	<0.500	<0.500	<0.500	<0.500	
MW6J	10/27/05	20.75	13.71	7.04	NLPH	<50.0	<50.0	<50.0	2.48	---	<0.500	0.94f	<0.50	<0.50	
MW6J	01/26/06	20.75	13.49	7.26	NLPH	<50	<50	<500	6.2	---	<0.50	<0.50	<0.50	<0.50	
MW6J	04/28/06	20.75	13.56	7.19	NLPH	<47	<50	<470	7.2	---	<0.50	<0.50	<0.50	<0.50	
MW6J	07/05/06	20.75	13.75	7.00	NLPH	<47.6	<50.0	<95.2	7.73	---	<1.00	<1.00	<1.00	<3.00	
MW6J	10/27/06	20.75	13.66	7.09	NLPH	<47	67.7	<470	9.15	---	<0.50	<0.50	<0.50	<0.50	
RW1	06/16/92 through 10/06/98	Not monitored or sampled.													
RW1	01/11/99	20.24	12.37	7.87	NLPH	---	---	---	---	---	---	---	---	---	
RW1	04/08/99	20.24	10.41	9.83	NLPH	---	---	---	---	---	---	---	---	---	
RW1	07/19/99	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	07/27/99	20.24	12.76	7.48	NLPH	---	---	---	---	---	---	---	---	---	
RW1	10/25/99	20.24	12.50	7.74	NLPH	---	---	---	---	---	---	---	---	---	
RW1	01/27/00	20.24	12.11	8.13	NLPH	---	---	---	---	---	---	---	---	---	
RW1	04/03/00	20.24	12.07	8.17	NLPH	---	---	---	---	---	---	---	---	---	
RW1	07/05/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	10/04/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	10/05/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	01/04/01	20.24	13.90	6.34	NLPH	---	8,000	---	---	2,500	1,200	65	250	258	
RW1	04/03/01	20.24	11.92	8.32	NLPH	---	4,100	---	---	610	62	<2.5	18	61	
RW1	07/05/01	20.24	Well inaccessible.												
RW1	10/03/01	20.24	12.32	8.32	NLPH	---	11,000	---	---	4,100	1,900	780	150	700	
RW1	Nov-01	20.43	Well surveyed in compliance with AB 2886 requirements.												
RW1	01/02/02	20.43	10.85	9.58	NLPH	---	32,000	---	---	7,760	358	2,270	894	4,820	
RW1	04/02/02	20.43	11.72	8.71	NLPH	---	4,220	<500	---	922	172	22.5	106	340	
RW1	07/01/02	20.43	12.17	8.26	NLPH	---	2,500	<100a	---	986	176	8.0	71.0	75.0	
RW1	10/02/02	20.43	12.44	7.99	NLPH	---	2,970	1,720	---	1,310	197	11.0	70.0	69.0	
RW1	01/07/03	20.43	11.64	8.79	NLPH	---	2,210	1,340	1,010	747	134	12.0	33.0	53.0	
RW1	06/17/03	20.43	11.98	8.45	NLPH	---	3,850	316	847	645	48.9	38.7	46.1	197	
RW1	07/16/03	20.43	12.11	8.32	NLPH	---	2,640	2,080	615	730	78.5	20.0	47.5	166	
RW1	10/07/03	20.43	12.35	8.08	NLPH	1,340	2,310	1,040	578	744	118	7.6	25.1	52.1	
RW1	01/14/04	20.43	11.61	8.82	NLPH	4,240	4,230	5,640	328	7.8	52.7	65.8	42.7	543	
RW1	06/03/04	20.43	12.12	8.31	NLPH	---	2,910	1,840	250	234	79.9	6.0	28.6	67.2	
RW1	08/12/04	20.43	c	c	c	---	1,980c	164c	107c	---	146c	5.7c	18.1c	10.9c	
RW1	11/04/04	20.43	12.06	8.37	NLPH	2,570	127,000	1,790	386	---	130	5,150	4,020	24,300	
RW1	02/01/05	20.43	11.55	8.88	NLPH	3,530	2,880	4,680	78.7	---	25.3	13.3	49.3	258	
RW1	05/03/05	20.43	11.58	8.85	NLPH	6,830d,e	2,490	14,600	91.3	---	33.8	18.4	17.3	97.7	
RW1	08/04/05	20.43	12.10	8.33	NLPH	2,430d	3,080	3,410	49.6	---	193	20.4	48.2	117	
RW1	10/27/05	20.43	12.32	8.11	NLPH	1,970	348	2,960	36.3	---	9.40	1.99f	2.22	5.36	
RW1	01/26/06	20.43	11.55	8.88	NLPH	5,000d	640	<10,000	72	---	13	7.5	1.8	5.2	
RW1	04/28/06	20.43	11.23	9.20	NLPH	950d	810	1,500	30	---	18	12	4.9	19	
RW1	07/05/06	20.43	11.96	8.47	NLPH	687	1,020	886	40.0	---	25.0	4.77	4.67	11.4	
RW1	10/27/06	20.43	12.31	8.12	NLPH	550d	937	600	45.4	---	21.1	4.82	5.37	8.14	
RW2	06/16/92 through 04/20/98	Not monitored or sampled.													
RW2	07/21/98	20.44	12.65	7.79	NLPH	---	3,500	---	---	170	240	100	41	96	

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 8 of 10)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
RW2	10/06/98	20.44	13.06	7.38	NLPH	---	3,200	---	---	200	120	48	56	120
RW2	01/11/99	20.44	12.88	7.56	NLPH	---	3,300	---	---	350	150	17	35	40
RW2	04/08/99	20.44	11.76	8.68	sheen	---	---	---	---	---	---	---	---	---
RW2	07/19/99	20.44	11.61	8.83	NLPH	---	1,980	---	499	160	44	4.16	22.3	11.6
RW2	07/27/99	20.44	13.26	7.18	NLPH	---	---	---	---	---	---	---	---	---
RW2	10/25/99	20.44	12.96	7.48	NLPH	---	1,800	---	---	440	51	<0.5	4.7	9.5
RW2	01/27/00	20.44	12.70	7.74	NLPH	---	1,900	---	---	750	38	<2.5	4.8	10.4
RW2	04/03/00	20.44	11.97	8.47	NLPH	---	2,100	---	---	300	28	2.4	1.4	0.73
RW2	07/05/00	20.44	12.50	7.94	NLPH	---	2,300	---	---	230	20	<2.5	5.3	8
RW2	10/04/00	20.44	12.97	7.47	NLPH	---	1,300	---	---	570	42	<2.5	15	17.7
RW2	10/05/00	20.44	---	---	---	---	---	<1,000	---	---	---	---	---	---
RW2	01/04/01	20.44	13.71	6.73	NLPH	---	1,000	---	---	380	33	<2.5	13	17.7
RW2	04/03/01	20.44	12.10	8.34	NLPH	---	1,300	---	---	99	18	2.1	16	19.4
RW2	07/05/01	20.44	Not sampled: inaccessible.			---	---	---	---	---	---	---	---	---
RW2	10/03/01	20.44	12.8	7.64	NLPH	---	1,900	---	---	240	35	4.4	34	105
RW2	Nov-01	20.64	Well surveyed in compliance with AB 2886 requirements.											
RW2	01/02/02	20.64	10.22	10.42	NLPH	---	2,440	---	---	76.0	24.4	6.20	26.2	83.0
RW2	04/02/02	20.64	12.02	8.62	NLPH	---	1,460	260	---	47.5	8.60	3.30	5.30	29.1
RW2	07/01/02	20.64	12.51	8.13	NLPH	---	1,380	<100a	---	39.9	11.0	1.8	17.9	45.0
RW2	10/02/02	20.64	12.91	7.73	NLPH	---	720	<100	---	46.9	5.5	1.7	3.7	11.9
RW2	01/07/03	20.64	11.61	9.03	NLPH	---	1,180	197	56.0	48.0	12.3	3.6	12.2	25.6
RW2	06/17/03	20.64	12.32	8.32	NLPH	---	1,070	<100	26.4	29.7	13.9	4.4	11.8	16.9
RW2	07/16/03	20.64	12.51	8.13	NLPH	---	1,200	295	19.3	32.9	6.60	4.1	10.9	12.3
RW2	10/07/03	20.64	12.81	7.83	NLPH	332	1,170	<100	50.2	55.0	8.70	1.1	9.3	12.2
RW2	01/14/04	20.64	11.70	8.94	NLPH	167	1,250	<100	128	8.4	18.0	4.4	8.6	10.7
RW2	06/03/04	20.64	12.93	7.71	NLPH	---	1,100	1,310	10.9	17.0	6.70	1.3	4.0	11.5
RW2	08/12/04	20.64	c	c	c	438c	1,110c	521c	32.8c	---	7.00c	1.5c	3.1c	10.2c
RW2	11/04/04	20.64	12.30	8.34	NLPH	503	506	419	r	---	4.30	5.9	6.2	16.0
RW2	02/01/05	20.64	11.61	9.03	NLPH	725	640	1,400	13.7	---	5.30	1.5	4.0	3.8
RW2	05/03/05	20.64	11.72	8.92	NLPH	493d,e	1,130	801	8.20	---	10.3	1.1	5.8	6.3
RW2	08/04/05	20.64	12.46	8.18	NLPH	3,020d	1,060	3,810	9.02	---	6.36	0.848	1.90	2.47
RW2	10/27/05	20.64	12.71	7.93	NLPH	716	163	703	8.74	---	<0.50	<0.50	<0.50	0.95
RW2	01/26/06	20.64	11.65	8.99	NLPH	410d	620a	<500	5.1	---	6.1a	1.2a	4.3a	2.1a
RW2	04/28/06	20.64	11.24	9.40	NLPH	300d	680	<470	2.6	---	9.7	1.2	5.3	2.9
RW2	07/05/06	20.64	12.33	8.31	NLPH	284	946	221	<0.500	---	8.87	1.05	1.81	3.10
RW2	10/27/06	20.64	12.78	7.86	NLPH	240d	920	<470	4.59	---	<0.50	<0.50	3.65	3.09
RW3A	06/16/92 through 04/20/98 Not monitored or sampled.													
RW3A	07/21/98	21.75	13.08	8.67	NLPH	---	280	---	---	16	97	<1.2	<1.2	<1.2
RW3A	10/06/98	21.89	13.72	8.17	NLPH	---	78	---	---	26	26	0.89	<0.5	<0.5
RW3A	01/11/99	21.75	12.00	9.75	NLPH	---	1,000	---	---	230	490	5.0	<5.0	7.4
RW3A	04/08/99	21.75	11.90	9.85	NLPH	---	130	---	---	11	70	<1.0	<1.0	<1.0
RW3A	07/19/99	21.75	11.75	10.00	NLPH	---	989	---	---	16.4	393	6.40	5.70	15.0
RW3A	07/27/99	21.75	13.68	8.07	NLPH	---	---	---	---	---	---	---	---	---
RW3A	10/25/99	21.75	13.61	8.14	NLPH	---	150	---	---	19	53	<0.5	<0.5	<0.5
RW3A	01/27/00	21.75	12.22	9.53	NLPH	---	500	---	---	12	210	0.59	1.40	2.29

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 9 of 10)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
RW3A	04/03/00	21.75	12.00	9.75	NLPH	---	1,100	---	---	16	420	1.6	1.8	1.4
RW3A	07/05/00	21.75	13.01	8.74	NLPH	---	1,200	---	---	16	440	1.4	2.5	1.9
RW3A	10/04/00	21.75	13.60	8.15	NLPH	---	390	---	---	8.3	160	1.1	1.5	2.6
RW3A	10/05/00	21.75	---	---	---	---	---	<1,000	---	---	---	---	---	---
RW3A	01/04/01	21.75	13.65	8.10	NLPH	---	500	---	---	12	230	0.97	1.1	1.4
RW3A	04/03/01	21.75	12.30	9.45	NLPH	---	710	---	---	7.5	290	<0.5	<0.5	<0.5
RW3A	07/05/01	21.75	13.28	8.47	NLPH	---	640	---	---	9	280	1.4	1.6	2.7
RW3A	10/03/01	21.75	13.58	8.17	NLPH	---	<50	---	---	12	21	<0.5	<0.5	<0.5
RW3A	Nov-01	21.89	Well surveyed in compliance with AB 2886 requirements.											
RW3A	01/02/02	21.89	10.80	11.09	NLPH	---	<100	---	---	11.2	<0.50	<0.50	<0.50	<0.50
RW3A	04/02/02	21.89	12.03	9.86	NLPH	---	55.7	<100	---	11.0	1.30	<0.50	<0.50	<0.50
RW3A	07/01/02	21.89	13.13	8.76	NLPH	---	275	<100a	---	21.7	60.4	<0.5	2.4	4.2
RW3A	10/02/02	21.89	13.70	8.19	NLPH	---	138	114	---	11.1	53.4	<0.5	<0.5	0.7
RW3A	01/07/03	21.89	11.77	10.12	NLPH	---	<50.0	<50	30.9	22.4	1.5	<0.5	<0.5	<0.5
RW3A	06/17/03	21.89	12.82	9.07	NLPH	---	54.5	<100	16.0	12.8	7.40	<0.5	<0.5	<0.5
RW3A	07/16/03	21.89	13.40	8.49	NLPH	---	112	<100	13.6	18.0	26.0	<0.5	<0.5	<0.5
RW3A	10/07/03	21.89	13.93	7.96	NLPH	124	62.6	<100	11.3	10.4	7.30	<0.5	<0.5	<0.5
RW3A	01/14/04	21.89	11.55	10.34	NLPH	401	<50.0	<100	16.2	11.7	3.10	<0.5	<0.5	<0.5
RW3A	06/03/04	21.89	13.43	8.46	NLPH	---	79.0	<100	22.4	19.4	6.30	<0.5	<0.5	<0.5
RW3A	08/12/04	21.89	c	c	c	1,190c	<50.0c	296c	16.2c	---	<0.50c	<0.5c	<0.5c	<0.5c
RW3A	11/04/04	21.89	12.91	8.98	NLPH	178	<50.0	122	5.40	---	<0.50	1.7	0.7	3.6
RW3A	02/01/05	21.89	11.63	10.26	NLPH	<100	<50.0	<100	11.8	---	<0.50	<0.5	<0.5	<0.5
RW3A	05/03/05	21.89	11.79	10.10	NLPH	158d	<50.0	<100	8.50	---	<0.50	<0.5	<0.5	<0.5
RW3A	08/04/05	21.89	12.99	8.90	NLPH	687d	89.9	107	16.7	---	26.0	0.645	<0.500	0.835
RW3A	10/27/05	21.89	13.49	8.40	NLPH	140	<50.0	79.1	4.00	---	9.63	<0.50	<0.50	0.65
RW3A	01/26/06	21.89	11.76	10.13	NLPH	210d	100a	<500	17	---	5.6a	<0.50a	<0.50a	<0.50a
RW3A	04/28/06	21.89	10.96	10.93	NLPH	140g	82	<470	19	---	2.6	<0.50	<0.50	<0.50
RW3A	07/05/06	21.89	13.12	8.77	NLPH	340	50.0	<95.2	8.11	---	1.37	<1.00	<1.00	<3.00
RW3A	10/27/06	21.89	13.48	8.41	NLPH	63d	789	<470	10.6	---	287	1.29	<0.50	2.03

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 10 of 10)

Notes:

TOC	=	Top of casing elevation; datum is mean sea level.
SUBJ	=	Results of subjective evaluation.
NLPH	=	No liquid-phase hydrocarbons present in well.
sheen	=	Liquid-phase hydrocarbon present as sheen.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015 (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified).
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-Dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-Dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
--	=	Not measured/Not sampled/Not analyzed.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	TPHd result was not consistent with diesel.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	=	Elevated result due to single analyte peak in quantitation range.
h	=	Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 5)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6B	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6B	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6B	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6B	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6B	01/26/06	<0.50	0.56	<20	<0.50	<0.50	<0.50	<100
MW6B	04/28/06	<0.50	<0.50	27	<0.50	15	3.6	---
MW6B	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6B	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6E	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6E	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6E	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6E	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6E	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6E	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	---
MW6E	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6E	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6F	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6F	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6F	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	05/03/05	<0.50	0.90	<10.0	<0.50	1.70	<0.50	<50.0
MW6F	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6F	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6F	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 2 of 5)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6F	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	---
MW6F	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6F	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6G	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6G	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6G	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6G	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6G	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6G	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6G	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6G	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6G	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6G	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6G	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<100
MW6H	01/07/03	<0.50	<0.50	952	<0.50	<0.50	7.50	---
MW6H	06/17/03	<0.50	<0.50	678	<0.50	<0.50	7.10	<100
MW6H	07/16/03	<0.50	0.70	307	<0.50	14.6	6.20	<100
MW6H	10/07/03	<0.50	<0.50	294	<0.50	<0.50	7.40	<100
MW6H	01/14/04	<0.50	<0.50	883	<0.50	<0.50	6.80	<50.0
MW6H	06/03/04	<0.50	<0.50	541	<0.50	<0.50	5.80	<50.0
MW6H	08/12/04	<0.50c	<0.50c	754c	<0.50c	<0.50c	5.40c	<50.0c
MW6H	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6H	02/01/05	<0.50	<0.50	625	<0.50	<0.50	4.20	<50.0
MW6H	05/03/05	<0.50	<0.50	436	<0.50	<0.50	3.10	<50.0
MW6H	08/04/05	<0.500	<0.500	530	<0.500	<0.500	3.73	<50.0
MW6H	10/27/05	<0.500	<0.500	422	<0.500	<0.500	4.62	<100
MW6H	01/26/06	<25	<25	<1,000	<25	<25	<25	<5,000
MW6H	04/28/06	<25	<25	<1,000	<25	<25	<25	<5,000
MW6H	07/05/06	<0.500	<0.500	137	<0.500	<0.500	2.41	<50.0
MW6H	10/27/06	<0.500	<0.500	131	<0.500	<0.500	3.61	<100
MW6I	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6I	06/17/03 b	---	---	---	---	---	---	---
MW6I	07/16/03	<0.50	<0.50	16.4	<0.50	<0.50	<0.50	<100
MW6I	10/07/03 b	---	---	---	---	---	---	---
MW6I	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6I	06/03/04 b	---	---	---	---	---	---	---
MW6I	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6I	11/04/04 b	---	---	---	---	---	---	---
MW6I	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 3 of 5)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6I	05/03/04 b	---	---	---	---	---	---	---
MW6I	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6I	10/27/05 b	---	---	---	---	---	---	---
MW6I	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6I	04/28/06 b	---	---	---	---	---	---	---
MW6I	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6I	10/27/06 b	---	---	---	---	---	---	---
MW6J	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6J	06/17/03	<0.50	<0.50	<10.0	<0.50	0.90	<0.50	<100
MW6J	07/16/03	<0.50	<0.50	<10.0	<0.50	1.00	<0.50	<100
MW6J	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.5	<0.50	<100
MW6J	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6J	06/03/04	<0.50	<0.50	<10.0	<0.50	2.00	<0.50	<50.0
MW6J	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	1.20c	<0.50c	<50.0c
MW6J	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6J	02/01/05	<0.50	<0.50	<10.0	<0.50	1.20	<0.50	<50.0
MW6J	05/03/05	<0.50	<0.50	<10.0	<0.50	1.20	<0.50	<50.0
MW6J	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6J	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6J	01/26/06	<0.50	<0.50	<20	<0.50	1.1	<0.50	<100
MW6J	04/28/06	<0.50	<0.50	<20	<0.50	1.3	<0.50	---
MW6J	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6J	10/27/06	<0.500	<0.500	<10.0	<0.500	1.04	<0.500	---
RW1	01/07/03	<10.0	<10.0	<200	<10.0	<10.0	<10.0	---
RW1	06/17/03	<0.50	<0.50	324	<0.50	<0.50	<0.50	<100
RW1	07/16/03	<0.50	<0.50	110	<10.0	1.70	1.10	<100
RW1	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW1	01/14/04	<0.50	<0.50	234	<0.50	<0.50	0.90	<50.0
RW1	06/03/04	<0.50	<0.50	338	<0.50	<0.50	1.30	<50.0
RW1	08/12/04	<0.50c	<0.50c	437c	1.30c	<0.50c	1.20c	<50.0c
RW1	11/04/04	<0.50	<0.50	541	<0.50	<0.50	<0.50	<50.0
RW1	02/01/05	<0.50	<0.50	261	<0.50	<0.50	1.80	<50.0
RW1	05/03/05	<0.50	<0.50	200	<0.50	<0.50	<0.50	<50.0
RW1	08/04/05	<0.500	<0.500	169	<0.500	<0.500	<0.500	<50.0
RW1	10/27/05	<0.500	<0.500	152	<0.500	<0.500	0.660	<100
RW1	01/26/06	<2.5	<2.5	280	<2.5	<2.5	<2.5	<500
RW1	04/28/06	<0.50	<0.50	86	<0.50	<0.50	<0.50	<100
RW1	07/05/06	<0.500	<0.500	80.5	1.02	<0.500	<0.500	<50.0
RW1	10/27/06	<0.500	<0.500	104	<0.500	<0.500	<0.500	<100
RW2	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
RW2	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	01/14/04	<0.50	<0.50	370	<0.50	<0.50	<0.50	<50.0

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 4 of 5)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW2	06/03/04	<0.50	<0.50	370	<0.50	<0.50	<0.50	<50.0
RW2	08/12/04	<0.50c	<0.50c	<10.0c	1.30c	<0.50c	<0.50c	<50.0c
RW2	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW2	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
RW2	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
RW2	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	---
RW2	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW2	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
RW3A	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
RW3A	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.20	<100
RW3A	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.40	<100
RW3A	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.40	<100
RW3A	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	2.20	<50.0
RW3A	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	1.20	<50.0
RW3A	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	1.10c	<50.0c
RW3A	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW3A	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	2.10	<50.0
RW3A	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	0.60	<50.0
RW3A	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW3A	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	0.980	<100
RW3A	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	3.2	<100
RW3A	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	1.5	<100
RW3A	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	1.20	<50.0
RW3A	10/27/06	<0.500	<0.500	17.3	<0.500	<0.500	3.90	<100

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 5 of 5)


Notes:	=	
TOC	=	Top of casing elevation; datum is mean sea level.
SUBJ	=	Results of subjective evaluation.
NLPH	=	No liquid-phase hydrocarbons present in well.
sheen	=	Liquid-phase hydrocarbon present as sheen.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015 (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified).
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-Dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-Dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
---	=	Not measured/Not sampled/Not analyzed.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	TPHd result was not consistent with diesel.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	=	Elevated result due to single analyte peak in quantitation range.
h	=	Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 1)

Well ID	Date Well Installed	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (fbgs)	Well Depth (fbgs)	Well Casing Diameter (inches)	Well Casing Material	Screened Interval (fbgs)	Slot Size (inches)	Filter Pack Interval (fbgs)	Filter Pack Material
MW6A	Well destroyed in 1992.										
MW6B	July 1988	21.09	8	20	19	2	PVC	9-19	0.020	7-20	#3 Sand
MW6C	Well converted to groundwater recovery well RW3 in 1990.										
MW6D	Well converted to groundwater recovery well RW2 in 1990.										
MW6E	Dec. 1988	21.24	10.5	21.5	20.5	4	PVC	10-19.5	0.020	8-21.5	#3 Sand
MW6F	Dec. 1988	22.17	10.5	22	20	4	PVC	10-19.5	0.020	8-22	#3 Sand
MW6G	Dec. 1988	20.46	8	20	20	4	PVC	10-19.5	0.020	8-20	#3 Sand
MW6H	Dec. 1988	20.20	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6I	Dec. 1988	19.87	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6J	04/06/01	20.75	8	23	23	2	PVC	6-23	0.020	6-23	#2/12 Sand
RW1	06/05/92	20.43	12	25	25	4	PVC	9.5-24.5	0.020	8.5-25	#3 Sand
RW2	06/05/92	20.64	12	25	25	4	PVC	9.5-24.5	0.020	9.5-25	#3 Sand
RW3	Well destroyed in 1991 and replaced with well RW3A in 1992.										
RW3A	08/24/92	21.89	12	21.5	21.5	4	PVC	9-21	0.020	8-21.5	#3 Sand
VW1	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW2	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW3	08/24/92	NS	12	13.5	13.5	4	PVC	4-13.5	0.050	4-13.5	Aquarium Sand

Notes:


- TOC = Top of well casing elevation; datum is mean sea level.
- fbgs = Feet below ground surface.
- PVC = Polyvinyl chloride.
- NS = Not specified.




3-D TopoQuads Copyright © 1999 DeLorme, Yorktown, ME 04096 Source Data: USGS 550 ft Scale: 1 : 39,200 Detail: 13-0 Datum: WGS84

FN 2229Topo

EXPLANATION



APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads

SITE VICINITY MAP

FORMER EXXON SERVICE STATION 7-0235
2225 Telegraph Avenue
Oakland, California

PROJECT NO.

2229

PLATE

1





Analyte Concentrations in ug/L
 Sampled October 27, 2006

1,460 Total Petroleum Hydrocarbons
 as gasoline
 215 Benzene
 69.4 Methyl Tertiary Butyl Ether
 (EPA Method 8260B)

< Less Than the Stated Laboratory
 Reporting Limit

ug/L Micrograms per Liter

b Well sampled semi-annually.



FN 2229004a_QM




SELECT ANALYTICAL RESULTS
October 27, 2006
 FORMER
 EXXON SERVICE STATION 7-0235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION

- MW6J Groundwater Monitoring Well
- RW3A Recovery Groundwater Monitoring Well

PROJECT NO.
2229

PLATE
2



9.5---- Line of Equal Groundwater Elevation;
datum is mean sea level

FN 2229004a_QM



GROUNDWATER ELEVATION MAP
October 27, 2006
FORMER
EXXON SERVICE STATION 7-0235
2225 Telegraph Avenue
Oakland, California

EXPLANATION	
MW6J	Groundwater Monitoring Well
7.09	Groundwater elevation in feet; datum is mean sea level
RW3A	Recovery Groundwater Monitoring Well

PROJECT NO.	2229
PLATE	3

ATTACHMENT A
GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h (7.48)$ where:

r	=	radius of the well casing in feet.
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.


Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody form.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

ATTACHMENT B

**LABORATORY ANALYTICAL REPORT
AND CHAIN-OF-CUSTODY RECORD**

November 15, 2006



Client: ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn: Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Nbr: 222913X
P/O Nbr: 4507203575
Date Received: 11/01/06

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
MW6B	NPK0098-02	10/27/06 12:00
MW6E	NPK0098-03	10/27/06 11:15
MW6F	NPK0098-04	10/27/06 12:45
MW6G	NPK0098-05	10/27/06 11:30
MW6H	NPK0098-06	10/27/06 12:15
MW6J	NPK0098-07	10/27/06 07:20
RW1	NPK0098-08	10/27/06 12:30
RW2	NPK0098-09	10/27/06 11:00
RW3A	NPK0098-10	10/27/06 11:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

California Certification Number: 01168CA

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

Report Approved By:

Leah R. Klingensmith
Senior Project Management

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPK0098-02 (MW6B - Water) Sampled: 10/27/06 12:00								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	0.63		ug/L	0.50	1	11/03/06 15:14	SW846 8021B	6110635
Ethylbenzene	ND		ug/L	0.50	1	11/03/06 15:14	SW846 8021B	6110635
Toluene	ND		ug/L	0.50	1	11/03/06 15:14	SW846 8021B	6110635
Xylenes, total	ND		ug/L	0.50	1	11/03/06 15:14	SW846 8021B	6110635
<i>Surr: a,a,a-Trifluorotoluene (57-145%)</i>	88 %					11/03/06 15:14	SW846 8021B	6110635
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/05/06 22:51	SW846 8260B	6110887
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/05/06 22:51	SW846 8260B	6110887
1,2-Dichloroethane	ND		ug/L	0.500	1	11/05/06 22:51	SW846 8260B	6110887
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/05/06 22:51	SW846 8260B	6110887
Diisopropyl Ether	ND		ug/L	0.500	1	11/05/06 22:51	SW846 8260B	6110887
Methyl tert-Butyl Ether	2.25		ug/L	0.500	1	11/05/06 22:51	SW846 8260B	6110887
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	11/05/06 22:51	SW846 8260B	6110887
<i>Surr: 1,2-Dichloroethane-d4 (62-142%)</i>	101 %					11/05/06 22:51	SW846 8260B	6110887
<i>Surr: Dibromofluoromethane (78-123%)</i>	102 %					11/05/06 22:51	SW846 8260B	6110887
<i>Surr: Toluene-d8 (79-120%)</i>	100 %					11/05/06 22:51	SW846 8260B	6110887
<i>Surr: 4-Bromofluorobenzene (75-133%)</i>	101 %					11/05/06 22:51	SW846 8260B	6110887
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	11/03/06 15:14	SW846 8015B	6110635
<i>Surr: a,a,a-Trifluorotoluene (63-134%)</i>	88 %					11/03/06 15:14	SW846 8015B	6110635
Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B								
Motor Oil (C16-C36)	ND		ug/l	470	1	11/11/06 19:52	IPA 8015B-SVO	6K02033
Diesel Range Organics (C10-C28)	ND		ug/l	47	1	11/11/06 19:52	IPA 8015B-SVO	6K02033
<i>Surr: n-Octacosane (30-115%)</i>	72 %					11/11/06 19:52	IPA 8015B-SVO	6K02033
Sample ID: NPK0098-03 (MW6E - Water) Sampled: 10/27/06 11:15								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	11/03/06 16:11	SW846 8021B	6110635
Ethylbenzene	ND		ug/L	0.50	1	11/03/06 16:11	SW846 8021B	6110635
Toluene	0.81		ug/L	0.50	1	11/03/06 16:11	SW846 8021B	6110635
Xylenes, total	1.26		ug/L	0.50	1	11/03/06 16:11	SW846 8021B	6110635
<i>Surr: a,a,a-Trifluorotoluene (57-145%)</i>	89 %					11/03/06 16:11	SW846 8021B	6110635
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/05/06 23:16	SW846 8260B	6110887
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/05/06 23:16	SW846 8260B	6110887
1,2-Dichloroethane	ND		ug/L	0.500	1	11/05/06 23:16	SW846 8260B	6110887
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/05/06 23:16	SW846 8260B	6110887
Diisopropyl Ether	ND		ug/L	0.500	1	11/05/06 23:16	SW846 8260B	6110887
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	11/05/06 23:16	SW846 8260B	6110887
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	11/05/06 23:16	SW846 8260B	6110887
<i>Surr: 1,2-Dichloroethane-d4 (62-142%)</i>	101 %					11/05/06 23:16	SW846 8260B	6110887
<i>Surr: Dibromofluoromethane (78-123%)</i>	102 %					11/05/06 23:16	SW846 8260B	6110887

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPK0098-03 (MW6E - Water) - cont. Sampled: 10/27/06 11:15								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Surr: Toluene-d8 (79-120%)	100 %					11/05/06 23:16	SW846 8260B	6110887
Surr: 4-Bromofluorobenzene (75-133%)	101 %					11/05/06 23:16	SW846 8260B	6110887
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	11/03/06 16:11	SW846 8015B	6110635
Surr: a,a,a-Trifluorotoluene (63-134%)	89 %					11/03/06 16:11	SW846 8015B	6110635
Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B								
Motor Oil (C16-C36)	ND		ug/l	470	1	11/11/06 20:28	PA 8015B-SVO/	6K02033
Diesel Range Organics (C10-C28)	ND		ug/l	47	1	11/11/06 20:28	PA 8015B-SVO/	6K02033
Surr: n-Octacosane (30-115%)	69 %					11/11/06 20:28	PA 8015B-SVO/	6K02033
Sample ID: NPK0098-04 (MW6F - Water) Sampled: 10/27/06 12:45								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	11/03/06 16:30	SW846 8021B	6110635
Ethylbenzene	ND		ug/L	0.50	1	11/03/06 16:30	SW846 8021B	6110635
Toluene	ND		ug/L	0.50	1	11/03/06 16:30	SW846 8021B	6110635
Xylenes, total	ND		ug/L	0.50	1	11/03/06 16:30	SW846 8021B	6110635
Surr: a,a,a-Trifluorotoluene (57-145%)	87 %					11/03/06 16:30	SW846 8021B	6110635
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/05/06 23:42	SW846 8260B	6110887
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/05/06 23:42	SW846 8260B	6110887
1,2-Dichloroethane	ND		ug/L	0.500	1	11/05/06 23:42	SW846 8260B	6110887
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/05/06 23:42	SW846 8260B	6110887
Diisopropyl Ether	ND		ug/L	0.500	1	11/05/06 23:42	SW846 8260B	6110887
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	11/05/06 23:42	SW846 8260B	6110887
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	11/05/06 23:42	SW846 8260B	6110887
Surr: 1,2-Dichloroethane-d4 (62-142%)	103 %					11/05/06 23:42	SW846 8260B	6110887
Surr: Dibromofluoromethane (78-123%)	103 %					11/05/06 23:42	SW846 8260B	6110887
Surr: Toluene-d8 (79-120%)	100 %					11/05/06 23:42	SW846 8260B	6110887
Surr: 4-Bromofluorobenzene (75-133%)	100 %					11/05/06 23:42	SW846 8260B	6110887
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	11/03/06 16:30	SW846 8015B	6110635
Surr: a,a,a-Trifluorotoluene (63-134%)	87 %					11/03/06 16:30	SW846 8015B	6110635
Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B								
Motor Oil (C16-C36)	ND		ug/l	470	1	11/10/06 05:15	PA 8015B-SVO/	6K02033
Diesel Range Organics (C10-C28)	ND		ug/l	47	1	11/10/06 05:15	PA 8015B-SVO/	6K02033
Surr: n-Octacosane (30-115%)	64 %					11/10/06 05:15	PA 8015B-SVO/	6K02033

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPK0098-05 (MW6G - Water) Sampled: 10/27/06 11:30								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	11/04/06 23:19	SW846 8021B	6110827
Ethylbenzene	ND		ug/L	0.50	1	11/04/06 23:19	SW846 8021B	6110827
Toluene	ND		ug/L	0.50	1	11/04/06 23:19	SW846 8021B	6110827
Xylenes, total	ND		ug/L	0.50	1	11/04/06 23:19	SW846 8021B	6110827
<i>Surr: a,a,a-Trifluorotoluene (57-145%)</i>	<i>91 %</i>					<i>11/04/06 23:19</i>	<i>SW846 8021B</i>	<i>6110827</i>
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/06/06 00:07	SW846 8260B	6110887
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/06/06 00:07	SW846 8260B	6110887
1,2-Dichloroethane	ND		ug/L	0.500	1	11/06/06 00:07	SW846 8260B	6110887
Ethanol	ND		ug/L	100	1	11/06/06 00:07	SW846 8260B	6110887
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/06/06 00:07	SW846 8260B	6110887
Diisopropyl Ether	ND		ug/L	0.500	1	11/06/06 00:07	SW846 8260B	6110887
Methyl tert-Butyl Ether	1.40		ug/L	0.500	1	11/06/06 00:07	SW846 8260B	6110887
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	11/06/06 00:07	SW846 8260B	6110887
<i>Surr: 1,2-Dichloroethane-d4 (62-142%)</i>	<i>103 %</i>					<i>11/06/06 00:07</i>	<i>SW846 8260B</i>	<i>6110887</i>
<i>Surr: Dibromofluoromethane (78-123%)</i>	<i>103 %</i>					<i>11/06/06 00:07</i>	<i>SW846 8260B</i>	<i>6110887</i>
<i>Surr: Toluene-d8 (79-120%)</i>	<i>100 %</i>					<i>11/06/06 00:07</i>	<i>SW846 8260B</i>	<i>6110887</i>
<i>Surr: 4-Bromofluorobenzene (75-133%)</i>	<i>99 %</i>					<i>11/06/06 00:07</i>	<i>SW846 8260B</i>	<i>6110887</i>
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	61.9		ug/L	50.0	1	11/07/06 04:26	SW846 8015B	6111124
<i>Surr: a,a,a-Trifluorotoluene (44-152%)</i>	<i>91 %</i>					<i>11/07/06 04:26</i>	<i>SW846 8015B</i>	<i>6111124</i>
Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B								
Motor Oil (C16-C36)	ND		ug/l	470	1	11/10/06 05:51	IPA 8015B-SVO	6K02033
Diesel Range Organics (C10-C28)	ND		ug/l	47	1	11/10/06 05:51	IPA 8015B-SVO	6K02033
<i>Surr: n-Octacosane (30-115%)</i>	<i>68 %</i>					<i>11/10/06 05:51</i>	<i>IPA 8015B-SVO</i>	<i>6K02033</i>
Sample ID: NPK0098-06RE1 (MW6H - Water) Sampled: 10/27/06 12:15								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	215		ug/L	2.50	5	11/05/06 18:48	SW846 8021B	6110971
Ethylbenzene	16.2		ug/L	0.50	1	11/04/06 23:52	SW846 8021B	6110827
Toluene	27.9		ug/L	0.50	1	11/04/06 23:52	SW846 8021B	6110827
Xylenes, total	43.4		ug/L	0.50	1	11/04/06 23:52	SW846 8021B	6110827
<i>Surr: a,a,a-Trifluorotoluene (57-145%)</i>	<i>99 %</i>					<i>11/04/06 23:52</i>	<i>SW846 8021B</i>	<i>6110827</i>
<i>Surr: a,a,a-Trifluorotoluene (57-145%)</i>	<i>96 %</i>					<i>11/05/06 18:48</i>	<i>SW846 8021B</i>	<i>6110971</i>
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/06/06 00:32	SW846 8260B	6110887
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/06/06 00:32	SW846 8260B	6110887
1,2-Dichloroethane	ND		ug/L	0.500	1	11/06/06 00:32	SW846 8260B	6110887
Ethanol	ND		ug/L	100	1	11/06/06 00:32	SW846 8260B	6110887
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/06/06 00:32	SW846 8260B	6110887
Diisopropyl Ether	3.61		ug/L	0.500	1	11/06/06 00:32	SW846 8260B	6110887
Methyl tert-Butyl Ether	69.4		ug/L	0.500	1	11/06/06 00:32	SW846 8260B	6110887

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPK0098-06 (MW6H - Water) - cont. Sampled: 10/27/06 12:15								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Tertiary Butyl Alcohol	131		ug/L	10.0	1	11/06/06 00:32	SW846 8260B	6110887
Surr: 1,2-Dichloroethane-d4 (62-142%)	103 %					11/06/06 00:32	SW846 8260B	6110887
Surr: Dibromofluoromethane (78-123%)	102 %					11/06/06 00:32	SW846 8260B	6110887
Surr: Toluene-d8 (79-120%)	101 %					11/06/06 00:32	SW846 8260B	6110887
Surr: 4-Bromofluorobenzene (75-133%)	100 %					11/06/06 00:32	SW846 8260B	6110887
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	1460		ug/L	50.0	1	11/07/06 04:59	SW846 8015B	6111124
Surr: a,a,a-Trifluorotoluene (44-152%)	97 %					11/07/06 04:59	SW846 8015B	6111124
Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B								
Motor Oil (C16-C36)	ND		ug/l	470	1	11/10/06 07:39	IPA 8015B-SVO/	6K02033
Diesel Range Organics (C10-C28)	120	HC-12	ug/l	47	1	11/10/06 07:39	IPA 8015B-SVO/	6K02033
Surr: n-Octacosane (30-115%)	71 %					11/10/06 07:39	IPA 8015B-SVO/	6K02033
Sample ID: NPK0098-07 (MW6J - Water) Sampled: 10/27/06 07:20								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	11/05/06 00:24	SW846 8021B	6110827
Ethylbenzene	ND		ug/L	0.50	1	11/05/06 00:24	SW846 8021B	6110827
Toluene	ND		ug/L	0.50	1	11/05/06 00:24	SW846 8021B	6110827
Xylenes, total	ND		ug/L	0.50	1	11/05/06 00:24	SW846 8021B	6110827
Surr: a,a,a-Trifluorotoluene (57-145%)	92 %					11/05/06 00:24	SW846 8021B	6110827
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/06/06 00:58	SW846 8260B	6110887
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/06/06 00:58	SW846 8260B	6110887
1,2-Dichloroethane	1.04		ug/L	0.500	1	11/06/06 00:58	SW846 8260B	6110887
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/06/06 00:58	SW846 8260B	6110887
Diisopropyl Ether	ND		ug/L	0.500	1	11/06/06 00:58	SW846 8260B	6110887
Methyl tert-Butyl Ether	9.15		ug/L	0.500	1	11/06/06 00:58	SW846 8260B	6110887
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	11/06/06 00:58	SW846 8260B	6110887
Surr: 1,2-Dichloroethane-d4 (62-142%)	104 %					11/06/06 00:58	SW846 8260B	6110887
Surr: Dibromofluoromethane (78-123%)	103 %					11/06/06 00:58	SW846 8260B	6110887
Surr: Toluene-d8 (79-120%)	100 %					11/06/06 00:58	SW846 8260B	6110887
Surr: 4-Bromofluorobenzene (75-133%)	100 %					11/06/06 00:58	SW846 8260B	6110887
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	67.7		ug/L	50.0	1	11/07/06 05:31	SW846 8015B	6111124
Surr: a,a,a-Trifluorotoluene (44-152%)	91 %					11/07/06 05:31	SW846 8015B	6111124
Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B								
Motor Oil (C16-C36)	ND		ug/l	470	1	11/10/06 08:15	IPA 8015B-SVO/	6K02033
Diesel Range Organics (C10-C28)	ND		ug/l	47	1	11/10/06 08:15	IPA 8015B-SVO/	6K02033
Surr: n-Octacosane (30-115%)	67 %					11/10/06 08:15	IPA 8015B-SVO/	6K02033

Sample ID: NPK0098-08 (RW1 - Water) Sampled: 10/27/06 12:30
Volatile Organic Compounds by EPA Method 8021B

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
---------	--------	------	-------	-----	-----------------	--------------------	--------	-------

Sample ID: NPK0098-08 (RW1 - Water) - cont. Sampled: 10/27/06 12:30

Volatile Organic Compounds by EPA Method 8021B - cont.

Benzene	21.1		ug/L	0.50	1	11/05/06 00:56	SW846 8021B	6110827
Ethylbenzene	5.37		ug/L	0.50	1	11/05/06 00:56	SW846 8021B	6110827
Toluene	4.82		ug/L	0.50	1	11/05/06 00:56	SW846 8021B	6110827
Xylenes, total	8.14		ug/L	0.50	1	11/05/06 00:56	SW846 8021B	6110827
Surr: <i>a,a,a</i> -Trifluorotoluene (57-145%)	99 %					11/05/06 00:56	SW846 8021B	6110827

Volatile Organic Compounds by EPA Method 8260B

Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/06/06 12:25	SW846 8260B	6111294
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/06/06 12:25	SW846 8260B	6111294
1,2-Dichloroethane	ND		ug/L	0.500	1	11/06/06 12:25	SW846 8260B	6111294
Ethanol	ND		ug/L	100	1	11/06/06 12:25	SW846 8260B	6111294
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/06/06 12:25	SW846 8260B	6111294
Diisopropyl Ether	ND		ug/L	0.500	1	11/06/06 12:25	SW846 8260B	6111294
Methyl tert-Butyl Ether	45.4	ID2	ug/L	0.500	1	11/06/06 12:25	SW846 8260B	6111294
Tertiary Butyl Alcohol	104	ID2	ug/L	10.0	1	11/06/06 12:25	SW846 8260B	6111294
Surr: 1,2-Dichloroethane-d4 (62-142%)	105 %					11/06/06 12:25	SW846 8260B	6111294
Surr: Dibromofluoromethane (78-123%)	105 %					11/06/06 12:25	SW846 8260B	6111294
Surr: Toluene-d8 (79-120%)	101 %					11/06/06 12:25	SW846 8260B	6111294
Surr: 4-Bromofluorobenzene (75-133%)	100 %					11/06/06 12:25	SW846 8260B	6111294

Purgeable Petroleum Hydrocarbons

GRO as Gasoline	937		ug/L	50.0	1	11/07/06 06:04	SW846 8015B	6111124
Surr: <i>a,a,a</i> -Trifluorotoluene (44-152%)	98 %					11/07/06 06:04	SW846 8015B	6111124

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

Motor Oil (C16-C36)	600	HC-18	ug/l	470	1	11/13/06 21:14	EPA 8015B-SVO/	6K03002
Diesel Range Organics (C10-C28)	550	HC-12	ug/l	47	1	11/13/06 21:14	EPA 8015B-SVO/	6K03002
Surr: <i>n</i> -Octacosane (30-115%)	98 %					11/13/06 21:14	EPA 8015B-SVO/	6K03002

Sample ID: NPK0098-09 (RW2 - Water) Sampled: 10/27/06 11:00

Volatile Organic Compounds by EPA Method 8021B

Benzene	ND		ug/L	0.50	1	11/05/06 01:29	SW846 8021B	6110827
Ethylbenzene	3.65		ug/L	0.50	1	11/05/06 01:29	SW846 8021B	6110827
Toluene	ND		ug/L	0.50	1	11/05/06 01:29	SW846 8021B	6110827
Xylenes, total	3.09		ug/L	0.50	1	11/05/06 01:29	SW846 8021B	6110827
Surr: <i>a,a,a</i> -Trifluorotoluene (57-145%)	100 %					11/05/06 01:29	SW846 8021B	6110827

Volatile Organic Compounds by EPA Method 8260B

Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/06/06 12:51	SW846 8260B	6111294
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/06/06 12:51	SW846 8260B	6111294
1,2-Dichloroethane	ND		ug/L	0.500	1	11/06/06 12:51	SW846 8260B	6111294
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/06/06 12:51	SW846 8260B	6111294
Diisopropyl Ether	ND		ug/L	0.500	1	11/06/06 12:51	SW846 8260B	6111294
Methyl tert-Butyl Ether	4.59	ID2	ug/L	0.500	1	11/06/06 12:51	SW846 8260B	6111294
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	11/06/06 12:51	SW846 8260B	6111294
Surr: 1,2-Dichloroethane-d4 (62-142%)	103 %					11/06/06 12:51	SW846 8260B	6111294

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
---------	--------	------	-------	-----	-----------------	--------------------	--------	-------

Sample ID: NPK0098-09 (RW2 - Water) - cont. Sampled: 10/27/06 11:00

Volatile Organic Compounds by EPA Method 8260B - cont.

Surr: Dibromofluoromethane (78-123%)	104 %					11/06/06 12:51	SW846 8260B	6111294
Surr: Toluene-d8 (79-120%)	100 %					11/06/06 12:51	SW846 8260B	6111294
Surr: 4-Bromofluorobenzene (75-133%)	99 %					11/06/06 12:51	SW846 8260B	6111294

Purgeable Petroleum Hydrocarbons

GRO as Gasoline	920		ug/L	50.0	1	11/07/06 06:36	SW846 8015B	6111124
Surr: a,a,a-Trifluorotoluene (44-152%)	97 %					11/07/06 06:36	SW846 8015B	6111124

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

Motor Oil (C16-C36)	ND		ug/l	470	1	11/13/06 21:50	EPA 8015B-SVO/	6K03002
Diesel Range Organics (C10-C28)	240	HC-12	ug/l	47	1	11/13/06 21:50	EPA 8015B-SVO/	6K03002
Surr: n-Octacosane (30-115%)	72 %					11/13/06 21:50	EPA 8015B-SVO/	6K03002

Sample ID: NPK0098-10RE1 (RW3A - Water) Sampled: 10/27/06 11:45

Volatile Organic Compounds by EPA Method 8021B

Benzene	287		ug/L	5.00	10	11/05/06 19:20	SW846 8021B	6110971
Ethylbenzene	ND		ug/L	0.50	1	11/05/06 02:01	SW846 8021B	6110827
Toluene	1.29		ug/L	0.50	1	11/05/06 02:01	SW846 8021B	6110827
Xylenes, total	2.03		ug/L	0.50	1	11/05/06 02:01	SW846 8021B	6110827
Surr: a,a,a-Trifluorotoluene (57-145%)	96 %					11/05/06 02:01	SW846 8021B	6110827
Surr: a,a,a-Trifluorotoluene (57-145%)	94 %					11/05/06 19:20	SW846 8021B	6110971

Volatile Organic Compounds by EPA Method 8260B

Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	11/07/06 21:20	SW846 8260B	6111721
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	11/07/06 21:20	SW846 8260B	6111721
1,2-Dichloroethane	ND		ug/L	0.500	1	11/07/06 21:20	SW846 8260B	6111721
Ethanol	ND		ug/L	100	1	11/07/06 21:20	SW846 8260B	6111721
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	11/07/06 21:20	SW846 8260B	6111721
Diisopropyl Ether	3.90		ug/L	0.500	1	11/07/06 21:20	SW846 8260B	6111721
Methyl tert-Butyl Ether	10.6		ug/L	0.500	1	11/07/06 21:20	SW846 8260B	6111721
Tertiary Butyl Alcohol	17.3		ug/L	10.0	1	11/07/06 21:20	SW846 8260B	6111721
Surr: 1,2-Dichloroethane-d4 (62-142%)	97 %					11/07/06 21:20	SW846 8260B	6111721
Surr: Dibromofluoromethane (78-123%)	103 %					11/07/06 21:20	SW846 8260B	6111721
Surr: Toluene-d8 (79-120%)	99 %					11/07/06 21:20	SW846 8260B	6111721
Surr: 4-Bromofluorobenzene (75-133%)	107 %					11/07/06 21:20	SW846 8260B	6111721

Purgeable Petroleum Hydrocarbons

GRO as Gasoline	789		ug/L	50.0	1	11/07/06 07:08	SW846 8015B	6111124
Surr: a,a,a-Trifluorotoluene (44-152%)	95 %					11/07/06 07:08	SW846 8015B	6111124

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

Motor Oil (C16-C36)	ND		ug/l	470	1	11/13/06 22:26	EPA 8015B-SVO/	6K03002
Diesel Range Organics (C10-C28)	63	HC-12	ug/l	47	1	11/13/06 22:26	EPA 8015B-SVO/	6K03002
Surr: n-Octacosane (30-115%)	71 %					11/13/06 22:26	EPA 8015B-SVO/	6K03002

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NPK0098
 Project Name: Exxon(06) 7-0235 PO:4507203575
 Project Number: 222913X
 Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8021B

6110635-BLK1

Benzene	<0.37		ug/L	6110635	6110635-BLK1	11/03/06 07:52
Ethylbenzene	<0.21		ug/L	6110635	6110635-BLK1	11/03/06 07:52
Toluene	<0.41		ug/L	6110635	6110635-BLK1	11/03/06 07:52
Xylenes, total	<0.44		ug/L	6110635	6110635-BLK1	11/03/06 07:52
Surrogate: <i>a,a,a</i> -Trifluorotoluene	89%			6110635	6110635-BLK1	11/03/06 07:52

6110827-BLK1

Benzene	<0.37		ug/L	6110827	6110827-BLK1	11/04/06 22:15
Ethylbenzene	<0.21		ug/L	6110827	6110827-BLK1	11/04/06 22:15
Toluene	<0.41		ug/L	6110827	6110827-BLK1	11/04/06 22:15
Xylenes, total	<0.44		ug/L	6110827	6110827-BLK1	11/04/06 22:15
Surrogate: <i>a,a,a</i> -Trifluorotoluene	93%			6110827	6110827-BLK1	11/04/06 22:15

6110971-BLK1

Benzene	<0.37		ug/L	6110971	6110971-BLK1	11/05/06 16:38
Ethylbenzene	<0.21		ug/L	6110971	6110971-BLK1	11/05/06 16:38
Toluene	<0.41		ug/L	6110971	6110971-BLK1	11/05/06 16:38
Xylenes, total	<0.44		ug/L	6110971	6110971-BLK1	11/05/06 16:38
Surrogate: <i>a,a,a</i> -Trifluorotoluene	92%			6110971	6110971-BLK1	11/05/06 16:38

Volatile Organic Compounds by EPA Method 8260B

6110887-BLK1

Tert-Amyl Methyl Ether	<0.200		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Tert-Amyl Methyl Ether	<0.200		ug/L	6110887	6110887-BLK1	11/05/06 16:54
1,2-Dibromoethane (EDB)	<0.320		ug/L	6110887	6110887-BLK1	11/05/06 16:54
1,2-Dibromoethane (EDB)	<0.320		ug/L	6110887	6110887-BLK1	11/05/06 16:54
1,2-Dichloroethane	<0.370		ug/L	6110887	6110887-BLK1	11/05/06 16:54
1,2-Dichloroethane	<0.370		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Ethanol	<62.0		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Ethyl tert-Butyl Ether	<0.210		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Ethyl tert-Butyl Ether	<0.210		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Diisopropyl Ether	<0.210		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Diisopropyl Ether	<0.210		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Methyl tert-Butyl Ether	<0.190		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Methyl tert-Butyl Ether	<0.190		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Tertiary Butyl Alcohol	<4.07		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Tertiary Butyl Alcohol	<4.07		ug/L	6110887	6110887-BLK1	11/05/06 16:54
Surrogate: <i>1,2</i> -Dichloroethane- <i>d4</i>	107%			6110887	6110887-BLK1	11/05/06 16:54
Surrogate: <i>1,2</i> -Dichloroethane- <i>d4</i>	107%			6110887	6110887-BLK1	11/05/06 16:54
Surrogate: Dibromofluoromethane	107%			6110887	6110887-BLK1	11/05/06 16:54
Surrogate: Dibromofluoromethane	107%			6110887	6110887-BLK1	11/05/06 16:54
Surrogate: Toluene- <i>d8</i>	100%			6110887	6110887-BLK1	11/05/06 16:54

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B						
6110887-BLK1						
Surrogate: Toluene-d8	100%			6110887	6110887-BLK1	11/05/06 16:54
Surrogate: 4-Bromofluorobenzene	99%			6110887	6110887-BLK1	11/05/06 16:54
Surrogate: 4-Bromofluorobenzene	99%			6110887	6110887-BLK1	11/05/06 16:54
6111294-BLK1						
Tert-Amyl Methyl Ether	<0.200		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Tert-Amyl Methyl Ether	<0.200		ug/L	6111294	6111294-BLK1	11/06/06 04:22
1,2-Dibromoethane (EDB)	<0.320		ug/L	6111294	6111294-BLK1	11/06/06 04:22
1,2-Dibromoethane (EDB)	<0.320		ug/L	6111294	6111294-BLK1	11/06/06 04:22
1,2-Dichloroethane	<0.370		ug/L	6111294	6111294-BLK1	11/06/06 04:22
1,2-Dichloroethane	<0.370		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Ethanol	<62.0		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Ethyl tert-Butyl Ether	<0.210		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Ethyl tert-Butyl Ether	<0.210		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Diisopropyl Ether	<0.210		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Diisopropyl Ether	<0.210		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Methyl tert-Butyl Ether	<0.190		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Methyl tert-Butyl Ether	<0.190		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Tertiary Butyl Alcohol	<4.07		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Tertiary Butyl Alcohol	<4.07		ug/L	6111294	6111294-BLK1	11/06/06 04:22
Surrogate: 1,2-Dichloroethane-d4	106%			6111294	6111294-BLK1	11/06/06 04:22
Surrogate: 1,2-Dichloroethane-d4	106%			6111294	6111294-BLK1	11/06/06 04:22
Surrogate: Dibromofluoromethane	106%			6111294	6111294-BLK1	11/06/06 04:22
Surrogate: Dibromofluoromethane	106%			6111294	6111294-BLK1	11/06/06 04:22
Surrogate: Toluene-d8	100%			6111294	6111294-BLK1	11/06/06 04:22
Surrogate: Toluene-d8	100%			6111294	6111294-BLK1	11/06/06 04:22
Surrogate: 4-Bromofluorobenzene	100%			6111294	6111294-BLK1	11/06/06 04:22
Surrogate: 4-Bromofluorobenzene	100%			6111294	6111294-BLK1	11/06/06 04:22
6111721-BLK1						
Tert-Amyl Methyl Ether	<0.200		ug/L	6111721	6111721-BLK1	11/08/06 02:40
1,2-Dibromoethane (EDB)	<0.320		ug/L	6111721	6111721-BLK1	11/08/06 02:40
1,2-Dichloroethane	<0.370		ug/L	6111721	6111721-BLK1	11/08/06 02:40
Ethanol	<62.0		ug/L	6111721	6111721-BLK1	11/08/06 02:40
Ethyl tert-Butyl Ether	<0.210		ug/L	6111721	6111721-BLK1	11/08/06 02:40
Diisopropyl Ether	<0.210		ug/L	6111721	6111721-BLK1	11/08/06 02:40
Methyl tert-Butyl Ether	<0.190		ug/L	6111721	6111721-BLK1	11/08/06 02:40
Tertiary Butyl Alcohol	<4.07		ug/L	6111721	6111721-BLK1	11/08/06 02:40
Surrogate: 1,2-Dichloroethane-d4	96%			6111721	6111721-BLK1	11/08/06 02:40
Surrogate: Dibromofluoromethane	102%			6111721	6111721-BLK1	11/08/06 02:40
Surrogate: Toluene-d8	100%			6111721	6111721-BLK1	11/08/06 02:40
Surrogate: 4-Bromofluorobenzene	103%			6111721	6111721-BLK1	11/08/06 02:40

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NPK0098
 Project Name: Exxon(06) 7-0235 PO:4507203575
 Project Number: 222913X
 Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

Purgeable Petroleum Hydrocarbons

6110635-BLK1

GRO as Gasoline	<39.0		ug/L	6110635	6110635-BLK1	11/03/06 07:52
Surrogate: <i>a,a,a-Trifluorotoluene</i>	89%			6110635	6110635-BLK1	11/03/06 07:52

6110827-BLK1

GRO as Gasoline	<39.0		ug/L	6110827	6110827-BLK1	11/04/06 22:15
Surrogate: <i>a,a,a-Trifluorotoluene</i>	93%			6110827	6110827-BLK1	11/04/06 22:15

6111124-BLK1

GRO as Gasoline	<43.0		ug/L	6111124	6111124-BLK1	11/07/06 02:49
Surrogate: <i>a,a,a-Trifluorotoluene</i>	91%			6111124	6111124-BLK1	11/07/06 02:49

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

6K02033-BLK1

Motor Oil (C16-C36)	<110		ug/l	6K02033	6K02033-BLK1	11/13/06 18:49
Diesel Range Organics (C10-C28)	<21		ug/l	6K02033	6K02033-BLK1	11/13/06 18:49
Surrogate: <i>n-Octacosane</i>	59%			6K02033	6K02033-BLK1	11/13/06 18:49

6K03002-BLK1

Motor Oil (C16-C36)	<110		ug/l	6K03002	6K03002-BLK1	11/14/06 00:51
Diesel Range Organics (C10-C28)	<21		ug/l	6K03002	6K03002-BLK1	11/14/06 00:51
Surrogate: <i>n-Octacosane</i>	64%			6K03002	6K03002-BLK1	11/14/06 00:51

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8021B								
6110635-BS1								
Benzene	100	106		ug/L	106%	72 - 132	6110635	11/03/06 21:39
Ethylbenzene	100	110		ug/L	110%	75 - 119	6110635	11/03/06 21:39
Toluene	100	99.0		ug/L	99%	71 - 121	6110635	11/03/06 21:39
Xylenes, total	200	212		ug/L	106%	73 - 122	6110635	11/03/06 21:39
Surrogate: a,a,a-Trifluorotoluene	30.0	27.4			91%	57 - 145	6110635	11/03/06 21:39
6110827-BS1								
Benzene	100	99.0		ug/L	99%	72 - 132	6110827	11/05/06 12:50
Ethylbenzene	100	103		ug/L	103%	75 - 119	6110827	11/05/06 12:50
Toluene	100	99.6		ug/L	100%	71 - 121	6110827	11/05/06 12:50
Xylenes, total	200	195		ug/L	98%	73 - 122	6110827	11/05/06 12:50
Surrogate: a,a,a-Trifluorotoluene	30.0	28.5			95%	57 - 145	6110827	11/05/06 12:50
6110971-BS1								
Benzene	100	78.3		ug/L	78%	72 - 132	6110971	11/05/06 20:25
Ethylbenzene	100	81.6		ug/L	82%	75 - 119	6110971	11/05/06 20:25
Toluene	100	79.0		ug/L	79%	71 - 121	6110971	11/05/06 20:25
Xylenes, total	200	155		ug/L	78%	73 - 122	6110971	11/05/06 20:25
Surrogate: a,a,a-Trifluorotoluene	30.0	28.8			96%	57 - 145	6110971	11/05/06 20:25
Volatile Organic Compounds by EPA Method 8260B								
6110887-BS1								
Tert-Amyl Methyl Ether	50.0	51.6		ug/L	103%	68 - 134	6110887	11/05/06 15:29
Tert-Amyl Methyl Ether	50.0	51.6		ug/L	103%	68 - 134	6110887	11/05/06 15:29
1,2-Dibromoethane (EDB)	50.0	54.1		ug/L	108%	83 - 128	6110887	11/05/06 15:29
1,2-Dibromoethane (EDB)	50.0	54.1		ug/L	108%	83 - 128	6110887	11/05/06 15:29
1,2-Dichloroethane	50.0	52.8		ug/L	106%	71 - 132	6110887	11/05/06 15:29
1,2-Dichloroethane	50.0	52.8		ug/L	106%	71 - 132	6110887	11/05/06 15:29
Ethanol	5000	3480		ug/L	70%	39 - 180	6110887	11/05/06 15:29
Ethyl tert-Butyl Ether	50.0	48.4		ug/L	97%	69 - 130	6110887	11/05/06 15:29
Ethyl tert-Butyl Ether	50.0	48.4		ug/L	97%	69 - 130	6110887	11/05/06 15:29
Diisopropyl Ether	50.0	43.1		ug/L	86%	70 - 128	6110887	11/05/06 15:29
Diisopropyl Ether	50.0	43.1		ug/L	86%	70 - 128	6110887	11/05/06 15:29
Methyl tert-Butyl Ether	50.0	52.3		ug/L	105%	64 - 129	6110887	11/05/06 15:29
Methyl tert-Butyl Ether	50.0	52.3		ug/L	105%	64 - 129	6110887	11/05/06 15:29
Tertiary Butyl Alcohol	500	483		ug/L	97%	45 - 171	6110887	11/05/06 15:29
Tertiary Butyl Alcohol	500	483		ug/L	97%	45 - 171	6110887	11/05/06 15:29
Surrogate: 1,2-Dichloroethane-d4	50.0	51.6			103%	62 - 142	6110887	11/05/06 15:29
Surrogate: 1,2-Dichloroethane-d4	50.0	51.6			103%	62 - 142	6110887	11/05/06 15:29
Surrogate: Dibromofluoromethane	50.0	54.0			108%	78 - 123	6110887	11/05/06 15:29
Surrogate: Dibromofluoromethane	50.0	54.0			108%	78 - 123	6110887	11/05/06 15:29
Surrogate: Toluene-d8	50.0	50.9			102%	79 - 120	6110887	11/05/06 15:29

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6110887-BS1								
Surrogate: Toluene-d8	50.0	50.9			102%	79 - 120	6110887	11/05/06 15:29
Surrogate: 4-Bromofluorobenzene	50.0	47.0			94%	75 - 133	6110887	11/05/06 15:29
Surrogate: 4-Bromofluorobenzene	50.0	47.0			94%	75 - 133	6110887	11/05/06 15:29
6111294-BS1								
Tert-Amyl Methyl Ether	50.0	52.9		ug/L	106%	68 - 134	6111294	11/06/06 03:06
Tert-Amyl Methyl Ether	50.0	52.9		ug/L	106%	68 - 134	6111294	11/06/06 03:06
1,2-Dibromoethane (EDB)	50.0	54.4		ug/L	109%	83 - 128	6111294	11/06/06 03:06
1,2-Dibromoethane (EDB)	50.0	54.4		ug/L	109%	83 - 128	6111294	11/06/06 03:06
1,2-Dichloroethane	50.0	53.6		ug/L	107%	71 - 132	6111294	11/06/06 03:06
1,2-Dichloroethane	50.0	53.6		ug/L	107%	71 - 132	6111294	11/06/06 03:06
Ethanol	5000	2910		ug/L	58%	39 - 180	6111294	11/06/06 03:06
Ethyl tert-Butyl Ether	50.0	49.6		ug/L	99%	69 - 130	6111294	11/06/06 03:06
Ethyl tert-Butyl Ether	50.0	49.6		ug/L	99%	69 - 130	6111294	11/06/06 03:06
Diisopropyl Ether	50.0	44.5		ug/L	89%	70 - 128	6111294	11/06/06 03:06
Diisopropyl Ether	50.0	44.5		ug/L	89%	70 - 128	6111294	11/06/06 03:06
Methyl tert-Butyl Ether	50.0	52.8		ug/L	106%	64 - 129	6111294	11/06/06 03:06
Methyl tert-Butyl Ether	50.0	52.8		ug/L	106%	64 - 129	6111294	11/06/06 03:06
Tertiary Butyl Alcohol	500	462		ug/L	92%	45 - 171	6111294	11/06/06 03:06
Tertiary Butyl Alcohol	500	462		ug/L	92%	45 - 171	6111294	11/06/06 03:06
Surrogate: 1,2-Dichloroethane-d4	50.0	50.7			101%	62 - 142	6111294	11/06/06 03:06
Surrogate: 1,2-Dichloroethane-d4	50.0	50.7			101%	62 - 142	6111294	11/06/06 03:06
Surrogate: Dibromofluoromethane	50.0	53.0			106%	78 - 123	6111294	11/06/06 03:06
Surrogate: Dibromofluoromethane	50.0	53.0			106%	78 - 123	6111294	11/06/06 03:06
Surrogate: Toluene-d8	50.0	50.8			102%	79 - 120	6111294	11/06/06 03:06
Surrogate: Toluene-d8	50.0	50.8			102%	79 - 120	6111294	11/06/06 03:06
Surrogate: 4-Bromofluorobenzene	50.0	47.1			94%	75 - 133	6111294	11/06/06 03:06
Surrogate: 4-Bromofluorobenzene	50.0	47.1			94%	75 - 133	6111294	11/06/06 03:06
6111721-BS1								
Tert-Amyl Methyl Ether	50.0	51.2		ug/L	102%	68 - 134	6111721	11/08/06 01:26
1,2-Dibromoethane (EDB)	50.0	44.7		ug/L	89%	83 - 128	6111721	11/08/06 01:26
1,2-Dichloroethane	50.0	49.7		ug/L	99%	71 - 132	6111721	11/08/06 01:26
Ethanol	5000	6130		ug/L	123%	39 - 180	6111721	11/08/06 01:26
Ethyl tert-Butyl Ether	50.0	48.8		ug/L	98%	69 - 130	6111721	11/08/06 01:26
Diisopropyl Ether	50.0	46.2		ug/L	92%	70 - 128	6111721	11/08/06 01:26
Methyl tert-Butyl Ether	50.0	45.7		ug/L	91%	64 - 129	6111721	11/08/06 01:26
Tertiary Butyl Alcohol	500	648		ug/L	130%	45 - 171	6111721	11/08/06 01:26
Surrogate: 1,2-Dichloroethane-d4	50.0	45.5			91%	62 - 142	6111721	11/08/06 01:26
Surrogate: Dibromofluoromethane	50.0	49.7			99%	78 - 123	6111721	11/08/06 01:26
Surrogate: Toluene-d8	50.0	49.8			100%	79 - 120	6111721	11/08/06 01:26
Surrogate: 4-Bromofluorobenzene	50.0	51.7			103%	75 - 133	6111721	11/08/06 01:26

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NPK0098
 Project Name: Exxon(06) 7-0235 PO:4507203575
 Project Number: 222913X
 Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
Purgeable Petroleum Hydrocarbons								
6110635-BS2								
GRO as Gasoline	1000	1140		ug/L	114%	68 - 128	6110635	11/03/06 21:58
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	28.3			94%	63 - 134	6110635	11/03/06 21:58
6110827-BS2								
GRO as Gasoline	1000	811		ug/L	81%	68 - 128	6110827	11/04/06 20:53
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	30.7			102%	63 - 134	6110827	11/04/06 20:53
6111124-BS2								
GRO as Gasoline	1000	792		ug/L	79%	58 - 138	6111124	11/07/06 13:05
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	33.2			111%	44 - 152	6111124	11/07/06 13:05
Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B								
6K02033-BS1								
Diesel Range Organics (C10-C28)	500	249		ug/l	50%	40 - 140	6K02033	11/13/06 19:25
Surrogate: <i>n-Octacosane</i>	50.0	40.3			81%	30 - 115	6K02033	11/13/06 19:25
6K03002-BS1								
Diesel Range Organics (C10-C28)	500	312		ug/l	62%	40 - 140	6K03002	11/14/06 01:28
Surrogate: <i>n-Octacosane</i>	50.0	37.0			74%	30 - 115	6K03002	11/14/06 01:28

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8021B												
6110635-BSD1												
Benzene		98.9		ug/L	100	99%	72 - 132	7	11	6110635		11/03/06 22:18
Ethylbenzene		103		ug/L	100	103%	75 - 119	7	18	6110635		11/03/06 22:18
Toluene		92.5		ug/L	100	92%	71 - 121	7	15	6110635		11/03/06 22:18
Xylenes, total		199		ug/L	200	100%	73 - 122	6	14	6110635		11/03/06 22:18
Surrogate: a,a,a-Trifluorotoluene		27.2		ug/L	30.0	91%	57 - 145			6110635		11/03/06 22:18
6110827-BSD1												
Benzene		89.3		ug/L	100	89%	72 - 132	10	11	6110827		11/05/06 14:27
Ethylbenzene		93.6		ug/L	100	94%	75 - 119	10	18	6110827		11/05/06 14:27
Toluene		90.7		ug/L	100	91%	71 - 121	9	15	6110827		11/05/06 14:27
Xylenes, total		178		ug/L	200	89%	73 - 122	9	14	6110827		11/05/06 14:27
Surrogate: a,a,a-Trifluorotoluene		28.6		ug/L	30.0	95%	57 - 145			6110827		11/05/06 14:27
Purgeable Petroleum Hydrocarbons												
6110635-BSD2												
GRO as Gasoline		1060		ug/L	1000	106%	68 - 128	7	30	6110635		11/03/06 22:37
Surrogate: a,a,a-Trifluorotoluene		29.7		ug/L	30.0	99%	63 - 134			6110635		11/03/06 22:37
6110827-BSD2												
GRO as Gasoline		798		ug/L	1000	80%	68 - 128	2	30	6110827		11/05/06 13:55
Surrogate: a,a,a-Trifluorotoluene		30.7		ug/L	30.0	102%	63 - 134			6110827		11/05/06 13:55
Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B												
6K02033-BSD1												
Diesel Range Organics (C10-C28)		271		ug/l	500	54%	40 - 140	8	35	6K02033		11/11/06 14:27
Surrogate: n-Octacosane		42.0		ug/l	50.0	84%	30 - 115			6K02033		11/11/06 14:27
6K03002-BSD1												
Diesel Range Organics (C10-C28)		310		ug/l	500	62%	40 - 140	0.6	35	6K03002		11/14/06 02:04
Surrogate: n-Octacosane		38.0		ug/l	50.0	76%	30 - 115			6K03002		11/14/06 02:04

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA

Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8021B										
6110635-MS1										
Benzene	0.482	49.7		ug/L	50.0	98%	72 - 133	6110635	NPK0098-03	11/03/06 20:22
Ethylbenzene	0.363	52.2		ug/L	50.0	104%	75 - 137	6110635	NPK0098-03	11/03/06 20:22
Toluene	0.808	46.8		ug/L	50.0	92%	71 - 127	6110635	NPK0098-03	11/03/06 20:22
Xylenes, total	1.26	101		ug/L	100	100%	73 - 140	6110635	NPK0098-03	11/03/06 20:22
<i>Surrogate: a,a,a-Trifluorotoluene</i>		26.4		ug/L	30.0	88%	57 - 145	6110635	NPK0098-03	11/03/06 20:22
6110827-MS1										
Benzene	ND	50.6		ug/L	50.0	101%	72 - 133	6110827	NPK0098-09	11/05/06 11:12
Ethylbenzene	3.65	49.5		ug/L	50.0	92%	75 - 137	6110827	NPK0098-09	11/05/06 11:12
Toluene	ND	46.7		ug/L	50.0	93%	71 - 127	6110827	NPK0098-09	11/05/06 11:12
Xylenes, total	3.09	94.1		ug/L	100	91%	73 - 140	6110827	NPK0098-09	11/05/06 11:12
<i>Surrogate: a,a,a-Trifluorotoluene</i>		30.0		ug/L	30.0	100%	57 - 145	6110827	NPK0098-09	11/05/06 11:12
Volatile Organic Compounds by EPA Method 8260B										
6110887-MS1										
Tert-Amyl Methyl Ether	ND	46.9		ug/L	50.0	94%	52 - 154	6110887	NPK0054-01	11/06/06 01:23
Tert-Amyl Methyl Ether	ND	46.9		ug/L	50.0	94%	52 - 154	6110887	NPK0054-01	11/06/06 01:23
1,2-Dibromoethane (EDB)	ND	51.0		ug/L	50.0	102%	72 - 138	6110887	NPK0054-01	11/06/06 01:23
1,2-Dibromoethane (EDB)	ND	51.0		ug/L	50.0	102%	72 - 138	6110887	NPK0054-01	11/06/06 01:23
1,2-Dichloroethane	ND	51.1		ug/L	50.0	102%	59 - 149	6110887	NPK0054-01	11/06/06 01:23
1,2-Dichloroethane	ND	51.1		ug/L	50.0	102%	59 - 149	6110887	NPK0054-01	11/06/06 01:23
Ethanol	ND	3190		ug/L	5000	64%	28 - 184	6110887	NPK0054-01	11/06/06 01:23
Ethyl tert-Butyl Ether	ND	44.8		ug/L	50.0	90%	54 - 154	6110887	NPK0054-01	11/06/06 01:23
Ethyl tert-Butyl Ether	ND	44.8		ug/L	50.0	90%	54 - 154	6110887	NPK0054-01	11/06/06 01:23
Diisopropyl Ether	ND	41.8		ug/L	50.0	84%	64 - 144	6110887	NPK0054-01	11/06/06 01:23
Diisopropyl Ether	ND	41.8		ug/L	50.0	84%	64 - 144	6110887	NPK0054-01	11/06/06 01:23
Methyl tert-Butyl Ether	ND	49.0		ug/L	50.0	98%	54 - 143	6110887	NPK0054-01	11/06/06 01:23
Methyl tert-Butyl Ether	ND	49.0		ug/L	50.0	98%	54 - 143	6110887	NPK0054-01	11/06/06 01:23
Tertiary Butyl Alcohol	ND	453		ug/L	500	91%	35 - 208	6110887	NPK0054-01	11/06/06 01:23
Tertiary Butyl Alcohol	ND	453		ug/L	500	91%	35 - 208	6110887	NPK0054-01	11/06/06 01:23
<i>Surrogate: 1,2-Dichloroethane-d4</i>		51.6		ug/L	50.0	103%	62 - 142	6110887	NPK0054-01	11/06/06 01:23
<i>Surrogate: 1,2-Dichloroethane-d4</i>		51.6		ug/L	50.0	103%	62 - 142	6110887	NPK0054-01	11/06/06 01:23
<i>Surrogate: Dibromofluoromethane</i>		53.2		ug/L	50.0	106%	78 - 123	6110887	NPK0054-01	11/06/06 01:23
<i>Surrogate: Dibromofluoromethane</i>		53.2		ug/L	50.0	106%	78 - 123	6110887	NPK0054-01	11/06/06 01:23
<i>Surrogate: Toluene-d8</i>		50.5		ug/L	50.0	101%	79 - 120	6110887	NPK0054-01	11/06/06 01:23
<i>Surrogate: Toluene-d8</i>		50.5		ug/L	50.0	101%	79 - 120	6110887	NPK0054-01	11/06/06 01:23
<i>Surrogate: 4-Bromofluorobenzene</i>		47.2		ug/L	50.0	94%	75 - 133	6110887	NPK0054-01	11/06/06 01:23
<i>Surrogate: 4-Bromofluorobenzene</i>		47.2		ug/L	50.0	94%	75 - 133	6110887	NPK0054-01	11/06/06 01:23

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B										
6111294-MS1										
Tert-Amyl Methyl Ether	ND	50.3		ug/L	50.0	101%	52 - 154	6111294	NPK0112-01	11/06/06 13:16
Tert-Amyl Methyl Ether	ND	50.3		ug/L	50.0	101%	52 - 154	6111294	NPK0112-01	11/06/06 13:16
1,2-Dibromoethane (EDB)	ND	54.0		ug/L	50.0	108%	72 - 138	6111294	NPK0112-01	11/06/06 13:16
1,2-Dibromoethane (EDB)	ND	54.0		ug/L	50.0	108%	72 - 138	6111294	NPK0112-01	11/06/06 13:16
1,2-Dichloroethane	ND	51.0		ug/L	50.0	102%	59 - 149	6111294	NPK0112-01	11/06/06 13:16
1,2-Dichloroethane	ND	51.0		ug/L	50.0	102%	59 - 149	6111294	NPK0112-01	11/06/06 13:16
Ethanol	ND	4050		ug/L	5000	81%	28 - 184	6111294	NPK0112-01	11/06/06 13:16
Ethyl tert-Butyl Ether	ND	48.7		ug/L	50.0	97%	54 - 154	6111294	NPK0112-01	11/06/06 13:16
Ethyl tert-Butyl Ether	ND	48.7		ug/L	50.0	97%	54 - 154	6111294	NPK0112-01	11/06/06 13:16
Diisopropyl Ether	ND	46.5		ug/L	50.0	93%	64 - 144	6111294	NPK0112-01	11/06/06 13:16
Diisopropyl Ether	ND	46.5		ug/L	50.0	93%	64 - 144	6111294	NPK0112-01	11/06/06 13:16
Methyl tert-Butyl Ether	ND	53.8		ug/L	50.0	108%	54 - 143	6111294	NPK0112-01	11/06/06 13:16
Methyl tert-Butyl Ether	ND	53.8		ug/L	50.0	108%	54 - 143	6111294	NPK0112-01	11/06/06 13:16
Tertiary Butyl Alcohol	ND	570		ug/L	500	114%	35 - 208	6111294	NPK0112-01	11/06/06 13:16
Tertiary Butyl Alcohol	ND	570		ug/L	500	114%	35 - 208	6111294	NPK0112-01	11/06/06 13:16
Surrogate: 1,2-Dichloroethane-d4		51.2		ug/L	50.0	102%	62 - 142	6111294	NPK0112-01	11/06/06 13:16
Surrogate: 1,2-Dichloroethane-d4		51.2		ug/L	50.0	102%	62 - 142	6111294	NPK0112-01	11/06/06 13:16
Surrogate: Dibromofluoromethane		53.5		ug/L	50.0	107%	78 - 123	6111294	NPK0112-01	11/06/06 13:16
Surrogate: Dibromofluoromethane		53.5		ug/L	50.0	107%	78 - 123	6111294	NPK0112-01	11/06/06 13:16
Surrogate: Toluene-d8		48.8		ug/L	50.0	98%	79 - 120	6111294	NPK0112-01	11/06/06 13:16
Surrogate: Toluene-d8		48.8		ug/L	50.0	98%	79 - 120	6111294	NPK0112-01	11/06/06 13:16
Surrogate: 4-Bromofluorobenzene		47.4		ug/L	50.0	95%	75 - 133	6111294	NPK0112-01	11/06/06 13:16
Surrogate: 4-Bromofluorobenzene		47.4		ug/L	50.0	95%	75 - 133	6111294	NPK0112-01	11/06/06 13:16
6111721-MS1										
Tert-Amyl Methyl Ether	ND	33.4		ug/L	50.0	67%	52 - 154	6111721	NPK0115-02	11/07/06 23:23
1,2-Dibromoethane (EDB)	ND	29.0	M8	ug/L	50.0	58%	72 - 138	6111721	NPK0115-02	11/07/06 23:23
1,2-Dichloroethane	ND	32.7		ug/L	50.0	65%	59 - 149	6111721	NPK0115-02	11/07/06 23:23
Ethanol	ND	3710		ug/L	5000	74%	28 - 184	6111721	NPK0115-02	11/07/06 23:23
Ethyl tert-Butyl Ether	ND	33.0		ug/L	50.0	66%	54 - 154	6111721	NPK0115-02	11/07/06 23:23
Diisopropyl Ether	ND	32.6		ug/L	50.0	65%	64 - 144	6111721	NPK0115-02	11/07/06 23:23
Methyl tert-Butyl Ether	ND	31.8		ug/L	50.0	64%	54 - 143	6111721	NPK0115-02	11/07/06 23:23
Tertiary Butyl Alcohol	ND	448		ug/L	500	90%	35 - 208	6111721	NPK0115-02	11/07/06 23:23
Surrogate: 1,2-Dichloroethane-d4		47.2		ug/L	50.0	94%	62 - 142	6111721	NPK0115-02	11/07/06 23:23
Surrogate: Dibromofluoromethane		50.4		ug/L	50.0	101%	78 - 123	6111721	NPK0115-02	11/07/06 23:23
Surrogate: Toluene-d8		49.6		ug/L	50.0	99%	79 - 120	6111721	NPK0115-02	11/07/06 23:23
Surrogate: 4-Bromofluorobenzene		51.5		ug/L	50.0	103%	75 - 133	6111721	NPK0115-02	11/07/06 23:23

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
---------	------------	--------	---	-------	------------	--------	--------------	-------	---------------	--------------------

PROJECT QUALITY CONTROL DATA
Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD Limit	Batch	Sample Duplicated	Analyzed Date/Time
---------	------------	-----------	---	-------	------------	--------	--------------	-----------	-------	-------------------	--------------------

Volatile Organic Compounds by EPA Method 8021B

6110635-MSD1

Benzene	0.482	50.0		ug/L	50.0	99%	72 - 133	0.6 11	6110635	NPK0098-03	11/03/06 20:41
Ethylbenzene	0.363	52.4		ug/L	50.0	104%	75 - 137	0.4 18	6110635	NPK0098-03	11/03/06 20:41
Toluene	0.808	46.9		ug/L	50.0	92%	71 - 127	0.2 15	6110635	NPK0098-03	11/03/06 20:41
Xylenes, total	1.26	100		ug/L	100	99%	73 - 140	1 14	6110635	NPK0098-03	11/03/06 20:41
Surrogate: a,a,a-Trifluorotoluene		27.3		ug/L	30.0	91%	57 - 145		6110635	NPK0098-03	11/03/06 20:41

6110827-MSD1

Benzene	ND	52.1		ug/L	50.0	104%	72 - 133	3 11	6110827	NPK0098-09	11/05/06 11:45
Ethylbenzene	3.65	52.0		ug/L	50.0	97%	75 - 137	5 18	6110827	NPK0098-09	11/05/06 11:45
Toluene	ND	48.6		ug/L	50.0	97%	71 - 127	4 15	6110827	NPK0098-09	11/05/06 11:45
Xylenes, total	3.09	98.2		ug/L	100	95%	73 - 140	4 14	6110827	NPK0098-09	11/05/06 11:45
Surrogate: a,a,a-Trifluorotoluene		29.9		ug/L	30.0	100%	57 - 145		6110827	NPK0098-09	11/05/06 11:45

Volatile Organic Compounds by EPA Method 8260B

6110887-MSD1

Tert-Amyl Methyl Ether	ND	52.2		ug/L	50.0	104%	52 - 154	11 41	6110887	NPK0054-01	11/06/06 01:49
Tert-Amyl Methyl Ether	ND	52.2		ug/L	50.0	104%	52 - 154	11 41	6110887	NPK0054-01	11/06/06 01:49
1,2-Dibromoethane (EDB)	ND	54.2		ug/L	50.0	108%	72 - 138	6 31	6110887	NPK0054-01	11/06/06 01:49
1,2-Dibromoethane (EDB)	ND	54.2		ug/L	50.0	108%	72 - 138	6 31	6110887	NPK0054-01	11/06/06 01:49
1,2-Dichloroethane	ND	53.5		ug/L	50.0	107%	59 - 149	5 28	6110887	NPK0054-01	11/06/06 01:49
1,2-Dichloroethane	ND	53.5		ug/L	50.0	107%	59 - 149	5 28	6110887	NPK0054-01	11/06/06 01:49
Ethanol	ND	3440		ug/L	5000	69%	28 - 184	8 50	6110887	NPK0054-01	11/06/06 01:49
Ethyl tert-Butyl Ether	ND	49.8		ug/L	50.0	100%	54 - 154	11 41	6110887	NPK0054-01	11/06/06 01:49
Ethyl tert-Butyl Ether	ND	49.8		ug/L	50.0	100%	54 - 154	11 41	6110887	NPK0054-01	11/06/06 01:49
Diisopropyl Ether	ND	45.1		ug/L	50.0	90%	64 - 144	8 26	6110887	NPK0054-01	11/06/06 01:49
Diisopropyl Ether	ND	45.1		ug/L	50.0	90%	64 - 144	8 26	6110887	NPK0054-01	11/06/06 01:49
Methyl tert-Butyl Ether	ND	52.4		ug/L	50.0	105%	54 - 143	7 27	6110887	NPK0054-01	11/06/06 01:49
Methyl tert-Butyl Ether	ND	52.4		ug/L	50.0	105%	54 - 143	7 27	6110887	NPK0054-01	11/06/06 01:49
Tertiary Butyl Alcohol	ND	480		ug/L	500	96%	35 - 208	6 50	6110887	NPK0054-01	11/06/06 01:49
Tertiary Butyl Alcohol	ND	480		ug/L	500	96%	35 - 208	6 50	6110887	NPK0054-01	11/06/06 01:49
Surrogate: 1,2-Dichloroethane-d4		50.9		ug/L	50.0	102%	62 - 142		6110887	NPK0054-01	11/06/06 01:49
Surrogate: 1,2-Dichloroethane-d4		50.9		ug/L	50.0	102%	62 - 142		6110887	NPK0054-01	11/06/06 01:49
Surrogate: Dibromofluoromethane		53.6		ug/L	50.0	107%	78 - 123		6110887	NPK0054-01	11/06/06 01:49
Surrogate: Dibromofluoromethane		53.6		ug/L	50.0	107%	78 - 123		6110887	NPK0054-01	11/06/06 01:49
Surrogate: Toluene-d8		50.2		ug/L	50.0	100%	79 - 120		6110887	NPK0054-01	11/06/06 01:49
Surrogate: Toluene-d8		50.2		ug/L	50.0	100%	79 - 120		6110887	NPK0054-01	11/06/06 01:49

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B												
6110887-MSD1												
Surrogate: 4-Bromofluorobenzene		47.5		ug/L	50.0	95%	75 - 133			6110887	NPK0054-01	11/06/06 01:49
Surrogate: 4-Bromofluorobenzene		47.5		ug/L	50.0	95%	75 - 133			6110887	NPK0054-01	11/06/06 01:49
6111294-MSD1												
Tert-Amyl Methyl Ether	ND	50.8		ug/L	50.0	102%	52 - 154	1	41	6111294	NPK0112-01	11/06/06 13:42
Tert-Amyl Methyl Ether	ND	50.8		ug/L	50.0	102%	52 - 154	1	41	6111294	NPK0112-01	11/06/06 13:42
1,2-Dibromoethane (EDB)	ND	54.1		ug/L	50.0	108%	72 - 138	0.2	31	6111294	NPK0112-01	11/06/06 13:42
1,2-Dibromoethane (EDB)	ND	54.1		ug/L	50.0	108%	72 - 138	0.2	31	6111294	NPK0112-01	11/06/06 13:42
1,2-Dichloroethane	ND	51.4		ug/L	50.0	103%	59 - 149	0.8	28	6111294	NPK0112-01	11/06/06 13:42
1,2-Dichloroethane	ND	51.4		ug/L	50.0	103%	59 - 149	0.8	28	6111294	NPK0112-01	11/06/06 13:42
Ethanol	ND	4250		ug/L	5000	85%	28 - 184	5	50	6111294	NPK0112-01	11/06/06 13:42
Ethyl tert-Butyl Ether	ND	49.2		ug/L	50.0	98%	54 - 154	1	41	6111294	NPK0112-01	11/06/06 13:42
Ethyl tert-Butyl Ether	ND	49.2		ug/L	50.0	98%	54 - 154	1	41	6111294	NPK0112-01	11/06/06 13:42
Diisopropyl Ether	ND	46.6		ug/L	50.0	93%	64 - 144	0.2	26	6111294	NPK0112-01	11/06/06 13:42
Diisopropyl Ether	ND	46.6		ug/L	50.0	93%	64 - 144	0.2	26	6111294	NPK0112-01	11/06/06 13:42
Methyl tert-Butyl Ether	ND	54.2		ug/L	50.0	108%	54 - 143	0.7	27	6111294	NPK0112-01	11/06/06 13:42
Methyl tert-Butyl Ether	ND	54.2		ug/L	50.0	108%	54 - 143	0.7	27	6111294	NPK0112-01	11/06/06 13:42
Tertiary Butyl Alcohol	ND	590		ug/L	500	118%	35 - 208	3	50	6111294	NPK0112-01	11/06/06 13:42
Tertiary Butyl Alcohol	ND	590		ug/L	500	118%	35 - 208	3	50	6111294	NPK0112-01	11/06/06 13:42
Surrogate: 1,2-Dichloroethane-d4		51.7		ug/L	50.0	103%	62 - 142			6111294	NPK0112-01	11/06/06 13:42
Surrogate: 1,2-Dichloroethane-d4		51.7		ug/L	50.0	103%	62 - 142			6111294	NPK0112-01	11/06/06 13:42
Surrogate: Dibromofluoromethane		54.1		ug/L	50.0	108%	78 - 123			6111294	NPK0112-01	11/06/06 13:42
Surrogate: Dibromofluoromethane		54.1		ug/L	50.0	108%	78 - 123			6111294	NPK0112-01	11/06/06 13:42
Surrogate: Toluene-d8		48.6		ug/L	50.0	97%	79 - 120			6111294	NPK0112-01	11/06/06 13:42
Surrogate: Toluene-d8		48.6		ug/L	50.0	97%	79 - 120			6111294	NPK0112-01	11/06/06 13:42
Surrogate: 4-Bromofluorobenzene		47.1		ug/L	50.0	94%	75 - 133			6111294	NPK0112-01	11/06/06 13:42
Surrogate: 4-Bromofluorobenzene		47.1		ug/L	50.0	94%	75 - 133			6111294	NPK0112-01	11/06/06 13:42
6111721-MSD1												
Tert-Amyl Methyl Ether	ND	32.2		ug/L	50.0	64%	52 - 154	4	41	6111721	NPK0115-02	11/07/06 23:47
1,2-Dibromoethane (EDB)	ND	28.2	M8	ug/L	50.0	56%	72 - 138	3	31	6111721	NPK0115-02	11/07/06 23:47
1,2-Dichloroethane	ND	30.8		ug/L	50.0	62%	59 - 149	6	28	6111721	NPK0115-02	11/07/06 23:47
Ethanol	ND	3490		ug/L	5000	70%	28 - 184	6	50	6111721	NPK0115-02	11/07/06 23:47
Ethyl tert-Butyl Ether	ND	31.6		ug/L	50.0	63%	54 - 154	4	41	6111721	NPK0115-02	11/07/06 23:47
Diisopropyl Ether	ND	30.9	M8	ug/L	50.0	62%	64 - 144	5	26	6111721	NPK0115-02	11/07/06 23:47
Methyl tert-Butyl Ether	ND	30.7		ug/L	50.0	61%	54 - 143	4	27	6111721	NPK0115-02	11/07/06 23:47
Tertiary Butyl Alcohol	ND	408		ug/L	500	82%	35 - 208	9	50	6111721	NPK0115-02	11/07/06 23:47
Surrogate: 1,2-Dichloroethane-d4		47.0		ug/L	50.0	94%	62 - 142			6111721	NPK0115-02	11/07/06 23:47
Surrogate: Dibromofluoromethane		50.2		ug/L	50.0	100%	78 - 123			6111721	NPK0115-02	11/07/06 23:47
Surrogate: Toluene-d8		49.4		ug/L	50.0	99%	79 - 120			6111721	NPK0115-02	11/07/06 23:47
Surrogate: 4-Bromofluorobenzene		51.4		ug/L	50.0	103%	75 - 133			6111721	NPK0115-02	11/07/06 23:47

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NPK0098
 Project Name: Exxon(06) 7-0235 PO:4507203575
 Project Number: 222913X
 Received: 11/01/06 08:00

CERTIFICATION SUMMARY

TestAmerica - Nashville, TN

Method	Matrix	AIHA	Nelac	California
NA	Water			
SW846 8015B	Water			
SW846 8015B	Water	N/A	X	X
SW846 8021B	Water	N/A	X	X
SW846 8260B	Water	N/A	X	X

Subcontracted Laboratories

Sequoia Analytical - Morgan Hill (11658)

885 Jarvis Drive - Morgan Hill, CA 95037

Method Performed: EPA 8015B-SVOA

Samples: NPK0098-02, NPK0098-03, NPK0098-04, NPK0098-05, NPK0098-06, NPK0098-07, NPK0098-08, NPK0098-09, NPK0098-10

Sequoia Analytical - Morgan Hill (11658)

885 Jarvis Drive - Morgan Hill, CA 95037

Analysis Performed: TPH DRO CA

Samples: NPK0098-02, NPK0098-03, NPK0098-04, NPK0098-05, NPK0098-06, NPK0098-07, NPK0098-08, NPK0098-09, NPK0098-10

Analysis Performed: TPH Oil Range SW846 8015B

Samples: NPK0098-02, NPK0098-03, NPK0098-04, NPK0098-05, NPK0098-06, NPK0098-07, NPK0098-08, NPK0098-09, NPK0098-10

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

NELAC CERTIFICATION SUMMARY

TestAmerica Analytical - Nashville does not hold NELAC certifications for the following analytes included in this report

Method

Matrix

Analyte

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NPK0098
Project Name: Exxon(06) 7-0235 PO:4507203575
Project Number: 222913X
Received: 11/01/06 08:00

DATA QUALIFIERS AND DEFINITIONS

HC-12 Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
HC-18 Chromatogram pattern: Motor Oil C16-C36.
ID2 Secondary ion abundances were outside method requirements. Identification based on analytical judgement.
M8 The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).

METHOD MODIFICATION NOTES

Nashville Division
COOLER RECEIPT FORM



BC#

NPK0098

Cooler Received/Opened On: November 1, 2006 @ 08:00
1. Indicate the Airbill Tracking Number (last 4 digits for Fedex only) and Name of Courier below:

Fed-Ex UPS Velocity DHL
Route Off-street Misc. 6426

2. Temperature of representative sample or temperature blank when opened: 0.5 Degrees Celsius
(indicate IR Gun ID#)

NA A00466 A00750 A01124 100190 101282 Raynger ST
YES...NO...NA

3. Were custody seals on outside of cooler?.....
a. If yes, how many and where: _____

4. Were the seals intact, signed, and dated correctly?.....

5. Were custody papers inside cooler?..... YES...NO...NA

I certify that I opened the cooler and answered questions 1-5 (initial).....

6. Were custody seals on containers: YES NO and Intact
were these signed, and dated correctly?..... YES NO NA

7. What kind of packing material used? Bubblewrap Peanuts Vermiculite Foam Insert
Plastic bag Paper Other

8. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

9. Did all containers arrive in good condition (unbroken)?..... YES...NO...NA

10. Were all container labels complete (#, date, signed, pres., etc)?..... YES...NO...NA

11. Did all container labels and tags agree with custody papers?..... YES...NO...NA

12. a. Were VOA vials received?..... YES...NO...NA
b. Was there any observable head space present in any VOA vial?..... YES...NO...NA

I certify that I unloaded the cooler and answered questions 6-12 (initial).....

13. a. On preserved bottles did the pH test strips suggest that preservation reached the correct pH level? YES...NO...NA
b. Did the bottle labels indicate that the correct preservatives were used..... YES...NO...NA
If preservation in-house was needed, record standard ID of preservative used here _____

14. Was residual chlorine present?..... YES...NO...NA
I certify that I checked for chlorine and pH as per SOP and answered questions 13-14 (initial).....

15. Were custody papers properly filled out (ink, signed, etc)?..... YES...NO...NA

16. Did you sign the custody papers in the appropriate place?..... YES...NO...NA

17. Were correct containers used for the analysis requested?..... YES...NO...NA

18. Was sufficient amount of sample sent in each container?..... YES...NO...NA
I certify that I entered this project into LIMS and answered questions 15-18 (initial).....

I certify that I attached a label with the unique LIMS number to each container (initial).....

19. Were there Non-Conformance issues at login YES NO Was a PIPE generated YES NO # _____
BIS = Broken in shipment
Cooler Receipt Form

ATTACHMENT C
WASTE DISPOSAL DOCUMENTATION

2229 15X

SHIPPER NO. **B** 022293

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable

CARRIER NO. _____

DATE: 10/27/06

NAME OF CARRIER: ENVIRONMENTAL RESOLUTIONS ENVIRO RESOL (SCAC)

TO CONSIGNEE ROMIC ENVIRONMENTAL TECHN. CORP. 2081 BAY ROAD EAST PALO ALTO, CA. 94303			FROM SHIPPER EXXON MOBIL CORPORATION C/O ERI 601 N. MCDOWELL BOULEVARD PETALUMA, CA. 94954		
STREET	STATE	ZIP	STREET	STATE	ZIP
DESTINATION	STATE	ZIP	ORIGIN	STATE	ZIP

ROUTE: CAD98141085

U.S. DOT Hazmat Reg. No. _____ VEHICLE NUMBER _____

NO. SHIPPING UNIT	HM	Description of articles, special marks, and exceptions	*WEIGHT (Subject to correction)	Class or Rate	CHARGES (For carrier use only)	Check column
		<p>GROUNDWATER MONITORING WELL PURGE WATER PROFILE: 301560-___</p> <p>HANDLING CODE: <u>H081</u></p> <p>RECEIVED BY: <u>Wendy Long 11-3-06</u></p> <p>PLACARDS TENDERED: YES _____ NO <input checked="" type="checkbox"/></p> <p>PO#: _____</p> <p>EWR#: _____</p> <p>STORE NAME: <u>7-0235</u></p> <p>STORE ADDRESS: <u>2235 Telegraph Ave. Oakland - CA.</u></p>	125 gal			
			510			

REMIT C.O.D. TO: _____ ADDRESS: _____ CITY: _____ STATE _____ ZIP _____

COD AMT: \$ _____

C.O.D. Fee: PREPAID COLLECT \$ _____

Note. - where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____

NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).

Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

TOTAL CHARGES: \$ _____

FREIGHT CHARGES

Freight Prepaid except when box at right is checked Check box if charges to be collect

RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request; and all applicable state and federal regulations; the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below which said company (the word company being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said Property over all or any portion of said route to destination and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written, herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for himself and his assigns.

Shipper certifies that the above-named materials are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation PER: _____

SHIPPER: **EXXON MOBIL REFINING & SUPPLIES** CARRIER: **ENVIRONMENTAL RESOLUTIONS**

PER: on behalf of Exxon Mobil PER: _____

DATE: _____

EMERGENCY RESPONSE TELEPHONE NUMBER: (800) 766-4555

MONITORED AT ALL TIMES THE HAZARDOUS MATERIAL IS IN TRANSPORTATION INCLUDING STORAGE INCIDENTS TO TRANSPORTATION. (172.604)