

ExxonMobil Refining & Supply Company
Global Remediation – US Retail
4096 Piedmont Avenue #194
Oakland, California 94611
510.547.8196
510.547.8706 Fax
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek
Project Manager

RECEIVED

2:18 pm, Jan 30, 2008

Alameda County
Environmental Health

ExxonMobil
Refining & Supply

January 23, 2008

Mr. Steven Plunkett
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70235/2225 Telegraph Avenue, Oakland California.

Dear Mr. Plunkett:

Attached for your review and comment is a copy of the letter report entitled *Groundwater Monitoring Report, Fourth Quarter 2007*, dated January 23, 2008, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring and sampling activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Groundwater Monitoring Report, Fourth Quarter 2007, dated January 23, 2008

cc: w/ attachment
Mr. Chuck Headlee, California Regional Water Quality Control Board, San Francisco Bay Region
Mr. Robert C. Elhers, M.S., P.E., The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



Southern California
Northern California
Pacific Northwest
Southwest
Texas
Montana

January 23, 2008
ERI 222913.Q074

Ms. Jennifer C. Sedlachek
ExxonMobil Refining & Supply – Global Remediation
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT Groundwater Monitoring Report, Fourth Quarter 2007
Former Exxon Service Station 70235
2225 Telegraph Avenue, Oakland, California

INTRODUCTION

At the request of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) performed fourth quarter 2007 groundwater monitoring and sampling activities at the subject site. Relevant tables, plates, and attachments are included at the end of this report. Currently, the site is an active Valero Service Station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling date:	12/03/07
Wells gauged and sampled:	MW6B, MW6E, MW6G through MW6J, RW1, RW2, RW3A
Well gauged only:	MW6F
Presence of NAPL:	Not observed
Laboratory:	TestAmerica Analytical Testing Corporation Morgan Hill, California
Analyses performed:	EPA Method 8015B TPHd, TPHg, TPHmo EPA Method 8021B BTEX EPA Method 8260B MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE EPA Method 8260B Ethanol (select samples)
Waste disposal:	108 gallons purge and decon water delivered to Instrat, Inc., of Rio Vista, California, on 12/11/07

REMEDIATION SYSTEM SUMMARY

Prior to 1990, a groundwater extraction and treatment (GET) system operated at the site under the ownership of Texaco. The GET system was shut down in 1990 and replaced with a soil vapor extraction (SVE) system, which operated from approximately 1991 until 1996. The SVE system was shut down when ownership of the site transferred from Texaco to Exxon Mobil in 1996 and has been non-operational since that time.

Environmental Resolutions, Inc.

601 North McDowell Blvd., Petaluma, CA 94954-2312 | Tel: 707.766.2000 | Fax: 707.789.0414 | Contractor # A/C10-611383

CONCLUSIONS

Groundwater elevations, groundwater flow direction, and dissolved-phase petroleum hydrocarbon concentrations are consistent with the historical data for the site.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Mr. Steven Plunkett
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Mr. Chuck Headlee
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612

Mr. Robert C. Ehlers, M.S., P.E.
The Valero Companies
Environmental Liability Management
685 West Third Street
Hanford, California 93230

LIMITATIONS

This report was prepared in accordance with generally accepted standards of environmental practice in California at the time this investigation was performed. This report has been prepared for Exxon Mobil, and any reliance on this report by third parties shall be at such party's sole risk.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.

Sincerely,
Environmental Resolutions, Inc.

Karen L. Navarro

Karen L. Navarro
Technical Writer

Geoffrey V. Waterhouse

Geoffrey V. Waterhouse
P.G. 5049
C.H.G. 334
C.E.G. 1561



SCANNED
IMAGE
SCANNED
IMAGE

Attachments: Table 1A: Cumulative Groundwater Monitoring and Sampling Data
Table 1B: Additional Cumulative Groundwater Monitoring and Sampling Data
Table 2: Well Construction Details

Plate 1: Site Vicinity Map
Plate 2: Select Analytical Results
Plate 3: Groundwater Elevation Map

Attachment A: Groundwater Sampling Protocol
Attachment B: Laboratory Analytical Report and Chain-of-Custody Record
Attachment C: Waste Disposal Documentation

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6A	June 1988	---	Well installed.											
MW6A	06/24/88	98.99i	---	---	---	---	---	---	---	---	<0.5	<1	<2	<1
MW6A	07/11/88	98.99i	13.25	85.74	---	---	---	---	---	---	---	---	---	---
MW6A	10/20/88	98.99i	---	---	---	---	---	---	---	---	0.6	<1	<2	<1
MW6A	12/15/88	98.99i	13.40	85.59i	---	---	---	---	---	---	---	---	---	---
MW6A	09/07/89	98.99i	---	---	---	---	ND	---	---	---	2.0	ND	ND	ND
MW6A	05/11/90	98.99i	12.87	86.12i	---	---	<500	---	---	---	150	6.2	<0.25	13
MW6A	10/16/90	98.99i	13.27	85.72i	---	---	---	---	---	---	---	---	---	---
MW6A	12/06/90	98.99i	13.28	85.71i	---	---	---	---	---	---	---	---	---	---
MW6A	02/08/91	98.99i	12.49	86.50i	---	---	---	---	---	---	---	---	---	---
MW6A	05/07/91	98.99i	11.94	87.05i	---	---	2,700	---	---	---	---	---	---	---
MW6A	06/26/91	98.99i	12.87	86.12i	---	---	---	---	---	---	700	64	67	74
MW6A	08/05/91	98.99i	13.44	85.55i	---	---	---	---	---	---	---	---	---	---
MW6A	08/14/91	98.99i	13.47	85.52i	---	---	ND	---	---	---	---	---	---	---
MW6A	09/11/91	98.99i	13.48	85.51i	---	---	---	---	---	---	3.6	<0.5	<0.5	<0.5
MW6A	10/16/91	98.99i	13.64	85.35i	---	---	---	---	---	---	---	---	---	---
MW6A	12/30/91	---	Well damaged.											
MW6A	05/02/92	---	Well destroyed.											
MW6B	June 1988	---	Well installed.											
MW6B	06/24/88	98.81i	---	---	---	---	---	---	---	---	<0.5	<1	<2	5.0
MW6B	07/11/88	98.81i	12.86	85.95i	---	---	---	---	---	---	---	---	---	---
MW6B	10/20/88	98.81i	---	---	---	---	---	---	---	---	---	---	---	---
MW6B	12/15/88	98.81i	12.94	85.87i	---	---	---	---	---	---	4.1	<1	<2	<1
MW6B	09/07/89	98.81i	---	---	---	---	2,700	---	---	---	---	---	---	---
MW6B	04/30/90	98.81i	12.53	86.28i	---	---	168	---	---	---	70	3.0	ND	160
MW6B	10/16/90	98.81i	12.73	86.08i	---	---	---	---	---	---	45	8.0	60	22
MW6B	12/06/90	98.81i	12.74	86.07i	---	---	---	---	---	---	---	---	---	---
MW6B	01/14/91	98.81i	12.57	86.24i	---	---	---	---	---	---	---	---	---	---
MW6B	02/08/91	98.81i	12.16	86.65i	---	---	---	---	---	---	---	---	---	---
MW6B	04/02/91	98.81i	11.50	87.31i	---	---	---	---	---	---	---	---	---	---
MW6B	05/07/91	98.81i	12.02	86.79i	---	---	3,300	---	---	---	240	6.0	20	660
MW6B	05/31/91	98.81i	12.40	86.41i	---	---	---	---	---	---	---	---	---	---
MW6B	06/26/91	98.81i	12.69	86.12i	---	---	---	---	---	---	---	---	---	---
MW6B	08/05/91	98.81i	12.95	85.86i	---	---	---	---	---	---	---	---	---	---
MW6B	08/14/91	98.81i	12.93	85.88i	---	---	980	---	---	---	---	---	---	---
MW6B	09/11/91	98.81i	13.01	85.80i	---	---	---	---	---	---	9.1	42	310	150
MW6B	10/16/91	98.81i	13.09	85.72i	---	---	---	---	---	---	---	---	---	---
MW6B	12/30/91	98.81i	12.62	86.19i	---	---	---	---	---	---	---	---	---	---
MW6B	12/31/91	98.81i	---	---	---	---	1,200	---	---	---	46	<5.0	85	220
MW6B	02/25/92	98.81i	11.81	87.00i	---	---	---	---	---	---	---	---	---	---
MW6B	03/25/92	98.81i	11.58	87.23i	---	---	190	---	---	---	---	---	---	---
MW6B	06/16/92	15.34	12.54	2.80	---	---	1,700	---	---	---	31	8.6	84	8.6
MW6B	09/08/92	15.34	12.87	2.47	NLPH	---	2,900	---	---	---	44	1.7	7.2	230
MW6B	11/05/92	15.34	12.70	2.64	NLPH	---	1,400	---	---	---	35	8.3	110	330
											29	<0.5	75	190

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 2 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6B	12/14/92	15.34	12.19	3.15	NLPH	---	---	---	---	---	---	---	---	---
MW6B	01/28/93	15.34	11.39	3.95	NLPH	---	---	---	---	---	---	---	---	---
MW6B	02/11/93	15.34	11.70	3.64	NLPH	---	210	---	---	---	1.2	<0.5	2.8	4.3
MW6B	03/09/93	15.34	11.70	3.64	NLPH	---	---	---	---	---	---	---	---	---
MW6B	04/14/93	15.34	11.87	3.47	NLPH	---	---	---	---	---	---	---	---	---
MW6B	05/11/93	15.34	12.22	3.12	NLPH	---	570	---	---	---	54	2.4	37	36
MW6B	06/17/93	15.34	12.46	2.88	NLPH	---	---	---	---	---	---	---	---	---
MW6B	07/26/93	15.34	12.72	2.58	NLPH	---	---	---	---	---	---	---	---	---
MW6B	08/10/93	15.34	12.82	2.52	NLPH	---	1,300	---	---	---	48	2.4	28	44
MW6B	09/21/93	15.34	13.08	2.26	NLPH	---	---	---	---	---	---	---	---	---
MW6B	10/27/93	15.34	13.18	2.16	NLPH	---	1,300	---	---	---	23	1.7	25	250
MW6B	11/23/93	15.34	13.07	2.27	NLPH	---	---	---	---	---	---	---	---	---
MW6B	12/17/93	15.34	---	---	---	---	---	---	---	---	---	---	---	---
MW6B	02/16/94	15.34	12.07	3.27	---	---	300	---	---	---	16	<0.5	3.5	2.4
MW6B	05/31/94	15.34	12.42	2.92	NLPH	---	690	---	---	---	21	3.9	11	36
MW6B	08/30/94	17.48j	13.02	4.46	NLPH	---	260	---	---	---	4	0.62	0.82	4
MW6B	11/11/94	17.48j	11.72	5.76	NLPH	---	300	---	---	---	60	2	1.2	2.4
MW6B	02/27/95	17.48j	11.84	5.64	NLPH	---	180	---	---	---	28	2.6	0.65	1.6
MW6B	05/30/95	17.48j	12.09	5.39	NLPH	---	200	---	---	---	23	3.6	0.88	2.3
MW6B	08/30/95	17.48j	12.76	4.72	NLPH	---	120	---	42	---	3.8	3.6	0.61	0.69
MW6B	11/26/96	17.48j	12.26	5.22	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6B	02/27/97	17.48j	11.73	5.75	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	0.80
MW6B	05/21/97	17.48j	12.70	4.78	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6B	08/18/97	17.48j	12.89	4.59	NLPH	---	380	---	<30	---	4.3	<0.5	1.2	1.5
MW6B	03/13/98	17.48j	11.15	6.33	NLPH	---	360	---	<6.2	---	93	4.9	4.1	12
MW6B	04/20/98	17.48j	11.49	5.99	NLPH	---	110	---	5.5	---	19	1.3	1.5	3.9
MW6B	07/21/98	21.37	12.18	9.19	NLPH	---	<50	---	8.7	---	0.84	0.59	<0.5	<0.5
MW6B	10/06/98	21.37	12.70	8.67	NLPH	---	190	---	6.0	---	2.4	0.56	0.51	1.2
MW6B	01/11/99	21.37	12.48	8.89	NLPH	---	50	---	3.9	---	1.2	<0.5	<0.5	0.95
MW6B	04/08/99	21.37	11.52	9.85	NLPH	---	85	---	14.0	---	4.4	<0.5	<0.5	<0.5
MW6B	07/19/99	21.37	11.39	9.98	NLPH	---	<50	---	<2.50	---	<0.5	<0.5	<0.5	<0.5
MW6B	07/27/99	21.37	12.71	8.66	NLPH	---	---	---	---	---	---	---	---	---
MW6B	10/25/99	21.37	12.49	8.88	NLPH	---	260	---	<2	---	2.3	<0.5	<0.5	<0.5
MW6B	01/27/00	21.37	11.80	9.57	NLPH	---	770	---	13	---	210	4.8	4.9	13
MW6B	04/03/00	21.37	11.61	9.76	NLPH	---	670	---	3.4	---	110	6.6	3.8	9.45
MW6B	07/05/00	21.37	12.27	9.10	NLPH	---	<50	---	2.1	---	0.89	<0.5	<0.5	<0.5
MW6B	10/04/00	21.37	12.67	8.70	NLPH	---	<50	---	54	---	<0.5	<0.5	<0.5	2
MW6B	10/05/00	21.37	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6B	01/04/01	21.37	12.47	8.90	NLPH	---	<50	---	35	---	<0.5	<0.5	<0.5	<0.5
MW6B	04/03/01	21.37	11.81	9.56	NLPH	---	<50	---	7.8	---	<0.5	<0.5	<0.5	<0.5
MW6B	07/05/01	21.37	12.44	8.93	NLPH	---	<50	---	3	---	<0.5	<0.5	<0.5	<0.5
MW6B	10/03/01	21.37	12.52	8.85	NLPH	---	310	---	10	---	2.1	<0.5	6.5	11.6
MW6B	Oct-01	21.09	Well surveyed in compliance with AB 2886 requirements.											
MW6B	01/02/02	21.09	11.25	9.84	NLPH	---	710	---	21.8	---	99.5	4.40	3.30	7.40
MW6B	04/02/02	21.09	11.72	9.37	NLPH	---	<50.0	<100	12.2	---	0.60	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 4 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6E	12/30/91	98.99i	13.39	85.60i	---	---	---	---	---	---	---	---	---	---
MW6E	12/31/91	98.99i	---	---	---	---	90	---	---	---	3.1	<0.5	<0.5	<0.5
MW6E	02/25/92	98.99i	13.16	85.83i	---	---	---	---	---	---	---	---	---	---
MW6E	03/25/92	98.99i	12.15	86.84i	---	---	830	---	---	---	41	1.0	3.8	16
MW6E	06/16/92	15.23	13.54	1.69	---	---	3,400	---	---	---	300	23	68	510
MW6E	09/08/92	15.23	14.78	0.45	NLPH	---	480	---	---	---	27	<0.5	3.6	21
MW6E	11/05/92	15.23	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/14/92	15.23	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	01/28/93	15.23	11.62	3.61	NLPH	---	---	---	---	---	---	---	---	---
MW6E	02/11/93	15.23	12.85	2.38	NLPH	---	270	---	---	---	15	<0.5	<0.5	8.7
MW6E	03/09/93	15.23	12.83	2.40	NLPH	---	---	---	---	---	---	---	---	---
MW6E	04/14/93	15.23	---	---	NLPH	---	---	---	---	---	---	---	---	---
MW6E	05/11/93	15.23	13.59	1.64	NLPH	---	<50	---	---	---	2.3	<0.5	1.4	3.2
MW6E	06/17/93	15.23	13.74	1.49	NLPH	---	---	---	---	---	---	---	---	---
MW6E	07/26/93	15.23	14.01	1.22	NLPH	---	---	---	---	---	---	---	---	---
MW6E	08/10/93	15.23	14.13	1.10	NLPH	---	1,700	---	---	---	130	2.7	23	140
MW6E	09/21/93	15.23	14.20	1.03	NLPH	---	---	---	---	---	---	---	---	---
MW6E	10/27/93	15.23	14.34	0.89	NLPH	---	100	---	---	---	6.0	<0.5	<0.5	<0.5
MW6E	11/23/93	15.23	13.97	1.26	NLPH	---	---	---	---	---	---	---	---	---
MW6E	12/17/93	15.23	13.08	2.15	NLPH	---	---	---	---	---	---	---	---	---
MW6E	02/16/94	15.23	13.34	1.89	NLPH	---	640	---	---	---	45	<0.5	12	15
MW6E	05/31/94	15.23	13.82	1.41	NLPH	---	52	---	---	---	1.5	0.97	<0.5	<0.5
MW6E	08/30/94	17.63j	14.32	3.31	NLPH	---	920	---	---	---	22	0.98	5.2	33
MW6E	11/11/94	17.63j	13.92	3.71	NLPH	---	910	---	---	---	13	2.4	13	2.5
MW6E	02/27/95	17.63j	12.96	4.67	NLPH	---	<50	---	---	---	1.9	1.3	<0.5	0.83
MW6E	05/30/95	17.63j	13.20	4.43	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6E	08/30/95	17.63j	13.85	3.78	NLPH	---	1,500	---	11	---	91	2.3	56	59
MW6E	11/26/96	17.63j	12.94	4.69	NLPH	---	<50	---	<30	---	1.1	<0.5	<0.5	<0.5
MW6E	02/27/97	17.63j	12.28	5.35	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6E	05/21/97	17.63j	13.60	4.03	NLPH	---	160	---	<5	---	10	1.4	5.5	4.8
MW6E	08/18/97	17.63j	13.75	3.88	NLPH	---	66	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6E	03/13/98	17.63j	11.36	6.27	NLPH	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6E	04/20/98	17.63j	11.88	5.75	NLPH	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6E	07/21/98	21.58	13.10	8.48	NLPH	---	1,200	---	<10	---	81	3.1	28	77
MW6E	10/06/98	21.58	13.55	8.03	NLPH	---	<50	---	6.6	---	1.4	0.51	<0.5	0.97
MW6E	01/11/99	21.58	13.40	8.18	NLPH	---	<50	---	5.1	---	<0.5	<0.5	<0.5	<0.5
MW6E	04/08/99	21.58	12.04	9.54	NLPH	---	<50	---	4.7	---	<0.5	<0.5	<0.5	<0.5
MW6E	07/19/99	21.58	11.59	9.99	NLPH	---	---	---	---	---	---	---	---	---
MW6E	07/27/99	21.58	13.65	7.93	NLPH	---	---	---	---	---	---	---	---	---
MW6E	10/25/99	21.58	13.52	8.06	NLPH	---	<50	---	2.5	---	<0.5	<0.5	<0.5	<0.5
MW6E	01/27/00	21.58	11.71	9.87	NLPH	---	<50	---	2.3	---	<0.5	<0.5	<0.5	<0.5
MW6E	04/03/00	21.58	12.11	9.47	NLPH	---	<50	---	<2	---	0.51	<0.5	<0.5	<0.5
MW6E	07/05/00	21.58	12.91	8.67	NLPH	---	<50	---	<2	---	3.7	<0.5	<0.5	<0.5
MW6E	10/04/00	21.58	13.35	8.23	NLPH	---	<50	---	<2	---	4.1	<0.5	<0.5	<0.5
MW6E	10/05/00	21.58	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6E	01/04/01	21.58	13.09	8.49	NLPH	---	61	---	<2	---	11	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70235

2225 Telegraph Avenue

Oakland, California

(Page 6 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6F	12/30/91	99.91i	13.78	86.13i	---	---	---	---	---	---	---	---	---	---
MW6F	12/31/91	99.91i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6F	02/25/92	99.91i	12.68	87.23i	---	---	---	---	---	---	---	---	---	---
MW6F	03/25/92	99.91i	11.93	87.98i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6F	06/16/92	16.46	14.34	2.12	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6F	09/08/92	16.46	14.75	1.71	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	11/05/92	16.46	14.35	2.11	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	12/14/92	16.46	12.90	3.56	NLPH	---	---	---	---	---	---	---	---	---
MW6F	01/28/93	16.46	11.60	4.86	NLPH	---	---	---	---	---	---	---	---	---
MW6F	02/11/93	16.46	12.25	4.21	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	03/09/93	16.46	12.50	3.96	NLPH	---	---	---	---	---	---	---	---	---
MW6F	04/14/93	16.46	12.71	3.75	NLPH	---	---	---	---	---	---	---	---	---
MW6F	05/11/93	16.46	13.63	2.83	NLPH	---	<50	---	---	---	---	---	---	---
MW6F	06/17/93	16.46	14.02	2.44	NLPH	---	---	---	---	---	---	---	---	---
MW6F	07/26/93	16.46	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	08/10/93	16.46	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	09/21/93	16.46	14.80	1.66	NLPH	---	---	---	---	---	---	---	---	---
MW6F	10/27/93	16.46	14.85	1.61	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	11/23/93	16.46	Well Inaccessible.		---	---	---	---	---	---	---	---	---	---
MW6F	12/17/93	16.46	13.86	2.60	NLPH	---	---	---	---	---	---	---	---	---
MW6F	02/16/94	16.46	13.08	3.38	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	05/31/94	16.46	14.06	2.40	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	08/30/94	18.58j	14.84	3.74	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	11/11/94	18.58j	12.60	5.98	NLPH	---	<50	---	---	---	<0.5	0.54	<0.5	<0.5
MW6F	02/27/95	18.58j	12.75	5.83	NLPH	---	<50	---	---	---	6.2	3.0	0.82	3.5
MW6F	05/30/95	18.58j	13.16	5.42	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	08/30/95	18.58j	14.31	4.27	NLPH	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5
MW6F	11/26/96	18.58j	13.29	5.29	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6F	02/27/97	18.58j	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	05/21/97	18.58j	14.18	4.40	NLPH	---	---	---	---	---	---	---	---	---
MW6F	08/18/97	18.58j	14.69	3.89	NLPH	---	---	---	---	---	---	---	---	---
MW6F	03/13/98	18.58j	10.93	7.65	NLPH	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6F	04/20/98	18.58j	11.77	6.81	NLPH	---	---	---	---	---	---	---	---	---
MW6F	07/21/98	22.51	13.62	8.89	NLPH	---	---	---	---	---	---	---	---	---
MW6F	10/06/98	22.51	13.52	8.99	NLPH	---	---	---	---	---	---	---	---	---
MW6F	01/11/99	22.51	14.06	8.45	NLPH	---	---	---	---	---	---	---	---	---
MW6F	04/08/99	22.51	11.86	10.65	NLPH	---	---	---	---	---	---	---	---	---
MW6F	07/19/99	22.51	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	07/27/99	22.51	Well Inaccessible.		---	---	---	---	---	---	---	---	---	---
MW6F	10/25/99	22.51	12.63	9.88	NLPH	---	---	---	---	---	---	---	---	---
MW6F	01/27/00	22.51	12.23	10.28	NLPH	---	---	---	---	---	---	---	---	---
MW6F	04/03/00	22.51	12.11	10.40	NLPH	---	---	---	---	---	---	---	---	---
MW6F	07/05/00	22.51	13.38	9.13	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6F	10/04/00	22.51	14.02	8.49	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	0.7
MW6F	10/05/00	22.51	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6F	01/04/01	22.51	13.69	8.82	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 8 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6G	12/30/91	99.16i	11.80	87.36i	---	---	---	---	---	---	---	---	---	---
MW6G	12/31/91	99.16i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6G	02/25/92	99.91i	10.32	88.84i	---	---	---	---	---	---	---	---	---	---
MW6G	03/25/92	99.91i	9.93	89.23i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6G	06/16/92	14.71	11.88	2.83	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6G	09/08/92	14.71	12.20	2.51	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	11/05/92	14.71	12.02	2.69	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	12/14/92	14.71	10.95	3.76	NLPH	---	---	---	---	---	---	---	---	---
MW6G	01/28/93	14.71	9.56	5.15	NLPH	---	---	---	---	---	---	---	---	---
MW6G	02/11/93	14.71	10.04	4.67	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	03/09/93	14.71	10.10	4.61	NLPH	---	---	---	---	---	---	---	---	---
MW6G	04/14/93	14.71	10.43	4.28	NLPH	---	---	---	---	---	---	---	---	---
MW6G	05/11/93	14.71	11.05	3.66	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	06/17/93	14.71	11.49	3.22	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/26/93	14.71	11.98	2.73	NLPH	---	---	---	---	---	---	---	---	---
MW6G	08/10/93	14.71	12.17	2.54	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	09/21/93	14.71	12.42	2.29	NLPH	---	---	---	---	---	---	---	---	---
MW6G	10/27/93	14.71	13.47	1.24	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	11/23/93	14.71	12.48	2.23	NLPH	---	---	---	---	---	---	---	---	---
MW6G	12/17/93	14.71	11.19	3.52	NLPH	---	---	---	---	---	---	---	---	---
MW6G	02/16/94	14.71	10.62	4.09	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	05/31/94	14.71	11.40	3.31	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	08/30/94	16.82j	12.32	4.50	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	11/11/94	16.82j	11.06	5.76	NLPH	---	58	---	---	---	0.58	1.6	<0.5	1.6
MW6G	02/27/95	16.82j	10.32	6.50	NLPH	---	<50	---	---	---	0.86	0.99	<0.5	0.51
MW6G	05/30/95	16.82j	10.77	6.05	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	08/30/95	16.82j	11.92	4.90	NLPH	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5
MW6G	11/26/96	16.82j	11.12	5.70	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6G	02/27/97	16.82j	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	05/21/97	16.82j	11.76	5.06	NLPH	---	---	---	---	---	---	---	---	---
MW6G	08/18/97	16.82j	12.23	4.59	NLPH	---	---	---	---	---	---	---	---	---
MW6G	03/13/98	16.82j	9.13	7.69	NLPH	---	<50	---	4.4	---	<0.5	<0.5	<0.5	<0.5
MW6G	04/20/98	16.82j	9.73	7.09	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/21/98	20.72	11.15	9.57	NLPH	---	---	---	---	---	---	---	---	---
MW6G	10/06/98	20.72	11.91	8.81	NLPH	---	---	---	---	---	---	---	---	---
MW6G	01/11/99	20.72	12.00	8.72	NLPH	---	---	---	---	---	---	---	---	---
MW6G	04/08/99	20.72	10.04	10.68	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/19/99	20.72	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	07/27/99	20.72	11.75	8.97	NLPH	---	---	---	---	---	---	---	---	---
MW6G	10/25/99	20.72	11.76	8.96	NLPH	---	---	---	---	---	---	---	---	---
MW6G	01/27/00	20.72	11.46	9.26	NLPH	---	---	---	---	---	---	---	---	---
MW6G	04/03/00	20.72	10.00	10.72	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/05/00	20.72	11.24	9.48	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6G	10/04/00	20.72	11.88	8.84	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6G	10/05/00	20.72	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6G	01/04/01	20.72	11.56	9.16	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 10 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6H	12/30/91	97.93i	12.16	85.77i	---	---	---	---	---	---	---	---	---	---
MW6H	12/31/91	97.93i	---	---	---	---	790	---	---	---	52	28	22	42
MW6H	02/25/92	97.93i	12.17	85.76i	---	---	---	---	---	---	---	---	---	---
MW6H	03/25/92	97.93i	11.65	86.28i	---	---	920	---	---	---	170	52	25	54
MW6H	06/16/92	14.47	12.12	2.35	---	---	460	---	---	---	31	11	6.8	16
MW6H	09/08/92	14.47	12.30	2.17	NLPH	---	780	---	---	---	69	23	17	18
MW6H	11/05/92	14.47	12.05	2.42	NLPH	---	3,400	---	---	---	500	260	85	160
MW6H	12/14/92	14.47	11.65	2.82	NLPH	---	---	---	---	---	---	---	---	---
MW6H	01/28/93	14.47	11.57	2.90	NLPH	---	---	---	---	---	---	---	---	---
MW6H	02/11/93	14.47	12.22	2.25	NLPH	---	2,500	---	---	---	410	170	28	130
MW6H	03/09/93	14.47	12.02	2.45	NLPH	---	---	---	---	---	---	---	---	---
MW6H	04/14/93	14.47	12.02	2.45	NLPH	---	---	---	---	---	---	---	---	---
MW6H	05/11/93	14.47	12.35	2.12	NLPH	---	4,200	---	---	---	490	270	80	210
MW6H	06/17/93	14.47	12.22	2.25	NLPH	---	---	---	---	---	---	---	---	---
MW6H	07/26/93	14.47	12.32	2.15	NLPH	---	---	---	---	---	---	---	---	---
MW6H	08/10/93	14.47	12.30	2.17	NLPH	---	650	---	---	---	83	22	14	29
MW6H	09/21/93	14.47	12.79	1.68	NLPH	---	---	---	---	---	---	---	---	---
MW6H	10/27/93	14.47	13.93	0.54	NLPH	---	1,600	---	---	---	130	90	29	130
MW6H	11/23/93	14.47	12.46	2.01	NLPH	---	---	---	---	---	---	---	---	---
MW6H	12/17/93	14.47	12.08	2.39	NLPH	---	---	---	---	---	---	---	---	---
MW6H	02/16/94	14.47	12.31	2.16	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	2.9
MW6H	05/31/94	14.47	12.46	2.01	NLPH	---	1,800	---	---	---	370	220	65	210
MW6H	08/30/94	16.58j	12.72	3.86	NLPH	---	1,900	---	---	---	130	90	19	86
MW6H	11/11/94	16.58j	11.98	4.60	NLPH	---	13,000	---	---	---	1,700	1,400	260	1,800
MW6H	02/27/95	16.58j	11.89	4.69	NLPH	---	320	---	---	---	450	120	28	79
MW6H	05/30/95	16.58j	12.05	4.53	NLPH	---	2,300	---	---	---	960	260	64	200
MW6H	08/30/95	16.58j	12.34	4.24	NLPH	---	2,100	---	50	---	590	35	24	74
MW6H	11/26/96	16.58j	11.87	4.71	NLPH	---	1,200	---	<30	---	320	110	22	85
MW6H	02/27/97	16.58j	11.58	5.00	NLPH	---	1,800	---	<200	---	760	31	8.4	44
MW6H	05/21/97	16.58j	12.23	4.35	NLPH	---	1,100	---	81	---	640	18	5.4	45
MW6H	08/18/97	16.58j	12.29	4.29	NLPH	---	870	---	26	---	200	3.6	2.4	7.4
MW6H	03/13/98	20.47	11.44	9.03	NLPH	---	5,300	---	<125	---	1,900	720	100	470
MW6H	04/20/98	20.47	11.58	8.89	NLPH	---	6,000	---	2,700	---	1,500	600	91	440
MW6H	07/21/98	20.47	11.97	8.50	NLPH	---	2,200	---	1,600	---	740	44	15	63
MW6H	10/06/98	20.47	12.23	8.24	NLPH	---	5,400	---	3,000	---	1,900	<25	<25	76
MW6H	01/11/99	20.47	12.17	8.30	NLPH	---	2,600	---	4,300	---	1,200	<12	<12	20
MW6H	04/08/99	20.47	11.56	8.91	NLPH	---	13,000	---	13,000	---	3,400	1,300	260	1,200
MW6H	07/19/99	20.47	11.71	8.76	NLPH	---	<2,000	---	6,920	8,520	732	<20	<20	<20
MW6H	07/27/99	20.47	12.39	8.08	NLPH	---	---	---	---	---	---	---	---	---
MW6H	10/25/99	20.47	12.16	8.31	NLPH	---	700	---	4,000	---	360	1.1	0.68	2
MW6H	01/27/00	20.47	11.60	8.87	NLPH	---	9,100	---	7,600	---	2,400	840	150	670
MW6H	04/03/00	20.47	11.62	8.85	NLPH	---	12,000	---	8,800	---	2,800	1,100	230	1,020
MW6H	07/05/00	20.47	11.93	8.54	NLPH	---	12,000	---	8,000	---	1,200	56	13	92
MW6H	10/04/00	20.47	12.16	8.31	NLPH	---	4,400	---	8,400	---	1,500	23	12	80.6
MW6H	10/05/00	20.47	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6H	01/04/01	20.47	12.03	8.44	NLPH	---	2,300	---	3,800	---	880	15	6.4	33.9

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 12 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6i	12/30/91	97.60i	12.72	84.88i	---	---	---	---	---	---	---	---	---	---
MW6i	12/31/91	97.60i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6i	02/25/92	97.60i	12.45	85.15i	---	---	---	---	---	---	---	---	---	---
MW6i	03/25/92	97.60i	12.12	85.48i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6i	06/16/92	14.14	12.75	1.39	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6i	09/08/92	14.14	12.84	1.30	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	11/05/92	14.14	12.75	1.39	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	12/14/92	14.14	12.40	1.74	NLPH	---	---	---	---	---	---	---	---	---
MW6i	01/28/93	14.14	12.20	1.94	NLPH	---	---	---	---	---	---	---	---	---
MW6i	02/11/93	14.14	12.40	1.74	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	03/09/93	14.14	12.45	1.69	NLPH	---	---	---	---	---	---	---	---	---
MW6i	04/14/93	14.14	12.43	1.71	NLPH	---	---	---	---	---	---	---	---	---
MW6i	05/11/93	14.14	12.73	1.41	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	06/17/93	14.14	12.78	1.36	NLPH	---	---	---	---	---	---	---	---	---
MW6i	07/26/93	14.14	12.92	1.22	NLPH	---	---	---	---	---	---	---	---	---
MW6i	08/10/93	14.14	12.97	1.17	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	09/21/93	14.14	13.02	1.12	NLPH	---	---	---	---	---	---	---	---	---
MW6i	10/27/93	14.14	13.10	1.04	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	1.1
MW6i	11/23/93	14.14	13.02	1.12	NLPH	---	---	---	---	---	---	---	---	---
MW6i	12/17/93	14.14	12.65	1.49	NLPH	---	---	---	---	---	---	---	---	---
MW6i	02/16/94	14.14	12.66	1.48	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	05/31/94	14.14	12.90	1.24	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	08/30/94	16.26j	13.06	3.20	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	11/11/94	16.26j	15.20	1.06	NLPH	---	53	---	---	---	0.62	1.8	<0.5	2.0
MW6i	02/27/95	16.26j	12.51	3.75	NLPH	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6i	05/30/95	16.26j	12.57	3.69	NLPH	---	69	---	---	---	2.8	0.96	1.1	4.3
MW6i	08/30/95	16.26j	12.86	3.4	NLPH	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5
MW6i	11/26/96	16.26j	12.45	3.81	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6i	02/27/97	16.26j	12.24	4.02	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6i	05/21/97	16.26j	12.82	3.44	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6i	08/18/97	16.26j	12.81	3.45	NLPH	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6i	03/13/98	16.26j	---	---	---	---	---	---	---	---	---	---	---	---
MW6i	04/20/98	16.26j	12.14	4.12	NLPH	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6i	07/21/98	20.24	12.59	7.65	NLPH	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6i	10/06/98	20.24	12.81	7.43	NLPH	---	---	---	---	---	---	---	---	---
MW6i	01/11/99	20.24	12.74	7.50	NLPH	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6i	04/08/99	20.24	11.93	8.31	NLPH	---	---	---	---	---	---	---	---	---
MW6i	07/19/99	20.24	11.75	8.49	NLPH	---	281	---	17.6	---	35.4	9.1	7.4	30.7
MW6i	07/27/99	20.24	12.95	7.29	NLPH	---	---	---	---	---	---	---	---	---
MW6i	10/25/99	20.24	12.79	7.45	NLPH	---	---	---	---	---	---	---	---	---
MW6i	01/27/00	20.24	12.06	8.18	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6i	04/03/00	20.24	12.24	8.00	NLPH	---	---	---	---	---	---	---	---	---
MW6i	07/05/00	20.24	12.48	7.76	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6i	10/04/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---
MW6i	10/05/00	20.24	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6i	01/04/01	20.24	12.54	7.70	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 13 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6I	04/03/01	20.24	12.32	7.92	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	07/05/01	20.24	12.55	7.69	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	10/03/01	20.24	12.67	7.57	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	Oct-01	19.87	Well surveyed in compliance with AB 2886 requirements.											
MW6I	01/02/02	19.87	10.98	8.89	NLPH	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50
MW6I	04/02/02 b	19.87	12.24	7.63	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/01/02	19.87	12.51	7.36	NLPH	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW6I	10/02/02 b	19.87	12.72	7.15	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/07/03	19.87	12.09	7.78	NLPH	---	<50.0	<50	<0.5	1.10	<0.5	<0.5	<0.5	<0.5
MW6I	06/17/03 b	19.87	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	07/16/03	19.87	12.49	7.38	NLPH	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6I	10/07/03 b	19.87	12.64	7.23	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/14/04	19.87	12.13	7.74	NLPH	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6I	06/03/04 b	19.87	12.56	7.31	NLPH	---	---	---	---	---	---	---	---	---
MW6I	08/12/04	19.87	c	c	c	99c	<50.0c	155c	---	<0.50c	<0.50c	<0.5c	<0.5c	0.8c
MW6I	11/04/04 b	19.87	12.33	7.54	NLPH	---	---	---	---	---	---	---	---	---
MW6I	02/01/05	19.87	12.09	7.78	NLPH	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6I	05/03/05 b	19.87	12.16	7.71	NLPH	---	---	---	---	---	---	---	---	---
MW6I	08/04/05	19.87	12.46	7.41	NLPH	54.2d	<50.0	<100	---	<0.500	<0.500	<0.500	<0.500	<0.500
MW6I	10/27/05 b	19.87	12.58	7.29	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/26/06	19.87	12.04	7.83	NLPH	<50	<50	<500	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6I	04/28/06 b	19.87	11.94	7.93	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/05/06	19.87	13.06	6.81	NLPH	<47.6	<50.0	<95.2	---	<0.500	<1.00	<1.00	<1.00	<3.00
MW6I	10/27/06 b	19.87	12.64	7.23	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/19/07	19.87	12.41	7.46	NLPH	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	0.62
MW6I	04/24/07 b	19.87	12.11	7.76	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/24/07	19.87	12.51	7.36	NLPH	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6I	12/03/07	19.87	12.64	7.23	NLPH	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6J	04/06/01	---	Well installed.											
MW6J	07/05/01	20.72	13.47	7.25	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6J	10/03/01	20.72	13.57	7.15	NLPH	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6J	Oct-01	20.75	Well surveyed in compliance with AB 2886 requirements.											
MW6J	01/02/02	20.75	13.19	7.56	NLPH	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50
MW6J	04/02/02	20.75	13.74	7.01	NLPH	---	<50.0	<100	1.00	---	0.80	<0.50	<0.50	0.80
MW6J	07/01/02	20.75	13.58	7.17	NLPH	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW6J	10/02/02	20.75	13.79	6.96	NLPH	---	<50.0	<100	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW6J	01/07/03	20.75	13.49	7.26	NLPH	---	<50.0	<50	0.60	1.30	<0.5	<0.5	<0.5	<0.5
MW6J	06/17/03	20.75	13.76	6.99	NLPH	---	<50.0	<100	3.00	0.70	<0.50	<0.5	<0.5	<0.5
MW6J	07/16/03	20.75	13.57	7.18	NLPH	---	<50.0	<100	0.70	0.60	<0.50	<0.5	<0.5	<0.5
MW6J	10/07/03	20.75	13.74	7.01	NLPH	---	<50.0	<100	1.1	1.20	<0.50	<0.5	<0.5	<0.5
MW6J	01/14/04	20.75	13.46	7.29	NLPH	<50	<50.0	<100	1.8	1.80	<0.50	<0.5	<0.5	<0.5
MW6J	06/03/04	20.75	13.72	7.03	NLPH	<50	<50.0	<100	5.1	10.3	0.50	<0.5	<0.5	<0.5
MW6J	08/12/04	20.75	c	c	c	<50c	<50.0c	<100c	---	3.30c	1.40c	2.1c	1.3c	4.6c
MW6J	11/04/04	20.75	13.68	7.07	NLPH	<50	<50.0	116	---	3.50	0.50	0.5	<0.5	<0.5
MW6J	02/01/05	20.75	13.47	7.28	NLPH	<100	<50.0	<100	---	5.50	<0.50	<0.5	<0.5	0.6

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 14 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW6J	05/03/05	20.75	13.66	7.09	NLPH	<50	<50.0	<100	---	3.00	0.70	0.9	0.6	0.8	
MW6J	08/04/05	20.75	13.75	7.00	NLPH	55.8d	<50.0	130	---	<0.500	<0.500	<0.500	<0.500	<0.500	
MW6J	10/27/05	20.75	13.71	7.04	NLPH	<50.0	<50.0	<50.0	---	2.48	<0.50	0.94f	<0.50	<0.50	
MW6J	01/26/06	20.75	13.49	7.26	NLPH	<50	<50	<500	---	6.2	<0.50	<0.50	<0.50	<0.50	
MW6J	04/28/06	20.75	13.56	7.19	NLPH	<47	<50	<470	---	7.2	<0.50	<0.50	<0.50	<0.50	
MW6J	07/05/06	20.75	13.75	7.00	NLPH	<47.6	<50.0	<95.2	---	7.73	<1.00	<1.00	<1.00	<3.00	
MW6J	10/27/06	20.75	13.66	7.09	NLPH	<47	67.7	<470	---	9.15	<0.50	<0.50	<0.50	<0.50	
MW6J	01/19/07	20.75	13.51	7.24	NLPH	<47	<50.0	<470	---	12.1	<0.50	<0.50	<0.50	<0.50	
MW6J	04/24/07	20.75	13.76	6.99	NLPH	<47.6	<50.0	<47.6	---	12.8	<0.50	<0.50	<0.50	<0.50	
MW6J	07/24/07	20.75	14.01	6.74	NLPH	<47	<50	<470	---	16	<0.50	<0.50	<0.50	<0.50	
MW6J	12/03/07	20.75	13.71	7.04	NLPH	<47	<50	<470	---	29	<0.50	<0.50	<0.50	<0.50	
RW1	05/10/90	97.89i	Well installed.												
RW1	10/16/90	97.89i	12.24	85.65i	---	---	---	---	---	---	---	---	---	---	
RW1	01/14/91	97.89i	12.80	85.09i	---	---	---	---	---	---	---	---	---	---	
RW1	02/08/91	97.89i	12.53	85.36i	---	---	---	---	---	---	---	---	---	---	
RW1	05/31/91	97.89i	12.86	85.03i	---	---	---	---	---	---	---	---	---	---	
RW1	08/05/91	97.89i	13.19	84.70i	---	---	---	---	---	---	---	---	---	---	
RW1	08/13/91	97.89i	14.05	83.84i	---	---	---	---	---	---	---	---	---	---	
RW1	09/11/91	97.89i	15.96	81.93i	---	---	---	---	---	---	---	---	---	---	
RW1	10/16/91	97.89i	16.00	81.89i	---	---	---	---	---	---	---	---	---	---	
RW1	12/30/91	97.89i	12.65	85.24i	---	---	---	---	---	---	---	---	---	---	
RW1	02/25/92	97.89i	14.40	83.49i	---	---	---	---	---	---	---	---	---	---	
RW1	03/25/92	97.89i	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	06/16/92	14.42	12.37	2.05	---	---	6,200	---	---	---	620	1,400	240	1,400	
RW1	09/08/92 through 05/31/94 Not monitored or sampled.														
RW1	08/30/94	16.79j	Well resurveyed.												
RW1	08/30/94 through 10/16/98 Not monitored or sampled.														
RW1	01/11/99	20.24	12.37	7.87	NLPH	---	---	---	---	---	---	---	---	---	
RW1	04/08/99	20.24	10.41	9.83	NLPH	---	---	---	---	---	---	---	---	---	
RW1	07/19/99	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	07/27/99	20.24	12.76	7.48	NLPH	---	---	---	---	---	---	---	---	---	
RW1	10/25/99	20.24	12.50	7.74	NLPH	---	---	---	---	---	---	---	---	---	
RW1	01/27/00	20.24	12.11	8.13	NLPH	---	---	---	---	---	---	---	---	---	
RW1	04/03/00	20.24	12.07	8.17	NLPH	---	---	---	---	---	---	---	---	---	
RW1	07/05/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	10/04/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	10/05/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	01/04/01	20.24	13.90	6.34	NLPH	---	8,000	---	2,500	---	1,200	65	250	258	
RW1	04/03/01	20.24	11.92	8.32	NLPH	---	4,100	---	610	---	62	<2.5	18	61	
RW1	07/05/01	20.24	Well inaccessible.												
RW1	10/03/01	20.24	12.32	8.32	NLPH	---	11,000	---	4,100	---	1,900	780	150	700	
RW1	Oct-01	20.43	Well surveyed in compliance with AB 2886 requirements.												
RW1	01/02/02	20.43	10.85	9.58	NLPH	---	32,000	---	7,760	---	358	2,270	894	4,820	
RW1	04/02/02	20.43	11.72	8.71	NLPH	---	4,220	<500	922	---	172	22.5	106	340	
RW1	07/01/02	20.43	12.17	8.26	NLPH	---	2,500	<100a	986	---	176	8.0	71.0	75.0	

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 16 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
RW2	07/21/98	20.44	12.65	7.79	NLPH	---	3,500	---	170	---	240	100	41	96
RW2	10/06/98	20.44	13.06	7.38	NLPH	---	3,200	---	200	---	120	48	56	120
RW2	01/11/99	20.44	12.88	7.56	NLPH	---	3,300	---	350	---	150	17	35	40
RW2	04/08/99	20.44	11.76	8.68	sheen	---	---	---	---	---	---	---	---	---
RW2	07/19/99	20.44	11.61	8.83	NLPH	---	1,980	---	160	499	44	4.16	22.3	11.6
RW2	07/27/99	20.44	13.26	7.18	NLPH	---	---	---	---	---	---	---	---	---
RW2	10/25/99	20.44	12.96	7.48	NLPH	---	1,800	---	440	---	51	<0.5	4.7	9.5
RW2	01/27/00	20.44	12.70	7.74	NLPH	---	1,900	---	750	---	38	<2.5	4.8	10.4
RW2	04/03/00	20.44	11.97	8.47	NLPH	---	2,100	---	300	---	28	2.4	1.4	0.73
RW2	07/05/00	20.44	12.50	7.94	NLPH	---	2,300	---	230	---	20	<2.5	5.3	8
RW2	10/04/00	20.44	12.97	7.47	NLPH	---	1,300	---	570	---	42	<2.5	15	17.7
RW2	10/05/00	20.44	---	---	---	---	---	<1,000	---	---	---	---	---	---
RW2	01/04/01	20.44	13.71	6.73	NLPH	---	1,000	---	380	---	33	<2.5	13	17.7
RW2	04/03/01	20.44	12.10	8.34	NLPH	---	1,300	---	99	---	18	2.1	16	19.4
RW2	07/05/01	20.44	Not sampled: inaccessible.			---	---	---	---	---	---	---	---	---
RW2	10/03/01	20.44	12.8	7.64	NLPH	---	1,900	---	240	---	35	4.4	34	105
RW2	Oct-01	20.64	Well surveyed in compliance with AB 2886 requirements.			---	---	---	---	---	---	---	---	---
RW2	01/02/02	20.64	10.22	10.42	NLPH	---	2,440	---	76.0	---	24.4	6.20	26.2	83.0
RW2	04/02/02	20.64	12.02	8.62	NLPH	---	1,460	260	47.5	---	8.60	3.30	5.30	29.1
RW2	07/01/02	20.64	12.51	8.13	NLPH	---	1,380	<100a	39.9	---	11.0	1.8	17.9	45.0
RW2	10/02/02	20.64	12.91	7.73	NLPH	---	720	<100	46.9	---	5.5	1.7	3.7	11.9
RW2	01/07/03	20.64	11.61	9.03	NLPH	---	1,180	197	48.0	56.0	12.3	3.6	12.2	25.6
RW2	06/17/03	20.64	12.32	8.32	NLPH	---	1,070	<100	29.7	26.4	13.9	4.4	11.8	16.9
RW2	07/16/03	20.64	12.51	8.13	NLPH	---	1,200	295	32.9	19.3	6.60	4.1	10.9	12.3
RW2	10/07/03	20.64	12.81	7.83	NLPH	332	1,170	<100	55.0	50.2	8.70	1.1	9.3	12.2
RW2	01/14/04	20.64	11.70	8.94	NLPH	167	1,250	<100	8.4	128	18.0	4.4	8.6	10.7
RW2	06/03/04	20.64	12.93	7.71	NLPH	---	1,100	1,310	17.0	10.9	6.70	1.3	4.0	11.5
RW2	08/12/04	20.64	c	c	c	438c	1,110c	521c	---	32.8c	7.00c	1.5c	3.1c	10.2c
RW2	11/04/04	20.64	12.30	8.34	NLPH	503	506	419	---	r	4.30	5.9	6.2	16.0
RW2	02/01/05	20.64	11.61	9.03	NLPH	725	640	1,400	---	13.7	5.30	1.5	4.0	3.8
RW2	05/03/05	20.64	11.72	8.92	NLPH	493d,e	1,130	801	---	8.20	10.3	1.1	5.8	6.3
RW2	08/04/05	20.64	12.46	8.18	NLPH	3,020d	1,060	3,810	---	9.02	6.36	0.848	1.90	2.47
RW2	10/27/05	20.64	12.71	7.93	NLPH	716	163	703	---	8.74	<0.50	<0.50	<0.50	0.95
RW2	01/26/06	20.64	11.65	8.99	NLPH	410d	620a	<500	---	5.1	6.1a	1.2a	4.3a	2.1a
RW2	04/28/06	20.64	11.24	9.40	NLPH	300d	680	<470	---	2.6	9.7	1.2	5.3	2.9
RW2	07/05/06	20.64	12.33	8.31	NLPH	284	946	221	---	<0.500	8.87	1.05	1.81	3.10
RW2	10/27/06	20.64	12.78	7.86	NLPH	240d	920	<470	---	4.59	<0.50	<0.50	3.65	3.09
RW2	01/19/07	20.64	12.29	8.35	NLPH	230d	794	<470	---	3.72	6.32	2.27	<0.50	3.09
RW2	04/24/07	20.64	11.81	8.83	NLPH	652d	1,170	332	---	3.01	7.21	<0.50	6.74	6.15
RW2	07/24/07	20.64	12.51	8.13	NLPH	250d	970	<470	---	2.5	9.1	<0.50	2.8	1.9
RW2	12/03/07	20.64	12.71	7.93	NLPH	660d,i	460	660d	---	6.8	7.5	<2.5	<2.5	<2.5
MW6C	06/15/88	99.89i	Well installed.			---	---	---	---	---	---	---	---	---
MW6C	06/24/88	99.89i	---	---	---	---	---	---	---	---	7,400	7.1	170	2,300
MW6C	07/11/88	99.89i	14.21	85.68i	---	---	---	---	---	---	---	---	---	---
MW6C	10/20/88	99.89i	---	---	---	---	---	---	---	---	9,500	65	170	850

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 17 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW6C	12/15/88	99.89i	14.10	85.79i	---	---	---	---	---	---	---	---	---	---	
MW6C	09/07/89	99.89i	---	---	---	---	18,000	---	---	---	7,900	430	350	1,100	
MW6C	04/30/90	99.89i	13.81	86.68i	---	---	30,000	---	---	---	6,100	1,500	1,000	2,700	
MW6C	05/10/90	---	Well over-drilled into recovery well RW3												
RW3	10/16/90	98.97i	13.29	85.68i	---	---	---	---	---	---	---	---	---	---	
RW3	01/14/91	98.97i	14.50	84.47i	---	---	---	---	---	---	---	---	---	---	
RW3	02/08/91	98.97i	12.54	86.43i	---	---	---	---	---	---	---	---	---	---	
RW3	04/02/91	98.97i	11.39	87.58i	---	---	---	---	---	---	---	---	---	---	
RW3	05/07/91	98.97i	12.47	86.50i	---	---	5,800	---	---	---	4,200	640	220	670	
RW3	05/31/91	98.97i	16.31	82.66i	---	---	---	---	---	---	---	---	---	---	
RW3	06/26/91	98.97i	15.50	83.47i	---	---	---	---	---	---	---	---	---	---	
RW3	08/05/91	98.97i	13.69	85.28i	---	---	---	---	---	---	---	---	---	---	
RW3	08/13/91	98.97i	13.67	85.30i	---	---	---	---	---	---	---	---	---	---	
RW3	08/14/91	98.97i	---	---	---	---	3,800	---	---	---	2,300	300	49	360	
RW3	09/11/91	98.97i	13.77	85.20i	---	---	---	---	---	---	---	---	---	---	
RW3	10/16/91	98.97i	16.66	82.31i	---	---	---	---	---	---	---	---	---	---	
RW3	11/05/91	---	Well destroyed.												
RW3A	08/24/92	---	Well installed in place of RW3.												
RW3A	08/24/92 through 04/20/98 Not monitored or sampled.														
RW3A	07/21/98	21.75	13.08	8.67	NLPH	---	280	---	16	---	97	<1.2	<1.2	<1.2	
RW3A	10/06/98	21.89	13.72	8.17	NLPH	---	78	---	26	---	26	0.89	<0.5	<0.5	
RW3A	01/11/99	21.75	12.00	9.75	NLPH	---	1,000	---	230	---	490	5.0	<5.0	7.4	
RW3A	04/08/99	21.75	11.90	9.85	NLPH	---	130	---	11	---	70	<1.0	<1.0	<1.0	
RW3A	07/19/99	21.75	11.75	10.00	NLPH	---	989	---	16.4	---	393	6.40	5.70	15.0	
RW3A	07/27/99	21.75	13.68	8.07	NLPH	---	---	---	---	---	---	---	---	---	
RW3A	10/25/99	21.75	13.61	8.14	NLPH	---	150	---	19	---	53	<0.5	<0.5	<0.5	
RW3A	01/27/00	21.75	12.22	9.53	NLPH	---	500	---	12	---	210	0.59	1.40	2.29	
RW3A	04/03/00	21.75	12.00	9.75	NLPH	---	1,100	---	16	---	420	1.6	1.8	1.4	
RW3A	07/05/00	21.75	13.01	8.74	NLPH	---	1,200	---	16	---	440	1.4	2.5	1.9	
RW3A	10/04/00	21.75	13.60	8.15	NLPH	---	390	---	8.3	---	160	1.1	1.5	2.6	
RW3A	10/05/00	21.75	---	---	---	---	---	<1,000	---	---	---	---	---	---	
RW3A	01/04/01	21.75	13.65	8.10	NLPH	---	500	---	12	---	230	0.97	1.1	1.4	
RW3A	04/03/01	21.75	12.30	9.45	NLPH	---	710	---	7.5	---	290	<0.5	<0.5	<0.5	
RW3A	07/05/01	21.75	13.28	8.47	NLPH	---	640	---	9	---	280	1.4	1.6	2.7	
RW3A	10/03/01	21.75	13.58	8.17	NLPH	---	<50	---	12	---	21	<0.5	<0.5	<0.5	
RW3A	Oct-01	21.89	Well surveyed in compliance with AB 2886 requirements.												
RW3A	01/02/02	21.89	10.80	11.09	NLPH	---	<100	---	11.2	---	<0.50	<0.50	<0.50	<0.50	
RW3A	04/02/02	21.89	12.03	9.86	NLPH	---	55.7	<100	11.0	---	1.30	<0.50	<0.50	<0.50	
RW3A	07/01/02	21.89	13.13	8.76	NLPH	---	275	<100a	21.7	---	60.4	<0.5	2.4	4.2	
RW3A	10/02/02	21.89	13.70	8.19	NLPH	---	138	114	11.1	---	53.4	<0.5	<0.5	0.7	
RW3A	01/07/03	21.89	11.77	10.12	NLPH	---	<50.0	<50	22.4	30.9	1.5	<0.5	<0.5	<0.5	
RW3A	06/17/03	21.89	12.82	9.07	NLPH	---	54.5	<100	12.8	16.0	7.40	<0.5	<0.5	<0.5	
RW3A	07/16/03	21.89	13.40	8.49	NLPH	---	112	<100	18.0	13.6	26.0	<0.5	<0.5	<0.5	
RW3A	10/07/03	21.89	13.93	7.96	NLPH	124	62.6	<100	10.4	11.3	7.30	<0.5	<0.5	<0.5	
RW3A	01/14/04	21.89	11.55	10.34	NLPH	401	<50.0	<100	11.7	16.2	3.10	<0.5	<0.5	<0.5	

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 18 of 19)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
RW3A	06/03/04	21.89	13.43	8.46	NLPH	---	79.0	<100	19.4	22.4	6.30	<0.5	<0.5	<0.5
RW3A	08/12/04	21.89	c	c	c	1,190c	<50.0c	296c	---	16.2c	<0.50c	<0.5c	<0.5c	<0.5c
RW3A	11/04/04	21.89	12.91	8.98	NLPH	178	<50.0	122	---	5.40	<0.50	1.7	0.7	3.6
RW3A	02/01/05	21.89	11.63	10.26	NLPH	<100	<50.0	<100	---	11.8	<0.50	<0.5	<0.5	<0.5
RW3A	05/03/05	21.89	11.79	10.10	NLPH	158d	<50.0	<100	---	8.50	<0.50	<0.5	<0.5	<0.5
RW3A	08/04/05	21.89	12.99	8.90	NLPH	687d	89.9	107	---	16.7	26.0	0.645	<0.500	0.835
RW3A	10/27/05	21.89	13.49	8.40	NLPH	140	<50.0	79.1	---	4.00	9.63	<0.50	<0.50	0.65
RW3A	01/26/06	21.89	11.76	10.13	NLPH	210d	100a	<500	---	17	5.6a	<0.50a	<0.50a	<0.50a
RW3A	04/28/06	21.89	10.96	10.93	NLPH	140g	82	<470	---	19	2.6	<0.50	<0.50	<0.50
RW3A	07/05/06	21.89	13.12	8.77	NLPH	340	50.0	<95.2	---	8.11	1.37	<1.00	<1.00	<3.00
RW3A	10/27/06	21.89	13.48	8.41	NLPH	63d	789	<470	---	10.6	287	1.29	<0.50	2.03
RW3A	01/19/07	21.89	12.69	9.20	NLPH	49d	<50.0	<470	---	6.25	2.08	<0.50	<0.50	<0.50
RW3A	04/24/07	21.89	12.12	9.77	NLPH	<47.6	107	<47.6	---	4.95	17.9	<0.50	<0.50	0.57
RW3A	07/24/07	21.89	13.11	8.78	NLPH	<47	<500	<470	---	8.5	240	<5.0	<5.0	<5.0
RW3A	12/03/07	21.89	13.35	8.54	NLPH	61d,i	1,200g	<470	---	12	700	<10	<10	13

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 19 of 19)

Notes:	=	
TOC	=	Top of casing elevation; datum is mean sea level.
SUBJ	=	Results of subjective evaluation.
NLPH	=	No liquid-phase hydrocarbons present in well.
sheen	=	Liquid-phase hydrocarbon present as sheen.
in.	=	Inches of floating product.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-Dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-Dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
---	=	Not measured/Not sampled/Not analyzed.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	=	Elevated result due to single analyte peak in quantitation range.
h	=	Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	=	Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	=	Benchmark is City of Oakland #37J.
h	=	Sample container broken in shipment. Analyses not performed.
i	=	Analyte detected in associated method blank.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 7)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6A	June 1988 - Well installed.							
MW6A	06/24/88 - 12/31/91 Not analyzed for these analytes.							
MW6A	05/02/92 - Well destroyed.							
MW6B	June 1988 - Well installed.							
MW6B	06/24/88 - 10/02/02 Not analyzed for these analytes.							
MW6B	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6B	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6B	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6B	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6B	01/26/06	<0.50	0.56	<20	<0.50	<0.50	<0.50	<100
MW6B	04/28/06	<0.50	<0.50	27	<0.50	15	3.6	---
MW6B	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6B	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6B	01/19/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6B	04/24/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6B	07/24/07	<0.50	<0.50	<20	<0.50	<0.50	<0.50	---
MW6B	12/03/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---
MW6C	06/15/88 - Well installed.							
MW6C	06/24/88 - 04/30/90 Not analyzed for these analytes.							
MW6C	05/10/90 - Well over-drilled into recovery well RW3.							
MW6D	07/06/88 - Well installed.							
MW6D	07/11/88 - 04/30/90 Not analyzed for these analytes.							
MW6D	05/10/90 - Well over-drilled into recovery well RW2.							
MW6E	10/04/88 - Well installed.							
MW6E	10/20/88 - 10/02/02 Not analyzed for these analytes.							
MW6E	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6E	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6E	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 2 of 7)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6E	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6E	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6E	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6E	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	---
MW6E	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6E	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6E	01/19/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6E	04/24/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6E	07/24/07	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	---
MW6E	12/03/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---
MW6F	10/05/88 - Well installed.							
MW6F	10/20/88 - 10/02/02 Not analyzed for these analytes.							
MW6F	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6F	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6F	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	05/03/05	<0.50	0.90	<10.0	<0.50	1.70	<0.50	<50.0
MW6F	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6F	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6F	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6F	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	---
MW6F	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6F	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6F	01/19/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6F	04/24/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6F	07/24/07	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	---
MW6F	12/03/07	---	---	---	---	---	---	---
MW6G	11/16/88 - Well installed.							
MW6G	12/07/88 - 10/02/02 Not analyzed for these analytes.							
MW6G	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6G	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6G	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6G	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6G	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6G	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70235
 2225 Telegraph Avenue
 Oakland, California
 (Page 3 of 7)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6G	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6G	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6G	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6G	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6G	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6G	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<100
MW6G	01/19/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6G	04/24/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6G	07/24/07	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	<100
MW6G	12/03/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100
MW6H	December 1988 - Well installed.							
MW6H	12/07/88 - 10/02/02 Not analyzed for these analytes.							
MW6H	01/07/03	<0.50	<0.50	952	<0.50	<0.50	7.50	---
MW6H	06/17/03	<0.50	<0.50	678	<0.50	<0.50	7.10	<100
MW6H	07/16/03	<0.50	0.70	307	<0.50	14.6	6.20	<100
MW6H	10/07/03	<0.50	<0.50	294	<0.50	<0.50	7.40	<100
MW6H	01/14/04	<0.50	<0.50	883	<0.50	<0.50	6.80	<50.0
MW6H	06/03/04	<0.50	<0.50	541	<0.50	<0.50	5.80	<50.0
MW6H	08/12/04	<0.50c	<0.50c	754c	<0.50c	<0.50c	5.40c	<50.0c
MW6H	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6H	02/01/05	<0.50	<0.50	625	<0.50	<0.50	4.20	<50.0
MW6H	05/03/05	<0.50	<0.50	436	<0.50	<0.50	3.10	<50.0
MW6H	08/04/05	<0.500	<0.500	530	<0.500	<0.500	3.73	<50.0
MW6H	10/27/05	<0.500	<0.500	422	<0.500	<0.500	4.62	<100
MW6H	01/26/06	<25	<25	<1,000	<25	<25	<25	<5,000
MW6H	04/28/06	<25	<25	<1,000	<25	<25	<25	<5,000
MW6H	07/05/06	<0.500	<0.500	137	<0.500	<0.500	2.41	<50.0
MW6H	10/27/06	<0.500	<0.500	131	<0.500	<0.500	3.61	<100
MW6H	01/19/07	<0.500	28.1	161	<0.500	25.7	2.96	<50.0
MW6H	04/24/07	<0.500	<0.500	173	<0.500	<0.500	1.97	<50.0
MW6H	07/24/07	<0.50	<0.50	140	<0.50	<0.50	3.8	<100
MW6H	12/03/07	<0.50	<0.50	150	<0.50	<0.50	7.0	<100
MW6I	December 1988 - Well installed.							
MW6I	12/07/88 - 10/02/02 Not analyzed for these analytes.							
MW6I	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6I	06/17/03 b	---	---	---	---	---	---	---
MW6I	07/16/03	<0.50	<0.50	16.4	<0.50	<0.50	<0.50	<100
MW6I	10/07/03 b	---	---	---	---	---	---	---
MW6I	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6I	06/03/04 b	---	---	---	---	---	---	---
MW6I	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6I	11/04/04 b	---	---	---	---	---	---	---
MW6I	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6I	05/03/04 b	---	---	---	---	---	---	---
MW6I	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 4 of 7)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6I	10/27/05 b	---	---	---	---	---	---	---
MW6I	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6I	04/28/06 b	---	---	---	---	---	---	---
MW6I	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6I	10/27/06 b	---	---	---	---	---	---	---
MW6I	01/19/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6I	04/24/07 b	---	---	---	---	---	---	---
MW6I	07/24/07	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	---
MW6I	12/03/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100
MW6J	04/06/01 - Well installed.							
MW6J	07/05/01 - 10/02/02 Not analyzed for these analytes.							
MW6J	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6J	06/17/03	<0.50	<0.50	<10.0	<0.50	0.90	<0.50	<100
MW6J	07/16/03	<0.50	<0.50	<10.0	<0.50	1.00	<0.50	<100
MW6J	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.5	<0.50	<100
MW6J	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6J	06/03/04	<0.50	<0.50	<10.0	<0.50	2.00	<0.50	<50.0
MW6J	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	1.20c	<0.50c	<50.0c
MW6J	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6J	02/01/05	<0.50	<0.50	<10.0	<0.50	1.20	<0.50	<50.0
MW6J	05/03/05	<0.50	<0.50	<10.0	<0.50	1.20	<0.50	<50.0
MW6J	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6J	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6J	01/26/06	<0.50	<0.50	<20	<0.50	1.1	<0.50	<100
MW6J	04/28/06	<0.50	<0.50	<20	<0.50	1.3	<0.50	---
MW6J	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6J	10/27/06	<0.500	<0.500	<10.0	<0.500	1.04	<0.500	---
MW6J	01/19/07	<0.500	<0.500	<10.0	<0.500	1.15	<0.500	<50.0
MW6J	04/24/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW6J	07/24/07	<0.50	<0.50	<20	<0.50	1.1	<0.50	---
MW6J	12/03/07	<0.50	<0.50	<10	<0.50	1.8	<0.50	---
RW1	05/10/90 - Well installed.							
RW1	10/16/90 - 10/02/02 Not analyzed for these analytes.							
RW1	01/07/03	<10.0	<10.0	<200	<10.0	<10.0	<10.0	---
RW1	06/17/03	<0.50	<0.50	324	<0.50	<0.50	<0.50	<100
RW1	07/16/03	<0.50	<0.50	110	<10.0	1.70	1.10	<100
RW1	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW1	01/14/04	<0.50	<0.50	234	<0.50	<0.50	0.90	<50.0
RW1	06/03/04	<0.50	<0.50	338	<0.50	<0.50	1.30	<50.0
RW1	08/12/04	<0.50c	<0.50c	437c	1.30c	<0.50c	1.20c	<50.0c
RW1	11/04/04	<0.50	<0.50	541	<0.50	<0.50	<0.50	<50.0
RW1	02/01/05	<0.50	<0.50	261	<0.50	<0.50	1.80	<50.0
RW1	05/03/05	<0.50	<0.50	200	<0.50	<0.50	<0.50	<50.0
RW1	08/04/05	<0.500	<0.500	169	<0.500	<0.500	<0.500	<50.0
RW1	10/27/05	<0.500	<0.500	152	<0.500	<0.500	0.660	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 5 of 7)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW1	01/26/06	<2.5	<2.5	280	<2.5	<2.5	<2.5	<500
RW1	04/28/06	<0.50	<0.50	86	<0.50	<0.50	<0.50	<100
RW1	07/05/06	<0.500	<0.500	80.5	1.02	<0.500	<0.500	<50.0
RW1	10/27/06	<0.500	<0.500	104	<0.500	<0.500	<0.500	<100
RW1	01/19/07	<0.500	<0.500	64.6	<0.500	<0.500	<0.500	<50.0
RW1	04/24/07	<0.500	<0.500	70.8	<0.500	<0.500	<0.500	<50.0
RW1	07/24/07	<0.50	<0.50	17	<0.50	<0.50	<0.50	<100
RW1	12/03/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100
MW6D	07/06/88 - Well installed.							
MW6D	07/11/88 - 04/30/90 Not analyzed for these analytes.							
MW6D	05/10/90 - Well over-drilled into recovery well RW2							
RW2	10/16/90 - 10/02/02 Not analyzed for these analytes.							
RW2	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
RW2	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	01/14/04	<0.50	<0.50	370	<0.50	<0.50	<0.50	<50.0
RW2	06/03/04	<0.50	<0.50	370	<0.50	<0.50	<0.50	<50.0
RW2	08/12/04	<0.50c	<0.50c	<10.0c	1.30c	<0.50c	<0.50c	<50.0c
RW2	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW2	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
RW2	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
RW2	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	---
RW2	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW2	10/27/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
RW2	01/19/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW2	04/24/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
RW2	07/24/07	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	---
RW2	12/03/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---
MW6C	06/15/88 - Well installed.							
MW6C	06/24/88 - 04/30/90 Not analyzed for these analytes.							
MW6C	05/10/90 - Well over-drilled into recovery well RW3							
RW3	10/16/90 - 10/16/91 Not analyzed for these analytes.							
RW3	11/05/91 - Well destroyed.							
RW3A	08/24/92 - Well installed in place of RW3.							
RW3A	08/24/98 - 10/02/02 Not analyzed for these analytes.							
RW3A	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
RW3A	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.20	<100
RW3A	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.40	<100
RW3A	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.40	<100
RW3A	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	2.20	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 6 of 7)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW3A	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	1.20	<50.0
RW3A	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	1.10c	<50.0c
RW3A	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW3A	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	2.10	<50.0
RW3A	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	0.60	<50.0
RW3A	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW3A	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	0.980	<100
RW3A	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	3.2	<100
RW3A	04/28/06	<0.50	<0.50	<20	<0.50	<0.50	1.5	<100
RW3A	07/05/06	<0.500	<0.500	<10.0	<0.500	<0.500	1.20	<50.0
RW3A	10/27/06	<0.500	<0.500	17.3	<0.500	<0.500	3.90	<100
RW3A	01/19/07	<0.500	<0.500	<10.0	<0.500	1.30	1.55	<50.0
RW3A	04/24/07	<0.500	<0.500	<10.0	<0.500	<0.500	1.61	<50.0
RW3A	07/24/07	<0.50	<0.50	<5.0	<0.50	<0.50	3.1	<100
RW3A	12/03/07	<0.50	<0.50	30	<0.50	<0.50	7.5	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 7 of 7)


Notes:	=	
TOC	=	Top of casing elevation; datum is mean sea level.
SUBJ	=	Results of subjective evaluation.
NLPH	=	No liquid-phase hydrocarbons present in well.
sheen	=	Liquid-phase hydrocarbon present as sheen.
in.	=	Inches of floating product.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-Dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-Dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
---	=	Not measured/Not sampled/Not analyzed.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	=	Elevated result due to single analyte peak in quantitation range.
h	=	Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	=	Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	=	Benchmark is City of Oakland #37.J.
h	=	Sample container broken in shipment. Analyses not performed.
i	=	Analyte detected in associated method blank.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 1)

Well ID	Date Well Installed	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (fbgs)	Well Depth (fbgs)	Well Casing Diameter (inches)	Well Casing Material	Screened Interval (fbgs)	Slot Size (inches)	Filter Pack Interval (fbgs)	Filter Pack Material
MW6A	Well destroyed in 1992.										
MW6B	June 1988	21.09	8	20	19	2	PVC	9-19	0.020	7-20	#3 Sand
MW6C	Well converted to groundwater recovery well RW3 in 1990.										
MW6D	Well converted to groundwater recovery well RW2 in 1990.										
MW6E	10/04/88	21.24	10.5	21.5	20.5	4	PVC	10-19.5	0.020	8-21.5	#3 Sand
MW6F	10/05/88	22.17	10.5	22	20	4	PVC	10-19.5	0.020	8-22	#3 Sand
MW6G	11/16/88	20.46	8	20	20	4	PVC	10-19.5	0.020	8-20	#3 Sand
MW6H	11/16/88	20.20	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6I	11/17/88	19.87	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6J	04/06/01	20.75	8	23	23	2	PVC	6-23	0.020	6-23	#2/12 Sand
RW1	05/10/90	20.43	12	25	25	4	PVC	9.5-24.5	0.020	8.5-25	#3 Sand
RW2	07/06/88	20.64	12	25	25	4	PVC	9.5-24.5	0.020	9.5-25	#3 Sand
RW3	Well destroyed in 1991 and replaced with well RW3A in 1992.										
RW3A	08/24/92	21.89	12	21.5	21.5	4	PVC	9-21	0.020	8-21.5	#3 Sand
VW1	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW2	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW3	08/24/92	NS	12	13.5	13.5	4	PVC	4-13.5	0.050	4-13.5	Aquarium Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- fbgs = Feet below ground surface.
- PVC = Polyvinyl chloride.
- NS = Not specified.




3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS 550 ft Scale: 1:19,200 Detail: 13-0 Datum: WGS84


FN 2229Topo

J:\2229\2229 Topo.Dwg, mkjones

EXPLANATION



APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads



SITE VICINITY MAP

FORMER EXXON SERVICE STATION 70235
2225 Telegraph Avenue
Oakland, California

PROJECT NO.	2229
PLATE	1

Analyte Concentrations in ug/L
 Sampled December 3, 2007

1,800 Total Petroleum Hydrocarbons
 as gasoline
420 Benzene
51 Methyl Tertiary Butyl Ether
 (EPA Method 8260B)

< Less Than the Stated Laboratory
 Reporting Limit


ug/L Micrograms per Liter

NS Not Sampled

g Elevated result due to single
 analyte peak in quantitation
 range.



APPROXIMATE SCALE



J:\2229\QM\2007\07 4QTR QM.dwg, mkjones

FN 2229004a_QM

SELECT ANALYTICAL RESULTS
December 3, 2007
 FORMER
 EXXON SERVICE STATION 70235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION

- MW6J
 Groundwater Monitoring Well
- RW3A
 Recovery Groundwater Monitoring Well


PROJECT NO.

2229


PLATE

2





GROUNDWATER FLOW DIRECTION ROSE DIAGRAM
 Second Quarter 2003–Fourth Quarter 2007.



J:\2229\QM\2007\07 4QTR QM.dwg. mkjones
 FN 2229004a_QM

8.8 ---- Line of Equal Groundwater Elevation;
 datum is mean sea level

GROUNDWATER ELEVATION MAP
December 3, 2007
 FORMER
 EXXON SERVICE STATION 70235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION

- MW6J
- Groundwater Monitoring Well
- 7.04 Groundwater elevation in feet;
datum is mean sea level
- RW3A
- Recovery Groundwater Monitoring Well

PROJECT NO.
 2229
PLATE
 3



ATTACHMENT A
GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h (7.48)$ where:

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

ATTACHMENT B

**LABORATORY ANALYTICAL REPORT
AND CHAIN-OF-CUSTODY RECORD**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.testamericainc.com

18 December, 2007

Paula Sime
Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma, CA 94954



RE: Exxon 7-0235
Work Order: MQL0119

Enclosed are the results of analyses for samples received by the laboratory on 12/04/07 18:30. The samples arrived at a temperature of 2° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to be "Tim Rhiney". The signature is fluid and cursive, with a long horizontal stroke at the end.

Tim Rhiney
Project Manager

CA ELAP Certificate #1210

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
QCBB	MQL0119-01	Water	12/03/07 15:50	12/04/07 18:30
MW6B	MQL0119-02	Water	12/03/07 14:46	12/04/07 18:30
MW6E	MQL0119-03	Water	12/03/07 11:38	12/04/07 18:30
MW6G	MQL0119-04	Water	12/03/07 12:38	12/04/07 18:30
MW6H	MQL0119-05	Water	12/03/07 15:12	12/04/07 18:30
MW6J	MQL0119-06	Water	12/03/07 09:50	12/04/07 18:30
RW1	MQL0119-07	Water	12/03/07 15:31	12/04/07 18:30
RW2	MQL0119-08	Water	12/03/07 11:57	12/04/07 18:30
RW3A	MQL0119-09	Water	12/03/07 13:13	12/04/07 18:30
MW6I	MQL0119-10	Water	12/03/07 10:34	12/04/07 18:30

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0235 Project Number: 7-0235 Project Manager: Paula Sime	MQL0119 Reported: 12/18/07 10:30
---	--	---

MW6B (MQL0119-02) Water Sampled: 12/03/07 14:46 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	64	50	ug/l	1	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	
Benzene	2.5	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		111 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		107 %		75-125	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	ND	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	47	"	"	"	"	"	"	
<i>Surrogate: n-Octacosane</i>		64 %		40-120	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/09/07	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	2.8	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		102 %		75-130	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		107 %		60-150	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		98 %		75-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		95 %		55-130	"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

MW6E (MQL0119-03) Water Sampled: 12/03/07 11:38 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		115 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		98 %		75-125	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	ND	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	47	"	"	"	"	"	"	
Surrogate: <i>n</i> -Octacosane		59 %		40-120	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/09/07	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		98 %		75-130	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		110 %		60-150	"	"	"	"	
Surrogate: Toluene-d8		95 %		75-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		87 %		55-130	"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MLQ0119
Reported:
12/18/07 10:30

MW6G (MLQ0119-04) Water Sampled: 12/03/07 12:38 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a</i> -Trifluorotoluene		112 %	85-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		96 %	75-125		"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	ND	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	47	"	"	"	"	"	"	
Surrogate: <i>n</i> -Octacosane		70 %	40-120		"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/09/07	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	0.88	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		101 %	75-130		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		113 %	60-150		"	"	"	"	
Surrogate: Toluene-d8		93 %	75-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		87 %	55-130		"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

MW6H (MQL0119-05) Water Sampled: 12/03/07 15:12 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	1800	500	ug/l	10	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	
Benzene	420	5.0	"	"	"	"	"	"	
Toluene	14	5.0	"	"	"	"	"	"	
Ethylbenzene	8.3	5.0	"	"	"	"	"	"	
Xylenes (total)	33	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>104 %</i>		<i>85-120</i>	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>102 %</i>		<i>75-125</i>	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	ND	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	140	47	"	"	"	"	"	"	Q1
<i>Surrogate: n-Octacosane</i>		<i>68 %</i>		<i>40-120</i>	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/09/07	EPA 8260B	
tert-Butyl alcohol	150	10	"	"	"	"	"	"	
Di-isopropyl ether	7.0	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	51	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		<i>110 %</i>		<i>75-130</i>	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		<i>113 %</i>		<i>60-150</i>	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		<i>99 %</i>		<i>75-120</i>	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>96 %</i>		<i>55-130</i>	"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MLQ0119
Reported:
12/18/07 10:30

MW6J (MLQ0119-06) Water Sampled: 12/03/07 09:50 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		113 %	85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		97 %	75-125	"	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	ND	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	47	"	"	"	"	"	"	
Surrogate: <i>n</i> -Octacosane		77 %	40-120	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/09/07	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	1.8	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	29	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		106 %	75-130	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		108 %	60-150	"	"	"	"	"	
Surrogate: Toluene-d8		92 %	75-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		88 %	55-130	"	"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

RW1 (MQL0119-07) Water Sampled: 12/03/07 15:31 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	400	50	ug/l	1	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	
Benzene	18	0.50	"	"	"	"	"	"	
Toluene	1.4	0.50	"	"	"	"	"	"	
Ethylbenzene	1.6	0.50	"	"	"	"	"	"	RI
Xylenes (total)	1.8	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>93 %</i>		<i>85-120</i>	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>117 %</i>		<i>75-125</i>	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	1700	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	Q1
Diesel Range Organics (C10-C28)	1100	47	"	"	"	"	"	"	Q1
<i>Surrogate: n-Octacosane</i>		<i>173 %</i>		<i>40-120</i>	"	"	"	"	Z1

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/09/07	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	12	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		<i>104 %</i>		<i>75-130</i>	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		<i>112 %</i>		<i>60-150</i>	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		<i>100 %</i>		<i>75-120</i>	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>94 %</i>		<i>55-130</i>	"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0235 Project Number: 7-0235 Project Manager: Paula Sime	MLQ0119 Reported: 12/18/07 10:30
---	--	--

RW2 (MLQ0119-08) Water Sampled: 12/03/07 11:57 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	460	250	ug/l	5	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	
Benzene	7.5	2.5	"	"	"	"	"	"	
Toluene	ND	2.5	"	"	"	"	"	"	
Ethylbenzene	ND	2.5	"	"	"	"	"	"	
Xylenes (total)	ND	2.5	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>106 %</i>		<i>85-120</i>					
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>179 %</i>		<i>75-125</i>					ZX

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	660	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	Q1
Diesel Range Organics (C10-C28)	660	47	"	"	"	"	"	"	Q1
<i>Surrogate: n-Octacosane</i>		<i>91 %</i>		<i>40-120</i>					

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/09/07	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	6.8	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		<i>103 %</i>		<i>75-130</i>					
<i>Surrogate: 1,2-Dichloroethane-d4</i>		<i>114 %</i>		<i>60-150</i>					
<i>Surrogate: Toluene-d8</i>		<i>99 %</i>		<i>75-120</i>					
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>118 %</i>		<i>55-130</i>					

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

RW3A (MQL0119-09) Water Sampled: 12/03/07 13:13 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	1200	1000	ug/l	20	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	QP
Benzene	700	10	"	"	"	"	"	"	
Toluene	ND	10	"	"	"	"	"	"	
Ethylbenzene	ND	10	"	"	"	"	"	"	
Xylenes (total)	13	10	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		106 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		110 %		75-125	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	ND	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	61	47	"	"	"	"	"	"	Q1
Surrogate: <i>n</i> -Octacosane		72 %		40-120	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/09/07	EPA 8260B	
tert-Butyl alcohol	30	10	"	"	"	"	"	"	
Di-isopropyl ether	7.5	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	12	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		99 %		75-130	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		109 %		60-150	"	"	"	"	
Surrogate: Toluene-d8		93 %		75-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		96 %		55-130	"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

MW61 (MQL0119-10) Water Sampled: 12/03/07 10:34 Received: 12/04/07 18:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	7L11010	12/11/07	12/11/07	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		113 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		98 %		75-125	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Motor Oil (C16-C36)	ND	470	ug/l	1	7L07012	12/07/07	12/07/07	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	47	"	"	"	"	"	"	
Surrogate: <i>n</i> -Octacosane		66 %		40-120	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7L08010	12/07/07	12/08/07	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		106 %		75-130	"	"	"	"	
Surrogate: 1,2-Dichloroethane- <i>d</i> 4		113 %		60-150	"	"	"	"	
Surrogate: Toluene- <i>d</i> 8		96 %		75-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		90 %		55-130	"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MLQ0119
Reported:
12/18/07 10:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 7L11010 - EPA 5030B [P/T]

Blank (7L11010-BLK1) Prepared & Analyzed: 12/11/07										
Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.28	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.37	"							
Surrogate: a,a,a-Trifluorotoluene	45.0		"	40.0		112	85-120			
Surrogate: 4-Bromofluorobenzene	38.7		"	40.0		97	75-125			

LCS (7L11010-BS1) Prepared & Analyzed: 12/11/07										
Benzene	11.0	0.50	ug/l	10.0		110	70-130			
Toluene	11.1	0.50	"	10.0		111	70-130			
Ethylbenzene	11.2	0.50	"	10.0		112	70-130			
Xylenes (total)	33.2	0.50	"	30.0		111	70-130			
Surrogate: a,a,a-Trifluorotoluene	44.1		"	40.0		110	85-120			

LCS (7L11010-BS2) Prepared & Analyzed: 12/11/07										
Gasoline Range Organics (C4-C12)	251	50	ug/l	275		91	70-130			
Surrogate: 4-Bromofluorobenzene	41.4		"	40.0		104	75-125			

LCS Dup (7L11010-BSD2) Prepared & Analyzed: 12/11/07										
Gasoline Range Organics (C4-C12)	252	50	ug/l	275		92	70-130	0.5	25	
Surrogate: 4-Bromofluorobenzene	41.6		"	40.0		104	75-125			

Matrix Spike (7L11010-MS1) Source: MLQ0119-03 Prepared & Analyzed: 12/11/07										
Gasoline Range Organics (C4-C12)	102	50	ug/l	91.0	ND	112	70-130			
Benzene	11.4	0.50	"	10.0	ND	114	70-130			
Toluene	11.5	0.50	"	10.0	ND	115	70-130			
Ethylbenzene	11.5	0.50	"	10.0	ND	115	70-130			
Xylenes (total)	34.4	0.50	"	30.0	ND	115	70-130			
Surrogate: a,a,a-Trifluorotoluene	45.2		"	40.0		113	85-120			
Surrogate: 4-Bromofluorobenzene	38.9		"	40.0		97	75-125			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MLQ0119
Reported:
12/18/07 10:30

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 7L11010 - EPA 5030B [P/T]

Matrix Spike Dup (7L11010-MSD1) **Source: MLQ0119-03** Prepared & Analyzed: 12/11/07

Gasoline Range Organics (C4-C12)	96.5	50	ug/l	91.0	ND	106	70-130	6	25	
Benzene	10.7	0.50	"	10.0	ND	107	70-130	7	25	
Toluene	10.7	0.50	"	10.0	ND	107	70-130	7	25	
Ethylbenzene	10.8	0.50	"	10.0	ND	108	70-130	7	25	
Xylenes (total)	32.2	0.50	"	30.0	ND	107	70-130	7	25	
Surrogate: a,a,a-Trifluorotoluene	45.1		"	40.0		113	85-120			
Surrogate: 4-Bromofluorobenzene	39.0		"	40.0		98	75-125			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 7L07012 - EPA 3510C

Blank (7L07012-BLK1)

Prepared & Analyzed: 12/07/07

Motor Oil (C16-C36)	ND	250	ug/l							
Diesel Range Organics (C10-C28)	40.08506	25	"							
Surrogate: n-Octacosane	46.6		"	50.0		93	40-120			

LCS (7L07012-BS1)

Prepared & Analyzed: 12/07/07

Diesel Range Organics (C10-C28)	332	50	ug/l	500		66	20-120			
Surrogate: n-Octacosane	37.7		"	50.0		75	40-120			

LCS Dup (7L07012-BSD1)

Prepared & Analyzed: 12/07/07

Diesel Range Organics (C10-C28)	337	50	ug/l	500		67	20-120	1	25	
Surrogate: n-Octacosane	40.3		"	50.0		81	40-120			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 7L08010 - EPA 5030B P/T

Blank (7L08010-BLK1)

Prepared & Analyzed: 12/08/07

tert-Amyl methyl ether	ND	0.25	ug/l							
tert-Amyl methyl ether	ND	0.25	"							
tert-Butyl alcohol	ND	5	"							
tert-Butyl alcohol	ND	5	"							
Di-isopropyl ether	ND	0.25	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethanol	ND	50	"							
Ethyl tert-butyl ether	ND	0.40	"							
Ethyl tert-butyl ether	ND	0.40	"							
Methyl tert-butyl ether	ND	0.25	"							
Methyl tert-butyl ether	ND	0.25	"							
<hr/>										
Surrogate: Dibromofluoromethane	2.40		"	2.50		96	75-130			
Surrogate: Dibromofluoromethane	2.40		"	2.50		96	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.46		"	2.50		98	60-150			
Surrogate: 1,2-Dichloroethane-d4	2.46		"	2.50		98	60-150			
Surrogate: Toluene-d8	2.32		"	2.50		93	75-120			
Surrogate: Toluene-d8	2.32		"	2.50		93	75-120			
Surrogate: 4-Bromofluorobenzene	2.28		"	2.50		91	55-130			
Surrogate: 4-Bromofluorobenzene	2.28		"	2.50		91	55-130			

LCS (7L08010-BS1)

Prepared & Analyzed: 12/08/07

tert-Amyl methyl ether	10.9	0.50	ug/l	10.0		109	70-130			
tert-Amyl methyl ether	10.9	0.50	"	10.0		109	70-130			
tert-Butyl alcohol	179	10	"	200		90	70-130			
tert-Butyl alcohol	179	10	"	200		90	70-130			
Di-isopropyl ether	9.60	0.50	"	10.0		96	70-130			
Di-isopropyl ether	9.60	0.50	"	10.0		96	70-130			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7L08010 - EPA 5030B P/T

Prepared & Analyzed: 12/08/07										
LCS (7L08010-BS1)										
1,2-Dibromoethane (EDB)	10.4	0.50	ug/l	10.0		104	70-130			
1,2-Dibromoethane (EDB)	10.4	0.50	"	10.0		104	70-130			
1,2-Dichloroethane	10.3	0.50	"	10.0		103	70-130			
1,2-Dichloroethane	10.3	0.50	"	10.0		103	70-130			
Ethanol	192	100	"	200		96	70-130			
Ethyl tert-butyl ether	10.4	0.50	"	10.0		104	70-130			
Ethyl tert-butyl ether	10.4	0.50	"	10.0		104	70-130			
Methyl tert-butyl ether	9.93	0.50	"	10.0		99	70-130			
Methyl tert-butyl ether	9.93	0.50	"	10.0		99	70-130			

Surrogate: Dibromofluoromethane	2.37		"	2.50		95	75-130			
Surrogate: Dibromofluoromethane	2.37		"	2.50		95	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.40		"	2.50		96	60-150			
Surrogate: 1,2-Dichloroethane-d4	2.40		"	2.50		96	60-150			
Surrogate: Toluene-d8	2.44		"	2.50		98	75-120			
Surrogate: Toluene-d8	2.44		"	2.50		98	75-120			
Surrogate: 4-Bromofluorobenzene	2.41		"	2.50		96	55-130			
Surrogate: 4-Bromofluorobenzene	2.41		"	2.50		96	55-130			

Source: MQL0119-10 Prepared: 12/08/07 Analyzed: 12/09/07										
tert-Amyl methyl ether	13.3	0.50	ug/l	10.0	ND	133	70-130			M7
tert-Amyl methyl ether	13.3	0.50	"	10.0	ND	133	70-130			M7
tert-Butyl alcohol	211	10	"	200	ND	106	70-130			
tert-Butyl alcohol	211	10	"	200	ND	106	70-130			
Di-isopropyl ether	12.1	0.50	"	10.0	ND	121	70-130			
Di-isopropyl ether	12.1	0.50	"	10.0	ND	121	70-130			
1,2-Dibromoethane (EDB)	12.7	0.50	"	10.0	ND	127	70-130			
1,2-Dibromoethane (EDB)	12.7	0.50	"	10.0	ND	127	70-130			
1,2-Dichloroethane	12.8	0.50	"	10.0	ND	128	70-130			
1,2-Dichloroethane	12.8	0.50	"	10.0	ND	128	70-130			
Ethanol	224	100	"	200	ND	112	70-130			
Ethyl tert-butyl ether	13.1	0.50	"	10.0	ND	131	70-130			M7

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 7L08010 - EPA 5030B P/T										
Matrix Spike (7L08010-MS1)										
		Source: MQL0119-10			Prepared: 12/08/07		Analyzed: 12/09/07			
Ethyl tert-butyl ether	13.1	0.50	ug/l	10.0	ND	131	70-130			M7
Methyl tert-butyl ether	12.7	0.50	"	10.0	ND	127	70-130			
Methyl tert-butyl ether	12.7	0.50	"	10.0	ND	127	70-130			
<i>Surrogate: Dibromofluoromethane</i>	2.66		"	2.50		106	75-130			
<i>Surrogate: Dibromofluoromethane</i>	2.66		"	2.50		106	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.65		"	2.50		106	60-150			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.65		"	2.50		106	60-150			
<i>Surrogate: Toluene-d8</i>	2.39		"	2.50		96	75-120			
<i>Surrogate: Toluene-d8</i>	2.39		"	2.50		96	75-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.41		"	2.50		96	55-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.41		"	2.50		96	55-130			
Matrix Spike Dup (7L08010-MSD1)										
		Source: MQL0119-10			Prepared: 12/08/07		Analyzed: 12/09/07			
tert-Amyl methyl ether	12.8	0.50	ug/l	10.0	ND	128	70-130	4	25	
tert-Amyl methyl ether	12.8	0.50	"	10.0	ND	128	70-130	4	25	
tert-Butyl alcohol	208	10	"	200	ND	104	70-130	1	25	
tert-Butyl alcohol	208	10	"	200	ND	104	70-130	1	25	
Di-isopropyl ether	12.1	0.50	"	10.0	ND	121	70-130	0.2	25	
Di-isopropyl ether	12.1	0.50	"	10.0	ND	121	70-130	0.2	25	
1,2-Dibromoethane (EDB)	12.3	0.50	"	10.0	ND	123	70-130	3	25	
1,2-Dibromoethane (EDB)	12.3	0.50	"	10.0	ND	123	70-130	3	25	
1,2-Dichloroethane	12.8	0.50	"	10.0	ND	128	70-130	0	25	
1,2-Dichloroethane	12.8	0.50	"	10.0	ND	128	70-130	0	25	
Ethanol	217	100	"	200	ND	109	70-130	3	25	
Ethyl tert-butyl ether	13.0	0.50	"	10.0	ND	130	70-130	1	25	
Ethyl tert-butyl ether	13.0	0.50	"	10.0	ND	130	70-130	1	25	
Methyl tert-butyl ether	12.4	0.50	"	10.0	ND	124	70-130	2	25	
Methyl tert-butyl ether	12.4	0.50	"	10.0	ND	124	70-130	2	25	
<i>Surrogate: Dibromofluoromethane</i>	2.60		"	2.50		104	75-130			
<i>Surrogate: Dibromofluoromethane</i>	2.60		"	2.50		104	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.66		"	2.50		106	60-150			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.66		"	2.50		106	60-150			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 7L08010 - EPA 5030B P/T

Matrix Spike Dup (7L08010-MSD1) **Source: MQL0119-10** **Prepared: 12/08/07** **Analyzed: 12/09/07**

Surrogate: Toluene-d8	2.48		ug/l	2.50		99	75-120			
Surrogate: Toluene-d8	2.48		"	2.50		99	75-120			
Surrogate: 4-Bromofluorobenzene	2.45		"	2.50		98	55-130			
Surrogate: 4-Bromofluorobenzene	2.45		"	2.50		98	55-130			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MQL0119
Reported:
12/18/07 10:30

Notes and Definitions

ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

Z1 Surrogate recovery was above acceptance limits.

R1 The RPD between the primary and confirmatory analysis exceeded 40%. Per method 8000B, the higher value was reported.

QP Hydrocarbon result partly due to individual peak(s) in quantitation range.

Q1 Does not match typical pattern

M7 The MS and/or MSD were above the acceptance limits. See Blank Spike (LCS).

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported


dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

CHAIN OF CUSTODY RECORD



408-776-9600
Morgan Hill Division
885 Jarvis Drive
Morgan Hill, CA 95037



Consultant Name: Environmental Resolutions, Inc.

Address: 601 North McDowell Blvd.

City/State/Zip: Petaluma, California 94954

Project Manager: Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 222913X

Sampler Name: (Print) Shawn Baker

Sampler Signature: [Signature]

ExxonMobil Engineer Jennifer Sedlachek

Telephone Number (510) 547-8196

Account #: 3876

PO #: 4508212217

Facility ID # 70235

Global ID# T0600101354

Site Address 2225 Telegraph Avenue

City, State Zip Oakland, California

Shipping Method: Lab Courier Hand Deliver Commercial Express Other:

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions: 7 CA Oxys = MTBE, TBA, TAME, ETBE, DIPE, 1,2-DCA, EDB. Use silica gel cleanup for all TPHd analyses. Set TBA detection limit <12 ug/L. MQL0119					Matrix			Analyze For:						
		DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHd 8015B	TPHg 8015B	TPH motor oil 8015B	BTEX 8021B	7 CA Oxys 8260B	Ethanol 8260B
		12-3-07	1550			HCL	2 VOAs	X				H	O	L	D	
		1	1446			HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	
			1138			HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	
						HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	
			1238			HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	X
			1512			HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	X
			0950			HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	
			1531			HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	X
			1157			HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	
			1313			HCL	8 VOAs/ 2 AMBs	X			X	X	X	X	X	X

01
02
03
04
05
06
07
08
09

Relinquished by: [Signature] Date 12-3-07 Time 1810 Received by: [Signature] (TAMH) 12/4/07 Time 1830
Relinquished by: [Signature] Date 12-4-07 Time 1830 Received by TestAmerica: [Signature] 12/4/07 Time 1830

Laboratory Comments:
Temperature Upon Receipt: 2.0°C
Sample Containers Intact? Y
VOAs Free of Headpace? Y

PROBLEM CHAIN-OF-CUSTODY

MOLOTIG

DATE/TIME 12/04/07

DATE RECEIVED 12/04/07

CLIENT ERI

TURN AROUND TIME Std

CLIENT SERVICES REP Tim R.

ANALYST Andy

PROBLEM

① Recieved extra samples MW 6I. See Receipt log

RESOLUTION

Client Instruction* ① Please add samples MW 6I to the COC
per client Dave Daniels, Add all test codes...

Telephone Number of Client: 707-766-2000

Client Contact for Instruction: Dave Daniels

Date and Time of Instruction: 12/5/07 - 8:50

Date & Time Form Given to Sample Control: ↓

CLIENT SERVICES REP. SIGNATURE: [Signature]

DATE/TIME: 12/5/07 - 8:50

*If client does not return call within 24 hours, please route this form to the Laboratory Director.

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: ERI
 REC. BY (PRINT) A.M.
 WORKORDER: MQL0119

DATE REC'D AT LAB: 12/04/07
 TIME REC'D AT LAB: # 1830
 DATE LOGGED IN: 12/5/07

For Regulatory Purposes?
 DRINKING WATER
 WASTE WATER
 OTHER

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / Absent Intact / Broken*	01	QCBB	2 VOAS	HCl	-	W	12/03/07	1550
	02	MW6B	BVOA	↓	↓	↓	↓	1446
2. Chain-of-Custody Present / Absent*		↓	20 Amber	-	↓	↓	↓	
3. Traffic Reports or Packing List: Present / Absent	03	MW6E	SAME	SAME	↓	↓	↓	1138
	04	MW6G	↓	↓	↓	↓	↓	1238
4. Airbill: Airbill / Sticker Present / Absent	05	MW6H	↓	↓	↓	↓	↓	1512
	06	MW6J	↓	↓	↓	↓	↓	0950
5. Airbill #: _____	07	RW 1	↓	↓	↓	↓	↓	1531
6. Sample Labels: Present / Absent	08	RW 2	↓	↓	↓	↓	↓	1157
7. Sample IDs: Listed / Not Listed on Chain-of-Custody	09	RW 3A	↓	↓	↓	↓	↓	1313
	10	MW6I	↓	↓	↓	↓	↓	@ 10:34
8. Sample Condition: Intact / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree? Yes / No*								
10. Sample received within hold time? Yes / No*								
11. Adequate sample volume received? Yes / No*								
12. Proper preservatives used? Yes / No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes / No*								
14. Read Temp: <u>30°C</u> Correction Factor: <u>-1.0°C</u> Corrected Temp: <u>29°C</u> Is corrected temp. 0-6°C? Yes / No**								

AM 12/04/07

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

ATTACHMENT C
WASTE DISPOSAL DOCUMENTATION

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. ERD7-0235	2. Page 1 of 1
3. Generator's Name and Mailing Address EXXON MOBIL Torrance, CA		2225 TELEGRAPH OAKLAND, CA		ERI-US-2229	
4. Generator's Phone ()		7-0235			
5. Transporter 1 Company Name ERI		6. US EPA ID Number		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 707-766-2024	
9. Designated Facility Name and Site Address ISI 1105 AIRPORT RD RIO VISTA, CA		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone 707-374-3834	
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity
			No.	Type	14. Unit WL/Vol.
a. NON-HAZ PURGE WATER			1	POLY	108 GAL
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above CLEAR, NO ODOORS/SOLIDS			H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information					
NON-HAZARDOUS WASTE					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name				Date	
Signature				Month	Day Year
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Month	Day Year
Signature				Month	Day Year
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name Shawn Baker				Month	Day Year
Signature <i>[Signature]</i>				Month	Day Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name IS1 MICHAEL WHITEHEAD				Date	
Signature <i>[Signature]</i>				Month	Day Year
				Month	Day Year

NON-HAZARDOUS WASTE