

ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510.547.8196 Telephone
510.547.8706 Facsimile
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek
Project Manager

ExxonMobil

May 12, 2017

RECEIVED

By Alameda County Environmental Health 3:02 pm, May 12, 2017

Mr. Keith Nowell
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70235/2225 Telegraph Avenue, Oakland California.

Dear Mr. Nowell:

Attached for your review and comment is a copy of the letter report entitled *Semi-Annual Groundwater Monitoring Report, First Quarter 2017*, dated May 12, 2017 for the above-referenced site. The report was prepared by Cardno of Petaluma, California, and details activities at the subject site.

I have read and acknowledge the content, recommendations and/or conclusions contained in the attached document or report submitted on my behalf to ACDEH's FTP server and the SWRCB's GeoTracker website.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: Cardno's *Semi-Annual Groundwater Monitoring Report, First Quarter 2017*, dated May 12, 2017

cc: w/ attachment
Mr. Shay Wideman, The Valero Companies, Environmental Liability Management

w/o attachment
Mr. Scott Perkins, Cardno



May 12, 2017
Cardno 2229C.Q171

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611

Cardno

601 N. McDowell Boulevard
Petaluma, CA 94954
USA

Phone: +1 800 382 9105
Fax: +1 707 789 0414
Contractor: #997036

www.cardno.com

SUBJECT **Semi-Annual Groundwater Monitoring Report, First Quarter 2017**
Former Exxon Service Station 70235
2225 Telegraph Avenue, Oakland, California

Alameda County RO #358

INTRODUCTION

At the request of ExxonMobil Environmental Services (EMES), on behalf of Exxon Mobil Corporation, Cardno is submitting this report detailing first quarter 2017 groundwater monitoring and sampling activities at the site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site is an active Valero service station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

| | |
|----------------------------------|--|
| Gauging date: | 03/06/17 |
| Sampling date: | 03/07/17 |
| Wells gauged and sampled: | MW6B, MW6E, MW6G, MW6H, MW6J, MW6Ka, MW6Kb, MW6La, MW6Lb, RW1, RW2, RW3A |
| Wells gauged only: | MW6F, MW6I |
| Presence of NAPL: | Not observed |
| Laboratory: | Eurofins Calscience, Inc., Garden Grove, California |
| Analyses performed: | EPA Method 8015B TPHg EPA Method 8021B BTEX EPA Method 8260B MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE, Ethanol (select wells) |
| Waste disposal: | 205 gallons of purge and decon water delivered to InStrat, Inc., of Rio Vista, California, on 03/10/17 |

REMEDIAL ACTIVITIES SUMMARY

Prior to 1990, a GWPTS operated at the site under the ownership of Texaco. The GWPTS was shut down in 1990 and replaced with an SVE system, which operated from approximately 1991 to 1996. The SVE system was shut down when ownership of the site transferred from Texaco to Exxon Company, U.S.A. in 1996. The GWPTS and SVE system are no longer at the site.

In January 2014, Cardno ERI conducted feasibility testing to evaluate the feasibility of AS/DPE as a remedial technology to reduce petroleum hydrocarbons in soil and groundwater in the vicinity of the USTs and dispenser islands. Approximately 25.7 pounds of TPHg were removed during a 24-hour period (Cardno ERI, 2014a).

Site data indicated that remaining residual and dissolved-phase petroleum hydrocarbons were located in the northeast corner of the site in the vicinity of the USTs and dispenser islands. The results of the feasibility testing and groundwater monitoring and sampling conducted in first quarter 2014 indicated that AS/DPE might be an effective remedial technology to remove petroleum hydrocarbons from the northeastern portion of the site; therefore, Cardno ERI proposed performing additional extraction events to assess concentrations and mass removal over time (Cardno ERI, 2014b).

During third quarter 2014, Cardno ERI conducted a five-day (42-hour) HIT event to evaluate hydrocarbon removal and air flow rates. Approximately 36 pounds of TPHg were removed during the event (Cardno ERI, 2014c).

During August 2016, Cardno conducted a HIT event using a mobile DPE system to extract soil vapor and groundwater from wells northeast of the current USTs and dispenser islands where maximum site concentrations have been reported. Approximately 436 pounds of TPHg and 2 pounds of benzene were removed during the event (Cardno, 2016).

RESULTS AND CONCLUSIONS

Groundwater elevations increased at the site from those measured during third quarter 2016. The groundwater flow direction was towards the southeast, consistent with historical results.

Wells MW6Ka and MW6La (screened from 11 to 13 feet bgs) had enough water to sample for the second time since the wells were installed in 2013. The wells were first sampled in first quarter 2016. Concentrations in well MW6Ka were consistent with the previous result while concentrations in well MW6La decreased. Maximum concentrations were reported in well MW16Ka (screened from 11 to 13 feet bgs).

Slight (approximately 1 foot) changes in groundwater elevations at the site have been associated with significant changes in dissolved-phase concentrations, with lower elevations in the third quarter associated with lower concentrations and higher elevations in the first quarter associated with higher concentrations. With the exception of well MW6La, first quarter 2017 concentrations were higher than third quarter 2016 concentrations and consistent with recent historical first quarter concentrations. The concentrations were primarily limited to the northeast corner of the site, which continues to operate as a service station.

RECOMMENDATIONS

Cardno recommends performing an additional short-term (two to four weeks) remediation event using mobile equipment and continued semi-annual groundwater monitoring and sampling as detailed in the attached schedule (Table 3).

LIMITATIONS

For documents cited that were not generated by Cardno, the data taken from those documents is used "as is" and is assumed to be accurate. Cardno does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these documents.

May 12, 2017
Cardno 2229C.Q171 Former Exxon Service Station 70235, Oakland, California

This document and the work performed have been undertaken in good faith, with due diligence and with the expertise, experience, capability, and specialized knowledge necessary to perform the work in a good and workmanlike manner and within all accepted standards pertaining to providers of environmental services in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please contact Mr. Scott Perkins, Cardno's project manager for this site, at (707) 766-2000 or at scott.perkins@cardno.com with any questions regarding this report.

Sincerely,

Christine M. Capwell
SCANNED
IMAGE

Christine M. Capwell
Senior Technical Editor
for Cardno
707 766 2000
Email: christine.capwell@cardno.com

David R. Daniels
SCANNED
IMAGE

David R. Daniels
P.G. 8737
for Cardno
707 766 2000
Email: david.daniels@cardno.com



Enclosures:

References
Acronym List

Plate 1 Site Vicinity Map
Plate 2 Select Analytical Results
Plate 3 Groundwater Elevation Map

Table 1A Cumulative Groundwater Monitoring and Sampling Data
Table 1B Additional Cumulative Groundwater Monitoring and Sampling Data
Table 1C Additional Cumulative Groundwater Monitoring and Sampling Data - Metals
Table 2 Well Construction Details
Table 3 Groundwater Monitoring Plan

Appendix A Protocols
Appendix B Field Data Sheets
Appendix C Laboratory Analytical Report
Appendix D Waste Disposal Documentation

cc: Mr. Keith Nowell, Alameda County Health Care Services Agency, Department of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, California, 94502-6577

Mr. Shay Wideman, The Valero Companies, Environmental Liability Management, P.O. Box 696000, San Antonio, Texas, 78269

May 12, 2017

Cardno 2229C.Q171 Former Exxon Service Station 70235, Oakland, California

REFERENCES

Cardno. October 25, 2016. *High-Intensity Targeted Event Results, Former Exxon Service Station 70235, 2225 Telegraph Avenue, Oakland, California.*

Cardno ERI. February 26, 2014a. *AS/DPE Feasibility Test Report, Former Exxon Service Station 70235, 2225 Telegraph Avenue, Oakland, California.*


Cardno ERI. March 12, 2014b. *Semi-Annual Groundwater Monitoring Report, First Quarter 2014, Former Exxon Service Station 70235, 2225 Telegraph Avenue, Oakland, California.*

Cardno ERI. September 25, 2014c. *Semi-Annual Groundwater Monitoring Report, Third Quarter 2014, Former Exxon Service Station 70235, 2225 Telegraph Avenue, Oakland, California.*

May 12, 2017
 Cardno 2229C.Q171 Former Exxon Service Station 70235, Oakland, California

ACRONYM LIST


| | | | |
|-------------------|---|-------|---|
| µg/L | Micrograms per liter | NAPL | Non-aqueous phase liquid |
| µg/m ³ | Micrograms per cubic meter | NEPA | National Environmental Policy Act |
| µs | Microsiemens | NGVD | National Geodetic Vertical Datum |
| 1,2-DCA | 1,2-dichloroethane | NPDES | National Pollutant Discharge Elimination System |
| acfm | Actual cubic feet per minute | O&M | Operations and Maintenance |
| AS | Air sparge | ORP | Oxidation-reduction potential |
| AST | Aboveground storage tank | OSHA | Occupational Safety and Health Administration |
| bgs | Below ground surface | OVA | Organic vapor analyzer |
| BTEX | Benzene, toluene, ethylbenzene, and total xylenes | P&ID | Process and Instrumentation Diagram |
| cfm | Cubic feet per minute | PAH | Polycyclic aromatic (or polyaromatic) hydrocarbon |
| COC | Chain-of-Custody | PCB | Polychlorinated biphenyl |
| CPT | Cone Penetration (Penetrometer) Test | PCE | Tetrachloroethene or perchloroethylene |
| DIPE | Di-isopropyl ether | PID | Photo-ionization detector |
| DO | Dissolved oxygen | PLC | Programmable logic control |
| DOT | Department of Transportation | POTW | Publicly-owned treatment works |
| DPE | Dual-phase extraction | ppmv | Parts per million by volume |
| DTW | Depth to water | PQL | Practical quantitation limit |
| EDB | 1,2-dibromoethane | psi | Pounds per square inch |
| EPA | Environmental Protection Agency | PVC | Polyvinyl chloride |
| ESL | Environmental screening level | QA/QC | Quality assurance/quality control |
| ETBE | Ethyl tertiary butyl ether | RBSL | Risk-based screening levels |
| FID | Flame-ionization detector | RCRA | Resource Conservation and Recovery Act |
| fpm | Feet per minute | RL | Reporting limit |
| GAC | Granular activated carbon | scfm | Standard cubic feet per minute |
| gpd | Gallons per day | SSTL | Site-specific target level |
| gpm | Gallons per minute | STLC | Soluble threshold limit concentration |
| GWPTS | Groundwater pump and treat system | SVE | Soil vapor extraction |
| HIT | High-intensity targeted | SVOC | Semi-volatile organic compound |
| HVOC | Halogenated volatile organic compound | TAME | Tertiary amyl methyl ether |
| J | Estimated value between MDL and PQL (RL) | TBA | Tertiary butyl alcohol |
| LEL | Lower explosive limit | TCE | Trichloroethene |
| LPC | Liquid-phase carbon | TOC | Top of well casing elevation; datum is msl |
| LRP | Liquid-ring pump | TOG | Total oil and grease |
| LUFT | Leaking underground fuel tank | TPH | Total petroleum hydrocarbons |
| LUST | Leaking underground storage tank | TPHd | Total petroleum hydrocarbons as diesel |
| MCL | Maximum contaminant level | TPHg | Total petroleum hydrocarbons as gasoline |
| MDL | Method detection limit | TPHmo | Total petroleum hydrocarbons as motor oil |
| mg/kg | Milligrams per kilogram | TPHs | Total petroleum hydrocarbons as stoddard solvent |
| mg/L | Milligrams per liter | TRPH | Total recoverable petroleum hydrocarbons |
| mg/m ³ | Milligrams per cubic meter | UCL | Upper confidence level |
| MPE | Multi-phase extraction | USCS | Unified Soil Classification System |
| MRL | Method reporting limit | USGS | United States Geologic Survey |
| msl | Mean sea level | UST | Underground storage tank |
| MTBE | Methyl tertiary butyl ether | VCP | Voluntary Cleanup Program |
| MTCA | Model Toxics Control Act | VOC | Volatile organic compound |
| NAI | Natural attenuation indicators | VPC | Vapor-phase carbon |



3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS 550 ft Scale: 1 : 19,200 Detail: 13-0 Datum: WGS84


FN 2229Topo

EXPLANATION



1/2-mile radius circle

APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads

SITE VICINITY MAP

FORMER EXXON SERVICE STATION 70235
2225 Telegraph Avenue
Oakland, California

PROJECT NO.

2229

PLATE

1



Analyte concentrations in ug/L
 Sampled March 6 and 7, 2017

Total Petroleum Hydrocarbons
 as gasoline
 Benzene
 Methyl Tertiary Butyl Ether


< Less than the Stated Laboratory
 Reporting Limit

ug/L Micrograms per Liter

d The chromatographic pattern does
 not match that of the specified
 standard.

n Reporting limit raised due to high level
 of non-target analytes.

Note: Wells MW6F and MW6I no longer
 sampled; gauged annually in the
 first quarter.



APPROXIMATE SCALE



FN 2229 17 1QTR_QM



**SELECT ANALYTICAL RESULTS
 March 6 and 7, 2017**

FORMER EXXON SERVICE STATION 70235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION


- MW6Lb Groundwater Monitoring Well
- RW3A Recovery Groundwater Monitoring Well

PROJECT NO.

2229



PLATE

2



GROUNDWATER FLOW DIRECTION ROSE DIAGRAM

Second Quarter 2003-First Quarter 2017



Note: Wells MW6F and MW6I no longer sampled; gauged annually in the first quarter.

FN 2229 17 1QTR_QM

GROUNDWATER ELEVATION MAP
March 6, 2017
 FORMER EXXON SERVICE STATION 70235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION

- MW6Lb Groundwater Monitoring Well
- 12.10 Groundwater elevation in feet; datum is mean sea level
- RW3A Recovery Groundwater Monitoring Well

13----- Line of Equal Groundwater Elevation; datum is mean sea level

PROJECT NO.

2229

PLATE

3



TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|--------------------------------|---------------|--------------|------------------|------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| Monitoring Well Samples | | | | | | | | | | | | | | | | |
| MW6A | June 1988 | --- | Well installed. | | | | | | | | | | | | | |
| MW6A | 06/24/88 | --- | 98.99i | --- | --- | --- | --- | --- | --- | --- | --- | <0.5 | <1 | <2 | <1 | --- |
| MW6A | 07/11/88 | --- | 98.99i | 13.25 | 85.74 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 10/20/88 | --- | 98.99i | --- | --- | --- | --- | --- | --- | --- | --- | 0.6 | <1 | <2 | <1 | --- |
| MW6A | 12/15/88 | --- | 98.99i | 13.40 | 85.59i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 09/07/89 | --- | 98.99i | --- | --- | --- | --- | ND | --- | --- | --- | 2.0 | ND | ND | ND | --- |
| MW6A | 05/11/90 | --- | 98.99i | 12.87 | 86.12i | --- | --- | <500 | --- | --- | --- | 150 | 6.2 | <0.25 | 13 | --- |
| MW6A | 10/16/90 | --- | 98.99i | 13.27 | 85.72i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 12/06/90 | --- | 98.99i | 13.28 | 85.71i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 02/08/91 | --- | 98.99i | 12.49 | 86.50i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 05/07/91 | --- | 98.99i | 11.94 | 87.05i | --- | --- | 2,700 | --- | --- | --- | 700 | 64 | 67 | 74 | --- |
| MW6A | 06/26/91 | --- | 98.99i | 12.87 | 86.12i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 08/05/91 | --- | 98.99i | 13.44 | 85.55i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 08/14/91 | --- | 98.99i | 13.47 | 85.52i | --- | --- | ND | --- | --- | --- | 3.6 | <0.5 | <0.5 | <0.5 | --- |
| MW6A | 09/11/91 | --- | 98.99i | 13.48 | 85.51i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 10/16/91 | --- | 98.99i | 13.64 | 85.35i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6A | 12/30/91 | --- | Well damaged. | | | | | | | | | | | | | |
| MW6A | 05/02/92 | --- | Well destroyed. | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| MW6B | June 1988 | --- | Well installed. | | | | | | | | | | | | | |
| MW6B | 06/24/88 | --- | 98.81i | --- | --- | --- | --- | --- | --- | --- | --- | <0.5 | <1 | <2 | 5.0 | --- |
| MW6B | 07/11/88 | --- | 98.81i | 12.86 | 85.95i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 10/20/88 | --- | 98.81i | --- | --- | --- | --- | --- | --- | --- | --- | 4.1 | <1 | <2 | <1 | --- |
| MW6B | 12/15/88 | --- | 98.81i | 12.94 | 85.87i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 09/07/89 | --- | 98.81i | --- | --- | --- | --- | 2,700 | --- | --- | --- | 70 | 3.0 | ND | 160 | --- |
| MW6B | 04/30/90 | --- | 98.81i | 12.53 | 86.28i | --- | --- | 168 | --- | --- | --- | 45 | 8.0 | 60 | 22 | --- |
| MW6B | 10/16/90 | --- | 98.81i | 12.73 | 86.08i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 12/06/90 | --- | 98.81i | 12.74 | 86.07i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 01/14/91 | --- | 98.81i | 12.57 | 86.24i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 02/08/91 | --- | 98.81i | 12.16 | 86.65i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 04/02/91 | --- | 98.81i | 11.50 | 87.31i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 05/07/91 | --- | 98.81i | 12.02 | 86.79i | --- | --- | 3,300 | --- | --- | --- | 240 | 6.0 | 20 | 660 | --- |
| MW6B | 05/31/91 | --- | 98.81i | 12.40 | 86.41i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 06/26/91 | --- | 98.81i | 12.69 | 86.12i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 08/05/91 | --- | 98.81i | 12.95 | 85.86i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 08/14/91 | --- | 98.81i | 12.93 | 85.88i | --- | --- | 980 | --- | --- | --- | 9.1 | 42 | 310 | 150 | --- |
| MW6B | 09/11/91 | --- | 98.81i | 13.01 | 85.80i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 10/16/91 | --- | 98.81i | 13.09 | 85.72i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 12/30/91 | --- | 98.81i | 12.62 | 86.19i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 12/31/91 | --- | 98.81i | --- | --- | --- | --- | 1,200 | --- | --- | --- | 46 | <5.0 | 85 | 220 | --- |
| MW6B | 02/25/92 | --- | 98.81i | 11.81 | 87.00i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6B | 03/25/92 | --- | 98.81i | 11.58 | 87.23i | --- | --- | 190 | --- | --- | --- | 31 | 8.6 | 84 | 8.6 | --- |
| MW6B | 06/16/92 | --- | 15.34 | 12.54 | 2.80 | --- | --- | 1,700 | --- | --- | --- | 44 | 1.7 | 7.2 | 230 | --- |
| MW6B | 09/08/92 | --- | 15.34 | 12.87 | 2.47 | No | --- | 2,900 | --- | --- | --- | 35 | 8.3 | 110 | 330 | --- |
| MW6B | 11/05/92 | --- | 15.34 | 12.70 | 2.64 | No | --- | 1,400 | --- | --- | --- | 29 | <0.5 | 75 | 190 | --- |
| MW6B | 12/14/92 | --- | 15.34 | 12.19 | 3.15 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 01/28/93 | --- | 15.34 | 11.39 | 3.95 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 02/11/93 | --- | 15.34 | 11.70 | 3.64 | No | --- | 210 | --- | --- | --- | 1.2 | <0.5 | 2.8 | 4.3 | --- |
| MW6B | 03/09/93 | --- | 15.34 | 11.70 | 3.64 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 04/14/93 | --- | 15.34 | 11.87 | 3.47 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 05/11/93 | --- | 15.34 | 12.22 | 3.12 | No | --- | 570 | --- | --- | --- | 54 | 2.4 | 37 | 36 | --- |
| MW6B | 06/17/93 | --- | 15.34 | 12.46 | 2.88 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 07/26/93 | --- | 15.34 | 12.72 | 2.58 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 08/10/93 | --- | 15.34 | 12.82 | 2.52 | No | --- | 1,300 | --- | --- | --- | 48 | 2.4 | 28 | 44 | --- |
| MW6B | 09/21/93 | --- | 15.34 | 13.08 | 2.26 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 10/27/93 | --- | 15.34 | 13.18 | 2.16 | No | --- | 1,300 | --- | --- | --- | 23 | 1.7 | 25 | 250 | --- |
| MW6B | 11/23/93 | --- | 15.34 | 13.07 | 2.27 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 12/17/93 | --- | 15.34 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 02/16/94 | --- | 15.34 | 12.07 | 3.27 | --- | --- | 300 | --- | --- | --- | 16 | <0.5 | 3.5 | 2.4 | --- |
| MW6B | 05/31/94 | --- | 15.34 | 12.42 | 2.92 | No | --- | 690 | --- | --- | --- | 21 | 3.9 | 11 | 36 | --- |
| MW6B | 08/30/94 | --- | 17.48j | 13.02 | 4.46 | No | --- | 260 | --- | --- | --- | 4 | 0.62 | 0.82 | 4 | --- |
| MW6B | 11/11/94 | --- | 17.48j | 11.72 | 5.76 | No | --- | 300 | --- | --- | --- | 60 | 2 | 1.2 | 2.4 | --- |
| MW6B | 02/27/95 | --- | 17.48j | 11.84 | 5.64 | No | --- | 180 | --- | --- | --- | 28 | 2.6 | 0.65 | 1.6 | --- |
| MW6B | 05/30/95 | --- | 17.48j | 12.09 | 5.39 | No | --- | 200 | --- | --- | --- | 23 | 3.6 | 0.88 | 2.3 | --- |
| MW6B | 08/30/95 | --- | 17.48j | 12.76 | 4.72 | No | --- | 120 | --- | 42 | --- | 3.8 | 3.6 | 0.61 | 0.69 | --- |
| MW6B | 11/26/96 | --- | 17.48j | 12.26 | 5.22 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 02/27/97 | --- | 17.48j | 11.73 | 5.75 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | 0.80 | --- |
| MW6B | 05/21/97 | --- | 17.48j | 12.70 | 4.78 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 08/18/97 | --- | 17.48j | 12.89 | 4.59 | No | --- | 380 | --- | <30 | --- | 4.3 | <0.5 | 1.2 | 1.5 | --- |
| MW6B | 03/13/98 | --- | 17.48j | 11.15 | 6.33 | No | --- | 360 | --- | <6.2 | --- | 93 | 4.9 | 4.1 | 12 | --- |
| MW6B | 04/20/98 | --- | 17.48j | 11.49 | 5.99 | No | --- | 110 | --- | 5.5 | --- | 19 | 1.3 | 1.5 | 3.9 | --- |
| MW6B | 07/21/98 | --- | 21.37 | 12.18 | 9.19 | No | --- | <50 | --- | 8.7 | --- | 0.84 | 0.59 | <0.5 | <0.5 | --- |
| MW6B | 10/06/98 | --- | 21.37 | 12.70 | 8.67 | No | --- | 190 | --- | 6.0 | --- | 2.4 | 0.56 | 0.51 | 1.2 | --- |
| MW6B | 01/11/99 | --- | 21.37 | 12.48 | 8.89 | No | --- | 50 | --- | 3.9 | --- | 1.2 | <0.5 | <0.5 | 0.95 | --- |
| MW6B | 04/08/99 | --- | 21.37 | 11.52 | 9.85 | No | --- | 85 | --- | 14.0 | --- | 4.4 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 07/19/99 | --- | 21.37 | 11.39 | 9.98 | No | --- | <50 | --- | <2.50 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 07/27/99 | --- | 21.37 | 12.71 | 8.66 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 10/25/99 | --- | 21.37 | 12.49 | 8.88 | No | --- | 260 | --- | <2 | --- | 2.3 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 01/27/00 | --- | 21.37 | 11.80 | 9.57 | No | --- | 770 | --- | 13 | --- | 210 | 4.8 | 4.9 | 13 | --- |
| MW6B | 04/03/00 | --- | 21.37 | 11.61 | 9.76 | No | --- | 670 | --- | 3.4 | --- | 110 | 6.6 | 3.8 | 9.45 | --- |
| MW6B | 07/05/00 | --- | 21.37 | 12.27 | 9.10 | No | --- | <50 | --- | 2.1 | --- | 0.89 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 10/04/00 | --- | 21.37 | 12.67 | 8.70 | No | --- | <50 | --- | 54 | --- | <0.5 | <0.5 | <0.5 | 2 | --- |
| MW6B | 10/05/00 | --- | 21.37 | --- | --- | --- | --- | --- | <1,000 | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 01/04/01 | --- | 21.37 | 12.47 | 8.90 | No | --- | <50 | --- | 35 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|--|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6B | 04/03/01 | --- | 21.37 | 11.81 | 9.56 | No | --- | <50 | --- | 7.8 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 07/05/01 | --- | 21.37 | 12.44 | 8.93 | No | --- | <50 | --- | 3 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 10/03/01 | --- | 21.37 | 12.52 | 8.85 | No | --- | 310 | --- | 10 | --- | 2.1 | <0.5 | 6.5 | 11.6 | --- |
| MW6B | Oct-01 | --- | 21.09 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | |
| MW6B | 01/02/02 | --- | 21.09 | 11.25 | 9.84 | No | --- | 710 | --- | 21.8 | --- | 99.5 | 4.40 | 3.30 | 7.40 | --- |
| MW6B | 04/02/02 | --- | 21.09 | 11.72 | 9.37 | No | --- | <50.0 | <100 | 12.2 | --- | 0.60 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 07/01/02 | --- | 21.09 | 12.34 | 8.75 | No | --- | <50 | <100a | 10.7 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 10/02/02 | --- | 21.09 | 12.71 | 8.38 | No | --- | <50.0 | <100 | 10.9 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 01/07/03 | --- | 21.09 | 11.65 | 9.44 | No | --- | 82.5 | <50 | 20.8 | 27.8 | 3.7 | 0.5 | <0.5 | 0.8 | --- |
| MW6B | 06/17/03 | --- | 21.09 | 12.09 | 9.00 | No | --- | <50.0 | <100 | 7.3 | 6.10a | 0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 07/16/03 | --- | 21.09 | 12.29 | 8.80 | No | --- | <50.0 | <100 | 11.0 | 8.5 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 10/07/03 | --- | 21.09 | 12.63 | 8.46 | No | <50 | <50.0 | <100 | 4.1 | 3.10 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 01/14/04 | --- | 21.09 | 11.50 | 9.59 | No | 54 | 62.0 | <100 | 9.0 | 11.0 | 2.10 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 06/03/04 | --- | 21.09 | 12.12 | 8.97 | No | --- | 56.0 | <100 | 6.2 | 5.90 | 0.60 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 08/12/04 | --- | 21.09 | c | c | c | <50c | 94.0c | <100c | --- | 3.40c | 0.70c | <0.5c | <0.5c | 0.9c | --- |
| MW6B | 11/04/04 | --- | 21.09 | 12.27 | 8.82 | No | <50 | <50.0 | 143 | --- | 2.60 | <0.50 | <0.5 | <0.5 | 0.7 | --- |
| MW6B | 02/01/05 | --- | 21.09 | 11.48 | 9.61 | No | <100 | 55.9 | <100 | --- | 7.50 | 1.30 | <0.5 | <0.5 | <0.5 | --- |
| MW6B | 05/03/05 | --- | 21.09 | 11.48 | 9.61 | No | <50 | <50.0 | <100 | --- | 4.90 | 0.50 | <0.5 | <0.5 | 0.8 | --- |
| MW6B | 08/04/05 | --- | 21.09 | 12.23 | 8.86 | No | <50.0 | <50.0 | <100 | --- | 5.99 | <0.500 | <0.500 | <0.500 | 0.692 | --- |
| MW6B | 10/27/05 | --- | 21.09 | 12.60 | 8.49 | No | <50.0 | <50.0 | <50.0 | --- | 1.65 | <0.50 | 0.94f | <0.50 | 1.29 | --- |
| MW6B | 01/26/06 | --- | 21.09 | 11.39 | 9.70 | No | 83d | 510 | <500 | --- | 12 | 130 | 12 | 14 | 39 | --- |
| MW6B | 04/28/06 | --- | 21.09 | 10.99 | 10.10 | No | 240d | 3,100 | <470 | --- | 43 | 920h | 110 | 130 | 290 | --- |
| MW6B | 07/05/06 | --- | 21.09 | 12.05 | 9.04 | No | <47.6 | 79.4 | <95.2 | --- | 11.4 | 2.95 | <1.00 | <1.00 | <3.00 | --- |
| MW6B | 10/27/06 | --- | 21.09 | 12.53 | 8.56 | No | <47 | <50.0 | <470 | --- | 2.25 | 0.63 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 01/19/07 | --- | 21.09 | 12.05 | 9.04 | No | <47 | <50.0 | <470 | --- | 3.75 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 04/24/07 | --- | 21.09 | 11.71 | 9.38 | No | 60.9d | <50.0 | <46.9 | --- | 4.19 | 0.51 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 07/24/07 | --- | 21.09 | 12.24 | 8.85 | No | <47 | <50 | <470 | --- | 3.2 | 0.80 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 12/03/07 | --- | 21.09 | 12.71 | 8.38 | No | <47 | 64 | <470 | --- | 2.8 | 2.5 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 03/06/08 | --- | 21.09 | 11.50 | 9.59 | No | 52d | 330 | <470 | --- | 6.2 | 60 | 2.5 | 4.1 | 5.4 | --- |
| MW6B | 06/26/08 | --- | 21.09 | 12.76 | 8.33 | No | <47 | <50 | <470 | --- | 6.4 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 08/12/08 | --- | 21.09 | 12.89 | 8.20 | No | 72.0d,m,n | <50.0 | 89.3m | --- | 3.59 | 1.52 | <0.50 | <0.50 | 1.18 | --- |
| MW6B | 10/23/08 | --- | 21.09 | 13.18 | 7.91 | No | <50 | <50 | <250 | --- | 6.1 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6B | 03/25/09 | --- | 21.09 | 11.76 | 9.33 | No | 730 | 5,400 | <250 | --- | 39 | 1,700 | 220 | 250 | 500 | --- |
| MW6B | 06/17/09 | --- | 21.09 | --- | --- | --- | 420 | 2,500 | <250 | --- | 51 | 1000 | 99 | 84 | 150 | --- |
| MW6B | 06/17/09 | --- | 21.09 | 12.36 | 8.73 | No | 420 | 2,500 | <250 | --- | 51 | 1,000 | 99 | 84 | 150 | --- |
| MW6B | 09/04/09 | --- | 21.09 | 12.85 | 8.24 | No | 90d | 710 | <250 | --- | 33 | 69 | 2.7 | <0.50 | 4.1 | --- |
| MW6B | 03/09/10 | --- | 21.09 | 10.88 | 10.21 | No | 1,500d | 6,500 | <250 | --- | 57 | 2,200 | 140 | 200 | 430 | --- |
| MW6B | 09/17/10 | --- | 21.09 | 12.92 | 8.17 | No | <50 | 590d | <250 | --- | 45 | 77 | <10 | <10 | <20 | --- |
| MW6B | 02/15/11 | --- | 21.09 | 11.68 | 9.41 | No | 830d | 6,600d | <250 | --- | 63 | 2,700 | 120 | 140 | 260 | --- |
| MW6B | 08/23/11 | --- | 21.09 | 12.07 | 9.02 | No | 450d | 4,500d | <250 | --- | 57 | 1,100 | 27 | 5.9 | 43 | --- |
| MW6B | 02/09/12 | --- | 21.09 | 11.98 | 9.11 | No | 230d | 1,700d | <250 | --- | 61s | 280 | 8.0 | 5.6 | 19 | --- |
| MW6B | 07/24/12 | --- | 21.09 | 12.41 | 8.68 | No | 820d | 6,200 | <250 | --- | 82 | 2,100 | 130 | 57 | 200 | 675 |
| MW6B | 03/08/13 | --- | 21.09 | 11.85 | 9.24 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|-------------|-----------------|--------------|------------------|---|-----------------|-------------|-------------|---------------|--------------|-------------------|-------------------|--------------|------------|------------|------------|------------|
| MW6B | 03/11/13 | --- | 21.09 | --- | --- | --- | 620d | 5,700 | <250 | --- | 78 | 1,500 | 44 | 14 | 58 | --- |
| MW6B | 09/04/13 | --- | 21.09 | 12.60 | 8.49 | No | 59d | 320 | <250 | --- | 39 | 10 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 12/11/13 b | --- | 21.09 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 01/30/14 | --- | 21.09 | 12.84 | 8.25 | No | <48 | 83d | <240 | --- | 10 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 08/28/14 | --- | 21.09 | 12.76 | 8.33 | No | <50 | 120d | <250 | --- | 26 | 3.4 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 03/02/15 | --- | 21.09 | 11.84 | 9.25 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 03/03/15 | --- | 21.09 | --- | --- | --- | 700d | 4,000 | <250 | --- | 46 | 1,500 | 46 | 22 | 51 | --- |
| MW6B | 09/14/15 | --- | 21.09 | 12.80 | 8.29 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 09/15/15 | --- | 21.09 | --- | --- | --- | <47 | 190d | <240 | --- | 29 | 0.94 | <0.50 | <0.50 | <0.50 | --- |
| MW6B | 03/16/16 | --- | 21.09 | 10.57 | 10.52 | No | 1,600d | 6,100d | <230 | --- | 48 | 2,400 | 62 | 83 | 87 | --- |
| MW6B | 09/15/16 | --- | 21.09 | 12.38 | 8.71 | No | <50 | 330 | <250 | --- | 19 | 16 | 0.97 | <0.50 | 1.2 | --- |
| MW6B | 03/06/17 | --- | 21.09 | 10.17 | 10.92 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6B | 03/07/17 | --- | 21.09 | --- | --- | --- | --- | 3,000d | --- | --- | 31 | 3,800 | 280 | 270 | 480 | --- |
| MW6C | 06/15/88 | --- | 99.89i | Well installed. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6C | 06/24/88 | --- | 99.89i | --- | --- | --- | --- | --- | --- | --- | --- | 7,400 | 7.1 | 170 | 2,300 | --- |
| MW6C | 07/11/88 | --- | 99.89i | 14.21 | 85.68i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6C | 10/20/88 | --- | 99.89i | --- | --- | --- | --- | --- | --- | --- | --- | 9,500 | 65 | 170 | 850 | --- |
| MW6C | 12/15/88 | --- | 99.89i | 14.10 | 85.79i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6C | 09/07/89 | --- | 99.89i | --- | --- | --- | --- | 18,000 | --- | --- | --- | 7,900 | 430 | 350 | 1,100 | --- |
| MW6C | 04/30/90 | --- | 99.89i | 13.81 | 86.68i | --- | --- | 30,000 | --- | --- | --- | 6,100 | 1,500 | 1,000 | 2,700 | --- |
| MW6C | 05/10/90 | --- | 99.89i | Well over-drilled into recovery well RW3. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6D | 07/06/88 | --- | 98.78i | Well installed. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6D | 07/11/88 | --- | 98.78i | 13.48 | 85.24i | 0.002083 | --- | --- | --- | --- | --- | 220 | 27 | <20 | <10 | --- |
| MW6D | 10/20/88 | --- | 98.78i | --- | --- | --- | --- | --- | --- | --- | --- | 710 | 74 | 22 | 110 | --- |
| MW6D | 12/15/88 | --- | 98.78i | 13.44 | 85.34i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6D | 09/07/89 | --- | 98.78i | --- | --- | --- | --- | 2,200 | --- | --- | --- | 600 | 26 | 58 | 31 | --- |
| MW6D | 04/30/90 | --- | 98.78i | 13.19 | 85.59i | --- | --- | 3,600 | --- | --- | --- | 800 | 150 | 310 | 280 | --- |
| MW6D | 05/10/90 | --- | 98.78i | Well over-drilled into recovery well RW2. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 10/04/88 | --- | 98.99i | Well installed. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 10/20/88 | --- | 98.99i | --- | --- | --- | --- | --- | --- | --- | --- | 1.1 | <2 | <1 | 3.4 | --- |
| MW6E | 12/15/88 | --- | 98.99i | 13.70 | 85.29i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 09/07/89 | --- | 98.99i | --- | --- | --- | --- | 220 | --- | --- | --- | 3.0 | ND | ND | ND | --- |
| MW6E | 04/30/90 | --- | 98.99i | 13.43 | 85.56i | --- | --- | 250 | --- | --- | --- | 57 | <5.0 | <5.0 | 53 | --- |
| MW6E | 10/16/90 | --- | 98.99i | 13.77 | 85.22i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 12/06/90 | --- | 98.99i | 13.95 | 85.04i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 01/14/91 | --- | 98.99i | 13.95 | 85.04i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 02/08/91 | --- | 98.99i | 13.20 | 85.79i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 04/02/91 | --- | 98.99i | 12.28 | 86.71i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 05/07/91 | --- | 98.99i | 13.48 | 85.51i | --- | --- | 160 | --- | --- | --- | 32 | 1.0 | 2.2 | 1.4 | --- |
| MW6E | 05/31/91 | --- | 98.99i | 14.09 | 84.90i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 06/26/91 | --- | 98.99i | 12.54 | 86.45i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6E | 08/05/91 | --- | 98.99i | 14.39 | 84.60i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 08/14/91 | --- | 98.99i | 14.18 | 84.81i | --- | --- | ND | --- | --- | --- | 0.9 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 09/11/91 | --- | 98.99i | 14.73 | 84.26i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 10/16/91 | --- | 98.99i | 14.40 | 84.59i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 12/30/91 | --- | 98.99i | 13.39 | 85.60i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 12/31/91 | --- | 98.99i | --- | --- | --- | --- | 90 | --- | --- | --- | 3.1 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 02/25/92 | --- | 98.99i | 13.16 | 85.83i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 03/25/92 | --- | 98.99i | 12.15 | 86.84i | --- | --- | 830 | --- | --- | --- | 41 | 1.0 | 3.8 | 16 | --- |
| MW6E | 06/16/92 | --- | 15.23 | 13.54 | 1.69 | --- | --- | 3,400 | --- | --- | --- | 300 | 23 | 68 | 510 | --- |
| MW6E | 09/08/92 | --- | 15.23 | 14.78 | 0.45 | No | --- | 480 | --- | --- | --- | 27 | <0.5 | 3.6 | 21 | --- |
| MW6E | 11/05/92 | --- | 15.23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 12/14/92 | --- | 15.23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 01/28/93 | --- | 15.23 | 11.62 | 3.61 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 02/11/93 | --- | 15.23 | 12.85 | 2.38 | No | --- | 270 | --- | --- | --- | 15 | <0.5 | <0.5 | 8.7 | --- |
| MW6E | 03/09/93 | --- | 15.23 | 12.83 | 2.40 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 04/14/93 | --- | 15.23 | --- | --- | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 05/11/93 | --- | 15.23 | 13.59 | 1.64 | No | --- | <50 | --- | --- | --- | 2.3 | <0.5 | 1.4 | 3.2 | --- |
| MW6E | 06/17/93 | --- | 15.23 | 13.74 | 1.49 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 07/26/93 | --- | 15.23 | 14.01 | 1.22 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 08/10/93 | --- | 15.23 | 14.13 | 1.10 | No | --- | 1,700 | --- | --- | --- | 130 | 2.7 | 23 | 140 | --- |
| MW6E | 09/21/93 | --- | 15.23 | 14.20 | 1.03 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 10/27/93 | --- | 15.23 | 14.34 | 0.89 | No | --- | 100 | --- | --- | --- | 6.0 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 11/23/93 | --- | 15.23 | 13.97 | 1.26 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 12/17/93 | --- | 15.23 | 13.08 | 2.15 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 02/16/94 | --- | 15.23 | 13.34 | 1.89 | No | --- | 640 | --- | --- | --- | 45 | <0.5 | 12 | 15 | --- |
| MW6E | 05/31/94 | --- | 15.23 | 13.82 | 1.41 | No | --- | 52 | --- | --- | --- | 1.5 | 0.97 | <0.5 | <0.5 | --- |
| MW6E | 08/30/94 | --- | 17.63j | 14.32 | 3.31 | No | --- | 920 | --- | --- | --- | 22 | 0.98 | 5.2 | 33 | --- |
| MW6E | 11/11/94 | --- | 17.63j | 13.92 | 3.71 | No | --- | 910 | --- | --- | --- | 13 | 2.4 | 13 | 2.5 | --- |
| MW6E | 02/27/95 | --- | 17.63j | 12.96 | 4.67 | No | --- | <50 | --- | --- | --- | 1.9 | 1.3 | <0.5 | 0.83 | --- |
| MW6E | 05/30/95 | --- | 17.63j | 13.20 | 4.43 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 08/30/95 | --- | 17.63j | 13.85 | 3.78 | No | --- | 1,500 | --- | 11 | --- | 91 | 2.3 | 56 | 59 | --- |
| MW6E | 11/26/96 | --- | 17.63j | 12.94 | 4.69 | No | --- | <50 | --- | <30 | --- | 1.1 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 02/27/97 | --- | 17.63j | 12.28 | 5.35 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 05/21/97 | --- | 17.63j | 13.60 | 4.03 | No | --- | 160 | --- | <5 | --- | 10 | 1.4 | 5.5 | 4.8 | --- |
| MW6E | 08/18/97 | --- | 17.63j | 13.75 | 3.88 | No | --- | 66 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 03/13/98 | --- | 17.63j | 11.36 | 6.27 | No | --- | <50 | --- | <2.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 04/20/98 | --- | 17.63j | 11.88 | 5.75 | No | --- | <50 | --- | <2.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 07/21/98 | --- | 21.58 | 13.10 | 8.48 | No | --- | 1,200 | --- | <10 | --- | 81 | 3.1 | 28 | 77 | --- |
| MW6E | 10/06/98 | --- | 21.58 | 13.55 | 8.03 | No | --- | <50 | --- | 6.6 | --- | 1.4 | 0.51 | <0.5 | 0.97 | --- |
| MW6E | 01/11/99 | --- | 21.58 | 13.40 | 8.18 | No | --- | <50 | --- | 5.1 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 04/08/99 | --- | 21.58 | 12.04 | 9.54 | No | --- | <50 | --- | 4.7 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6E | 07/19/99 | --- | 21.58 | 11.59 | 9.99 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 07/27/99 | --- | 21.58 | 13.65 | 7.93 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) | |
|---------|---------------|--------------|------------------|--|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|-----|
| MW6E | 10/25/99 | --- | 21.58 | 13.52 | 8.06 | No | --- | <50 | --- | 2.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 01/27/00 | --- | 21.58 | 11.71 | 9.87 | No | --- | <50 | --- | 2.3 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 04/03/00 | --- | 21.58 | 12.11 | 9.47 | No | --- | <50 | --- | <2 | --- | 0.51 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 07/05/00 | --- | 21.58 | 12.91 | 8.67 | No | --- | <50 | --- | <2 | --- | 3.7 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 10/04/00 | --- | 21.58 | 13.35 | 8.23 | No | --- | <50 | --- | <2 | --- | 4.1 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 10/05/00 | --- | 21.58 | --- | --- | --- | --- | --- | <1,000 | --- | --- | --- | --- | --- | --- | --- | |
| MW6E | 01/04/01 | --- | 21.58 | 13.09 | 8.49 | No | --- | 61 | --- | <2 | --- | 11 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 04/03/01 | --- | 21.58 | 12.39 | 9.19 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 07/05/01 | --- | 21.58 | 13.21 | 8.37 | No | --- | 210 | --- | <2 | --- | 80 | <0.5 | 0.94 | 2.3 | --- | |
| MW6E | 10/03/01 | --- | 21.58 | 13.30 | 8.28 | No | --- | <50 | --- | <2 | --- | 2.8 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | Oct-01 | --- | 21.24 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | | |
| MW6E | 01/02/02 | --- | 21.24 | 10.11 | 11.13 | No | --- | <100 | --- | <0.5 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 04/02/02 | --- | 21.24 | 12.11 | 9.13 | No | --- | <50.0 | <100 | 0.70 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 07/01/02 | --- | 21.24 | 12.46 | 8.78 | No | --- | 56.0 | <100a | <0.5 | --- | 19.9 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 10/02/02 | --- | 21.24 | 13.48 | 7.76 | No | --- | <50.0 | <100 | 0.8 | --- | 0.5 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 01/07/03 | --- | 21.24 | 11.81 | 9.43 | No | --- | <50.0 | <50 | <0.5 | <0.50 | 0.5 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 06/17/03 | --- | 21.24 | 12.72 | 8.52 | No | --- | <50.0 | 153 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 07/16/03 | --- | 21.24 | 12.92 | 8.32 | No | --- | <50.0 | <100 | <0.5 | <0.50 | 4.50 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 10/07/03 | --- | 21.24 | 13.34 | 7.90 | No | <50 | <50.0 | <100 | 0.9 | 0.60 | 2.50 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 01/14/04 | --- | 21.24 | 11.92 | 9.32 | No | <50 | <50.0 | <100 | <0.5 | <0.50 | 0.50 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 06/03/04 | --- | 21.24 | 12.97 | 8.27 | No | <50 | <50.0 | <100 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 08/12/04 | --- | 21.24 | c | c | c | <50c | <50.0c | <100c | --- | <0.50c | 4.30c | <0.5c | <0.5c | 0.8c | --- | |
| MW6E | 11/04/04 | --- | 21.24 | 12.68 | 8.56 | No | <50 | <50.0 | 124 | --- | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 02/01/05 | --- | 21.24 | 11.75 | 9.49 | No | <100 | <50.0 | <100 | --- | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 05/03/05 | --- | 21.24 | 11.93 | 9.31 | No | 64d | <50.0 | 116 | --- | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- | |
| MW6E | 08/04/05 | --- | 21.24 | 12.92 | 8.32 | No | 96.2d | 87.9 | 122 | --- | <0.500 | 14.1 | <0.500 | <0.500 | 0.792 | --- | |
| MW6E | 10/27/05 | --- | 21.24 | 13.24 | 8.00 | No | <50.0 | <50.0 | <50.0 | --- | <0.500 | <0.50 | 0.91f | <0.50 | 1.22 | --- | |
| MW6E | 01/26/06 | --- | 21.24 | 11.78 | 9.46 | No | <50 | <50 | <500 | --- | <0.50 | 7.2 | 0.67 | 0.71 | 2.0 | --- | |
| MW6E | 04/28/06 | --- | 21.24 | 11.27 | 9.97 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 07/05/06 | --- | 21.24 | 12.67 | 8.57 | No | 149 | <50.0 | 316 | --- | <0.500 | <1.00 | <1.00 | <1.00 | <3.00 | --- | |
| MW6E | 10/27/06 | --- | 21.24 | 13.34 | 7.90 | No | <47 | <50.0 | <470 | --- | <0.500 | <0.50 | 0.81 | <0.50 | 1.26 | --- | |
| MW6E | 01/19/07 | --- | 21.24 | 12.66 | 8.58 | No | <47 | <50.0 | <470 | --- | <0.500 | 2.33 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 04/24/07 | --- | 21.24 | 12.00 | 9.24 | No | 82.2d | <50.0 | 76.7 | --- | <0.500 | <0.50 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 07/24/07 | --- | 21.24 | 13.02 | 8.22 | No | 70d | 55 | <470 | --- | <0.50 | 18 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 12/03/07 | --- | 21.24 | 13.24 | 8.00 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 03/06/08 | --- | 21.24 | 11.79 | 9.45 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 06/26/08 | --- | 21.24 | 13.15 | 8.09 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- | |
| MW6E | 08/12/08 | --- | 21.24 | 13.32 | 7.92 | No | 72.7d,m,n | <50.0 | 112m | --- | <0.500 | 6.74 | <0.50 | <0.50 | <0.50 | 3.51 | --- |
| MW6E | 10/23/08 | --- | 21.24 | 13.52 | 7.72 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- | |
| MW6E | 03/25/09 | --- | 21.24 | 11.66 | 9.58 | No | <50 | <50 | <250 | --- | <0.50 | 0.82 | <0.50 | <0.50 | 1.1o | --- | |
| MW6E | 06/17/09 | --- | 21.24 | --- | --- | --- | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- | |
| MW6E | 06/17/09 | --- | 21.24 | 12.68 | 8.56 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- | |
| MW6E | 09/04/09 | --- | 21.24 | 13.20 | 8.04 | No | 58d | 79 | <250 | --- | <0.50 | 8.1 | <0.50 | <0.50 | <1.0 | --- | |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|-------------|-----------------|--------------|------------------|-----------------|-----------------|-------------|-------------|---------------|--------------|-------------------|-------------------|-----------------|-----------------|-----------------|-----------------|------------|
| MW6E | 03/09/10 | --- | 21.24 | 10.86 | 10.38 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6E | 09/17/10 | --- | 21.24 | 13.13 | 8.11 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6E | 02/15/11 | --- | 21.24 | 11.84 | 9.40 | No | <50 | <50 | <250 | --- | <0.50 | 1.3 | <0.50 | <0.50 | <1.0 | --- |
| MW6E | 08/23/11 | --- | 21.24 | 12.73 | 8.51 | No | <50 | <50 | <250 | --- | <0.50 | 8.9 | <0.50 | <0.50 | <1.0 | --- |
| MW6E | 02/09/12 | --- | 21.24 | 12.38 | 8.86 | No | <50 | 57d | <250 | --- | <0.50 | 9.2 | <0.50 | <0.50 | <1.0 | --- |
| MW6E | 07/24/12 | --- | 21.24 | 13.84 | 7.40 | No | <50 | <50 | <250 | --- | <0.50 | 3.1 | <0.50 | <0.50 | <1.0 | 335 |
| MW6E | 03/08/13 | --- | 21.24 | 12.19 | 9.05 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 03/11/13 | --- | 21.24 | --- | --- | --- | 52d | 120d | <250 | --- | <0.50 | 23 | <0.50 | <0.50 | <0.50 | --- |
| MW6E | 09/04/13 | --- | 21.24 | 13.07 | 8.17 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6E | 12/11/13 b | --- | 21.24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 01/30/14 | --- | 21.24 | 13.35 | 7.89 | No | 58d | <50 | <240 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6E | 08/28/14 | --- | 21.24 | 13.35 | 7.89 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6E | 03/02/15 | --- | 21.24 | 12.20 | 9.04 | No | <50 | 55 | <250 | --- | <0.50 | 11 | <0.50 | <0.50 | <0.50 | --- |
| MW6E | 09/14/15 | --- | 21.24 | 13.29 | 7.95 | No | <47 | <50 | <240 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6E | 03/16/16 | --- | 21.24 | 10.18 | 11.06 | No | <47 | <50 | <240 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6E | 09/15/16 t | --- | 21.24 | 12.77 | 8.47 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 03/06/17 | --- | 21.24 | 9.71 | 11.53 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 03/07/17 | --- | 21.24 | --- | --- | --- | --- | <50 | --- | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 10/05/88 | --- | 99.91i | Well installed. | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 10/25/88 | --- | 99.91i | --- | --- | --- | --- | ND | --- | --- | --- | <0.5 | <1 | <2 | 2.4 | --- |
| MW6F | 12/15/88 | --- | 99.91i | 14.48 | 85.43i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 09/07/89 | --- | 99.91i | --- | --- | --- | --- | ND | --- | --- | --- | ND | ND | ND | ND | --- |
| MW6F | 04/30/90 | --- | 99.91i | 14.14 | 85.77i | --- | --- | ND | --- | --- | --- | ND | ND | ND | ND | --- |
| MW6F | 10/16/90 | --- | 99.91i | 14.77 | 85.14i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 12/06/90 | --- | 99.91i | 14.81 | 85.10i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 01/14/91 | --- | 99.91i | 14.73 | 85.18i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 02/08/91 | --- | 99.91i | 13.73 | 86.18ii | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 04/02/91 | --- | 99.91i | 12.38 | 87.53i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 05/07/91 | --- | 99.91i | 13.67 | 86.24i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 05/31/91 | --- | 99.91i | 14.43 | 85.48i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 06/26/91 | --- | 99.91i | 14.81 | 85.10i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 08/05/91 | --- | 99.91i | 14.96 | 84.95i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 08/14/91 | --- | 99.91i | 14.87 | 85.04i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 09/11/91 | --- | 99.91i | 15.11 | 84.80i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 10/16/91 | --- | 99.91i | 15.16 | 84.75i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 12/30/91 | --- | 99.91i | 13.78 | 86.13i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 12/31/91 | --- | 99.91i | --- | --- | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 02/25/92 | --- | 99.91i | 12.68 | 87.23i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 03/25/92 | --- | 99.91i | 11.93 | 87.98i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 06/16/92 | --- | 16.46 | 14.34 | 2.12 | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 09/08/92 | --- | 16.46 | 14.75 | 1.71 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 11/05/92 | --- | 16.46 | 14.35 | 2.11 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|--|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6F | 12/14/92 | --- | 16.46 | 12.90 | 3.56 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 01/28/93 | --- | 16.46 | 11.60 | 4.86 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 02/11/93 | --- | 16.46 | 12.25 | 4.21 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 03/09/93 | --- | 16.46 | 12.50 | 3.96 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 04/14/93 | --- | 16.46 | 12.71 | 3.75 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 05/11/93 | --- | 16.46 | 13.63 | 2.83 | No | --- | <50 | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 06/17/93 | --- | 16.46 | 14.02 | 2.44 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 07/26/93 | --- | 16.46 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 08/10/93 | --- | 16.46 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 09/21/93 | --- | 16.46 | 14.80 | 1.66 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 10/27/93 | --- | 16.46 | 14.85 | 1.61 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 11/23/93 | --- | 16.46 | Well inaccessible. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 12/17/93 | --- | 16.46 | 13.86 | 2.60 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 02/16/94 | --- | 16.46 | 13.08 | 3.38 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 05/31/94 | --- | 16.46 | 14.06 | 2.40 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 08/30/94 | --- | 18.58j | 14.84 | 3.74 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 11/11/94 | --- | 18.58j | 12.60 | 5.98 | No | --- | <50 | --- | --- | --- | <0.5 | 0.54 | <0.5 | <0.5 | --- |
| MW6F | 02/27/95 | --- | 18.58j | 12.75 | 5.83 | No | --- | <50 | --- | --- | --- | 6.2 | 3.0 | 0.82 | 3.5 | --- |
| MW6F | 05/30/95 | --- | 18.58j | 13.16 | 5.42 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 08/30/95 | --- | 18.58j | 14.31 | 4.27 | No | --- | <50 | --- | <10 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 11/26/96 | --- | 18.58j | 13.29 | 5.29 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 02/27/97 | --- | 18.58j | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 05/21/97 | --- | 18.58j | 14.18 | 4.40 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 08/18/97 | --- | 18.58j | 14.69 | 3.89 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 03/13/98 | --- | 18.58j | 10.93 | 7.65 | No | --- | <50 | --- | <2.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 04/20/98 | --- | 18.58j | 11.77 | 6.81 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 07/21/98 | --- | 22.51 | 13.62 | 8.89 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 10/06/98 | --- | 22.51 | 13.52 | 8.99 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 01/11/99 | --- | 22.51 | 14.06 | 8.45 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 04/08/99 | --- | 22.51 | 11.86 | 10.65 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 07/19/99 | --- | 22.51 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 07/27/99 | --- | 22.51 | Well inaccessible. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 10/25/99 | --- | 22.51 | 12.63 | 9.88 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 01/27/00 | --- | 22.51 | 12.23 | 10.28 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 04/03/00 | --- | 22.51 | 12.11 | 10.40 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 07/05/00 | --- | 22.51 | 13.38 | 9.13 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 10/04/00 | --- | 22.51 | 14.02 | 8.49 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | 0.7 | --- |
| MW6F | 10/05/00 | --- | 22.51 | --- | --- | --- | --- | --- | <1,000 | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 01/04/01 | --- | 22.51 | 13.69 | 8.82 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 04/03/01 | --- | 22.51 | 12.55 | 9.96 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 07/05/01 | --- | 22.51 | 13.74 | 8.77 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 10/03/01 | --- | 22.51 | 13.82 | 8.69 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | Oct-01 | --- | 22.17 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6F | 01/02/02 | --- | 22.17 | 9.16 | 13.01 | No | --- | <100 | --- | <0.5 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 04/02/02 | --- | 22.17 | 12.14 | 10.03 | No | --- | <50.0 | <100 | <0.50 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 07/01/02 | --- | 22.17 | 13.46 | 8.71 | No | --- | <50 | <100a | <0.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 10/02/02 | --- | 22.17 | 14.19 | 7.98 | No | --- | <50.0 | <100 | <0.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 01/07/03 | --- | 22.17 | 11.73 | 10.44 | No | --- | <50.0 | <50 | <0.5 | <0.50 | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 06/17/03 | --- | 22.17 | 13.13 | 9.04 | No | --- | <50.0 | <100 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 07/16/03 | --- | 22.17 | 13.51 | 8.66 | No | --- | <50.0 | <100 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 10/07/03 | --- | 22.17 | 14.05 | 8.12 | No | <50 | <50.0 | <100 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 01/14/04 | --- | 22.17 | 11.90 | 10.27 | No | <50 | <50.0 | <100 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 06/03/04 | --- | 22.17 | 13.45 | 8.72 | No | <50 | <50.0 | <100 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 08/12/04 | --- | 22.17 | c | c | c | 52c | <50.0c | <100c | --- | <0.50c | <0.50c | <0.5c | <0.5c | <0.5c | --- |
| MW6F | 11/04/04 | --- | 22.17 | 13.03 | 9.14 | No | <50 | <50.0 | 109 | --- | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 02/01/05 | --- | 22.17 | 11.56 | 10.61 | No | <100 | <50.0 | <100 | --- | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 05/03/05 | --- | 22.17 | 11.92 | 10.25 | No | <50 | <50.0 | <100 | --- | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6F | 08/04/05 | --- | 22.17 | 13.42 | 8.75 | No | <50.0 | <50.0 | <100 | --- | <0.500 | <0.500 | <0.500 | <0.500 | <0.500 | --- |
| MW6F | 10/27/05 | --- | 22.17 | 13.88 | 8.29 | No | <50.0 | <50.0 | <50.0 | --- | <0.500 | <0.50 | 0.93f | <0.50 | <0.50 | --- |
| MW6F | 01/26/06 | --- | 22.17 | 11.83 | 10.34 | No | <50 | <50 | <500 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 04/28/06 | --- | 22.17 | 10.96 | 11.21 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 07/05/06 | --- | 22.17 | 13.05 | 9.12 | No | <47.6 | <50.0 | <95.2 | --- | <0.500 | <1.00 | <1.00 | <1.00 | <3.00 | --- |
| MW6F | 10/27/06 | --- | 22.17 | 14.06 | 8.11 | No | <47 | <50.0 | <470 | --- | <0.500 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 01/19/07 | --- | 22.17 | 13.06 | 9.11 | No | <47 | <50.0 | <470 | --- | <0.500 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 04/24/07 | --- | 22.17 | 12.01 | 10.16 | No | 103d | <50.0 | 93.5 | --- | <0.500 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 07/24/07 | --- | 22.17 | 13.61 | 8.56 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 12/03/07 | --- | 22.17 | 13.80 | 8.37 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 03/06/08 | --- | 22.17 | 11.77 | 10.40 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 06/26/08 | --- | 22.17 | 13.74 | 8.43 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 08/12/08 | --- | 22.17 | 14.00 | 8.17 | No | <47.6m,n | <50.0 | 75.5m | --- | <0.500 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 10/23/08 | --- | 22.17 | 14.28 | 7.89 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 03/25/09 | --- | 22.17 | 11.64 | 10.53 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 06/17/09 | --- | 22.17 | 13.13 | 9.04 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 06/17/09 | --- | 22.17 | --- | --- | --- | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 09/04/09 | --- | 22.17 | 13.85 | 8.32 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 03/09/10 | --- | 22.17 | 10.64 | 11.53 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 09/17/10 | --- | 22.17 | 13.81 | 8.36 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 02/15/11 | --- | 22.17 | 12.17 | 10.00 | No | <50 | <50 | <250 | --- | <0.50 | 0.59 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 08/23/11 | --- | 22.17 | 13.17 | 9.00 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 02/09/12 | --- | 22.17 | 12.82 | 9.35 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6F | 07/24/12 | --- | 22.17 | 13.49 | 8.68 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | 225 |
| MW6F | 03/08/13 | --- | 22.17 | 12.54 | 9.63 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 03/11/13 | --- | 22.17 | --- | --- | --- | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 09/04/13 | --- | 22.17 | 13.88 | 8.29 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 12/11/13 b | --- | 22.17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6F | 01/30/14 | --- | 22.17 | 14.07 | 8.10 | No | 50d | <50 | <240 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|-------------|-----------------|--------------|------------------|-----------------|-----------------|-------------|-------------------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6F | 08/28/14 | --- | 22.17 | 14.15 | 8.02 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 03/02/15 | --- | 22.17 | 12.60 | 9.57 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 09/14/15 | --- | 22.17 | 14.07 | 8.10 | No | <47 | <50 | <240 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 03/16/16 | --- | 22.17 | 9.80 | 12.37 | No | Well no longer sampled. | | | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6F | 03/06/17 | --- | 22.17 | 9.09 | 13.08 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 11/16/88 | --- | 99.16i | Well installed. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 12/07/88 | --- | 99.16i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 12/15/88 | --- | 99.16i | 12.22 | 86.94i | --- | --- | ND | --- | --- | --- | <0.5 | <1 | <2 | <1 | --- |
| MW6G | 09/07/89 | --- | 99.16i | --- | --- | --- | --- | ND | --- | --- | --- | ND | ND | ND | ND | --- |
| MW6G | 04/30/90 | --- | 99.16i | 11.73 | 87.43i | --- | --- | ND | --- | --- | --- | ND | ND | ND | ND | --- |
| MW6G | 10/16/90 | --- | 99.16i | 12.28 | 86.88i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 12/06/90 | --- | 99.16i | 12.27 | 86.89i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 01/14/91 | --- | 99.16i | 12.14 | 87.02i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 02/08/91 | --- | 99.16i | 11.44 | 87.72i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 04/02/91 | --- | 99.16i | 10.03 | 89.13i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 05/07/91 | --- | 99.16i | 11.00 | 88.16i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 05/31/91 | --- | 99.16i | 11.75 | 87.41i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 06/26/91 | --- | 99.16i | 12.91 | 86.25i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 08/05/91 | --- | 99.16i | 12.43 | 86.73i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 08/14/91 | --- | 99.16i | 12.43 | 86.73i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 09/11/91 | --- | 99.16i | 12.48 | 86.68i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 10/16/91 | --- | 99.16i | 12.64 | 86.52i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 12/30/91 | --- | 99.16i | 11.80 | 87.36i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 12/31/91 | --- | 99.16i | --- | --- | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 02/25/92 | --- | 99.91i | 10.32 | 88.84i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 03/25/92 | --- | 99.91i | 9.93 | 89.23i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 06/16/92 | --- | 14.71 | 11.88 | 2.83 | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 09/08/92 | --- | 14.71 | 12.20 | 2.51 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 11/05/92 | --- | 14.71 | 12.02 | 2.69 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 12/14/92 | --- | 14.71 | 10.95 | 3.76 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 01/28/93 | --- | 14.71 | 9.56 | 5.15 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 02/11/93 | --- | 14.71 | 10.04 | 4.67 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 03/09/93 | --- | 14.71 | 10.10 | 4.61 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 04/14/93 | --- | 14.71 | 10.43 | 4.28 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 05/11/93 | --- | 14.71 | 11.05 | 3.66 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 06/17/93 | --- | 14.71 | 11.49 | 3.22 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 07/26/93 | --- | 14.71 | 11.98 | 2.73 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 08/10/93 | --- | 14.71 | 12.17 | 2.54 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 09/21/93 | --- | 14.71 | 12.42 | 2.29 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 10/27/93 | --- | 14.71 | 13.47 | 1.24 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 11/23/93 | --- | 14.71 | 12.48 | 2.23 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 12/17/93 | --- | 14.71 | 11.19 | 3.52 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|--|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6G | 02/16/94 | --- | 14.71 | 10.62 | 4.09 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 05/31/94 | --- | 14.71 | 11.40 | 3.31 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 08/30/94 | --- | 16.82j | 12.32 | 4.50 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 11/11/94 | --- | 16.82j | 11.06 | 5.76 | No | --- | 58 | --- | --- | --- | 0.58 | 1.6 | <0.5 | 1.6 | --- |
| MW6G | 02/27/95 | --- | 16.82j | 10.32 | 6.50 | No | --- | <50 | --- | --- | --- | 0.86 | 0.99 | <0.5 | 0.51 | --- |
| MW6G | 05/30/95 | --- | 16.82j | 10.77 | 6.05 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 08/30/95 | --- | 16.82j | 11.92 | 4.90 | No | --- | <50 | --- | <10 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 11/26/96 | --- | 16.82j | 11.12 | 5.70 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 02/27/97 | --- | 16.82j | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 05/21/97 | --- | 16.82j | 11.76 | 5.06 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 08/18/97 | --- | 16.82j | 12.23 | 4.59 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 03/13/98 | --- | 16.82j | 9.13 | 7.69 | No | --- | <50 | --- | 4.4 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 04/20/98 | --- | 16.82j | 9.73 | 7.09 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 07/21/98 | --- | 20.72 | 11.15 | 9.57 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 10/06/98 | --- | 20.72 | 11.91 | 8.81 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 01/11/99 | --- | 20.72 | 12.00 | 8.72 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 04/08/99 | --- | 20.72 | 10.04 | 10.68 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 07/19/99 | --- | 20.72 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 07/27/99 | --- | 20.72 | 11.75 | 8.97 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 10/25/99 | --- | 20.72 | 11.76 | 8.96 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 01/27/00 | --- | 20.72 | 11.46 | 9.26 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 04/03/00 | --- | 20.72 | 10.00 | 10.72 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 07/05/00 | --- | 20.72 | 11.24 | 9.48 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 10/04/00 | --- | 20.72 | 11.88 | 8.84 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 10/05/00 | --- | 20.72 | --- | --- | --- | --- | --- | <1,000 | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 01/04/01 | --- | 20.72 | 11.56 | 9.16 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 04/03/01 | --- | 20.72 | 10.45 | 10.27 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 07/05/01 | --- | 20.72 | 11.51 | 9.21 | No | --- | <50 | --- | <2 | --- | 0.75 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 10/03/01 | --- | 20.72 | 11.63 | 9.09 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | Oct-01 | --- | 20.46 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | |
| MW6G | 01/02/02 | --- | 20.46 | 9.15 | 11.31 | No | --- | <100 | --- | 1.8 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 04/02/02 | --- | 20.46 | 10.19 | 10.27 | No | --- | <50.0 | <100 | 1.10 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 07/01/02 | --- | 20.46 | 11.35 | 9.11 | No | --- | <50 | <100a | 1.3 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 10/02/02 | --- | 20.46 | 11.99 | 8.47 | No | --- | <50.0 | <100 | 0.7 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 01/07/03 | --- | 20.46 | 9.97 | 10.49 | No | --- | <50.0 | <50 | 1.3 | 2.0 | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 06/17/03 | --- | 20.46 | 10.98 | 9.48 | No | --- | <50.0 | <100 | 1.5 | 1.6 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 07/16/03 | --- | 20.46 | 11.37 | 9.09 | No | --- | <50.0 | <100 | 1.2 | 0.9 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 10/07/03 | --- | 20.46 | 11.90 | 8.56 | No | <50 | <50.0 | <100 | 0.8 | 0.80 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 01/14/04 | --- | 20.46 | 10.10 | 10.36 | No | <50 | <50.0 | <100 | 1.0 | 1.40 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 06/03/04 | --- | 20.46 | 11.10 | 9.36 | No | <50 | <50.0 | <100 | 1.40 | 1.4 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 08/12/04 | --- | 20.46 | c | c | c | 99c | <50.0c | 101c | --- | 1.10c | <0.50c | <0.5c | <0.5c | <0.5c | --- |
| MW6G | 11/04/04 | --- | 20.46 | 11.18 | 9.28 | No | <50 | <50.0 | <100 | --- | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 02/01/05 | --- | 20.46 | 9.79 | 10.67 | No | <100 | <50.0 | <100 | --- | 3.40 | <0.50 | <0.5 | <0.5 | <0.5 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|-------------|-----------------|--------------|------------------|-------------|-----------------|-------------|-------------|---------------|--------------|-------------------|-------------------|-----------------|-----------------|-----------------|-----------------|------------|
| MW6G | 05/03/05 | --- | 20.46 | 9.95 | 10.51 | No | <50 | <50.0 | <100 | --- | 1.40 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6G | 08/04/05 | --- | 20.46 | 11.22 | 9.24 | No | <50.0 | <50.0 | <100 | --- | 1.42 | <0.500 | <0.500 | <0.500 | <0.500 | --- |
| MW6G | 10/27/05 | --- | 20.46 | 11.76 | 8.70 | No | <50.0 | <50.0 | 61.3 | --- | 0.810 | <0.50 | 0.93f | <0.50 | <0.50 | --- |
| MW6G | 01/26/06 | --- | 20.46 | 11.07 | 9.39 | No | <50 | <50 | <500 | --- | 1.8 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 04/28/06 | --- | 20.46 | 9.11 | 11.35 | No | <47 | <50 | <470 | --- | 2.8 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 07/05/06 | --- | 20.46 | 10.70 | 9.76 | No | 88.6 | <50.0 | 277 | --- | 2.49 | <1.00 | <1.00 | <1.00 | <3.00 | --- |
| MW6G | 10/27/06 | --- | 20.46 | 11.75 | 8.71 | No | <47 | 61.9 | <470 | --- | 1.40 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 01/19/07 | --- | 20.46 | 10.94 | 9.52 | No | <47 | <50.0 | <470 | --- | 1.34 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 04/24/07 | --- | 20.46 | 10.40 | 10.06 | No | <47.6 | <50.0 | <47.6 | --- | 2.17 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 07/24/07 | --- | 20.46 | 11.49 | 8.97 | No | <47 | <50 | <470 | --- | 1.3 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 12/03/07 | --- | 20.46 | 11.60 | 8.86 | No | <47 | <50 | <470 | --- | 0.88 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 03/06/08 | --- | 20.46 | 9.79 | 10.67 | No | <47 | <50 | <470 | --- | 2.0 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 06/26/08 | --- | 20.46 | 11.43 | 9.03 | No | <47 | <50 | <470 | --- | 1.6 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 08/12/08 | --- | 20.46 | 11.94 | 8.52 | No | 99.1d,m,n | <50.0 | 135m | --- | 1.35 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 10/23/08 | --- | 20.46 | 12.34 | 8.12 | No | <50 | <50 | <250 | --- | 1.4 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 03/25/09 | --- | 20.46 | 9.93 | 10.53 | No | <50 | <50 | <250 | --- | 1.3 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 06/17/09 | --- | 20.46 | --- | --- | --- | <50 | <50 | <250 | --- | 1.6 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 06/17/09 | --- | 20.46 | 11.11 | 9.35 | No | <50 | <50 | <250 | --- | 1.6 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 09/04/09 | --- | 20.46 | 11.85 | 8.61 | No | <50 | <50 | <250 | --- | 1.5 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 03/09/10 | --- | 20.46 | 8.94 | 11.52 | No | <50 | <50 | <250 | --- | 2.0 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 09/17/10 | --- | 20.46 | 11.64 | 8.82 | No | <50 | <50 | <250 | --- | 1.1 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 02/15/11 | --- | 20.46 | 10.51 | 9.95 | No | <50 | <50 | <250 | --- | 1.2 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 08/23/11 | --- | 20.46 | 10.98 | 9.48 | No | <50 | <50 | <250 | --- | 1.9 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 02/09/12 | --- | 20.46 | 10.91 | 9.55 | No | <50 | <50 | <250 | --- | 1.6 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6G | 07/24/12 | --- | 20.46 | 11.39 | 9.07 | No | <50 | <50 | <250 | --- | 1.5 | <0.50 | <0.50 | <0.50 | <1.0 | 510 |
| MW6G | 03/08/13 | --- | 20.46 | 10.62 | 9.84 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 03/11/13 | --- | 20.46 | --- | --- | --- | <50 | <50 | <250 | --- | 0.91 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 09/04/13 | --- | 20.46 | 11.77 | 8.69 | No | <50 | <50 | <250 | --- | 0.78 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 12/11/13 b | --- | 20.46 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 01/30/14 | --- | 20.46 | 11.97 | 8.49 | No | 83d | <50 | <240 | --- | 0.61 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 08/28/14 | --- | 20.46 | 12.05 | 8.41 | No | <50 | <50 | <250 | --- | 1.1 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 03/02/15 | --- | 20.46 | 10.65 | 9.81 | No | <48 | <50 | <240 | --- | 1.5 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 09/14/15 | --- | 20.46 | 12.07 | 8.39 | No | <47 | <50 | <240 | --- | 0.81 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 03/16/16 | --- | 20.46 | 8.66 | 11.80 | No | <47 | <50 | <240 | --- | 2.0 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6G | 09/15/16 t | --- | 20.46 | 11.67 | 8.79 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 03/06/17 | --- | 20.46 | 8.21 | 12.25 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6G | 03/07/17 | --- | 20.46 | --- | --- | --- | --- | <50 | --- | --- | 1.0 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6H | 11/16/88 | --- | Well installed. | | | | | | | | | | | | | |
| MW6H | 12/07/88 | --- | 97.93i | --- | --- | --- | --- | --- | --- | --- | --- | 1,200 | 320 | 110 | 220 | --- |
| MW6H | 12/15/88 | --- | 97.93i | 12.36 | 85.57i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 09/07/89 | --- | 97.93i | --- | --- | --- | --- | 660 | --- | --- | --- | 480 | <10 | 16 | <15 | --- |
| MW6H | 04/30/90 | --- | 97.93i | 12.10 | 85.83i | --- | --- | 630 | --- | --- | --- | 700 | 39 | 31 | 50 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6H | 10/16/90 | --- | 97.93i | 12.18 | 85.75i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 12/06/90 | --- | 97.93i | 12.29 | 85.64i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 01/14/91 | --- | 97.93i | 12.22 | 85.71i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 02/08/91 | --- | 97.93i | 11.93 | 86.00i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 04/02/91 | --- | 97.93i | 11.59 | 86.34i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 05/07/91 | --- | 97.93i | 12.24 | 85.69i | --- | --- | 570 | --- | --- | --- | 95 | 14 | 15 | 21 | --- |
| MW6H | 05/31/91 | --- | 97.93i | 12.22 | 85.71i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 06/26/91 | --- | 97.93i | 14.34 | 83.59i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 08/05/91 | --- | 97.93i | 12.62 | 85.31i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 08/14/91 | --- | 97.93i | 12.43 | 85.50i | --- | --- | 540 | --- | --- | --- | 52 | 9.9 | 11 | 18 | --- |
| MW6H | 09/11/91 | --- | 97.93i | 12.83 | 85.10i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 10/16/91 | --- | 97.93i | 12.71 | 85.22i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 12/30/91 | --- | 97.93i | 12.16 | 85.77i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 12/31/91 | --- | 97.93i | --- | --- | --- | --- | 790 | --- | --- | --- | 52 | 28 | 22 | 42 | --- |
| MW6H | 02/25/92 | --- | 97.93i | 12.17 | 85.76i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 03/25/92 | --- | 97.93i | 11.65 | 86.28i | --- | --- | 920 | --- | --- | --- | 170 | 52 | 25 | 54 | --- |
| MW6H | 06/16/92 | --- | 14.47 | 12.12 | 2.35 | --- | --- | 460 | --- | --- | --- | 31 | 11 | 6.8 | 16 | --- |
| MW6H | 09/08/92 | --- | 14.47 | 12.30 | 2.17 | No | --- | 780 | --- | --- | --- | 69 | 23 | 17 | 18 | --- |
| MW6H | 11/05/92 | --- | 14.47 | 12.05 | 2.42 | No | --- | 3,400 | --- | --- | --- | 500 | 260 | 85 | 160 | --- |
| MW6H | 12/14/92 | --- | 14.47 | 11.65 | 2.82 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 01/28/93 | --- | 14.47 | 11.57 | 2.90 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 02/11/93 | --- | 14.47 | 12.22 | 2.25 | No | --- | 2,500 | --- | --- | --- | 410 | 170 | 28 | 130 | --- |
| MW6H | 03/09/93 | --- | 14.47 | 12.02 | 2.45 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 04/14/93 | --- | 14.47 | 12.02 | 2.45 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 05/11/93 | --- | 14.47 | 12.35 | 2.12 | No | --- | 4,200 | --- | --- | --- | 490 | 270 | 80 | 210 | --- |
| MW6H | 06/17/93 | --- | 14.47 | 12.22 | 2.25 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 07/26/93 | --- | 14.47 | 12.32 | 2.15 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 08/10/93 | --- | 14.47 | 12.30 | 2.17 | No | --- | 650 | --- | --- | --- | 83 | 22 | 14 | 29 | --- |
| MW6H | 09/21/93 | --- | 14.47 | 12.79 | 1.68 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 10/27/93 | --- | 14.47 | 13.93 | 0.54 | No | --- | 1,600 | --- | --- | --- | 130 | 90 | 29 | 130 | --- |
| MW6H | 11/23/93 | --- | 14.47 | 12.46 | 2.01 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 12/17/93 | --- | 14.47 | 12.08 | 2.39 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 02/16/94 | --- | 14.47 | 12.31 | 2.16 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | 2.9 | --- |
| MW6H | 05/31/94 | --- | 14.47 | 12.46 | 2.01 | No | --- | 1,800 | --- | --- | --- | 370 | 220 | 65 | 210 | --- |
| MW6H | 08/30/94 | --- | 16.58j | 12.72 | 3.86 | No | --- | 1,900 | --- | --- | --- | 130 | 90 | 19 | 86 | --- |
| MW6H | 11/11/94 | --- | 16.58j | 11.98 | 4.60 | No | --- | 13,000 | --- | --- | --- | 1,700 | 1,400 | 260 | 1,800 | --- |
| MW6H | 02/27/95 | --- | 16.58j | 11.89 | 4.69 | No | --- | 320 | --- | --- | --- | 450 | 120 | 28 | 79 | --- |
| MW6H | 05/30/95 | --- | 16.58j | 12.05 | 4.53 | No | --- | 2,300 | --- | --- | --- | 960 | 260 | 64 | 200 | --- |
| MW6H | 08/30/95 | --- | 16.58j | 12.34 | 4.24 | No | --- | 2,100 | --- | 50 | --- | 590 | 35 | 24 | 74 | --- |
| MW6H | 11/26/96 | --- | 16.58j | 11.87 | 4.71 | No | --- | 1,200 | --- | <30 | --- | 320 | 110 | 22 | 85 | --- |
| MW6H | 02/27/97 | --- | 16.58j | 11.58 | 5.00 | No | --- | 1,800 | --- | <200 | --- | 760 | 31 | 8.4 | 44 | --- |
| MW6H | 05/21/97 | --- | 16.58j | 12.23 | 4.35 | No | --- | 1,100 | --- | 81 | --- | 640 | 18 | 5.4 | 45 | --- |
| MW6H | 08/18/97 | --- | 16.58j | 12.29 | 4.29 | No | --- | 870 | --- | 26 | --- | 200 | 3.6 | 2.4 | 7.4 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|--|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6H | 03/13/98 | --- | 20.47 | 11.44 | 9.03 | No | --- | 5,300 | --- | <125 | --- | 1,900 | 720 | 100 | 470 | --- |
| MW6H | 04/20/98 | --- | 20.47 | 11.58 | 8.89 | No | --- | 6,000 | --- | 2,700 | --- | 1,500 | 600 | 91 | 440 | --- |
| MW6H | 07/21/98 | --- | 20.47 | 11.97 | 8.50 | No | --- | 2,200 | --- | 1,600 | --- | 740 | 44 | 15 | 63 | --- |
| MW6H | 10/06/98 | --- | 20.47 | 12.23 | 8.24 | No | --- | 5,400 | --- | 3,000 | --- | 1,900 | <25 | <25 | 76 | --- |
| MW6H | 01/11/99 | --- | 20.47 | 12.17 | 8.30 | No | --- | 2,600 | --- | 4,300 | --- | 1,200 | <12 | <12 | 20 | --- |
| MW6H | 04/08/99 | --- | 20.47 | 11.56 | 8.91 | No | --- | 13,000 | --- | 13,000 | --- | 3,400 | 1,300 | 260 | 1,200 | --- |
| MW6H | 07/19/99 | --- | 20.47 | 11.71 | 8.76 | No | --- | <2,000 | --- | 6,920 | 8,520 | 732 | <20 | <20 | <20 | --- |
| MW6H | 07/27/99 | --- | 20.47 | 12.39 | 8.08 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 10/25/99 | --- | 20.47 | 12.16 | 8.31 | No | --- | 700 | --- | 4,000 | --- | 360 | 1.1 | 0.68 | 2 | --- |
| MW6H | 01/27/00 | --- | 20.47 | 11.60 | 8.87 | No | --- | 9,100 | --- | 7,600 | --- | 2,400 | 840 | 150 | 670 | --- |
| MW6H | 04/03/00 | --- | 20.47 | 11.62 | 8.85 | No | --- | 12,000 | --- | 8,800 | --- | 2,800 | 1,100 | 230 | 1,020 | --- |
| MW6H | 07/05/00 | --- | 20.47 | 11.93 | 8.54 | No | --- | 12,000 | --- | 8,000 | --- | 1,200 | 56 | 13 | 92 | --- |
| MW6H | 10/04/00 | --- | 20.47 | 12.16 | 8.31 | No | --- | 4,400 | --- | 8,400 | --- | 1,500 | 23 | 12 | 80.6 | --- |
| MW6H | 10/05/00 | --- | 20.47 | --- | --- | --- | --- | --- | <1,000 | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 01/04/01 | --- | 20.47 | 12.03 | 8.44 | No | --- | 2,300 | --- | 3,800 | --- | 880 | 15 | 6.4 | 33.9 | --- |
| MW6H | 04/03/01 | --- | 20.47 | 11.73 | 8.74 | No | --- | 7,800 | --- | 5,100 | --- | 2,000 | 730 | 140 | 590 | --- |
| MW6H | 07/05/01 | --- | 20.47 | 11.98 | 8.49 | No | --- | 2,300 | --- | 3,200 | --- | 630 | 25 | 10 | 40.8 | --- |
| MW6H | 10/03/01 | --- | 20.47 | 12.1 | 8.37 | No | --- | 1,400 | --- | 550 | --- | 270 | 5.6 | 4.2 | 11.6 | --- |
| MW6H | Oct-01 | --- | 20.20 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | |
| MW6H | 01/02/02 | --- | 20.20 | 11.14 | 9.06 | No | --- | 47,100 | --- | 4,260 | --- | 7,880 | 5,220 | 1,060 | 4,460 | --- |
| MW6H | 04/02/02 | --- | 20.20 | 11.68 | 8.52 | No | --- | 17,500 | <500 | 1,590 | --- | 2,280 | 1,290 | 282 | 1,090 | --- |
| MW6H | 07/01/02 | --- | 20.20 | 11.97 | 8.23 | No | --- | 5,370 | <100a | 1,910 | --- | 1,170 | 200 | 44.0 | 158 | --- |
| MW6H | 10/02/02 | --- | 20.20 | 12.20 | 8.00 | No | --- | 2,570 | <100 | 899 | --- | 655 | 13.0 | 8.0 | 25.0 | --- |
| MW6H | 01/07/03 | --- | 20.20 | 11.58 | 8.62 | No | --- | 12,500 | <50 | 1,700 | 2,500 | 2,480 | 1,340 | 250 | 1,120 | --- |
| MW6H | 06/17/03 | --- | 20.20 | 11.82 | 8.38 | No | --- | 6,330 | <100 | 1,490 | 1,660 | 604 | 104 | 44.0 | 152 | --- |
| MW6H | 07/16/03 | --- | 20.20 | 12.89 | 7.31 | No | --- | 3,170 | <100 | 1,270 | 1,170 | 614 | 20.0 | 9.5 | 31.8 | --- |
| MW6H | 10/07/03 | --- | 20.20 | 12.10 | 8.10 | No | --- | 2,090 | <100 | 612 | 640 | 433 | 11.6 | 6.7 | 22.5 | --- |
| MW6H | 01/14/04 | --- | 20.20 | 11.55 | 8.65 | No | 390 | 6,320 | <100 | 59.0 | 1,250 | 1,340 | 517 | 117 | 515 | --- |
| MW6H | 06/03/04 | --- | 20.20 | 11.92 | 8.28 | No | --- | 3,330 | <100 | 604 | 632 | 546 | 128 | 38.4 | 140 | --- |
| MW6H | 08/12/04 | --- | 20.20 | c | c | c | 174c | 1,920c | <100c | --- | 426c | 330c | 17.9c | 9.3c | 35.3c | --- |
| MW6H | 11/04/04 | --- | 20.20 | 11.86 | 8.34 | No | 578 | 8,090 | 552 | --- | 442 | 1,280 | 620 | 185 | 822 | --- |
| MW6H | 02/01/05 | --- | 20.20 | 11.55 | 8.65 | No | 616 | 9,500 | 193 | --- | 335 | 1,360 | 764 | 214 | 844 | --- |
| MW6H | 05/03/05 | --- | 20.20 | 11.54 | 8.66 | No | 560d | 9,120 | 168 | --- | 323 | 1,320 | 886 | 245 | 928 | --- |
| MW6H | 08/04/05 | --- | 20.20 | 11.89 | 8.31 | No | 269d | 1,810 | 143 | --- | 268 | 349 | 57.0 | 20.1 | 70.0 | --- |
| MW6H | 10/27/05 | --- | 20.20 | 12.10 | 8.10 | No | 228 | 942 | 98.5 | --- | 164 | 154 | 23.1f | 6.09 | 23.2 | --- |
| MW6H | 01/26/06 | --- | 20.20 | 11.54 | 8.66 | No | 910d | 20,000 | <500 | --- | 270 | 3,200 | 3,400 | 660 | 3,100 | --- |
| MW6H | 04/28/06 | --- | 20.20 | 11.29 | 8.91 | No | 550d | 11,000 | <470 | --- | 160 | 2,000 | 1,500 | 380 | 1,600 | --- |
| MW6H | 07/05/06 | --- | 20.20 | 11.90 | 8.30 | No | 273 | 2,360 | 114 | --- | 82.9 | 389 | 111 | 39.5 | 125 | --- |
| MW6H | 10/27/06 | --- | 20.20 | 12.08 | 8.12 | No | 120d | 1,460 | <470 | --- | 69.4 | 215 | 27.9 | 16.2 | 43.4 | --- |
| MW6H | 01/19/07 | --- | 20.20 | 11.81 | 8.39 | No | 290d | 4,950 | <470 | --- | 77.5 | 831 | 638 | 129 | 451 | --- |
| MW6H | 04/24/07 | --- | 20.20 | 11.52 | 8.68 | No | 997d | 13,800 | 140 | --- | 90.5 | 1,330 | 1,420 | 357 | 1,360 | --- |
| MW6H | 07/24/07 | --- | 20.20 | 11.90 | 8.30 | No | 150d | 1,600 | <470 | --- | 56 | 300 | 110 | 29 | 100 | --- |
| MW6H | 12/03/07 | --- | 20.20 | 12.03 | 8.17 | No | 140d,l | 1,800 | <470 | --- | 51 | 420 | 14 | 8.3 | 33 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|-------------|-----------------|--------------|------------------|--------------|-----------------|-------------|-------------|--------------|--------------|-------------------|-------------------|------------|------------|------------|--------------|------------|
| MW6H | 03/06/08 | --- | 20.20 | 11.81 | 8.39 | No | 280d | 4,400 | <470 | --- | 48 | 630 | 540 | 130 | 460 | --- |
| MW6H | 06/26/08 | --- | 20.20 | 12.41 | 7.79 | No | 320d | 3,700 | <470 | --- | 40 | 930 | 100 | 130 | 550 | --- |
| MW6H | 08/12/08 | --- | 20.20 | 12.40 | 7.80 | No | 740d,m,n | 5,010 | 294m | --- | 29.8 | 684 | 354 | 114 | 466 | --- |
| MW6H | 10/23/08 | --- | 20.20 | 12.47 | 7.73 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 10/30/08 | --- | 20.20 | --- | --- | --- | <50 | 2,100 | <250 | --- | 23 | 270 | 64 | 35 | 120 | --- |
| MW6H | 03/25/09 | --- | 20.20 | 11.41 | 8.79 | No | 770 | 14,000 | <250 | --- | <50 | 2,000 | 1,700 | 620 | 2,300 | --- |
| MW6H | 06/17/09 | --- | 20.20 | --- | --- | --- | 720 | 6000 | <250 | --- | <50 | 2000 | 420 | 280 | 930 | --- |
| MW6H | 06/17/09 | --- | 20.20 | 11.82 | 8.38 | No | 720 | 6,000 | <250 | --- | <50 | 2,000 | 420 | 280 | 930 | --- |
| MW6H | 09/04/09 | --- | 20.20 | 12.18 | 8.02 | No | 390d | 3,700 | <250 | --- | 23 | 660 | 53 | 59 | 180 | --- |
| MW6H | 03/09/10 | --- | 20.20 | 10.72 | 9.48 | No | 4,400d | 16,000 | <250 | --- | 26 | 2,600 | 1,400 | 830 | 2,800 | --- |
| MW6H | 09/17/10 | --- | 20.20 | 12.09 | 8.11 | No | 280d | 2,200 | <250 | --- | 18 | 660 | 86 | 60 | 170 | --- |
| MW6H | 02/15/11 | --- | 20.20 | 11.28 | 8.92 | No | 740d | 5,800d | <250 | --- | 10 | 1,600 | 630 | 250 | 980 | --- |
| MW6H | 08/23/11 | --- | 20.20 | 11.56 | 8.64 | No | 780d | 6,500 | <250 | --- | 16 | 1,600 | 200 | 150 | 380 | --- |
| MW6H | 02/09/12 | --- | 20.20 | 11.58 | 8.62 | No | 750d | 7,300 | <250 | --- | 19s | 1,200 | 520 | 280 | 770 | --- |
| MW6H | 07/24/12 | --- | 20.20 | 11.93 | 8.27 | No | 700d | 6,400 | <250 | --- | <20 | 1,600 | 500 | 320 | 960 | 485 |
| MW6H | 03/08/13 | --- | 20.20 | 11.36 | 8.84 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 03/11/13 | --- | 20.20 | --- | --- | --- | 420d | 3,900 | <250 | --- | <20 | 610 | 140 | 82 | 290 | --- |
| MW6H | 09/04/13 | --- | 20.20 | 11.96 | 8.24 | No | 380d | 2,700 | <250 | --- | <10 | 350 | 39 | 26 | 80 | --- |
| MW6H | 12/11/13 b | --- | 20.20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 01/30/14 | --- | 20.20 | 12.22 | 7.98 | No | 800d | 3,800 | 1,500d | --- | 15 | 640 | 69 | 100 | 280 | --- |
| MW6H | 08/28/14 | --- | 20.20 | 12.11 | 8.09 | No | 400d | 2,200 | <250 | --- | <10 | 410 | 37 | 45 | 130 | --- |
| MW6H | 03/02/15 | --- | 20.20 | 11.34 | 8.86 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 03/03/15 | --- | 20.20 | --- | --- | --- | 630d | 6,200 | <250 | --- | <25 | 1,000 | 200 | 350 | 780 | --- |
| MW6H | 09/14/15 | --- | 20.20 | 12.11 | 8.09 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 09/15/15 | --- | 20.20 | --- | --- | --- | 340d | 2,000 | <240 | --- | 12 | 250 | 17 | 19 | 34 | --- |
| MW6H | 03/16/16 | --- | 20.20 | 10.42 | 9.78 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 03/17/16 | --- | 20.20 | --- | --- | --- | 2,300d | 10,000 | <230 | --- | <50n | 1,400 | 710 | 750 | 2,200 | --- |
| MW6H | 09/15/16 | --- | 20.20 | 11.69 | 8.51 | No | 450d | 2,700 | <250 | --- | <12n | 350 | 25 | 21 | 44 | --- |
| MW6H | 03/06/17 | --- | 20.20 | 10.24 | 9.96 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 03/07/17 | --- | 20.20 | --- | --- | --- | --- | 4,000 | --- | --- | <25n | 600 | 300 | 490 | 1,500 | --- |
| MW6I | 11/17/88 | --- | Well installed. | | | | | | | | | | | | | |
| MW6I | 12/07/88 | --- | 97.60i | --- | --- | --- | --- | ND | --- | --- | --- | <0.5 | <1 | <2 | <1 | --- |
| MW6I | 12/15/88 | --- | 97.60i | 12.83 | 84.77i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 09/07/89 | --- | 97.60i | --- | --- | --- | --- | ND | --- | --- | --- | ND | ND | ND | ND | --- |
| MW6I | 04/30/90 | --- | 97.60i | 12.66 | 84.94i | --- | --- | ND | --- | --- | --- | ND | ND | ND | ND | --- |
| MW6I | 10/16/90 | --- | 97.60i | 12.71 | 84.89i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 12/06/90 | --- | 97.60i | 12.75 | 84.85i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/14/91 | --- | 97.60i | 12.55 | 85.05i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 02/08/91 | --- | 97.60i | 12.32 | 85.28i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 04/02/91 | --- | 97.60i | 12.22 | 85.38i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 05/07/91 | --- | 97.60i | 12.61 | 84.99i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 05/31/91 | --- | 97.60i | 12.82 | 84.78i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6I | 06/26/91 | --- | 97.60i | 12.93 | 84.67i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 08/05/91 | --- | 97.60i | 13.01 | 84.59i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 08/14/91 | --- | 97.60i | 12.98 | 84.62i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 09/11/91 | --- | 97.60i | 13.11 | 84.49i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 10/16/91 | --- | 97.60i | 13.04 | 84.56i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 12/30/91 | --- | 97.60i | 12.72 | 84.88i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 12/31/91 | --- | 97.60i | --- | --- | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 02/25/92 | --- | 97.60i | 12.45 | 85.15i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 03/25/92 | --- | 97.60i | 12.12 | 85.48i | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 06/16/92 | --- | 14.14 | 12.75 | 1.39 | --- | --- | ND | --- | --- | --- | ND | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 09/08/92 | --- | 14.14 | 12.84 | 1.30 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 11/05/92 | --- | 14.14 | 12.75 | 1.39 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 12/14/92 | --- | 14.14 | 12.40 | 1.74 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/28/93 | --- | 14.14 | 12.20 | 1.94 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 02/11/93 | --- | 14.14 | 12.40 | 1.74 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 03/09/93 | --- | 14.14 | 12.45 | 1.69 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 04/14/93 | --- | 14.14 | 12.43 | 1.71 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 05/11/93 | --- | 14.14 | 12.73 | 1.41 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 06/17/93 | --- | 14.14 | 12.78 | 1.36 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/26/93 | --- | 14.14 | 12.92 | 1.22 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 08/10/93 | --- | 14.14 | 12.97 | 1.17 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 09/21/93 | --- | 14.14 | 13.02 | 1.12 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 10/27/93 | --- | 14.14 | 13.10 | 1.04 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | 1.1 | --- |
| MW6I | 11/23/93 | --- | 14.14 | 13.02 | 1.12 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 12/17/93 | --- | 14.14 | 12.65 | 1.49 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 02/16/94 | --- | 14.14 | 12.66 | 1.48 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 05/31/94 | --- | 14.14 | 12.90 | 1.24 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 08/30/94 | --- | 16.26j | 13.06 | 3.20 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 11/11/94 | --- | 16.26j | 15.20 | 1.06 | No | --- | 53 | --- | --- | --- | 0.62 | 1.8 | <0.5 | 2.0 | --- |
| MW6I | 02/27/95 | --- | 16.26j | 12.51 | 3.75 | No | --- | <50 | --- | --- | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 05/30/95 | --- | 16.26j | 12.57 | 3.69 | No | --- | 69 | --- | --- | --- | 2.8 | 0.96 | 1.1 | 4.3 | --- |
| MW6I | 08/30/95 | --- | 16.26j | 12.86 | 3.4 | No | --- | <50 | --- | <10 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 11/26/96 | --- | 16.26j | 12.45 | 3.81 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 02/27/97 | --- | 16.26j | 12.24 | 4.02 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 05/21/97 | --- | 16.26j | 12.82 | 3.44 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 08/18/97 | --- | 16.26j | 12.81 | 3.45 | No | --- | <50 | --- | <30 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 03/13/98 | --- | 16.26j | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 04/20/98 | --- | 16.26j | 12.14 | 4.12 | No | --- | <50 | --- | <2.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 07/21/98 | --- | 20.24 | 12.59 | 7.65 | No | --- | <50 | --- | <2.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 10/06/98 | --- | 20.24 | 12.81 | 7.43 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/11/99 | --- | 20.24 | 12.74 | 7.50 | No | --- | <50 | --- | <2.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 04/08/99 | --- | 20.24 | 11.93 | 8.31 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/19/99 | --- | 20.24 | 11.75 | 8.49 | No | --- | 281 | --- | 17.6 | --- | 35.4 | 9.1 | 7.4 | 30.7 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|--|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6I | 07/27/99 | --- | 20.24 | 12.95 | 7.29 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 10/25/99 | --- | 20.24 | 12.79 | 7.45 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/27/00 | --- | 20.24 | 12.06 | 8.18 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 04/03/00 | --- | 20.24 | 12.24 | 8.00 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/05/00 | --- | 20.24 | 12.48 | 7.76 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 10/04/00 | --- | 20.24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 10/05/00 | --- | 20.24 | --- | --- | --- | --- | --- | <1,000 | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/04/01 | --- | 20.24 | 12.54 | 7.70 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 04/03/01 | --- | 20.24 | 12.32 | 7.92 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 07/05/01 | --- | 20.24 | 12.55 | 7.69 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 10/01/01 | --- | 19.87 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | |
| MW6I | 10/03/01 | --- | 20.24 | 12.67 | 7.57 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 01/02/02 | --- | 19.87 | 10.98 | 8.89 | No | --- | <100 | --- | <0.5 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 04/02/02 b | --- | 19.87 | 12.24 | 7.63 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/01/02 | --- | 19.87 | 12.51 | 7.36 | No | --- | <50 | <100a | <0.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 10/02/02 b | --- | 19.87 | 12.72 | 7.15 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/07/03 | --- | 19.87 | 12.09 | 7.78 | No | --- | <50.0 | <50 | <0.5 | 1.10 | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 06/17/03 b | --- | 19.87 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/16/03 | --- | 19.87 | 12.49 | 7.38 | No | --- | <50.0 | <100 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 10/07/03 b | --- | 19.87 | 12.64 | 7.23 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/14/04 | --- | 19.87 | 12.13 | 7.74 | No | --- | <50.0 | <100 | <0.5 | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 06/03/04 b | --- | 19.87 | 12.56 | 7.31 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 08/12/04 | --- | 19.87 | c | c | c | 99c | <50.0c | 155c | --- | <0.50c | <0.50c | <0.5c | <0.5c | 0.8c | --- |
| MW6I | 11/04/04 b | --- | 19.87 | 12.33 | 7.54 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 02/01/05 | --- | 19.87 | 12.09 | 7.78 | No | <100 | <50.0 | <100 | --- | <0.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6I | 05/03/05 b | --- | 19.87 | 12.16 | 7.71 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 08/04/05 | --- | 19.87 | 12.46 | 7.41 | No | 54.2d | <50.0 | <100 | --- | <0.500 | <0.500 | <0.500 | <0.500 | <0.500 | --- |
| MW6I | 10/27/05 b | --- | 19.87 | 12.58 | 7.29 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/26/06 | --- | 19.87 | 12.04 | 7.83 | No | <50 | <50 | <500 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 04/28/06 b | --- | 19.87 | 11.94 | 7.93 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/05/06 | --- | 19.87 | 13.06 | 6.81 | No | <47.6 | <50.0 | <95.2 | --- | <0.500 | <1.00 | <1.00 | <1.00 | <3.00 | --- |
| MW6I | 10/27/06 b | --- | 19.87 | 12.64 | 7.23 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/19/07 | --- | 19.87 | 12.41 | 7.46 | No | <47 | <50.0 | <470 | --- | <0.500 | <0.50 | <0.50 | <0.50 | 0.62 | --- |
| MW6I | 04/24/07 b | --- | 19.87 | 12.11 | 7.76 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/24/07 | --- | 19.87 | 12.51 | 7.36 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 12/03/07 | --- | 19.87 | 12.64 | 7.23 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 03/06/08 | --- | 19.87 | 11.97 | 7.90 | No | <47 | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 06/26/08 b | --- | 19.87 | 12.54 | 7.33 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 08/12/08 | --- | 19.87 | 12.53 | 7.34 | No | 81.3d,m,n | <50.0 | 137m | --- | <0.500 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 10/23/08 b | --- | 19.87 | 12.56 | 7.31 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 03/25/09 | --- | 19.87 | 12.14 | 7.73 | No | <50 | <50 | <250 | --- | <0.50 | 1.1 | 1.1 | 0.53 | 2.3 | --- |
| MW6I | 06/17/09 b | --- | 19.87 | 12.43 | 7.44 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 09/04/09 | --- | 19.87 | 12.55 | 7.32 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|-------------|-----------------|--------------|------------------|--|-----------------|-------------|-------------------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| MW6I | 03/09/10 | --- | 19.87 | 11.82 | 8.05 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6I | 09/17/10 | --- | 19.87 | 12.63 | 7.24 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6I | 02/15/11 | --- | 19.87 | 12.04 | 7.83 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6I | 08/23/11 | --- | 19.87 | 12.41 | 7.46 | No | <50 | <50 | <250 | --- | <0.50 | 0.73 | <0.50 | <0.50 | <1.0 | --- |
| MW6I | 02/09/12 | --- | 19.87 | 12.33 | 7.54 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | 1.2 | 0.87o | 2.6 | --- |
| MW6I | 07/24/12 | --- | 19.87 | 12.51 | 7.36 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | 230 |
| MW6I | 03/08/13 | --- | 19.87 | 12.18 | 7.69 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 03/11/13 | --- | 19.87 | --- | --- | --- | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 09/04/13 | --- | 19.87 | 12.10 | 7.77 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 12/11/13 b | --- | 19.87 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/30/14 | --- | 19.87 | 12.66 | 7.21 | No | <48 | <50 | <240 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 08/28/14 | --- | 19.87 | 12.53 | 7.34 | No | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 03/02/15 | --- | 19.87 | 12.07 | 7.80 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 03/03/15 | --- | 19.87 | --- | --- | --- | <50 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 09/14/15 | --- | 19.87 | 12.45 | 7.42 | No | <47 | <50 | <240 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6I | 03/16/16 | --- | 19.87 | 11.14 | 8.73 | No | Well no longer sampled. | | | | | | | | | --- |
| MW6I | 03/06/17 | --- | 19.87 | 10.65 | 9.22 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6J | 04/06/01 | --- | Well installed. | | | | | | | | | | | | | |
| MW6J | 07/05/01 | --- | 20.72 | 13.47 | 7.25 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 10/03/01 | --- | 20.72 | 13.57 | 7.15 | No | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | Oct-01 | --- | 20.75 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | |
| MW6J | 01/02/02 | --- | 20.75 | 13.19 | 7.56 | No | --- | <100 | --- | <0.5 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 04/02/02 | --- | 20.75 | 13.74 | 7.01 | No | --- | <50.0 | <100 | 1.00 | --- | 0.80 | <0.50 | <0.50 | 0.80 | --- |
| MW6J | 07/01/02 | --- | 20.75 | 13.58 | 7.17 | No | --- | <50 | <100a | <0.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 10/02/02 | --- | 20.75 | 13.79 | 6.96 | No | --- | <50.0 | <100 | <0.5 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 01/07/03 | --- | 20.75 | 13.49 | 7.26 | No | --- | <50.0 | <50 | 0.60 | 1.30 | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 06/17/03 | --- | 20.75 | 13.76 | 6.99 | No | --- | <50.0 | <100 | 3.00 | 0.70 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 07/16/03 | --- | 20.75 | 13.57 | 7.18 | No | --- | <50.0 | <100 | 0.70 | 0.60 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 10/07/03 | --- | 20.75 | 13.74 | 7.01 | No | --- | <50.0 | <100 | 1.1 | 1.20 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 01/14/04 | --- | 20.75 | 13.46 | 7.29 | No | <50 | <50.0 | <100 | 1.8 | 1.80 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 06/03/04 | --- | 20.75 | 13.72 | 7.03 | No | <50 | <50.0 | <100 | 5.1 | 10.3 | 0.50 | <0.5 | <0.5 | <0.5 | --- |
| MW6J | 08/12/04 | --- | 20.75 | c | c | c | <50c | <50.0c | <100c | --- | 3.30c | 1.40c | 2.1c | 1.3c | 4.6c | --- |
| MW6J | 11/04/04 | --- | 20.75 | 13.68 | 7.07 | No | <50 | <50.0 | 116 | --- | 3.50 | 0.50 | 0.5 | <0.5 | <0.5 | --- |
| MW6J | 02/01/05 | --- | 20.75 | 13.47 | 7.28 | No | <100 | <50.0 | <100 | --- | 5.50 | <0.50 | <0.5 | <0.5 | 0.6 | --- |
| MW6J | 05/03/05 | --- | 20.75 | 13.66 | 7.09 | No | <50 | <50.0 | <100 | --- | 3.00 | 0.70 | 0.9 | 0.6 | 0.8 | --- |
| MW6J | 08/04/05 | --- | 20.75 | 13.75 | 7.00 | No | 55.8d | <50.0 | 130 | --- | <0.500 | <0.500 | <0.500 | <0.500 | <0.500 | --- |
| MW6J | 10/27/05 | --- | 20.75 | 13.71 | 7.04 | No | <50.0 | <50.0 | <50.0 | --- | 2.48 | <0.50 | 0.94f | <0.50 | <0.50 | --- |
| MW6J | 01/26/06 | --- | 20.75 | 13.49 | 7.26 | No | <50 | <50 | <500 | --- | 6.2 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 04/28/06 | --- | 20.75 | 13.56 | 7.19 | No | <47 | <50 | <470 | --- | 7.2 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 07/05/06 | --- | 20.75 | 13.75 | 7.00 | No | <47.6 | <50.0 | <95.2 | --- | 7.73 | <1.00 | <1.00 | <1.00 | <3.00 | --- |
| MW6J | 10/27/06 | --- | 20.75 | 13.66 | 7.09 | No | <47 | 67.7 | <470 | --- | 9.15 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 01/19/07 | --- | 20.75 | 13.51 | 7.24 | No | <47 | <50.0 | <470 | --- | 12.1 | <0.50 | <0.50 | <0.50 | <0.50 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|-------------|-----------------|--------------|------------------|--|-----------------|-------------|-------------|---------------|--------------|-------------------|-------------------|-----------------|-----------------|-----------------|-----------------|------------|
| MW6J | 04/24/07 | --- | 20.75 | 13.76 | 6.99 | No | <47.6 | <50.0 | <47.6 | --- | 12.8 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 07/24/07 | --- | 20.75 | 14.01 | 6.74 | No | <47 | <50 | <470 | --- | 16 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 12/03/07 | --- | 20.75 | 13.71 | 7.04 | No | <47 | <50 | <470 | --- | 29 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 03/06/08 | --- | 20.75 | Well inaccessible due to encroachment permit restrictions. | | | | | | | | | | | | |
| MW6J | 06/26/08 | --- | 20.75 | Well inaccessible due to encroachment permit restrictions. | | | | | | | | | | | | |
| MW6J | 08/12/08 | --- | 20.75 | Well inaccessible due to encroachment permit restrictions. | | | | | | | | | | | | |
| MW6J | 10/23/08 | --- | 20.75 | 13.40 | 7.35 | No | <50 | <50 | <250 | --- | 10 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6J | 03/25/09 | --- | 20.75 | 13.19 | 7.56 | No | <50 | <50 | <250 | --- | 8.7 | <0.50 | <0.50 | <0.50 | 1.4 | --- |
| MW6J | 06/17/09 | --- | 20.75 | --- | --- | --- | <50 | <50 | <250 | --- | 15 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6J | 06/17/09 | --- | 20.75 | 13.69 | 7.06 | No | <50 | <50 | <250 | --- | 15 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6J | 09/04/09 | --- | 20.75 | 13.31 | 7.44 | No | <50 | <50 | <250 | --- | 16 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6J | 03/09/10 | --- | 20.75 | 12.84 | 7.91 | No | <50 | <50 | <250 | --- | 12 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6J | 09/17/10 | --- | 20.75 | 13.27 | 7.48 | No | <50 | <50 | <250 | --- | 15 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6J | 02/15/11 | --- | 20.75 | 12.80 | 7.95 | No | <50 | <50 | <250 | --- | 6.7 | 0.73 | <0.50 | <0.50 | <1.0 | --- |
| MW6J | 08/23/11 | --- | 20.75 | 13.18 | 7.57 | No | <50 | <50 | <250 | --- | 5.1 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| MW6J | 02/09/12 | --- | 20.75 | 13.17 | 7.58 | No | <50 | <50 | <250 | --- | 5.3 | 0.71 | 3.0 | 2.1 | 6.1 | --- |
| MW6J | 07/24/12 | --- | 20.75 | 13.61 | 7.14 | No | <54 | <50 | <270 | --- | 14 | <0.50 | <0.50 | <0.50 | <1.0 | 405 |
| MW6J | 03/08/13 | --- | 20.75 | Well inaccessible. | | | | | | | | | | | | |
| MW6J | 09/04/13 | --- | 20.75 | 13.26 | 7.49 | No | <50 | <50 | <250 | --- | 19 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 12/11/13 b | --- | 20.75 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6J | 01/30/14 | --- | 20.75 | 13.39 | 7.36 | No | 48d | <50 | <240 | --- | 8.4 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 08/28/14 | --- | 20.75 | 13.35 | 7.40 | No | <50 | <50 | <250 | --- | 6.9 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 03/02/15 | --- | 20.75 | Well inaccessible due to encroachment permit restrictions. | | | | | | | | | | | | |
| MW6J | 09/14/15 | --- | 20.75 | 13.29 | 7.46 | No | <47 | <50 | <240 | --- | 6.8 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 03/16/16 | --- | 20.75 | Well inaccessible due to encroachment permit restrictions. | | | | | | | | | | | | |
| MW6J | 09/15/16 | --- | 20.75 | 12.86 | 7.89 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6J | 09/16/16 | --- | 20.75 | --- | --- | --- | <45 | <50 | <230 | --- | 19 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6J | 03/06/17 | --- | 20.75 | 12.39 | 8.36 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6J | 03/07/17 | --- | 20.75 | --- | --- | --- | --- | <50 | --- | --- | 14 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| MW6Ka | 06/13/13 | --- | Well installed. | | | | | | | | | | | | | |
| MW6Ka | 06/17/13 | --- | --- | 12.08 | --- | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 06/21/13 | --- | Well surveyed. | | | | | | | | | | | | | |
| MW6Ka | 06/21/13 q | --- | 21.04 | 12.11u | --- | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 09/04/13 q | --- | 21.04 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 12/11/13 q | --- | 21.04 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 01/30/14 q | --- | 21.04 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 08/28/14 q | --- | 21.04 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 03/02/15 | --- | 21.04 | 11.56 | 9.48 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 03/03/15 q | --- | 21.04 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 09/14/15 q | --- | 21.04 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 03/16/16 | --- | 21.04 | 9.91 | 11.13 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 03/17/16 | --- | 21.04 | --- | --- | --- | 7,900d | 55,000 | 490d | --- | <250n | 12,000 | 480 | 4,000 | 16,000 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|--------------|-----------------|--------------|------------------|--------------|-----------------|-------------|-------------|---------------|--------------|-------------------|-------------------|--------------|--------------|--------------|---------------|------------|
| MW6Ka | 09/15/16 | --- | 21.04 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 03/06/17 | --- | 21.04 | 9.25 | 11.79 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Ka | 03/07/17 | --- | 21.04 | --- | --- | --- | --- | 17,000 | --- | --- | <120n | 4,700 | 2,000 | 3,600 | 14,000 | --- |
| MW6Kb | 06/13/13 | --- | Well installed. | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Kb | 06/17/13 | --- | --- | 11.85 | --- | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Kb | 06/21/13 | --- | Well surveyed. | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Kb | 06/21/13 | --- | 20.81 | 11.88 | 8.93 | No | 1,900d | 9,700 | <250 | --- | 36 | 630 | 430 | 480 | 1,500 | --- |
| MW6Kb | 09/04/13 | --- | 20.81 | 12.20 | 8.61 | No | 720d | 2,800d | <250 | --- | 17 | 140 | 14 | 98 | 30 | --- |
| MW6Kb | 12/11/13 | --- | 20.81 | 12.28 | 8.53 | No | <48 | 1,500 | <240 | --- | 19 | 220 | 14 | 42 | 20 | --- |
| MW6Kb | 01/30/14 | --- | 20.81 | 12.51 | 8.30 | No | 270d | 450 | <240 | --- | 1.3 | 11 | 7.4 | 11 | 66 | --- |
| MW6Kb | 08/28/14 | --- | 20.81 | 12.55 | 8.26 | No | 330d | 570d | <250 | --- | 18 | 38 | 1.6 | 3.0 | 2.1 | --- |
| MW6Kb | 03/02/15 | --- | 20.81 | 11.17 | 9.64 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Kb | 03/03/15 | --- | 20.81 | --- | --- | --- | 340d | 880 | <250 | --- | 33 | 110 | 8.7 | 5.0 | 47 | --- |
| MW6Kb | 09/14/15 | --- | 20.81 | 12.55 | 8.26 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Kb | 09/15/15 | --- | 20.81 | --- | --- | --- | 49d | 150d | <240 | --- | 21 | 15 | 3.9 | <0.50 | 3.2 | --- |
| MW6Kb | 03/16/16 | --- | 20.81 | 9.62 | 11.19 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Kb | 03/17/16 | --- | 20.81 | --- | --- | --- | 510d | 1,200 | <230 | --- | 38 | 230 | 28 | 18 | 47 | --- |
| MW6Kb | 09/15/16 | --- | 20.81 | 12.21 | 8.60 | No | <50 | 140d | <250 | --- | 30 | 4.0 | <0.50 | <0.50 | <0.50 | --- |
| MW6Kb | 03/06/17 | --- | 20.81 | 9.48 | 11.33 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Kb | 03/07/17 | --- | 20.81 | --- | --- | --- | --- | 2,300d | --- | --- | 20 | 540 | 28 | 20 | 43 | --- |
| MW6La | 06/12/13 | --- | Well installed. | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 06/17/13 | --- | --- | 12.17 | --- | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 06/21/13 | --- | Well surveyed. | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 06/21/13 q | --- | 21.18 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 09/04/13 q | --- | 21.18 | 12.27u | u | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 12/11/13 q | --- | 21.18 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 01/30/14 q | --- | 21.18 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 08/28/14 q | --- | 21.18 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 03/02/15 q | --- | 21.18 | 11.92u | u | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 09/14/15 q | --- | 21.18 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 03/16/16 | --- | 21.18 | 11.00 | 10.18 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 03/17/16 | --- | 21.18 | --- | --- | --- | 5,600d | 25,000 | 240d | --- | <250n | 9,500 | 7,300 | 2,800 | 12,000 | --- |
| MW6La | 09/15/16 | --- | 21.18 | Dry | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 03/06/17 | --- | 21.18 | 10.77 | 10.41 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 03/07/17 | --- | 21.18 | --- | --- | --- | --- | 1,200 | --- | --- | <5.0n | 21 | 90 | 67 | 430 | --- |
| MW6Lb | 06/12/13 | --- | Well installed. | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Lb | 06/17/13 | --- | --- | 12.37 | --- | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Lb | 06/21/13 | --- | Well surveyed. | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Lb | 06/21/13 | --- | 21.19 | 12.40 | 8.79 | No | 1,200d | 5,400 | <250 | --- | 6.0 | 290 | 190 | 140 | 610 | --- |
| MW6Lb | 09/04/13 | --- | 21.19 | 12.76 | 8.43 | No | 490d | 2,600 | <250 | --- | 6.6 | 310 | 19 | 36 | 46 | --- |
| MW6Lb | 12/11/13 | --- | 21.19 | 12.77 | 8.42 | No | <48 | 2,000 | <2,400 | --- | 7.1 | 550 | 17 | 17 | 20 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|--------------|---------------------|--------------|---------------------------|--|-----------------|-------------|-------------|---------------|--------------|-------------------|-------------------|-----------|------------|------------|-----------|------------|
| MW6Lb | 01/30/14 | --- | 21.19 | 13.01 | 8.18 | No | 420d | 620 | <240 | --- | 2.9 | 49 | 27 | 53 | 110 | --- |
| MW6Lb | 08/28/14 | --- | 21.19 | 13.05 | 8.14 | No | 110d | 260d | <250 | --- | 5.6 | 12 | <0.50 | <0.50 | 1.8 | --- |
| MW6Lb | 03/02/15 | --- | 21.19 | 12.04 | 9.15 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Lb | 03/03/15 | --- | 21.19 | --- | --- | --- | 56d | 280 | <250 | --- | 2.2 | 14 | 1.8 | 1.2 | 3.0 | --- |
| MW6Lb | 09/14/15 | --- | 21.19 | 12.98 | 8.21 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Lb | 09/15/15 | --- | 21.19 | --- | --- | --- | 110d | 870 | <240 | --- | 7.2 | 150 | 16 | 1.2 | 52 | --- |
| MW6Lb | 03/16/16 | --- | 21.19 | 10.55 | 10.64 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Lb | 03/17/16 | --- | 21.19 | --- | --- | --- | 320d | 1,200d | <230 | --- | 2.5 | 33 | 4.6 | 1.5 | 5.7 | --- |
| MW6Lb | 09/15/16 | --- | 21.19 | 12.57 | 8.62 | No | 510d | 3,400 | <250 | --- | <10n | 370 | 130 | 96 | 590 | --- |
| MW6Lb | 03/06/17 | --- | 21.19 | 9.09 | 12.10 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6Lb | 03/07/17 | --- | 21.19 | --- | --- | --- | --- | 1,800d | --- | --- | 0.74 | 21 | 5.8 | 9.6 | 28 | --- |
| RW1 | 05/10/90 | --- | 97.89i | Well installed. | | | | | | | | | | | | |
| RW1 | 10/16/90 | --- | 97.89i | 12.24 | 85.65i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 01/14/91 | --- | 97.89i | 12.80 | 85.09i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 02/08/91 | --- | 97.89i | 12.53 | 85.36i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 05/31/91 | --- | 97.89i | 12.86 | 85.03i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 08/05/91 | --- | 97.89i | 13.19 | 84.70i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 08/13/91 | --- | 97.89i | 14.05 | 83.84i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 09/11/91 | --- | 97.89i | 15.96 | 81.93i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 10/16/91 | --- | 97.89i | 16.00 | 81.89i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 12/30/91 | --- | 97.89i | 12.65 | 85.24i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 02/25/92 | --- | 97.89i | 14.40 | 83.49i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 03/25/92 | --- | 97.89i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 06/16/92 | --- | 14.42 | 12.37 | 2.05 | --- | --- | 6,200 | --- | --- | --- | 620 | 1,400 | 240 | 1,400 | --- |
| RW1 | 09/08/92 | --- | Not monitored or sampled. | | | | | | | | | | | | | |
| RW1 | 08/30/94 | --- | 16.79j | Well resurveyed. | | | | | | | | | | | | |
| RW1 | 08/31/94 - 10/16/98 | --- | Not monitored or sampled. | | | | | | | | | | | | | |
| RW1 | 01/11/99 | --- | 20.24 | 12.37 | 7.87 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 04/08/99 | --- | 20.24 | 10.41 | 9.83 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 07/19/99 | --- | 20.24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 07/27/99 | --- | 20.24 | 12.76 | 7.48 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 10/25/99 | --- | 20.24 | 12.50 | 7.74 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 01/27/00 | --- | 20.24 | 12.11 | 8.13 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 04/03/00 | --- | 20.24 | 12.07 | 8.17 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 07/05/00 | --- | 20.24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 10/04/00 | --- | 20.24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 10/05/00 | --- | 20.24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 01/04/01 | --- | 20.24 | 13.90 | 6.34 | No | --- | 8,000 | --- | 2,500 | --- | 1,200 | 65 | 250 | 258 | --- |
| RW1 | 04/03/01 | --- | 20.24 | 11.92 | 8.32 | No | --- | 4,100 | --- | 610 | --- | 62 | <2.5 | 18 | 61 | --- |
| RW1 | 07/05/01 | --- | 20.24 | Well inaccessible. | | | | | | | | | | | | |
| RW1 | 10/03/01 | --- | 20.24 | 12.32 | 8.32 | No | --- | 11,000 | --- | 4,100 | --- | 1,900 | 780 | 150 | 700 | --- |
| RW1 | Oct-01 | --- | 20.43 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|------------|-----------------|-------------|--------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| RW1 | 01/02/02 | --- | 20.43 | 10.85 | 9.58 | No | --- | 32,000 | --- | 7,760 | --- | 358 | 2,270 | 894 | 4,820 | --- |
| RW1 | 04/02/02 | --- | 20.43 | 11.72 | 8.71 | No | --- | 4,220 | <500 | 922 | --- | 172 | 22.5 | 106 | 340 | --- |
| RW1 | 07/01/02 | --- | 20.43 | 12.17 | 8.26 | No | --- | 2,500 | <100a | 986 | --- | 176 | 8.0 | 71.0 | 75.0 | --- |
| RW1 | 10/02/02 | --- | 20.43 | 12.44 | 7.99 | No | --- | 2,970 | 1,720 | 1,310 | --- | 197 | 11.0 | 70.0 | 69.0 | --- |
| RW1 | 01/07/03 | --- | 20.43 | 11.64 | 8.79 | No | --- | 2,210 | 1,340 | 747 | 1,010 | 134 | 12.0 | 33.0 | 53.0 | --- |
| RW1 | 06/17/03 | --- | 20.43 | 11.98 | 8.45 | No | --- | 3,850 | 316 | 645 | 847 | 48.9 | 38.7 | 46.1 | 197 | --- |
| RW1 | 07/16/03 | --- | 20.43 | 12.11 | 8.32 | No | --- | 2,640 | 2,080 | 730 | 615 | 78.5 | 20.0 | 47.5 | 166 | --- |
| RW1 | 10/07/03 | --- | 20.43 | 12.35 | 8.08 | No | 1,340 | 2,310 | 1,040 | 744 | 578 | 118 | 7.6 | 25.1 | 52.1 | --- |
| RW1 | 01/14/04 | --- | 20.43 | 11.61 | 8.82 | No | 4,240 | 4,230 | 5,640 | 7.8 | 328 | 52.7 | 65.8 | 42.7 | 543 | --- |
| RW1 | 06/03/04 | --- | 20.43 | 12.12 | 8.31 | No | --- | 2,910 | 1,840 | 234 | 250 | 79.9 | 6.0 | 28.6 | 67.2 | --- |
| RW1 | 08/12/04 | --- | 20.43 | c | c | c | --- | 1,980c | 164c | --- | 107c | 146c | 5.7c | 18.1c | 10.9c | --- |
| RW1 | 11/04/04 | --- | 20.43 | 12.06 | 8.37 | No | 2,570 | 127,000 | 1,790 | --- | 386 | 130 | 5,150 | 4,020 | 24,300 | --- |
| RW1 | 02/01/05 | --- | 20.43 | 11.55 | 8.88 | No | 3,530 | 2,880 | 4,680 | --- | 78.7 | 25.3 | 13.3 | 49.3 | 258 | --- |
| RW1 | 05/03/05 | --- | 20.43 | 11.58 | 8.85 | No | 6,830d,e | 2,490 | 14,600 | --- | 91.3 | 33.8 | 18.4 | 17.3 | 97.7 | --- |
| RW1 | 08/04/05 | --- | 20.43 | 12.10 | 8.33 | No | 2,430d | 3,080 | 3,410 | --- | 49.6 | 193 | 20.4 | 48.2 | 117 | --- |
| RW1 | 10/27/05 | --- | 20.43 | 12.32 | 8.11 | No | 1,970 | 348 | 2,960 | --- | 36.3 | 9.40 | 1.99f | 2.22 | 5.36 | --- |
| RW1 | 01/26/06 | --- | 20.43 | 11.55 | 8.88 | No | 5,000d | 640 | <10,000 | --- | 72 | 13 | 7.5 | 1.8 | 5.2 | --- |
| RW1 | 04/28/06 | --- | 20.43 | 11.23 | 9.20 | No | 950d | 810 | 1,500 | --- | 30 | 18 | 12 | 4.9 | 19 | --- |
| RW1 | 07/05/06 | --- | 20.43 | 11.96 | 8.47 | No | 687 | 1,020 | 886 | --- | 40.0 | 25.0 | 4.77 | 4.67 | 11.4 | --- |
| RW1 | 10/27/06 | --- | 20.43 | 12.31 | 8.12 | No | 550d | 937 | 600 | --- | 45.4 | 21.1 | 4.82 | 5.37 | 8.14 | --- |
| RW1 | 01/19/07 | --- | 20.43 | 11.96 | 8.47 | No | 2,500d | 1,070 | 2,500 | --- | 33.4 | 21.9 | 2.22 | 3.40 | 6.99 | --- |
| RW1 | 04/24/07 | --- | 20.43 | 11.61 | 8.82 | No | k | 806 | k | --- | 28.0 | 20.9 | 2.77 | 2.81 | 5.46 | --- |
| RW1 | 07/24/07 | --- | 20.43 | 12.20 | 8.23 | No | 2,100d | 510 | 3,500d | --- | 17 | 18 | 1.8 | 0.92 | 2.0 | --- |
| RW1 | 12/03/07 | --- | 20.43 | 12.30 | 8.13 | No | 1,100d,l | 400 | 1,700d | --- | 12 | 18 | 1.4 | 1.6 | 1.8 | --- |
| RW1 | 03/06/08 | --- | 20.43 | 11.62 | 8.81 | No | 380d | 490 | 480 | --- | 22 | 18 | 1.6 | <1.0 | 1.7 | --- |
| RW1 | 06/26/08 | --- | 20.43 | 12.52 | 7.91 | No | 1,100d | 560 | 1,800d | --- | 20 | 51 | 3.1 | 2.0 | 4.2 | --- |
| RW1 | 08/12/08 | --- | 20.43 | 12.51 | 7.92 | No | 6,500d,e,m,l | 1,720 | 20,400m | --- | 16.8 | 391 | 29.7 | 29.7 | 52.5 | --- |
| RW1 | 10/23/08 | --- | 20.43 | 12.68 | 7.75 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 10/30/08 | --- | 20.43 | --- | --- | --- | 930 | 2,500 | 1,200 | --- | 18 | 21 | 7.9 | 11 | 15 | --- |
| RW1 | 03/25/09 | --- | 20.43 | 11.45 | 8.98 | No | 2,400 | 1,100 | 1,800 | --- | 21 | 45 | 2.9 | <2.5 | <5.0 | --- |
| RW1 | 06/17/09 | --- | 20.43 | 11.97 | 8.46 | No | 390 | 2,000 | <250 | --- | 30 | 62 | <0.50 | 3.4 | 5.6 | --- |
| RW1 | 06/17/09 | --- | 20.43 | --- | --- | --- | 390 | 2000 | <250 | --- | 30 | 62 | <0.50 | 3.4 | 5.6 | --- |
| RW1 | 09/04/09 | --- | 20.43 | 12.37 | 8.06 | No | 710d | 1,300 | 750 | --- | 22 | 16 | 3.1 | 0.75 | <1.0 | --- |
| RW1 | 03/09/10 | --- | 20.43 | 10.69 | 9.74 | No | 630d | 1,800 | 340 | --- | 23 | 85 | 4.4 | 5.9 | 8.8 | --- |
| RW1 | 09/17/10 | --- | 20.43 | 12.29 | 8.14 | No | 400d | 670d | <250 | --- | 17 | 48 | 2.9 | 2.6 | 4.0 | --- |
| RW1 | 02/15/11 | --- | 20.43 | 11.29 | 9.14 | No | 350d | 1,300d | <250 | --- | 12 | 47 | 4.5 | 3.2 | 8.7 | --- |
| RW1 | 08/23/11 | --- | 20.43 | 11.86 | 8.57 | No | 460d | 1,100d | 300 | --- | 9.0 | 13 | 1.8 | 2.4 | 4.3 | --- |
| RW1 | 02/09/12 | --- | 20.43 | 11.68 | 8.75 | No | 1,200d | 1,400d | 1,300 | --- | 7.2s | 34 | 6.7 | 3.4 | 10 | --- |
| RW1 | 07/24/12 | --- | 20.43 | 12.04 | 8.39 | No | 1,700d | 1,800 | 2,100d | --- | 6.4 | 13 | <0.50 | <0.50 | <1.0 | 510 |
| RW1 | 03/08/13 | --- | 20.43 | 11.57 | 8.86 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 03/11/13 | --- | 20.43 | --- | --- | --- | 300d | 1,500 | <250 | --- | 5.5 | 46 | 6.0 | 5.7 | 13 | --- |
| RW1 | 09/04/13 | --- | 20.43 | 12.18 | 8.25 | No | 550d | 1,500d | 350d | --- | 4.7 | 54 | 4.1 | 1.7 | 5.4 | --- |
| RW1 | 12/11/13 b | --- | 20.43 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|------------|---------------------|--------------|---------------------------|------------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|------------|-------------|-------------|------------|------------|
| RW1 | 01/30/14 | --- | 20.43 | 12.43 | 8.00 | No | 860d | 960 | 620d | --- | 3.6 | 34 | 1.5 | <0.50 | 1.2 | --- |
| RW1 | 08/28/14 | --- | 20.43 | 12.34 | 8.09 | No | 430d | 2,700 | <250 | --- | 3.4 | 52 | <0.50 | <0.50 | <0.50 | --- |
| RW1 | 03/02/15 | --- | 20.43 | 11.50 | 8.93 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 03/03/15 | --- | 20.43 | --- | --- | --- | 500d | 1,700d | 320d | --- | 3.4 | 40 | <0.50 | <0.50 | <0.50 | --- |
| RW1 | 09/14/15 | --- | 20.43 | 12.32 | 8.11 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 09/15/15 | --- | 20.43 | --- | --- | --- | 1,800d | 1,100d | 1,400d | --- | 3.1 | 8.6 | 8.4 | 1.3 | 2.1 | --- |
| RW1 | 03/16/16 | --- | 20.43 | 10.25 | 10.18 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 03/17/16 | --- | 20.43 | --- | --- | --- | 340d | 1,400d | <230 | --- | 3.5 | 38 | 2.7 | 1.5 | 2.1 | --- |
| RW1 | 09/15/16 | --- | 20.43 | 11.89 | 8.54 | No | 240d | 1,500d | <250 | --- | 2.3 | 28 | 4.8 | 4.2 | 5.2 | --- |
| RW1 | 03/06/17 | --- | 20.43 | 10.00 | 10.43 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 03/07/17 | --- | 20.43 | --- | --- | --- | --- | 700d | --- | --- | 3.5 | 9.9 | 0.54 | 0.94 | 1.3 | --- |
| RW2 | 10/16/90 | --- | 98.11i | 12.77 | 85.34i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 02/08/91 | --- | 98.11i | 13.11 | 85.00i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 04/02/91 | --- | 98.11i | 11.70 | 86.41i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 05/07/91 | --- | 98.11i | 14.09 | 84.02i | --- | --- | 11,000 | --- | --- | --- | 3,200 | 480 | 150 | 780 | --- |
| RW2 | 05/31/91 | --- | 98.11i | 16.01 | 82.10i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 06/26/91 | --- | 98.11i | 14.60 | 83.51i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 08/05/91 | --- | 98.11i | 14.00 | 84.11i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 08/13/91 | --- | 98.11i | 21.30 | 76.81i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 09/11/91 | --- | 98.11i | 19.97 | 78.14i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 10/16/91 | --- | 98.11i | 15.19 | 82.92i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 12/30/91 | --- | 98.11i | 13.19 | 84.92i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 02/25/92 | --- | 98.11i | 16.27 | 81.84i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 03/25/92 | --- | 98.11i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 06/16/92 | --- | 14.61 | 12.86 | 1.75 | --- | --- | 28,000 | --- | --- | --- | 2,900 | 1,000 | 120 | 2,700 | --- |
| RW2 | 09/08/92 - 05/31/94 | --- | Not monitored or sampled. | | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 08/30/94 | --- | 17.02j | Well resurveyed. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 08/31/94 - 04/20/98 | --- | Not monitored or sampled. | | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 07/21/98 | --- | 20.44 | 12.65 | 7.79 | No | --- | 3,500 | --- | 170 | --- | 240 | 100 | 41 | 96 | --- |
| RW2 | 10/06/98 | --- | 20.44 | 13.06 | 7.38 | No | --- | 3,200 | --- | 200 | --- | 120 | 48 | 56 | 120 | --- |
| RW2 | 01/11/99 | --- | 20.44 | 12.88 | 7.56 | No | --- | 3,300 | --- | 350 | --- | 150 | 17 | 35 | 40 | --- |
| RW2 | 04/08/99 | --- | 20.44 | 11.76 | 8.68 | sheen | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 07/19/99 | --- | 20.44 | 11.61 | 8.83 | No | --- | 1,980 | --- | 160 | 499 | 44 | 4.16 | 22.3 | 11.6 | --- |
| RW2 | 07/27/99 | --- | 20.44 | 13.26 | 7.18 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 10/25/99 | --- | 20.44 | 12.96 | 7.48 | No | --- | 1,800 | --- | 440 | --- | 51 | <0.5 | 4.7 | 9.5 | --- |
| RW2 | 01/27/00 | --- | 20.44 | 12.70 | 7.74 | No | --- | 1,900 | --- | 750 | --- | 38 | <2.5 | 4.8 | 10.4 | --- |
| RW2 | 04/03/00 | --- | 20.44 | 11.97 | 8.47 | No | --- | 2,100 | --- | 300 | --- | 28 | 2.4 | 1.4 | 0.73 | --- |
| RW2 | 07/05/00 | --- | 20.44 | 12.50 | 7.94 | No | --- | 2,300 | --- | 230 | --- | 20 | <2.5 | 5.3 | 8 | --- |
| RW2 | 10/04/00 | --- | 20.44 | 12.97 | 7.47 | No | --- | 1,300 | --- | 570 | --- | 42 | <2.5 | 15 | 17.7 | --- |
| RW2 | 10/05/00 | --- | 20.44 | --- | --- | --- | --- | --- | <1,000 | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 01/04/01 | --- | 20.44 | 13.71 | 6.73 | No | --- | 1,000 | --- | 380 | --- | 33 | <2.5 | 13 | 17.7 | --- |
| RW2 | 04/03/01 | --- | 20.44 | 12.10 | 8.34 | No | --- | 1,300 | --- | 99 | --- | 18 | 2.1 | 16 | 19.4 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) | |
|---------|---------------|--------------|------------------|--|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|-----|
| RW2 | 07/05/01 | --- | 20.44 | Well inaccessible. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 10/03/01 | --- | 20.44 | 12.8 | 7.64 | No | --- | 1,900 | --- | 240 | --- | 35 | 4.4 | 34 | 105 | --- | |
| RW2 | Oct-01 | --- | 20.64 | Well surveyed in compliance with AB 2886 requirements. | | | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 01/02/02 | --- | 20.64 | 10.22 | 10.42 | No | --- | 2,440 | --- | 76.0 | --- | 24.4 | 6.20 | 26.2 | 83.0 | --- | |
| RW2 | 04/02/02 | --- | 20.64 | 12.02 | 8.62 | No | --- | 1,460 | 260 | 47.5 | --- | 8.60 | 3.30 | 5.30 | 29.1 | --- | |
| RW2 | 07/01/02 | --- | 20.64 | 12.51 | 8.13 | No | --- | 1,380 | <100a | 39.9 | --- | 11.0 | 1.8 | 17.9 | 45.0 | --- | |
| RW2 | 10/02/02 | --- | 20.64 | 12.91 | 7.73 | No | --- | 720 | <100 | 46.9 | --- | 5.5 | 1.7 | 3.7 | 11.9 | --- | |
| RW2 | 01/07/03 | --- | 20.64 | 11.61 | 9.03 | No | --- | 1,180 | 197 | 48.0 | 56.0 | 12.3 | 3.6 | 12.2 | 25.6 | --- | |
| RW2 | 06/17/03 | --- | 20.64 | 12.32 | 8.32 | No | --- | 1,070 | <100 | 29.7 | 26.4 | 13.9 | 4.4 | 11.8 | 16.9 | --- | |
| RW2 | 07/16/03 | --- | 20.64 | 12.51 | 8.13 | No | --- | 1,200 | 295 | 32.9 | 19.3 | 6.60 | 4.1 | 10.9 | 12.3 | --- | |
| RW2 | 10/07/03 | --- | 20.64 | 12.81 | 7.83 | No | 332 | 1,170 | <100 | 55.0 | 50.2 | 8.70 | 1.1 | 9.3 | 12.2 | --- | |
| RW2 | 01/14/04 | --- | 20.64 | 11.70 | 8.94 | No | 167 | 1,250 | <100 | 8.4 | 128 | 18.0 | 4.4 | 8.6 | 10.7 | --- | |
| RW2 | 06/03/04 | --- | 20.64 | 12.93 | 7.71 | No | --- | 1,100 | 1,310 | 17.0 | 10.9 | 6.70 | 1.3 | 4.0 | 11.5 | --- | |
| RW2 | 08/12/04 | --- | 20.64 | c | c | c | 438c | 1,110c | 521c | --- | 32.8c | 7.00c | 1.5c | 3.1c | 10.2c | --- | |
| RW2 | 11/04/04 | --- | 20.64 | 12.30 | 8.34 | No | 503 | 506 | 419 | --- | r | 4.30 | 5.9 | 6.2 | 16.0 | --- | |
| RW2 | 02/01/05 | --- | 20.64 | 11.61 | 9.03 | No | 725 | 640 | 1,400 | --- | 13.7 | 5.30 | 1.5 | 4.0 | 3.8 | --- | |
| RW2 | 05/03/05 | --- | 20.64 | 11.72 | 8.92 | No | 493d,e | 1,130 | 801 | --- | 8.20 | 10.3 | 1.1 | 5.8 | 6.3 | --- | |
| RW2 | 08/04/05 | --- | 20.64 | 12.46 | 8.18 | No | 3,020d | 1,060 | 3,810 | --- | 9.02 | 6.36 | 0.848 | 1.90 | 2.47 | --- | |
| RW2 | 10/27/05 | --- | 20.64 | 12.71 | 7.93 | No | 716 | 163 | 703 | --- | 8.74 | <0.50 | <0.50 | <0.50 | 0.95 | --- | |
| RW2 | 01/26/06 | --- | 20.64 | 11.65 | 8.99 | No | 410d | 620a | <500 | --- | 5.1 | 6.1 a | 1.2 a | 4.3 a | 2.1 a | --- | |
| RW2 | 04/28/06 | --- | 20.64 | 11.24 | 9.40 | No | 300d | 680 | <470 | --- | 2.6 | 9.7 | 1.2 | 5.3 | 2.9 | --- | |
| RW2 | 07/05/06 | --- | 20.64 | 12.33 | 8.31 | No | 284 | 946 | 221 | --- | <0.500 | 8.87 | 1.05 | 1.81 | 3.10 | --- | |
| RW2 | 10/27/06 | --- | 20.64 | 12.78 | 7.86 | No | 240d | 920 | <470 | --- | 4.59 | <0.50 | <0.50 | 3.65 | 3.09 | --- | |
| RW2 | 01/19/07 | --- | 20.64 | 12.29 | 8.35 | No | 230d | 794 | <470 | --- | 3.72 | 6.32 | 2.27 | <0.50 | 3.09 | --- | |
| RW2 | 04/24/07 | --- | 20.64 | 11.81 | 8.83 | No | 652d | 1,170 | 332 | --- | 3.01 | 7.21 | <0.50 | 6.74 | 6.15 | --- | |
| RW2 | 07/24/07 | --- | 20.64 | 12.51 | 8.13 | No | 250d | 970 | <470 | --- | 2.5 | 9.1 | <0.50 | 2.8 | 1.9 | --- | |
| RW2 | 12/03/07 | --- | 20.64 | 12.71 | 7.93 | No | 660d,l | 460 | 660d | --- | 6.8 | 7.5 | <2.5 | <2.5 | <2.5 | --- | |
| RW2 | 03/06/08 | --- | 20.64 | 11.61 | 9.03 | No | 610d | 750 | 620d | --- | 2.2 | 8.5 | <2.5 | 2.7 | <2.5 | --- | |
| RW2 | 06/26/08 | --- | 20.64 | 12.71 | 7.93 | No | 500d | 400 | 580d | --- | 1.6 | 5.6 | <1.0 | <1.0 | 1.1 | --- | |
| RW2 | 08/12/08 | --- | 20.64 | 12.81 | 7.83 | No | 372d,m,n | 317 | 222m | --- | 1.36 | 37.3 | <0.50 | 4.13 | 3.99 | --- | |
| RW2 | 10/23/08 | --- | 20.64 | 12.97 | 7.67 | No | 190 | 370 | <250 | --- | <0.50 | 3.2 | <0.50 | 5.5 | 8.1 | --- | |
| RW2 | 03/25/09 | --- | 20.64 | 11.47 | 9.17 | No | 270 | 400 | <250 | --- | 0.89 | <0.50 | 0.86 | 3.7 | 3.5 | --- | |
| RW2 | 06/17/09 | --- | 20.64 | --- | --- | --- | 310 | 1100 | <250 | --- | 0.76 | 6.8 | <0.50 | 5.7 | 4.4 | --- | |
| RW2 | 06/17/09 | --- | 20.64 | 12.25 | 8.39 | No | 310 | 1,100 | <250 | --- | 0.76 | 6.8 | <0.50 | 5.7 | 4.4 | --- | |
| RW2 | 09/04/09 | --- | 20.64 | 12.68 | 7.96 | No | 170d | 840 | <250 | --- | <0.50 | <0.50 | <0.50 | 0.76o | <1.0 | --- | |
| RW2 | 03/09/10 | --- | 20.64 | 10.73 | 9.91 | No | 340d | 1,400 | <250 | --- | <0.50 | 6.1 | 1.7 | 7.2 | 3.7 | --- | |
| RW2 | 09/17/10 | --- | 20.64 | 12.61 | 8.03 | No | 120d | 550d | <250 | --- | 0.95 | <0.50 | 0.67 | 3.1 | 1.5 | --- | |
| RW2 | 02/15/11 | --- | 20.64 | 11.50 | 9.14 | No | 110d | 600d | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- | |
| RW2 | 08/23/11 | --- | 20.64 | 12.19 | 8.45 | No | 140d | 970d | <250 | --- | 0.64 | 2.0 | 2.7 | 4.6 | 7.8 | --- | |
| RW2 | 02/09/12 | --- | 20.64 | 11.81 | 8.83 | No | 200d | 810d | <250 | --- | <0.50 | <0.50 | <0.50 | 3.8 | 5.0 | --- | |
| RW2 | 07/24/12 | --- | 20.64 | 12.37 | 8.27 | No | 790d | 720d | 600d | --- | 0.53 | 3.0 | <0.50 | <0.50 | <1.0 | 395 | |
| RW2 | 03/08/13 | --- | 20.64 | 11.79 | 8.85 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| RW2 | 03/11/13 | --- | 20.64 | --- | --- | --- | 130d | 700 | <250 | --- | <0.50 | 7.7 | <0.50 | <0.50 | <0.50 | --- | |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|------------|---------------------|--------------|---------------------------|---------------------------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|------------|-------------|------------|-----------------|------------|
| RW2 | 09/04/13 | --- | 20.64 | 12.51 | 8.13 | No | 160d | 780d | <250 | --- | 0.89 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| RW2 | 12/11/13 b | --- | 20.64 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 01/30/14 | --- | 20.64 | 12.80 | 7.84 | No | 170d | 500d | <240 | --- | 1.4 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| RW2 | 08/28/14 | --- | 20.64 | 12.77 | 7.87 | No | 620d | 1,000 | 470 | --- | 9.9 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| RW2 | 03/02/15 | --- | 20.64 | 11.78 | 8.86 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 03/03/15 | --- | 20.64 | --- | --- | --- | 110d | 660d | <250 | --- | 3.7 | 4.7 | <0.50 | <0.50 | <0.50 | --- |
| RW2 | 09/14/15 | --- | 20.64 | 12.71 | 7.93 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 09/15/15 | --- | 20.64 | --- | --- | --- | 300d | 700d | 280d | --- | 6.8 | <0.50 | <0.50 | 2.5 | 2.4 | --- |
| RW2 | 03/16/16 | --- | 20.64 | 10.12 | 10.52 | No | 340d | 1,600d | <230 | --- | 4.1 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| RW2 | 09/15/16 t | --- | 20.64 | 12.18 | 8.46 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 03/06/17 | --- | 20.64 | 9.65 | 10.99 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW2 | 03/07/17 | --- | 20.64 | --- | --- | --- | --- | 640d | --- | --- | 0.80 | 4.6 | 0.67 | 1.2 | <0.50 | --- |
| RW3 | 10/16/90 | --- | 98.97i | 13.29 | 85.68i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 01/14/91 | --- | 98.97i | 14.50 | 84.47i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 02/08/91 | --- | 98.97i | 12.54 | 86.43i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 04/02/91 | --- | 98.97i | 11.39 | 87.58i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 05/07/91 | --- | 98.97i | 12.47 | 86.50i | --- | --- | 5,800 | --- | --- | --- | 4,200 | 640 | 220 | 670 | --- |
| RW3 | 05/31/91 | --- | 98.97i | 16.31 | 82.66i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 06/26/91 | --- | 98.97i | 15.50 | 83.47i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 08/05/91 | --- | 98.97i | 13.69 | 85.28i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 08/13/91 | --- | 98.97i | 13.67 | 85.30i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 08/14/91 | --- | 98.97i | --- | --- | --- | --- | 3,800 | --- | --- | --- | 2,300 | 300 | 49 | 360 | --- |
| RW3 | 09/11/91 | --- | 98.97i | 13.77 | 85.20i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 10/16/91 | --- | 98.97i | 16.66 | 82.31i | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3 | 11/05/91 | --- | Well destroyed. | | | | | | | | | | | | | |
| RW3A | 08/24/92 - 04/20/98 | --- | Not monitored or sampled. | | | | | | | | | | | | | |
| RW3A | 08/24/92 | --- | --- | Well installed in place of RW3. | | | | | | | | | | | | |
| RW3A | 07/21/98 | --- | 21.75 | 13.08 | 8.67 | No | --- | 280 | --- | 16 | --- | 97 | <1.2 | <1.2 | <1.2 | --- |
| RW3A | 10/06/98 | --- | 21.89 | 13.72 | 8.17 | No | --- | 78 | --- | 26 | --- | 26 | 0.89 | <0.5 | <0.5 | --- |
| RW3A | 01/11/99 | --- | 21.75 | 12.00 | 9.75 | No | --- | 1,000 | --- | 230 | --- | 490 | 5.0 | <5.0 | 7.4 | --- |
| RW3A | 04/08/99 | --- | 21.75 | 11.90 | 9.85 | No | --- | 130 | --- | 11 | --- | 70 | <1.0 | <1.0 | <1.0 | --- |
| RW3A | 07/19/99 | --- | 21.75 | 11.75 | 10.00 | No | --- | 989 | --- | 16.4 | --- | 393 | 6.40 | 5.70 | 15.0 | --- |
| RW3A | 07/27/99 | --- | 21.75 | 13.68 | 8.07 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3A | 10/25/99 | --- | 21.75 | 13.61 | 8.14 | No | --- | 150 | --- | 19 | --- | 53 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 01/27/00 | --- | 21.75 | 12.22 | 9.53 | No | --- | 500 | --- | 12 | --- | 210 | 0.59 | 1.40 | 2.29 | --- |
| RW3A | 04/03/00 | --- | 21.75 | 12.00 | 9.75 | No | --- | 1,100 | --- | 16 | --- | 420 | 1.6 | 1.8 | 1.4 | --- |
| RW3A | 07/05/00 | --- | 21.75 | 13.01 | 8.74 | No | --- | 1,200 | --- | 16 | --- | 440 | 1.4 | 2.5 | 1.9 | --- |
| RW3A | 10/04/00 | --- | 21.75 | 13.60 | 8.15 | No | --- | 390 | --- | 8.3 | --- | 160 | 1.1 | 1.5 | 2.6 | --- |
| RW3A | 10/05/00 | --- | 21.75 | --- | --- | --- | --- | --- | <1,000 | --- | --- | --- | --- | --- | --- | --- |
| RW3A | 01/04/01 | --- | 21.75 | 13.65 | 8.10 | No | --- | 500 | --- | 12 | --- | 230 | 0.97 | 1.1 | 1.4 | --- |
| RW3A | 04/03/01 | --- | 21.75 | 12.30 | 9.45 | No | --- | 710 | --- | 7.5 | --- | 290 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 07/05/01 | --- | 21.75 | 13.28 | 8.47 | No | --- | 640 | --- | 9 | --- | 280 | 1.4 | 1.6 | 2.7 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------|---------------|--------------|------------------|--|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|----------|----------|----------|----------|------------|
| RW3A | 10/03/01 | --- | 21.75 | 13.58 | 8.17 | No | --- | <50 | --- | 12 | --- | 21 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | Oct-01 | --- | 21.89 | Well surveyed in compliance with AB 2886 requirements. | | | | | | | | | | | | |
| RW3A | 01/02/02 | --- | 21.89 | 10.80 | 11.09 | No | --- | <100 | --- | 11.2 | --- | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 04/02/02 | --- | 21.89 | 12.03 | 9.86 | No | --- | 55.7 | <100 | 11.0 | --- | 1.30 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 07/01/02 | --- | 21.89 | 13.13 | 8.76 | No | --- | 275 | <100a | 21.7 | --- | 60.4 | <0.5 | 2.4 | 4.2 | --- |
| RW3A | 10/02/02 | --- | 21.89 | 13.70 | 8.19 | No | --- | 138 | 114 | 11.1 | --- | 53.4 | <0.5 | <0.5 | 0.7 | --- |
| RW3A | 01/07/03 | --- | 21.89 | 11.77 | 10.12 | No | --- | <50.0 | <50 | 22.4 | 30.9 | 1.5 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 06/17/03 | --- | 21.89 | 12.82 | 9.07 | No | --- | 54.5 | <100 | 12.8 | 16.0 | 7.40 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 07/16/03 | --- | 21.89 | 13.40 | 8.49 | No | --- | 112 | <100 | 18.0 | 13.6 | 26.0 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 10/07/03 | --- | 21.89 | 13.93 | 7.96 | No | 124 | 62.6 | <100 | 10.4 | 11.3 | 7.30 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 01/14/04 | --- | 21.89 | 11.55 | 10.34 | No | 401 | <50.0 | <100 | 11.7 | 16.2 | 3.10 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 06/03/04 | --- | 21.89 | 13.43 | 8.46 | No | --- | 79.0 | <100 | 19.4 | 22.4 | 6.30 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 08/12/04 | --- | 21.89 | c | c | c | 1,190c | <50.0c | 296c | --- | 16.2c | <0.50c | <0.5c | <0.5c | <0.5c | --- |
| RW3A | 11/04/04 | --- | 21.89 | 12.91 | 8.98 | No | 178 | <50.0 | 122 | --- | 5.40 | <0.50 | 1.7 | 0.7 | 3.6 | --- |
| RW3A | 02/01/05 | --- | 21.89 | 11.63 | 10.26 | No | <100 | <50.0 | <100 | --- | 11.8 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 05/03/05 | --- | 21.89 | 11.79 | 10.10 | No | 158d | <50.0 | <100 | --- | 8.50 | <0.50 | <0.5 | <0.5 | <0.5 | --- |
| RW3A | 08/04/05 | --- | 21.89 | 12.99 | 8.90 | No | 687d | 89.9 | 107 | --- | 16.7 | 26.0 | 0.645 | <0.500 | 0.835 | --- |
| RW3A | 10/27/05 | --- | 21.89 | 13.49 | 8.40 | No | 140 | <50.0 | 79.1 | --- | 4.00 | 9.63 | <0.50 | <0.50 | 0.65 | --- |
| RW3A | 01/26/06 | --- | 21.89 | 11.76 | 10.13 | No | 210d | 100a | <500 | --- | 17 | 5.6a | <0.50a | <0.50a | <0.50a | --- |
| RW3A | 04/28/06 | --- | 21.89 | 10.96 | 10.93 | No | 140g | 82 | <470 | --- | 19 | 2.6 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 07/05/06 | --- | 21.89 | 13.12 | 8.77 | No | 340 | 50.0 | <95.2 | --- | 8.11 | 1.37 | <1.00 | <1.00 | <3.00 | --- |
| RW3A | 10/27/06 | --- | 21.89 | 13.48 | 8.41 | No | 63d | 789 | <470 | --- | 10.6 | 287 | 1.29 | <0.50 | 2.03 | --- |
| RW3A | 01/19/07 | --- | 21.89 | 12.69 | 9.20 | No | 49d | <50.0 | <470 | --- | 6.25 | 2.08 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 04/24/07 | --- | 21.89 | 12.12 | 9.77 | No | <47.6 | 107 | <47.6 | --- | 4.95 | 17.9 | <0.50 | <0.50 | 0.57 | --- |
| RW3A | 07/24/07 | --- | 21.89 | 13.11 | 8.78 | No | <47 | <500 | <470 | --- | 8.5 | 240 | <5.0 | <5.0 | <5.0 | --- |
| RW3A | 12/03/07 | --- | 21.89 | 13.35 | 8.54 | No | 61d,l | 1,200g | <470 | --- | 12 | 700 | <10 | <10 | 13 | --- |
| RW3A | 03/06/08 | --- | 21.89 | 11.69 | 10.20 | No | <47 | 52 | <470 | --- | 4.4 | 1.5 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 06/26/08 | --- | 21.89 | 13.46 | 8.43 | No | <47 | 120 | <470 | --- | 10 | 29 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 08/12/08 | --- | 21.89 | 13.67 | 8.22 | No | 100d,m,n | 59.3 | 146m | --- | 9.63 | 19.5 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 10/23/08 | --- | 21.89 | 13.97 | 7.92 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3A | 10/30/08 | --- | 21.89 | --- | --- | --- | <50 | <50 | <250 | --- | 6.5 | 0.99 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 03/25/09 | --- | 21.89 | 11.62 | 10.27 | No | <50 | <50 | <250 | --- | 6.4 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 06/17/09 | --- | 21.89 | 12.87 | 9.02 | No | <50 | <50 | <250 | --- | 3.3 | 0.70o | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 06/17/09 | --- | 21.89 | --- | --- | --- | <50 | <50 | <250 | --- | 3.3 | 0.70 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 09/04/09 | --- | 21.89 | 13.54 | 8.35 | No | <50 | <50 | <250 | --- | 5.6 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 03/09/10 | --- | 21.89 | 10.71 | 11.18 | No | <50 | <50 | <250 | --- | 4.3 | 1.8 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 09/17/10 | --- | 21.89 | 13.46 | 8.43 | No | <50 | <50 | <250 | --- | 5.2 | 9.7 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 02/15/11 | --- | 21.89 | 11.99 | 9.90 | No | <50 | <50 | <250 | --- | 1.9 | 2.2 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 08/23/11 | --- | 21.89 | 12.77 | 9.12 | No | <50 | <50 | <250 | --- | 2.8 | 2.5 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 02/09/12 | --- | 21.89 | 12.52 | 9.37 | No | <50 | <50 | <250 | --- | 1.7 | 3.8 | <0.50 | <0.50 | <1.0 | --- |
| RW3A | 07/24/12 | --- | 21.89 | 13.08 | 8.81 | No | <50 | 59d | <250 | --- | 2.0 | 1.1 | <0.50 | <0.50 | <1.0 | 425 |
| RW3A | 03/08/13 | --- | 21.89 | 12.37 | 9.52 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3A | 03/11/13 | --- | 21.89 | --- | --- | --- | <50 | <50 | <250 | --- | 1.9 | 0.77 | <0.50 | <0.50 | <0.50 | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | TOC Elev. (feet) | DTW (feet) | GW Elev. (feet) | NAPL (feet) | TPHd (µg/L) | TPHg (µg/L) | TPHmo (µg/L) | MTBE 8021B (µg/L) | MTBE 8260B (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | TDS (mg/L) |
|---------------------------------|-----------------|--------------|------------------|-------------|-----------------|-------------|-------------|-------------|--------------|-------------------|-------------------|-----------|-----------------|-----------------|-----------------|------------|
| RW3A | 09/04/13 | --- | 21.89 | 13.41 | 8.48 | No | <50 | 210d | <250 | --- | 2.1 | 71 | 0.78 | <0.50 | <0.50 | --- |
| RW3A | 12/11/13 b | --- | 21.89 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3A | 01/30/14 | --- | 21.89 | 13.68 | 8.21 | No | <48 | 50 | <240 | --- | 1.1 | 6.0 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 08/28/14 | --- | 21.89 | 13.65 | 8.24 | No | 83d | 630d | <250 | --- | 2.3 | 320 | 4.0 | 1.5 | 5.5 | --- |
| RW3A | 03/02/15 | --- | 21.89 | 12.35 | 9.54 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3A | 03/03/15 | --- | 21.89 | --- | --- | --- | <50 | 110d | <250 | --- | 0.96 | 13 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 09/14/15 | --- | 21.89 | 13.68 | 8.21 | No | <47 | <50 | <240 | --- | 1.4 | 3.0 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 03/16/16 | --- | 21.89 | 10.19 | 11.70 | No | <45 | 90d | <230 | --- | 1.4 | 3.7 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 09/15/16 | --- | 21.89 | 13.29 | 8.60 | No | <50 | <50 | <250 | --- | 0.96 | 0.91 | <0.50 | <0.50 | <0.50 | --- |
| RW3A | 03/06/17 | --- | 21.89 | 9.66 | 12.23 | No | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3A | 03/07/17 | --- | 21.89 | --- | --- | --- | --- | 250d | --- | --- | 2.4 | 14 | <0.50 | <0.50 | <0.50 | --- |
| Grab Groundwater Samples | | | | | | | | | | | | | | | | |
| W-Comp | 10/26/00 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-15-CPT1 | 10/24/08 | 15 | --- | --- | --- | --- | 26,000 | 2,400 | 720 | --- | <10 | 500 | 1,400 | 750 | 3,700 | --- |
| W-38-CPT1 | 10/24/08 | 38 | --- | --- | --- | --- | 380 | 670 | 340 | --- | <2.5 | 65 | 110 | 21 | 79 | --- |
| W-15 -CPT2 | 10/27/08 | 15 | --- | --- | --- | --- | 260 | 990 | <250 | --- | 2.0 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| W-29 -CPT2 | 10/27/08 | 29 | --- | --- | --- | --- | q | 60 | q | --- | 0.66 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| W-39 -CPT2 | 10/27/08 | 39 | --- | --- | --- | --- | 160 | <50 | <250 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | --- |
| W-14 -CPT3 | 10/23/08 | 14 | --- | --- | --- | --- | q | 20,000 | q | --- | 59 | 4,200 | 2,400 | 860 | 4,100 | --- |
| W-13-GP1 | 03/29/00 | 13 | --- | --- | --- | --- | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| W-23-GP1 | 03/29/00 | 23 | --- | --- | --- | --- | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| W-12-GP2 | 03/29/00 | 12 | --- | --- | --- | --- | --- | 100 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| W-23-GP2 | 03/29/00 | 23 | --- | --- | --- | --- | --- | <50 | --- | <2 | --- | <0.5 | <0.5 | <0.5 | <0.5 | --- |
| W-15-B7 | 03/05/07 | 15 | --- | --- | --- | --- | 66d | <50 | <470 | --- | 0.54 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| W-22-B7 | 03/05/07 | 22 | --- | --- | --- | --- | 220d | <50 | <470 | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| W-14-B8 | 03/02/07 | 14 | --- | --- | --- | --- | 1,900d | <50 | 2,800d | --- | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| W-14-16-B9 | 03/06/07 | 14-16 | --- | --- | --- | --- | 1,000d | 38,000 | <480 | --- | 120 | 15,000 | 890 | 700 | 1,700 | --- |
| W-22.5-24-B9 | 03/06/07 | 22.5-24 | --- | --- | --- | --- | 81d | 490 | <480 | --- | 17 | 160 | 21 | 12 | 40 | --- |
| UOW r | 11/27/91 | --- | --- | --- | --- | --- | 18,000 | 550 | --- | --- | --- | 12/15p | 4.9/7p | 19/20p | 72/<5p | --- |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| | |
|------------|---|
| Notes: | |
| TOC Elev. | = Top of casing elevation; datum is mean sea level. |
| DTW | = Depth to water. |
| GW Elev. | = Groundwater elevation; datum is mean sea level. |
| NAPL | = Non-aqueous phase liquid. |
| Sheen | = Liquid-phase hydrocarbon present as sheen. |
| in. | = Inches of floating product. |
| TPHd | = Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified). |
| TPHg | = Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified). |
| TPHmo | = Total petroleum hydrocarbons as motor oil using EPA Method 8015B. |
| MTBE 8260B | = Methyl tertiary butyl ether analyzed using EPA Method 8260B. |
| MTBE 8021B | = Methyl tertiary butyl ether analyzed using EPA Method 8021B. |
| BTEX | = Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B. |
| TDS | = Total dissolved solids analyzed using Standard Method 2540C. |
| EDB | = 1,2-dibromoethane analyzed using EPA Method 8260B. |
| 1,2-DCA | = 1,2-dichloroethane analyzed using EPA Method 8260B. |
| TAME | = Tertiary amyl methyl ether analyzed using EPA Method 8260B. |
| TBA | = Tertiary butyl alcohol analyzed using EPA Method 8260B. |
| ETBE | = Ethyl tertiary butyl ether analyzed using EPA Method 8260B. |
| DIPE | = Di-isopropyl ether analyzed using EPA Method 8260B. |
| Ethanol | = Ethanol analyzed using EPA Method 8260B. |
| Metals | = Metals analyzed using EPA Method 200.7. |
| µg/L | = Micrograms per liter. |
| mg/L | = Milligrams per liter. |
| < | = Less than the indicated reporting limit shown by the laboratory. |
| --- | = Not measured/Not sampled/Not analyzed. |
| a | = Analyses performed past EPA recommended holding time. |
| b | = Well sampled semi-annually. |
| c | = Groundwater elevation data invalidated; analytical results suspect. |
| d | = The chromatographic pattern does not match that of the specified standard. |
| e | = TRPH-diesel surrogate was diluted out due to sample matrix |
| f | = Analyte detected in matrix spike and matrix spike duplicate. |
| g | = Elevated result due to single analyte peak in quantitation range. |
| h | = Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time. |
| i | = Based on assigned benchmark with elevation arbitrarily set at 100 feet. |
| j | = Benchmark is City of Oakland #37J. |
| k | = Sample container broken in shipment. Analyses not performed. |
| l | = Analyte detected in associated method blank, equipment blank, or bailer blank. |
| m | = Sample received above recommended temperature. |
| n | = Reporting limits raised due to high level of non-target analytes. |
| o | = Analyte presence was not confirmed by second column or GC/MS analysis. |
| p | = Analyzed using EPA Method 624. |
| q | = Insufficient water to sample or insufficient sample volume. |
| r | = Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform. |
| s | = Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics. |

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

- Notes:
- t = Well sampled annually in the first quarter.
 - u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) | |
|--------------------------------|---------------------|--------------|----------------------------------|----------------|-------------|------------|-------------|-------------|----------------|--|
| Monitoring Well Samples | | | | | | | | | | |
| MW6A | June 1988 | --- | Well installed. | | | | | | | |
| MW6A | 06/24/88 - 12/31/91 | --- | Not analyzed for these analytes. | | | | | | | |
| MW6A | 05/02/92 | --- | Well destroyed. | | | | | | | |
| MW6B | June 1988 | --- | Well installed. | | | | | | | |
| MW6B | 06/24/88 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | | |
| MW6B | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | --- | |
| MW6B | 06/17/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6B | 07/16/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6B | 10/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6B | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6B | 06/03/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6B | 08/12/04 | --- | <0.50c | <0.50c | <0.50c | <10.0c | <0.50c | <0.50c | <50.0c | |
| MW6B | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6B | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6B | 05/03/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6B | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6B | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | <20.0 | <0.500 | <0.500 | <100 | |
| MW6B | 01/26/06 | --- | <0.50 | <0.50 | 0.56 | <20 | <0.50 | <0.50 | <100 | |
| MW6B | 04/28/06 | --- | <0.50 | 15 | <0.50 | 27 | <0.50 | 3.6 | --- | |
| MW6B | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6B | 10/27/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- | |
| MW6B | 01/19/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6B | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- | |
| MW6B | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | --- | |
| MW6B | 12/03/07 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | --- | |
| MW6B | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6B | 06/26/08 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | --- | |
| MW6B | 08/12/08 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- | |
| MW6B | 10/23/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6B | 03/25/09 | --- | <12 | <12 | <12 | <120 | <12 | <12 | --- | |
| MW6B | 06/17/09 | --- | <20 | <20 | <20 | <200 | <20 | <20 | --- | |
| MW6B | 06/17/09 | --- | <20 | <20 | <20 | <200 | <20 | <20 | --- | |
| MW6B | 09/04/09 | --- | <2.0 | <2.0 | <2.0 | <20 | <2.0 | <2.0 | --- | |
| MW6B | 03/09/10 | --- | <2.0 | <2.0 | <2.0 | 28 | <2.0 | 7.8 | --- | |
| MW6B | 09/17/10 | --- | --- | --- | <1.0 | 16 | <1.0 | 2.7 | --- | |
| MW6B | 02/15/11 | --- | <10 | <10 | <10 | <100 | <10 | 10 | --- | |
| MW6B | 08/23/11 | --- | <12 | <12 | <12 | <120 | <12 | <12 | --- | |
| MW6B | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | 53 | <0.50 | 7.4 | --- | |
| MW6B | 07/24/12 | --- | <5.0 | <5.0 | <5.0 | 73 | <5.0 | 17 | --- | |
| MW6B | 03/11/13 | --- | <10 | <10 | <10 | <100 | <10 | 17 | <1,000 | |
| MW6B | 09/04/13 | --- | <0.50 | <0.50 | <0.50 | 15 | <0.50 | 4.0 | --- | |
| MW6B | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- | |
| MW6B | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | 5.9 | <0.50 | 0.68 | --- | |
| MW6B | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | 10 | <0.50 | 1.9 | --- | |
| MW6B | 03/03/15 | --- | <25 | <25 | <25 | <250 | <25 | <25 | --- | |
| MW6B | 09/15/15 | --- | <0.50 | <0.50 | <0.50 | 6.5 | <0.50 | 2.9 | --- | |
| MW6B | 03/16/16 | --- | <10 | <10 | <10 | <100 | <10 | 14 | --- | |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) |
|-------------|---------------------|--------------|---|----------------|---------------|----------------|---------------|---------------|----------------|
| MW6B | 09/15/16 | --- | <0.50 | <0.50 | <0.50 | 10 | <0.50 | 2.8 | <50 |
| MW6B | 03/07/17 | --- | <25 | <25 | <25 | <250 | <25 | <25 | --- |
| MW6C | 06/15/88 | --- | Well installed. | | | | | | |
| MW6C | 06/24/88 - 04/30/90 | --- | Not analyzed for these analytes. | | | | | | |
| MW6C | 05/10/90 | --- | Well over-drilled into recovery well RW3. | | | | | | |
| MW6D | 07/06/88 | --- | Well installed. | | | | | | |
| MW6D | 07/11/88 - 04/30/90 | --- | Not analyzed for these analytes. | | | | | | |
| MW6D | 05/10/90 | --- | Well over-drilled into recovery well RW2. | | | | | | |
| MW6E | 10/04/88 | --- | Well installed. | | | | | | |
| MW6E | 10/20/88 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | |
| MW6E | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | --- |
| MW6E | 06/17/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| MW6E | 07/16/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| MW6E | 10/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| MW6E | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6E | 06/03/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6E | 08/12/04 | --- | <0.50c | <0.50c | <0.50c | <10.0c | <0.50c | <0.50c | <50.0c |
| MW6E | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6E | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6E | 05/03/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6E | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| MW6E | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | <20.0 | <0.500 | <0.500 | <100 |
| MW6E | 01/26/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | <100 |
| MW6E | 04/28/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | --- |
| MW6E | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| MW6E | 10/27/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- |
| MW6E | 01/19/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| MW6E | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- |
| MW6E | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 12/03/07 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | --- |
| MW6E | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 06/26/08 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | --- |
| MW6E | 08/12/08 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- |
| MW6E | 10/23/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 |
| MW6E | 03/25/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 09/04/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 03/09/10 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 09/17/10 | --- | --- | --- | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 02/15/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 08/23/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 07/24/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 03/11/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.51 | <50 |
| MW6E | 09/04/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6E | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6E | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) | |
|-------------|---------------------|--------------|----------------------------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|-----|
| MW6E | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6E | 03/02/15 | --- | <0.50 | <0.50 | <0.50 | 6.5 | <0.50 | <0.50 | --- | |
| MW6E | 09/14/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6E | 03/16/16 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6E | 09/15/16 t | --- | --- | --- | --- | --- | --- | --- | --- | |
| MW6E | 03/07/17 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 10/05/88 | --- | Well installed. | | | | | | | --- |
| MW6F | 10/20/88 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | | --- |
| MW6F | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | --- | |
| MW6F | 06/17/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6F | 07/16/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6F | 10/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6F | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6F | 06/03/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6F | 08/12/04 | --- | <0.50c | <0.50c | <0.50c | <10.0c | <0.50c | <0.50c | <50.0c | |
| MW6F | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6F | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6F | 05/03/05 | --- | <0.50 | 1.70 | 0.90 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6F | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6F | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | <20.0 | <0.500 | <0.500 | <100 | |
| MW6F | 01/26/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | <100 | |
| MW6F | 04/28/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | --- | |
| MW6F | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6F | 10/27/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- | |
| MW6F | 01/19/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6F | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- | |
| MW6F | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 12/03/07 | --- | --- | --- | --- | --- | --- | --- | --- | |
| MW6F | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 06/26/08 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | --- | |
| MW6F | 08/12/08 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- | |
| MW6F | 10/23/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6F | 03/25/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 09/04/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 03/09/10 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 09/17/10 | --- | --- | --- | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 02/15/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 08/23/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 07/24/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 03/11/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6F | 09/04/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- | |
| MW6F | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 03/02/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |
| MW6F | 09/14/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) | |
|-------------|---------------------|--------------|----------------------------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|--|
| MW6F | 03/16/16 | --- | Well no longer sampled. | | | | | | | |
| MW6G | 11/16/88 | --- | Well installed. | | | | | | | |
| MW6G | 12/07/88 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | | |
| MW6G | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | --- | |
| MW6G | 06/17/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6G | 07/16/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6G | 10/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 | |
| MW6G | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6G | 06/03/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6G | 08/12/04 | --- | <0.50c | <0.50c | <0.50c | <10.0c | <0.50c | <0.50c | <50.0c | |
| MW6G | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6G | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6G | 05/03/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | |
| MW6G | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6G | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | <20.0 | <0.500 | <0.500 | <100 | |
| MW6G | 01/26/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | <100 | |
| MW6G | 04/28/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | <100 | |
| MW6G | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6G | 10/27/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <100 | |
| MW6G | 01/19/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6G | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6G | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <100 | |
| MW6G | 12/03/07 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | <100 | |
| MW6G | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <100 | |
| MW6G | 06/26/08 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | <100 | |
| MW6G | 08/12/08 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | |
| MW6G | 10/23/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 03/25/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 09/04/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 03/09/10 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 09/17/10 | --- | --- | --- | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 02/15/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 08/23/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 07/24/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 03/11/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 09/04/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- | |
| MW6G | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 03/02/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 09/14/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 03/16/16 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6G | 09/15/16 t | --- | --- | --- | --- | --- | --- | --- | --- | |
| MW6G | 03/07/17 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | |
| MW6H | Dec-88 | --- | Well installed. | | | | | | | |
| MW6H | 12/07/88 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | | |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) |
|-------------|---------------------|--------------|----------------------------------|----------------|----------------|-----------------|----------------|----------------|-------------------|
| MW6H | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | 952 | <0.50 | 7.50 | --- |
| MW6H | 06/17/03 | --- | <0.50 | <0.50 | <0.50 | 678 | <0.50 | 7.10 | <100 |
| MW6H | 07/16/03 | --- | <0.50 | 14.6 | 0.70 | 307 | <0.50 | 6.20 | <100 |
| MW6H | 10/07/03 | --- | <0.50 | <0.50 | <0.50 | 294 | <0.50 | 7.40 | <100 |
| MW6H | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | 883 | <0.50 | 6.80 | <50.0 |
| MW6H | 06/03/04 | --- | <0.50 | <0.50 | <0.50 | 541 | <0.50 | 5.80 | <50.0 |
| MW6H | 08/12/04 | --- | <0.50c | <0.50c | <0.50c | 754c | <0.50c | 5.40c | <50.0c |
| MW6H | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6H | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | 625 | <0.50 | 4.20 | <50.0 |
| MW6H | 05/03/05 | --- | <0.50 | <0.50 | <0.50 | 436 | <0.50 | 3.10 | <50.0 |
| MW6H | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | 530 | <0.500 | 3.73 | <50.0 |
| MW6H | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | 422 | <0.500 | 4.62 | <100 |
| MW6H | 01/26/06 | --- | <25 | <25 | <25 | <1,000 | <25 | <25 | <5,000 |
| MW6H | 04/28/06 | --- | <25 | <25 | <25 | <1,000 | <25 | <25 | <5,000 |
| MW6H | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | 137 | <0.500 | 2.41 | <50.0 |
| MW6H | 10/27/06 | --- | <0.500 | <0.500 | <0.500 | 131 | <0.500 | 3.61 | <100 |
| MW6H | 01/19/07 | --- | <0.500 | 25.7 | 28.1 | 161 | <0.500 | 2.96 | <50.0 |
| MW6H | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | 173 | <0.500 | 1.97 | <50.0 |
| MW6H | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | 140 | <0.50 | 3.8 | <100 |
| MW6H | 12/03/07 | --- | <0.50 | <0.50 | <0.50 | 150 | <0.50 | 7.0 | <100 |
| MW6H | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | 92 | <0.50 | 1.8 | <100 |
| MW6H | 06/26/08 | --- | <0.50 | <0.50 | <0.50 | 80 | <0.50 | 1.6 | <100 |
| MW6H | 08/12/08 | --- | <0.500 | <0.500 | <0.500 | 66.6 | <0.500 | 1.79 | <50.0 |
| MW6H | 10/30/08 | --- | <0.50 | <0.50 | <0.50 | 76 | <0.50 | 2.4 | <50 |
| MW6H | 03/25/09 | --- | <50 | <50 | <50 | <500 | <50 | <50 | <5,000 |
| MW6H | 06/17/09 | --- | <50 | <50 | <50 | <500 | <50 | <50 | <5,000 |
| MW6H | 06/17/09 | --- | <50 | <50 | <50 | <500 | <50 | <50 | <5,000 |
| MW6H | 09/04/09 | --- | <20 | <20 | <20 | <200 | <20 | <20 | <2,000 |
| MW6H | 03/09/10 | --- | <20 | <20 | <20 | <200 | <20 | <20 | <2,000 |
| MW6H | 09/17/10 | --- | --- | --- | <12 | <120 | <12 | <12 | <1,200 |
| MW6H | 02/15/11 | --- | <10 | <10 | <10 | <100 | <10 | <10 | <1,000 |
| MW6H | 08/23/11 | --- | <10 | <10 | <10 | <100 | <10 | <10 | <1,000 |
| MW6H | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | 9.5s | <0.50 | 1.2 | <50 |
| MW6H | 07/24/12 | --- | <20 | <20 | <20 | <200 | <20 | <20 | <2,000 |
| MW6H | 03/11/13 | --- | <20 | <20 | <20 | <200 | <20 | <20 | <2,000 |
| MW6H | 09/04/13 | --- | <10 | <10 | <10 | <100 | <10 | <10 | <1,000 |
| MW6H | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6H | 01/30/14 | --- | <10 | <10 | <10 | <100 | <10 | <10 | <1,000 |
| MW6H | 08/28/14 | --- | <10 | <10 | <10 | <100 | <10 | <10 | <1,000 |
| MW6H | 03/03/15 | --- | <25 | <25 | <25 | <250 | <25 | <25 | <2,500 |
| MW6H | 09/15/15 | --- | <0.50 | <0.50 | <0.50 | 10 | <0.50 | 0.72 | <50 |
| MW6H | 03/17/16 | --- | <50n | <50n | <50n | <500n | <50n | <50n | <5,000n |
| MW6H | 09/15/16 | --- | <12n | <12n | <12n | <120n | <12n | <12n | <1,200n |
| MW6H | 03/07/17 | --- | <25n | <25n | <25n | <250n | <25n | <25n | <2,500n |
| MW6I | Dec-88 | --- | Well installed. | | | | | | |
| MW6I | 12/07/88 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | |
| MW6I | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | --- |
| MW6I | 06/17/03 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/16/03 | --- | <0.50 | <0.50 | <0.50 | 16.4 | <0.50 | <0.50 | <100 |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) |
|---------|---------------------|--------------|----------------------------------|----------------|-------------|------------|-------------|-------------|----------------|
| MW6I | 10/07/03 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6I | 05/03/04 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 06/03/04 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 08/12/04 | --- | <0.50c | <0.50c | <0.50c | <10.0c | <0.50c | <0.50c | <50.0c |
| MW6I | 11/04/04 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6I | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| MW6I | 10/27/05 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/26/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | <100 |
| MW6I | 04/28/06 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| MW6I | 10/27/06 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/19/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| MW6I | 04/24/07 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 12/03/07 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | <100 |
| MW6I | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 06/26/08 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 08/12/08 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- |
| MW6I | 10/23/08 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 03/25/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 06/17/09 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 09/04/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 03/09/10 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 09/17/10 | --- | --- | --- | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 02/15/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 08/23/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 07/24/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 03/11/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 |
| MW6I | 09/04/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6I | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 03/03/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 09/14/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| MW6I | 03/16/16 | --- | Well no longer sampled. | | | | | | |
| MW6J | 04/06/01 | --- | Well installed. | | | | | | |
| MW6J | 07/05/01 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | |
| MW6J | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | --- |
| MW6J | 06/17/03 | --- | <0.50 | 0.90 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| MW6J | 07/16/03 | --- | <0.50 | 1.00 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| MW6J | 10/07/03 | --- | <0.50 | <0.5 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| MW6J | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6J | 06/03/04 | --- | <0.50 | 2.00 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6J | 08/12/04 | --- | <0.50c | 1.20c | <0.50c | <10.0c | <0.50c | <0.50c | <50.0c |
| MW6J | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| MW6J | 02/01/05 | --- | <0.50 | 1.20 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) | | |
|--------------|-----------------|--------------|--|-----------------|-----------------|-------------------|-----------------|-----------------|----------------|--|--|
| MW6J | 05/03/05 | --- | <0.50 | 1.20 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | | |
| MW6J | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | | |
| MW6J | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | <20.0 | <0.500 | <0.500 | <100 | | |
| MW6J | 01/26/06 | --- | <0.50 | 1.1 | <0.50 | <20 | <0.50 | <0.50 | <100 | | |
| MW6J | 04/28/06 | --- | <0.50 | 1.3 | <0.50 | <20 | <0.50 | <0.50 | --- | | |
| MW6J | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | | |
| MW6J | 10/27/06 | --- | <0.500 | 1.04 | <0.500 | <10.0 | <0.500 | <0.500 | --- | | |
| MW6J | 01/19/07 | --- | <0.500 | 1.15 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | | |
| MW6J | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- | | |
| MW6J | 07/24/07 | --- | <0.50 | 1.1 | <0.50 | <20 | <0.50 | <0.50 | --- | | |
| MW6J | 12/03/07 | --- | <0.50 | 1.8 | <0.50 | <10 | <0.50 | <0.50 | --- | | |
| MW6J | 03/06/08 | --- | Well inaccessible due to encroachment permit restrictions. | | | | | | | | |
| MW6J | 06/26/08 | --- | Well inaccessible due to encroachment permit restrictions. | | | | | | | | |
| MW6J | 08/12/08 | --- | Well inaccessible due to encroachment permit restrictions. | | | | | | | | |
| MW6J | 10/23/08 | --- | <0.50 | 0.59 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | | |
| MW6J | 03/25/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 09/04/09 | --- | <0.50 | 0.74 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 03/09/10 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 09/17/10 | --- | --- | --- | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 02/15/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 08/23/11 | --- | <0.50 | 0.58 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | 8.5s | <0.50 | <0.50 | --- | | |
| MW6J | 07/24/12 | --- | <0.50 | 0.72 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 03/08/13 | --- | Well inaccessible. | | | | | | | | |
| MW6J | 09/04/13 | --- | <0.50 | 0.57 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- | | |
| MW6J | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 03/02/15 | --- | Well inaccessible due to encroachment permit restrictions. | | | | | | | | |
| MW6J | 09/14/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6J | 03/16/16 | --- | Well inaccessible due to encroachment permit restrictions. | | | | | | | | |
| MW6J | 09/16/16 | --- | <0.50 | 0.59 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | | |
| MW6J | 03/07/17 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| MW6Ka | 06/21/13 q | --- | --- | --- | --- | --- | --- | --- | --- | | |
| MW6Ka | 09/04/13 q | --- | --- | --- | --- | --- | --- | --- | --- | | |
| MW6Ka | 12/11/13 q | --- | --- | --- | --- | --- | --- | --- | --- | | |
| MW6Ka | 01/30/14 q | --- | --- | --- | --- | --- | --- | --- | --- | | |
| MW6Ka | 08/28/14 q | --- | --- | --- | --- | --- | --- | --- | --- | | |
| MW6Ka | 03/02/15 q | --- | --- | --- | --- | --- | --- | --- | --- | | |
| MW6Ka | 09/14/15 q | --- | --- | --- | --- | --- | --- | --- | --- | | |
| MW6Ka | 03/17/16 | --- | <250n | <250n | <250n | <2,500n | <250n | <250n | --- | | |
| MW6Ka | 09/15/16 | --- | Well dry. | | | | | | | | |
| MW6Ka | 03/07/17 | --- | <120n | <120n | <120n | <1,200n | <120n | <120n | --- | | |
| MW6Kb | 06/21/13 | --- | <10 | <10 | <10 | <100 | <10 | <10 | <1,000 | | |
| MW6Kb | 09/04/13 | --- | <2.5 | <2.5 | <2.5 | <25 | <2.5 | 3.1 | --- | | |
| MW6Kb | 12/11/13 | --- | <5.0 | <5.0 | <5.0 | <50 | <5.0 | <5.0 | <500 | | |
| MW6Kb | 01/30/14 | --- | <1.0 | <1.0 | <1.0 | <10 | <1.0 | <1.0 | --- | | |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) |
|--------------|---------------------|--------------|----------------------------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|
| MW6Kb | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | 9.9 | <0.50 | 2.0 | --- |
| MW6Kb | 03/03/15 | --- | <0.50 | <0.50 | <0.50 | 32 | <0.50 | 7.8 | --- |
| MW6Kb | 09/15/15 | --- | <0.50 | <0.50 | <0.50 | 8.4 | <0.50 | 2.9 | --- |
| MW6Kb | 03/17/16 | --- | <5.0 | <5.0 | <5.0 | <50 | <5.0 | 12 | --- |
| MW6Kb | 09/15/16 | --- | <0.50 | <0.50 | <0.50 | 13 | <0.50 | 3.6 | <50 |
| MW6Kb | 03/07/17 | --- | <12 | <12 | <12 | <120 | <12 | <12 | --- |
| MW6La | 06/21/13 q | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 09/04/13 q | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 12/11/13 q | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 01/30/14 q | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 08/28/14 q | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 03/02/15 q | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 09/14/15 q | --- | --- | --- | --- | --- | --- | --- | --- |
| MW6La | 03/17/16 | --- | <250n | <250n | <250n | <2,500n | <250n | <250n | --- |
| MW6La | 09/15/16 | --- | Well dry. | | | | | | |
| MW6La | 03/07/17 | --- | <5.0n | <5.0n | <5.0n | <50n | <5.0n | <5.0n | --- |
| MW6Lb | 06/21/13 | --- | <5.0 | <5.0 | <5.0 | <50 | <5.0 | <5.0 | <500 |
| MW6Lb | 09/04/13 | --- | <5.0 | <5.0 | <5.0 | <50 | <5.0 | <5.0 | <500 |
| MW6Lb | 12/11/13 | --- | <5.0 | <5.0 | <5.0 | <50 | <5.0 | <5.0 | <500 |
| MW6Lb | 01/30/14 | --- | <1.0 | <1.0 | <1.0 | <10 | <1.0 | 1.5 | --- |
| MW6Lb | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | 9.7 | <0.50 | 2.6 | --- |
| MW6Lb | 03/03/15 | --- | <0.50 | <0.50 | <0.50 | 6.1 | <0.50 | 0.89 | --- |
| MW6Lb | 09/15/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 3.3 | --- |
| MW6Lb | 03/17/16 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.97 | --- |
| MW6Lb | 09/15/16 | --- | <10n | <10n | <10n | <100n | <10n | <10n | <1,000n |
| MW6Lb | 03/07/17 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| RW1 | 05/10/90 | --- | Well installed. | | | | | | |
| RW1 | 10/16/90 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | |
| RW1 | 01/07/03 | --- | <10.0 | <10.0 | <10.0 | <200 | <10.0 | <10.0 | --- |
| RW1 | 06/17/03 | --- | <0.50 | <0.50 | <0.50 | 324 | <0.50 | <0.50 | <100 |
| RW1 | 07/16/03 | --- | <10.0 | 1.70 | <0.50 | 110 | <0.50 | 1.10 | <100 |
| RW1 | 10/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| RW1 | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | 234 | <0.50 | 0.90 | <50.0 |
| RW1 | 06/03/04 | --- | <0.50 | <0.50 | <0.50 | 338 | <0.50 | 1.30 | <50.0 |
| RW1 | 08/12/04 | --- | 1.30c | <0.50c | <0.50c | 437c | <0.50c | 1.20c | <50.0c |
| RW1 | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | 541 | <0.50 | <0.50 | <50.0 |
| RW1 | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | 261 | <0.50 | 1.80 | <50.0 |
| RW1 | 05/03/05 | --- | <0.50 | <0.50 | <0.50 | 200 | <0.50 | <0.50 | <50.0 |
| RW1 | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | 169 | <0.500 | <0.500 | <50.0 |
| RW1 | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | 152 | <0.500 | 0.660 | <100 |
| RW1 | 01/26/06 | --- | <2.5 | <2.5 | <2.5 | 280 | <2.5 | <2.5 | <500 |
| RW1 | 04/28/06 | --- | <0.50 | <0.50 | <0.50 | 86 | <0.50 | <0.50 | <100 |
| RW1 | 07/05/06 | --- | 1.02 | <0.500 | <0.500 | 80.5 | <0.500 | <0.500 | <50.0 |
| RW1 | 10/27/06 | --- | <0.500 | <0.500 | <0.500 | 104 | <0.500 | <0.500 | <100 |
| RW1 | 01/19/07 | --- | <0.500 | <0.500 | <0.500 | 64.6 | <0.500 | <0.500 | <50.0 |
| RW1 | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | 70.8 | <0.500 | <0.500 | <50.0 |
| RW1 | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | 17 | <0.50 | <0.50 | <100 |
| RW1 | 12/03/07 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | <100 |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) |
|------------|---------------------|--------------|----------------------------------|-----------------|-----------------|------------|-----------------|-----------------|----------------|
| RW1 | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | 37 | <0.50 | <0.50 | <100 |
| RW1 | 06/26/08 | --- | <0.50 | <0.50 | <0.50 | 18 | <0.50 | <0.50 | <100 |
| RW1 | 08/12/08 | --- | 0.710 | <0.500 | <0.500 | 23.3 | <0.500 | <0.500 | <50.0 |
| RW1 | 10/30/08 | --- | <0.50 | <0.50 | <0.50 | 43 | <0.50 | <0.50 | <50 |
| RW1 | 03/25/09 | --- | <0.50 | <0.50 | <0.50 | 46 | <0.50 | <0.50 | <50 |
| RW1 | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | 80 | <0.50 | 0.79 | <50 |
| RW1 | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | 80 | <0.50 | 0.79 | <50 |
| RW1 | 09/04/09 | --- | <0.50 | <0.50 | <0.50 | 60 | <0.50 | 0.55 | <50 |
| RW1 | 03/09/10 | --- | <0.50 | <0.50 | <0.50 | 70 | <0.50 | 0.61 | <50 |
| RW1 | 09/17/10 | --- | --- | --- | <1.0 | 56 | <1.0 | <1.0 | --- |
| RW1 | 02/15/11 | --- | <1.0 | <1.0 | <1.0 | 35 | <1.0 | <1.0 | --- |
| RW1 | 08/23/11 | --- | <0.50 | <0.50 | <0.50 | 25 | <0.50 | <0.50 | --- |
| RW1 | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | 23 | <0.50 | <0.50 | --- |
| RW1 | 07/24/12 | --- | <0.50 | <0.50 | <0.50 | 30 | <0.50 | <0.50 | <50 |
| RW1 | 03/11/13 | --- | <0.50 | <0.50 | <0.50 | 22 | <0.50 | <0.50 | <50 |
| RW1 | 09/04/13 | --- | <0.50 | <0.50 | <0.50 | 21 | <0.50 | 0.69 | <50 |
| RW1 | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- |
| RW1 | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | 27 | <0.50 | <0.50 | <50 |
| RW1 | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | 26 | <0.50 | <0.50 | <50 |
| RW1 | 03/03/15 | --- | <0.50 | <0.50 | <0.50 | 28 | <0.50 | 0.60 | <50 |
| RW1 | 09/15/15 | --- | <0.50 | <0.50 | <0.50 | 16 | <0.50 | 1.1 | <50 |
| RW1 | 03/17/16 | --- | <0.50 | <0.50 | <0.50 | 24 | <0.50 | 0.61 | <50 |
| RW1 | 09/15/16 | --- | <0.50 | <0.50 | <0.50 | 19 | <0.50 | 0.62 | <50 |
| RW1 | 03/07/17 | --- | <0.50 | <0.50 | <0.50 | 6.1 | <0.50 | <0.50 | <50 |
| RW2 | 10/16/90 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | |
| RW2 | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | --- |
| RW2 | 06/17/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| RW2 | 07/16/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| RW2 | 10/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <100 |
| RW2 | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | 370 | <0.50 | <0.50 | <50.0 |
| RW2 | 06/03/04 | --- | <0.50 | <0.50 | <0.50 | 370 | <0.50 | <0.50 | <50.0 |
| RW2 | 08/12/04 | --- | 1.30c | <0.50c | <0.50c | <10.0c | <0.50c | <0.50c | <50.0c |
| RW2 | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| RW2 | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| RW2 | 05/03/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 |
| RW2 | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| RW2 | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | <20.0 | <0.500 | <0.500 | <100 |
| RW2 | 01/26/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | <100 |
| RW2 | 04/28/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | <0.50 | --- |
| RW2 | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| RW2 | 10/27/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- |
| RW2 | 01/19/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 |
| RW2 | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- |
| RW2 | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| RW2 | 12/03/07 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | --- |
| RW2 | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- |
| RW2 | 06/26/08 | --- | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | --- |
| RW2 | 08/12/08 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | --- |
| RW2 | 10/23/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) | | |
|------------|---------------------|--------------|----------------------------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|--|--|
| RW2 | 03/25/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 09/04/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 03/09/10 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 09/17/10 | --- | --- | --- | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 02/15/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 08/23/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 07/24/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 03/11/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 | | |
| RW2 | 09/04/13 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- | | |
| RW2 | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | 8.3 | <0.50 | <0.50 | --- | | |
| RW2 | 03/03/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 09/15/15 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 03/16/16 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW2 | 09/15/16 t | --- | --- | --- | --- | --- | --- | --- | --- | | |
| RW2 | 03/07/17 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | --- | | |
| RW3 | 10/16/90 - 10/16/91 | --- | Not analyzed for these analytes. | | | | | | | | |
| RW3 | 11/05/91 | --- | Well destroyed. | | | | | | | | |
| RW3A | 08/24/92 | --- | Well installed in place of RW3. | | | | | | | | |
| RW3A | 08/24/98 - 10/02/02 | --- | Not analyzed for these analytes. | | | | | | | | |
| RW3A | 01/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | --- | | |
| RW3A | 06/17/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | 1.20 | <100 | | |
| RW3A | 07/16/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | 1.40 | <100 | | |
| RW3A | 10/07/03 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | 1.40 | <100 | | |
| RW3A | 01/14/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | 2.20 | <50.0 | | |
| RW3A | 06/03/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | 1.20 | <50.0 | | |
| RW3A | 08/12/04 | --- | <0.50c | <0.50c | <0.50c | <10.0c | <0.50c | 1.10c | <50.0c | | |
| RW3A | 11/04/04 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | <0.50 | <50.0 | | |
| RW3A | 02/01/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | 2.10 | <50.0 | | |
| RW3A | 05/03/05 | --- | <0.50 | <0.50 | <0.50 | <10.0 | <0.50 | 0.60 | <50.0 | | |
| RW3A | 08/04/05 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | <0.500 | <50.0 | | |
| RW3A | 10/27/05 | --- | <0.500 | <0.500 | <0.500 | <20.0 | <0.500 | 0.980 | <100 | | |
| RW3A | 01/26/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | 3.2 | <100 | | |
| RW3A | 04/28/06 | --- | <0.50 | <0.50 | <0.50 | <20 | <0.50 | 1.5 | <100 | | |
| RW3A | 07/05/06 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | 1.20 | <50.0 | | |
| RW3A | 10/27/06 | --- | <0.500 | <0.500 | <0.500 | 17.3 | <0.500 | 3.90 | <100 | | |
| RW3A | 01/19/07 | --- | <0.500 | 1.30 | <0.500 | <10.0 | <0.500 | 1.55 | <50.0 | | |
| RW3A | 04/24/07 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | 1.61 | <50.0 | | |
| RW3A | 07/24/07 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 3.1 | <100 | | |
| RW3A | 12/03/07 | --- | <0.50 | <0.50 | <0.50 | 30 | <0.50 | 7.5 | <100 | | |
| RW3A | 03/06/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.88 | <100 | | |
| RW3A | 06/26/08 | --- | <0.50 | <0.50 | <0.50 | 13 | <0.50 | 3.0 | <100 | | |
| RW3A | 08/12/08 | --- | <0.500 | <0.500 | <0.500 | <10.0 | <0.500 | 1.40 | <50.0 | | |
| RW3A | 10/30/08 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 1.4 | <50 | | |
| RW3A | 03/25/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.72 | <50 | | |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | EDB (µg/L) | 1,2-DCA (µg/L) | TAME (µg/L) | TBA (µg/L) | ETBE (µg/L) | DIPE (µg/L) | Ethanol (µg/L) |
|---------------------------------|-----------------|--------------|-----------------|-----------------|-----------------|------------|-----------------|-------------|----------------|
| RW3A | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.85 | <50 |
| RW3A | 06/17/09 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.85 | <50 |
| RW3A | 09/04/09 | --- | <0.50 | <0.50 | <0.50 | 6.5 | <0.50 | 1.3 | <50 |
| RW3A | 03/09/10 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.63 | <50 |
| RW3A | 09/17/10 | --- | --- | --- | <0.50 | 9.8 | <0.50 | 2.1 | <50 |
| RW3A | 02/15/11 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.73 | <50 |
| RW3A | 08/23/11 | --- | <0.50 | <0.50 | <0.50 | 8.9 | <0.50 | 1.6 | <50 |
| RW3A | 02/09/12 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 1.4 | <50 |
| RW3A | 07/24/12 | --- | <0.50 | <0.50 | <0.50 | 17 | <0.50 | 3.0 | <50 |
| RW3A | 03/11/13 | --- | <0.50 | <0.50 | <0.50 | 13 | <0.50 | 2.4 | <50 |
| RW3A | 09/04/13 | --- | <0.50 | <0.50 | <0.50 | 22 | <0.50 | 4.5 | <50 |
| RW3A | 12/11/13 b | --- | --- | --- | --- | --- | --- | --- | --- |
| RW3A | 01/30/14 | --- | <0.50 | <0.50 | <0.50 | 19 | <0.50 | 1.8 | <50 |
| RW3A | 08/28/14 | --- | <0.50 | <0.50 | <0.50 | 46 | <0.50 | 4.7 | <50 |
| RW3A | 03/03/15 | --- | <0.50 | <0.50 | <0.50 | 20 | <0.50 | 2.3 | <50 |
| RW3A | 09/14/15 | --- | <0.50 | <0.50 | <0.50 | 13 | <0.50 | 2.2 | <50 |
| RW3A | 03/16/16 | --- | <0.50 | <0.50 | <0.50 | 12 | <0.50 | 2.6 | <50 |
| RW3A | 09/15/16 | --- | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | 0.53 | <50 |
| RW3A | 03/07/17 | --- | <0.50 | <0.50 | <0.50 | 14 | <0.50 | 3.2 | <50 |
| Grab Groundwater Samples | | | | | | | | | |
| W-Comp | 10/26/00 | --- | --- | --- | --- | --- | --- | --- | --- |
| W-15-CPT1 | 10/24/08 | 15 | <10 | <10 | <10 | 270 | <10 | <10 | <1,000 |
| W-38-CPT1 | 10/24/08 | 38 | <2.5 | <2.5 | <2.5 | <25 | <2.5 | <2.5 | <250 |
| W-15 -CPT2 | 10/27/08 | 15 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 |
| W-29 -CPT2 | 10/27/08 | 29 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 |
| W-39 -CPT2 | 10/27/08 | 39 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <0.50 | <50 |
| W-14 -CPT3 | 10/23/08 | 14 | <10 | <10 | <10 | 260 | <10 | <10 | <1,000 |
| W-13-GP1 | 03/29/00 | 13 | --- | --- | --- | --- | --- | --- | --- |
| W-23-GP1 | 03/29/00 | 23 | --- | --- | --- | --- | --- | --- | --- |
| W-12-GP2 | 03/29/00 | 12 | --- | --- | --- | --- | --- | --- | --- |
| W-23-GP2 | 03/29/00 | 23 | --- | --- | --- | --- | --- | --- | --- |
| W-15-B7 | 03/05/07 | 15 | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | <100 |
| W-22-B7 | 03/05/07 | 22 | <0.50 | <0.50 | <0.50 | <10 | <0.50 | <0.50 | <100 |
| W-14-B8 | 03/02/07 | 14 | <0.50 | <0.50 | <0.50 | <12 | <0.50 | <0.50 | <100 |
| W-14-16-B9 | 03/06/07 | 14-16 | <50 | <50 | <50 | <500 | <50 | <50 | <10,000 |
| W-22.5-24-B9 | 03/06/07 | 22.5-24 | <1.0 | <1.0 | <1.0 | <10 | <1.0 | 3.4 | <200 |
| UOW r | 11/27/91 | --- | --- | --- | --- | --- | --- | --- | --- |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| | |
|------------|---|
| Notes: | |
| TOC Elev. | = Top of casing elevation; datum is mean sea level. |
| DTW | = Depth to water. |
| GW Elev. | = Groundwater elevation; datum is mean sea level. |
| NAPL | = Non-aqueous phase liquid. |
| Sheen | = Liquid-phase hydrocarbon present as sheen. |
| in. | = Inches of floating product. |
| TPHd | = Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified). |
| TPHg | = Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified). |
| TPHmo | = Total petroleum hydrocarbons as motor oil using EPA Method 8015B. |
| MTBE 8260B | = Methyl tertiary butyl ether analyzed using EPA Method 8260B. |
| MTBE 8021B | = Methyl tertiary butyl ether analyzed using EPA Method 8021B. |
| BTEX | = Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B. |
| TDS | = Total dissolved solids analyzed using Standard Method 2540C. |
| EDB | = 1,2-dibromoethane analyzed using EPA Method 8260B. |
| 1,2-DCA | = 1,2-dichloroethane analyzed using EPA Method 8260B. |
| TAME | = Tertiary amyl methyl ether analyzed using EPA Method 8260B. |
| TBA | = Tertiary butyl alcohol analyzed using EPA Method 8260B. |
| ETBE | = Ethyl tertiary butyl ether analyzed using EPA Method 8260B. |
| DIPE | = Di-isopropyl ether analyzed using EPA Method 8260B. |
| Ethanol | = Ethanol analyzed using EPA Method 8260B. |
| Metals | = Metals analyzed using EPA Method 200.7. |
| µg/L | = Micrograms per liter. |
| mg/L | = Milligrams per liter. |
| < | = Less than the indicated reporting limit shown by the laboratory. |
| --- | = Not measured/Not sampled/Not analyzed. |
| a | = Analyses performed past EPA recommended holding time. |
| b | = Well sampled semi-annually. |
| c | = Groundwater elevation data invalidated; analytical results suspect. |
| d | = The chromatographic pattern does not match that of the specified standard. |
| e | = TRPH-diesel surrogate was diluted out due to sample matrix |
| f | = Analyte detected in matrix spike and matrix spike duplicate. |
| g | = Elevated result due to single analyte peak in quantitation range. |
| h | = Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time. |
| i | = Based on assigned benchmark with elevation arbitrarily set at 100 feet. |
| j | = Benchmark is City of Oakland #37J. |
| k | = Sample container broken in shipment. Analyses not performed. |
| l | = Analyte detected in associated method blank, equipment blank, or bailer blank. |
| m | = Sample received above recommended temperature. |
| n | = Reporting limits raised due to high level of non-target analytes. |
| o | = Analyte presence was not confirmed by second column or GC/MS analysis. |
| p | = Analyzed using EPA Method 624. |
| q | = Insufficient water to sample or insufficient sample volume. |
| r | = Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform. |
| s | = Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics. |

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

- Notes:
- t = Well sampled annually in the first quarter.
 - u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Sampling Date | Depth (feet) | Arsenic (µg/L) | Lead (µg/L) | Cadmium (µg/L) | Chromium (µg/L) | Copper (µg/L) | Iron (µg/L) | Nickel (µg/L) | Silver (µg/L) | Zinc (µg/L) |
|----------------------------------|---------------|--------------|----------------|-------------|----------------|-----------------|---------------|-------------|---------------|---------------|-------------|
| Monitoring Well Samples | | | | | | | | | | | |
| Not analyzed for these analytes. | | | | | | | | | | | |
| Grab Groundwater Samples | | | | | | | | | | | |
| W-Comp | 10/26/00 | --- | 11.5 | <5 | <5 | <10 | <10 | 825 | 27.5 | <10 | 28.5 |
| W-15-CPT1 | 10/24/08 | 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-38-CPT1 | 10/24/08 | 38 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-15 -CPT2 | 10/27/08 | 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-29 -CPT2 | 10/27/08 | 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-39 -CPT2 | 10/27/08 | 39 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-14 -CPT3 | 10/23/08 | 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-41-CPT3 | 10/23/08 | 41 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-13-GP1 | 03/29/00 | 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-23-GP1 | 03/29/00 | 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-12-GP2 | 03/29/00 | 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-23-GP2 | 03/29/00 | 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-15-B7 | 03/05/07 | 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-22-B7 | 03/05/07 | 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-14-B8 | 03/02/07 | 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-14-16-B9 | 03/06/07 | 14-16 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W-22.5-24-B9 | 03/06/07 | 22.5-24 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| UOW r | 11/27/91 | --- | --- | <100 | <5 | <10 | --- | --- | 30 | --- | 10 |

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| | |
|------------|---|
| Notes: | |
| TOC Elev. | = Top of casing elevation; datum is mean sea level. |
| DTW | = Depth to water. |
| GW Elev. | = Groundwater elevation; datum is mean sea level. |
| NAPL | = Non-aqueous phase liquid. |
| Sheen | = Liquid-phase hydrocarbon present as sheen. |
| in. | = Inches of floating product. |
| TPHd | = Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified). |
| TPHg | = Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified). |
| TPHmo | = Total petroleum hydrocarbons as motor oil using EPA Method 8015B. |
| MTBE 8260B | = Methyl tertiary butyl ether analyzed using EPA Method 8260B. |
| MTBE 8021B | = Methyl tertiary butyl ether analyzed using EPA Method 8021B. |
| BTEX | = Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B. |
| TDS | = Total dissolved solids analyzed using Standard Method 2540C. |
| EDB | = 1,2-dibromoethane analyzed using EPA Method 8260B. |
| 1,2-DCA | = 1,2-dichloroethane analyzed using EPA Method 8260B. |
| TAME | = Tertiary amyl methyl ether analyzed using EPA Method 8260B. |
| TBA | = Tertiary butyl alcohol analyzed using EPA Method 8260B. |
| ETBE | = Ethyl tertiary butyl ether analyzed using EPA Method 8260B. |
| DIPE | = Di-isopropyl ether analyzed using EPA Method 8260B. |
| Ethanol | = Ethanol analyzed using EPA Method 8260B. |
| Metals | = Metals analyzed using EPA Method 200.7. |
| µg/L | = Micrograms per liter. |
| mg/L | = Milligrams per liter. |
| < | = Less than the indicated reporting limit shown by the laboratory. |
| --- | = Not measured/Not sampled/Not analyzed. |
| a | = Analyses performed past EPA recommended holding time. |
| b | = Well sampled semi-annually. |
| c | = Groundwater elevation data invalidated; analytical results suspect. |
| d | = The chromatographic pattern does not match that of the specified standard. |
| e | = TRPH-diesel surrogate was diluted out due to sample matrix |
| f | = Analyte detected in matrix spike and matrix spike duplicate. |
| g | = Elevated result due to single analyte peak in quantitation range. |
| h | = Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time. |
| i | = Based on assigned benchmark with elevation arbitrarily set at 100 feet. |
| j | = Benchmark is City of Oakland #37J. |
| k | = Sample container broken in shipment. Analyses not performed. |
| l | = Analyte detected in associated method blank, equipment blank, or bailer blank. |
| m | = Sample received above recommended temperature. |
| n | = Reporting limits raised due to high level of non-target analytes. |
| o | = Analyte presence was not confirmed by second column or GC/MS analysis. |
| p | = Analyzed using EPA Method 624. |
| q | = Insufficient water to sample or insufficient sample volume. |
| r | = Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform. |
| s | = Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics. |

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:

- t = Well sampled annually in the first quarter.
- u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Well Installation Date | TOC Elevation (feet) | Borehole Diameter (inches) | Total Depth of Boring (feet bgs) | Well Depth (feet bgs) | Casing Diameter (inches) | Well Casing Material | Screened Interval (feet bgs) | Slot Size (inches) | Filter Pack Interval (feet bgs) | Filter Pack Material |
|---------|---|----------------------|----------------------------|----------------------------------|-----------------------|--------------------------|----------------------|------------------------------|--------------------|---------------------------------|----------------------|
| MW6A | Well destroyed in 1992. | | | | | | | | | | |
| MW6B | June 1988 | 21.09 | 8 | 21.5 | 20 | 2 | PVC | 9-19 | 0.020 | 7-20 | #3 Sand |
| MW6C | Well converted to groundwater recovery well RW3 in 1990. | | | | | | | | | | |
| MW6D | Well converted to groundwater recovery well RW2 in 1990. | | | | | | | | | | |
| MW6E | 10/04/88 | 21.24 | 10.5 | 21.5 | 21.5 | 4 | PVC | 10-19.5 | 0.020 | 8-21.5 | #3 Sand |
| MW6F | 10/05/88 | 22.17 | 10.5 | 22 | 22 | 4 | PVC | 10-19.5 | 0.020 | 8-22 | #3 Sand |
| MW6G | 11/16/88 | 20.46 | 8 | 20 | 20 | 4 | PVC | 10-19.5 | 0.020 | 8-20 | #3 Sand |
| MW6H | 11/16/88 | 20.20 | 8 | 21 | 21 | 4 | PVC | 10-19.5 | 0.020 | 8-21 | #3 Sand |
| MW6I | 11/17/88 | 19.87 | 8 | 21 | 21 | 4 | PVC | 10-19.5 | 0.020 | 8-21 | #3 Sand |
| MW6J | 04/06/01 | 20.75 | 8 | 23 | 23 | 2 | PVC | 6-23 | 0.020 | 6-23 | #2/12 Sand |
| MW6Ka | 06/13/13 | 21.04 | 10 | 13 | 13 | 4 | PVC | 11-13 | 0.020 | 9-13 | #3 Sand |
| MW6Kb | 06/13/13 | 20.81 | 8 | 20 | 19 | 2 | PVC | 16-19 | 0.020 | 15-19 | #3 Sand |
| MW6La | 06/12/13 | 21.18 | 10 | 13 | 13 | 4 | PVC | 11-13 | 0.020 | 9-13 | #3 Sand |
| MW6Lb | 06/12/13 | 21.19 | 8 | 20 | 18 | 2 | PVC | 16-18 | 0.020 | 15-18 | #3 Sand |
| RW1 | 05/10/90 | 20.43 | 12 | 25 | 25 | 4 | PVC | 9.5-24.5 | 0.020 | 8.5-25 | #3 Sand |
| RW2 | 07/06/88 | 20.64 | 12 | 25 | 25 | 4 | PVC | 9.5-24.5 | 0.020 | 9.5-25 | #3 Sand |
| RW3 | Well destroyed in 1991 and replaced with well RW3A in 1992. | | | | | | | | | | |
| RW3A | 08/24/92 | 21.89 | 12 | 21.5 | 21.5 | 4 | PVC | 9-21 | 0.020 | 8-21.5 | #3 Sand |
| VW1 | 06/05/92 | NS | NS | 11 | 11 | 4 | PVC | 6-11 | 0.020 | NS | NS |
| VW2 | 06/05/92 | NS | NS | 11 | 11 | 4 | PVC | 6-11 | 0.020 | NS | NS |
| VW3 | 08/24/92 | NS | 12 | 13.5 | 13.5 | 4 | PVC | 4-13.5 | 0.050 | 4-13.5 | Aquarium Sand |

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- PVC = Polyvinyl chloride.
- feet bgs = feet below ground surface.
- NS = Not specified.

TABLE 3
GROUNDWATER MONITORING PLAN
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

| Well ID | Gauging Frequency | Sampling and Analysis Frequency |
|---------|---------------------|---------------------------------|
| MW6B | Semi-Annual (1Q/3Q) | Semi-Annual (1Q/3Q) |
| MW6E | Semi-Annual (1Q/3Q) | Annual (1Q) |
| MW6F | Annual (1Q) | --- |
| MW6G | Annual (1Q) | Annual (1Q) |
| MW6H | Semi-Annual (1Q/3Q) | Semi-Annual (1Q/3Q) |
| MW6I | Annual (1Q) | --- |
| MW6J | Annual (1Q) | Annual (1Q) |
| MW6Ka | Semi-Annual (1Q/3Q) | Semi-Annual (1Q/3Q) |
| MW6Kb | Semi-Annual (1Q/3Q) | Semi-Annual (1Q/3Q) |
| MW6La | Semi-Annual (1Q/3Q) | Semi-Annual (1Q/3Q) |
| MW6Lb | Semi-Annual (1Q/3Q) | Semi-Annual (1Q/3Q) |
| RW1 | Semi-Annual (1Q/3Q) | Semi-Annual (1Q/3Q) |
| RW2 | Semi-Annual (1Q/3Q) | Annual (1Q) |
| RW3A | Semi-Annual (1Q/3Q) | Semi-Annual (1Q/3Q) |

Analytical Suite

EPA Method 8015B

* Total petroleum hydrocarbons as gasoline

EPA Method 8260B

- * Methyl tertiary butyl ether
- * Benzene, toluene, ethylbenzene, total xylenes
- * Ethyl tertiary butyl ether
- * Tertiary amyl methyl ether
- * Di-isopropyl ether
- * Tertiary butyl alcohol
- * 1,2-dibromoethene
- * 1,2-dichloroethane
- * Ethanol

APPENDIX A
PROTOCOLS

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h (7.48)$ where:

| | | |
|-------|---|---|
| r | = | radius of the well casing in feet |
| h | = | column of water in the well in feet (depth to bottom - depth to water) |
| 7.48 | = | conversion constant from cubic feet to gallons |
| π | = | ratio of the circumference of a circle to its diameter |

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

APPENDIX B
FIELD DATA SHEETS



Daily Field Report

Project ID #: EMES 70235 Cardno Job # 2229
Subject: Groundwater Sampling Date: 3.6.17
Equipment Used: hand tools, pumps Sheet: 1 of 1
Name(s): Andre Braury
Time Arrived On Site: 0700 Time Departed Site: 1415 Total Travel: 2.25

0700 - AB onsite, begin safety meeting/permits/sign-in

0715 - check in w/ site owner or manager to notify about work

0720 - AB begins scope of work for the day

0725 - AB open wells for equalization

0815 - All wells open

0945 - All wells open for 1/2 hr

0950 - Begin gauging

1100 - gauging complete, begin decon/sample setup

1200 - purge volume calculated, begin purges on wells

1200-1400 MW6E, MW6G, RW2 purged.

1400-1415 - site cleanup,

1415 - AB offsite

1415-1545 AB returns to office to purge holding tank

Purge volume - 72
decon volume - 25

total volume - 97 gallons



Daily Field Report

Project ID #: EMES 70235 Cardno Job # 2229
Subject: Groundwater Sampling Date: 3.7.17
Equipment Used: hand tools pumps Sheet: 1 of 1
Name(s): Andre Bruvry
Time Arrived On Site: 0700 Time Departed Site: 1645 Total Travel: 1.75

0700 - AB onsite begin safety meeting sign in / permits

0705 - AB begins decan set-up

0730 - 0830 AB samples wells purged previous day MW6E, RW2, MW6G

0900 - 0945 - Traffic Control Setup, purge 3 sample MW6J

1000 SP, (PM) on site to oversee AB field methods

1000 - 1315 AB purge remaining wells onsite
RW3A, RW1, MW6H, MW6LB, MW6LA
MW6KB, MW6B, MW6KA

1315 - SP offsite

1315 - 1615 AB samples remaining wells
RW3A, RW1, MW6H, MW6LB, MW6LA
MW6KB, MW6B, MW6KA

1615 - 1645 AB collects field equipment, park vehicles and prepare for departure

1645 - AB offsite

Purge volume - 83

Decan volume - 25

Total volume 108

EVENT TOTAL = 205 gallons

Cardno Groundwater M+S Depth To Water

Case Volume = (TD-DTW) x F

80% Recharge = ((TD-DTW) x 0.8) - TD) x (-1.0)

Where F = 0.163 for 2" inside-diameter well casing

0.652 for 4" inside-diameter well casing

1.457 for 6" inside-diameter well casing

Project 2229/70235 Location 2225 Telegram Ave Date 3.6.17 Name(s) Andre Bruy

| WELL ID | WELL DIAMETER Inches | Previous TD Feet | 2017 TD Feet | Pre-Purge DTW Feet | Case volume Gal. | 80% r/chrg. DTW Feet | COMMENTS |
|---------|----------------------|------------------|--------------|--------------------|------------------|----------------------|--------------------------------------|
| MW6F | 4 | 19.45 | 19.45 | 9.09 | - | - | baguc only |
| MW6I | 4 | 19.31 | 19.31 | 10.65 | - | - | baguc only |
| MW6E | 4 | 19.20 | 19.35 | 9.71 | 6.18 | 11.61 | |
| MW6G | 4 | 19.06 | 19.45 | 8.21 | 7.01 | 10.38 | |
| MW6J | 2 | 22.60 | 22.55 | 12.39 | 1.66 | 14.4 | |
| RW3A | 4 | 16.30 | 16.30 | 9.66 | 4.32 | 10.99 | |
| RW2 | 4 | 23.45 | 23.54 | 9.65 | 9.00 | 12.41 | |
| MW6Kb | 2 | 18.51 | 18.66 | | 1.53 | 10.98 | 3.7 DTW 9.48 RELIEVED Volume 1.48 |
| MW6B | 2 | 18.30 | 18.28 | 10.17 | 1.32 | 11.80 | |
| RW1 | 4 | 23.56 | 23.58 | 10.00 | 8.84 | 12.71 | |
| MW6H | 4 | 19.50 | 19.18 | 10.24 | 6.03 | 12.09 | |
| MW6Lb | 2 | 17.81 | 12.32 | 9.09 | 1.42 | 10.83 | |
| MW6La | 4 | 12.28 | 12.31 | 10.77 | .98 | 11.07 | |
| MW6Ka | 4 | 12.34 | 12.35 | 9.25 | 2.01 | 9.87 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

80%
11.29

GROUNDWATER SAMPLING FIELD LOG

Client Name: EMES
 Location: F0235
 Field Crew: AR

Cardno Job #: 2229

Date: 3.6.17 Page 1 of 3

Case Volume = (TD - DTW) x F where F =
 0.163 for 2" inside-diameter well casing
 0.652 for 4" inside-diameter well casing
 1.457 for 6" inside-diameter well casing

| Well ID | Time | Case Volume | Purge Volume | Temp | Cond | pH | Post-Purge DTW | 80% Recharge | BB | 40mil | Amber | DO | ORP | Comments Well Box Condition |
|---------|------|-------------|--------------|------|------|------|----------------|--------------|----|-------|-------|----|-----|-----------------------------|
| | 1211 | 6.18 | 7 | | | | 10.83 | Yes | | | | | | Purge 3.6 |
| MW6E | 1211 | | ZERO | 12.8 | 630 | 6.97 | | | | | | | | |
| | 1216 | | 7 | 14.9 | 629 | 6.87 | Sample Date: | 3.7.17 | | | | | | |
| | 1221 | | 14 | 15.2 | 538 | 6.94 | Sample Name: | MW6E | | | | | | |
| | 1229 | | 21 | 15.4 | 480 | 7.00 | Sample Time: | 0730 | | | | | | |
| | 1251 | 7.01 | | | | | 8.18 | Yes | | | | | | |
| MW6G | 1251 | | ZERO | 17.8 | 626 | 7.10 | | | | | | | | Purge 3.6 |
| | 1256 | | 8 | 18.0 | 589 | 7.13 | Sample Date: | 3.7.17 | | | | | | |
| | 1302 | | 16 | 18.2 | 575 | 7.17 | Sample Name: | MW6G | | | | | | |
| | 1307 | | 24 | 18.6 | 585 | 7.19 | Sample Time: | 0830 | | | | | | |
| | 1339 | 9.00 | | | | | 9.81 | Yes | | | | | | |
| RW2 | 1339 | | ZERO | 16.3 | 643 | 7.10 | | | | | | | | Purge 3.6 |
| | 1344 | | 9 | 16.5 | 654 | 7.02 | Sample Date: | 3.7.17 | | | | | | |
| | 1351 | | 18 | 16.7 | 625 | 7.00 | Sample Name: | RW2 | | | | | | |
| | 1358 | | 28 | 17.0 | 656 | 7.04 | Sample Time: | 0805 | | | | | | |
| | 0921 | | | | | | 13.00 | Yes | | | | | | |
| MW6S | 0921 | | ZERO | 17.9 | 739 | 7.29 | | | | | | | | |
| | 0922 | | 2 | 18.7 | 745 | 7.36 | Sample Date: | 3.7.17 | | | | | | Purge 3.7 |
| | 0924 | | 4 | 19.0 | 744 | 7.33 | Sample Name: | MW6S | | | | | | |
| | 0925 | | 6 | 19.1 | 751 | 7.33 | Sample Time: | 0930 | | | | | | |
| | 1042 | 4.32 | | | | | | | | | | | | |
| RW3A | 1042 | | ZERO | 17.0 | 963 | 7.15 | 9.65 | Yes | | | | | | Purge 3.7 |
| | 1045 | | 5 | 17.3 | 885 | 7.08 | Sample Date: | 3.7 | | | | | | |
| | 1049 | | 10 | 17.3 | 821 | 7.05 | Sample Name: | RW3A | | | | | | |
| | 1052 | | 15 | 17.6 | 781 | 7.05 | Sample Time: | 1030 | | | | | | |

Additional Remarks:

GROUNDWATER SAMPLING FIELD LOG

Client Name: EMES

Date: 3.7.17 Page 2 of 3

Location: 70235

Cardno Job #: 2229

Case Volume = (TD - DTW) x F where F =

Field Crew: ATB

0.163 for 2" inside-diameter well casing
 0.652 for 4" inside-diameter well casing
 1.457 for 6" inside-diameter well casing

| Well ID | Time | Case Volume | Purge Volume | Temp | Cond | pH | Post-Purge DTW | 80% Recharge | BB | 40mil | Amber | DO | ORP | Comments Well Box Condition |
|---------|------|-------------|--------------|------|------|----|----------------|--------------|----|-------|-------|----|-----|-----------------------------|
|---------|------|-------------|--------------|------|------|----|----------------|--------------|----|-------|-------|----|-----|-----------------------------|

| | | | | | | | | | | | | | | |
|--------|------|------|------|------|-------|------|--------------|--------|--|--|--|--|--|--------------|
| | 1106 | 8.84 | | | | | 10.24 | Yes | | | | | | Purge 3.7 |
| RW1 | 1106 | | ZERO | 18.1 | 791 | 7.28 | | | | | | | | |
| | 1112 | | 9 | 18.9 | 808 | 7.14 | Sample Date: | 3.7.17 | | | | | | Dry @ 18 gal |
| | 1119 | | 18 | 19.5 | 794 | 7.23 | Sample Name: | RW1 | | | | | | |
| | - | | 27 | - | - | - | Sample Time: | 1350 | | | | | | |
| | 1134 | 6.03 | | | | | 10.25 | Yes | | | | | | |
| MW6H | 1134 | | ZERO | 18.5 | 766 | 7.23 | | | | | | | | Purge 3.7 |
| | 1139 | | 7 | 18.1 | 728 | 6.94 | Sample Date: | 3.7.17 | | | | | | |
| | 1144 | | 14 | 18.7 | 739 | 7.02 | Sample Name: | MW6H | | | | | | |
| | 1148 | | 21 | 18.7 | 737 | 7.08 | Sample Time: | 1505 | | | | | | |
| | 1202 | 1.42 | | | | | 10.24 | Yes | | | | | | |
| MW6 LB | 1202 | | ZERO | 15.9 | 327 | 7.80 | | | | | | | | |
| | 1203 | | 2 | 16.7 | 254 | 7.86 | Sample Date: | 3.7.17 | | | | | | Purge 3.7 |
| | 1204 | | 4 | 17.8 | 306 | 7.53 | Sample Name: | MW6LB | | | | | | Dry @ 4 |
| | - | | 6 | - | - | - | Sample Time: | 1525 | | | | | | |
| | 1214 | .98 | | | | | 10.26 | Yes | | | | | | |
| MW6 LA | 1215 | | ZERO | 13.7 | 310 | 7.74 | | | | | | | | |
| | 1215 | | 1 | 15.8 | 936 | 7.83 | Sample Date: | 3.7.17 | | | | | | Purge 3.7 |
| | 1215 | | 2 | 16.1 | 105.1 | 7.93 | Sample Name: | MW6LA | | | | | | |
| | 1216 | | 3 | 16.1 | 86.9 | 7.65 | Sample Time: | 1545 | | | | | | |
| | 1257 | 1.53 | | | | | 9.45 | Yes | | | | | | |
| MW6 KB | 1257 | | ZERO | 17.7 | 768 | 7.38 | | | | | | | | |
| | 1300 | | 2 | 17.8 | 634 | 7.52 | Sample Date: | 3.7.17 | | | | | | |
| | 1301 | | 4 | 17.9 | 634 | 7.18 | Sample Name: | MW6KB | | | | | | |
| | 1302 | | 6 | 18.5 | 826 | 7.19 | Sample Time: | 1355 | | | | | | |

Additional Remarks:

GROUNDWATER SAMPLING FIELD LOG

Client Name: EMES
 Location: 70235
 Field Crew: AB

Cardno Job #: 2229

Date: 3-7-17 Page 3 of 3

Case Volume = (TD - DTW) x F where F =

0.163 for 2" inside-diameter well casing
 0.652 for 4" inside-diameter well casing
 1.457 for 6" inside-diameter well casing

| Well ID | Time | Case Volume | Purge Volume | Temp | Cond | pH | Post-Purge DTW | 80% Recharge | BB | 40mil | Amber | DO | ORP | Comments Well Box Condition | |
|---------|------|-------------|--------------|------|------|------|----------------|--------------|----|-------|-------|----|-----|--------------------------------|--|
| MW6B | 1234 | 1:32 | | | | | 9.95 | yes | | | | | | Purge 3.7 | |
| | 1234 | | ZERO | 16.3 | 1010 | 7.14 | | | | | | | | | |
| | 1235 | | 2 | 16.3 | 983 | 7.15 | Sample Date: | 3-7-17 | | | | | | | |
| | 1238 | | 4 | 17.1 | 1001 | 7.05 | Sample Name: | MW6B | | | | | | | |
| | 1239 | | 6 | 17.4 | 967 | 7.08 | Sample Time: | 1420 | | | | | | | |
| MW6KA | 1309 | 2:01 | | | | | 9.57 | yes | | | | | | Purge 3.7 Dry @ 4 gal | |
| | 1309 | | ZERO | 17.5 | 997 | 7.25 | | | | | | | | | |
| | 1311 | | 3 | 17.4 | 786 | 7.12 | Sample Date: | 3-7-17 | | | | | | | |
| | - | | 6 | - | - | - | Sample Name: | MW6KA | | | | | | | |
| | - | | 9 | - | - | - | Sample Time: | 1605 | | | | | | | |
| | | | ZERO | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | ZERO | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | ZERO | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

Additional Remarks:

WATER SAMPLING SITE STATUS

Date: 3/6/17

Inspected by: AJB

Cardno Job No.: 2229

Station No.: 70235

Site Address: 2225 Telegraph Ave

| Well ID | Well Head Screws | Rubber Gasket | Well Cap Locking | Lock on Well Cap | Concrete Well Seal | Well Head PVC | Water in Well Vault | Well Cover | Fence/Gate Condition | # Drums | Drum Contents | Building Condition | Site Appearance | Comments / Well Covers |
|---------|------------------|---------------|------------------|------------------|--------------------|---------------|---------------------|------------|----------------------|---------|---------------|--------------------|-----------------|-------------------------------------|
| | N/R/ok | N/R/ok | N/R/ok | N/R/ok | N/R/ok | N/R/ok | Y/N | N/R/ok | N/R/ok | N/R/ok | s/w/e | g/v/o | N/R/ok | |
| MW61 | 2/2 | ok | ok | ok | ok | ok | N | ok | ok | - | - | - | - | |
| MW65 | 2/2 | ok | ok | ok | ok | ok | N | ok | ok | | | | | |
| RWZ | 2/2 | ok | ok | N | ok | ok | Y | ok | ok | | | | | |
| MW64 | 2/2 | N | ok | ok | ok | ok | Y | ok | ok | | | | | |
| RW1 | 2/2 | N | ok | ok | ok | ok | Y | ok | ok | | | | | |
| RW3A | 2/2 | N | ok | ok | ok | ok | N | ok | ok | | | | | |
| MW66 | 2/2 | N | ok | ok | ok | ok | Y | ok | ok | | | | | |
| MW64A | 2/2 | N | ok | ok | ok | ok | Y | ok | ok | | | | | water tank |
| MW64B | 1/2 | N | N | N | ok | ok | Y | ok | ok | | | | | Water leaking in no side |
| MW64B | 1/2 | N | N | N | ok | ok | Y | ok | ok | | | | | |
| MW64A | 4/2 | N | N | N | ok | ok | Y | ok | ok | | | | | well cap base leaking rainwater |
| MW6F | N | N | N | N | ok | ok | N | ok | ok | | | | | |

N = Not repairable in time available-see comments.
 R = Repaired-see comments
 ok = No action needed.

Y = Yes.
 N = No.

s = Soil.
 w = Water.
 e = Empty.
 g = Graffiti on walls.
 v = Vagrants (or evidence of).
 o = Open (not secured).

APPENDIX C

LABORATORY ANALYTICAL REPORT



Calscience



WORK ORDER NUMBER: 17-03-0682

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

Analytical Report For

Client: Cardno

Client Project Name: ExxonMobil 70235/022229C

Attention: Scott Perkins
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Cecile de Guia

Approved for release on 03/21/2017 by:
Cecile deGuia
Project Manager

ResultLink ▶

Email your PM ▶

Eurofins Calscience, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.

Contents

Client Project Name: ExxonMobil 70235/022229C
 Work Order Number: 17-03-0682

| | | |
|---|--|----|
| 1 | Work Order Narrative. | 3 |
| 2 | Sample Summary. | 4 |
| 3 | Client Sample Data. | 5 |
| | 3.1 EPA 8015B (M) TPH Gasoline (Aqueous). | 5 |
| | 3.2 EPA 8021B BTEX (Aqueous). | 8 |
| | 3.3 EPA 8260B Volatile Organics (Aqueous). | 13 |
| | 3.4 EPA 8260B Volatile Organics (Aqueous). | 18 |
| 4 | Quality Control Sample Data. | 21 |
| | 4.1 MS/MSD. | 21 |
| | 4.2 LCS/LCSD. | 25 |
| 5 | Sample Analysis Summary. | 30 |
| 6 | Glossary of Terms and Qualifiers. | 31 |
| 7 | Chain-of-Custody/Sample Receipt Form. | 32 |

Condition Upon Receipt:

Samples were received under Chain-of-Custody (COC) on 03/09/17. They were assigned to Work Order 17-03-0682.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

Quality Control:

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.

Additional Comments:

Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.



Calscience

Sample Summary

| | | |
|--------------------------|-----------------------|--------------------------|
| Client: Cardno | Work Order: | 17-03-0682 |
| 601 North McDowell Blvd. | Project Name: | ExxonMobil 70235/022229C |
| Petaluma, CA 94954-2312 | PO Number: | 022229C |
| | Date/Time Received: | 03/09/17 12:00 |
| | Number of Containers: | 134 |

Attn: Scott Perkins

| Sample Identification | Lab Number | Collection Date and Time | Number of Containers | Matrix |
|-----------------------|---------------|--------------------------|----------------------|---------|
| QCBB | 17-03-0682-1 | 03/07/17 16:15 | 2 | Aqueous |
| MW6B | 17-03-0682-2 | 03/07/17 14:20 | 11 | Aqueous |
| MW6E | 17-03-0682-3 | 03/07/17 07:30 | 11 | Aqueous |
| MW6G | 17-03-0682-4 | 03/07/17 08:30 | 11 | Aqueous |
| MW6H | 17-03-0682-5 | 03/07/17 15:05 | 11 | Aqueous |
| MW6J | 17-03-0682-6 | 03/07/17 09:30 | 11 | Aqueous |
| RW1 | 17-03-0682-7 | 03/07/17 13:50 | 11 | Aqueous |
| RW2 | 17-03-0682-8 | 03/07/17 08:05 | 11 | Aqueous |
| RW3A | 17-03-0682-9 | 03/07/17 13:30 | 11 | Aqueous |
| MW6Ka | 17-03-0682-10 | 03/07/17 16:05 | 11 | Aqueous |
| MW6La | 17-03-0682-11 | 03/07/17 15:45 | 11 | Aqueous |
| MW6Kb | 17-03-0682-12 | 03/07/17 13:55 | 11 | Aqueous |
| MW6Lb | 17-03-0682-13 | 03/07/17 15:25 | 11 | Aqueous |



Return to Contents

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|------------------------|-----------------------|---------------------------|----------------|-----------------------|-----------------|---------------------------|-------------------|
| MW6B | 17-03-0682-2-H | 03/07/17 14:20 | Aqueous | GC 1 | 03/14/17 | 03/15/17 06:22 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 3000 | | 250 | | 5.00 | HD |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 80 | | 38-134 | | | |
| MW6E | 17-03-0682-3-H | 03/07/17 07:30 | Aqueous | GC 1 | 03/14/17 | 03/14/17 23:15 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | ND | | 50 | | 1.00 | |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 75 | | 38-134 | | | |
| MW6G | 17-03-0682-4-H | 03/07/17 08:30 | Aqueous | GC 1 | 03/14/17 | 03/14/17 23:51 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | ND | | 50 | | 1.00 | |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 75 | | 38-134 | | | |
| MW6H | 17-03-0682-5-H | 03/07/17 15:05 | Aqueous | GC 1 | 03/14/17 | 03/15/17 05:46 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 4000 | | 250 | | 5.00 | |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 79 | | 38-134 | | | |
| MW6J | 17-03-0682-6-H | 03/07/17 09:30 | Aqueous | GC 1 | 03/14/17 | 03/15/17 01:37 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | ND | | 50 | | 1.00 | |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 70 | | 38-134 | | | |

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|------------------------|------------------------|---------------------------|----------------|-----------------------|-----------------|---------------------------|-------------------|
| RW1 | 17-03-0682-7-H | 03/07/17 13:50 | Aqueous | GC 1 | 03/14/17 | 03/15/17 04:35 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 700 | | 50 | | 1.00 | HD |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 87 | | 38-134 | | | |
| RW2 | 17-03-0682-8-H | 03/07/17 08:05 | Aqueous | GC 1 | 03/14/17 | 03/15/17 05:11 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 640 | | 50 | | 1.00 | HD |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 90 | | 38-134 | | | |
| RW3A | 17-03-0682-9-H | 03/07/17 13:30 | Aqueous | GC 1 | 03/14/17 | 03/15/17 02:13 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 250 | | 50 | | 1.00 | HD |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 80 | | 38-134 | | | |
| MW6Ka | 17-03-0682-10-H | 03/07/17 16:05 | Aqueous | GC 1 | 03/14/17 | 03/15/17 06:57 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 17000 | | 1000 | | 20.0 | |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 81 | | 38-134 | | | |
| MW6La | 17-03-0682-11-H | 03/07/17 15:45 | Aqueous | GC 1 | 03/14/17 | 03/15/17 02:49 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 1200 | | 50 | | 1.00 | |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 82 | | 38-134 | | | |

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|------------------------|-------------------------|---------------------------|----------------|-----------------------|-----------------|---------------------------|-------------------|
| MW6Kb | 17-03-0682-12-H | 03/07/17 13:55 | Aqueous | GC 1 | 03/14/17 | 03/15/17 03:59 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 2300 | | 50 | | 1.00 | HD |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 169 | | 38-134 | | AZ | |
| MW6Lb | 17-03-0682-13-H | 03/07/17 15:25 | Aqueous | GC 1 | 03/14/17 | 03/15/17 03:24 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 1800 | | 50 | | 1.00 | HD |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 103 | | 38-134 | | | |
| Method Blank | 099-12-436-11333 | N/A | Aqueous | GC 1 | 03/14/17 | 03/14/17 15:32 | 170314L088 |
| <u>Parameter</u> | | <u>Result</u> | | <u>RL</u> | | <u>DF</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | ND | | 50 | | 1.00 | |
| <u>Surrogate</u> | | <u>Rec. (%)</u> | | <u>Control Limits</u> | | <u>Qualifiers</u> | |
| 1,4-Bromofluorobenzene | | 75 | | 38-134 | | | |

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6B | 17-03-0682-2-J | 03/07/17 14:20 | Aqueous | GC 21 | 03/16/17 | 03/16/17 18:14 | 170316L065 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|----|------|------------|
| Benzene | 3800 | 10 | 20.0 | |
| Toluene | 280 | 10 | 20.0 | |
| Ethylbenzene | 270 | 10 | 20.0 | |
| p/m-Xylene | 440 | 20 | 20.0 | |
| o-Xylene | 40 | 10 | 20.0 | |
| Xylenes (total) | 480 | 10 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 95 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6E | 17-03-0682-3-K | 03/07/17 07:30 | Aqueous | GC 21 | 03/13/17 | 03/13/17 15:21 | 170313L049 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|------|------|------------|
| Benzene | ND | 0.50 | 1.00 | |
| Toluene | ND | 0.50 | 1.00 | |
| Ethylbenzene | ND | 0.50 | 1.00 | |
| p/m-Xylene | ND | 1.0 | 1.00 | |
| o-Xylene | ND | 0.50 | 1.00 | |
| Xylenes (total) | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 79 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6G | 17-03-0682-4-K | 03/07/17 08:30 | Aqueous | GC 21 | 03/13/17 | 03/13/17 15:55 | 170313L049 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|------|------|------------|
| Benzene | ND | 0.50 | 1.00 | |
| Toluene | ND | 0.50 | 1.00 | |
| Ethylbenzene | ND | 0.50 | 1.00 | |
| p/m-Xylene | ND | 1.0 | 1.00 | |
| o-Xylene | ND | 0.50 | 1.00 | |
| Xylenes (total) | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 76 | 70-130 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6H | 17-03-0682-5-G | 03/07/17 15:05 | Aqueous | GC 21 | 03/16/17 | 03/16/17 17:40 | 170316L065 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|-----|------|------------|
| Benzene | 600 | 5.0 | 10.0 | |
| Toluene | 300 | 5.0 | 10.0 | |
| Ethylbenzene | 490 | 5.0 | 10.0 | |
| p/m-Xylene | 1300 | 10 | 10.0 | |
| o-Xylene | 240 | 5.0 | 10.0 | |
| Xylenes (total) | 1500 | 5.0 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 79 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6J | 17-03-0682-6-J | 03/07/17 09:30 | Aqueous | GC 21 | 03/13/17 | 03/13/17 16:28 | 170313L049 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|------|------|------------|
| Benzene | ND | 0.50 | 1.00 | |
| Toluene | ND | 0.50 | 1.00 | |
| Ethylbenzene | ND | 0.50 | 1.00 | |
| p/m-Xylene | ND | 1.0 | 1.00 | |
| o-Xylene | ND | 0.50 | 1.00 | |
| Xylenes (total) | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 76 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| RW1 | 17-03-0682-7-K | 03/07/17 13:50 | Aqueous | GC 21 | 03/13/17 | 03/14/17 00:50 | 170313L049 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|------|------|------------|
| Benzene | 9.9 | 0.50 | 1.00 | |
| Toluene | 0.54 | 0.50 | 1.00 | |
| Ethylbenzene | 0.94 | 0.50 | 1.00 | |
| p/m-Xylene | 1.3 | 1.0 | 1.00 | |
| o-Xylene | ND | 0.50 | 1.00 | |
| Xylenes (total) | 1.3 | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 88 | 70-130 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| RW2 | 17-03-0682-8-K | 03/07/17 08:05 | Aqueous | GC 21 | 03/13/17 | 03/13/17 17:02 | 170313L049 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|------|------|------------|
| Benzene | 4.6 | 0.50 | 1.00 | |
| Toluene | 0.67 | 0.50 | 1.00 | |
| Ethylbenzene | 1.2 | 0.50 | 1.00 | |
| p/m-Xylene | ND | 1.0 | 1.00 | |
| o-Xylene | ND | 0.50 | 1.00 | |
| Xylenes (total) | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 87 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| RW3A | 17-03-0682-9-K | 03/07/17 13:30 | Aqueous | GC 21 | 03/13/17 | 03/13/17 17:35 | 170313L049 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|------|------|------------|
| Benzene | 14 | 0.50 | 1.00 | |
| Toluene | ND | 0.50 | 1.00 | |
| Ethylbenzene | ND | 0.50 | 1.00 | |
| p/m-Xylene | ND | 1.0 | 1.00 | |
| o-Xylene | ND | 0.50 | 1.00 | |
| Xylenes (total) | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 87 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6Ka | 17-03-0682-10-F | 03/07/17 16:05 | Aqueous | GC 21 | 03/16/17 | 03/16/17 18:47 | 170316L065 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|----|------|------------|
| Benzene | 4700 | 10 | 20.0 | |
| Toluene | 2000 | 10 | 20.0 | |
| Ethylbenzene | 3600 | 10 | 20.0 | |
| p/m-Xylene | 11000 | 20 | 20.0 | |
| o-Xylene | 2900 | 10 | 20.0 | |
| Xylenes (total) | 14000 | 10 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 82 | 70-130 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 4 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6La | 17-03-0682-11-K | 03/07/17 15:45 | Aqueous | GC 21 | 03/13/17 | 03/13/17 20:56 | 170313L049 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|------|------|------------|
| Benzene | 21 | 0.50 | 1.00 | |
| Toluene | 90 | 0.50 | 1.00 | |
| Ethylbenzene | 67 | 0.50 | 1.00 | |
| p/m-Xylene | 340 | 1.0 | 1.00 | |
| o-Xylene | 98 | 0.50 | 1.00 | |
| Xylenes (total) | 430 | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 84 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6Kb | 17-03-0682-12-F | 03/07/17 13:55 | Aqueous | GC 21 | 03/16/17 | 03/16/17 17:07 | 170316L065 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|-----|------|------------|
| Benzene | 540 | 1.0 | 2.00 | |
| Toluene | 28 | 1.0 | 2.00 | |
| Ethylbenzene | 20 | 1.0 | 2.00 | |
| p/m-Xylene | 38 | 2.0 | 2.00 | |
| o-Xylene | 5.0 | 1.0 | 2.00 | |
| Xylenes (total) | 43 | 1.0 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 86 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| MW6Lb | 17-03-0682-13-K | 03/07/17 15:25 | Aqueous | GC 21 | 03/13/17 | 03/13/17 22:03 | 170313L049 |

| Parameter | Result | RL | DF | Qualifiers |
|-----------------|--------|------|------|------------|
| Benzene | 21 | 0.50 | 1.00 | |
| Toluene | 5.8 | 0.50 | 1.00 | |
| Ethylbenzene | 9.6 | 0.50 | 1.00 | |
| p/m-Xylene | 25 | 1.0 | 1.00 | |
| o-Xylene | 2.9 | 0.50 | 1.00 | |
| Xylenes (total) | 28 | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 94 | 70-130 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 5 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| Method Blank | 099-12-667-2719 | N/A | Aqueous | GC 21 | 03/13/17 | 03/13/17 12:12 | 170313L049 |

| <u>Parameter</u> | <u>Result</u> | <u>RL</u> | <u>DF</u> | <u>Qualifiers</u> |
|------------------|---------------|-----------|-----------|-------------------|
| Benzene | ND | 0.50 | 1.00 | |
| Toluene | ND | 0.50 | 1.00 | |
| Ethylbenzene | ND | 0.50 | 1.00 | |
| p/m-Xylene | ND | 1.0 | 1.00 | |
| o-Xylene | ND | 0.50 | 1.00 | |
| Xylenes (total) | ND | 0.50 | 1.00 | |

| <u>Surrogate</u> | <u>Rec. (%)</u> | <u>Control Limits</u> | <u>Qualifiers</u> |
|------------------------|-----------------|-----------------------|-------------------|
| 1,4-Bromofluorobenzene | 79 | 70-130 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------|----------------|--------------|-----------------|---------------------------|-------------------|
| Method Blank | 099-12-667-2720 | N/A | Aqueous | GC 21 | 03/16/17 | 03/16/17 12:02 | 170316L065 |

| <u>Parameter</u> | <u>Result</u> | <u>RL</u> | <u>DF</u> | <u>Qualifiers</u> |
|------------------|---------------|-----------|-----------|-------------------|
| Benzene | ND | 0.50 | 1.00 | |
| Toluene | ND | 0.50 | 1.00 | |
| Ethylbenzene | ND | 0.50 | 1.00 | |
| p/m-Xylene | ND | 1.0 | 1.00 | |
| o-Xylene | ND | 0.50 | 1.00 | |
| Xylenes (total) | ND | 0.50 | 1.00 | |

| <u>Surrogate</u> | <u>Rec. (%)</u> | <u>Control Limits</u> | <u>Qualifiers</u> |
|------------------------|-----------------|-----------------------|-------------------|
| 1,4-Bromofluorobenzene | 73 | 70-130 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW6B | 17-03-0682-2-D | 03/07/17 14:20 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 19:55 | 170314L046 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|-----|------|------------|
| Methyl-t-Butyl Ether (MTBE) | 31 | 25 | 50.0 | |
| Tert-Butyl Alcohol (TBA) | ND | 250 | 50.0 | |
| Diisopropyl Ether (DIPE) | ND | 25 | 50.0 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 25 | 50.0 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 25 | 50.0 | |
| 1,2-Dibromoethane | ND | 25 | 50.0 | |
| 1,2-Dichloroethane | ND | 25 | 50.0 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 104 | 68-120 | |
| Dibromofluoromethane | 91 | 80-127 | |
| 1,2-Dichloroethane-d4 | 105 | 80-128 | |
| Toluene-d8 | 102 | 80-120 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW6E | 17-03-0682-3-B | 03/07/17 07:30 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 15:49 | 170314L046 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | ND | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | ND | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | ND | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 100 | 68-120 | |
| Dibromofluoromethane | 91 | 80-127 | |
| 1,2-Dichloroethane-d4 | 109 | 80-128 | |
| Toluene-d8 | 102 | 80-120 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW6J | 17-03-0682-6-B | 03/07/17 09:30 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 16:50 | 170314L046 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | 14 | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | ND | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | ND | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 101 | 68-120 | |
| Dibromofluoromethane | 92 | 80-127 | |
| 1,2-Dichloroethane-d4 | 110 | 80-128 | |
| Toluene-d8 | 103 | 80-120 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| RW2 | 17-03-0682-8-B | 03/07/17 08:05 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 17:52 | 170314L046 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | 0.80 | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | ND | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | ND | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 105 | 68-120 | |
| Dibromofluoromethane | 91 | 80-127 | |
| 1,2-Dichloroethane-d4 | 109 | 80-128 | |
| Toluene-d8 | 106 | 80-120 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW6Ka | 17-03-0682-10-B | 03/07/17 16:05 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 20:57 | 170314L046 |

Comment(s): - BH Reporting limits raised due to high level of non-target analytes.

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|-----|------------|
| Methyl-t-Butyl Ether (MTBE) | ND | 120 | 250 | |
| Tert-Butyl Alcohol (TBA) | ND | 1200 | 250 | |
| Diisopropyl Ether (DIPE) | ND | 120 | 250 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 120 | 250 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 120 | 250 | |
| 1,2-Dibromoethane | ND | 120 | 250 | |
| 1,2-Dichloroethane | ND | 120 | 250 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 105 | 68-120 | |
| Dibromofluoromethane | 91 | 80-127 | |
| 1,2-Dichloroethane-d4 | 106 | 80-128 | |
| Toluene-d8 | 102 | 80-120 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW6La | 17-03-0682-11-B | 03/07/17 15:45 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 19:24 | 170314L046 |

Comment(s): - BH Reporting limits raised due to high level of non-target analytes.

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|-----|------|------------|
| Methyl-t-Butyl Ether (MTBE) | ND | 5.0 | 10.0 | |
| Tert-Butyl Alcohol (TBA) | ND | 50 | 10.0 | |
| Diisopropyl Ether (DIPE) | ND | 5.0 | 10.0 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 5.0 | 10.0 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 5.0 | 10.0 | |
| 1,2-Dibromoethane | ND | 5.0 | 10.0 | |
| 1,2-Dichloroethane | ND | 5.0 | 10.0 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 105 | 68-120 | |
| Dibromofluoromethane | 91 | 80-127 | |
| 1,2-Dichloroethane-d4 | 105 | 80-128 | |
| Toluene-d8 | 101 | 80-120 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 4 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------------|----------------|------------------|-----------------|---------------------------|-------------------|
| MW6Kb | 17-03-0682-12-B | 03/07/17 13:55 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 21:28 | 170314L046 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|-----|------|------------|
| Methyl-t-Butyl Ether (MTBE) | 20 | 12 | 25.0 | |
| Tert-Butyl Alcohol (TBA) | ND | 120 | 25.0 | |
| Diisopropyl Ether (DIPE) | ND | 12 | 25.0 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 12 | 25.0 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 12 | 25.0 | |
| 1,2-Dibromoethane | ND | 12 | 25.0 | |
| 1,2-Dichloroethane | ND | 12 | 25.0 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 101 | 68-120 | |
| Dibromofluoromethane | 91 | 80-127 | |
| 1,2-Dichloroethane-d4 | 107 | 80-128 | |
| Toluene-d8 | 102 | 80-120 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------------|----------------|------------------|-----------------|---------------------------|-------------------|
| MW6Lb | 17-03-0682-13-B | 03/07/17 15:25 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 18:53 | 170314L046 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | 0.74 | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | ND | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | ND | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 108 | 68-120 | |
| Dibromofluoromethane | 90 | 80-127 | |
| 1,2-Dichloroethane-d4 | 105 | 80-128 | |
| Toluene-d8 | 107 | 80-120 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 5 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------|----------------|------------------|-----------------|---------------------------|-------------------|
| Method Blank | 099-12-880-1529 | N/A | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 13:11 | 170314L046 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | ND | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | ND | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | ND | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 99 | 68-120 | |
| Dibromofluoromethane | 87 | 80-127 | |
| 1,2-Dichloroethane-d4 | 104 | 80-128 | |
| Toluene-d8 | 103 | 80-120 | |

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|------------------|-----------------|---------------------------|-------------------|
| MW6G | 17-03-0682-4-B | 03/07/17 08:30 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 16:19 | 170314L047 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | 1.0 | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | ND | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | ND | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| Ethanol | ND | 50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 103 | 68-120 | |
| Dibromofluoromethane | 91 | 80-127 | |
| 1,2-Dichloroethane-d4 | 109 | 80-128 | |
| Toluene-d8 | 103 | 80-120 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-----------------------|---------------------------|----------------|------------------|-----------------|---------------------------|-------------------|
| MW6H | 17-03-0682-5-B | 03/07/17 15:05 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 20:26 | 170314L047 |

Comment(s): - BH Reporting limits raised due to high level of non-target analytes.

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | ND | 25 | 50.0 | |
| Tert-Butyl Alcohol (TBA) | ND | 250 | 50.0 | |
| Diisopropyl Ether (DIPE) | ND | 25 | 50.0 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 25 | 50.0 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 25 | 50.0 | |
| Ethanol | ND | 2500 | 50.0 | |
| 1,2-Dibromoethane | ND | 25 | 50.0 | |
| 1,2-Dichloroethane | ND | 25 | 50.0 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 105 | 68-120 | |
| Dibromofluoromethane | 92 | 80-127 | |
| 1,2-Dichloroethane-d4 | 105 | 80-128 | |
| Toluene-d8 | 101 | 80-120 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| RW1 | 17-03-0682-7-B | 03/07/17 13:50 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 17:21 | 170314L047 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | 3.5 | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | 6.1 | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | ND | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| Ethanol | ND | 50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 104 | 68-120 | |
| Dibromofluoromethane | 95 | 80-127 | |
| 1,2-Dichloroethane-d4 | 110 | 80-128 | |
| Toluene-d8 | 107 | 80-120 | |

| RW3A | 17-03-0682-9-B | 03/07/17 13:30 | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 18:22 | 170314L047 |
|------|----------------|-------------------|---------|-----------|----------|-------------------|------------|
|------|----------------|-------------------|---------|-----------|----------|-------------------|------------|

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | 2.4 | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | 14 | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | 3.2 | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| Ethanol | ND | 50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 103 | 68-120 | |
| Dibromofluoromethane | 92 | 80-127 | |
| 1,2-Dichloroethane-d4 | 107 | 80-128 | |
| Toluene-d8 | 102 | 80-120 | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

| | | |
|--------------------------|----------------|------------|
| Cardno | Date Received: | 03/09/17 |
| 601 North McDowell Blvd. | Work Order: | 17-03-0682 |
| Petaluma, CA 94954-2312 | Preparation: | EPA 5030C |
| | Method: | EPA 8260B |
| | Units: | ug/L |

Project: ExxonMobil 70235/022229C

Page 3 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|------------------------|---------------------|----------------|------------------|-----------------|---------------------------|-------------------|
| Method Blank | 099-12-884-1394 | N/A | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 13:11 | 170314L047 |

| Parameter | Result | RL | DF | Qualifiers |
|-------------------------------|--------|------|------|------------|
| Methyl-t-Butyl Ether (MTBE) | ND | 0.50 | 1.00 | |
| Tert-Butyl Alcohol (TBA) | ND | 5.0 | 1.00 | |
| Diisopropyl Ether (DIPE) | ND | 0.50 | 1.00 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1.00 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1.00 | |
| Ethanol | ND | 50 | 1.00 | |
| 1,2-Dibromoethane | ND | 0.50 | 1.00 | |
| 1,2-Dichloroethane | ND | 0.50 | 1.00 | |

| Surrogate | Rec. (%) | Control Limits | Qualifiers |
|------------------------|----------|----------------|------------|
| 1,4-Bromofluorobenzene | 99 | 68-120 | |
| Dibromofluoromethane | 87 | 80-127 | |
| 1,2-Dichloroethane-d4 | 104 | 80-128 | |
| Toluene-d8 | 103 | 80-120 | |

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8015B (M)

Project: ExxonMobil 70235/022229C

Page 1 of 4

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|------------------------|---------|------------|---------------|----------------|---------------------|
| 17-03-0880-2 | Sample | Aqueous | GC 1 | 03/14/17 | 03/14/17 16:08 | 170314S018 |
| 17-03-0880-2 | Matrix Spike | Aqueous | GC 1 | 03/14/17 | 03/14/17 16:43 | 170314S018 |
| 17-03-0880-2 | Matrix Spike Duplicate | Aqueous | GC 1 | 03/14/17 | 03/14/17 17:19 | 170314S018 |

| Parameter | Sample Conc. | Spike Added | MS Conc. | MS %Rec. | MSD Conc. | MSD %Rec. | %Rec. CL | RPD | RPD CL | Qualifiers |
|-----------------|--------------|-------------|----------|----------|-----------|-----------|----------|-----|--------|------------|
| TPH as Gasoline | 322.5 | 2000 | 1908 | 79 | 1924 | 80 | 68-122 | 1 | 0-18 | |

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 2 of 4

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|-------------------------------|----------------|--------------|-----------------|-----------------------|---------------------|
| MW6E | Sample | Aqueous | GC 21 | 03/13/17 | 03/13/17 15:21 | 170313S018 |
| MW6E | Matrix Spike | Aqueous | GC 21 | 03/13/17 | 03/13/17 18:42 | 170313S018 |
| MW6E | Matrix Spike Duplicate | Aqueous | GC 21 | 03/13/17 | 03/13/17 19:16 | 170313S018 |

| <u>Parameter</u> | <u>Sample Conc.</u> | <u>Spike Added</u> | <u>MS Conc.</u> | <u>MS %Rec.</u> | <u>MSD Conc.</u> | <u>MSD %Rec.</u> | <u>%Rec. CL</u> | <u>RPD</u> | <u>RPD CL</u> | <u>Qualifiers</u> |
|------------------|---------------------|--------------------|-----------------|-----------------|------------------|------------------|-----------------|------------|---------------|-------------------|
| Benzene | ND | 100.0 | 100.4 | 100 | 83.56 | 84 | 57-129 | 18 | 0-23 | |
| Toluene | ND | 100.0 | 90.97 | 91 | 81.20 | 81 | 50-134 | 11 | 0-26 | |
| Ethylbenzene | ND | 100.0 | 105.0 | 105 | 86.09 | 86 | 58-130 | 20 | 0-26 | |
| p/m-Xylene | ND | 200.0 | 211.7 | 106 | 167.7 | 84 | 58-130 | 23 | 0-28 | |
| o-Xylene | ND | 100.0 | 98.88 | 99 | 81.53 | 82 | 57-123 | 19 | 0-26 | |

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 3 of 4

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|------------------------|---------|------------|---------------|----------------|---------------------|
| 17-03-0673-1 | Sample | Aqueous | GC 21 | 03/16/17 | 03/16/17 12:36 | 170316S017 |
| 17-03-0673-1 | Matrix Spike | Aqueous | GC 21 | 03/16/17 | 03/16/17 15:26 | 170316S017 |
| 17-03-0673-1 | Matrix Spike Duplicate | Aqueous | GC 21 | 03/16/17 | 03/16/17 16:00 | 170316S017 |

| Parameter | Sample Conc. | Spike Added | MS Conc. | MS %Rec. | MSD Conc. | MSD %Rec. | %Rec. CL | RPD | RPD CL | Qualifiers |
|--------------|--------------|-------------|----------|----------|-----------|-----------|----------|-----|--------|------------|
| Benzene | ND | 100.0 | 99.21 | 99 | 78.73 | 79 | 57-129 | 23 | 0-23 | |
| Toluene | ND | 100.0 | 96.96 | 97 | 74.15 | 74 | 50-134 | 27 | 0-26 | BA |
| Ethylbenzene | ND | 100.0 | 102.3 | 102 | 81.26 | 81 | 58-130 | 23 | 0-26 | |
| p/m-Xylene | ND | 200.0 | 196.8 | 98 | 157.0 | 78 | 58-130 | 23 | 0-28 | |
| o-Xylene | ND | 100.0 | 95.12 | 95 | 75.76 | 76 | 57-123 | 23 | 0-26 | |


 Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 4 of 4

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|------------------------|---------|------------|---------------|----------------|---------------------|
| 17-03-0701-1 | Sample | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 13:45 | 170314S010 |
| 17-03-0701-1 | Matrix Spike | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 14:15 | 170314S010 |
| 17-03-0701-1 | Matrix Spike Duplicate | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 14:46 | 170314S010 |

| Parameter | Sample Conc. | Spike Added | MS Conc. | MS %Rec. | MSD Conc. | MSD %Rec. | %Rec. CL | RPD | RPD CL | Qualifiers |
|-------------------------------|--------------|-------------|----------|----------|-----------|-----------|----------|-----|--------|------------|
| Methyl-t-Butyl Ether (MTBE) | ND | 10.00 | 10.12 | 101 | 10.20 | 102 | 71-131 | 1 | 0-20 | |
| Tert-Butyl Alcohol (TBA) | ND | 50.00 | 50.84 | 102 | 50.17 | 100 | 20-180 | 1 | 0-40 | |
| Diisopropyl Ether (DIPE) | ND | 10.00 | 10.49 | 105 | 10.49 | 105 | 64-136 | 0 | 0-20 | |
| Ethyl-t-Butyl Ether (ETBE) | ND | 10.00 | 10.36 | 104 | 10.39 | 104 | 73-133 | 0 | 0-20 | |
| Tert-Amyl-Methyl Ether (TAME) | ND | 10.00 | 11.48 | 115 | 11.72 | 117 | 75-125 | 2 | 0-20 | |
| Ethanol | ND | 100.0 | 101.1 | 101 | 94.20 | 94 | 73-139 | 7 | 0-27 | |
| 1,2-Dibromoethane | ND | 10.00 | 11.68 | 117 | 11.74 | 117 | 75-126 | 1 | 0-20 | |
| 1,2-Dichloroethane | ND | 10.00 | 12.12 | 121 | 12.40 | 124 | 75-127 | 2 | 0-20 | |

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

| | | |
|-----------------------------------|----------------|---------------|
| Cardno | Date Received: | 03/09/17 |
| 601 North McDowell Blvd. | Work Order: | 17-03-0682 |
| Petaluma, CA 94954-2312 | Preparation: | EPA 5030C |
| | Method: | EPA 8015B (M) |
| Project: ExxonMobil 70235/022229C | | Page 1 of 5 |

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | LCS Batch Number |
|---------------------------|------------|--------------------|------------------------|------------------|-----------------------|-------------------|
| 099-12-436-11333 | LCS | Aqueous | GC 1 | 03/14/17 | 03/14/17 14:26 | 170314L088 |
| <u>Parameter</u> | | <u>Spike Added</u> | <u>Conc. Recovered</u> | <u>LCS %Rec.</u> | <u>%Rec. CL</u> | <u>Qualifiers</u> |
| TPH as Gasoline | | 2000 | 1611 | 81 | 78-120 | |



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 2 of 5

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | LCS Batch Number |
|---------------------------|------------|--------------------|------------------------|------------------|-----------------------|-------------------|
| 099-12-667-2719 | LCS | Aqueous | GC 21 | 03/13/17 | 03/13/17 11:06 | 170313L049 |
| <u>Parameter</u> | | <u>Spike Added</u> | <u>Conc. Recovered</u> | <u>LCS %Rec.</u> | <u>%Rec. CL</u> | <u>Qualifiers</u> |
| Benzene | | 100.0 | 91.70 | 92 | 70-118 | |
| Toluene | | 100.0 | 91.94 | 92 | 66-114 | |
| Ethylbenzene | | 100.0 | 94.87 | 95 | 72-114 | |
| p/m-Xylene | | 200.0 | 183.7 | 92 | 74-116 | |
| o-Xylene | | 100.0 | 89.61 | 90 | 72-114 | |



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 3 of 5

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | LCS Batch Number |
|---------------------------|------------|--------------------|------------------------|------------------|-----------------------|-------------------|
| 099-12-667-2720 | LCS | Aqueous | GC 21 | 03/16/17 | 03/16/17 10:55 | 170316L065 |
| <u>Parameter</u> | | <u>Spike Added</u> | <u>Conc. Recovered</u> | <u>LCS %Rec.</u> | <u>%Rec. CL</u> | <u>Qualifiers</u> |
| Benzene | | 100.0 | 93.28 | 93 | 70-118 | |
| Toluene | | 100.0 | 96.94 | 97 | 66-114 | |
| Ethylbenzene | | 100.0 | 97.12 | 97 | 72-114 | |
| p/m-Xylene | | 200.0 | 187.8 | 94 | 74-116 | |
| o-Xylene | | 100.0 | 90.48 | 90 | 72-114 | |

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 4 of 5

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | LCS Batch Number |
|-------------------------------|------------|--------------------|------------------------|------------------|-----------------------|-------------------|
| 099-12-880-1529 | LCS | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 12:01 | 170314L046 |
| <u>Parameter</u> | | <u>Spike Added</u> | <u>Conc. Recovered</u> | <u>LCS %Rec.</u> | <u>%Rec. CL</u> | <u>Qualifiers</u> |
| Methyl-t-Butyl Ether (MTBE) | | 10.00 | 8.721 | 87 | 75-123 | |
| Tert-Butyl Alcohol (TBA) | | 50.00 | 49.12 | 98 | 80-120 | |
| Diisopropyl Ether (DIPE) | | 10.00 | 9.820 | 98 | 73-121 | |
| Ethyl-t-Butyl Ether (ETBE) | | 10.00 | 9.466 | 95 | 76-124 | |
| Tert-Amyl-Methyl Ether (TAME) | | 10.00 | 10.40 | 104 | 80-120 | |
| 1,2-Dibromoethane | | 10.00 | 10.26 | 103 | 80-120 | |
| 1,2-Dichloroethane | | 10.00 | 11.11 | 111 | 80-122 | |

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/09/17
Work Order: 17-03-0682
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 5 of 5

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | LCS Batch Number |
|-------------------------------|------------|--------------------|------------------------|------------------|-----------------------|-------------------|
| 099-12-884-1394 | LCS | Aqueous | GC/MS FFF | 03/14/17 | 03/14/17 12:01 | 170314L047 |
| <u>Parameter</u> | | <u>Spike Added</u> | <u>Conc. Recovered</u> | <u>LCS %Rec.</u> | <u>%Rec. CL</u> | <u>Qualifiers</u> |
| Methyl-t-Butyl Ether (MTBE) | | 10.00 | 8.721 | 87 | 75-123 | |
| Tert-Butyl Alcohol (TBA) | | 50.00 | 49.12 | 98 | 80-120 | |
| Diisopropyl Ether (DIPE) | | 10.00 | 9.820 | 98 | 73-121 | |
| Ethyl-t-Butyl Ether (ETBE) | | 10.00 | 9.466 | 95 | 76-124 | |
| Tert-Amyl-Methyl Ether (TAME) | | 10.00 | 10.40 | 104 | 80-120 | |
| Ethanol | | 100.0 | 90.66 | 91 | 73-133 | |
| 1,2-Dibromoethane | | 10.00 | 10.26 | 103 | 80-120 | |
| 1,2-Dichloroethane | | 10.00 | 11.11 | 111 | 80-122 | |

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits

Sample Analysis Summary Report

Work Order: 17-03-0682

Page 1 of 1

| <u>Method</u> | <u>Extraction</u> | <u>Chemist ID</u> | <u>Instrument</u> | <u>Analytical Location</u> |
|---------------|-------------------|-------------------|-------------------|----------------------------|
| EPA 8015B (M) | EPA 5030C | 1083 | GC 1 | 2 |
| EPA 8021B | EPA 5030C | 715 | GC 21 | 2 |
| EPA 8260B | EPA 5030C | 849 | GC/MS FFF | 2 |

Glossary of Terms and Qualifiers

Work Order: 17-03-0682

Page 1 of 1

| <u>Qualifiers</u> | <u>Definition</u> |
|-------------------|--|
| AZ | Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification. |
| B | Analyte was present in the associated method blank. |
| BA | The MS/MSD RPD was out of control due to suspected matrix interference. |
| BB | Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater. |
| BU | Sample analyzed after holding time expired. |
| BV | Sample received after holding time expired. |
| CI | See case narrative. |
| DF | Reporting limits elevated due to matrix interferences. |
| E | Concentration exceeds the calibration range. |
| ET | Sample was extracted past end of recommended max. holding time. |
| GE | The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference. |
| HD | Chromat. profile inconsistent with pattern(s) of ref. fuel stdns. |
| HO | High concentration matrix spike recovery out of limits |
| HT | Analytical value calculated using results from associated tests. |
| HX | Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS was in control. |
| IL | Relative percent difference out of control. |
| J | Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated. |
| JA | Analyte positively identified but quantitation is an estimate. |
| LD | Analyte presence was not confirmed by second column or GC/MS analysis. |
| LP | The LCS and/or LCSD recoveries for this analyte were above the upper control limit. The associated sample was non-detected. Therefore, the sample data was reported without further clarification. |
| LQ | LCS recovery above method control limits. |
| LR | LCS recovery below method control limits. |
| ND | Parameter not detected at the indicated reporting limit. |
| QO | Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics. |
| RU | LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean). |
| SG | A silica gel cleanup procedure was performed. |
| SN | See applicable analysis comment. |

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.

Eurofins
Calscience, Inc.
 7440 Lincoln Way
 Garden Grove, CA 92841

Phone: 714-895-5494
 Fax: 714-894-7501



17-03-0682

Consultant Name: Cardno ERI **Account #:** NA **PO#:** Direct Bill Cardno ERI
Consultant Address: 601 N. McDowell Boulevard **Invoice To:** Direct Bill Cardno ERI
Consultant City/State/Zip: Petaluma, California, 94954 **Report To:** Scott Perkins
ExxonMobil Project Mgr: Jennifer Sedlachek **Project Name:** 02 2229 C
Consultant Project Mgr: Scott Perkins **ExxonMobil Site #:** 70235 **Major Project (AFE):**
Consultant Telephone Number: 707-766-2000 **Fax No.:** 707-789-0414 **Site Address:** 2225 Telegraph Avenue
Sampler Name (Print): Andre Broung **Site City, State, Zip:** Oakland, California
Sampler Signature: **Oversight Agency:** Alameda County Environmental Health Department

| Sample ID | Field Point Name | Date Sampled | Time Sampled | No. of Containers Shipped | Grab | Composite | Field Filtered | Preservative | | | | | | | | | | | | | | Matrix | | | | | | | | | | | | Analyze For: | | | | RUSH TAT (Pre-Schedule 5-day TAT) | Standard 10-day TAT | Due Date of Report | | | | | | | |
|-----------|------------------|--------------|--------------|---------------------------|------|-----------|----------------|--------------|------------------|-----|------|--|--|------------------|-----|-------|------|-------------|------------|----------------|--------|--------|-----|----------------------------------|------------|------------|------------------|---------------|--|--|--|--|--|--------------|--|--|--|-----------------------------------|---------------------|--------------------|--|--|--|--|---|---|--|
| | | | | | | | | Methanol | Sodium Bisulfate | HCl | NaOH | H ₂ SO ₄ , Plastic | H ₂ SO ₄ , Glass | HNO ₃ | Ice | Other | None | Groundwater | Wastewater | Drinking Water | Sludge | Soil | Air | Other (specify): Distilled Water | TPHg 8015B | BTEX 8021B | OXYGENATES 8260B | Ethanol 8260B | | | | | | | | | | | | | | | | | | | |
| QCBB | QCBB | 3-7-17 | 1615 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW6B | MW6B | 3-7-17 | 1420 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| MW6E | MW6E | 3-7-17 | 0730 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| MW6G | MW6G | 3-7-17 | 0830 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| MW6H | MW6H | 3-7-17 | 1505 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| MW6J | MW6J | 3-7-17 | 0930 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| RW1 | RW1 | 3-7-17 | 1350 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| RW2 | RW2 | 3-7-17 | 0805 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| RW3A | RW3A | 3-7-17 | 1330 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | |

Comments/Special Instructions:
 PLEASE E-MAIL ALL PDF FILES TO
 norcallabs@eri-us.com
 GLOBAL ID # T0600101354

Use silica gel cleanup on all TPHd analyses
 7 CA Oxys= MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE.
 Set TBA detection limit at or below 12 ug/L

Laboratory Comments:
 Temperature Upon Receipt:
 Sample Containers Intact? Y N
 VOCs Free of Headspace? Y N
QC Deliverables (please circle one)
 Level 2
 Level 3
 Level 4
 Site Specific - if yes, please attach pre-schedule w/ TestAmerica
 Project Manager or attach specific instructions

| | | | | | |
|----------------------|----------------|--------------|----------------------------------|----------------|--------------|
| Relinquished by: | Date 3/8/17 | Time 1115 | Received by: | Date 3/8/17 | Time 1115 |
| Relinquished by: | Date 3/8/17 | Time 1730 | Received by (Lab personnel): | Date 3/9/17 | Time 1200 |



800-322-5555 www.gso.com

0682

Ship From
CAL SCIENCE- CONCORD
ALAN KEMP
5063 COMMERCIAL CIRCLE
#H
CONCORD, CA 94520

Tracking #: 535304080

NPS



Ship To
CEL
SAMPLE RECEIVING
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

ORC
GARDEN GROVE

A

COD: \$0.00
Weight: 0 lb(s)
Reference:
CARDNO ERI
Delivery Instructions:

D92845A



63819472

Signature Type: REQUIRED

Print Date: 3/8/2017 4:22 PM

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

Use the "Print Label" button on this page to print the shipping label on a laser or inkjet printer. Securely attach this label to your package, do not cover the barcode.

Return to Contents

SAMPLE RECEIPT CHECKLIST

COOLER 1 OF 1

CLIENT: Cardno

DATE: 03/09/2017

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen except sediment/tissue)

Thermometer ID: SC3B (CF: 0.0°C); Temperature (w/o CF): 2.1 °C (w/ CF): 2.1 °C; Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____)

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling

Sample(s) received at ambient temperature; placed on ice for transport by courier

Ambient Temperature: Air Filter

Checked by: 15

CUSTODY SEAL:

Cooler Present and Intact Present but Not Intact Not Present N/A

Checked by: 15

Sample(s) Present and Intact Present but Not Intact Not Present N/A

Checked by: 1017

SAMPLE CONDITION:

Chain-of-Custody (COC) document(s) received with samples Yes No N/A

COC document(s) received complete Yes No N/A

Sampling date Sampling time Matrix Number of containers

No analysis requested Not relinquished No relinquished date No relinquished time

Sampler's name indicated on COC Yes No N/A

Sample container label(s) consistent with COC Yes No N/A

Sample container(s) intact and in good condition Yes No N/A

Proper containers for analyses requested Yes No N/A

Sufficient volume/mass for analyses requested Yes No N/A

Samples received within holding time Yes No N/A

Aqueous samples for certain analyses received within 15-minute holding time

pH Residual Chlorine Dissolved Sulfide Dissolved Oxygen Yes No N/A

Proper preservation chemical(s) noted on COC and/or sample container Yes No N/A

Unpreserved aqueous sample(s) received for certain analyses

Volatile Organics Total Metals Dissolved Metals

Container(s) for certain analysis free of headspace Yes No N/A

Volatile Organics Dissolved Gases (RSK-175) Dissolved Oxygen (SM 4500)

Carbon Dioxide (SM 4500) Ferrous Iron (SM 3500) Hydrogen Sulfide (Hach)

Tedlar™ bag(s) free of condensation Yes No N/A

CONTAINER TYPE:

(Trip Blank Lot Number: N/A)

Aqueous: VOA VOAh VOAna₂ 100PJ 100PJna₂ 125AGB 125AGBh 125AGBp 125PB

125PBz_{na} 250AGB 250CGB 250CGBs 250PB 250PBn 500AGB 500AGJ 500AGJs

500PB 1AGB 1AGBna₂ 1AGBs 1PB 1PBna _____ _____ _____

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® (_____) TerraCores® (_____) _____

Air: Tedlar™ Canister Sorbent Tube PUF _____ Other Matrix (_____) : _____ _____

Container: A = Amber, B = Bottle, C = Clear, E = Envelope, G = Glass, J = Jar, P = Plastic, and Z = Ziploc/Resealable Bag

Preservative: b = buffered, f = filtered, h = HCl, n = HNO₃, na = NaOH, na₂ = Na₂S₂O₃, p = H₃PO₄, Labeled/Checked by: 1017

s = H₂SO₄, u = ultra-pure, x = Na₂SO₃+NaHSO₄.H₂O, z_{na} = Zn (CH₃CO₂)₂ + NaOH

Reviewed by: 15

Return to Contents

APPENDIX D
WASTE DISPOSAL DOCUMENTATION

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

ERI 222920170307

| | | | | | | |
|---|--|------------------------------|--|---|----------------|---|
| NON-HAZARDOUS WASTE MANIFEST | | 1. Generator's US EPA ID No. | | Manifest Document No. <u>53</u> ERI 222903 | 2. Page 1 of 1 | |
| Generator's Name and Mailing address ExxonMobil Environmental Services/ c/o Cardno 01 N. McDowell Blvd, CA 94954 Generator's Phone: (707) 766 2000 | | | | GENERATOR 2225 Telegraph Ave Oakland CA EM # 70235 | | |
| 5. Transporter 1 Company Name <u>CARDNO</u> | | 6. US EPA ID Number | | A. State Transporter's ID <u>707-766-2000</u> | | |
| 7. Transporter 2 Company Name | | 8. US EPA ID Number | | B. Transporter 1 Phone | | |
| 9. Designated Facility Name and Site Address INSTRAT INC. 1105 C. AIRPORT ROAD RIO VISTA, CA 94571 | | 10. US EPA ID Number | | C. State Transporter's ID | | |
| | | | | D. Transporter 2 Phone | | |
| | | | | E. State Facility's ID | | |
| | | | | F. Facility's Phone <u>530-753-1829</u> | | |
| 11. WASTE DESCRIPTION | | | | 12. Containers | | 13. Total Quantity |
| | | | | No. | Type | 14. Unit Wt./Vol. |
| a. <u>NON-HAZARDOUS PURGE WATER</u> | | | | <u>01</u> | <u>TRAILER</u> | <u>205</u> GAL |
| b. | | | | | | |
| c. | | | | | | |
| d. <u>022229CX</u> <u>17L</u> <u>40070014</u> | | | | | | |
| G. Additional Descriptions for Materials Listed Above <u>MST 03.20.17</u> <u>3-20-17</u> | | | | H. Handling Codes for Wastes Listed Above | | |
| 15. Special Handling Instructions and Additional Information | | | | | | |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. | | | | | | |
| Printed/Typed Name <u>on behalf of Exxon Mobil</u> <u>Sean R. Johnson</u> | | | | Signature <u>[Signature]</u> | | Date Month Day Year <u>03</u> <u>07</u> <u>17</u> |
| 17. Transporter 1 Acknowledgement of Receipt of Materials | | | | Signature | | Date |
| Printed/Typed Name <u>Nicole Bertolini</u> | | | | Signature <u>[Signature]</u> | | Month Day Year <u>3</u> <u>10</u> <u>17</u> |
| 18. Transporter 2 Acknowledgement of Receipt of Materials | | | | Signature | | Date |
| Printed/Typed Name | | | | Signature | | Month Day Year |
| 19. Discrepancy Indication Space | | | | | | |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19. | | | | | | |
| Printed/Typed Name <u>Instrat Inc</u> <u>Ruben Gonzalez</u> | | | | Signature <u>[Signature]</u> | | Date Month Day Year <u>3</u> <u>10</u> <u>17</u> |

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

