Wickham, Jerry, Env. Health

From:	David R. Daniels [david.daniels@cardno.com]
Sent:	Friday, May 23, 2014 5:31 PM
То:	Wickham, Jerry, Env. Health
Cc:	jennifer.c.sedlachek@exxonmobil.com; Jim Chappell; Geoff Waterhouse
Subject:	2991 Hopyard Road, Pleasanton CA

Mr. Wickham,

I wanted to provide you with our plan for the upcoming sampling event at former Exxon service station 73399 located at 2991 Hopyard Road in Pleasanton.

We plan to visit the site the week of May 27, 2014 and overpurge the 5 monitoring wells with submerged screened intervals. We intend to purge from the top of the water column to remove any stagnant water. Our plan is to remove approximately 10 case volumes from each of the submerged wells.

The week of June 2, 2014 we plan to return to the site and install dedicated tubing in each of the site monitoring wells to be used for sampling. After we install the tubing we will purge and sample the wells from the screened interval using the dedicated tubing. We plan to use an inertial pump on the wells deeper than approximately 30 feet and a peristaltic pump on the wells less than 30 feet deep. We plan to purge 3 casing volumes prior to collecting the samples.

The proposed sampling method is the same as the method used by the previous consultant through the fourth quarter of 2010. Cardno ERI began sampling the site in 2011 using a submersible pump for purging and disposable bailers to collect samples from the top of the water column. The change in the sampling methodology coincided with unexpected analytical results.

Additional details about the sampling will be included in our Monitoring and Sampling Report and Response due to you by June 17, 2014.

Please contact me with any comments or questions.

Thanks You,

David R. Daniels, PG 8737 PROJECT GEOLOGIST CARDNO ERI



Phone (+1) 707-766-2000 Fax (+1) 707-789-0414 Direct (+1) 707-766-2024 Mobile (+1) 707-338-6997 Address 601 North McDowell Blvd., Petaluma, CA 94954-2312 USA Email david.daniels@cardno.com Web www.cardno.com www.cardnoeri.com

This email and its attachments may contain confidential and/or privileged information for the sole use of the intended recipient(s). All electronically supplied data must be checked against an applicable hardcopy version which shall be the only document which Cardno warrants accuracy. If you are not the intended recipient, any use, distribution or copying of the information contained in this email and its attachments is strictly prohibited. If you have received this email in error, please email the sender by replying to this message and immediately delete and destroy any copies of this email and any attachments. The views or opinions expressed are the author's own and may not reflect the views or opinions of Cardno.