

**ExxonMobil**  
**Refining & Supply Company**  
Global Remediation  
2300 Clayton Road, Suite 1250  
Concord, CA 94520  
(925) 246-8747 Telephone  
(925) 246-8798 Facsimile  
gene.n.ortega@exxonmobil.com

**Gene N. Ortega**  
Territory Manager  
Global Remediation - U.S. Retail

**ExxonMobil**  
**Refining & Supply**

March 27, 2003

Alameda County  
APR 04 2003  
Environmental Health

Mr. Scott Seery  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway  
Alameda, CA 94501-6577


Subject: Former Exxon RAS #7-3399, 2991 Hopyard Road, Pleasanton, California

Dear Mr. Seery:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, Fourth Quarter 2002* for the above-referenced site. The report was prepared by ETIC Engineering, Inc. of Pleasant Hill, California, and summarizes the results of the December 2002 sampling event. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached report is true and correct.

If you have any questions or comments, please contact me at (925) 246-8747.

Sincerely,



Gene N. Ortega  
Territory Manager

Attachment: ETIC Groundwater Monitoring Report dated March 2003

- c: w/ attachment:  
Ms. Cherie McMaulou - California Regional Water Quality Control Board, San Francisco Bay Region  
Mr. Matthew Katen - Zone 7 Water Agency  
Mr. Stephen Cusenza - City of Pleasanton Public Works Department  
Mr. Thomas Elson - Lubdorff and Scalmanini Consulting Engineers  
Mr. Joseph A. Aldridge - Valero Energy Corporation
- c: w/o attachment:  
Mr. Joseph Muehleck - ETIC Engineering, Inc.



Alameda County  
APR 04 2003  
Environmental Health

# Report of Groundwater Monitoring Fourth Quarter 2002


## Former Exxon Retail Site 7-3399 2991 Hopyard Road Pleasanton, California


Prepared for


ExxonMobil Refining and Supply Company  
2300 Clayton Road, Suite 1250  
Concord, California 94520

Prepared by

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, California 94523  
(925) 602-4710

 FOR 3/26/03  
Bryan Campbell Date  
Project Manager

 3/26/03  
Mark C. Peterson, C.E.G. #2085 Date  
Senior Geologist



March 2003

## SITE CONTACTS

Site Name: Former Exxon Retail Site 7-3399

Site Address: 2991 Hopyard Road  
Pleasanton, California

ExxonMobil Project Manager: Gene N. Ortega  
ExxonMobil Refining and Supply Company  
2300 Clayton Road, Suite 1250  
Concord, California 94520  
(925) 246-8747

Consultant to ExxonMobil: ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, California 94523  
(925) 602-4710

ETIC Project Manager: Bryan Campbell  
(626) 432-5999

Regulatory Oversight: Scott Seery  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway  
Alameda, California 94501-6577  
(510) 567-6783

Cherie McMaoulou  
California Regional Water Quality Control Board  
San Francisco Bay Region  
1515 Clay Street, Suite 1400  
Oakland, California 94612  
(510) 622-2342

Matthew Katen  
Zone 7 Water Agency  
5997 Parkside Drive  
Pleasanton, California 94588  
(925) 484-2600

## INTRODUCTION

At the request of ExxonMobil Refining and Supply Company, ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for former Exxon Retail Site 7-3399. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 16 September 2002, the date of the last monitoring event, until 17 December 2002, the date of the recent monitoring event. The report also presents results for remediation system monitoring. Groundwater monitoring results, well construction details, a groundwater monitoring plan, and system monitoring results are summarized in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

## GENERAL SITE INFORMATION

<b>Site name:</b>	Former Exxon Retail Site 7-3399
<b>Site address:</b>	2991 Hopyard Road, Pleasanton, California
<b>Current property owner:</b>	MCO Developments Ltd.
<b>Current site use:</b>	Active Valero-branded station and auto repair facility operated by Steve Assmann Incorporated; fuel system owned and maintained by Valero Energy Corporation
<b>Current phase of project:</b>	Groundwater monitoring, groundwater extraction
<b>Tanks at site:</b>	Three underground storage tanks (three grades of gasoline)
<b>Number of wells:</b>	22 (16 onsite, 6 offsite)

## GROUNDWATER MONITORING SUMMARY

<b>Gauging and sampling date:</b>	17 December 2002
<b>Wells gauged and sampled:</b>	MW4, MW5D, MW5S, MW8, MW11, MW12A, MW13, MW14, OW1, OW2, PMW2-PMW5, VR1
<b>Wells gauged only:</b>	MW1, MW7, MW9A, MW10, PMW1, PMW6, VR2
<b>Groundwater flow direction (zone 1):</b>	West-southwest
<b>Groundwater gradient (zone 1):</b>	0.016
<b>Groundwater flow direction (deeper):</b>	East-southeast
<b>Groundwater gradient (deeper):</b>	0.0008
<b>Remediation system status during groundwater monitoring event:</b>	Groundwater extraction system operating
<b>Well screens submerged:</b>	MW5D, MW8, MW12A, MW14
<b>Well screens not submerged:</b>	MW1, MW4, MW5S, MW7, MW9A, MW10, MW11, MW13, OW1, OW2, PMW1-PMW6, VR1, VR2
<b>Liquid-phase hydrocarbons:</b>	Not observed or detected
<b>Laboratory:</b>	TestAmerica, Inc., Nashville, Tennessee

**Analyses performed:**

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8260B (confirmation samples)

**Additional comments:**

Wells MW9A, MW10, PMW1, PMW6, and VR2 were functionally dry.

Wells OW1, OW2, PMW1-PMW6, and VR1 are considered to be screened in a perched groundwater zone.

The total depth measured in well MW7 does not match the well completion log.

## REMEDIATION SYSTEM SUMMARY

### Groundwater Extraction System

#### System description:

The groundwater extraction system (GES) is capable of extracting groundwater from 4 wells: MW9A, OW1, OW2, and VR1. Groundwater is pumped, using electric submersible pumps for wells MW9A and VR1, and using pneumatic pumps for wells OW1 and OW2, through particulate filters, and through two 1,000-pound activated carbon vessels in series. The treated water is discharged to the sanitary sewer under a discharge permit issued by the Dublin San Ramon Services District.

**System startup date:** 12 March 2001  
**Active extraction wells:** OW2, VR1  
**Inactive extraction wells/reason:** MW9A, OW1 - not operating due to low water levels in MW9A and OW1, and low analyte concentrations in MW9A

#### Modifications made during reporting period/reasons for modifications:

None

#### Status of system operation during reporting period/reasons for downtime:

The GES was operational during this reporting period, but due to low water levels in the groundwater extraction wells, water could only be extracted intermittently.

#### System performance data totals (totals since system startup, as of 24 December 2002):

**Groundwater extracted:** 1,221,640 gallons  
**Pounds of TPH removed:** 1.266 (calculated as the sum of TPH-g and TPH-d)  
**Pounds of benzene removed:** 0.006  
**Pounds of MTBE removed:** 0.667

#### GES proposed work:

The GES will continue to be operated and monitored.

## **ADDITIONAL ACTIVITIES PERFORMED AT SITE**

No additional activities were performed at the site.


## **WORK PROPOSED FOR NEXT QUARTER**

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.

The GES will continue to be operated and monitored.

### **Attachments:**


- Figure 1: Site Plan Showing Groundwater Elevations and Analytical Results
- Figure 2: Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction
- Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction
- Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction
  
- Table 1: Well Construction Details
- Table 2: Groundwater Monitoring Data
- Table 3: Groundwater Monitoring Plan
- Table 4: Operation and Performance Data - Groundwater Extraction System
- Table 5: Summary of Analytical Results - Groundwater Extraction System
  
- Appendix A: Field Protocols
- Appendix B: Field Documents
- Appendix C: Laboratory Analytical Reports



SITE PLAN SHOWING GROUNDWATER ELEVATIONS AND ANALYTICAL RESULTS  
 FORMER EXXON RS 7-3399  
 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA  
 17 DECEMBER 2002




**Figure 2: Influent TPH Concentrations and Estimated Mass of TPH  
Removed by Groundwater Extraction  
Former Exxon 7-3399, 2991 Hopyard Road, Pleasanton, CA**




Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

**Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene  
Removed by Groundwater Extraction  
Former Exxon 7-3399, 2991 Hopyard Road, Pleasanton, CA**



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

**Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE  
Removed by Groundwater Extraction  
Former Exxon 7-3399, 2991 Hopyard Road, Pleasanton, CA**



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
MW1	d 04/01/88	320.52	--	57	57	--	4	32-57	0.020	30-57	--
MW2	a 04/02/88		--	57	57	--	4	37-57	0.020	34-57	--
MW3	a 04/04/88		--	60	56	--	4	36-56	0.020	35-60	--
MW4	d 04/06/88	321.56	--	60	57	--	4	37-57	0.020	36-60	--
MW5D	d 05/10/88	321.79	--	82.0	77.5	--	4	67.5-77.5	0.020	64-77.5	--
MW5S	d 05/11/88	320.52	--	58	55	--	4	40-55	0.020	37.5-58	--
MW6	a 05/11/88		--	59	55	--	4	40-55	0.020	36-59	--
MW7	d, f 07/12/88	321.27	--	56.5	53	--	5	28-53	0.020	25-56.5	--
MW8	d 09/30/89	321.86	PVC	140	133	14	4	118-133	0.020	114-133	--
MW9	a 10/04/89		PVC	57.5	54.5	10	4	34.5-54.5	0.020	34-54.5	--
MW9A	d 11/03/00	321.27	PVC	59	58	12.25	6	35.0-55.0 55.0-58.0 c	0.020	33.0-58.0	#3 Sand
MW10	d 10/06/89	322.99	PVC	60.5	60	10	4	40-60	0.020	38-60	--
MW11	d 11/02/89	321.73	PVC	55.5	55	10	4	35-55	0.020	33-55	--
MW12	a 08/17/00		PVC	132	131.5	8.33	2	114.5-131.5	0.020	112.5-132	#3 Sand
MW12A	d 08/30/00	322.62	PVC	136	130.5	8.33	2	115.5-130.5	0.020	113.5-130.5	#3 Sand
MW13	d, b 08/23/00	322.71	PVC and Steel	73	72	8.33	2	61.5-72	0.020	57.5-73	#3 Sand

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
MW14	d 08/29/00	321.24	PVC	143	136	8.33	2	121.5-136.5	0.020	119.5-143	#3 Sand
OW1	tank backfill well	NM	--	--	--	--	4	e	--	--	--
OW2	d tank backfill well	321.55	--	--	--	--	4	e	--	--	--
PMW1	d 12/16/99	322.75	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand
PMW2	d 12/16/99	322.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand
PMW3	d 12/16/99	321.27	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand
PMW4	d 12/16/99	321.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand
PMW5	d 12/16/99	320.04	PVC	35.5	16	10	4	6-16	0.010	5.5-16	#2/12 Sand
PMW6	d 12/17/99	321.38	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand
VR1	d 10/24/88	321.00	PVC	30	30	10	4	10-30	0.020	10-30	--
VR2	11/20/89	NM	PVC	45.5	45	8	2	35-45	0.020	33-45.5	--
VR3	a 11/20/89		PVC	35.5	35	8	2	5-35	0.020	4-35.5	--
VR4	a 11/24/89		PVC	35.5	32.5	8	2	12.5-32.5	0.020	4-35.5	--

a Well destroyed.  
 b PVC screen from 61.5-72, stainless steel blank from 11.5-61.5, PVC blank from surface to 11.5.  
 c Depth of PVC sump at base of well.  
 d Well surveyed in October 2001. Elevation is based on City of Pleasanton Benchmark #C-972. Brass disc in concrete abutment, 15 feet north of

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
-------------	------------------------	----------------------	-----------------	--------------------	-------------------	----------------------------	--------------------------	--------------------------	--------------------	-----------------------------	----------------------

e the southeast corner of the south bound bridge over Mocho Canal. Elevation = 330.55 feet.  
 Well screen is visible near surface and is assumed to extend to near total depth.

f The total depth measured in well MW7 does not match the well completion log. On 16 September 2002, the total depth was measured as 59.83 feet below top of casing.

NM Not measured.  
 PVC Polyvinyl chloride.  
 TOC Top of casing.

-- Information not available.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	04/02/88	321.44	NM	NC	NM	<0.5	1.7	<0.5	<0.5	<20	NA
MW1	04/06/88	321.44	36.34	285.10	0.00	NS	NS	NS	NS	NS	NS
MW1	04/08/88	321.44	36.29	285.15	0.00	NS	NS	NS	NS	NS	NS
MW1	04/19/88	321.44	36.36	285.08	0.00	NS	NS	NS	NS	NS	NS
MW1	06/06/88	321.44	38.16	283.28	0.00	NS	NS	NS	NS	NS	NS
MW1	06/23/88	321.44	38.71	282.73	0.00	NS	NS	NS	NS	NS	NS
MW1	06/28/88	321.44	39.16	282.28	0.00	NS	NS	NS	NS	NS	NS
MW1	07/06/88	321.44	39.73	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/13/88	321.44	40.22	281.22	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/12/88	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/26/88	321.44	41.90	279.54	0.00	NS	NS	NS	NS	NS	NS
MW1	09/07/88	321.44	42.27	279.17	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	12/07/88	321.44	43.94	277.50	0.00	NS	NS	NS	NS	NS	NS
MW1	12/19/88	321.44	43.70	277.74	0.00	NS	NS	NS	NS	NS	NS
MW1	02/09/89	321.44	42.53	278.91	0.00	NS	NS	NS	NS	NS	NS
MW1	03/03/89	321.44	NM	NC	NM	1.6	<0.5	<0.5	<0.5	<20	NA
MW1	03/08/89	321.44	41.96	279.48	0.00	NS	NS	NS	NS	NS	NS
MW1	04/03/89	321.44	41.59	279.85	0.00	NS	NS	NS	NS	NS	NS
MW1	04/26/89	321.44	41.67	279.77	0.00	NS	NS	NS	NS	NS	NS
MW1	06/30/89	321.44	43.79	277.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/17/89	321.44	44.74	276.70	0.00	<0.5	<0.5	<0.5	<0.5	23	NA
MW1	07/18/89	321.44	44.76	276.68	0.00	NS	NS	NS	NS	NS	NS
MW1	07/19/89	321.44	44.82	276.62	0.00	NS	NS	NS	NS	NS	NS
MW1	07/20/89	321.44	44.85	276.59	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/21/89	321.44	44.95	276.49	0.00	NS	NS	NS	NS	NS	NS
MW1	07/26/89	321.44	45.42	276.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/02/89	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	08/03/89	321.44	46.18	275.26	0.00	NS	NS	NS	NS	NS	NS
MW1	08/17/89	321.44	47.12	274.32	0.00	NS	NS	NS	NS	NS	NS
MW1	09/13/89	321.44	49.08	272.36	0.00	39	0.6	<0.5	5.1	220	NA
MW1	11/28/89	321.44	50.21	271.23	0.00	NS	NS	NS	NS	NS	NS
MW1	12/20/89	321.44	NM	NC	NM	56	0.72	<0.5	0.71	220	NA
MW1	01/09/90	321.44	49.31	272.13	0.00	NS	NS	NS	NS	NS	NS
MW1	01/25/90	321.44	NM	NC	NM	18	1.6	<0.5	1.8	57	NA
MW1	01/26/90	321.44	49.29	272.15	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02 <sup>a</sup>	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/27/90	321.44	NM	NC	NM	3.2	2.3	<0.5	3.2	55	NA
MW1	03/26/90	321.44	48.71 <sup>b</sup>	272.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	03/26/90	321.44	48.70	272.74	0.00	NS	NS	NS	NS	NS	NS
MW1	04/18/90	321.44	48.79	272.65	0.00	1.1	1.6	<0.5	3.1	25	NA
MW1	05/17/90	321.44	49.40	272.04	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	06/11/90	321.44	50.83	270.61	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/30/90	321.44	52.17	269.27	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/27/90	321.44	53.44	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	09/28/90	321.44	53.40	268.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/20/91	321.44	53.35	268.09	0.00	NS	NS	NS	NS	NS	NS
MW1	06/20/91	321.44	53.55	267.89	0.00	NS	NS	NS	NS	NS	NS
MW1	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS



TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	10/07/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW1	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/26/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/11/93	321.44	53.09	268.35	0.00	NS	NS	NS	NS	NS	NS
MW1	04/12/93	321.44	53.32	268.12	0.00	NS	NS	NS	NS	NS	NS
MW1	06/01/93	321.44	53.40	268.04	0.00	NS	NS	NS	NS	NS	NS
MW1	07/15/93	321.44	59.80	261.64	0.00	NS	NS	NS	NS	NS	NS
MW1	08/15/93	321.44	53.45	267.99	0.00	NS	NS	NS	NS	NS	NS
MW1	09/29/93	321.44	53.43	268.01	0.00	NS	NS	NS	NS	NS	NS
MW1	09/30/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	10/28/93	321.44	53.38	268.06	0.00	NS	NS	NS	NS	NS	NS
MW1	11/23/93	321.44	53.46	267.98	0.00	NS	NS	NS	NS	NS	NS
MW1	11/24/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/10-11/94	321.44	53.46	267.98	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/04-05/94	321.44	53.34	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	09/01/94 <sup>e</sup>	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	11/16/94	321.44	52.09	269.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	02/15/95	321.44	49.41	272.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	05/09/95	321.44	39.97	281.47	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	08/21/95	321.44	40.68	280.76	0.00	<0.5	0.83	<0.5	<0.5	<50	<2.5
MW1	11/30/95	321.44	38.99	282.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	03/28/96	321.44	35.70	285.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	05/31/96	321.44	34.17	287.27	0.00	<0.5	<0.5	<0.5	<0.5	52	<5.0
MW1	08/28/96	321.44	38.37	283.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	11/18/96	321.44	38.40	283.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	02/28/97	321.44	33.29	288.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	05/23/97	321.44	33.63	287.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/23/97	321.44	38.05	283.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	29
MW1	12/30/97	321.44	36.74	284.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/24/98	321.44	31.65	289.79	0.00	1.4	2.5	<0.5	1.4	<50	16
MW1	06/15/98	321.44	29.28	292.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	22
MW1	09/11/98	321.44	34.94	286.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	12/09/98	321.44	31.14	290.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW1	03/31/99	321.44	28.10	293.34	0.00	<0.5	<0.5	<0.5	<0.5	<50	124/131 <sup>f</sup>
MW1	06/30/99	321.44	33.94	287.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	08/03/99	321.44	37.94	283.50	0.00	NS	NS	NS	NS	NS	NS
MW1	09/24/99	320.52	44.92	275.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW1	12/22/99	320.52	9.93	310.59	0.00	1.9	1.4	1.5	7.3	<50	990 <sup>f</sup>
MW1	01/21/00	320.52	39.35	281.17	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 <sup>f</sup>
MW1	04/04/00	320.52	34.70	285.82	0.00	<1	<1	<1	<1	<50	<1
MW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW1	06/28/00	320.52	39.72	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW1	09/26/00	320.52	43.26	277.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW1	12/28/00	320.52	42.90	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 <sup>f</sup>
MW1	03/28/01	320.52	42.36	278.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 <sup>f</sup>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	06/25/01	320.52	45.51	275.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/26/01	320.52	53.21	267.31	0.00	3.0	4.4	1.2	5.2	<50	<2.5
MW1	12/17/01	320.52	53.21	267.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	03/18/02	320.52	52.31	268.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	06/17/02	320.52	52.67	267.85	0.00	NS	NS	NS	NS	NS	NS
MW1	06/18/02	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/16/02	320.52	53.46	267.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW1	<b>12/17/02</b>	<b>320.52</b>	<b>53.53</b>	<b>266.99</b>	<b>0.00</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>
MW2	04/02/88	NM	NM	NC	0.25	NS	NS	NS	NS	NS	NS
MW2	04/04/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/05/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/06/88	NM	39.31	NC	3.2	NS	NS	NS	NS	NS	NS
MW2	04/08/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW2	04/19/88	NM	38.90	NC	2.48	NS	NS	NS	NS	NS	NS
MW2	06/06/88	NM	38.78	NC	0.26	NS	NS	NS	NS	NS	NS
MW2	06/23/88	NM	39.23	NC	0.13	NS	NS	NS	NS	NS	NS
MW2	06/28/88	NM	39.72	NC	NM	NS	NS	NS	NS	NS	NS
MW2	07/06/88	NM	40.31	NC	Slight sheen	25,700	18,500	2,900	21,400	62,000	NA
MW2	07/12/88		Well destroyed								
MW3	04/06/88	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW3	04/08/88	NM	37.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	04/19/88	NM	37.22	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/06/88	NM	39.02	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/23/88	NM	39.58	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/28/88	NM	40.04	NC	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW3	07/06/88	NM	40.60	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	07/13/88	NM	41.09	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/12/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW3	08/26/88	NM	42.77	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/29/88		Well destroyed								
MW4	04/08/88	321.56	36.41	285.15	0.00	NS	NS	NS	NS	NS	NS
MW4	04/11/88	321.56	NM	NC	NM	1.8	16.3	0.6	7.1	80	NA
MW4	04/19/88	321.56	36.51	285.05	0.00	NS	NS	NS	NS	NS	NS
MW4	06/06/88	321.56	38.26	283.30	0.00	NS	NS	NS	NS	NS	NS
MW4	06/23/88	321.56	38.83	282.73	0.00	NS	NS	NS	NS	NS	NS
MW4	06/28/88	321.56	39.28	282.28	0.00	NS	NS	NS	NS	NS	NS
MW4	07/06/88	321.56	39.85	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	07/13/88	321.56	40.31	281.25	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW4	08/12/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/26/88	321.56	42.01	279.55	0.00	NS	NS	NS	NS	NS	NS
MW4	09/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/19/88	321.56	43.83	277.73	0.00	NS	NS	NS	NS	NS	NS
MW4	02/09/89	321.56	42.67	278.89	0.00	NS	NS	NS	NS	NS	NS
MW4	03/08/89	321.56	42.11	279.45	0.00	3.8	1.0	<0.5	<0.5	440	NA
MW4	04/03/89	321.56	41.73	279.83	0.00	NS	NS	NS	NS	NS	NS
MW4	04/26/89	321.56	41.79	279.77	0.00	NS	NS	NS	NS	NS	NS
MW4	06/30/89	321.56	43.88	277.68	0.00	<0.5	<0.5	<0.5	<0.5	100	NA
MW4	07/17/89	321.56	44.85	276.71	0.00	<0.5	<0.5	<0.5	<0.5	390	NA
MW4	07/18/89	321.56	44.88	276.68	0.00	NS	NS	NS	NS	NS	NS
MW4	07/19/89	321.56	44.92	276.64	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	07/20/89	321.56	44.98	276.58	0.00	<0.5	<0.5	<0.5	<0.5	200	NA
MW4	07/21/89	321.56	45.04	276.52	0.00	NS	NS	NS	NS	NS	NS
MW4	07/26/89	321.56	45.50	276.06	0.00	<0.5	<0.5	<0.5	<0.5	66	NA
MW4	08/02/89	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/03/89	321.56	46.28	275.28	0.00	NS	NS	NS	NS	NS	NS
MW4	08/17/89	321.56	47.22	274.34	0.00	NS	NS	NS	NS	NS	NS
MW4	09/13/89	321.56	49.19	272.37	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	11/28/89	321.56	50.34	271.22	0.00	NS	NS	NS	NS	NS	NS
MW4	12/20/89	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	01/09/90	321.56	49.47	272.09	0.00	NS	NS	NS	NS	NS	NS
MW4	01/26/90	321.56	49.36	272.20	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.18 <sup>a</sup>	272.38	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.15	272.41	0.00	NS	NS	NS	NS	NS	NS
MW4	03/26/90	321.56	48.84 <sup>a</sup>	272.72	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	03/26/90	321.56	48.83	272.73	0.00	NS	NS	NS	NS	NS	NS
MW4	04/18/90	321.56	48.90	272.66	0.00	NS	NS	NS	NS	NS	NS
MW4	05/17/90	321.56	50.03	271.53	0.00	NS	NS	NS	NS	NS	NS
MW4	06/11/90	321.56	50.98	270.58	0.00	NS	NS	NS	NS	NS	NS
MW4	07/30/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	08/01/90	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	08/27/90	321.56	53.61	267.95	0.00	NS	NS	NS	NS	NS	NS
MW4	09/28/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	12/27/90	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/20/91	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	06/20/91	321.56	53.75	267.81	0.00	NS	NS	NS	NS	NS	NS
MW4	09/12/91	321.56	53.70	267.86	0.00	NS	NS	NS	NS	NS	NS
MW4	12/30/91	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethyl-benzene ( $\mu\text{g/L}$ )	Total Xylenes ( $\mu\text{g/L}$ )	TPH as gasoline ( $\mu\text{g/L}$ )	MTBE ( $\mu\text{g/L}$ )
MW4	01/30/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	03/02/92	321.56	53.83	267.73	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/92	321.56	53.73	267.83	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	04/14/92	321.56	53.76	267.80	0.00	NS	NS	NS	NS	NS	NS
MW4	05/21/92	321.56	54.73	266.83	0.00	NS	NS	NS	NS	NS	NS
MW4	06/08/92	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	07/14/92	321.56	53.60	267.96	0.00	NS	NS	NS	NS	NS	NS
MW4	08/10/92	321.56	53.71	267.85	0.00	NS	NS	NS	NS	NS	NS
MW4	09/16/92	321.56	53.89	267.67	0.00	NS	NS	NS	NS	NS	NS
MW4	10/07/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	11/09/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	12/10/92	321.56	53.83	267.73	0.00	57	34	11	200	600	NA
MW4	01/26/93	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	02/16/93	321.56	53.64	267.92	0.00	NS	NS	NS	NS	NS	NS
MW4	03/11/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	04/12/93	321.56	53.62	267.94	0.00	20	10	22	80	360	NA
MW4	06/01/93	321.56	53.52	268.04	0.00	NS	NS	NS	NS	NS	NS
MW4	07/15/93	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	08/15/93	321.56	53.65	267.91	0.00	NS	NS	NS	NS	NS	NS
MW4	09/29/93	321.56	54.23	267.33	0.00	NS	NS	NS	NS	NS	NS
MW4	09/30/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	10/28/93	321.56	53.54	268.25	0.00	NS	NS	NS	NS	NS	NS
MW4	11/23/93	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	11/24/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/10-11/94	321.56	53.64	267.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/04-05/94	321.56	53.54	268.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	09/01/94 <sup>c</sup>	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	11/16/94	321.56	52.96	268.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	02/15/95	321.56	50.37	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/09/95	321.56	44.86	276.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	08/21/95	321.56	41.71	279.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.6
MW4	11/30/95	321.56	39.95	281.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	03/28/96	321.56	36.76	284.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	05/31/96	321.56	35.19	286.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	08/28/96	321.56	39.39	282.17	0.00	NS	NS	NS	NS	NS	NS
MW4	11/18/96	321.56	39.42	282.14	0.00	NS	NS	NS	NS	NS	NS
MW4	02/28/97	321.56	34.38	287.18	0.00	NS	NS	NS	NS	NS	NS
MW4	05/23/97	321.56	34.66	286.90	0.00	NS	NS	NS	NS	NS	NS
MW4	09/23/97	321.56	39.05	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/30/97	321.56	37.78	283.78	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/98	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/98	321.56	30.32	291.24	0.00	NS	NS	NS	NS	NS	NS
MW4	09/11/98	321.56	35.97	285.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/09/98	321.56	32.93	288.63	0.00	NS	NS	NS	NS	NS	NS
MW4	03/31/99	321.56	29.71	291.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW4	06/30/99	321.56	34.99	286.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.65/3.12 <sup>f,h</sup>
MW4	08/03/99	321.56	38.52	283.04	0.00	NS	NS	NS	NS	NS	NS
MW4	09/24/99	321.56	42.93	278.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.12 <sup>f</sup>
MW4	12/22/99	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	04/04/00	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW4	06/28/00	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW4	09/26/00	321.56	44.24	277.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW4	12/28/00	321.56	43.92	277.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 <sup>f</sup>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	03/28/01	321.56	43.39	278.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 <sup>f</sup>
MW4	06/25/01	321.56	46.56	275.00	0.00	<0.5	<0.5	<0.5	0.66	<50	<2.5
MW4	09/26/01	321.56	53.51	268.05	0.00	<0.5	0.69	<0.5	0.96	<50	<2.5
MW4	12/17/01	321.56	53.51	268.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	03/18/02	321.56	53.28	268.28	0.00	NS	NS	NS	NS	NS	NS
MW4	03/19/02	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/17/02	321.56	53.57	267.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/16/02	321.56	53.63	267.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
<b>MW4</b>	<b>12/17/02</b>	<b>321.56</b>	<b>53.68</b>	<b>267.88</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
MW5D	05/25/88	321.79	38.55	283.24	0.00	<0.5	3.1	<0.5	<0.5	<20	NA
MW5D	06/06/88	321.79	38.90	282.89	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/23/88	321.79	39.56	282.23	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/28/88	321.79	40.23	281.56	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/06/88	321.79	40.69	281.10	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/13/88	321.79	41.22	280.57	0.00	<0.5	<0.5	<0.5	<0.5	40	NA
MW5D	08/12/88	321.79	42.34	279.45	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/26/88	321.79	42.60	279.19	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/07/88	321.79	42.99	278.80	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/07/88	321.79	44.58	277.21	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/09/89 <sup>c</sup>	321.79	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW5D	03/08/89 <sup>d</sup>	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	03/08/89	321.79	42.49	279.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/03/89	321.79	42.21	279.58	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/26/89	321.79	42.36	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/30/89	321.79	44.79	277.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/17/89	321.79	45.73	276.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA



TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	07/18/89	321.79	45.75	276.04	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/19/89	321.79	44.89	276.90	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/20/89	321.79	46.02	275.77	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/21/89	321.79	46.18	275.61	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/26/89	321.79	46.83	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/02/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/03/89	321.79	47.67	274.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/17/89	321.79	48.27	273.52	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/13/89	321.79	50.60	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	11/28/89	321.79	51.16	270.63	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/20/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	01/09/90	321.79	50.42	271.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	01/26/90	321.79	50.10	271.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/23/90	321.79	50.08	271.71	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/26/90	321.79	49.80 <sup>f</sup>	271.99	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/26/90	321.79	49.77	272.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	04/18/90	321.79	49.80	271.99	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/17/90	321.79	51.32	270.47	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/11/90	321.79	52.10	269.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/30/90	321.79	53.47	268.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/01/90	321.79	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/27/90	321.79	58.24	263.55	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/29/90	321.79	60.70	261.09	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/27/90	321.79	62.52	259.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/20/91	321.79	59.18	262.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	06/20/91	321.79	65.02	256.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/12/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	12/30/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	01/30/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/02/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/24/92	321.79	74.98	246.81	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/14/92	321.79	74.42	247.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/21/92	321.79	75.67	246.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/08/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	07/14/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	08/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	09/16/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	10/07/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	11/09/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	12/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	01/26/93	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	02/16/93	321.79	76.47	245.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/11/93	321.79	74.03	247.76	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/12/93	321.79	70.96	250.83	0.00	1.0	1.0	2.5	7.4	<50	NA
MW5D	06/01/93	321.79	67.64	254.15	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/15/93	321.79	54.40	267.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/15/93	321.79	67.85	253.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/29/93	321.79	67.62	254.17	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/30/93	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	10/28/93	321.79	66.15	255.49	0.00	NS	NS	NS	NS	NS	NS
MW5D	11/23/93	321.79	64.80	256.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/10-11/94	321.79	59.10	262.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	05/04-05/94	321.79	55.66	265.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/01/94 <sup>c</sup>	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	11/16/94	321.79	54.36	268.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	02/15/95	321.79	51.20	270.59	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/09/95	321.79	45.49	276.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/12/95	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/21/95	321.79	42.35	279.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	11/30/95	321.79	43.60	278.19	0.00	5.4	10	1.4	12	77	<5.0
MW5D	03/28/96	321.79	37.12	284.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	05/31/96	321.79	35.67	286.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	08/28/96	321.79	40.22	281.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	11/18/96	321.79	39.89	281.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	02/28/97	321.79	34.75	287.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D <sup>D</sup>	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D <sup>R</sup>	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	05/23/97	321.79	35.21	286.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D <sup>D</sup>	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D <sup>R</sup>	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/23/97	321.79	39.58	282.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D <sup>D</sup>	09/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D <sup>R</sup>	09/23/97	321.79	NM	NC	NM	<0.5	1.5	<0.5	<0.5	<50	3.0
MW5D	12/30/97	321.79	38.30	283.49	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D <sup>D</sup>	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D <sup>R</sup>	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/24/98	321.79	32.77	289.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	06/15/98	321.79	30.69	291.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D <sup>D</sup>	06/15/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/11/98	321.79	36.68	285.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	33
MW5D <sup>D</sup>	09/11/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	35

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	10/28/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW5D	12/09/98	321.79	32.70	289.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW5D <sup>D</sup>	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW5D <sup>R</sup>	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW5D	03/31/99	321.79	28.91	292.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D <sup>D</sup>	03/31/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D	06/30/99	321.79	35.90	289.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D <sup>D</sup>	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	3.3/<0.5 <sup>fh</sup>
MW5D <sup>R</sup>	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	08/03/99	321.79	40.39	281.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW5D <sup>D</sup>	08/03/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW5D	09/24/99	321.79	44.25	277.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW5D <sup>D</sup>	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW5D <sup>R</sup>	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW5D	12/22/99	321.79	38.51	283.28	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 <sup>f</sup>
MW5D <sup>D</sup>	12/22/99	321.79	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 <sup>f</sup>
MW5D	04/04/00	321.79	30.05	291.74	0.00	<1	<1	<1	<1	<50	<1
MW5D	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5D	06/28/00	321.79	42.00	279.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.47 <sup>f</sup>
MW5D	09/26/00	321.79	45.05	276.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW5D	12/28/00	321.79	44.44	277.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 <sup>f</sup>
MW5D	03/28/01	321.80	43.90	277.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 <sup>f</sup>
MW5D	06/25/01	321.80	48.19	273.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/26/01	321.80	55.78	266.02	0.00	1.3	1.9	0.55	2.7	<50	<2.5
MW5D	12/17/01	321.79	55.89	265.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	03/18/02	321.79	54.60	267.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/17/02	321.79	54.92	266.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	09/16/02	321.79	59.66	262.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
<b>MW5D</b>	<b>12/17/02</b>	<b>321.79</b>	<b>61.56</b>	<b>260.23</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
MW5S	05/25/88	321.64	38.46	283.18	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW5S	06/06/88	321.64	38.86	282.78	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/23/88	321.64	39.52	282.12	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/28/88	321.64	39.84	281.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/06/88	321.64	40.45	281.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/13/88	321.64	40.90	280.74	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/22/88	321.64	41.30	280.34	0.00	0.9	4.1	1.3	8.7	50	NA
MW5S	08/05/88	321.64	23.84 <sup>b</sup>	297.80	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/12/88	321.64	42.21	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/26/88	321.64	42.55	279.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/07/88	321.64	42.94	278.70	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	12/07/88	321.64	44.67	276.97	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/09/89	321.64	43.19	278.45	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/08/89	321.64	42.11	279.53	0.00	<0.5	<0.5	<0.5	<1.0	<20	NA
MW5S	04/26/89	321.64	41.84	279.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/30/89	321.64	43.95	277.69	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/17/89	321.64	44.91	276.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/18/89	321.64	44.93	276.71	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/19/89	321.64	44.98	276.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/20/89	321.64	45.02	276.62	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/21/89	321.64	45.10	276.54	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/26/89	321.64	45.57	276.07	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/02/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/03/89	321.64	46.31	275.33	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	08/17/89	321.64	47.25	274.39	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/13/89	321.64	49.22	272.42	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	11/28/89	321.64	50.39	271.25	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/20/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	01/09/90	321.64	49.51	272.13	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/90	321.64	49.40	272.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20 <sup>b</sup>	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/26/90	321.64	48.89 <sup>a</sup>	272.75	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	03/26/90	321.64	48.88	272.76	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/18/90	321.64	48.95	272.69	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/17/90	321.64	50.06	271.58	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/11/90	321.64	50.98	270.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/30/90	321.64	53.40	268.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/01/90	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/27/90	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/28/90	321.64	53.55	268.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/27/90	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/20/91	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/20/91	321.64	53.73	267.91	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/12/91	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/30/91	321.64	53.80	267.84	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/30/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/02/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/21/92	321.64	53.77	267.87	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/08/92	321.64	53.81	267.83	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	07/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/16/92	321.64	53.90	267.74	0.00	NS	NS	NS	NS	NS	NS
MW5S	10/07/92	321.64	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5S	11/09/92	321.64	53.87	267.77	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/93	321.64	53.38	268.26	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/16/93	321.64	53.44	268.20	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/11/93	321.64	53.28	268.36	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/12/93	321.64	53.42	268.22	0.00	11	5.9	13	48	220	NA
MW5S	06/01/93	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/15/93	321.64	53.00	268.64	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/15/93	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/29/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/30/93	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	10/28/93	321.64	54.62	267.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	11/23/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/10-11/94	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/04-05/94	321.64	53.52	268.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94 <sup>c</sup>	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	53.05	268.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	02/15/95	321.64	50.55	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/09/95	321.64	44.96	276.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/21/95	321.64	41.77	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	11/30/95	321.64	39.95	281.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	03/28/96	321.64	36.80	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	05/31/96	321.64	35.28	286.36	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	08/28/96	321.64	39.46	282.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	11/18/96	321.64	39.47	282.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	02/28/97	321.64	34.44	287.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	05/23/97	321.64	34.72	286.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/23/97	321.64	39.09	282.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/30/97	321.64	37.83	283.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/24/98	321.64	32.76	288.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	06/15/98	321.64	30.46	291.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/11/98	321.64	36.04	285.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/09/98	321.64	33.00	288.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW5S	03/31/99	321.64	29.20	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5S	06/30/99	321.64	35.08	286.56	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	08/03/99	321.64	38.62	283.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/24/99	320.52	42.89	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW5S	12/22/99	320.52	42.05	278.47	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 <sup>f</sup>
MW5S	04/04/00	320.52	35.91	284.61	0.00	<1	<1	<1	<1	<50	<1
MW5S	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5S	06/28/00	320.52	40.75	279.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW5S	09/26/00	320.52	44.34	276.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW5S	12/28/00	320.52	43.95	276.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 <sup>f</sup>
MW5S	03/28/01	320.52	43.41	277.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 <sup>f</sup>
MW5S	06/25/01	320.52	46.58	273.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/26/01	320.52	53.47	267.05	0.00	1.8	2.8	0.94	4.4	<50	<2.5
MW5S	12/17/01	320.52	53.52	267.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	03/18/02	320.52	53.25	267.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5



TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	06/17/02	320.52	53.49	267.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	09/16/02	320.52	53.62	266.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
<b>MW5S</b>	<b>12/17/02</b>	<b>320.52</b>	<b>53.67</b>	<b>266.85</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
MW6	05/11/88	NM	37.31	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	05/17/88	NM	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW6	06/06/88	NM	38.70	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/23/88	NM	39.23	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/28/88	NM	39.74	NC	0.00	31.8	7.5	5.4	6.7	440	NA
MW6	07/13/88	NM	40.78	NC	0.00	162.3	7.7	22.5	14.1	290	NA
MW6	08/05/88	NM	41.72	NC	0.00	245	5.2	47.1	23.7	1,180	NA
MW6	08/12/88	NM	42.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	08/17/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW6	08/26/88	NM	42.51	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	09/07/88	NM	42.85	NC	0.00	474	16	262	136	2,920	NA
MW6	10/24/88		Well destroyed								
MW7	07/13/88	321.27	40.50	280.77	0.00	860	1,910	710	4,420	16,700	NA
MW7	07/22/88	321.27	41.85 <sup>a</sup>	279.42	0.00	136	85	5	58	460	NA
MW7	08/05/88	321.27	41.45 <sup>a</sup>	279.82	0.00	73.3	52.8	2.3	28.1	270	NA
MW7	08/12/88	321.27	42.69	278.58	NM	NS	NS	NS	NS	NS	NS
MW7	09/07/88	321.27	42.60	278.67	NM	NS	NS	NS	NS	NS	NS
MW7	12/07/88	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	01/17/89	321.27	43.20	278.07	NM	NS	NS	NS	NS	NS	NS
MW7	02/09/89	321.27	NM	NC	NM	600	688	10	448	6,700	NA
MW7	06/30/89	321.27	NM	NC	NM	180	50	13	40	1,100	NA
MW7	08/02/89	321.27	NM	NC	NM	1.6	<0.5	<0.5	0.6	31	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	09/13/89	321.27	NM	NC	NM	<0.5	2.6	<0.5	12	87	NA
MW7	10/12/89	321.27	49.93	271.34	0.00	NS	NS	NS	NS	NS	NS
MW7	11/28/89	321.27	57.61 <sup>a</sup>	263.66	0.00	NS	NS	NS	NS	NS	NS
MW7	12/20/89	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW7	01/09/90	321.27	57.57 <sup>a</sup>	263.70	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	57.54 <sup>a</sup>	263.73	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	49.08	272.19	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	55.26 <sup>a</sup>	266.01	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	48.93	272.34	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	57.52 <sup>a</sup>	263.75	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	48.60	272.67	0.00	NS	NS	NS	NS	NS	NS
MW7	04/18/90	321.27	57.55 <sup>a</sup>	263.72	0.00	NS	NS	NS	NS	NS	NS
MW7	05/17/90	321.27	57.40 <sup>a</sup>	263.87	0.00	NS	NS	NS	NS	NS	NS
MW7	06/11/90	321.27	50.68	270.59	0.00	NS	NS	NS	NS	NS	NS
MW7	07/30/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	08/27/90	321.27	53.05	268.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/28/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/27/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/20/91	321.27	54.11	267.16	0.00	NS	NS	NS	NS	NS	NS
MW7	06/20/91	321.27	55.14	266.13	0.00	<0.5	1.8	0.6	4.1	74	NA
MW7	09/12/91	321.27	55.84	265.43	0.00	3.5	<0.5	1.7	6.8	<50	NA
MW7	12/30/91	321.27	55.21	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	01/30/92	321.27	54.88	266.39	0.00	NS	NS	NS	NS	NS	NS
MW7	03/02/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/24/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	04/14/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	05/21/92	321.27	53.36	267.91	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	06/08/92	321.27	54.20	267.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	07/14/92	321.27	53.31	267.96	0.00	NS	NS	NS	NS	NS	NS
MW7	08/10/92	321.27	54.01	267.26	0.00	NS	NS	NS	NS	NS	NS
MW7	09/16/92	321.27	55.97	265.30	0.00	NS	NS	NS	NS	NS	NS
MW7	10/07/92	321.27	56.09	265.18	0.00	NS	NS	NS	NS	NS	NS
MW7	11/09/92	321.27	54.16	267.11	0.00	NS	NS	NS	NS	NS	NS
MW7	12/10/92	321.27	56.02	265.25	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/93	321.27	56.15	265.12	0.00	NS	NS	NS	NS	NS	NS
MW7	02/16/93	321.27	56.23	265.04	0.00	28	30	17	200	600	NA
MW7	03/11/93	321.27	55.82	265.45	0.00	NS	NS	NS	NS	NS	NS
MW7	04/12/93	321.27	55.45	265.82	0.00	NS	NS	NS	NS	NS	NS
MW7	06/01/93	321.27	54.90	266.37	0.00	NS	NS	NS	NS	NS	NS
MW7	07/15/93	321.27	54.50	266.77	0.00	NS	NS	NS	NS	NS	NS
MW7	08/15/93	321.27	54.25	267.02	0.00	NS	NS	NS	NS	NS	NS
MW7	09/29/93	321.27	54.55	266.72	0.00	NS	NS	NS	NS	NS	NS
MW7	09/30/93	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	10/28/93	321.27	54.94	266.92	0.00	NS	NS	NS	NS	NS	NS
MW7	11/23/93	321.27	54.73	266.54	0.00	NS	NS	NS	NS	NS	NS
MW7	11/24/93	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	03/10-11-94	321.27	52.83	268.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/04-05/94	321.27	52.77	268.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	09/01/94 <sup>c</sup>	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	11/16/94	321.27	52.74	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	02/15/95	321.27	50.05	271.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/09/95	321.27	44.61	276.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	08/21/95	321.27	41.40	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1
MW7	11/30/95	321.27	39.64	281.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	03/28/96	321.27	36.42	284.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	05/31/96	321.27	34.87	286.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	08/28/96	321.27	39.11	282.16	0.00	NS	NS	NS	NS	NS	NS
MW7	11/18/96	321.27	39.10	282.17	0.00	NS	NS	NS	NS	NS	NS
MW7	02/28/97	321.27	34.03	287.24	0.00	NS	NS	NS	NS	NS	NS
MW7	05/23/97	321.27	34.36	286.91	0.00	NS	NS	NS	NS	NS	NS
MW7	09/23/97	321.27	38.66	282.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.4
MW7	12/30/97	321.27	37.45	283.82	0.00	NS	NS	NS	NS	NS	NS
MW7	03/24/98	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	06/15/98	321.27	30.05	291.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/11/98	321.27	35.63	285.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	12/09/98	321.27	21.54	299.73	NM	NS	NS	NS	NS	NS	NS
MW7	03/31/99	321.27	28.84	292.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW7	06/30/99	321.27	34.68	286.59	0.00	5.96	<0.5	<0.5	<0.5	<50	<2.5
MW7	08/03/99	321.27	38.22	283.05	0.00	NS	NS	NS	NS	NS	NS
MW7	09/24/99	321.27	42.59	278.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	11.7 <sup>f</sup>
MW7	12/22/99	321.27	41.69	279.58	0.00	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0 <sup>f</sup>
MW7	04/04/00	321.27	35.45	285.82	0.00	<1	<1	<1	<1	<50	<1
MW7	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW7	06/28/00	321.27	40.46	280.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.88 <sup>f</sup>
MW7	09/26/00	321.27	44.00	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW7	12/28/00	321.27	44.63	276.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 <sup>f</sup>
MW7	03/28/01	321.27	43.04	278.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.17 <sup>f</sup>
MW7	06/25/01	321.27	46.31	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	09/26/01	321.27	52.90	268.37	0.00	0.62	0.84	<0.5	1.0	<50	<2.5
MW7	12/17/01	321.27	53.17	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	03/18/02	321.27	53.10	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	06/17/02	321.27	53.12	268.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.2/6.40 <sup>f</sup>
MW7	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>MW7</b>	<b>12/17/02</b>	<b>321.27</b>	<b>54.17</b>	<b>267.10</b>	<b>0.00</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>
MW8	10/01/89	321.86	53.88	267.98	0.00	NS	NS	NS	NS	NS	NS
MW8	10/03/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	11/28/89	321.86	53.74	268.12	0.00	NS	NS	NS	NS	NS	NS
MW8	12/20/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.61	<20	NA
MW8	01/09/90	321.86	57.90	263.96	0.00	NS	NS	NS	NS	NS	NS
MW8	01/26/90	321.86	53.57	268.29	0.00	NS	NS	NS	NS	NS	NS
MW8	01/31/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.87	<20	NA
MW8	02/09/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	1.1	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	02/23/90	321.86	52.16	269.70	0.00	NS	NS	NS	NS	NS	NS
MW8	03/26/90	321.86	52.80 <sup>a</sup>	269.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	04/18/90	321.86	51.60	270.26	0.00	<0.5	0.58	<0.5	1.1	<20	NA
MW8	05/17/90	321.86	58.21	263.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	06/11/90	321.86	58.65	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	07/30/90	321.86	64.33	257.53	0.00	NS	NS	NS	NS	NS	NS
MW8	08/01/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	08/27/90	321.86	70.41	251.45	0.00	<0.5	<0.5	<0.5	0.5	<20	NA
MW8	09/28/90	321.86	71.93	249.93	0.00	<0.5	<0.5	<0.5	0.5	<50	NA
MW8	12/27/90	321.86	66.60	255.26	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	03/20/91	321.86	60.75	261.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	06/20/91	321.86	88.77	233.09	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	09/12/91	321.86	103.17	218.69	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	10/14/91	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	12/30/91	321.86	81.15	240.71	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	01/30/92	321.86	81.69	240.17	0.00	NS	NS	NS	NS	NS	NS
MW8	03/02/92	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	03/24/92	321.86	76.55	245.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	04/14/92	321.86	75.56	246.30	0.00	NS	NS	NS	NS	NS	NS
MW8	05/21/92	321.86	86.99	234.87	0.00	NS	NS	NS	NS	NS	NS
MW8	06/08/92	321.86	91.69	230.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	07/14/92	321.86	94.65	227.21	0.00	NS	NS	NS	NS	NS	NS
MW8	08/10/92	321.86	95.02	226.84	0.00	NS	NS	NS	NS	NS	NS
MW8	09/16/92	321.86	91.90	229.96	0.00	<0.5	0.9	<0.5	<0.5	<50	NA
MW8	10/07/92	321.86	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW8	11/09/92	321.86	84.35	237.51	0.00	NS	NS	NS	NS	NS	NS
MW8	12/10/92	321.86	82.20	239.66	0.00	<0.5	0.6	<0.5	<0.5	<50	NA
MW8	01/26/93	321.86	78.63	243.23	0.00	NS	NS	NS	NS	NS	NS
MW8	02/16/93	321.86	76.90	244.96	0.00	0.7	0.6	<0.5	2.3	<50	NA
MW8	03/11/93	321.86	74.39	247.47	0.00	NS	NS	NS	NS	NS	NS
MW8	04/12/93	321.86	71.20	250.66	0.00	26	7.3	11	38	230	NA
MW8	06/01/93	321.86	68.04	253.82	0.00	NS	NS	NS	NS	NS	NS
MW8	07/15/93	321.86	78.05	243.81	0.00	NS	NS	NS	NS	NS	NS
MW8	08/15/93	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	09/29/93	321.86	73.64	248.22	0.00	NS	NS	NS	NS	NS	NS
MW8	09/30/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	10/28/93	321.86	67.53	253.91	0.00	NS	NS	NS	NS	NS	NS
MW8	11/23/93	321.86	64.68	256.76	0.00	NS	NS	NS	NS	NS	NS
MW8	11/24/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	03/10-11/94	321.86	59.26	262.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	05/04-05/94	321.86	56.84	265.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/01/94 <sup>e</sup>	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	11/16/94	321.86	55.47	266.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	02/15/95	321.86	52.00	269.86	0.00	NS	NS	NS	NS	NS	NS
MW8	05/09/95	321.86	46.60	275.26	0.00	NS	NS	NS	NS	NS	NS
MW8	05/12/95	321.86	NM	NC	NM	2.3	1.2	2.0	7.4	<50	NA
MW8	08/21/95	321.86	43.86	278.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	11/30/95	321.86	41.25	280.61	0.00	<0.5	<0.5	0.69	2.7	<50	<5.0
MW8	03/28/96	321.86	37.71	284.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	05/31/96	321.86	36.71	285.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	08/28/96	321.86	42.80	279.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	11/18/96	321.86	40.78	281.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	02/28/97	321.86	35.14	286.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 <sup>D</sup>	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 <sup>R</sup>	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	05/23/97	321.86	36.41	285.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 <sup>D</sup>	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 <sup>R</sup>	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	09/23/97	321.86	41.22	280.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 <sup>D</sup>	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 <sup>R</sup>	09/23/09	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/30/97	321.86	39.81	282.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 <sup>D</sup>	12/30/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 <sup>R</sup>	12/30/97	321.86	NM	NC	NM	<0.5	0.52	<0.5	<0.5	<50	3.2 <sup>f</sup>
MW8	03/24/98	321.86	31.46	290.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	06/15/98	321.86	31.43	290.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 <sup>D</sup>	06/15/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	09/11/98	321.86	38.73	283.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 <sup>D</sup>	09/11/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/09/98	321.86	28.96	292.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW8 <sup>D</sup>	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW8 <sup>R</sup>	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 <sup>f</sup>
MW8	03/31/99	321.86	25.05	296.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 <sup>D</sup>	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 <sup>R</sup>	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8	06/30/99	321.86	42.62	279.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 <sup>D</sup>	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	13.1/1.18 <sup>th</sup>
MW8 <sup>R</sup>	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	08/03/99	321.86	51.59	270.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.672 <sup>f</sup>
MW8 <sup>D</sup>	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.659 <sup>f</sup>
MW8 <sup>R</sup>	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
MW8	09/24/99	321.86	50.95	270.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.777 <sup>f</sup>
MW8 <sup>D</sup>	09/24/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.776 <sup>f</sup>
MW8	12/22/99	321.86	38.59	283.27	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 <sup>f</sup>
MW8 <sup>D</sup>	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 <sup>f</sup>
MW8 <sup>R</sup>	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 <sup>f</sup>
MW8	04/04/00	321.86	36.21	285.65	0.00	<1	<1	<1	<1	<50	3.3/<5 <sup>f</sup>
MW8	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW8	06/28/00	321.86	46.51	275.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW8	09/26/00	321.86	47.55	274.31	0.00	<0.5	<0.5	<0.5	0.528	<50	<1 <sup>f</sup>
MW8	12/28/00	321.86	45.68	276.18	0.00	1.03	1.25	<0.5	1.76	<50	<2 <sup>f</sup>
MW8	03/28/01	321.86	45.40	276.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.00 <sup>f</sup>
MW8	06/25/01	321.86	57.84	264.02	0.00	0.71	1.0	<0.5	1.4	<50	<2.5
MW8	09/26/01	321.86	60.08	261.78	0.00	<0.5	0.53	<0.5	0.75	<50	<2.5



TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	12/17/01	321.86	61.24	260.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	03/18/02	321.86	57.53	264.33	0.00	NS	NS	NS	NS	NS	NS
MW8	03/19/02	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/17/02	321.86	58.25	263.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/16/02	321.86	70.68	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
<b>MW8</b>	<b>12/17/02</b>	<b>321.86</b>	<b>67.76</b>	<b>254.10</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
MW9	10/03/89	321.44	NM	NC	NM	1,000	9,200	3,000	13,000	89,000	NA
MW9	10/12/89	321.44	50.24	271.20	0.00	NS	NS	NS	NS	NS	NS
MW9	11/28/89	321.44	50.59	270.85	0.10	NS	NS	NS	NS	NS	NS
MW9	12/01/89	321.44	50.32	271.12	0.02	NS	NS	NS	NS	NS	NS
MW9	12/07/89	321.44	50.13	271.31	0.16	NS	NS	NS	NS	NS	NS
MW9	12/13/89	321.44	49.91	271.53	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	12/20/89	321.44	49.78	271.66	Slight Sheen	6,300	31,000	9,500	55,000	190,000	NA
MW9	01/02/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/09/90	321.44	49.39	272.05	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	01/25/90	321.44	NM	NC	NM	2,400	9,400	2,700	15,000	77,000	NA
MW9	01/26/90	321.44	49.30	272.14	0.00	NS	NS	NS	NS	NS	NS
MW9	02/23/90	321.44	49.06 <sup>a</sup>	272.38	0.00	1,200	7,100	2,300	14,000	97,000	NA
MW9	02/23/90	321.44	49.05	272.39	0.00	NS	NS	NS	NS	NS	NS
MW9	03/26/90	321.44	48.75 <sup>a</sup>	272.69	0.00	1,800	7,700	2,000	11,000	89,000	NA
MW9	03/26/90	321.44	48.73	272.71	Slight sheen	NS	NS	NS	NS	NS	NS
MW9	04/18/90	321.44	48.81	272.63	0.00	2,000	7,500	2,500	16,000	110,000	NA
MW9	05/17/90	321.44	49.96	271.48	0.00	1,500	5,700	2,300	14,000	81,000	NA
MW9	06/11/90	321.44	51.58	269.86	0.00	NS	NS	NS	NS	NS	NS
MW9	06/20/90	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	430	NA
MW9	07/30/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW9	08/27/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/28/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/20/91	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/20/91	321.44	49.63	271.81	NM	NS	NS	NS	NS	NS	NS
MW9	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	10/07/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/26/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	02/16/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/11/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	04/12/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/01/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	07/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/29/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW9	10/28/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/23/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/10-11/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	05/04-05/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/16/94	321.44	52.62	268.82	0.00	NS	NS	NS	NS	NS	NS
MW9	02/15/95	321.44	49.76	271.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	05/09/95	321.44	44.30	277.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	08/21/95	321.44	41.11	280.33	0.00	270	51	5.2	140	1,100	<25
MW9	11/30/95	321.44	39.40	282.04	0.00	920	680	120	870	6,600	<100
MW9	03/28/96	321.44	36.13	285.31	0.00	72	28	1.8	49	360	<10
MW9	05/31/96	321.44	34.56	286.88	0.00	2,800	510	<50	400	8,200	<5.0
MW9	08/28/96	321.44	38.80	282.64	0.00	1.6	<0.5	<0.5	9.6	160	28
MW9	11/18/96	321.44	38.74	282.70	0.00	2,000	610	130	790	7,100	<200
MW9	02/28/97	321.44	33.74	287.70	0.00	2,900	2,600	280	2,400	22,000	4,200
MW9	05/23/97	321.44	33.77	287.67	0.00	5,300	5,200	800	3,900	32,000	1,600
MW9	09/23/97	320.68	38.17	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	20
MW9	12/30/97	320.68	38.83	281.85	0.00	840	750	80	310	4,600	1,100 <sup>f</sup>
MW9	03/24/98	320.68	31.32	289.36	0.00	11,000	16,000	1,200	6,200	62,000	7,000
MW9	06/15/98	320.68	28.72	291.96	0.00	1.8	2.7	<0.5	3.8	<50	8.1
MW9	09/11/98	320.68	31.52	289.16	0.00	1.5	0.97	<0.5	1.1	<50	7.1
MW9	12/09/98	320.68	28.92	291.76	0.00	1.4	2.9	<0.5	<0.5	<50	7.9 <sup>f</sup>
MW9	03/31/99	320.68	27.77	292.91	0.00	2,560	4,100	118	3,090	18,400	3,850/4,950 <sup>f</sup>
MW9	06/30/99	320.68	32.57	288.11	0.00	0.883	1.43	<0.5	1.24	<50	7.05/5.81 <sup>f,h</sup>
MW9	08/03/99	320.68	36.24	284.44	0.00	1.20	1.70	<0.5	0.60	91.1	<0.5 <sup>f</sup>
MW9	09/24/99	320.26	41.65	278.61	0.00	2.60/3.13 <sup>i</sup>	1.06	<0.5	1.17	<50	3.92 <sup>f</sup>
MW9	12/22/99	320.26	40.55	279.71	0.00	860/870 <sup>i</sup>	380/380 <sup>i</sup>	<5.0/<5.0 <sup>i</sup>	2,190/2,170 <sup>i</sup>	7,300	4,300 <sup>f</sup>
MW9	04/04/00	320.26	34.69	285.57	0.00	2.7	2.5	<1	9	<50	310/300 <sup>f</sup>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW9	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9	06/28/00	320.26	39.31	280.95	0.00	111	2.98	<0.5	14.9	207	488 <sup>f</sup>
MW9	09/26/00	320.26	43.14	277.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	77.2 <sup>f</sup>
MW9	11/03/00	Well destroyed									
MW9A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9A	12/28/00	NM	43.72	NC	0.00	14.5	3.75	26.4	37.4	1,040	65.5 <sup>f</sup>
MW9A	03/28/01	321.17	43.90	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 <sup>f</sup>
MW9A	06/25/01	321.17	49.84	271.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW9A	09/26/01	321.17	56.35	NC <sup>i</sup>	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/17/01	321.27	55.13	NC <sup>i</sup>	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/18/02	321.27	53.02	268.25	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/17/02	321.27	56.70	NC <sup>i</sup>	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/17/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	10/12/89	322.99	51.93	271.06	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW10	11/28/89	322.99	51.88	271.11	0.00	NS	NS	NS	NS	NS	NS
MW10	12/20/89	322.99	51.47	271.52	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	01/09/90	322.99	50.98	272.01	0.00	NS	NS	NS	NS	NS	NS
MW10	01/26/90	322.99	50.87	272.12	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.67 <sup>a</sup>	272.32	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.65	272.34	0.00	NS	NS	NS	NS	NS	NS
MW10	03/26/90	322.99	50.36 <sup>a</sup>	272.63	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	03/26/90	322.99	50.35	272.64	0.00	NS	NS	NS	NS	NS	NS
MW10	04/18/90	322.99	50.45	272.54	0.00	NS	NS	NS	NS	NS	NS
MW10	06/11/90	322.99	51.16	271.83	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW10	07/30/90	322.99	55.72	267.27	0.00	NS	NS	NS	NS	NS	NS
MW10	08/27/90	322.99	57.75	265.24	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	09/28/90	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/27/90	322.99	58.08	264.91	0.00	NS	NS	NS	NS	NS	NS
MW10	03/20/91	322.99	57.80	265.19	0.00	NS	NS	NS	NS	NS	NS
MW10	06/20/91	322.99	58.00	264.99	0.00	NS	NS	NS	NS	NS	NS
MW10	09/12/91	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/30/91	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	01/30/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/02/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/24/92	322.99	58.53	264.46	0.00	NS	NS	NS	NS	NS	NS
MW10	04/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/21/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	06/08/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	07/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/16/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/07/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/09/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	01/26/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	02/16/93	322.99	58.23	264.76	0.00	NS	NS	NS	NS	NS	NS
MW10	03/11/93	322.99	57.81	265.18	0.00	NS	NS	NS	NS	NS	NS
MW10	04/12/93	322.99	57.84	265.15	0.00	21	11	21	75	350	NA
MW10	06/01/93	322.99	57.88	265.11	NM	NS	NS	NS	NS	NS	NS
MW10	07/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW10	09/29/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/28/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/23/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/10-11/94	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/04-05/94	322.99	57.21	265.78	Dry	NS	NS	NS	NS	NS	NS
MW10	09/01/94 <sup>e</sup>	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	11/16/94	322.99	54.82	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	02/15/95	322.99	51.90	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	05/09/95	322.99	46.32	276.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	08/21/95	322.99	43.06	279.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	11/30/95	322.99	41.34	281.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	03/28/96	322.99	38.15	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	05/31/96	322.99	36.61	286.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	08/28/96	322.99	40.86	282.13	0.00	NS	NS	NS	NS	NS	NS
MW10	11/18/96	322.99	40.90	282.09	0.00	NS	NS	NS	NS	NS	NS
MW10	02/28/97	322.99	35.75	287.24	0.00	NS	NS	NS	NS	NS	NS
MW10	05/23/97	322.99	36.07	286.92	0.00	NS	NS	NS	NS	NS	NS
MW10	09/23/97	322.99	40.41	282.58	0.00	NS	NS	NS	NS	NS	NS
MW10	12/30/97	322.99	38.20	284.79	0.00	NS	NS	NS	NS	NS	NS
MW10	03/24/98	322.99	34.12	288.87	0.00	NS	NS	NS	NS	NS	NS
MW10	06/15/98	322.99	31.79	291.20	0.00	NS	NS	NS	NS	NS	NS
MW10	09/11/98	322.99	35.40	287.59	0.00	NS	NS	NS	NS	NS	NS
MW10	12/09/98	322.99	34.32	288.67	0.00	NS	NS	NS	NS	NS	NS
MW10	03/31/99	322.99	30.55	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW10	06/30/99	322.99	36.36	286.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	08/03/99	322.99	39.95	283.04	0.00	NS	NS	NS	NS	NS	NS
MW10	09/24/99	322.99	44.40	278.59	0.00	<0.5	<0.5	<0.5	0.87	<50	19.30 <sup>f</sup>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW10	12/22/99	322.99	43.39	279.60	0.00	9.5	5.3	3.9	25.1	140	<5.0 <sup>f</sup>
MW10	04/04/00	322.99	37.18	285.81	0.00	<1	<1	<1	<1	<50	<1
MW10	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW10	06/28/00	322.99	42.19	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW10	09/26/00	322.99	45.80	277.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.39 <sup>f</sup>
MW10	12/28/00	322.99	45.41	277.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 <sup>f</sup>
MW10	03/28/01	322.99	44.89	278.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 <sup>f</sup>
MW10	06/25/01	322.99	48.13	274.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	09/26/01	322.99	56.45	266.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	12/17/01	322.99	56.61	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	03/18/02	322.99	54.99	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	06/17/02	322.99	55.36	267.63	0.00	NS	NS	NS	NS	NS	NS
MW10	06/18/02	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/16/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>MW10</b>	<b>12/17/02</b>	<b>322.99</b>	<b>DRY</b>	<b>NC</b>	<b>NM</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>
MW11	11/10/89	321.77	50.64	272.13	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/89	321.77	NM	NC	NM	4.1	9.4	0.74	20	150	NA
MW11	11/28/89	321.77	50.51	272.26	0.00	NS	NS	NS	NS	NS	NS
MW11	12/20/89	321.77	51.47	271.30	0.00	7.2	7.5	2.9	13	150	NA
MW11	01/09/90	321.77	49.68	273.09	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/90	321.77	49.55	273.22	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.37 <sup>a</sup>	273.40	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.35	273.42	0.00	NS	NS	NS	NS	NS	NS
MW11	03/26/90	321.77	49.03 <sup>a</sup>	273.74	0.00	<0.5	<0.5	<0.5	2.7	32	NA
MW11	04/18/90	321.77	49.12	273.65	0.00	NS	NS	NS	NS	NS	NS
MW11	05/17/90	321.77	50.30	272.47	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW11	06/11/90	321.77	51.16	271.61	0.00	NS	NS	NS	NS	NS	NS
MW11	07/30/90	321.77	53.50	269.27	0.00	<0.5	<0.5	<0.5	3.8	26	NA
MW11	08/27/90	321.77	53.65	269.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/28/90	321.77	53.62	269.15	0.00	NS	NS	NS	NS	NS	NS
MW11	12/27/90	321.77	53.63	269.14	0.00	NS	NS	NS	NS	NS	NS
MW11	03/20/91	321.77	53.26	269.51	0.00	NS	NS	NS	NS	NS	NS
MW11	06/20/91	321.77	53.60	269.17	0.00	NS	NS	NS	NS	NS	NS
MW11	09/12/91	321.77	53.60	269.17	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/91	321.77	53.95	268.82	0.00	NS	NS	NS	NS	NS	NS
MW11	01/30/92	321.77	53.65	269.12	0.00	NS	NS	NS	NS	NS	NS
MW11	03/02/92	321.77	53.68	269.09	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/92	321.77	53.70	269.07	0.00	NS	NS	NS	NS	NS	NS
MW11	04/14/92	321.77	53.66	269.11	0.00	NS	NS	NS	NS	NS	NS
MW11	05/21/92	321.77	53.62	269.15	0.00	NS	NS	NS	NS	NS	NS
MW11	06/08/92	321.77	53.61	269.16	0.00	NS	NS	NS	NS	NS	NS
MW11	07/14/92	321.77	53.53	269.24	0.00	NS	NS	NS	NS	NS	NS
MW11	08/10/92	321.77	53.58	269.19	0.00	NS	NS	NS	NS	NS	NS
MW11	09/16/92	321.77	53.60	269.17	0.00	NS	NS	NS	NS	NS	NS
MW11	10/07/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	11/09/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	12/10/92	321.77	53.59	269.18	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/93	321.77	53.67	269.10	0.00	NS	NS	NS	NS	NS	NS
MW11	02/16/93	321.77	53.60	269.17	0.00	NS	NS	NS	NS	NS	NS
MW11	03/11/93	321.77	53.58	269.19	0.00	NS	NS	NS	NS	NS	NS
MW11	04/12/93	321.77	53.54	269.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	06/01/93	321.77	53.52	269.25	0.00	NS	NS	NS	NS	NS	NS
MW11	07/15/93	321.77	53.60	269.17	0.00	NS	NS	NS	NS	NS	NS



TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW11	08/15/93	321.77	53.55	269.22	0.00	NS	NS	NS	NS	NS	NS
MW11	09/29/93	321.77	53.62	269.15	0.00	NS	NS	NS	NS	NS	NS
MW11	09/30/93	321.77	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW11	10/28/93	321.77	53.63	269.14	0.00	NS	NS	NS	NS	NS	NS
MW11	11/23/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	11/24/93	321.77	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	03/10-11/94	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	05/04-05/94	321.77	53.51	268.26	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/94	321.77	53.46	268.31	0.00	NS	NS	NS	NS	NS	NS
MW11	02/15/95	321.77	50.57	271.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	05/09/95	321.77	45.05	276.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	08/21/95	321.77	41.88	279.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.8
MW11	11/30/95	321.77	40.04	281.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	03/28/96	321.77	36.90	284.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	05/31/96	321.77	35.34	286.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	08/28/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	11/18/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	02/28/97	321.77	34.50	287.27	0.00	NS	NS	NS	NS	NS	NS
MW11	05/23/97	321.77	34.80	286.97	0.00	NS	NS	NS	NS	NS	NS
MW11	09/23/97	321.77	39.18	282.59	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/97	321.77	37.94	283.83	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/98	321.77	32.86	289.65	NM	NS	NS	NS	NS	NS	NS
MW11	06/15/98	321.77	30.49	291.28	0.00	NS	NS	NS	NS	NS	NS
MW11	09/11/98	321.77	35.96	285.81	0.00	NS	NS	NS	NS	NS	NS
MW11	12/09/98	321.77	33.06	288.71	0.00	NS	NS	NS	NS	NS	NS
MW11	03/31/99	321.77	29.31	292.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.79/2.64 <sup>f</sup>
MW11	06/30/99	321.77	35.15	286.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW11	08/03/99	321.77	38.65	283.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/24/99	321.73	43.08	278.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.93 <sup>f</sup>
MW11	12/22/99	321.73	40.94	280.79	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 <sup>f</sup>
MW11	04/04/00	321.73	35.91	285.82	0.00	<1	<1	<1	<1	<50	<1
MW11	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW11	06/28/00	321.73	40.46	281.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW11	09/26/00	321.73	44.45	277.28	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW11	12/28/00	321.73	44.11	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.71 <sup>f</sup>
MW11	03/28/01	321.73	43.60	278.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 <sup>f</sup>
MW11	06/25/01	321.73	46.78	274.95	0.00	3.0	7.3	2.0	11	59	<2.5
MW11	09/26/01	321.73	53.54	268.19	0.00	3.8	3.7	0.65	3.2	<50	<2.5
MW11	12/17/01	321.73	53.56	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	03/18/02	321.73	53.50	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	06/17/02	321.73	53.67	268.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	09/16/02	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/17/02	321.73	53.20	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.70 <sup>f</sup>
MW12	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW12	08/30/00	Well destroyed									
MW12A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW12A	09/26/00	NM	48.26	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW12A	12/28/00	NM	46.45	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 <sup>f</sup>
MW12A	03/28/01	322.53	46.07	276.46	0.00	0.622	0.823	<0.5	0.526	<50	<2.5/<1.0 <sup>f</sup>
MW12A	06/25/01	322.53	50.20	272.33	0.00	<0.5	0.82	<0.5	1.0	<50	<2.5
MW12A	09/26/01	322.53	60.83	261.70	0.00	1.6	2.0	0.5	2.6	<50	<2.5
MW12A	12/17/01	322.62	62.20	260.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW12A	03/18/02	322.62	58.35	264.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/17/02	322.62	58.85	263.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	09/16/02	322.62	71.56	251.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
<b>MW12A</b>	<b>12/17/02</b>	<b>322.62</b>	<b>68.54</b>	<b>254.08</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
MW13	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW13	09/26/00	NM	45.62	NC	0.00	0.504	0.594	<0.5	0.982	<50	1.62 <sup>f</sup>
MW13	12/28/00	NM	45.15	NC	0.00	1.19	1.05	<0.5	1.25	<50	2.17 <sup>f</sup>
MW13	03/28/01	322.62	44.57	278.05	0.00	0.769	1.45	<0.5	0.594	<50	<2.5/<1.0 <sup>f</sup>
MW13	06/25/01	322.62	48.24	274.38	0.00	<0.5	1.1	<0.5	1.1	<50	<2.5
MW13	09/26/01	322.62	56.05	266.57	0.00	1.3	1.7	0.54	3.0	<50	<2.5
MW13	12/17/01	322.71	56.40	266.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW13	03/18/02	322.71	55.20	267.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/17/02	322.71	55.38	267.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/16/02	322.71	59.80	262.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
<b>MW13</b>	<b>12/17/02</b>	<b>322.71</b>	<b>62.05</b>	<b>260.66</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
MW14	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW14	09/26/00	NM	46.90	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
MW14	12/28/00	NM	45.09	NC	0.00	2.04	<0.5	0.740	1.78	<50	<2 <sup>f</sup>
MW14	03/28/01	321.16	44.70	276.46	0.00	0.516	0.978	<0.5	0.919	<50	<2.5/<1.0 <sup>f</sup>
MW14	06/25/01	321.16	56.74	264.42	0.00	<0.5	0.66	<0.5	0.87	<50	<2.5
MW14	09/26/01	321.16	59.43	261.73	0.00	3.4	4.1	1.1	5.3	<50	<2.5
MW14	12/17/01	321.24	60.78	260.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW14	03/18/02	321.24	57.50	263.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/17/02	321.24	57.51	263.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	09/16/02	321.24	70.06	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
<b>MW14</b>	<b>12/17/02</b>	<b>321.24</b>	<b>67.05</b>	<b>254.19</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
OW1	09/24/99	322.45	10.37	312.08	0.00	2.10	1.41	<0.5	7.22	119	7,810 <sup>f</sup>
OW1	12/22/99	322.45	10.93	311.52	0.00	12	<5.0	<5.0	5.2	360	44,000 <sup>f</sup>
OW1	04/04/00	322.45	10.83	311.62	0.00	1	<1	<1	<1	120	5,300/6,800 <sup>f</sup>
OW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW1	06/28/00	322.45	11.91	310.54	0.00	1.20	<1	<1	<1	<100	1,530 <sup>f</sup>
OW1	09/26/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/28/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	03/28/01	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.27/7.97 <sup>f</sup>
OW1	06/25/01	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/26/01	321.44	11.37	310.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	250/220 <sup>f</sup>
OW1	12/17/01	321.44	9.28	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.0 <sup>f</sup>
OW1	03/18/02	321.44	11.05	310.39	0.00	0.70	0.70	<0.5	<0.5	<50	13.7/14.5 <sup>f</sup>
OW1	06/17/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/16/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>OW1</b>	<b>12/17/02</b>	<b>321.44</b>	<b>9.24</b>	<b>312.20</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>4.1/4.80<sup>f</sup></b>
OW2	09/24/99	321.55	9.48	312.07	0.00	31.1	<0.5	<0.5	20.6	275 <sup>B</sup>	177,000 <sup>f</sup>
OW2	12/22/99	321.55	10.13	311.42	0.00	<5.0	<5.0	<5.0	5.2	410	85,000 <sup>f</sup>
OW2	04/04/00	321.55	10.00	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW2	06/28/00	321.55	11.00	310.55	0.00	<50	<50	<50	<50	<5,000	45,400 <sup>f</sup>
OW2	09/26/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,690 <sup>f</sup>
OW2	12/28/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	4,520 <sup>f</sup>
OW2	03/28/01	321.33	6.59	314.74	0.00	3.92	1.16	0.692	2.71	<50	9,130/5,650 <sup>f</sup>
OW2	06/25/01	321.33	11.93	309.40	0.00	<2.0	<2.0	<2.0	3.1	<200	4,000/4,000 <sup>f</sup>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
OW2	09/26/01	321.33	12.01	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	160/130 <sup>f</sup>
OW2	12/17/01	321.55	5.96	315.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,300/630 <sup>f</sup>
OW2	03/18/02	321.55	10.96	310.59	0.00	NS	NS	NS	NS	NS	NS
OW2	03/19/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,290	1,560/1,720 <sup>f</sup>
OW2	06/17/02	321.55	11.78	309.77	0.00	NS	NS	NS	NS	NS	NS
OW2	06/18/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,310	1,910/1,800 <sup>f</sup>
OW2	09/16/02	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>OW2</b>	<b>12/17/02</b>	<b>321.55</b>	<b>6.14</b>	<b>315.41</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>6.3/5.00<sup>f</sup></b>
PMW1	12/22/99	322.75	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW1	04/04/00	322.75	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW1	06/28/00	322.75	13.72	309.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 <sup>f</sup>
PMW1	09/26/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/28/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/01	322.74	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/25/01	322.74	15.09	307.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW1	09/26/01	322.74	15.56	307.18	0.00	NS	NS	NS	NS	NS	NS
PMW1	12/17/01	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/18/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/17/02	322.75	14.91	307.84	0.00	NS	NS	NS	NS	NS	NS
PMW1	09/16/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>PMW1</b>	<b>12/17/02</b>	<b>322.75</b>	<b>DRY</b>	<b>NC</b>	<b>NM</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>
PMW2	12/22/99	322.37	12.85	309.52	0.00	NS	NS	NS	NS	NS	NS
PMW2	04/04/00	322.37	10.65	311.72	0.00	<1	<1	<1	<1	<50	740/720 <sup>f</sup>
PMW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW2	06/28/00	322.37	11.50	310.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,570 <sup>f</sup>
PMW2	09/26/00	322.37	12.36	310.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	157 <sup>f</sup>
PMW2	12/28/00	322.37	11.85	310.52	0.00	<0.5	<0.5	<0.5	<0.5	445	234 <sup>f</sup>
PMW2	03/28/01	322.07	10.68	311.39	0.00	<0.5	0.632	<0.5	1.88	<50	400/284 <sup>f</sup>
PMW2	06/25/01	322.07	12.10	309.97	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.6/5.7 <sup>f</sup>
PMW2	09/26/01	322.07	12.26	309.81	0.00	1.6	2.9	1.0	4.7	<50	59/46 <sup>f</sup>
PMW2	12/17/01	322.37	10.08	312.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	23/10 <sup>f</sup>
PMW2	03/18/02	322.37	11.90	310.47	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/19/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	6.50/1.8 <sup>f</sup>
PMW2	06/17/02	322.37	13.00	309.37	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/18/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	5.6/4.30 <sup>f</sup>
PMW2	09/16/02	322.37	14.73	307.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 <sup>f</sup>
<b>PMW2</b>	<b>12/17/02</b>	<b>322.37</b>	<b>14.14</b>	<b>308.23</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>0.5/&lt;0.5<sup>f</sup></b>
PMW3	12/22/99	321.27	12.61	308.66	0.00	NS	NS	NS	NS	NS	NS
PMW3	04/04/00	321.27	9.78	311.49	0.00	<1	<1	<1	<1	<50	250/310 <sup>f</sup>
PMW3	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW3	06/28/00	321.27	10.52	310.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	31.5 <sup>f</sup>
PMW3	09/26/00	321.27	10.39	310.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.6 <sup>f</sup>
PMW3	12/28/00	321.27	12.20	309.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 <sup>f</sup>
PMW3	03/28/01	321.27	9.37	311.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.08 <sup>f</sup>
PMW3	06/25/01	321.27	12.47	308.80	0.00	2.1	6.8	2.4	11	63	<2.5
PMW3	09/26/01	321.27	9.81	311.46	0.00	2.0	3.7	1.4	5.9	<50	<2.5
PMW3	12/17/01	321.27	7.16	314.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW3	03/18/02	321.27	9.89	311.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.30/0.7 <sup>f</sup>
PMW3	06/17/02	321.27	10.35	310.92	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/18/02	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW3	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>PMW3</b>	<b>12/17/02</b>	<b>321.27</b>	<b>7.76</b>	<b>313.51</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
PMW4	12/22/99	321.37	15.32	306.05	0.00	NS	NS	NS	NS	NS	NS
PMW4	04/04/00	321.37	10.60	310.77	0.00	<1	<1	<1	<1	<50	28/27 <sup>f</sup>
PMW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW4	06/28/00	321.37	14.00	307.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.73 <sup>f</sup>
PMW4	09/26/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/28/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	03/28/01	321.37	14.11	307.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.11 <sup>f</sup>
PMW4	06/25/01	321.37	15.07	306.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	09/26/01	321.37	14.11	307.26	0.00	7.4	13	4.2	18	110	<2.5
PMW4	12/17/01	321.37	11.86	309.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	03/18/02	321.37	14.17	307.20	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/19/02	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/17/02	321.37	15.55	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/15/02	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>PMW4</b>	<b>12/17/02</b>	<b>321.37</b>	<b>15.22</b>	<b>306.15</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>&lt;0.5</b>
PMW5	12/22/99	320.04	13.19	306.85	0.00	1.0	<1.0	<1.0	<1.0	<50	810 <sup>f</sup>
PMW5	04/04/00	320.04	9.61	310.43	0.00	<1	<1	<1	<1	<50	680/890 <sup>f</sup>
PMW5	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW5	06/28/00	320.04	10.10	309.94	0.00	1.79	<0.5	<0.5	<0.5	<50	629 <sup>f</sup>
PMW5	09/26/00	320.04	12.15	307.89	0.00	1.83	<0.5	<0.5	<0.5	<50	743 <sup>f</sup>
PMW5	12/28/00	320.04	12.48	307.56	0.00	1.93	<0.5	<0.5	<0.5	<50	919 <sup>f</sup>
PMW5	03/28/01	320.04	6.90	313.14	0.00	1.38	0.790	<0.5	<0.5	<50	420/304 <sup>f</sup>
PMW5	06/25/01	320.04	11.74	308.30	0.00	1.1	<0.5	<0.5	<0.5	<50	540/560 <sup>f</sup>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW5	09/26/01	320.04	12.30	307.74	0.00	3.8	3.6	1.2	5.9	<50	500/440 <sup>f</sup>
PMW5	12/17/01	320.04	8.89	311.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	230/94 <sup>f</sup>
PMW5	03/18/02	320.04	10.70	309.34	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/19/02	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	179	152/35 <sup>f</sup>
PMW5	06/17/02	320.04	12.82	307.22	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/18/02	320.04	NM	NC	NM	1.1	0.5	<0.5	<0.5	167	260/226 <sup>f</sup>
PMW5	09/16/02	320.04	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>PMW5</b>	<b>12/17/02</b>	<b>320.04</b>	<b>13.05</b>	<b>306.99</b>	<b>0.00</b>	<b>1.2</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>172</b>	<b>228/192<sup>f</sup></b>
PMW6	12/22/99	321.38	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW6	04/04/00	321.38	15.10	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW6	06/28/00	321.38	14.60	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	09/26/00	321.38	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/28/00	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/01	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/25/01	321.38	14.82	306.56	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW6	09/26/01	321.38	15.42	305.96	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/17/01	321.38	15.12	306.26	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/18/02	321.38	15.51	305.87	0.00	NS	NS	NS	NS	NS	NS
PMW6	06/17/02	321.38	15.56	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/16/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>PMW6</b>	<b>12/17/02</b>	<b>321.38</b>	<b>DRY</b>	<b>NC</b>	<b>NM</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>
VR1	03/24/92	NM	NM	NC	NM	1.7	<0.5	<0.5	<0.5	<50	NA
VR1	06/30/99	NM	19.52	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.83/7.31 <sup>1h</sup>
VR1	08/03/99	NM	19.53	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.49 <sup>f</sup>



TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Total Xylenes ( $\mu\text{g/L}$ )	TPH as gasoline ( $\mu\text{g/L}$ )	MTBE ( $\mu\text{g/L}$ )
VR1	09/24/99	321.00	19.73	301.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.94 <sup>f</sup>
VR1	12/22/99	321.00	21.35	299.65	0.00	<1.0	<1.0	<1.0	<1.0	<50	10 <sup>f</sup>
VR1	04/04/00	321.00	19.23	301.77	0.00	<1	<1	<1	<1	<50	4,500/5,500 <sup>f</sup>
VR1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR1	06/28/00	321.00	20.42	300.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,370 <sup>f</sup>
VR1	09/26/00	321.00	21.92	299.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	387 <sup>f</sup>
VR1	12/28/00	321.00	21.85	299.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	200 <sup>f</sup>
VR1	03/28/01	320.90	23.99	296.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	86.6/55.9 <sup>f</sup>
VR1	06/25/01	320.90	23.84	297.06	0.00	NS	NS	NS	NS	NS	NS
VR1	09/26/01	320.90	23.96	296.94	0.00	<0.5	0.53	<0.5	<0.5	<50	140/130 <sup>f</sup>
VR1	12/17/01	321.00	24.12	296.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	100/39 <sup>f</sup>
VR1	03/18/02	321.00	23.07	297.93	0.00	NS	NS	NS	NS	NS	NS
VR1	03/19/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,240	1,340/1,450 <sup>f</sup>
VR1	06/17/02	321.00	24.46	296.54	0.00	NS	NS	NS	NS	NS	NS
VR1	06/18/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	122	188/160 <sup>f</sup>
VR1	09/16/02	321.00	27.07	293.93	0.00	<0.5	<0.5	<0.5	<0.5	135	175 <sup>f</sup>
<b>VR1</b>	<b>12/17/02</b>	<b>321.00</b>	<b>24.25</b>	<b>296.75</b>	<b>0.00</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>3.3/2.50<sup>f</sup></b>
VR2	06/30/99	NM	33.63	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,080/1,160 <sup>f,h</sup>
VR2	08/03/99	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	3,390 <sup>f</sup>
VR2	09/24/99	320.18	41.54	278.64	0.00	2,650	<50	<50	309	5,170	1,030 <sup>f</sup>
VR2	12/22/99	320.18	40.63	279.55	0.00	<1.0	<1.0	<1.0	<1.0	<50	34 <sup>f</sup>
VR2	01/21/00	320.18	39.04	281.14	0.00	<1.0	<1.0	<1.0	<1.0	<50	17 <sup>f</sup>
VR2	04/04/00	320.18	35.63	284.55	0.00	<1	<1	<1	<1	<50	370/400 <sup>f</sup>
VR2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR2	06/28/00	320.18	39.28	280.90	0.00	1.12	<1	<1	<1	<50	268 <sup>f</sup>
VR2	09/26/00	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
VR2	12/28/00	320.18	42.55	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	10.6 <sup>f</sup>
VR2	03/28/01	320.18	42.00	278.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.85/2.98 <sup>f</sup>
VR2	06/25/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/26/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/18/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/16/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
<b>VR2</b>	<b>12/17/02</b>	<b>320.18</b>	<b>DRY</b>	<b>NC</b>	<b>NM</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>
VR3	06/30/99	NM	9.15	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,220/1,380 <sup>fb</sup>
VR3	08/03/99	NM	8.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	16,100 <sup>f</sup>
VR3	09/24/99	318.73	8.97	309.76	0.00	7.20	1.14	<1.0	1.94	122	10,900 <sup>f</sup>
VR3	11/05/99		Well destroyed								
VR4	06/30/99	NM	8.50	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	146
VR4	08/03/99	NM	8.69	NC	0.00	<0.5	<0.5	<0.5	<0.5	71.7 <sup>g</sup>	3.96 <sup>f</sup>
VR4	09/24/99	321.19	9.10	312.09	0.00	0.890	2.22	0.800	3.15	79.6	90.6 <sup>f</sup>
VR4	11/05/99		Well destroyed								

a = Water level recorded during pumping of MW7.

b = Anomalous water level possibly due to recharge from a perched water zone.

c = Casing head cut to lower elevation.

d = Casing head damaged by construction.

e = Results obtained past the technical holding time.

f = Methyl tertiary butyl ether by EPA Method 8260.

g = Unidentified Hydrocarbon C6-C12.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethyl-benzene ( $\mu\text{g/L}$ )	Total Xylenes ( $\mu\text{g/L}$ )	TPH as gasoline ( $\mu\text{g/L}$ )	MTBE ( $\mu\text{g/L}$ )
-----------------	------	----------------------------	-----------------------	------------------------------	----------------------	-----------------------------	-----------------------------	-----------------------------------	-----------------------------------	-------------------------------------	--------------------------

h = Analysis performed outside of EPA recommended hold time.

i = Groundwater level measured is in sump for groundwater extraction pump, near the bottom of the well and below the screened interval, and is not considered representative of groundwater elevation.

D = Duplicate.

R = Rinseate.

Depth to groundwater = Measured from notch/mark on north edge of well casing.

LPH = Liquid-phase hydrocarbons.

TPH = Total Petroleum Hydrocarbons.

MTBE = Methyl tertiary butyl ether.

NA = Not analyzed.

NC = Not calculated.

ND = Not detected at or above the laboratory's reporting limits.

NM = Not measured.

NS = Not sampled.

$\mu\text{g/L}$  = Micrograms per liter.

Note: TPH-g results beginning March 2002 include MTBE.

TABLE 3 GROUNDWATER MONITORING PLAN,  
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency	
		BTEX and TPH-g	MTBE
MW1	Q	Q	Q
MW4	Q	Q	Q
MW5S	Q	Q	Q
MW5D	Q	Q	Q
MW7	Q	Q	Q
MW8	Q	Q	Q
MW9A	Q	Q	Q
MW10	Q	Q	Q
MW11	Q	Q	Q
MW12A	Q	Q	Q
MW13	Q	Q	Q
MW14	Q	Q	Q
OW1	Q	Q	Q
OW2	Q	Q	Q
VR1	Q	Q	Q
VR2	Q	Q	Q
PMW1	Q	Q	Q
PMW2	Q	Q	Q
PMW3	Q	Q	Q
PMW4	Q	Q	Q
PMW5	Q	Q	Q
PMW6	Q	Q	Q

Q = Quarterly.

BTEX = Benzene, toluene, ethylbenzene, total xylenes.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

MTBE = Methyl tertiary butyl ether.

**TABLE 4 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM  
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
03/12/01	0	0%	185	0.0				0.000	0.000	0.000	0.000	0.000	0.000
03/12/01	0.26	100%	2,390	5.8	102.5	< 0.500	66.3	0.002	0.002	0.000	0.000	0.001	0.001
03/15/01	2.80	100%	30,740	7.0				0.024	0.026	0.000	0.000	0.008	0.009
03/23/01	5.44	67%	73,030	5.4				0.036	0.062	0.000	0.000	0.012	0.021
03/30/01	6.94	100%	137,670	6.5				0.055	0.116	0.000	0.001	0.019	0.040
04/06/01	7.03	100%	206,240	6.8	< 100	< 0.500	< 2.5	0.058	0.174	0.000	0.001	0.020	0.060
04/13/01	7.02	100%	276,970	7.0				0.059	0.233	0.000	0.001	0.001	0.061
04/19/01	5.97	100%	335,570	6.8				0.049	0.282	0.000	0.001	0.001	0.062
04/27/01	8.04	100%	415,750	6.9				0.067	0.349	0.000	0.002	0.002	0.064
05/01/01	3.92	100%	NM	NC				0.000	0.349	0.000	0.002	0.002	0.066
05/08/01	7.10	100%	525,007	6.9				0.091	0.440	0.000	0.002	0.002	0.069
05/11/01	2.86	100%	555,840	7.5	< 100	< 0.500	< 2.5	0.026	0.465	0.000	0.002	0.001	0.069
05/18/01	7.08	100%	623,650	6.6				0.057	0.522	0.000	0.003	0.001	0.071
05/25/01	7.02	100%	691,110	6.7				0.056	0.578	0.000	0.003	0.001	0.072
06/01/01	7.06	100%	758,630	6.6				0.056	0.634	0.000	0.003	0.001	0.073
06/05/01	3.96	100%	766,070	1.3	< 100	< 0.50	< 2.5	0.006	0.641	0.000	0.003	0.000	0.074
06/15/01	9.96	100%	859,280	6.5				0.078	0.718	0.000	0.004	0.002	0.076
06/22/01	3.53	50%	924,570	12.8				0.054	0.773	0.000	0.004	0.001	0.077
06/25/01	1.38	50%	924,578	0.0				0.000	0.773	0.000	0.004	0.000	0.077
06/26/01	1.19	100%	934,690	5.9				0.008	0.781	0.000	0.004	0.000	0.077
07/06/01	5.02	50%	992,100	7.9	< 100	< 0.50	< 2.5	0.048	0.829	0.000	0.004	0.001	0.078
07/12/01	6.04	100%	1,040,560	5.6				0.040	0.870	0.000	0.004	0.001	0.079
07/13/01	0.94	100%	1,048,180	5.6				0.006	0.876	0.000	0.004	0.000	0.080
07/20/01	6.99	100%	1,102,500	5.4				0.045	0.921	0.000	0.005	0.001	0.081
07/27/01	6.88	100%	1,150,270	4.8				0.040	0.961	0.000	0.005	0.001	0.082
08/07/01	11.01	100%	1,169,700	1.2				0.016	0.977	0.000	0.005	0.000	0.082
08/10/01	3.13	100%	1,170,090	0.1	< 100	< 0.50	< 2.5	0.000	0.978	0.000	0.005	0.000	0.082
08/16/01	6.07	100%	1,182,500	1.4				0.010	0.988	0.000	0.005	0.002	0.084
08/24/01	7.78	100%	1,183,080	0.1				0.000	0.988	0.000	0.005	0.000	0.084
08/31/01	7.14	100%	1,183,450	0.0				0.000	0.989	0.000	0.005	0.000	0.084
09/07/01	7.11	100%	1,183,920	0.0	< 100	< 0.50	29	0.000	0.989	0.000	0.005	0.000	0.084
09/12/01	4.71	100%	1,184,270	0.1				0.001	0.990	0.000	0.005	0.001	0.085
09/18/01	5.99	100%	1,184,840	0.1				0.001	0.990	0.000	0.005	0.001	0.086
09/25/01	7.23	100%	1,185,000	0.0				0.000	0.991	0.000	0.005	0.000	0.086
10/02/01	7.06	100%	1,186,110	0.1				0.002	0.992	0.000	0.005	0.002	0.088
10/08/01	0.00	0%	1,186,110	0.0				0.000	0.992	0.000	0.005	0.000	0.088
10/23/01	0.00	0%	1,186,110	0.0	260	< 0.50	460	0.000	0.992	0.000	0.005	0.000	0.088
10/30/01	7.23	100%	1,186,120	0.0				0.000	0.992	0.000	0.005	0.000	0.088
11/13/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.000	0.005	0.000	0.089

**TABLE 4 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM  
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
12/11/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.000	0.005	0.000	0.089
12/14/01	3.01	100%	1,188,700	0.6				0.006	0.998	0.000	0.005	0.013	0.102
12/17/01	2.31	100%	NM	NC				NC	0.998	NC	0.005	NC	0.102
12/18/01	0.00	0%	NM	NC				NC	0.998	NC	0.005	NC	0.102
12/21/01	0.00	0%	1,189,280	0.2	< 520	< 0.50	800	0.002	1.000	0.000	0.005	0.003	0.105
12/28/01	3.59	50%	1,191,340	0.4				0.005	1.005	0.000	0.005	0.015	0.120
01/04/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.000	0.005	0.000	0.120
01/07/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.000	0.005	0.000	0.120
01/08/02	0.96	100%	1,191,940	0.4	< 98	0.57	920	0.002	1.007	0.000	0.005	0.004	0.124
01/15/02	3.50	50%	1,194,700	0.5				0.005	1.011	0.000	0.005	0.011	0.135
01/22/02	3.48	50%	1,198,310	0.7				0.006	1.018	0.000	0.005	0.014	0.149
01/25/02	0.00	0%	1,198,310	0.0				0.000	1.018	0.000	0.005	0.000	0.149
01/29/02	4.09	100%	1,198,950	0.1				0.001	1.019	0.000	0.005	0.003	0.152
01/30/02	0.70	100%	NM	NC				NC	1.019	NC	0.005	NC	0.152
02/05/02	6.30	100%	1,199,110	0.02	< 310	< 0.50	38	0.000	1.019	0.000	0.005	0.001	0.153
02/08/02	2.36	100%	NM	NC				NC	1.019	NC	0.005	NC	0.153
02/11/02	3.60	100%	1,199,310	0.0				0.000	1.019	0.000	0.005	0.000	0.153
02/19/02	8.00	100%	1,199,420	0.0				0.000	1.019	0.000	0.005	0.000	0.153
02/26/02	7.03	100%	1,199,590	0.0				0.000	1.020	0.000	0.005	0.000	0.153
03/05/02	6.99	100%	1,199,590	0.0	< 120	< 0.50	14	0.000	1.020	0.000	0.005	0.000	0.153
03/12/02	3.49	50%	1,199,600	0.0				0.000	1.020	0.000	0.005	0.000	0.153
03/19/02	3.51	50%	1,203,100	0.7				0.016	1.036	0.000	0.005	0.000	0.153
03/26/02	6.99	100%	1,207,200	0.4				0.018	1.054	0.000	0.005	0.000	0.154
03/27/02	0.97	100%	1,207,768	0.4				0.003	1.057	0.000	0.005	0.000	0.154
04/04/02	7.82	100%	1,210,690	0.3				0.013	1.070	0.000	0.005	0.000	0.154
04/09/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/16/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/17/02	0.00	0%	1,210,696	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/23/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/14/02	0.00	0%	1,210,840	0.0				0.001	1.070	0.000	0.005	0.000	0.154
05/28/02	0.00	0%	1,210,840	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/29/02	0.00	0%	1,210,850	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/30/02	0.88	100%	1,210,850	0.0				0.000	1.070	0.000	0.005	0.000	0.154
06/05/02	6.13	100%	1,213,350	0.3				0.011	1.082	0.000	0.005	0.000	0.154
06/12/02	7.02	100%	1,213,400	0.0	< 960	< 0.50	9.2	0.000	1.082	0.000	0.005	0.000	0.154
06/18/02	5.98	100%	1,216,120	0.3				0.106	1.188	0.001	0.006	0.295	0.449
06/28/02	10.02	100%	1,217,040	0.1				0.036	1.224	0.000	0.006	0.100	0.549
07/05/02	6.99	100%	1,217,040	0.0				0.000	1.224	0.000	0.006	0.000	0.549
07/08/02	2.43	100%	1,217,040	0.0				0.000	1.224	0.000	0.006	0.000	0.549
07/12/02	4.54	100%	1,217,040	0.0	8,400	< 50.00	26000	0.000	1.224	0.000	0.006	0.000	0.549

**TABLE 4 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM  
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
07/16/02	4.04	100%	1,217,200	0.0				0.006	1.230	0.000	0.006	0.017	0.566
07/23/02	7.05	100%	1,217,200	0.0				0.000	1.230	0.000	0.006	0.000	0.566
08/02/02	9.87	100%	1,217,200	0.0				0.000	1.230	0.000	0.006	0.000	0.566
08/07/02	5.18	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.001	0.567
08/13/02	5.74	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
08/21/02	8.19	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
08/27/02	5.79	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/06/02	10.21	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/10/02	4.00	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/17/02	7.04	100%	1,217,350	0.0				0.005	1.235	0.000	0.006	0.015	0.582
09/24/02	6.98	100%	1,217,350	0.0	NS	NS	NS	0.000	1.235	0.000	0.006	0.000	0.582
10/01/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/08/02	6.69	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/16/02	6.32	79%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/22/02	6.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/29/02	7.16	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
11/05/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
11/08/02	2.19	78%	1,217,650	0.1				0.011	1.246	0.000	0.006	0.033	0.615
11/12/02	4.21	100%	1,218,130	0.1	< 105	< 0.50	< 2.5	0.017	1.263	0.000	0.006	0.052	0.667
11/19/02	6.92	100%	1,220,110	0.2				0.002	1.264	0.000	0.006	0.000	0.667
11/25/02	6.04	100%	1,220,110	0.0				0.000	1.264	0.000	0.006	0.000	0.667
12/05/02	10.06	100%	1,220,110	0.0				0.000	1.264	0.000	0.006	0.000	0.667
12/10/02	4.97	100%	1,220,120	0.0				0.000	1.264	0.000	0.006	0.000	0.667
12/17/02	7.00	100%	1,221,220	0.1				0.001	1.265	0.000	0.006	0.000	0.667
12/24/02	7.01	100%	1,221,640	0.0				0.000	1.266	0.000	0.006	0.000	0.667
<b>Total / Average</b>	<b>484.32</b>	<b>74.26%</b>	<b>1,221,640</b>					<b>1.266</b>	<b>1.266</b>	<b>0.006</b>	<b>0.006</b>	<b>0.667</b>	<b>0.667</b>

Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

\* Est. Pounds Removed = Average influent conc. (µg/L) \* period flow total (gallons) \* 1 lb/454 g \* 1g/1,000,000µg \* 3.785 L/gallon

gpm - Gallons per minute

µg/L - Micrograms per liter

TPH - Total Petroleum Hydrocarbons as gasoline and diesel

NM - Not Measured

MTBE - Methyl Tertiary Butyl Ether

G:\Projects\73399\MasterO&M\73399\_h2o.xls\Report Table

TABLE 5 SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM  
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Sample		Concentration (µg/L)								
Location	Date	TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B	
Influent										
	03/12/01	52.5	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	66.3	65.7	
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA	
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00	
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0	
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	29	52	
	10/23/01	50	< 0.50	< 0.50	< 0.50	< 0.50	210	460	620	
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	800	650	
	01/08/02	< 50	0.57	< 0.50	< 0.50	< 0.50	< 48	920	750	
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	260	38	35	
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	70	14	16	
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA	
	06/12/02	< 50	< 0.50	0.62	< 0.50	< 0.50	910	9.2	10	
	07/12/02	7,900	< 50	78	< 50	< 50	500	26,000	20,000	
	09/24/02	NS	NS	NS	NS	NS	NS	NS	NS	
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	55	< 2.5	3.0	
After First GAC (Intermediate)										
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00	
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA	
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00	
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0	
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	10/23/01	< 50	< 0.50	0.50	2.7	2.9	200	< 2.5	< 2.0	
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50	
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50	
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	290	< 2.5	< 0.50	
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	320	< 2.5	< 0.50	
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA	
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	760	< 2.5	< 0.50	
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	62	< 2.5	< 0.50	
	09/24/02	NS	NS	NS	NS	NS	NS	NS	NS	
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	0.89	
Effluent										
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00	
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA	
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00	
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	60	< 2.5	< 2.0	
	07/06/01	TPH-d result confirmed with spare sample					< 50			
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	10/23/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	700	< 2.5	< 2.0	
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50	
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50	
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	58	< 2.5	< 0.50	



**TABLE 5 SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM  
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample		Concentration (µg/L)							
Location	Date	TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
Effluent	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	400	< 2.5	< 0.50
	05/28/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	1,200	< 2.5	< 0.50
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50
	09/24/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	460	< 2.5	< 0.50
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50

NA - Not Analyzed

µg/L - Micrograms per liter

TPH-g - Total petroleum hydrocarbons as gasoline

TPH-d - Total petroleum hydrocarbons as diesel

MTBE - Methyl tertiary butyl ether

G:\Projects\73399\MasterO&M\3399\_h2o.xls\Analytical

**Appendix A**  
**Field Protocols**

## **PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING**

### **GROUNDWATER GAUGING**

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the water is bailed and, if the well does not recover, the well is considered "dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not purged or sampled.

### **WELL PURGING**

After the wells are gauged, each well is purged of approximately 3 well casing volumes of water to provide representative groundwater samples for analysis. Field parameters of pH, temperature, and electrical conductance are measured during purging to ensure that these parameters have stabilized before groundwater in a well is sampled. Groundwater in each well is purged using an inertial pump (WaTerra), an electric submersible pump, or a bailer. After the well is purged, the water level is checked to ensure that the well has recharged to at least 80 percent of its original water level.

### **GROUNDWATER SAMPLING**

After purging, groundwater in each well is sampled using dedicated tubing and an inertial pump (WaTerra) or a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

**Appendix B**  
**Field Documents**

MONITORING WELL DATA FORM

Client: ExxonMobil

Date: 12/17/02

Project Number: UP3399.1

Station Number: 7-3399

Site Location:  
2991 Hopeyard Rd, Pleasanton, CA

Samplers: BG/JH

NS

NS

NS

NS

NS

US

NS

MONITORING WELL NUMBER	DEPTH TO WATER (TOC)FT.	DEPTH TO PRODUCT (TOC)FT.	APPARENT PRODUCT THICKNESS(FT.)	AMOUNT OF PRODUCT REMOVED(L)	MONITORING WELL INTEGRITY	DEPTH TO BOTTOM (TOC)	WELL CASING DIAMETER
MW1	53.53					55.15	4"
✓ MW4	53.68					56.90	4"
✓ MW5D	61.56					77.45	4"
✓ MW5S	53.67					56.25	4"
✓ MW7	54.17					59.83	6"
✓ MW8	67.76					135.00	4"
MW9A	56.76					56.76	6"
MW10	<del>58.30</del> 58.30					58.42	4"
✓ MW11	53.20					54.39	4"
MW12A	68.54					130.25	2"
MW13	62.05					71.35	2"
MW14	67.05					135.37	2"
✓ OW1	9.24					12.00	4"
✓ OW2	6.14					12.45	4"
✓ VR1	24.25					27.86	4"
VR2	43.38					43.38	2"
PMW1	15.59					15.59	4"
✓ PMW2	14.14					15.39	4"
✓ PMW3	7.76					15.79	4"
✓ PMW4	15.22					15.74	4"
✓ PMW5	13.05					14.52	4"
PMW6	15.66					15.66	4"

## GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399 Well No: MW4 Date: 12/17/02  
 Project No: UP3399.1 Personnel: C. Mitchell

### GAUGING DATA

Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		56.90	53.68	3.22	1	2	3	6	2.06
				0.04	0.16	0.64	1.44		

### PURGING DATA

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
	2							Y
	4							
	6							

Comments/Observations: Dewatered after 2.5 gal Well sampled after rehydrating

### SAMPLING DATA

Time Sampled: 13:40 Approximate Depth to Water During Sampling: 55 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW4	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 5 (gallons) Disposal: SYSTEM

Weather Conditions: OY

Condition of Well Box and Casing at Time of Sampling: OY

Well Head Conditions Requiring Correction: None

Problems Encountered During Purging and Sampling: Dewatered

Comments:

**GROUNDWATER PURGE AND SAMPLE**

Project Name: Exxon 7-3399 Well No: *MW52* Date: *12/1/02*  
 Project No: UP3399.1 Personnel: *[Signature]*

**GAUGING DATA**

Water Level Measuring Method: *W/LM* Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	$77.45 - 61.56 = 15.89 \times$				1	2	4	6	$101.17 = 30.57$
				0.04	0.16	0.64	1.44		

**PURGING DATA**

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	10:36	10:40	10:50			
Volume Purge (gal)	<i>1</i>	<i>22</i>	<i>33</i>			
Temperature (C)	<i>16.4</i>	<i>17.1</i>	<i>17.8</i>			
pH	<i>7.71</i>	<i>7.22</i>	<i>7.13</i>			
Spec. Cond. (umhos)	<i>1591 us</i>	<i>1702 us</i>	<i>1723 us</i>			
Turbidity/Color	<i>clear</i>	<i>clear</i>	<i>clear</i>			
Odor (Y/N)	<i>N</i>	<i>N</i>	<i>N</i>			
Casing Volumes	<i>/</i>	<i>/</i>	<i>/</i>			
Dewatered (Y/N)	<i>N</i>	<i>N</i>	<i>N</i>			

Comments/Observations:

**SAMPLING DATA**

Time Sampled: *10:55* Approximate Depth to Water During Sampling: *62* (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>MW52</i>	6	Voa	HCL	40 ml	<i>/</i>	TPH-g, BTEX, MTBE
					<i>/</i>	
					<i>/</i>	

Total Purge Volume: *35* (gallons) Disposal: SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

Well Head Conditions Requiring Correction:

Problems Encountered During Purging and Sampling:

Comments:





**GROUNDWATER PURGE AND SAMPLE**

Project Name: Exxon 7-3399 Well No: MW6 Date: 12/17/02  
 Project No: UP3399.1 Personnel: C. M. Schell

**GAUGING DATA**

Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		13500	67.76	67.24	1	2	4	6	43.03
				0.04	0.16	0.64	1.44		

**PURGING DATA**

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	13:47	14:33	15:17			
Volume Purge (gal)	43	86	129			
Temperature (C)	16.5°C	16.2°C	15.9°C			
pH	6.84	6.79	6.83			
Spec. Cond. (umhos)	1140µS	1140µS	1142µS			
Turbidity/Color	Clear	Clear	Clear			
Odor (Y/N)	N	N	N			
Casing Volumes	—	—	—			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

**SAMPLING DATA**

Time Sampled: 15:25 Approximate Depth to Water During Sampling: 69 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW6	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 129 (gallons) Disposal: SYSTEM

Weather Conditions: O & C

Condition of Well Box and Casing at Time of Sampling: O & C

Well Head Conditions Requiring Correction: None

Problems Encountered During Purging and Sampling: None

Comments:

**GROUNDWATER PURGE AND SAMPLE**

Project Name: Exxon 7-3399 Well No: *MTU 11* Date: *12/17/02*  
 Project No: UP3399.1 Personnel: *[Signature]*

**GAUGING DATA**

Water Level Measuring Method: *WLM* Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	<i>24.39 - 53.2' = 1.19' x</i>				1	2	4	6	<i>0.75 = 2.28</i>
				0.04	0.16	0.64	1.44		

**PURGING DATA**

Purge Method: *Hand bail* Water Pump Purge Depth: Screen Purge Rate: (gpm)

Time	1	2	3			
Time	<i>14:20</i>	<i>14:23</i>	<i>14:25</i>			
Volume Purge (gal)	<i>1</i>	<i>2</i>	<i>3</i>			
Temperature (C)	<i>17.6</i>	<i>18.0</i>	<i>17.8</i>			
pH	<i>7.01</i>	<i>6.81</i>	<i>6.78</i>			
Spec. Cond. (umhos)	<i>726.1 uS</i>	<i>37.2 uS</i>	<i>621.8 uS</i>			
Turbidity/Color	<i>Silty</i>	<i>Silty</i>	<i>Silty</i>			
Odor (Y/N)	<i>Y</i>	<i>Y</i>	<i>Y</i>			
Casing Volumes	<i>/</i>	<i>/</i>	<i>/</i>			
Dewatered (Y/N)	<i>N</i>	<i>N</i>	<i>N</i>			

Comments/Observations:

**SAMPLING DATA**

Time Sampled: *14:30* Approximate Depth to Water During Sampling: *54* (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>MTU 11</i>	<i>6</i>	<i>Voa</i>	<i>HCL</i>	<i>40 ml</i>	<i>/</i>	<i>TPH-g, BTEX, MTBE</i>
					<i>/</i>	
					<i>/</i>	

Total Purge Volume: *13* (gallons) Disposal: SYSTEM

Weather Conditions: *Rain*

Condition of Well Box and Casing at Time of Sampling: *good*

Well Head Conditions Requiring Correction: *no*

Problems Encountered During Purging and Sampling: *no*

Comments:

**GROUNDWATER PURGE AND SAMPLE**

Project Name: Exxon 7-3399 Well No: MW 12.4 Date: 12-17-02  
 Project No: UP3399.1 Personnel: JH/WN

**GAUGING DATA**  
 Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		130.75	68.54	61.71	1	2	4	6	9.8736
				0.04	0.16	0.64	1.44		

**PURGING DATA**  
 Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	1219	1244	1309			
Volume Purge (gal)	10	20	30			
Temperature (C)	14.0	14.2	13.3			
pH	7.2	7.4	7.4			
Spec. Cond. (umhos)	1110	1170	1160			
Turbidity/Color	N	N	N			
Odor (Y/N)	N	N	N			
Casing Volumes	Clear	Clear	Clear			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

**SAMPLING DATA**  
 Time Sampled: 1315 Approximate Depth to Water During Sampling: (feet)  
 Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
WALKA	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons) Disposal: SYSTEM

Weather Conditions: Sunny/Rain

Condition of Well Box and Casing at Time of Sampling: Good

Well Head Conditions Requiring Correction: None

Problems Encountered During Purging and Sampling: None

Comments: See all points

**GROUNDWATER PURGE AND SAMPLE**

13

Project Name: Exxon 7-3399

Well No: *MMN 13*

Date: 12/7/02

Project No: UP3399.1

Personnel: *nen*

**GAUGING DATA**

Water Level Measuring Method: *wlm*

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	71.35	62.05	9.30	1	2	4	6	149	4.43
				0.04	0.16	0.64	1.44		

**PURGING DATA**

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate:

(gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
11:45	2	19.0	6.96	1885 uS	clear	N	/	N
11:48	4	19.2	6.85	1876 uS	clear	N	/	N
11:50	6	19.1	6.86	1874 uS	clear	N	/	N

Comments/Observations:

**SAMPLING DATA**

Time Sampled: 11:55

Approximate Depth to Water During Sampling:

63

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MMN 13	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: 6 (gallons)

Disposal:

SYSTEM

Weather Conditions:

*Rain*

Condition of Well Box and Casing at Time of Sampling:

*good*

Well Head Conditions Requiring Correction:

*NO*

Problems Encountered During Purging and Sampling:

*X2*

Comments:

**GROUNDWATER PURGE AND SAMPLE**

Project Name: Exxon 7-3399 Well No: *OW1* Date: *12/17/02*  
 Project No: UP3399.1 Personnel: *[Signature]*

**GAUGING DATA**  
 Water Level Measuring Method: *W/LM* Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	<i>12.00 - 9.24 = 2.76</i>			<i>2.76</i>	<i>1</i>	<i>2</i>	<i>4</i>	<i>6</i>	<i>1.77</i>
				0.04	0.16	0.64	1.44		

**PURGING DATA** *Hand bail*

Purge Method: ~~Water Pump~~ Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
<i>15:35</i>	<i>2</i>	<i>16.3</i>	<i>7.08</i>	<i>391.2 uS</i>	<i>Silty</i>	<i>N</i>	<i>/</i>	<i>N</i>
<i>15:37</i>	<i>4</i>	<i>16.5</i>	<i>7.05</i>	<i>409.5 uS</i>	<i>Silty</i>	<i>N</i>	<i>/</i>	<i>N</i>
<i>15:40</i>	<i>6</i>	<i>16.8</i>	<i>7.04</i>	<i>409.8 uS</i>	<i>Silty</i>	<i>N</i>	<i>/</i>	<i>N</i>

Comments/Observations:

**SAMPLING DATA**  
 Time Sampled: *15:45* Approximate Depth to Water During Sampling: *10* (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>OW1</i>	<i>6</i>	<i>Voa</i>	<i>HCL</i>	<i>40 ml</i>	<i>/</i>	<i>TPH-g, BTEX, MTBE</i>
					<i>/</i>	
					<i>/</i>	

Total Purge Volume: *6* (gallons) Disposal: *land* SYSTEM

Weather Conditions: *clear*

Condition of Well Box and Casing at Time of Sampling: *good*

Well Head Conditions Requiring Correction: *no*

Problems Encountered During Purging and Sampling: *no*

Comments:

## GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399 Well No: *OW2* Date: *12/17/02*  
 Project No: UP3399.1 Personnel: *C. M. Fehell*

GAUGING DATA									
Water Level Measuring Method: <i>WLM</i>				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	-	=	X	1	2	4	6	=	
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method:	Waterra Pump		Purge Depth:	Screen	Purge Rate:	(gpm)
Time	<i>- System up on arrival /</i>					
Volume Purge (gal)	<i>Sampled aft System</i>					
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes						
Dewatered (Y/N)						

Comments/Observations:

SAMPLING DATA	
Time Sampled: <i>15:05</i>	Approximate Depth to Water During Sampling: _____ (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>OW2</i>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: \_\_\_\_\_ (gallons) Disposal: SYSTEM

Weather Conditions: \_\_\_\_\_  
 Condition of Well Box and Casing at Time of Sampling: *OK*  
 Well Head Conditions Requiring Correction: *None*  
 Problems Encountered During Purging and Sampling: *None*  
 Comments: \_\_\_\_\_

## GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399 Well No: 1RL Date: 12-17-02  
 Project No: UP3399.1 Personnel: JAL/CM/WN

GAUGING DATA								
Water Level Measuring Method: WLM				Measuring Point Description: TOC				
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter		Total Purge Volume (gal)		
		27.86	24.25	3.61	X 1 0.04	2 0.16	4 0.64	6 1.44

PURGING DATA						
Purge Method:	Waterra Pump	Purge Depth:	Screen	Purge Rate:	(gpm)	
Time						
Volume Purge (gal)	37	6	9			
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes						
Dewatered (Y/N)						

Comments/Observations:  
 Dewatered @ approx 2.5 gallons

SAMPLING DATA		
Time Sampled: 1450	Approximate Depth to Water During Sampling: (feet)	
Comments:		

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
1RL	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons) Disposal: SYSTEM

Weather Conditions: Rain

Condition of Well Box and Casing at Time of Sampling: Good

Well Head Conditions Requiring Correction: Good

Problems Encountered During Purging and Sampling: None

Comments: Was all VOA's

## GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399 Well No: *PMW 2* Date: *12/17/02*  
 Project No: UP3399.1 Personnel: *[Signature]*

**GAUGING DATA**  
 Water Level Measuring Method: *wlm.* Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	$15.39 - 14.14 = 1.25 \times$				1	2	4	6	$0.80 = 2.40$
				0.04	0.16	0.64	1.44		

**PURGING DATA** *Hand bail*

Purge Method: ~~Water Pump~~ Purge Depth: Screen Purge Rate: (gpm)

Time	13:35	13:37	13:40			
Volume Purge (gal)	1	2	3			
Temperature (C)	20.5	19.8	19.3			
pH	7.07	7.05	6.89			
Spec. Cond. (umhos)	988.4 $\mu$ S	985.1 $\mu$ S	983.7 $\mu$ S			
Turbidity/Color	<i>Silty</i>	<i>Silty</i>	<i>Silty</i>			
Odor (Y/N)	Y	Y	Y			
Casing Volumes	/	/	/			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

**SAMPLING DATA**  
 Time Sampled: *13:45* Approximate Depth to Water During Sampling: *15* (feet)  
 Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>PMW 2</i>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: *3* (gallons) Disposal: SYSTEM

Weather Conditions:  
 Condition of Well Box and Casing at Time of Sampling: *[Signature]*  
 Well Head Conditions Requiring Correction: *NO*  
 Problems Encountered During Purging and Sampling: *NO*  
 Comments:



**GROUNDWATER PURGE AND SAMPLE**

Project Name: Exxon 7-3399 Well No: *PMW3* Date: *12/16/02*  
 Project No: UP3399.1 Personnel: *C.M. Fche 11*

**GAUGING DATA**

Water Level Measuring Method: *WLM* Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		<i>15.79</i>	<i>7.76</i>	<i>8.03</i>	<i>1</i>	<i>2</i>	<i>4</i>	<i>6</i>	<i>5.13</i>
				0.04	0.16	0.64	1.44		

**PURGING DATA**

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	<i>14:49</i>					
Volume Purge (gal)	<i>6</i>	<i>12</i>	<i>18</i>			
Temperature (C)	<i>18.400</i>					
pH	<i>6.90</i>					
Spec. Cond. (umhos)	<i>1000us</i>					
Turbidity/Color	<i>Clear</i>					
Odor (Y/N)	<i>N</i>					
Casing Volumes	<i>-</i>	<i>-</i>	<i>-</i>			
Dewatered (Y/N)	<i>N</i>	<i>Y</i>				

Comments/Observations: *Dewatered at 2 gal. Well sampled after recharging*

**SAMPLING DATA**

Time Sampled: *15:00* Approximate Depth to Water During Sampling: *9* (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>PMW3</i>	<i>6</i>	<i>Voa</i>	<i>HCL</i>	<i>40 ml</i>		<i>TPH-g, BTEX, MTBE</i>

Total Purge Volume: *7* (gallons) Disposal: SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

Well Head Conditions Requiring Correction:

Problems Encountered During Purging and Sampling:

Comments:

*OK OK None Dewatered*

**GROUNDWATER PURGE AND SAMPLE**

Project Name: Exxon 7-3399 Well No: *PMMW4* Date: *12/17/02*  
 Project No: UP3399.1 Personnel: *C. Mitchell*

**GAUGING DATA**

Water Level Measuring Method: *WLM* Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		-	=	X	1	2	4	6	=
				0.04	0.16	0.64	1.44		

**PURGING DATA**

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	<i>&lt; 6 vol sampled due to low casing vol.</i>					
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes						
Dewatered (Y/N)						

Comments/Observations:

**SAMPLING DATA**

Time Sampled: *14:10* Approximate Depth to Water During Sampling: \_\_\_\_\_ (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>PMMW4</i>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: \_\_\_\_\_ (gallons) Disposal: SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

Well Head Conditions Requiring Correction:

Problems Encountered During Purging and Sampling:

Comments:

*Rain*  
*OK*  
*None*  
*None*

**GROUNDWATER PURGE AND SAMPLE**

Project Name: Exxon 7-3399 Well No: TMW5 Date: \_\_\_\_\_  
 Project No: UP3399.1 Personnel: \_\_\_\_\_

**GAUGING DATA**

Water Level Measuring Method: \_\_\_\_\_

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	14.52	- 13.05	= 1.47	X 1 2 4 6 0.04 0.16 0.64 1.44	0.9408	= 3.0

**PURGING DATA**

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: \_\_\_\_\_ (gpm)

Time	1414					
Volume Purge (gal)	1	2	3			
Temperature (C)	18.3					
pH	11.00					
Spec. Cond. (umhos)	158					
Turbidity/Color	N					
Odor (Y/N)	N					
Casing Volumes	clear					
Dewatered (Y/N)	N					

Comments/Observations: Dewatered @ 1.5 gpm

**SAMPLING DATA**

Time Sampled: 1410

Approximate Depth to Water During Sampling: \_\_\_\_\_ (feet)

Comments: \_\_\_\_\_

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
15	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 1.5 (gallons)

Disposal: SYSTEM


Weather Conditions: \_\_\_\_\_

Condition of Well Box and Casing at Time of Sampling: \_\_\_\_\_

Well Head Conditions Requiring Correction: \_\_\_\_\_

Problems Encountered During Purging and Sampling: \_\_\_\_\_

Comments: \_\_\_\_\_



**Appendix C**  
**Laboratory Analytical Reports**

# TestAmerica

INCORPORATED

12/28/02

ETIC 3865  
JAKE HENRY  
2285 MORELLO AVENUE  
PLEASANT HILL, CA 94523

This report includes the analytical certificates of analysis for all samples listed below. These samples relate to your project T0600100537 EXXONMOBIL 7-3399. The Laboratory Project number is 313973.

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report.

Page 1

Sample Identification	Lab Number	Collection Date
MW4	02-A208945	12/17/02
MW5S	02-A208946	12/17/02
MW5D	02-A208947	12/17/02
MW8	02-A208948	12/17/02
MW11	02-A208949	12/17/02
MW12A	02-A208950	12/17/02
MW13	02-A208951	12/17/02
MW14	02-A208952	12/17/02
OW1	02-A208953	12/17/02
OW2	02-A208954	12/17/02
VR1	02-A208955	12/17/02
PMW2	02-A208956	12/17/02
PMW3	02-A208957	12/17/02
PMW4	02-A208958	12/17/02
PMW5	02-A208959	12/17/02

RECEIVED  
JAN 03 2003

# Test America

INCORPORATED

Page 2

Sample Identification

Lab Number

Collection Date

These results relate only to the items tested.  
This report shall not be reproduced except in full and with  
permission of the laboratory.

Report Approved By:

Roxanne L. Connor

Report Date: 12/24/02

Paul E. Lane, Jr., Lab Director  
Michael H. Dunn, M.S., Technical Director  
Johnny A. Mitchell, Dir. Technical Serv.  
Eric S. Smith, Assistant Technical Director  
Roxanne L. Connor, Technical Services

Gail A. Lage, Technical Serv.  
Glenn L. Norton, Technical Serv.  
Kelly S. Comstock, Technical Serv.  
Pamela A. Langford, Technical Serv.

Laboratory Certification Number: 01168CA

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208945  
 Sample ID: MW4  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 13:40  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	11:37	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	11:37	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	11:37	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	11:37	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	11:37	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	11:37	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TPT	103.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208946  
 Sample ID: MW5S  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 11:20  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis		Analyst	Method	Batch
					Date	Time			
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	12:08	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	12:08	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	12:08	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	12:08	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	12:08	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	12:08	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TPT	104.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.



## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208947  
 Sample ID: MW5D  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 10:55  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	12:39	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	12:39	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	12:39	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	12:39	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	12:39	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	12:39	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	104.	69. - 132.

**LABORATORY COMMENTS:**

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208948  
 Sample ID: MW8  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 15:25  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	13:10	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	13:10	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	13:10	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	13:10	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	13:10	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	13:10	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	103.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208949  
 Sample ID: MW11  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 14:30  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	13:42	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	13:42	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	13:42	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	13:42	D.Ramey	8021B	44
Methyl-t-butylether	0.7	ug/L	0.5	1.0	12/23/02	13:42	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	13:42	D.Ramey	8015B	44
*VOLATILE ORGANICS*									
Methyl-t-butyl ether	0.70	ug/L	0.50	1.0	12/27/02	15:46	S. Udeze	8260B	5111

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	104.	69. - 132.
VOA Surr 1,2-DCA-d4	78.	73. - 133.
VOA Surr Toluene-d8	99.	80. - 121.
VOA Surr, 4-BFB	79. #	80. - 128.
VOA Surr, DBFM	111.	81. - 121.

Sample report continued . . .

## ANALYTICAL REPORT

Laboratory Number: 02-A208949  
Sample ID: MW11  
Project: T0600100537  
Page 2

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# TestAmerica

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208950  
 Sample ID: MW12A  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 13:15  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report	Dil	Analysis		Analyst	Method	Batch
			Limit		Factor	Date			
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	14:13	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	14:13	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	14:13	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	14:13	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	14:13	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	14:13	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	104.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208951  
 Sample ID: MW13  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 11:55  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report	Dil	Analysis		Analyst	Method	Batch
			Limit		Factor	Date			
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	14:44	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	14:44	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	14:44	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	14:44	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	14:44	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	14:44	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	103.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208952  
 Sample ID: MW14  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 11:15  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	16:18	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	16:18	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	16:18	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	16:18	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	16:18	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	16:18	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	103.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208953  
 Sample ID: OW1  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 15:45  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	16:49	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	16:49	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	16:49	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	16:49	D.Ramey	8021B	44
Methyl-t-butylether	4.1	ug/L	0.5	1.0	12/23/02	16:49	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	16:49	D.Ramey	8015B	44
*VOLATILE ORGANICS*									
Methyl-t-butyl ether	4.80	ug/L	0.50	1.0	12/27/02	11:23	S. Udeze	8260B	5111

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	104.	69. - 132.
VOA Surr 1,2-DCA-d4	78.	73. - 133.
VOA Surr Toluene-d5	101.	80. - 121.
VOA Surr, 4-BFB	80.	80. - 128.
VOA Surr, DBFM	111.	81. - 121.

Sample report continued . . .



## ANALYTICAL REPORT

Laboratory Number: 02-A208953  
Sample ID: OW1  
Project: T0600100537  
Page 2

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208954  
 Sample ID: OW2  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 15:05  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	17:20	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	17:20	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	17:20	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	17:20	D.Ramey	8021B	44
Methyl-t-butylether	6.3	ug/L	0.5	1.0	12/23/02	17:20	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	17:20	D.Ramey	8015B	44
*VOLATILE ORGANICS*									
Methyl-t-butyl ether	5.00	ug/L	0.50	1.0	12/27/02	16:45	S. Udeze	8260B	5111

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	104.	69. - 132.
VOA Surr 1,2-DCA-d4	78.	73. - 133.
VOA Surr Toluene-d8	102.	80. - 121.
VOA Surr, 4-BFB	82.	80. - 128.
VOA Surr, DBFM	111.	81. - 121.

Sample report continued . . .

## ANALYTICAL REPORT

Laboratory Number: 02-A208954  
Sample ID: OW2  
Project: T0600100537  
Page 2

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208955  
 Sample ID: VR1  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 14:50  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	17:51	D. Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	17:51	D. Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	17:51	D. Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	17:51	D. Ramey	8021B	44
Methyl-t-butylether	3.3	ug/L	0.5	1.0	12/23/02	17:51	D. Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	17:51	D. Ramey	8015B	44
*VOLATILE ORGANICS*									
Methyl-t-butyl ether	2.50	ug/L	0.50	1.0	12/27/02	14:48	S. Udeze	8260B	5111

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	104.	69. - 132.
VOA Surr 1,2-DCA-d4	78.	73. - 133.
VOA Surr Toluene-d8	100.	80. - 121.
VOA Surr, 4-BFB	82.	80. - 128.
VOA Surr, DBFM	111.	81. - 121.

Sample report continued . . .

## ANALYTICAL REPORT

Laboratory Number: 02-A208955  
Sample ID: VR1  
Project: T0600100537  
Page 2

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208956  
 Sample ID: PMW2  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 13:45  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	18:23	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	18:23	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	18:23	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	18:23	D.Ramey	8021B	44
Methyl-t-butylether	0.5	ug/L	0.5	1.0	12/23/02	18:23	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	18:23	D.Ramey	8015B	44
*VOLATILE ORGANICS*									
Methyl-t-butyl ether	ND	ug/L	0.50	1.0	12/27/02	15:17	S. Udeze	8260B	5111

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	105.	69. - 132.
VOA Surr 1,2-DCA-G4	78.	73. - 133.
VOA Surr Toluene-g8	95.	80. - 121.
VOA Surr, 4-BFB	80.	80. - 128.
VOA Surr, DBFM	110.	81. - 121.

Sample report continued . . .

## ANALYTICAL REPORT

Laboratory Number: 02-A208956  
Sample ID: PMW2  
Project: T0600100537  
Page 2

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208957  
 Sample ID: PMW3  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 15:00  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	18:54	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	18:54	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	18:54	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	18:54	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	18:54	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	18:54	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TPT	105.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.



## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208958  
 Sample ID: PMW4  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 14:10  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	12/23/02	19:25	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	19:25	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	19:25	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	19:25	D.Ramey	8021B	44
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/23/02	19:25	D.Ramey	8021B	44
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/23/02	19:25	D.Ramey	8015B	44

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	104.	69. - 132.

**LABORATORY COMMENTS:**

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

# Test America

INCORPORATED

## ANALYTICAL REPORT

ETIC 3865  
 JAKE HENRY  
 2285 MORELLO AVENUE  
 PLEASANT HILL, CA 94523

Lab Number: 02-A208959  
 Sample ID: PMW5  
 Sample Type: Water  
 Site ID: 7-3399

Project: T0600100537  
 Project Name: EXXONMOBIL 7-3399  
 Sampler: CHRISTOPHER MITCHELL

Date Collected: 12/17/02  
 Time Collected: 14:20  
 Date Received: 12/19/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	1.2	ug/L	0.5	1.0	12/23/02	19:57	D.Ramey	8021B	44
Ethylbenzene	ND	ug/L	0.5	1.0	12/23/02	19:57	D.Ramey	8021B	44
Toluene	ND	ug/L	0.5	1.0	12/23/02	19:57	D.Ramey	8021B	44
Xylenes (Total)	ND	ug/L	0.5	1.0	12/23/02	19:57	D.Ramey	8021B	44
Methyl-t-butylether	228.	ug/L	2.5	5.0	12/24/02	11:08	D.Ramey	8021B	2952
TPH (Gasoline Range)	172.	ug/L	50.0	1.0	12/23/02	19:57	D.Ramey	8015B	44
*VOLATILE ORGANICS*									
Methyl-t-butyl ether	192.	ug/L	2.50	5.0	12/27/02	16:15	S. Udeze	8260B	5111

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TPT	99.	69. - 132.
VOA Surr 1,2-DCA-d4	77.	73. - 133.
VOA Surr Toluene-d8	101.	80. - 121.
VOA Surr, 4-BFB	81.	80. - 128.
VOA Surr, DBFM	109.	81. - 121.

Sample report continued . . .

## ANALYTICAL REPORT

Laboratory Number: 02-A208959  
Sample ID: PMW5  
Project: T0600100537  
Page 2

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

**PROJECT QUALITY CONTROL DATA**

**Project Number: T0600100537**

**Project Name: EXXONMOBIL 7-3399**

**Page: 1**

**Laboratory Receipt Date: 12/19/02**

Matrix Spike Recovery

Note: If Blank is referenced as the sample spiked, insufficient volume was received for MS/MSD analysis for that method and the method requirements for MS/MSD analysis could not be met.

Analyte	units	Orig. Val.	MS Val	Spike Conc	Recovery	Target Range	Q.C. Batch	Spike Sample
**UST ANALYSIS**								
Benzene	mg/l	< 0.0005	0.0507	0.0500	101	74. - 129.	44	02-A208950
Toluene	mg/l	< 0.0005	0.0344	0.0500	69#	74. - 128.	44	02-A208950
Ethylbenzene	mg/l	< 0.0005	0.0418	0.0500	84	75. - 128.	44	02-A208950
Xylenes (Total)	mg/l	< 0.0005	0.0519	0.100	52#	72. - 126.	44	02-A208950
Methyl-t-butylether	mg/l	< 0.0005	0.0423	0.0500	85	64. - 133.	44	02-A208950
TPH (Gasoline Range)	mg/l	< 0.0500	0.931	1.00	93	59. - 128.	44	02-A208950
BTEX/GRO Surr., a,a,a-TFT	% Recovery				99	69 - 132	44	
VOA Surr 1,2-DCA-d4	% Rec				84	73. - 133.	5111	
VOA Surr Toluene-d8	% Rec				102	80. - 121.	5111	
VOA Surr, 4-BFB	% Rec				77	80. - 128.	5111	
VOA Surr, DBFM	% Rec				118	81. - 121.	5111	

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch
**UST PARAMETERS**						
Benzene	mg/l	0.0507	0.0530	4.44	15.	44
Toluene	mg/l	0.0344	0.0510	38.88#	15.	44
Ethylbenzene	mg/l	0.0418	0.0508	19.44#	15.	44
Xylenes (Total)	mg/l	0.0519	0.102	65.11#	19.	44
Methyl-t-butylether	mg/l	0.0423	0.0435	2.80	23.	44
TPH (Gasoline Range)	mg/l	0.931	0.850	9.10	22.	44
BTEX/GRO Surr., a,a,a-TFT	% Recovery		99.			44

Project QC continued . . .

# TestAmerica

INCORPORATED

## PROJECT QUALITY CONTROL DATA

Project Number: T0600100537

Project Name: EXXONMOBIL 7-3399

Page: 2

Laboratory Receipt Date: 12/19/02

VOA Surr 1,2-DCA-d4	% Rec	80.	5111
VOA Surr Toluene-d8	% Rec	102.	5111
VOA Surr, 4-BFB	% Rec	75.	5111
VOA Surr, DBFM	% Rec	118.	5111

### Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
**UST PARAMETERS**						
Benzene	mg/l	0.100	0.0938	94	74 - 124	44
Toluene	mg/l	0.100	0.0900	90	74 - 121	44
Ethylbenzene	mg/l	0.100	0.0891	89	75 - 123	44
Xylenes (Total)	mg/l	0.200	0.179	90	72 - 120	44
Methyl-t-butylether	mg/l	0.100	0.0842	84	64 - 128	44
Methyl-t-butylether	mg/l	0.100	0.0940	94	64 - 128	2952
TPH (Gasoline Range)	mg/l	1.00	0.931	93	61 - 139	44
BTEX/GRO Surr., a,a,a-TFT	% Recovery			98	69 - 132	44
BTEX/GRO Surr., a,a,a-TFT	% Recovery			102	69 - 132	2952

### Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
**VOA PARAMETERS**						
Methyl-t-butyl ether	mg/l	0.0500	0.0472	94	66 - 137	5111
Methyl-t-butyl ether	mg/l	0.0500	0.0456	91	66 - 137	5111
VOA Surr 1,2-DCA-d4	% Rec			76	73 - 133	5111
VOA Surr 1,2-DCA-d4	% Rec			76	73 - 133	5111
VOA Surr Toluene-d8	% Rec			102	80 - 121	5111
VOA Surr Toluene-d8	% Rec			102	80 - 121	5111
VOA Surr, 4-BFB	% Rec			76	80 - 128	5111
VOA Surr, 4-BFB	% Rec			75	80 - 128	5111
VOA Surr, DBFM	% Rec			117	81 - 121	5111

Project QC continued . . .

**PROJECT QUALITY CONTROL DATA**

Project Number: T0600100537

Project Name: EXXONMOBIL 7-3399

Page: 3

Laboratory Receipt Date: 12/19/02

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
VOA Surr, DBFM	% Rec			111	81 - 121	5111

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed
<b>**UST PARAMETERS**</b>					
Benzene	< 0.0005	mg/l	44	12/23/02	11:06
Toluene	< 0.0005	mg/l	44	12/23/02	11:06
Ethylbenzene	< 0.0005	mg/l	44	12/23/02	11:06
Xylenes (Total)	< 0.0005	mg/l	44	12/23/02	11:06
Methyl-t-butylether	< 0.0005	mg/l	44	12/23/02	11:06
Methyl-t-butylether	< 0.0005	mg/l	2952	12/24/02	3:21
TPH (Gasoline Range)	< 0.0500	mg/l	44	12/23/02	11:06

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed
<b>**UST PARAMETERS**</b>					
BTEX/GRO Surr., a,a,a-TFT	104.	% Recovery	44	12/23/02	11:06
BTEX/GRO Surr., a,a,a-TFT	96.	% Recovery	2952	12/24/02	3:21

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed
<b>**VOA PARAMETERS**</b>					

Project QC continued . . .

**PROJECT QUALITY CONTROL DATA**

Project Number: T0600100537

Project Name: EXXONMOBIL 7-3399

Page: 4

Laboratory Receipt Date: 12/19/02

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Analysis Date	Analysis Time
Methyl-t-butyl ether	< 0.00014	mg/l	5111	12/27/02	2:10
Methyl-t-butyl ether	< 0.00014	mg/l	5111	12/27/02	14:19
VOA Surr 1,2-DCA-d4	76.	# Rec	5111	12/27/02	2:10
VOA Surr 1,2-DCA-d4	77.	# Rec	5111	12/27/02	14:19
VOA Surr Toluene-d8	103.	# Rec	5111	12/27/02	2:10
VOA Surr Toluene-d8	102.	# Rec	5111	12/27/02	14:19
VOA Surr, 4-BFB	81.	# Rec	5111	12/27/02	2:10
VOA Surr, 4-BFB	80.	# Rec	5111	12/27/02	14:19
VOA Surr, DBFM	108.	# Rec	5111	12/27/02	2:10
VOA Surr, DBFM	109.	# Rec	5111	12/27/02	14:19

# = Value outside Laboratory historical or method prescribed QC limits.

End of Report for Project 313973









# TESTAMERICA, INC. - NASHVILLE

## COOLER RECEIPT FORM

Client: ETIC Eng. BC# 313973

Cooler Received On: 12/19/02 And Opened On: 12/19/02 By: James Jacobs

(Signature) *J Jacobs*

1. Temperature of Cooler when opened 2 Degrees Celsius
2. Were custody seals on outside of cooler?.....YES...NO...NA  
a. If yes, how many, what kind and where: 1 Tape Front
3. Were custody seals on containers and intact?.....NO...YES...NA
4. Were the seals intact, signed, and dated correctly?.....YES...NO...NA
5. Were custody papers inside cooler?.....YES...NO...NA
6. Were custody papers properly filled out (ink, signed, etc)?.....YES...NO...NA
7. Did you sign the custody papers in the appropriate place?.....YES...NO...NA
8. What kind of packing material used? Bubblewrap Peanuts Vermiculite Other None
9. Was sufficient ice used (if appropriate)?.....YES...NO...NA
10. Did all bottles arrive in good condition (unbroken)?.....YES...NO...NA
11. Were all bottle labels complete (#, date, signed, pres, etc)?.....YES...NO...NA
12. Did all bottle labels and tags agree with custody papers?.....YES...NO...NA
13. Were correct bottles used for the analysis requested?.....YES...NO...NA
14. a. Were VOA vials received?.....YES...NO...NA  
b. Was there any observable head space present in any VOA vial?.....NO...YES...NA
15. Was sufficient amount of sample sent in each bottle?.....YES...NO...NA
16. Were correct preservatives used?.....YES...NO...NA  
If not, record standard ID of preservative used here \_\_\_\_\_
17. Was residual chlorine present?.....NO...YES...NA
18. Corrective action taken, if necessary:  
See attached for resolution