

ExxonMobil Refining & Supply Company
Global Remediation

Jennifer C. Sedlachek
Project Manager

4096 Piedmont Avenue #194
Oakland, CA 94611
510 547 8196
510 547 8706 FAX
jennifer.c.sedlachek@exxonmobil.com

ExxonMobil
Refining & Supply

May 16, 2006

RECEIVED
By loprojectop at 8:53 am, May 18, 2006

Mr. Jerry T. Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, CA 94501-6577

Subject: Former Exxon RAS #7-3399, 2991 Hopyard Road, Pleasanton, California,
ACHCSA File No. RO-362


Dear Mr. Wickham:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, First Quarter 2006* for the above-referenced site. The report was prepared by ETIC Engineering, Inc. of Pleasant Hill, California, and summarizes the results of the March 2006 sampling event.

Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached report is true and correct.

If you have any questions or comments, please contact me at 510.547.8196.


Sincerely,



For
Jennifer C. Sedlachek
Project Manager

Attachment: ETIC Groundwater Monitoring Report dated May 2006

- c: w/ attachment:
Ms. Cherie McMaulou - California Regional Water Quality Control Board, San Francisco Bay Region
Mr. Matthew Katen - Zone 7 Water Agency
Mr. Stephen Cusenza - City of Pleasanton Public Works Department
Mr. Thomas Elson - Luhdorff and Scalmanini Consulting Engineers
Mr. Robert Ehlers - Valero Energy Corporation
- c: w/o attachment:
Ms. Christa Marting - ETIC Engineering, Inc



RECEIVED
By loprojectop at 8:53 am, May 18, 2006

Report of Groundwater Monitoring First Quarter 2006

**Former Exxon Retail Site 7-3399
2991 Hopyard Road
Pleasanton, California**
ACHCSA File No. RO-362

Prepared for

ExxonMobil Oil Corporation
4096 Piedmont Avenue #194
Oakland, California 94611

Prepared by

ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

5/12/06


Bryan Campbell, P.G. #7724
Project Manager

Date

K. Erik Appel, P.G. #8092
Senior Project Geologist

5/12/06

Date



May 2006

SITE CONTACTS

Site Name: Former Exxon Retail Site 7-3399

Site Address: 2991 Hopyard Road
Pleasanton, California

ExxonMobil Project Manager: Jennifer C. Sedlachek
ExxonMobil Refining and Supply Company
4096 Piedmont Avenue #194
Oakland, California 94611
(510) 547-8196

Consultant to ExxonMobil: ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

ETIC Project Manager: Bryan Campbell

Regulatory Oversight: Jerry T. Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, California 94501-6577
(510) 567-6700

Cherie McMaoulou
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612
(510) 622-2342

Matthew Katen
Zone 7 Water Agency
100 North Canyons Parkway
Livermore, California 94551
(925) 454-5000

INTRODUCTION

At the request of ExxonMobil Oil Corporation, ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for former Exxon Retail Site 7-3399. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 21 December 2005, the date of the last monitoring event, until 21 and 22 March 2006, the dates of the recent monitoring event. The report also presents results for remediation system monitoring. Groundwater monitoring results, well construction details, a groundwater monitoring plan, and system monitoring results are summarized in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

GENERAL SITE INFORMATION

Site name:	Former Exxon Retail Site 7-3399
Site address:	2991 Hopyard Road, Pleasanton, California
Current property owner:	Kirk D. Morrison Trust
Current site use:	Active Valero-branded station and auto repair facility operated by Steve Asmann Incorporated; fuel system owned and maintained by Valero Energy Corporation
Current phase of project:	Groundwater monitoring
Tanks at site:	Three underground storage tanks (three grades of gasoline)
Number of wells:	22 (16 onsite, 6 offsite)

GROUNDWATER MONITORING SUMMARY

Gauging and sampling date:	21 and 22 March 2006
Wells gauged and sampled:	MW1, MW4, MW5D, MW5S, MW7, MW8, MW9A, MW10, MW11, MW12A, MW13, MW14, OW1, OW2, PMW1-PMW6, VR1, VR2
Wells gauged only:	None
Groundwater flow direction (Zone 1):	Not calculated
Groundwater gradient (Zone 1):	Not calculated
Groundwater flow direction (Zone 3):	Northwest
Groundwater gradient (Zone 3):	0.008
Remediation system status during groundwater monitoring event:	Groundwater extraction system not operating
Well screens submerged:	MW1, MW4, MW5D, MW5S, MW8, MW9A, MW10, MW11, MW12A, MW13, MW14
Well screens not submerged:	MW7, OW1, OW2, PMW1-PMW6, VR1, VR2
Liquid-phase hydrocarbons:	Not observed or detected
Laboratory:	Sequoia Analytical/TestAmerica, Inc., Morgan Hill, California Calscience Environmental Laboratories, Garden Grove, California

Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8260B
- Ethanol by EPA Method 8260B (selected samples)
- Ethyl-t-butyl ether, tert-amyl methyl ether, tertiary butyl alcohol, 1,2-dibromoethane, 1,2-dichloroethane, and diisopropyl ether by EPA Method 8260B

Additional comments:

The groundwater flow direction and gradient are analyzed for Zone 3.

REMEDIATION SYSTEM SUMMARY

Groundwater Extraction System

System description:

The groundwater extraction system (GES) is capable of extracting groundwater from 4 wells: MW9A, OW1, OW2, and VR1. When the system is operated, groundwater is pumped, using electric submersible pumps for wells MW9A and VR1, and using pneumatic pumps for wells OW1 and OW2, through particulate filters, and through two 1,000-pound activated carbon vessels in series. The treated water is discharged to the sanitary sewer under a discharge permit issued by the Dublin San Ramon Services District.

System startup date:	12 March 2001
Active extraction wells:	None
Inactive extraction wells/reason:	MW9A, OW1, OW2, and VR1

Modifications made during reporting period/reasons for modifications:

No modifications were made during the reporting period.

Status of system operation during reporting period/reasons for downtime:

The GES was shut down on 27 October 2004 to monitor groundwater under non-pumping conditions.

System performance data totals (totals since system startup):

Groundwater extracted:	1,240,120 gallons
Pounds of TPH removed:	1.403 (calculated as the sum of TPH-g and TPH-d)
Pounds of benzene removed:	0.0078
Pounds of MTBE removed:	0.782

GES proposed work:

The GES will remain shut down to monitor groundwater under non-pumping conditions.

ADDITIONAL ACTIVITIES PERFORMED AT SITE

No additional activities were performed at the site.



WORK PROPOSED FOR NEXT QUARTER

Groundwater will be monitored in accordance with the attached groundwater monitoring plan. The GES will remain shut down to monitor groundwater under non-pumping conditions.

Attachments:

Figure 1:	Site Plan Showing Groundwater Elevations, Analytical Results, and Rose Diagrams
Figure 2:	Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction
Figure 3:	Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction
Figure 4:	Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction
Table 1:	Well Construction Details
Table 2:	Groundwater Monitoring Data
Table 3:	Groundwater Analytical Results for Oxygenates and Additives
Table 4:	Groundwater Monitoring Plan
Table 5:	Operation and Performance Data - Groundwater Extraction System
Table 6:	Summary of Analytical Results - Groundwater Extraction System
Table 7A:	Rose Diagram Data: Perched Zone
Table 7B:	Rose Diagram Data: Zone 1
Table 7C:	Rose Diagram Data: Zone 3
Appendix A:	Field Protocols
Appendix B:	Field Documents
Appendix C:	Laboratory Analytical Reports

Figures




SITE PLAN SHOWING GROUNDWATER ELEVATIONS, ANALYTICAL RESULTS, AND ROSE DIAGRAMS
 FORMER EXXON RS 7-3399
 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA
 21 AND 22 MARCH 2006

FIGURE: **1**

FILENAME: I22005.DWG 04/20/2006




**Figure 2: Influent TPH Concentrations and Estimated Mass of TPH
Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA**




Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

**Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene
Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA**



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

**Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE
Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA**



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

Tables

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number		Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
MW1	d	04/01/88	320.52	--	57	57	--	4	32-57	0.020	30-57	--	Zone 1
MW2	a	04/02/88		--	57	57	--	4	37-57	0.020	34-57	--	--
MW3	a	04/04/88		--	60	56	--	4	36-56	0.020	35-60	--	--
MW4	d	04/06/88	321.56	--	60	57	--	4	37-57	0.020	36-60	--	Zone 1
MW5D	d	05/10/88	321.79	--	82.0	77.5	--	4	67.5-77.5	0.020	64-77.5	--	Zone 2
MW5S	d	05/11/88	320.52	--	58	55	--	4	40-55	0.020	37.5-58	--	Zone 1
MW6	a	05/11/88		--	59	55	--	4	40-55	0.020	36-59	--	--
MW7	d	07/12/88	321.27	--	56.5 f	53	--	5	28-53	0.020	25-56.5	--	Zone 1
MW8	d	09/30/89	321.86	PVC	140	133	14	4	118-133	0.020	114-133	--	Zone 3
MW9	a	10/04/89		PVC	57.5	54.5	10	4	34.5-54.5	0.020	34-54.5	--	--
MW9A	d	11/03/00	321.27	PVC	59	58	12.25	6	35-55 55-58 c	0.020	33-58	#3 Sand	Zone 1
MW10	d	10/06/89	322.99	PVC	60.5	60	10	4	40-60	0.020	38-60	--	Zone 1
MW11	d	11/02/89	321.73	PVC	55.5	55	10	4	35-55	0.020	33-55	--	Zone 1
MW12	a	08/17/00		PVC	132	131.5	8.33	2	114.5-131.5	0.020	112.5-132	#3 Sand	--
MW12A	d	08/30/00	322.62	PVC	136	130.5	8.33	2	115.5-130.5	0.020	113.5-130.5	#3 Sand	Zone 3
MW13	d, b	08/23/00	322.71	PVC and Steel	73	72	8.33	2	61.5-72	0.020	57.5-73	#3 Sand	Zone 2

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone	
MW14	d	08/29/00	321.24	PVC	143	136	8.33	2	121.5-136.5	0.020	119.5-143	#3 Sand	Zone 3
OW1		tank backfill well	321.44	--	--	--	--	4	e	--	--	--	Perched Zone
OW2	d	tank backfill well	321.55	--	--	--	--	4	e	--	--	--	Perched Zone
PMW1	d	12/16/99	322.75	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW2	d	12/16/99	322.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW3	d	12/16/99	321.27	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW4	d	12/16/99	321.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW5	d	12/16/99	320.04	PVC	35.5	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW6	d	12/17/99	321.38	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
VR1	d	10/24/88	321.00	PVC	30	30	10	4	10-30	0.020	10-30	--	--
VR2		11/20/89	320.18	PVC	45.5	45	8	2	35-45	0.020	33-45.5	--	--
VR3	a	11/20/89		PVC	35.5	35	8	2	5-35	0.020	4-35.5	--	--
VR4	a	11/24/89		PVC	35.5	32.5	8	2	12.5-32.5	0.020	4-35.5	--	--

a Well destroyed.

b PVC screen from 61.5-72, stainless steel blank from 11.5-61.5, PVC blank from surface to 11.5.

c Depth of PVC sump at base of well.

d Well surveyed in October 2001. Elevation is based on City of Pleasanton Benchmark #C-972. Brass disc in concrete abutment, 15 feet north of the southeast corner of the south bound bridge over Mocho Canal. Elevation = 330.55 feet.

e Well screen is visible near surface and is assumed to extend to near total depth.

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
-------------	------------------------	----------------------	-----------------	--------------------	-------------------	----------------------------	--------------------------	--------------------------	--------------------	-----------------------------	----------------------	--------------------

f The total depth measured in well MW7 does not match the well completion log. On 16 September 2002, the total depth was measured as 59.83 feet below top of casing.

NM Not measured.

PVC Polyvinyl chloride.

TOC Top of casing.

-- Information not available.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	04/02/88	321.44	NM	NC	NM	<0.5	1.7	<0.5	<0.5	<20	NA
MW1	04/06/88	321.44	36.34	285.10	0.00	NS	NS	NS	NS	NS	NS
MW1	04/08/88	321.44	36.29	285.15	0.00	NS	NS	NS	NS	NS	NS
MW1	04/19/88	321.44	36.36	285.08	0.00	NS	NS	NS	NS	NS	NS
MW1	06/06/88	321.44	38.16	283.28	0.00	NS	NS	NS	NS	NS	NS
MW1	06/23/88	321.44	38.71	282.73	0.00	NS	NS	NS	NS	NS	NS
MW1	06/28/88	321.44	39.16	282.28	0.00	NS	NS	NS	NS	NS	NS
MW1	07/06/88	321.44	39.73	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/13/88	321.44	40.22	281.22	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/12/88	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/26/88	321.44	41.90	279.54	0.00	NS	NS	NS	NS	NS	NS
MW1	09/07/88	321.44	42.27	279.17	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	12/07/88	321.44	43.94	277.50	0.00	NS	NS	NS	NS	NS	NS
MW1	12/19/88	321.44	43.70	277.74	0.00	NS	NS	NS	NS	NS	NS
MW1	02/09/89	321.44	42.53	278.91	0.00	NS	NS	NS	NS	NS	NS
MW1	03/03/89	321.44	NM	NC	NM	1.6	<0.5	<0.5	<0.5	<20	NA
MW1	03/08/89	321.44	41.96	279.48	0.00	NS	NS	NS	NS	NS	NS
MW1	04/03/89	321.44	41.59	279.85	0.00	NS	NS	NS	NS	NS	NS
MW1	04/26/89	321.44	41.67	279.77	0.00	NS	NS	NS	NS	NS	NS
MW1	06/30/89	321.44	43.79	277.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/17/89	321.44	44.74	276.70	0.00	<0.5	<0.5	<0.5	<0.5	23	NA
MW1	07/18/89	321.44	44.76	276.68	0.00	NS	NS	NS	NS	NS	NS
MW1	07/19/89	321.44	44.82	276.62	0.00	NS	NS	NS	NS	NS	NS
MW1	07/20/89	321.44	44.85	276.59	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/21/89	321.44	44.95	276.49	0.00	NS	NS	NS	NS	NS	NS
MW1	07/26/89	321.44	45.42	276.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/02/89	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/03/89	321.44	46.18	275.26	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	08/17/89	321.44	47.12	274.32	0.00	NS	NS	NS	NS	NS	NS
MW1	09/13/89	321.44	49.08	272.36	0.00	39	0.6	<0.5	5.1	220	NA
MW1	11/28/89	321.44	50.21	271.23	0.00	NS	NS	NS	NS	NS	NS
MW1	12/20/89	321.44	NM	NC	NM	56	0.72	<0.5	0.71	220	NA
MW1	01/09/90	321.44	49.31	272.13	0.00	NS	NS	NS	NS	NS	NS
MW1	01/25/90	321.44	NM	NC	NM	18	1.6	<0.5	1.8	57	NA
MW1	01/26/90	321.44	49.29	272.15	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02 ^a	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/27/90	321.44	NM	NC	NM	3.2	2.3	<0.5	3.2	55	NA
MW1	03/26/90	321.44	48.71 ^a	272.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	03/26/90	321.44	48.70	272.74	0.00	NS	NS	NS	NS	NS	NS
MW1	04/18/90	321.44	48.79	272.65	0.00	1.1	1.6	<0.5	3.1	25	NA
MW1	05/17/90	321.44	49.40	272.04	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	06/11/90	321.44	50.83	270.61	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/30/90	321.44	52.17	269.27	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/27/90	321.44	53.44	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	09/28/90	321.44	53.40	268.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/20/91	321.44	53.35	268.09	0.00	NS	NS	NS	NS	NS	NS
MW1	06/20/91	321.44	53.55	267.89	0.00	NS	NS	NS	NS	NS	NS
MW1	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	10/07/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW1	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/26/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/11/93	321.44	53.09	268.35	0.00	NS	NS	NS	NS	NS	NS
MW1	04/12/93	321.44	53.32	268.12	0.00	NS	NS	NS	NS	NS	NS
MW1	06/01/93	321.44	53.40	268.04	0.00	NS	NS	NS	NS	NS	NS
MW1	07/15/93	321.44	59.80	261.64	0.00	NS	NS	NS	NS	NS	NS
MW1	08/15/93	321.44	53.45	267.99	0.00	NS	NS	NS	NS	NS	NS
MW1	09/29/93	321.44	53.43	268.01	0.00	NS	NS	NS	NS	NS	NS
MW1	09/30/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	10/28/93	321.44	53.38	268.06	0.00	NS	NS	NS	NS	NS	NS
MW1	11/23/93	321.44	53.46	267.98	0.00	NS	NS	NS	NS	NS	NS
MW1	11/24/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/10-11/94	321.44	53.46	267.98	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/04-05/94	321.44	53.34	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	09/01/94 ^c	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	11/16/94	321.44	52.09	269.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	02/15/95	321.44	49.41	272.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/09/95	321.44	39.97	281.47	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	08/21/95	321.44	40.68	280.76	0.00	<0.5	0.83	<0.5	<0.5	<50	<2.5
MW1	11/30/95	321.44	38.99	282.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	03/28/96	321.44	35.70	285.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	05/31/96	321.44	34.17	287.27	0.00	<0.5	<0.5	<0.5	<0.5	52	<5.0
MW1	08/28/96	321.44	38.37	283.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	11/18/96	321.44	38.40	283.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	02/28/97	321.44	33.29	288.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	05/23/97	321.44	33.63	287.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/23/97	321.44	38.05	283.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	29
MW1	12/30/97	321.44	36.74	284.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/24/98	321.44	31.65	289.79	0.00	1.4	2.5	<0.5	1.4	<50	16
MW1	06/15/98	321.44	29.28	292.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	22
MW1	09/11/98	321.44	34.94	286.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	12/09/98	321.44	31.14	290.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW1	03/31/99	321.44	28.10	293.34	0.00	<0.5	<0.5	<0.5	<0.5	<50	124/131f
MW1	06/30/99	321.44	33.94	287.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	08/03/99	321.44	37.94	283.50	0.00	NS	NS	NS	NS	NS	NS
MW1	09/24/99	320.52	44.92	275.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	12/22/99	320.52	9.93	310.59	0.00	1.9	1.4	1.5	7.3	<50	990f
MW1	01/21/00	320.52	39.35	281.17	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW1	04/04/00	320.52	34.70	285.82	0.00	<1	<1	<1	<1	<50	<1
MW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW1	06/28/00	320.52	39.72	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW1	09/26/00	320.52	43.26	277.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW1	12/28/00	320.52	42.90	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW1	03/28/01	320.52	42.36	278.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW1	06/25/01	320.52	45.51	275.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/26/01	320.52	53.21	267.31	0.00	3.0	4.4	1.2	5.2	<50	<2.5
MW1	12/17/01	320.52	53.21	267.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	03/18/02	320.52	52.31	268.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	06/17/02	320.52	52.67	267.85	0.00	NS	NS	NS	NS	NS	NS
MW1	06/18/02	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/16/02	320.52	53.46	267.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	12/17/02	320.52	53.53	266.99	0.00	NS	NS	NS	NS	NS	NS
MW1	03/28/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/16/03	320.52	53.23	267.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/22/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/22/03	320.52	53.52	267.00	0.00	NS	NS	NS	NS	NS	NS
MW1	03/23/04	320.52	53.45	267.07	0.00	NS	NS	NS	NS	NS	NS
MW1	06/21/04	320.52	53.47	267.05	0.00	NS	NS	NS	NS	NS	NS
MW1	06/22/04	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	09/20/04	320.52	53.63	266.89	0.00	NS	NS	NS	NS	NS	NS
MW1	09/21/04	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	12/20/04	320.52	53.62	266.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	03/28/05	320.52	50.48	270.04	0.00	NS	NS	NS	NS	NS	NS
MW1	03/29/05	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	1.70f
MW1	06/20/05	320.52	43.40	277.12	0.00	NS	NS	NS	NS	NS	NS
MW1	06/21/05	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	09/25/05	320.52	43.88	276.64	0.00	<0.5	<0.5	1.37	8.07	<50	<0.5f
MW1	12/21/05	320.52	38.80	281.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	03/21/06	320.52	28.70	291.82	0.00	NS	NS	NS	NS	NS	NS
MW1	03/22/06	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW2	04/02/88	NM	NM	NC	0.25	NS	NS	NS	NS	NS	NS
MW2	04/04/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/05/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/06/88	NM	39.31	NC	3.2	NS	NS	NS	NS	NS	NS
MW2	04/08/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW2	04/19/88	NM	38.90	NC	2.48	NS	NS	NS	NS	NS	NS
MW2	06/06/88	NM	38.78	NC	0.26	NS	NS	NS	NS	NS	NS
MW2	06/23/88	NM	39.23	NC	0.13	NS	NS	NS	NS	NS	NS
MW2	06/28/88	NM	39.72	NC	NM	NS	NS	NS	NS	NS	NS
MW2	07/06/88	NM	40.31	NC	Slight sheen	25,700	18,500	2,900	21,400	62,000	NA
MW2	07/12/88		Well destroyed								
MW3	04/06/88	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW3	04/08/88	NM	37.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	04/19/88	NM	37.22	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/06/88	NM	39.02	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/23/88	NM	39.58	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/28/88	NM	40.04	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	07/06/88	NM	40.60	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	07/13/88	NM	41.09	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/12/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW3	08/26/88	NM	42.77	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/29/88		Well destroyed								
MW4	04/08/88	321.56	36.41	285.15	0.00	NS	NS	NS	NS	NS	NS
MW4	04/11/88	321.56	NM	NC	NM	1.8	16.3	0.6	7.1	80	NA
MW4	04/19/88	321.56	36.51	285.05	0.00	NS	NS	NS	NS	NS	NS
MW4	06/06/88	321.56	38.26	283.30	0.00	NS	NS	NS	NS	NS	NS
MW4	06/23/88	321.56	38.83	282.73	0.00	NS	NS	NS	NS	NS	NS
MW4	06/28/88	321.56	39.28	282.28	0.00	NS	NS	NS	NS	NS	NS
MW4	07/06/88	321.56	39.85	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	07/13/88	321.56	40.31	281.25	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW4	08/12/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	08/26/88	321.56	42.01	279.55	0.00	NS	NS	NS	NS	NS	NS
MW4	09/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/19/88	321.56	43.83	277.73	0.00	NS	NS	NS	NS	NS	NS
MW4	02/09/89	321.56	42.67	278.89	0.00	NS	NS	NS	NS	NS	NS
MW4	03/08/89	321.56	42.11	279.45	0.00	3.8	1.0	<0.5	<0.5	440	NA
MW4	04/03/89	321.56	41.73	279.83	0.00	NS	NS	NS	NS	NS	NS
MW4	04/26/89	321.56	41.79	279.77	0.00	NS	NS	NS	NS	NS	NS
MW4	06/30/89	321.56	43.88	277.68	0.00	<0.5	<0.5	<0.5	<0.5	100	NA
MW4	07/17/89	321.56	44.85	276.71	0.00	<0.5	<0.5	<0.5	<0.5	390	NA
MW4	07/18/89	321.56	44.88	276.68	0.00	NS	NS	NS	NS	NS	NS
MW4	07/19/89	321.56	44.92	276.64	0.00	NS	NS	NS	NS	NS	NS
MW4	07/20/89	321.56	44.98	276.58	0.00	<0.5	<0.5	<0.5	<0.5	200	NA
MW4	07/21/89	321.56	45.04	276.52	0.00	NS	NS	NS	NS	NS	NS
MW4	07/26/89	321.56	45.50	276.06	0.00	<0.5	<0.5	<0.5	<0.5	66	NA
MW4	08/02/89	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/03/89	321.56	46.28	275.28	0.00	NS	NS	NS	NS	NS	NS
MW4	08/17/89	321.56	47.22	274.34	0.00	NS	NS	NS	NS	NS	NS
MW4	09/13/89	321.56	49.19	272.37	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	11/28/89	321.56	50.34	271.22	0.00	NS	NS	NS	NS	NS	NS
MW4	12/20/89	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	01/09/90	321.56	49.47	272.09	0.00	NS	NS	NS	NS	NS	NS
MW4	01/26/90	321.56	49.36	272.20	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.18 ^a	272.38	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.15	272.41	0.00	NS	NS	NS	NS	NS	NS
MW4	03/26/90	321.56	48.84 ^b	272.72	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	03/26/90	321.56	48.83	272.73	0.00	NS	NS	NS	NS	NS	NS
MW4	04/18/90	321.56	48.90	272.66	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	05/17/90	321.56	50.03	271.53	0.00	NS	NS	NS	NS	NS	NS
MW4	06/11/90	321.56	50.98	270.58	0.00	NS	NS	NS	NS	NS	NS
MW4	07/30/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	08/01/90	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	08/27/90	321.56	53.61	267.95	0.00	NS	NS	NS	NS	NS	NS
MW4	09/28/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	12/27/90	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/20/91	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	06/20/91	321.56	53.75	267.81	0.00	NS	NS	NS	NS	NS	NS
MW4	09/12/91	321.56	53.70	267.86	0.00	NS	NS	NS	NS	NS	NS
MW4	12/30/91	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	01/30/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	03/02/92	321.56	53.83	267.73	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/92	321.56	53.73	267.83	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	04/14/92	321.56	53.76	267.80	0.00	NS	NS	NS	NS	NS	NS
MW4	05/21/92	321.56	54.73	266.83	0.00	NS	NS	NS	NS	NS	NS
MW4	06/08/92	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	07/14/92	321.56	53.60	267.96	0.00	NS	NS	NS	NS	NS	NS
MW4	08/10/92	321.56	53.71	267.85	0.00	NS	NS	NS	NS	NS	NS
MW4	09/16/92	321.56	53.89	267.67	0.00	NS	NS	NS	NS	NS	NS
MW4	10/07/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	11/09/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	12/10/92	321.56	53.83	267.73	0.00	57	34	11	200	600	NA
MW4	01/26/93	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	02/16/93	321.56	53.64	267.92	0.00	NS	NS	NS	NS	NS	NS
MW4	03/11/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	04/12/93	321.56	53.62	267.94	0.00	20	10	22	80	360	NA
MW4	06/01/93	321.56	53.52	268.04	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	07/15/93	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	08/15/93	321.56	53.65	267.91	0.00	NS	NS	NS	NS	NS	NS
MW4	09/29/93	321.56	54.23	267.33	0.00	NS	NS	NS	NS	NS	NS
MW4	09/30/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	10/28/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	11/23/93	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	11/24/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/10-11/94	321.56	53.64	267.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/04-05/94	321.56	53.54	268.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	09/01/94 ^c	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	11/16/94	321.56	52.96	268.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	02/15/95	321.56	50.37	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/09/95	321.56	44.86	276.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	08/21/95	321.56	41.71	279.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.6
MW4	11/30/95	321.56	39.95	281.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	03/28/96	321.56	36.76	284.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	05/31/96	321.56	35.19	286.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	08/28/96	321.56	39.39	282.17	0.00	NS	NS	NS	NS	NS	NS
MW4	11/18/96	321.56	39.42	282.14	0.00	NS	NS	NS	NS	NS	NS
MW4	02/28/97	321.56	34.38	287.18	0.00	NS	NS	NS	NS	NS	NS
MW4	05/23/97	321.56	34.66	286.90	0.00	NS	NS	NS	NS	NS	NS
MW4	09/23/97	321.56	39.05	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/30/97	321.56	37.78	283.78	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/98	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/98	321.56	30.32	291.24	0.00	NS	NS	NS	NS	NS	NS
MW4	09/11/98	321.56	35.97	285.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/09/98	321.56	32.93	288.63	0.00	NS	NS	NS	NS	NS	NS
MW4	03/31/99	321.56	29.71	291.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	06/30/99	321.56	34.99	286.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.65/3.12f,h
MW4	08/03/99	321.56	38.52	283.04	0.00	NS	NS	NS	NS	NS	NS
MW4	09/24/99	321.56	42.93	278.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.12f
MW4	12/22/99	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	04/04/00	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW4	06/28/00	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW4	09/26/00	321.56	44.24	277.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW4	12/28/00	321.56	43.92	277.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW4	03/28/01	321.56	43.39	278.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW4	06/25/01	321.56	46.56	275.00	0.00	<0.5	<0.5	<0.5	0.66	<50	<2.5
MW4	09/26/01	321.56	53.51	268.05	0.00	<0.5	0.69	<0.5	0.96	<50	<2.5
MW4	12/17/01	321.56	53.51	268.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	03/18/02	321.56	53.28	268.28	0.00	NS	NS	NS	NS	NS	NS
MW4	03/19/02	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/17/02	321.56	53.57	267.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/16/02	321.56	53.63	267.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW4	12/17/02	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	03/28/03	321.56	53.70	267.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/16/03	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/22/03	321.56	53.69	267.87	0.00	<0.5	1.0	<0.5	0.8	<50	<0.5
MW4	12/22/03	321.56	53.66	267.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	03/23/04	321.56	53.61	267.95	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/21/04	321.56	53.64	267.92	0.00	NS	NS	NS	NS	NS	NS
MW4	06/22/04	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW4	09/20/04	321.56	53.75	267.81	0.00	NS	NS	NS	NS	NS	NS
MW4	09/21/04	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	12/20/04	321.56	53.67	267.89	0.00	<0.5	0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	03/28/05	321.56	51.62	269.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.10f
MW4	06/20/05	321.56	44.40	277.16	0.00	NS	NS	NS	NS	NS	NS
MW4	09/25/05	321.56	44.92	276.64	0.00	NS	NS	NS	NS	NS	NS
MW4	09/26/05	321.56	NM	NC	NM	0.57	<0.5	<0.5	1.20	<50	<0.5f
MW4	12/21/05	321.56	39.81	281.75	0.00	<0.5	<0.5	<0.5	0.76	<50	<0.5f
MW4	03/21/06	321.56	29.66	291.90	0.00	NS	NS	NS	NS	NS	NS
MW4	03/22/06	321.56	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5D	05/25/88	321.79	38.55	283.24	0.00	<0.5	3.1	<0.5	<0.5	<20	NA
MW5D	06/06/88	321.79	38.90	282.89	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/23/88	321.79	39.56	282.23	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/28/88	321.79	40.23	281.56	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/06/88	321.79	40.69	281.10	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/13/88	321.79	41.22	280.57	0.00	<0.5	<0.5	<0.5	<0.5	40	NA
MW5D	08/12/88	321.79	42.34	279.45	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/26/88	321.79	42.60	279.19	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/07/88	321.79	42.99	278.80	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/07/88	321.79	44.58	277.21	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/09/89 ^c	321.79	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW5D	03/08/89 ^d	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	03/08/89	321.79	42.49	279.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/03/89	321.79	42.21	279.58	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/26/89	321.79	42.36	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/30/89	321.79	44.79	277.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/17/89	321.79	45.73	276.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/18/89	321.79	45.75	276.04	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/19/89	321.79	44.89	276.90	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/20/89	321.79	46.02	275.77	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	07/21/89	321.79	46.18	275.61	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/26/89	321.79	46.83	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/02/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/03/89	321.79	47.67	274.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/17/89	321.79	48.27	273.52	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/13/89	321.79	50.60	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	11/28/89	321.79	51.16	270.63	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/20/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	01/09/90	321.79	50.42	271.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	01/26/90	321.79	50.10	271.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/23/90	321.79	50.08	271.71	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/26/90	321.79	49.77	272.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	04/18/90	321.79	49.80	271.99	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/17/90	321.79	51.32	270.47	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/11/90	321.79	52.10	269.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/30/90	321.79	53.47	268.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/01/90	321.79	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/27/90	321.79	58.24	263.55	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/29/90	321.79	60.70	261.09	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/27/90	321.79	62.52	259.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/20/91	321.79	59.18	262.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	06/20/91	321.79	65.02	256.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/12/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	12/30/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	01/30/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/02/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/24/92	321.79	74.98	246.81	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/14/92	321.79	74.42	247.37	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	05/21/92	321.79	75.67	246.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/08/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	07/14/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	08/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	09/16/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	10/07/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	11/09/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	12/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	01/26/93	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	02/16/93	321.79	76.47	245.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/11/93	321.79	74.03	247.76	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/12/93	321.79	70.96	250.83	0.00	1.0	1.0	2.5	7.4	<50	NA
MW5D	06/01/93	321.79	67.64	254.15	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/15/93	321.79	54.40	267.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/15/93	321.79	67.85	253.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/29/93	321.79	67.62	254.17	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/30/93	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	10/28/93	321.79	66.15	255.64	0.00	NS	NS	NS	NS	NS	NS
MW5D	11/23/93	321.79	64.80	256.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/10-11/94	321.79	59.10	262.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	05/04-05/94	321.79	55.66	266.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/01/94 ^e	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	11/16/94	321.79	54.36	267.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	02/15/95	321.79	51.20	270.59	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/09/95	321.79	45.49	276.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/12/95	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/21/95	321.79	42.35	279.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	11/30/95	321.79	43.60	278.19	0.00	5.4	10	1.4	12	77	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	03/28/96	321.79	37.12	284.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	05/31/96	321.79	35.67	286.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	08/28/96	321.79	40.22	281.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	11/18/96	321.79	39.89	281.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	02/28/97	321.79	34.75	287.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	05/23/97	321.79	35.21	286.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/23/97	321.79	39.58	282.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	09/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	09/23/97	321.79	NM	NC	NM	<0.5	1.5	<0.5	<0.5	<50	3.0
MW5D	12/30/97	321.79	38.30	283.49	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^D	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^R	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/24/98	321.79	32.77	289.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	06/15/98	321.79	30.69	291.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/15/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/11/98	321.79	36.68	285.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	33
MW5D ^D	09/11/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	35
MW5D	10/28/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5D	12/09/98	321.79	32.70	289.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5D ^D	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5D ^R	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5D	03/31/99	321.79	28.91	292.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D ^D	03/31/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D	06/30/99	321.79	35.90	285.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D ^D	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	3.3/<0.5f,h
MW5D ^R	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	08/03/99	321.79	40.39	281.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D ^D	08/03/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	09/24/99	321.79	44.25	277.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D ^D	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D ^R	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	12/22/99	321.79	38.51	283.28	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW5D ^D	12/22/99	321.79	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW5D	04/04/00	321.79	30.05	291.74	0.00	<1	<1	<1	<1	<50	<1
MW5D	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5D	06/28/00	321.79	42.00	279.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.47f
MW5D	09/26/00	321.79	45.05	276.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW5D	12/28/00	321.79	44.44	277.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW5D	03/28/01	321.80	43.90	277.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW5D	06/25/01	321.80	48.19	273.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/26/01	321.80	55.78	266.02	0.00	1.3	1.9	0.55	2.7	<50	<2.5
MW5D	12/17/01	321.79	55.89	265.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	03/18/02	321.79	54.60	267.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/17/02	321.79	54.92	266.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/16/02	321.79	59.66	262.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	12/17/02	321.79	61.56	260.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/28/03	321.79	58.90	262.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/16/03	321.79	55.73	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/22/03	321.79	60.57	261.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	12/22/03	321.79	60.24	261.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/23/04	321.79	58.65	263.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/21/04	321.79	57.54	264.25	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	09/20/04	321.79	61.56	260.23	0.00	<0.5	6.1	0.9	6.8	<50	<0.5
MW5D	12/20/04	321.79	58.58	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/28/05	321.79	51.25	270.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	06/20/05	321.79	44.76	277.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	09/25/05	321.79	45.28	276.51	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/26/05	321.79	NM	NC	NM	<0.5	<0.5	<0.5	0.66	<50	<0.5f
MW5D	12/21/05	321.79	39.90	281.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	03/21/06	321.79	29.76	292.03	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5S	05/25/88	321.64	38.46	283.18	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW5S	06/06/88	321.64	38.86	282.78	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/23/88	321.64	39.52	282.12	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/28/88	321.64	39.84	281.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/06/88	321.64	40.45	281.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/13/88	321.64	40.90	280.74	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/22/88	321.64	41.30	280.34	0.00	0.9	4.1	1.3	8.7	50	NA
MW5S	08/05/88	321.64	23.84 ^b	297.80	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/12/88	321.64	42.21	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/26/88	321.64	42.55	279.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/07/88	321.64	42.94	278.70	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	12/07/88	321.64	44.67	276.97	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/09/89	321.64	43.19	278.45	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/08/89	321.64	42.11	279.53	0.00	<0.5	<0.5	<0.5	<1.0	<20	NA
MW5S	04/26/89	321.64	41.84	279.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/30/89	321.64	43.95	277.69	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/17/89	321.64	44.91	276.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/18/89	321.64	44.93	276.71	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/19/89	321.64	44.98	276.66	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	07/20/89	321.64	45.02	276.62	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/21/89	321.64	45.10	276.54	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/26/89	321.64	45.57	276.07	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/02/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/03/89	321.64	46.31	275.33	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/17/89	321.64	47.25	274.39	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/13/89	321.64	49.22	272.42	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	11/28/89	321.64	50.39	271.25	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/20/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	01/09/90	321.64	49.51	272.13	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/90	321.64	49.40	272.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20 ^a	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/26/90	321.64	48.89 ^a	272.75	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	03/26/90	321.64	48.88	272.76	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/18/90	321.64	48.95	272.69	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/17/90	321.64	50.06	271.58	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/11/90	321.64	50.98	270.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/30/90	321.64	53.40	268.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/01/90	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/27/90	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/28/90	321.64	53.55	268.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/27/90	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/20/91	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/20/91	321.64	53.73	267.91	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/12/91	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/30/91	321.64	53.80	267.84	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/30/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	03/02/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/21/92	321.64	53.77	267.87	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/08/92	321.64	53.81	267.83	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/16/92	321.64	53.90	267.74	0.00	NS	NS	NS	NS	NS	NS
MW5S	10/07/92	321.64	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5S	11/09/92	321.64	53.87	267.77	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/93	321.64	53.38	268.26	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/16/93	321.64	53.44	268.20	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/11/93	321.64	53.28	268.36	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/12/93	321.64	53.42	268.22	0.00	11	5.9	13	48	220	NA
MW5S	06/01/93	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/15/93	321.64	53.00	268.64	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/15/93	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/29/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/30/93	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	10/28/93	321.64	54.62	267.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	11/23/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/10-11/94	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/04-05/94	321.64	53.52	268.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94 ^c	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	53.05	268.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	02/15/95	321.64	50.55	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	05/09/95	321.64	44.96	276.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/21/95	321.64	41.77	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	11/30/95	321.64	39.95	281.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	03/28/96	321.64	36.80	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	05/31/96	321.64	35.28	286.36	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	08/28/96	321.64	39.46	282.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	11/18/96	321.64	39.47	282.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	02/28/97	321.64	34.44	287.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	05/23/97	321.64	34.72	286.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/23/97	321.64	39.09	282.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/30/97	321.64	37.83	283.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/24/98	321.64	32.76	288.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	06/15/98	321.64	30.46	291.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/11/98	321.64	36.04	285.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/09/98	321.64	33.00	288.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5S	03/31/99	321.64	29.20	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5S	06/30/99	321.64	35.08	286.56	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	08/03/99	321.64	38.62	283.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/24/99	320.52	42.89	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5S	12/22/99	320.52	42.05	278.47	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW5S	04/04/00	320.52	35.91	284.61	0.00	<1	<1	<1	<1	<50	<1
MW5S	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5S	06/28/00	320.52	40.75	279.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW5S	09/26/00	320.52	44.34	276.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW5S	12/28/00	320.52	43.95	276.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW5S	03/28/01	320.52	43.41	277.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW5S	06/25/01	320.52	46.58	273.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/26/01	320.52	53.47	267.05	0.00	1.8	2.8	0.94	4.4	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	12/17/01	320.52	53.52	267.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	03/18/02	320.52	53.25	267.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/17/02	320.52	53.49	267.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	09/16/02	320.52	53.62	266.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5S	12/17/02	320.52	53.67	266.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	03/28/03	320.52	53.60	266.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/16/03	320.52	53.49	NC	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/22/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW5S	12/22/03	320.52	53.63	266.89	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/23/04	320.52	53.61	266.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/21/04	320.52	53.57	266.95	0.00	<0.5	1.0	<0.5	1.4	<50	<0.5f
MW5S ^J	09/20/04	320.52	53.80	266.72	0.00	<0.5	2.2	<0.5	2.2	<50	<0.5
MW5S ^J	12/20/04	320.52	53.79	266.73	0.00	<0.5	0.8	<0.5	1.0	<50	<0.5
MW5S	03/28/05	320.52	51.76	268.76	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5S	06/20/05	320.52	44.50	276.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5S	09/25/05	320.52	44.97	275.55	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/26/05	320.52	NM	NC	NM	<0.5	<0.5	<0.5	0.52	<50	<0.5f
MW5S	12/21/05	320.52	39.83	280.69	0.00	<0.5	<0.5	<0.5	0.76	<50	<0.5f
MW5S	03/21/06	320.52	29.57	290.95	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW6	05/11/88	NM	37.31	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	05/17/88	NM	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW6	06/06/88	NM	38.70	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/23/88	NM	39.23	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/28/88	NM	39.74	NC	0.00	31.8	7.5	5.4	6.7	440	NA
MW6	07/13/88	NM	40.78	NC	0.00	162.3	7.7	22.5	14.1	290	NA
MW6	08/05/88	NM	41.72	NC	0.00	245	5.2	47.1	23.7	1,180	NA
MW6	08/12/88	NM	42.14	NC	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW6	08/17/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW6	08/26/88	NM	42.51	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	09/07/88	NM	42.85	NC	0.00	474	16	262	136	2,920	NA
MW6	10/24/88		Well destroyed								
MW7	07/13/88	321.27	40.50	280.77	0.00	860	1,910	710	4,420	16,700	NA
MW7	07/22/88	321.27	41.85 ^a	279.42	0.00	136	85	5	58	460	NA
MW7	08/05/88	321.27	41.45 ^a	279.82	0.00	73.3	52.8	2.3	28.1	270	NA
MW7	08/12/88	321.27	42.69	278.58	NM	NS	NS	NS	NS	NS	NS
MW7	09/07/88	321.27	42.60	278.67	NM	NS	NS	NS	NS	NS	NS
MW7	12/07/88	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	01/17/89	321.27	43.20	278.07	NM	NS	NS	NS	NS	NS	NS
MW7	02/09/89	321.27	NM	NC	NM	600	688	10	448	6,700	NA
MW7	06/30/89	321.27	NM	NC	NM	180	50	13	40	1,100	NA
MW7	08/02/89	321.27	NM	NC	NM	1.6	<0.5	<0.5	0.6	31	NA
MW7	09/13/89	321.27	NM	NC	NM	<0.5	2.6	<0.5	12	87	NA
MW7	10/12/89	321.27	49.93	271.34	0.00	NS	NS	NS	NS	NS	NS
MW7	11/28/89	321.27	57.61 ^a	263.66	0.00	NS	NS	NS	NS	NS	NS
MW7	12/20/89	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW7	01/09/90	321.27	57.57 ^a	263.70	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	57.54 ^a	263.73	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	49.08	272.19	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	55.26 ^a	266.01	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	48.93	272.34	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	57.52 ^a	263.75	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	48.60	272.67	0.00	NS	NS	NS	NS	NS	NS
MW7	04/18/90	321.27	57.55 ^a	263.72	0.00	NS	NS	NS	NS	NS	NS
MW7	05/17/90	321.27	57.40 ^a	263.87	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	06/11/90	321.27	50.68	270.59	0.00	NS	NS	NS	NS	NS	NS
MW7	07/30/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	08/27/90	321.27	53.05	268.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/28/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/27/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/20/91	321.27	54.11	267.16	0.00	NS	NS	NS	NS	NS	NS
MW7	06/20/91	321.27	55.14	266.13	0.00	<0.5	1.8	0.6	4.1	74	NA
MW7	09/12/91	321.27	55.84	265.43	0.00	3.5	<0.5	1.7	6.8	<50	NA
MW7	12/30/91	321.27	55.21	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	01/30/92	321.27	54.88	266.39	0.00	NS	NS	NS	NS	NS	NS
MW7	03/02/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/24/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	04/14/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	05/21/92	321.27	53.36	267.91	0.00	NS	NS	NS	NS	NS	NS
MW7	06/08/92	321.27	54.20	267.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	07/14/92	321.27	53.31	267.96	0.00	NS	NS	NS	NS	NS	NS
MW7	08/10/92	321.27	54.01	267.26	0.00	NS	NS	NS	NS	NS	NS
MW7	09/16/92	321.27	55.97	265.30	0.00	NS	NS	NS	NS	NS	NS
MW7	10/07/92	321.27	56.09	265.18	0.00	NS	NS	NS	NS	NS	NS
MW7	11/09/92	321.27	54.16	267.11	0.00	NS	NS	NS	NS	NS	NS
MW7	12/10/92	321.27	56.02	265.25	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/93	321.27	56.15	265.12	0.00	NS	NS	NS	NS	NS	NS
MW7	02/16/93	321.27	56.23	265.04	0.00	28	30	17	200	600	NA
MW7	03/11/93	321.27	55.82	265.45	0.00	NS	NS	NS	NS	NS	NS
MW7	04/12/93	321.27	55.45	265.82	0.00	NS	NS	NS	NS	NS	NS
MW7	06/01/93	321.27	54.90	266.37	0.00	NS	NS	NS	NS	NS	NS
MW7	07/15/93	321.27	54.50	266.77	0.00	NS	NS	NS	NS	NS	NS
MW7	08/15/93	321.27	54.25	267.02	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	09/29/93	321.27	54.55	266.72	0.00	NS	NS	NS	NS	NS	NS
MW7	09/30/93	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	10/28/93	321.27	54.94	266.33	0.00	NS	NS	NS	NS	NS	NS
MW7	11/23/93	321.27	54.73	266.54	0.00	NS	NS	NS	NS	NS	NS
MW7	11/24/93	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	03/10-11-94	321.27	52.83	268.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/04-05/94	321.27	52.77	268.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	09/01/94 ^e	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	11/16/94	321.27	52.74	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	02/15/95	321.27	50.05	271.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/09/95	321.27	44.61	276.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	08/21/95	321.27	41.40	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1
MW7	11/30/95	321.27	39.64	281.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	03/28/96	321.27	36.42	284.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	05/31/96	321.27	34.87	286.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	08/28/96	321.27	39.11	282.16	0.00	NS	NS	NS	NS	NS	NS
MW7	11/18/96	321.27	39.10	282.17	0.00	NS	NS	NS	NS	NS	NS
MW7	02/28/97	321.27	34.03	287.24	0.00	NS	NS	NS	NS	NS	NS
MW7	05/23/97	321.27	34.36	286.91	0.00	NS	NS	NS	NS	NS	NS
MW7	09/23/97	321.27	38.66	282.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.4
MW7	12/30/97	321.27	37.45	283.82	0.00	NS	NS	NS	NS	NS	NS
MW7	03/24/98	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	06/15/98	321.27	30.05	291.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/11/98	321.27	35.63	285.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	12/09/98	321.27	21.54	299.73	NM	NS	NS	NS	NS	NS	NS
MW7	03/31/99	321.27	28.84	292.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW7	06/30/99	321.27	34.68	286.59	0.00	5.96	<0.5	<0.5	<0.5	<50	<2.5
MW7	08/03/99	321.27	38.22	283.05	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	09/24/99	321.27	42.59	278.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	11.7f
MW7	12/22/99	321.27	41.69	279.58	0.00	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0f
MW7	04/04/00	321.27	35.45	285.82	0.00	<1	<1	<1	<1	<50	<1
MW7	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW7	06/28/00	321.27	40.46	280.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.88f
MW7	09/26/00	321.27	44.00	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW7	12/28/00	321.27	44.63	276.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW7	03/28/01	321.27	43.04	278.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.17f
MW7	06/25/01	321.27	46.31	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	09/26/01	321.27	52.90	268.37	0.00	0.62	0.84	<0.5	1.0	<50	<2.5
MW7	12/17/01	321.27	53.17	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	03/18/02	321.27	53.10	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/17/02	321.27	53.12	268.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.2/6.40f
MW7	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/17/02	321.27	54.17	267.10	0.00	NS	NS	NS	NS	NS	NS
MW7	03/28/03	321.27	54.45	266.82	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/16/03	321.27	53.33	267.94	0.00	--	--	--	--	--	--
MW7	06/17/03	321.27	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	09/22/03	321.27	54.57	266.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	12/22/03	321.27	54.70	266.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	03/23/04	321.27	54.36	266.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/21/04	321.27	53.92	267.35	0.00	NS	NS	NS	NS	NS	NS
MW7	06/22/04	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	09/20/04	321.27	55.09	266.18	0.00	NS	NS	NS	NS	NS	NS
MW7	09/21/04	321.27	NM	NC	NM	<0.5	2.1	<0.5	3.6	<50	<0.5
MW7	12/20/04	321.27	54.53	266.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	03/28/05	321.27	51.50	269.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	06/20/05	321.27	44.30	276.97	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	09/25/05	321.27	44.83	276.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	12/21/05	321.27	39.65	281.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	03/21/06	321.27	29.40	291.87	0.00	NS	NS	NS	NS	NS	NS
MW7	03/22/06	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW8	10/01/89	321.86	53.88	267.98	0.00	NS	NS	NS	NS	NS	NS
MW8	10/03/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	11/28/89	321.86	53.74	268.12	0.00	NS	NS	NS	NS	NS	NS
MW8	12/20/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.61	<20	NA
MW8	01/09/90	321.86	57.90	263.96	0.00	NS	NS	NS	NS	NS	NS
MW8	01/26/90	321.86	53.57	268.29	0.00	NS	NS	NS	NS	NS	NS
MW8	01/31/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.87	<20	NA
MW8	02/09/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	1.1	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	02/23/90	321.86	52.16	269.70	0.00	NS	NS	NS	NS	NS	NS
MW8	03/26/90	321.86	52.80 ^a	269.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	04/18/90	321.86	51.60	270.26	0.00	<0.5	0.58	<0.5	1.1	<20	NA
MW8	05/17/90	321.86	58.21	263.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	06/11/90	321.86	58.65	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	07/30/90	321.86	64.33	257.53	0.00	NS	NS	NS	NS	NS	NS
MW8	08/01/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	08/27/90	321.86	70.41	251.45	0.00	<0.5	<0.5	<0.5	0.5	<20	NA
MW8	09/28/90	321.86	71.93	249.93	0.00	<0.5	<0.5	<0.5	0.5	<50	NA
MW8	12/27/90	321.86	66.60	255.26	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	03/20/91	321.86	60.75	261.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	06/20/91	321.86	88.77	233.09	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	09/12/91	321.86	103.17	218.69	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	10/14/91	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	12/30/91	321.86	81.15	240.71	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	01/30/92	321.86	81.69	240.17	0.00	NS	NS	NS	NS	NS	NS
MW8	03/02/92	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	03/24/92	321.86	76.55	245.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	04/14/92	321.86	75.56	246.30	0.00	NS	NS	NS	NS	NS	NS
MW8	05/21/92	321.86	86.99	234.87	0.00	NS	NS	NS	NS	NS	NS
MW8	06/08/92	321.86	91.69	230.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	07/14/92	321.86	94.65	227.21	0.00	NS	NS	NS	NS	NS	NS
MW8	08/10/92	321.86	95.02	226.84	0.00	NS	NS	NS	NS	NS	NS
MW8	09/16/92	321.86	91.90	229.96	0.00	<0.5	0.9	<0.5	<0.5	<50	NA
MW8	10/07/92	321.86	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW8	11/09/92	321.86	84.35	237.51	0.00	NS	NS	NS	NS	NS	NS
MW8	12/10/92	321.86	82.20	239.66	0.00	<0.5	0.6	<0.5	<0.5	<50	NA
MW8	01/26/93	321.86	78.63	243.23	0.00	NS	NS	NS	NS	NS	NS
MW8	02/16/93	321.86	76.90	244.96	0.00	0.7	0.6	<0.5	2.3	<50	NA
MW8	03/11/93	321.86	74.39	247.47	0.00	NS	NS	NS	NS	NS	NS
MW8	04/12/93	321.86	71.20	250.66	0.00	26	7.3	11	38	230	NA
MW8	06/01/93	321.86	68.04	253.82	0.00	NS	NS	NS	NS	NS	NS
MW8	07/15/93	321.86	78.05	243.81	0.00	NS	NS	NS	NS	NS	NS
MW8	08/15/93	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	09/29/93	321.86	73.64	248.22	0.00	NS	NS	NS	NS	NS	NS
MW8	09/30/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	10/28/93	321.86	67.53	254.33	0.00	NS	NS	NS	NS	NS	NS
MW8	11/23/93	321.86	64.68	257.18	0.00	NS	NS	NS	NS	NS	NS
MW8	11/24/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	03/10-11/94	321.86	59.26	262.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	05/04-05/94	321.86	56.84	265.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	09/01/94 ^c	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	11/16/94	321.86	55.47	266.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	02/15/95	321.86	52.00	269.86	0.00	NS	NS	NS	NS	NS	NS
MW8	05/09/95	321.86	46.60	275.26	0.00	NS	NS	NS	NS	NS	NS
MW8	05/12/95	321.86	NM	NC	NM	2.3	1.2	2.0	7.4	<50	NA
MW8	08/21/95	321.86	43.86	278.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	11/30/95	321.86	41.25	280.61	0.00	<0.5	<0.5	0.69	2.7	<50	<5.0
MW8	03/28/96	321.86	37.71	284.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	05/31/96	321.86	36.71	285.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	08/28/96	321.86	42.80	279.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	11/18/96	321.86	40.78	281.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	02/28/97	321.86	35.14	286.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	05/23/97	321.86	36.41	285.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	09/23/97	321.86	41.22	280.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/30/97	321.86	39.81	282.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^D	12/30/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^R	12/30/97	321.86	NM	NC	NM	<0.5	0.52	<0.5	<0.5	<50	3.2f
MW8	03/24/98	321.86	31.46	290.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	06/15/98	321.86	31.43	290.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^D	06/15/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/11/98	321.86	38.73	283.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/11/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	12/09/98	321.86	28.96	292.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW8 ^D	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW8 ^R	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW8	03/31/99	321.86	25.05	296.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^D	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^R	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8	06/30/99	321.86	42.62	279.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	13.1/1.18f,h
MW8 ^R	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	08/03/99	321.86	51.59	270.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.672f
MW8 ^D	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.659f
MW8 ^R	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW8	09/24/99	321.86	50.95	270.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.777f
MW8 ^D	09/24/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.776f
MW8	12/22/99	321.86	38.59	283.27	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW8 ^D	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW8 ^R	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW8	04/04/00	321.86	36.21	285.65	0.00	<1	<1	<1	<1	<50	3.3/<5f
MW8	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW8	06/28/00	321.86	46.51	275.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW8	09/26/00	321.86	47.55	274.31	0.00	<0.5	<0.5	<0.5	0.528	<50	<1f
MW8	12/28/00	321.86	45.68	276.18	0.00	1.03	1.25	<0.5	1.76	<50	<2f
MW8	03/28/01	321.86	45.40	276.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.00f
MW8	06/25/01	321.86	57.84	264.02	0.00	0.71	1.0	<0.5	1.4	<50	<2.5
MW8	09/26/01	321.86	60.08	261.78	0.00	<0.5	0.53	<0.5	0.75	<50	<2.5
MW8	12/17/01	321.86	61.24	260.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	03/18/02	321.86	57.53	264.33	0.00	NS	NS	NS	NS	NS	NS
MW8	03/19/02	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	06/17/02	321.86	58.25	263.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/16/02	321.86	70.68	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW8	12/17/02	321.86	67.76	254.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	03/28/03	321.86	62.40	259.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/16/03	321.86	62.99	258.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/22/03	321.86	74.94	246.92	0.00	<0.5	2.4	<0.5	1.1	<50	<0.5
MW8	12/22/03	321.86	67.09	254.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.5f
MW8	03/23/04	321.86	68.27	253.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.6/0.60f
MW8	06/21/04	321.86	62.18	259.68	0.00	NS	NS	NS	NS	NS	NS
MW8	06/22/04	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.80f
MW8	09/20/04	321.86	69.10	252.76	0.00	NS	NS	NS	NS	NS	NS
MW8	12/20/04	321.86	58.62	263.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	03/28/05	321.86	50.40	271.46	0.00	NS	NS	NS	NS	NS	NS
MW8	03/29/05	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW8	06/20/05	321.86	45.30	276.56	0.00	NS	NS	NS	NS	NS	NS
MW8	06/21/05	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.70f
MW8	09/25/05	321.86	46.46	275.40	0.00	NS	NS	NS	NS	NS	NS
MW8	09/26/05	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW8	12/21/05	321.86	39.15	282.71	0.00	<0.5	<0.5	<0.5	0.78	<50	<0.5f
MW8	03/21/06	321.86	29.10	292.76	0.00	NS	NS	NS	NS	NS	NS
MW8	03/22/06	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW9	10/03/89	321.44	NM	NC	NM	1,000	9,200	3,000	13,000	89,000	NA
MW9	10/12/89	321.44	50.24	271.20	0.00	NS	NS	NS	NS	NS	NS
MW9	11/28/89	321.44	50.59	270.85	0.10	NS	NS	NS	NS	NS	NS
MW9	12/01/89	321.44	50.32	271.12	0.02	NS	NS	NS	NS	NS	NS
MW9	12/07/89	321.44	50.13	271.31	0.16	NS	NS	NS	NS	NS	NS
MW9	12/13/89	321.44	49.91	271.53	Slight Sheen	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW9	12/20/89	321.44	49.78	271.66	Slight Sheen	6,300	31,000	9,500	55,000	190,000	NA
MW9	01/02/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/09/90	321.44	49.39	272.05	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	01/25/90	321.44	NM	NC	NM	2,400	9,400	2,700	15,000	77,000	NA
MW9	01/26/90	321.44	49.30	272.14	0.00	NS	NS	NS	NS	NS	NS
MW9	02/23/90	321.44	49.06 ^b	272.38	0.00	1,200	7,100	2,300	14,000	97,000	NA
MW9	02/23/90	321.44	49.05	272.39	0.00	NS	NS	NS	NS	NS	NS
MW9	03/26/90	321.44	48.75 ^a	272.69	0.00	1,800	7,700	2,000	11,000	89,000	NA
MW9	03/26/90	321.44	48.73	272.71	Slight sheen	NS	NS	NS	NS	NS	NS
MW9	04/18/90	321.44	48.81	272.63	0.00	2,000	7,500	2,500	16,000	110,000	NA
MW9	05/17/90	321.44	49.96	271.48	0.00	1,500	5,700	2,300	14,000	81,000	NA
MW9	06/11/90	321.44	51.58	269.86	0.00	NS	NS	NS	NS	NS	NS
MW9	06/20/90	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	430	NA
MW9	07/30/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/27/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/28/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/20/91	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/20/91	321.44	49.63	271.81	NM	NS	NS	NS	NS	NS	NS
MW9	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW9	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	10/07/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/26/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	02/16/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/11/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	04/12/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/01/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	07/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/29/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	10/28/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/23/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/10-11/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	05/04-05/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/16/94	321.44	52.62	268.82	0.00	NS	NS	NS	NS	NS	NS
MW9	02/15/95	321.44	49.76	271.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	05/09/95	321.44	44.30	277.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	08/21/95	321.44	41.11	280.33	0.00	270	51	5.2	140	1,100	<25
MW9	11/30/95	321.44	39.40	282.04	0.00	920	680	120	870	6,600	<100
MW9	03/28/96	321.44	36.13	285.31	0.00	72	28	1.8	49	360	<10
MW9	05/31/96	321.44	34.56	286.88	0.00	2,800	510	<50	400	8,200	<5.0
MW9	08/28/96	321.44	38.80	282.64	0.00	1.6	<0.5	<0.5	9.6	160	28
MW9	11/18/96	321.44	38.74	282.70	0.00	2,000	610	130	790	7,100	<200
MW9	02/28/97	321.44	33.74	287.70	0.00	2,900	2,600	280	2,400	22,000	4,200
MW9	05/23/97	321.44	33.77	287.67	0.00	5,300	5,200	800	3,900	32,000	1,600

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW9	09/23/97	320.68	38.17	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	20
MW9	12/30/97	320.68	38.83	281.85	0.00	840	750	80	310	4,600	1,100f
MW9	03/24/98	320.68	31.32	289.36	0.00	11,000	16,000	1,200	6,200	62,000	7,000
MW9	06/15/98	320.68	28.72	291.96	0.00	1.8	2.7	<0.5	3.8	<50	8.1
MW9	09/11/98	320.68	31.52	289.16	0.00	1.5	0.97	<0.5	1.1	<50	7.1
MW9	12/09/98	320.68	28.92	291.76	0.00	1.4	2.9	<0.5	<0.5	<50	7.9f
MW9	03/31/99	320.68	27.77	292.91	0.00	2,560	4,100	118	3,090	18,400	3,850/4,950f
MW9	06/30/99	320.68	32.57	288.11	0.00	0.883	1.43	<0.5	1.24	<50	7.05/5.81f,h
MW9	08/03/99	320.68	36.24	284.44	0.00	1.20	1.70	<0.5	0.60	91.1	<0.5f
MW9	09/24/99	320.26	41.65	278.61	0.00	2.60/3.13 ⁱ	1.06	<0.5	1.17	<50	3.92f
MW9	12/22/99	320.26	40.55	279.71	0.00	860/870 ⁱ	380/380 ⁱ	<5.0/<5.0 ⁱ	2,190/2,170 ⁱ	7,300	4,300f
MW9	04/04/00	320.26	34.69	285.57	0.00	2.7	2.5	<1	9	<50	310/300f
MW9	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9	06/28/00	320.26	39.31	280.95	0.00	111	2.98	<0.5	14.9	207	488f
MW9	09/26/00	320.26	43.14	277.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	77.2f
MW9	11/03/00	Well destroyed									
MW9A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9A	12/28/00	NM	43.72	NC	0.00	14.5	3.75	26.4	37.4	1,040	65.5f
MW9A	03/28/01	321.17	43.90	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW9A	06/25/01	321.17	49.84	271.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW9A	09/26/01	321.17	56.35	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/17/01	321.27	55.13	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/18/02	321.27	53.02	268.25	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/17/02	321.27	56.70	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/17/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	03/28/03	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW9A	06/16/03	321.27	56.17	NC ¹	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/22/03	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/22/03	321.27	56.28	NC ¹	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/23/04	321.27	56.42	NC ¹	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/21/04	321.27	56.33	NC ¹	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/20/04	321.27	56.45	NC ¹	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/20/04	321.27	56.50	NC ¹	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/28/05	321.27	51.12	270.15	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/29/05	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	1.00f
MW9A	06/20/05	321.27	44.03	277.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.60f
MW9A	09/25/05	321.27	44.44	276.83	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW9A	12/21/05	321.27	39.42	281.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW9A	03/21/06	321.27	29.40	291.87	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/22/06	321.27	NM	NC	NM	22	9.0	26	56	420	230f
MW10	10/12/89	322.99	51.93	271.06	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW10	11/28/89	322.99	51.88	271.11	0.00	NS	NS	NS	NS	NS	NS
MW10	12/20/89	322.99	51.47	271.52	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	01/09/90	322.99	50.98	272.01	0.00	NS	NS	NS	NS	NS	NS
MW10	01/26/90	322.99	50.87	272.12	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.67 ^a	272.32	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.65	272.34	0.00	NS	NS	NS	NS	NS	NS
MW10	03/26/90	322.99	50.36 ^a	272.63	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	03/26/90	322.99	50.35	272.64	0.00	NS	NS	NS	NS	NS	NS
MW10	04/18/90	322.99	50.45	272.54	0.00	NS	NS	NS	NS	NS	NS
MW10	06/11/90	322.99	51.16	271.83	0.00	NS	NS	NS	NS	NS	NS
MW10	07/30/90	322.99	55.72	267.27	0.00	NS	NS	NS	NS	NS	NS
MW10	08/27/90	322.99	57.75	265.24	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW10	09/28/90	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/27/90	322.99	58.08	264.91	0.00	NS	NS	NS	NS	NS	NS
MW10	03/20/91	322.99	57.80	265.19	0.00	NS	NS	NS	NS	NS	NS
MW10	06/20/91	322.99	58.00	264.99	0.00	NS	NS	NS	NS	NS	NS
MW10	09/12/91	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/30/91	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	01/30/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/02/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/24/92	322.99	58.53	264.46	0.00	NS	NS	NS	NS	NS	NS
MW10	04/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/21/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	06/08/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	07/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/16/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/07/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/09/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	01/26/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	02/16/93	322.99	58.23	264.76	0.00	NS	NS	NS	NS	NS	NS
MW10	03/11/93	322.99	57.81	265.18	0.00	NS	NS	NS	NS	NS	NS
MW10	04/12/93	322.99	57.84	265.15	0.00	21	11	21	75	350	NA
MW10	06/01/93	322.99	57.88	265.11	NM	NS	NS	NS	NS	NS	NS
MW10	07/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/29/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/28/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/23/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW10	03/10-11/94	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/04-05/94	322.99	57.21	265.78	Dry	NS	NS	NS	NS	NS	NS
MW10	09/01/94 ^c	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	11/16/94	322.99	54.82	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	02/15/95	322.99	51.90	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	05/09/95	322.99	46.32	276.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	08/21/95	322.99	43.06	279.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	11/30/95	322.99	41.34	281.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	03/28/96	322.99	38.15	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	05/31/96	322.99	36.61	286.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	08/28/96	322.99	40.86	282.13	0.00	NS	NS	NS	NS	NS	NS
MW10	11/18/96	322.99	40.90	282.09	0.00	NS	NS	NS	NS	NS	NS
MW10	02/28/97	322.99	35.75	287.24	0.00	NS	NS	NS	NS	NS	NS
MW10	05/23/97	322.99	36.07	286.92	0.00	NS	NS	NS	NS	NS	NS
MW10	09/23/97	322.99	40.41	282.58	0.00	NS	NS	NS	NS	NS	NS
MW10	12/30/97	322.99	38.20	284.79	0.00	NS	NS	NS	NS	NS	NS
MW10	03/24/98	322.99	34.12	288.87	0.00	NS	NS	NS	NS	NS	NS
MW10	06/15/98	322.99	31.79	291.20	0.00	NS	NS	NS	NS	NS	NS
MW10	09/11/98	322.99	35.40	287.59	0.00	NS	NS	NS	NS	NS	NS
MW10	12/09/98	322.99	34.32	288.67	0.00	NS	NS	NS	NS	NS	NS
MW10	03/31/99	322.99	30.55	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW10	06/30/99	322.99	36.36	286.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	08/03/99	322.99	39.95	283.04	0.00	NS	NS	NS	NS	NS	NS
MW10	09/24/99	322.99	44.40	278.59	0.00	<0.5	<0.5	<0.5	0.87	<50	19.30f
MW10	12/22/99	322.99	43.39	279.60	0.00	9.5	5.3	3.9	25.1	140	<5.0f
MW10	04/04/00	322.99	37.18	285.81	0.00	<1	<1	<1	<1	<50	<1
MW10	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW10	06/28/00	322.99	42.19	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW10	09/26/00	322.99	45.80	277.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.39f
MW10	12/28/00	322.99	45.41	277.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW10	03/28/01	322.99	44.89	278.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW10	06/25/01	322.99	48.13	274.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	09/26/01	322.99	56.45	266.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	12/17/01	322.99	56.61	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	03/18/02	322.99	54.99	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	06/17/02	322.99	55.36	267.63	0.00	NS	NS	NS	NS	NS	NS
MW10	06/18/02	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/16/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/17/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	03/28/03	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	06/16/03	322.99	56.89	266.10	0.00	--	--	--	--	--	--
MW10	06/17/03	322.99	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/22/03	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/22/03	322.99	58.10	264.89	0.00	NS	NS	NS	NS	NS	NS
MW10	03/23/04	322.99	57.60	265.39	0.00	NS	NS	NS	NS	NS	NS
MW10	06/21/04	322.99	57.72	265.27	0.00	NS	NS	NS	NS	NS	NS
MW10	09/20/04	322.99	58.26	264.73	0.00	NS	NS	NS	NS	NS	NS
MW10	12/20/04	322.99	57.94	265.05	0.00	NS	NS	NS	NS	NS	NS
MW10	03/28/05	322.99	53.31	269.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW10	06/20/05	322.99	47.93	275.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW10	09/25/05	322.99	46.50	276.49	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW10	12/21/05	322.99	41.24	281.75	0.00	<0.5	<0.5	<0.5	0.76	<50	<0.5f
MW10	03/21/06	322.99	31.29	291.70	0.00	NS	NS	NS	NS	NS	NS
MW10	03/22/06	322.99	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW11	11/10/89	321.77	50.64	271.13	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW11	11/16/89	321.77	NM	NC	NM	4.1	9.4	0.74	20	150	NA
MW11	11/28/89	321.77	50.51	271.26	0.00	NS	NS	NS	NS	NS	NS
MW11	12/20/89	321.77	51.47	270.30	0.00	7.2	7.5	2.9	13	150	NA
MW11	01/09/90	321.77	49.68	272.09	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/90	321.77	49.55	272.22	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.37 ^a	272.40	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.35	272.42	0.00	NS	NS	NS	NS	NS	NS
MW11	03/26/90	321.77	49.03 ^a	272.74	0.00	<0.5	<0.5	<0.5	2.7	32	NA
MW11	04/18/90	321.77	49.12	272.65	0.00	NS	NS	NS	NS	NS	NS
MW11	05/17/90	321.77	50.30	271.47	0.00	NS	NS	NS	NS	NS	NS
MW11	06/11/90	321.77	51.16	270.61	0.00	NS	NS	NS	NS	NS	NS
MW11	07/30/90	321.77	53.50	268.27	0.00	<0.5	<0.5	<0.5	3.8	26	NA
MW11	08/27/90	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/28/90	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	12/27/90	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	03/20/91	321.77	53.26	268.51	0.00	NS	NS	NS	NS	NS	NS
MW11	06/20/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	09/12/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/91	321.77	53.95	267.82	0.00	NS	NS	NS	NS	NS	NS
MW11	01/30/92	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	03/02/92	321.77	53.68	268.09	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/92	321.77	53.70	268.07	0.00	NS	NS	NS	NS	NS	NS
MW11	04/14/92	321.77	53.66	268.11	0.00	NS	NS	NS	NS	NS	NS
MW11	05/21/92	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	06/08/92	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	07/14/92	321.77	53.53	268.24	0.00	NS	NS	NS	NS	NS	NS
MW11	08/10/92	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	09/16/92	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW11	10/07/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	11/09/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	12/10/92	321.77	53.59	268.18	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/93	321.77	53.67	268.10	0.00	NS	NS	NS	NS	NS	NS
MW11	02/16/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	03/11/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	04/12/93	321.77	53.54	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	06/01/93	321.77	53.52	268.25	0.00	NS	NS	NS	NS	NS	NS
MW11	07/15/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	08/15/93	321.77	53.55	268.22	0.00	NS	NS	NS	NS	NS	NS
MW11	09/29/93	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	09/30/93	321.77	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW11	10/28/93	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	11/23/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	11/24/93	321.77	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	03/10-11/94	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	05/04-05/94	321.77	53.51	268.26	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/94	321.77	53.46	268.31	0.00	NS	NS	NS	NS	NS	NS
MW11	02/15/95	321.77	50.57	271.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	05/09/95	321.77	45.05	276.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	08/21/95	321.77	41.88	279.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.8
MW11	11/30/95	321.77	40.04	281.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	03/28/96	321.77	36.90	284.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	05/31/96	321.77	35.34	286.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	08/28/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	11/18/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	02/28/97	321.77	34.50	287.27	0.00	NS	NS	NS	NS	NS	NS
MW11	05/23/97	321.77	34.80	286.97	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW11	09/23/97	321.77	39.18	282.59	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/97	321.77	37.94	283.83	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/98	321.77	32.86	288.91	NM	NS	NS	NS	NS	NS	NS
MW11	06/15/98	321.77	30.49	291.28	0.00	NS	NS	NS	NS	NS	NS
MW11	09/11/98	321.77	35.96	285.81	0.00	NS	NS	NS	NS	NS	NS
MW11	12/09/98	321.77	33.06	288.71	0.00	NS	NS	NS	NS	NS	NS
MW11	03/31/99	321.77	29.31	292.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.79/2.64f
MW11	06/30/99	321.77	35.15	286.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	08/03/99	321.77	38.65	283.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/24/99	321.73	43.08	278.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.93f
MW11	12/22/99	321.73	40.94	280.79	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW11	04/04/00	321.73	35.91	285.82	0.00	<1	<1	<1	<1	<50	<1
MW11	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW11	06/28/00	321.73	40.46	281.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW11	09/26/00	321.73	44.45	277.28	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW11	12/28/00	321.73	44.11	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.71f
MW11	03/28/01	321.73	43.60	278.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW11	06/25/01	321.73	46.78	274.95	0.00	3.0	7.3	2.0	11	59	<2.5
MW11	09/26/01	321.73	53.54	268.19	0.00	3.8	3.7	0.65	3.2	<50	<2.5
MW11	12/17/01	321.73	53.56	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	03/18/02	321.73	53.50	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	06/17/02	321.73	53.67	268.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	09/16/02	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/17/02	321.73	53.20	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.70f
MW11	03/28/03	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	06/16/03	321.73	53.63	NC	0.00	NS	NS	NS	NS	NS	NS
MW11	09/22/03	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/22/03	321.73	53.67	NC	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW11 ^J	03/23/04	321.73	53.64	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	06/21/04	321.73	53.57	268.16	0.00	<0.5	<0.5	<0.5	2.4	<50	0.5f
MW11	09/20/04	321.73	53.11	268.62	0.00	NS	NS	NS	NS	NS	NS
MW11 ^J	12/20/04	321.73	53.45	268.28	0.00	<0.5	3.6	<0.5	1.2	<50	<0.5
MW11	03/28/05	321.73	51.92	269.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW11	06/20/05	321.73	44.65	277.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW11	09/25/05	321.73	45.19	276.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW11	12/21/05	321.73	39.98	281.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW11	03/21/06	321.73	29.69	292.04	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW12	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW12	08/30/00	Well destroyed									
MW12A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW12A	09/26/00	NM	48.26	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW12A	12/28/00	NM	46.45	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW12A	03/28/01	322.53	46.07	276.46	0.00	0.622	0.823	<0.5	0.526	<50	<2.5/<1.0f
MW12A	06/25/01	322.53	50.20	272.33	0.00	<0.5	0.82	<0.5	1.0	<50	<2.5
MW12A	09/26/01	322.53	60.83	261.70	0.00	1.6	2.0	0.5	2.6	<50	<2.5
MW12A	12/17/01	322.62	62.20	260.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW12A	03/18/02	322.62	58.35	264.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/17/02	322.62	58.85	263.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	09/16/02	322.62	71.56	251.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	12/17/02	322.62	68.54	254.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/28/03	322.62	62.78	259.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/16/03	322.62	63.85	258.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A ^J	09/22/03	322.62	76.30	246.32	0.00	<0.5	2.3	<0.5	1.9	<50	<0.5
MW12A	12/22/03	322.62	88.71	233.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/23/04	322.62	68.16	254.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW12A	06/21/04	322.62	63.12	259.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	09/20/04	322.62	70.15	252.47	0.00	<0.5	4.2	0.6	4.9	<50	<0.5
MW12A	12/20/04	322.62	59.00	263.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/28/05	322.62	51.18	271.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	06/20/05	322.62	45.99	276.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	09/25/05	322.62	47.00	275.62	0.00	NS	NS	NS	NS	NS	NS
MW12A	09/26/05	322.62	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	12/21/05	322.62	39.84	282.78	0.00	<0.5	0.69	<0.5	1.34	<50	<0.5f
MW12A	03/21/06	322.62	30.73	291.89	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW13	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW13	09/26/00	NM	45.62	NC	0.00	0.504	0.594	<0.5	0.982	<50	1.62f
MW13	12/28/00	NM	45.15	NC	0.00	1.19	1.05	<0.5	1.25	<50	2.17f
MW13	03/28/01	322.62	44.57	278.05	0.00	0.769	1.45	<0.5	0.594	<50	<2.5/<1.0f
MW13	06/25/01	322.62	48.24	274.38	0.00	<0.5	1.1	<0.5	1.1	<50	<2.5
MW13	09/26/01	322.62	56.05	266.57	0.00	1.3	1.7	0.54	3.0	<50	<2.5
MW13	12/17/01	322.71	56.40	266.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW13	03/18/02	322.71	55.20	267.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/17/02	322.71	55.38	267.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/16/02	322.71	59.80	262.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW13	12/17/02	322.71	62.05	260.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/28/03	322.71	59.50	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/16/03	322.71	56.33	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/22/03	322.71	60.71	262.00	0.00	<0.5	2.3	<0.5	2.0	<50	<0.5
MW13	12/22/03	322.71	60.83	261.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/23/04	322.71	59.21	263.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/21/04	322.71	57.99	264.72	0.00	<0.5	0.5	<0.5	0.9	<50	<0.5f
MW13	09/20/04	322.71	61.78	260.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW13	12/20/04	322.71	59.52	263.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/28/05	322.71	52.10	270.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW13	06/20/05	322.71	45.51	277.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW13	09/25/05	322.71	45.97	276.74	0.00	NS	NS	NS	NS	NS	NS
MW13	09/26/05	322.71	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW13	12/21/05	322.71	40.70	282.01	0.00	<0.5	0.97	<0.5	0.80	<50	<0.5f
MW13	03/21/06	322.71	31.51	291.20	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW14	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW14	09/26/00	NM	46.90	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW14	12/28/00	NM	45.09	NC	0.00	2.04	<0.5	0.740	1.78	<50	<2f
MW14	03/28/01	321.16	44.70	276.46	0.00	0.516	0.978	<0.5	0.919	<50	<2.5/<1.0f
MW14	06/25/01	321.16	56.74	264.42	0.00	<0.5	0.66	<0.5	0.87	<50	<2.5
MW14	09/26/01	321.16	59.43	261.73	0.00	3.4	4.1	1.1	5.3	<50	<2.5
MW14	12/17/01	321.24	60.78	260.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW14	03/18/02	321.24	57.50	263.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/17/02	321.24	57.51	263.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	09/16/02	321.24	70.06	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW14	12/17/02	321.24	67.05	254.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/28/03	321.24	61.70	259.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/16/03	321.24	62.34	258.90	0.00	--	--	--	--	--	--
MW14	06/17/03	321.24	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14 ^l	09/22/03	321.24	74.50	246.74	0.00	<0.5	0.9	<0.5	0.8	<50	<0.5
MW14	12/22/03	321.24	66.61	254.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/23/04	321.24	66.91	254.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/21/04	321.24	61.18	260.06	0.00	<0.5	0.6	<0.5	0.8	<50	<0.5f
MW14	09/20/04	321.24	68.51	252.73	0.00	NS	NS	NS	NS	NS	NS
MW14	09/21/04	321.24	NM	NC	NM	<0.5	5.0	0.7	5.9	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW14	12/20/04	321.24	57.61	263.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/28/05	321.24	49.81	271.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW14	06/20/05	321.24	44.62	276.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW14	09/25/05	321.24	45.77	275.47	0.00	NS	NS	NS	NS	NS	NS
MW14	09/26/05	321.24	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW14	12/21/05	321.24	38.37	282.87	0.00	<0.5	<0.5	<0.5	0.75	<50	<0.5f
MW14	03/21/06	321.24	29.36	291.88	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
OW1	09/24/99	322.45	10.37	312.08	0.00	2.10	1.41	<0.5	7.22	119	7,810f
OW1	12/22/99	322.45	10.93	311.52	0.00	12	<5.0	<5.0	5.2	360	44,000f
OW1	04/04/00	322.45	10.83	311.62	0.00	1	<1	<1	<1	120	5,300/6,800f
OW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW1	06/28/00	322.45	11.91	310.54	0.00	1.20	<1	<1	<1	<100	1,530f
OW1	09/26/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/28/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	03/28/01	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.27/7.97f
OW1	06/25/01	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/26/01	321.44	11.37	310.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	250/220f
OW1	12/17/01	321.44	9.28	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.0f
OW1	03/18/02	321.44	11.05	310.39	0.00	0.70	0.70	<0.5	<0.5	<50	13.7/14.5f
OW1	06/17/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/16/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/17/02	321.44	9.24	312.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1/4.80f
OW1	03/28/03	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	06/16/03	321.44	11.40	NC	0.00	NS	NS	NS	NS	NS	NS
OW1	09/22/03	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/22/03	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
OW1	03/23/04	321.44	10.56	310.88	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
OW1	06/21/04	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/20/04	321.44	10.69	310.75	0.00	NS	NS	NS	NS	NS	NS
OW1	12/20/04	321.44	10.66	310.78	0.00	NS	NS	NS	NS	NS	NS
OW1	03/28/05	321.44	8.50	312.94	0.00	NS	NS	NS	NS	NS	NS
OW1	03/29/05	321.44	NM	NC	NM	<0.5	0.6	<0.5	<0.5	<50	<0.5f
OW1	06/20/05	321.44	10.44	311.00	0.00	NS	NS	NS	NS	NS	NS
OW1	06/21/05	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
OW1	09/25/05	321.44	10.51	310.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
OW1	12/21/05	321.44	10.35	311.09	0.00	<0.5	0.86	<0.5	0.54	<50	<0.5f
OW1	03/21/06	321.44	9.01	312.43	0.00	NS	NS	NS	NS	NS	NS
OW1	03/22/06	321.44	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
OW2	09/24/99	321.55	9.48	312.07	0.00	31.1	<0.5	<0.5	20.6	275 ^b	177,000f
OW2	12/22/99	321.55	10.13	311.42	0.00	<5.0	<5.0	<5.0	5.2	410	85,000f
OW2	04/04/00	321.55	10.00	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW2	06/28/00	321.55	11.00	310.55	0.00	<50	<50	<50	<50	<5,000	45,400f
OW2	09/26/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,690f
OW2	12/28/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	4,520f
OW2	03/28/01	321.33	6.59	314.74	0.00	3.92	1.16	0.692	2.71	<50	9,130/5,650f
OW2	06/25/01	321.33	11.93	309.40	0.00	<2.0	<2.0	<2.0	3.1	<200	4,000/4,000f
OW2	09/26/01	321.33	12.01	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	160/130f
OW2	12/17/01	321.55	5.96	315.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,300/630f
OW2	03/18/02	321.55	10.96	310.59	0.00	NS	NS	NS	NS	NS	NS
OW2	03/19/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,290	1,560/1,720f
OW2	06/17/02	321.55	11.78	309.77	0.00	NS	NS	NS	NS	NS	NS
OW2	06/18/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,310	1,910/1,800f
OW2	09/16/02	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
OW2	12/17/02	321.55	6.14	315.41	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.3/5.00f
OW2	03/28/03	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/16/03	321.55	12.08	309.47	0.00	--	--	--	--	--	--
OW2 ¹	06/17/03	321.55	--	--	--	<0.5	<0.5	<0.5	<0.5	587	552/575f
OW2	09/22/03	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	12/22/03	321.55	9.46	312.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	50.2/59.6f
OW2	03/23/04	321.55	10.42	311.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.4/3.70f
OW2	06/21/04	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	09/20/04	321.55	12.22	309.33	0.00	NS	NS	NS	NS	NS	NS
OW2	12/20/04	321.55	10.50	311.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
OW2	03/28/05	321.55	8.25	313.30	0.00	NS	NS	NS	NS	NS	NS
OW2	03/29/05	321.55	NM	NC	NM	<0.5	<0.5	<0.5	0.6	<50	8.50f
OW2	06/20/05	321.55	10.31	311.24	0.00	NS	NS	NS	NS	NS	NS
OW2	06/21/05	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
OW2	09/25/05	321.55	10.40	311.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
OW2	12/21/05	321.55	10.24	311.31	0.00	<0.5	<0.5	<0.5	0.82	<50	<0.5f
OW2	03/21/06	321.55	8.87	312.68	0.00	NS	NS	NS	NS	NS	NS
OW2	03/22/06	321.55	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	2.5f
PMW1	12/22/99	322.75	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW1	04/04/00	322.75	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW1	06/28/00	322.75	13.72	309.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
PMW1	09/26/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/28/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/01	322.74	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/25/01	322.74	15.09	307.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW1	09/26/01	322.74	15.56	307.18	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW1	12/17/01	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/18/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/17/02	322.75	14.91	307.84	0.00	NS	NS	NS	NS	NS	NS
PMW1	09/16/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/17/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/03	322.75	13.25	309.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	06/16/03	322.75	13.90	308.85	0.00	--	--	--	--	--	--
PMW1	06/17/03	322.75	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	0.6/<0.5f
PMW1	09/22/03	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/22/03	322.75	12.69	310.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	03/23/04	322.75	13.42	309.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	06/21/04	322.75	15.35	307.40	0.00	NS	NS	NS	NS	NS	NS
PMW1	09/20/04	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/20/04	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/05	322.75	14.67	308.08	0.00	NS	NS	NS	NS	NS	NS
PMW1	06/20/05	322.75	12.05	310.70	0.00	NS	NS	NS	NS	NS	NS
PMW1	09/25/05	322.75	11.47	311.28	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW1	12/21/05	322.75	11.82	310.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW1	03/21/06	322.75	12.55	310.20	0.00	NS	NS	NS	NS	NS	NS
PMW1	03/22/06	322.75	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW2	12/22/99	322.37	12.85	309.52	0.00	NS	NS	NS	NS	NS	NS
PMW2	04/04/00	322.37	10.65	311.72	0.00	<1	<1	<1	<1	<50	740/720f
PMW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW2	06/28/00	322.37	11.50	310.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,570f
PMW2	09/26/00	322.37	12.36	310.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	157f
PMW2	12/28/00	322.37	11.85	310.52	0.00	<0.5	<0.5	<0.5	<0.5	445	234f
PMW2	03/28/01	322.07	10.68	311.39	0.00	<0.5	0.632	<0.5	1.88	<50	400/284f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW2	06/25/01	322.07	12.10	309.97	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.6/5.7f
PMW2	09/26/01	322.07	12.26	309.81	0.00	1.6	2.9	1.0	4.7	<50	59/46f
PMW2	12/17/01	322.37	10.08	312.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	23/10f
PMW2	03/18/02	322.37	11.90	310.47	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/19/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	6.50/1.8f
PMW2	06/17/02	322.37	13.00	309.37	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/18/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	5.6/4.30f
PMW2	09/16/02	322.37	14.73	307.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW2	12/17/02	322.37	14.14	308.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.5/<0.5f
PMW2	03/28/03	322.37	13.05	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.4/6.50f
PMW2	06/16/03	322.37	13.89	308.48	0.00	NS	NS	NS	NS	NS	NS
PMW2	09/22/03	322.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW2	12/22/03	322.37	10.86	311.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW2	03/23/04	322.37	11.33	311.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.0/11.2f
PMW2	06/21/04	322.37	14.09	308.28	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/22/04	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	2.70f
PMW2	09/20/04	322.37	15.39	306.98	0.00	NS	NS	NS	NS	NS	NS
PMW2	12/20/04	322.37	14.93	307.44	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/28/05	322.37	9.62	312.75	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/29/05	322.37	NM	NC	NM	<0.5	0.9	<0.5	1.4	<50	7.50f
PMW2	06/20/05	322.37	11.10	311.27	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/21/05	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW2	09/25/05	322.37	12.11	310.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	29.7f
PMW2	12/21/05	322.37	13.52	308.85	0.00	<0.5	<0.5	<0.5	0.72	<50	7.78f
PMW2	03/21/06	322.37	14.37	308.00	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/22/06	322.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW3	12/22/99	321.27	12.61	308.66	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW3	04/04/00	321.27	9.78	311.49	0.00	<1	<1	<1	<1	<50	250/310f
PMW3	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW3	06/28/00	321.27	10.52	310.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	31.5f
PMW3	09/26/00	321.27	10.39	310.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.6f
PMW3	12/28/00	321.27	12.20	309.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
PMW3	03/28/01	321.27	9.37	311.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.08f
PMW3	06/25/01	321.27	12.47	308.80	0.00	2.1	6.8	2.4	11	63	<2.5
PMW3	09/26/01	321.27	9.81	311.46	0.00	2.0	3.7	1.4	5.9	<50	<2.5
PMW3	12/17/01	321.27	7.16	314.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW3	03/18/02	321.27	9.89	311.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.30/0.7f
PMW3	06/17/02	321.27	10.35	310.92	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/18/02	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW3	12/17/02	321.27	7.76	313.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/28/03	321.27	11.00	310.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	06/16/03	321.27	10.76	310.51	0.00	NS	NS	NS	NS	NS	NS
PMW3	09/22/03	321.27	10.17	311.10	0.00	NS	NS	NS	NS	NS	NS
PMW3	12/22/03	321.27	9.11	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/23/04	321.27	10.27	311.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	06/21/04	321.27	10.94	310.33	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/22/04	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW3	09/20/04	321.27	10.44	310.83	0.00	NS	NS	NS	NS	NS	NS
PMW3	09/21/04	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	1.5/1.30f
PMW3	12/20/04	321.27	10.61	310.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/28/05	321.27	8.36	312.91	0.00	NS	NS	NS	NS	NS	NS
PMW3	03/29/05	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW3	06/20/05	321.27	10.09	311.18	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/21/05	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW3	09/25/05	321.27	10.08	311.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW3	12/21/05	321.27	10.20	311.07	0.00	<0.5	0.89	<0.5	0.80	<50	3.67f
PMW3	03/21/06	321.27	11.01	310.26	0.00	NS	NS	NS	NS	NS	NS
PMW3	03/22/06	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW4	12/22/99	321.37	15.32	306.05	0.00	NS	NS	NS	NS	NS	NS
PMW4	04/04/00	321.37	10.60	310.77	0.00	<1	<1	<1	<1	<50	28/27f
PMW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW4	06/28/00	321.37	14.00	307.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.73f
PMW4	09/26/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/28/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	03/28/01	321.37	14.11	307.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.11f
PMW4	06/25/01	321.37	15.07	306.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	09/26/01	321.37	14.11	307.26	0.00	7.4	13	4.2	18	110	<2.5
PMW4	12/17/01	321.37	11.86	309.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	03/18/02	321.37	14.17	307.20	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/19/02	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/17/02	321.37	15.55	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/15/02	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/17/02	321.37	15.22	306.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	03/28/03	321.37	14.95	306.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/16/03	321.37	14.80	NC	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/22/03	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/22/03	321.37	15.28	306.09	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/23/04	321.37	14.40	306.97	0.00	NS	NS	NS	NS	NS	NS
PMW4	06/21/04	321.37	15.32	306.05	0.00	NS	NS	NS	NS	NS	NS
PMW4	06/22/04	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW4	09/20/04	321.37	15.50	305.87	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW4	09/21/04	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	12/20/04	321.37	13.52	307.85	0.00	<0.5	0.7	<0.5	0.7	<50	<0.5
PMW4	03/28/05	321.37	10.30	311.07	0.00	<0.5	0.5	<0.5	<0.5	<50	<0.5f
PMW4	06/20/05	321.37	12.91	308.46	0.00	NS	NS	NS	NS	NS	NS
PMW4	06/21/05	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW4	09/25/05	321.37	14.55	306.82	0.00	NS	NS	NS	NS	NS	NS
PMW4	12/21/05	321.37	13.37	308.00	0.00	<0.5	1.17	<0.5	1.83	<50	<0.5f
PMW4	03/21/06	321.37	14.12	307.25	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/22/06	321.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW5	12/22/99	320.04	13.19	306.85	0.00	1.0	<1.0	<1.0	<1.0	<50	810f
PMW5	04/04/00	320.04	9.61	310.43	0.00	<1	<1	<1	<1	<50	680/890f
PMW5	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW5	06/28/00	320.04	10.10	309.94	0.00	1.79	<0.5	<0.5	<0.5	<50	629f
PMW5	09/26/00	320.04	12.15	307.89	0.00	1.83	<0.5	<0.5	<0.5	<50	743f
PMW5	12/28/00	320.04	12.48	307.56	0.00	1.93	<0.5	<0.5	<0.5	<50	919f
PMW5	03/28/01	320.04	6.90	313.14	0.00	1.38	0.790	<0.5	<0.5	<50	420/304f
PMW5	06/25/01	320.04	11.74	308.30	0.00	1.1	<0.5	<0.5	<0.5	<50	540/560f
PMW5	09/26/01	320.04	12.30	307.74	0.00	3.8	3.6	1.2	5.9	<50	500/440f
PMW5	12/17/01	320.04	8.89	311.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	230/94f
PMW5	03/18/02	320.04	10.70	309.34	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/19/02	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	179	152/35f
PMW5	06/17/02	320.04	12.82	307.22	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/18/02	320.04	NM	NC	NM	1.1	0.5	<0.5	<0.5	167	260/226f
PMW5	09/16/02	320.04	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW5	12/17/02	320.04	13.05	306.99	0.00	1.2	<0.5	<0.5	<0.5	172	228/192f
PMW5	03/28/03	320.04	14.95	305.09	0.00	0.80	<0.5	<0.5	<0.5	192	234/244f
PMW5	06/16/03	320.04	12.94	307.10	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW5	09/22/03	320.04	14.10	305.94	0.00	NS	NS	NS	NS	NS	NS
PMW5	12/22/03	320.04	13.55	306.49	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/23/04	320.04	10.85	309.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	34.7/34.5f
PMW5	06/21/04	320.04	13.25	306.79	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/22/04	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	18.8f
PMW5	09/20/04	320.04	13.95	306.09	0.00	NS	NS	NS	NS	NS	NS
PMW5 ¹	09/21/04	320.04	NM	NC	NM	<0.5	5.7	0.9	6.8	<50	<0.5
PMW5 ¹	12/20/04	320.04	13.89	306.15	0.00	<0.5	1.1	<0.5	1.4	<50	1.2/1.47f
PMW5	03/28/05	320.04	9.98	310.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	34.0f
PMW5	06/20/05	320.04	10.40	309.64	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/21/05	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	46.0f
PMW5	09/25/05	320.04	12.24	307.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	70.1f
PMW5	12/21/05	320.04	13.29	306.75	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/21/06	320.04	14.03	306.01	0.00	NS	NS	NS	NS	NS	NS
PMW5¹	03/22/06	320.04	NM	NC	NM	<0.50	0.84	<0.50	<0.50	<50	1.5f
PMW6	12/22/99	321.38	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW6	04/04/00	321.38	15.10	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW6	06/28/00	321.38	14.60	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	09/26/00	321.38	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/28/00	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/01	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/25/01	321.38	14.82	306.56	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW6	09/26/01	321.38	15.42	305.96	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/17/01	321.38	15.12	306.26	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/18/02	321.38	15.51	305.87	0.00	NS	NS	NS	NS	NS	NS
PMW6	06/17/02	321.38	15.56	305.82	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW6	09/16/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/17/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/03	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/16/03	321.38	14.88	NC	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/22/03	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/22/03	321.38	15.48	305.90	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/23/04	321.38	14.39	306.99	0.00	0.50	<0.5	<0.5	<0.5	<50	<0.5
PMW6	06/21/04	321.38	15.45	305.93	0.00	NS	NS	NS	NS	NS	NS
PMW6	06/22/04	321.38	NM	NC	NM	<0.5	0.6	<0.5	0.8	<50	<0.5f
PMW6	09/20/04	321.38	15.57	305.81	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/20/04	321.38	15.56	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/28/05	321.38	14.44	306.94	0.00	<0.5	0.7	<0.5	0.9	<50	<0.5f
PMW6	06/20/05	321.38	14.67	306.71	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/25/05	321.38	15.36	306.02	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/21/05	321.38	15.32	306.06	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/21/06	321.38	14.43	306.95	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/22/06	321.38	NM	NC	NM	<0.50	<0.50	<0.50	0.79	<50	<0.50f
VR1	03/24/92	NM	NM	NC	NM	1.7	<0.5	<0.5	<0.5	<50	NA
VR1	06/30/99	NM	19.52	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.83/7.31f,h
VR1	08/03/99	NM	19.53	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.49f
VR1	09/24/99	321.00	19.73	301.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.94f
VR1	12/22/99	321.00	21.35	299.65	0.00	<1.0	<1.0	<1.0	<1.0	<50	10f
VR1	04/04/00	321.00	19.23	301.77	0.00	<1	<1	<1	<1	<50	4,500/5,500f
VR1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR1	06/28/00	321.00	20.42	300.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,370f
VR1	09/26/00	321.00	21.92	299.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	387f
VR1	12/28/00	321.00	21.85	299.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	200f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
VR1	03/28/01	320.90	23.99	296.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	86.6/55.9f
VR1	06/25/01	320.90	23.84	297.06	0.00	NS	NS	NS	NS	NS	NS
VR1	09/26/01	320.90	23.96	296.94	0.00	<0.5	0.53	<0.5	<0.5	<50	140/130f
VR1	12/17/01	321.00	24.12	296.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	100/39f
VR1	03/18/02	321.00	23.07	297.93	0.00	NS	NS	NS	NS	NS	NS
VR1	03/19/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,240	1,340/1,450f
VR1	06/17/02	321.00	24.46	296.54	0.00	NS	NS	NS	NS	NS	NS
VR1	06/18/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	122	188/160f
VR1	09/16/02	321.00	27.07	293.93	0.00	<0.5	<0.5	<0.5	<0.5	135	175f
VR1	12/17/02	321.00	24.25	296.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.3/2.50f
VR1	03/28/03	321.00	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR1	06/16/03	321.00	25.85	295.15	0.00	--	--	--	--	--	--
VR1	06/17/03	321.00	--	--	--	<0.5	<0.5	<0.5	<0.5	90.2	42.8/34.8f
VR1	09/22/03	321.00	28.07	292.93	0.00	<0.5	0.5	<0.5	<0.5	78.1	80.7/85.6f
VR1	12/22/03	321.00	24.86	296.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	42.5/42.1f
VR1	03/23/04	321.00	25.86	295.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.7/4.70f
VR1	06/21/04	321.00	27.73	293.27	0.00	NS	NS	NS	NS	NS	NS
VR1	06/22/04	321.00	NM	NC	NM	2.20	2.6	8.6	77.4	988	43.3f
VR1	09/20/04	321.00	27.86	293.14	0.00	NS	NS	NS	NS	NS	NS
VR1	12/20/04	321.00	26.73	294.27	0.00	<0.5	0.5	1.4	14.1	93.3	5.6/6.60f
VR1	03/28/05	321.00	24.87	296.13	0.00	NS	NS	NS	NS	NS	NS
VR1	03/29/05	321.00	NM	NC	NM	<0.5	<0.5	0.6	7.3	50.4	2.30f
VR1	06/20/05	321.00	25.88	295.12	0.00	<0.5	<0.5	<0.5	3.6	<50	6.30f
VR1	09/25/05	321.00	23.65	297.35	0.00	<0.5	<0.5	<0.5	0.76	<50	21.5f
VR1	12/21/05	321.00	23.82	297.18	0.00	<0.5	0.51	<0.5	2.64	<50	8.99f
VR1	03/21/06	321.00	23.44	297.56	0.00	NS	NS	NS	NS	NS	NS
VR1	03/22/06	321.00	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	6.1f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
VR2	06/30/99	NM	33.63	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,080/1,160f,h
VR2	08/03/99	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	3,390f
VR2	09/24/99	320.18	41.54	278.64	0.00	2,650	<50	<50	309	5,170	1,030f
VR2	12/22/99	320.18	40.63	279.55	0.00	<1.0	<1.0	<1.0	<1.0	<50	34f
VR2	01/21/00	320.18	39.04	281.14	0.00	<1.0	<1.0	<1.0	<1.0	<50	17f
VR2	04/04/00	320.18	35.63	284.55	0.00	<1	<1	<1	<1	<50	370/400f
VR2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR2	06/28/00	320.18	39.28	280.90	0.00	1.12	<1	<1	<1	<50	268f
VR2	09/26/00	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/28/00	320.18	42.55	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	10.6f
VR2	03/28/01	320.18	42.00	278.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.85/2.98f
VR2	06/25/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/26/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/18/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/16/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/28/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/16/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/22/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/22/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/23/04	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/21/04	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/20/04	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/20/04	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/28/05	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/20/05	320.18	43.06	277.12	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
VR2	09/25/05	320.18	DRY	NC	0.00	NS	NS	NS	NS	NS	NS
VR2	12/21/05	320.18	38.43	281.75	0.00	<0.5	<0.5	<0.5	0.95	<50	3.60 ^f
VR2	03/21/06	320.18	39.44	280.74	0.00	NS	NS	NS	NS	NS	NS
VR2	03/22/06	320.18	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	830	1,500^f
VR3	06/30/99	NM	9.15	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,220/1,380 ^{f,h}
VR3	08/03/99	NM	8.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	16,100 ^f
VR3	09/24/99	318.73	8.97	309.76	0.00	7.20	1.14	<1.0	1.94	122	10,900 ^f
VR3	11/05/99		Well destroyed								
VR4	06/30/99	NM	8.50	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	146
VR4	08/03/99	NM	8.69	NC	0.00	<0.5	<0.5	<0.5	<0.5	71.7 ^g	3.96 ^f
VR4	09/24/99	321.19	9.10	312.09	0.00	0.890	2.22	0.800	3.15	79.6	90.6 ^f
VR4	11/05/99		Well destroyed								

- a Water level recorded during pumping of MW7.
- b Anomalous water level possibly due to recharge from a perched water zone.
- c Casing head cut to lower elevation.
- d Casing head damaged by construction.
- e Results obtained past the technical holding time.
- f Analysis of MTBE by EPA Method 8260.
- g Unidentified Hydrocarbon C6-C12.
- h Analysis performed outside of EPA recommended hold time.
- i Groundwater level measured is in sump for groundwater extraction pump, near the bottom of the well and below the screened interval, and is not considered representative of groundwater elevation.
- j Grab groundwater sample collected.

D Duplicate.

feet bgs Feet below ground surface.

LPH Liquid-phase hydrocarbons.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
-----------------	------	----------------------------	-----------------------	------------------------------	----------------------	----------------	----------------	----------------------	----------------------	------------------------	-------------

MTBE Methyl tertiary butyl ether.

NA Not analyzed.

NC Not calculated.

ND Not detected at or above the laboratory reporting limits.

NM Not measured.

NS Not sampled.

R Rinseate.

TPH Total Petroleum Hydrocarbons.

µg/L Micrograms per liter.

Note: TPH-g results beginning March 2002 include MTBE.

Groundwater elevations adjusted for LPH, when present, using an average specific gravity of 0.75 for gasoline.

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	t-Butyl alcohol	Methyl t-butyl ether	Diisopropyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	1,2-Dichloro-ethane	1,2-Dibromo-ethane
MW1	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW1	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW1	09/21/04	<100	h	--	--	--	--	--	--
MW1	12/20/04	<100	--	--	--	--	--	--	--
MW1	03/29/05	<100	--	1.70	--	--	--	--	--
MW1	06/21/05	<100	--	<0.5	--	--	--	--	--
MW1	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW1	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW1	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW4	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW4	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW4	09/21/04	<100	--	--	--	--	--	--	--
MW4	03/28/05	--	--	1.10	--	--	--	--	--
MW4	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW4	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW4	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW5D	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5D	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5D	09/20/04	<100	--	--	--	--	--	--	--
MW5D	03/28/05	--	--	<0.5	--	--	--	--	--
MW5D	06/20/05	--	--	<0.5	--	--	--	--	--
MW5D	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5D	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5D	03/21/06	62	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	t-Butyl alcohol	Methyl t-butyl ether	Diisopropyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	1,2-Dichloro-ethane	1,2-Dibromo-ethane
MW5S	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5S	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5S ^a	09/20/04	<100	--	--	--	--	--	--	--
MW5S	03/28/05	--	--	<0.5	--	--	--	--	--
MW5S	06/20/05	--	--	<0.5	--	--	--	--	--
MW5S	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5S	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5S	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW7	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW7	09/21/04	<100	--	--	--	--	--	--	--
MW7	03/28/05	--	--	<0.5	--	--	--	--	--
MW7	06/20/05	--	--	<0.5	--	--	--	--	--
MW7	09/25/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW7	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW7	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	12/22/03	--	--	0.5	--	--	--	--	--
MW8	03/23/04	--	--	0.60	--	--	--	--	--
MW8	06/22/04	<100	<10	0.80	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	12/20/04	<100	--	--	--	--	--	--	--
MW8	03/29/05	<100	--	<0.5	--	--	--	--	--
MW8	06/21/05	<100	--	0.70	--	--	--	--	--
MW8	09/26/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	t-Butyl alcohol	Methyl t-butyl ether	Diisopropyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	1,2-Dichloro-ethane	1,2-Dibromo-ethane
MW8	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW9A	03/29/05	<100	<10	1.00	<0.5	<0.5	<0.5	<0.5	<0.5
MW9A	06/20/05	<100	<10	1.60	<0.5	<0.5	<0.5	<0.5	<0.5
MW9A	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW9A	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW9A	03/22/06	<50	<10	230	<0.50	<0.50	<0.50	<0.50	<0.50
MW10	03/28/05	<100	--	<0.5	--	--	--	--	--
MW10	06/20/05	<100	--	<0.5	--	--	--	--	--
MW10	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW10	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW10	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW11	12/17/02	--	--	0.70	--	--	--	--	--
MW11	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW11	03/28/05	--	--	<0.5	--	--	--	--	--
MW11	06/20/05	--	--	<0.5	--	--	--	--	--
MW11	09/25/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW11	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW11	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW12A	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	09/20/04	<100	--	--	--	--	--	--	--
MW12A	03/28/05	--	--	<0.5	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	t-Butyl alcohol	Methyl t-butyl ether	Diisopropyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	1,2-Dichloro-ethane	1,2-Dibromo-ethane
MW12A	06/20/05	--	--	<0.5	--	--	--	--	--
MW12A	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW13	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW13	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW13	09/20/04	<100	--	--	--	--	--	--	--
MW13	03/28/05	--	--	<0.5	--	--	--	--	--
MW13	06/20/05	--	--	<0.5	--	--	--	--	--
MW13	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW13	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW13	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW14	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW14	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW14	09/21/04	<100	--	--	--	--	--	--	--
MW14	03/28/05	--	--	<0.5	--	--	--	--	--
MW14	06/20/05	--	--	<0.5	--	--	--	--	--
MW14	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW14	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW14	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
OW1	12/17/02	--	--	4.80	--	--	--	--	--
OW1	03/29/05	<100	--	<0.5	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	t-Butyl alcohol	Methyl t-butyl ether	Diisopropyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	1,2-Dichloro-ethane	1,2-Dibromo-ethane
OW1	06/21/05	<100	--	<0.5	--	--	--	--	--
OW1	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
OW1	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
OW1	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
OW2	12/17/02	--	--	5.00	--	--	--	--	--
OW2 ^a	06/17/03	--	--	575	--	--	--	--	--
OW2	12/22/03	--	--	59.6	--	--	--	--	--
OW2	03/23/04	--	--	3.70	--	--	--	--	--
OW2	12/20/04	<100	--	--	--	--	--	--	--
OW2	03/29/05	<100	--	8.50	--	--	--	--	--
OW2	06/21/05	<100	--	<0.5	--	--	--	--	--
OW2	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
OW2	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
OW2	03/22/06	<50	<10	2.5	<0.50	<0.50	<0.50	<0.50	<0.50
PMW1	06/17/03	--	--	<0.5	--	--	--	--	--
PMW1	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW1	12/21/05	<50	<10	<0.5	<0.5	<0.5	<1	<0.5	<0.5
PMW1	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW2	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW2	12/17/02	--	--	<0.5	--	--	--	--	--
PMW2	03/28/03	--	--	6.50	--	--	--	--	--
PMW2	03/23/04	--	--	11.2	--	--	--	--	--
PMW2	06/22/04	<100	<10	2.70	<0.5	<0.5	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	t-Butyl alcohol	Methyl t-butyl ether	Diisopropyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	1,2-Dichloro-ethane	1,2-Dibromo-ethane
PMW2	03/29/05	<100	--	7.50	--	--	--	--	--
PMW2	06/21/05	<100	--	<0.5	--	--	--	--	--
PMW2	09/25/05	<100	<10	29.7	<0.5	<0.5	<0.5	<0.5	<0.5
PMW2	12/21/05	<50	<10	7.78	<0.5	<0.5	<1	<0.5	<0.5
PMW2	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW3	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW3	09/21/04	<100	--	1.30	--	--	--	--	--
PMW3	12/20/04	<100	--	--	--	--	--	--	--
PMW3	03/29/05	<100	--	<0.5	--	--	--	--	--
PMW3	06/21/05	<100	--	<0.5	--	--	--	--	--
PMW3	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW3	12/21/05	<50	<10	3.67	<0.5	<0.5	<1	<0.5	<0.5
PMW3	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW4	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW4	09/21/04	<100	--	--	--	--	--	--	--
PMW4	03/28/05	--	--	<0.5	--	--	--	--	--
PMW4	06/21/05	--	--	<0.5	--	--	--	--	--
PMW4	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW4	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW5	12/17/02	--	--	192	--	--	--	--	--
PMW5	03/28/03	--	--	244	--	--	--	--	--
PMW5	03/23/04	--	--	34.5	--	--	--	--	--
PMW5	06/22/04	<100	<10	18.8	<0.5	<0.5	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	t-Butyl alcohol	Methyl t-butyl ether	Diisopropyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	1,2-Dichloro-ethane	1,2-Dibromo-ethane
PMW5 ^a	09/21/04	<100	--	--	--	--	--	--	--
PMW5 ^a	12/20/04	<100	--	1.47	--	--	--	--	--
PMW5	03/28/05	<100	--	34.0	--	--	--	--	--
PMW5	06/21/05	<100	--	46.0	--	--	--	--	--
PMW5	09/25/05	<100	<10	70.1	<0.5	<0.5	<0.5	<0.5	<0.5
PMW5^a	03/22/06	<50	<10	1.5	<0.50	<0.50	<0.50	<0.50	<0.50
PMW6	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW6	03/28/05	--	--	<0.5	--	--	--	--	--
PMW6	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
VR1	09/16/02	--	<10	175	<0.5	<0.5	<0.5	<0.5	<0.5
VR1	12/17/02	--	--	2.50	--	--	--	--	--
VR1	06/17/03	--	--	34.8	--	--	--	--	--
VR1	09/22/03	--	--	85.6	--	--	--	--	--
VR1	12/22/03	--	--	42.1	--	--	--	--	--
VR1	03/23/04	--	--	4.70	--	--	--	--	--
VR1	06/22/04	<100	<10	43.3	<0.5	<0.5	<0.5	<0.5	<0.5
VR1	12/20/04	<100	--	6.60	--	--	--	--	--
VR1	03/29/05	<100	--	2.30	--	--	--	--	--
VR1	06/20/05	<100	--	6.30	--	--	--	--	--
VR1	09/25/05	<100	<10	21.5	<0.5	<0.5	<0.5	<0.5	<0.5
VR1	12/21/05	<50	<10	8.99	<0.5	<0.5	<0.5	<0.5	<0.5
VR1	03/22/06	<50	<10	6.1	<0.50	<0.50	<0.50	<0.50	<0.50
VR2	12/21/05	<50	<10	3.60	<0.5	<0.5	<1	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	t-Butyl alcohol	Methyl t-butyl ether	Diisopropyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	1,2-Dichloro- ethane	1,2-Dibromo- ethane
VR2	03/22/06	<50	<500	1,500	<0.50	<0.50	1.2	<0.50	<0.50

a Grab sample collected.
 -- Not analyzed.
 µg/L Micrograms per liter.

Notes: All analyses by EPA Method 8260, unless otherwise noted.
 Analytical results prior to 16 September 2002 are not presented in this table.

TABLE 4 GROUNDWATER MONITORING PLAN,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency	
		BTEX and TPH-g	MTBE
MW1	Q	Q	Q
MW4	Q	Q	Q
MW5D	Q	Q	Q
MW5S	Q	Q	Q
MW7	Q	Q	Q
MW8	Q	Q	Q
MW9A	Q	Q	Q
MW10	Q	Q	Q
MW11	Q	Q	Q
MW12A	Q	Q	Q
MW13	Q	Q	Q
MW14	Q	Q	Q
OW1	Q	Q	Q
OW2	Q	Q	Q
PMW1	Q	Q	Q
PMW2	Q	Q	Q
PMW3	Q	Q	Q
PMW4	Q	Q	Q
PMW5	Q	Q	Q
PMW6	Q	Q	Q
VR1	Q	Q	Q
VR2	Q	Q	Q

Q = Quarterly.

BTEX = Benzene, toluene, ethylbenzene, total xylenes.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

MTBE = Methyl tertiary butyl ether.

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
03/12/01	0	0%	185	0.0				0.000	0.000	0.0000	0.0000	0.000	0.000
03/12/01	0.26	100%	2,390	5.8	102.5	< 0.500	66.3	0.002	0.002	0.0000	0.0000	0.001	0.001
03/15/01	2.80	100%	30,740	7.0				0.024	0.026	0.0001	0.0001	0.008	0.009
03/23/01	5.44	67%	73,030	5.4				0.036	0.062	0.0002	0.0003	0.012	0.021
03/30/01	6.94	100%	137,670	6.5				0.055	0.116	0.0003	0.0006	0.019	0.040
04/06/01	7.03	100%	206,240	6.8	< 100	< 0.500	< 2.5	0.058	0.174	0.0003	0.0009	0.020	0.060
04/13/01	7.02	100%	276,970	7.0				0.059	0.233	0.0003	0.0012	0.001	0.061
04/19/01	5.97	100%	335,570	6.8				0.049	0.282	0.0002	0.0014	0.001	0.062
04/27/01	8.04	100%	415,750	6.9				0.067	0.349	0.0003	0.0017	0.002	0.064
05/01/01	3.92	100%	NM	NC				0.000	0.349	0.0000	0.0017	0.002	0.066
05/08/01	7.10	100%	525,007	6.9				0.091	0.440	0.0005	0.0022	0.002	0.069
05/11/01	2.86	100%	555,840	7.5	< 100	< 0.500	< 2.5	0.026	0.465	0.0001	0.0023	0.001	0.069
05/18/01	7.08	100%	623,650	6.6				0.057	0.522	0.0003	0.0026	0.001	0.071
05/25/01	7.02	100%	691,110	6.7				0.056	0.578	0.0003	0.0029	0.001	0.072
06/01/01	7.06	100%	758,630	6.6				0.056	0.634	0.0003	0.0032	0.001	0.073
06/05/01	3.96	100%	766,070	1.3	< 100	< 0.50	< 2.5	0.006	0.641	0.0000	0.0032	0.000	0.074
06/15/01	9.96	100%	859,280	6.5				0.078	0.718	0.0004	0.0036	0.002	0.076
06/22/01	3.53	50%	924,570	12.8				0.054	0.773	0.0003	0.0039	0.001	0.077
06/25/01	1.38	50%	924,578	0.0				0.000	0.773	0.0000	0.0039	0.000	0.077
06/26/01	1.19	100%	934,690	5.9				0.008	0.781	0.0000	0.0039	0.000	0.077
07/06/01	5.02	50%	992,100	7.9	< 100	< 0.50	< 2.5	0.048	0.829	0.0002	0.0041	0.001	0.078
07/12/01	6.04	100%	1,040,560	5.6				0.040	0.870	0.0002	0.0043	0.001	0.079
07/13/01	0.94	100%	1,048,180	5.6				0.006	0.876	0.0000	0.0044	0.000	0.080
07/20/01	6.99	100%	1,102,500	5.4				0.045	0.921	0.0002	0.0046	0.001	0.081
07/27/01	6.88	100%	1,150,270	4.8				0.040	0.961	0.0002	0.0048	0.001	0.082
08/07/01	11.01	100%	1,169,700	1.2				0.016	0.977	0.0001	0.0049	0.000	0.082
08/10/01	3.13	100%	1,170,090	0.1	< 100	< 0.50	< 2.5	0.000	0.978	0.0000	0.0049	0.000	0.082
08/16/01	6.07	100%	1,182,500	1.4				0.010	0.988	0.0001	0.0049	0.002	0.084
08/24/01	7.78	100%	1,183,080	0.1				0.000	0.988	0.0000	0.0049	0.000	0.084
08/31/01	7.14	100%	1,183,450	0.0				0.000	0.989	0.0000	0.0049	0.000	0.084
09/07/01	7.11	100%	1,183,920	0.0	< 100	< 0.50	29	0.000	0.989	0.0000	0.0049	0.000	0.084
09/12/01	4.71	100%	1,184,270	0.1				0.001	0.990	0.0000	0.0049	0.001	0.085
09/18/01	5.99	100%	1,184,840	0.1				0.001	0.990	0.0000	0.0049	0.001	0.086
09/25/01	7.23	100%	1,185,000	0.0				0.000	0.991	0.0000	0.0049	0.000	0.086
10/02/01	7.06	100%	1,186,110	0.1				0.002	0.992	0.0000	0.0049	0.002	0.088
10/08/01	0.00	0%	1,186,110	0.0				0.000	0.992	0.0000	0.0049	0.000	0.088
10/23/01	0.00	0%	1,186,110	0.0	260	< 0.50	460	0.000	0.992	0.0000	0.0049	0.000	0.088
10/30/01	7.23	100%	1,186,120	0.0				0.000	0.992	0.0000	0.0049	0.000	0.088
11/13/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.0000	0.0049	0.000	0.089

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
12/11/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.0000	0.0049	0.000	0.089
12/14/01	3.01	100%	1,188,700	0.6				0.006	0.998	0.0000	0.0050	0.013	0.102
12/17/01	2.31	100%	NM	NC				NC	0.998	NC	0.0050	NC	0.102
12/18/01	0.00	0%	NM	NC				NC	0.998	NC	0.0050	NC	0.102
12/21/01	0.00	0%	1,189,280	0.2	< 520	< 0.50	800	0.002	1.000	0.0000	0.0050	0.003	0.105
12/28/01	3.59	50%	1,191,340	0.4				0.005	1.005	0.0000	0.0050	0.015	0.120
01/04/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.0000	0.0050	0.000	0.120
01/07/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.0000	0.0050	0.000	0.120
01/08/02	0.96	100%	1,191,940	0.4	< 98	0.57	920	0.002	1.007	0.0000	0.0050	0.004	0.124
01/15/02	3.50	50%	1,194,700	0.5				0.005	1.011	0.0000	0.0050	0.011	0.135
01/22/02	3.48	50%	1,198,310	0.7				0.006	1.018	0.0000	0.0050	0.014	0.149
01/25/02	0.00	0%	1,198,310	0.0				0.000	1.018	0.0000	0.0050	0.000	0.149
01/29/02	4.09	100%	1,198,950	0.1				0.001	1.019	0.0000	0.0050	0.003	0.152
01/30/02	0.70	100%	NM	NC				NC	1.019	NC	0.0050	NC	0.152
02/05/02	6.30	100%	1,199,110	0.02	< 310	< 0.50	38	0.000	1.019	0.0000	0.0050	0.001	0.153
02/08/02	2.36	100%	NM	NC				NC	1.019	NC	0.0050	NC	0.153
02/11/02	3.60	100%	1,199,310	0.0				0.000	1.019	0.0000	0.0050	0.000	0.153
02/19/02	8.00	100%	1,199,420	0.0				0.000	1.019	0.0000	0.0050	0.000	0.153
02/26/02	7.03	100%	1,199,590	0.0				0.000	1.020	0.0000	0.0050	0.000	0.153
03/05/02	6.99	100%	1,199,590	0.0	< 120	< 0.50	14	0.000	1.020	0.0000	0.0050	0.000	0.153
03/12/02	3.49	50%	1,199,600	0.0				0.000	1.020	0.0000	0.0050	0.000	0.153
03/19/02	3.51	50%	1,203,100	0.7				0.016	1.036	0.0000	0.0050	0.000	0.153
03/26/02	6.99	100%	1,207,200	0.4				0.018	1.054	0.0000	0.0050	0.000	0.154
03/27/02	0.97	100%	1,207,768	0.4				0.003	1.057	0.0000	0.0050	0.000	0.154
04/04/02	7.82	100%	1,210,690	0.3				0.013	1.070	0.0000	0.0050	0.000	0.154
04/09/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
04/16/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
04/17/02	0.00	0%	1,210,696	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
04/23/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
05/14/02	0.00	0%	1,210,840	0.0				0.001	1.070	0.0000	0.0050	0.000	0.154
05/28/02	0.00	0%	1,210,840	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
05/29/02	0.00	0%	1,210,850	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
05/30/02	0.88	100%	1,210,850	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
06/05/02	6.13	100%	1,213,350	0.3				0.011	1.082	0.0000	0.0051	0.000	0.154
06/12/02	7.02	100%	1,213,400	0.0	< 960	< 0.50	9.2	0.000	1.082	0.0000	0.0051	0.000	0.154
06/18/02	5.98	100%	1,216,120	0.3				0.106	1.188	0.0006	0.0056	0.295	0.449
06/28/02	10.02	100%	1,217,040	0.1				0.036	1.224	0.0002	0.0058	0.100	0.549
07/05/02	6.99	100%	1,217,040	0.0				0.000	1.224	0.0000	0.0058	0.000	0.549
07/08/02	2.43	100%	1,217,040	0.0				0.000	1.224	0.0000	0.0058	0.000	0.549

TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
07/12/02	4.54	100%	1,217,040	0.0	8,400	< 50.00	26000	0.000	1.224	0.0000	0.0058	0.000	0.549
07/16/02	4.04	100%	1,217,200	0.0				0.006	1.230	0.0000	0.0059	0.017	0.566
07/23/02	7.05	100%	1,217,200	0.0				0.000	1.230	0.0000	0.0059	0.000	0.566
08/02/02	9.87	100%	1,217,200	0.0				0.000	1.230	0.0000	0.0059	0.000	0.566
08/07/02	5.18	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.001	0.567
08/13/02	5.74	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
08/21/02	8.19	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
08/27/02	5.79	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
09/06/02	10.21	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
09/10/02	4.00	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
09/17/02	7.04	100%	1,217,350	0.0				0.005	1.235	0.0000	0.0059	0.015	0.582
09/24/02	6.98	100%	1,217,350	0.0	NA	NA	NA	0.000	1.235	0.0000	0.0059	0.000	0.582
10/01/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
10/08/02	6.69	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
10/16/02	6.32	79%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
10/22/02	6.03	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
10/29/02	7.16	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
11/05/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
11/08/02	2.19	78%	1,217,650	0.1				0.011	1.246	0.0001	0.0060	0.033	0.615
11/12/02	4.21	100%	1,218,130	0.1	< 105	< 0.50	< 2.5	0.017	1.263	0.0001	0.0061	0.052	0.667
11/19/02	6.92	100%	1,220,110	0.2				0.019	1.282	0.0004	0.0065	0.003	0.670
11/25/02	6.04	100%	1,220,110	0.0				0.000	1.282	0.0000	0.0065	0.000	0.670
12/05/02	10.06	100%	1,220,110	0.0				0.000	1.282	0.0000	0.0065	0.000	0.670
12/10/02	4.97	100%	1,220,120	0.0	2,230	< 50	420	0.000	1.282	0.0000	0.0065	0.000	0.670
12/17/02	7.00	100%	1,221,220	0.1				0.014	1.296	0.0003	0.0067	0.005	0.676
12/24/02	7.01	100%	1,221,640	0.0				0.005	1.301	0.0001	0.0068	0.002	0.677
12/30/02	6.00	100%	1,221,670	0.0				0.000	1.301	0.0000	0.0068	0.000	0.678
01/06/03	6.96	100%	1,221,850	0.0	745	< 5.0	690	0.002	1.303	0.0000	0.0069	0.001	0.678
01/10/03	3.42	84%	1,221,880	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
01/14/03	3.90	100%	1,221,890	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
01/21/03	7.02	100%	1,221,900	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
01/27/03	6.04	100%	1,221,910	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
02/04/03	7.91	100%	1,221,920	0.0	< 190	< 0.50	8.6	0.000	1.304	0.0000	0.0069	0.000	0.679
02/12/03	8.05	100%	1,221,920	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
02/19/03	6.94	100%	1,222,060	0.0				0.001	1.305	0.0000	0.0069	0.002	0.680
02/20/03	0.00	0%	1,222,060	0.0				0.000	1.305	0.0000	0.0069	0.000	0.680
02/25/03	5.04	100%	1,222,060	0.0				0.000	1.305	0.0000	0.0069	0.000	0.680
03/05/03	7.97	100%	1,224,310	0.2	2,061	< 25	2900	0.021	1.326	0.0002	0.0071	0.027	0.708
03/11/03	5.94	100%	1,224,930	0.1				0.006	1.332	0.0001	0.0072	0.008	0.715

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
03/18/03	7.04	100%	1,225,680	0.1				0.007	1.338	0.0001	0.0073	0.009	0.724
03/25/03	7.00	100%	1,226,890	0.1				0.011	1.349	0.0001	0.0074	0.015	0.739
04/01/03	7.04	100%	1,227,060	0.0				0.002	1.351	0.0000	0.0074	0.002	0.741
04/08/03	3.52	50%	1,227,470	0.1				0.004	1.355	0.0000	0.0075	0.005	0.746
04/15/03	3.45	50%	1,227,990	0.1				0.005	1.359	0.0001	0.0075	0.006	0.752
04/22/03	7.06	100%	1,230,320	0.2	< 102	< 0.50	25	0.021	1.380	0.0002	0.0078	0.028	0.781
04/29/03	7.00	100%	1,233,510	0.3				0.005	1.385	0.0000	0.0078	0.000	0.781
05/06/03	6.99	100%	1,235,160	0.2				0.003	1.388	0.0000	0.0078	0.000	0.781
05/13/03	6.99	100%	1,235,490	0.0	< 280	< 0.50	< 2.5	0.001	1.389	0.0000	0.0078	0.000	0.781
05/20/03	7.06	100%	1,235,950	0.0				0.001	1.390	0.0000	0.0078	0.000	0.781
05/28/03	7.98	100%	1,236,460	0.0				0.001	1.391	0.0000	0.0078	0.000	0.781
06/02/03	4.99	100%	1,236,480	0.0				0.000	1.391	0.0000	0.0078	0.000	0.781
06/10/03	7.99	100%	1,236,480	0.0				0.000	1.391	0.0000	0.0078	0.000	0.781
06/17/03	6.81	100%	1,236,490	0.0				0.000	1.391	0.0000	0.0078	0.000	0.781
06/20/03	3.19	100%	1,236,650	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
06/24/03	4.08	100%	1,236,650	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
06/25/03	1.00	100%	1,236,650	0.0	NA	NA	NA	0.000	1.391	0.0000	0.0078	0.000	0.782
06/27/03	1.92	100%	1,236,680	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/01/03	4.01	100%	1,236,680	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/08/03	6.99	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/15/03	6.98	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/22/03	7.02	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/29/03	6.81	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
08/05/03	7.17	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
08/13/03	8.06	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
08/19/03	6.02	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
08/26/03	6.98	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
09/02/03	6.99	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
09/09/03	6.96	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
09/16/03	7.03	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
09/23/03	7.00	100%	1,236,780	0.0	175	< 2.5	60	0.000	1.391	0.0000	0.0078	0.000	0.782
09/29/03	1.51	25%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
10/08/03	0.00	0%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
10/14/03	0.00	0%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
10/20/03	5.77	100%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
10/27/03	0.00	0%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/03/03	0.00	0%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/11/03	8.15	100%	1,236,950	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/13/03	0.82	43%	1,236,950	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
11/18/03	5.12	100%	1,236,960	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/25/03	7.04	100%	1,236,960	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/02/03	6.97	100%	1,236,970	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/08/03	5.85	100%	1,237,060	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/11/03	3.08	100%	1,237,160	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/16/03	4.79	100%	1,237,310	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/22/03	6.13	100%	1,237,580	0.0	108	< 0.5	2.5	0.000	1.392	0.0000	0.0078	0.000	0.782
12/29/03	7.14	100%	1,237,740	0.0				0.000	1.393	0.0000	0.0078	0.000	0.782
01/08/04	9.96	100%	1,238,160	0.0	450	< 0.50	< 2.5	0.001	1.394	0.0000	0.0078	0.000	0.782
01/13/04	4.99	100%	1,238,160	0.0				0.000	1.394	0.0000	0.0078	0.000	0.782
01/20/04	7.00	100%	1,238,160	0.0				0.000	1.394	0.0000	0.0078	0.000	0.782
01/27/04	7.00	100%	1,238,200	0.0				0.000	1.394	0.0000	0.0078	0.000	0.782
02/04/04	8.01	100%	1,238,360	0.0				0.000	1.394	0.0000	0.0078	0.000	0.782
02/11/04	7.03	100%	1,238,360	0.0	250	< 0.50	< 2.5	0.000	1.394	0.0000	0.0078	0.000	0.782
02/17/04	5.96	100%	1,238,410	0.0				0.000	1.395	0.0000	0.0078	0.000	0.782
02/25/04	8.06	100%	1,238,700	0.0				0.001	1.396	0.0000	0.0078	0.000	0.782
03/03/04	7.01	100%	1,238,770	0.0				0.000	1.396	0.0000	0.0078	0.000	0.782
03/11/04	7.96	100%	1,238,770	0.0				0.000	1.396	0.0000	0.0078	0.000	0.782
03/17/04	6.00	100%	1,238,770	0.0				0.000	1.396	0.0000	0.0078	0.000	0.782
03/23/04	6.02	100%	1,238,770	0.0	590	< 0.50	< 2.5	0.000	1.396	0.0000	0.0078	0.000	0.782
03/31/04	7.96	100%	1,239,030	0.0				0.001	1.397	0.0000	0.0078	0.000	0.782
04/07/04	7.04	100%	1,239,030	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
04/14/04	6.96	100%	1,239,030	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
04/21/04	7.02	100%	1,239,050	0.0	180	< 0.50	7.8	0.000	1.397	0.0000	0.0078	0.000	0.782
04/28/04	7.04	100%	1,239,050	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
05/03/04	4.94	100%	1,239,050	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
05/11/04	7.92	100%	1,239,050	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
05/18/04	7.08	100%	1,239,050	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
06/22/04	34.81	100%	1,239,050	0.0	230	< 0.50	< 2.5	0.000	1.397	0.0000	0.0078	0.000	0.782
07/01/04	9.02	100%	1,239,270	0.0				0.001	1.397	0.0000	0.0078	0.000	0.782
07/22/04	21.17	100%	1,239,270	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
08/02/04	10.96	100%	1,239,300	0.0				0.000	1.398	0.0000	0.0078	0.000	0.782
08/18/04	16.06	100%	1,239,320	0.0	600	< 0.50	33	0.000	1.398	0.0000	0.0078	0.000	0.782
08/30/04	10.81	92%	1,239,320	0.0				0.000	1.398	0.0000	0.0078	0.000	0.782
09/21/04	22.04	100%	1,239,370	0.0	1,450	< 0.50	< 2.5	0.000	1.398	0.0000	0.0078	0.000	0.782
09/23/04	2.15	100%	1,239,380	0.0				0.000	1.398	0.0000	0.0078	0.000	0.782
10/07/04	14.05	100%	1,239,380	0.0				0.000	1.398	0.0000	0.0078	0.000	0.782
10/27/04	20.00	100%	1,240,120	0.0	104	< 0.50	< 2.5	0.005	1.403	0.0000	0.0078	0.000	0.782

The GES was shut down on 10/27/04

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
Total / Average		1113.04	1,240,120					1.403	1.403	0.0078	0.0078	0.782	0.782

Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

* Est. Pounds Removed = Average influent conc. (µg/L) * period flow total (gallons) * 1 lb/454 g * 1g/1,000,000µg * 3.785 L/gallon

gpm - Gallons per minute.

MTBE - Methyl tertiary butyl ether.

NC - Not calculated.

µg/L - Micrograms per liter.

NM - Not measured.

TPH - Total Petroleum Hydrocarbons as gasoline and diesel.

NM - Not analysed.

G:\Projects\73399\MasterO&M\3399_h2o.xls\Analytical

**TABLE 6: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample		Concentration (µg/L)							
Location	Date	TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
Influent									
	03/12/01	52.5	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	66.3	65.7
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	29	52
	10/23/01	50	< 0.50	< 0.50	< 0.50	< 0.50	210	460	620
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	800	650
	01/08/02	< 50	0.57	< 0.50	< 0.50	< 0.50	< 48	920	750
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	260	38	35
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	70	14	16
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	0.62	< 0.50	< 0.50	910	9.2	10
	07/12/02	7,900	< 50	78	< 50	< 50	500	26,000	20,000
	09/24/02	NA	NA	NA	NA	NA	NA	NA	NA
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	55	< 2.5	3.0
	12/10/02	230	< 50	< 50	< 50	< 50	2,000	NA	420
	01/06/03	670	< 5.0	< 5.0	< 5.0	< 5.0	75	690	670
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	140	8.6	8.7
	03/05/03	2,000	< 25	< 25	< 25	< 25	61	NA	2,900
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	52	NA	25
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	230	< 2.5	NA
	09/23/03	55	< 2.5	< 2.5	< 2.5	< 2.5	120	60	NA
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	1.1	58	2.5	NA
	01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	400	< 2.5	NA
	02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	200	< 2.5	NA
	03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	540	< 2.5	NA
	04/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	130	7.8	NA
	06/22/04	< 50	< 0.50	2.5	< 0.50	2.6	180	< 2.5	NA
	08/18/04	150	< 0.50	< 0.50	< 0.50	< 0.50	450	33	NA
	09/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	1,400	< 2.5	NA
	10/27/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	54	< 2.5	NA
After First Carbon Vessel (Intermediate)									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	10/23/01	< 50	< 0.50	0.50	2.7	2.9	200	< 2.5	< 2.0
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	290	< 2.5	< 0.50
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	320	< 2.5	< 0.50
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	760	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	62	< 2.5	< 0.50

**TABLE 6: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample		Concentration (µg/L)							
Location	Date	TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
	09/24/02	NS	NS	NS	NS	NS	NS	NS	NS
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	0.89
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	71	NA	< 0.50
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	81	< 2.5	< 0.50
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	120	< 2.5	< 0.50
	03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	05/13/03	< 50	< 0.50	< 1.0	< 1.0	< 1.7	100	< 2.5	NA
	06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	91	NA	< 0.50
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
	01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
	02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	91	< 2.5	NA
	03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	NA
	04/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
	06/22/04	< 50	< 0.50	2.1	< 0.50	2.4	< 50	< 2.5	NA
	08/18/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	97	< 2.5	NA
	09/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	NA
	10/27/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
Effluent									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	60	< 2.5	< 2.0
	07/06/01		TPH-d result confirmed with spare sample				< 50		
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	10/23/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	700	< 2.5	< 2.0
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	58	< 2.5	< 0.50
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	400	< 2.5	< 0.50
	05/28/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	1,200	< 2.5	< 0.50
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50
	09/24/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	460	< 2.5	< 0.50
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	59	NA	< 0.50
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	73	< 2.5	< 0.50
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	74	< 2.5	< 0.50
	03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	75	< 2.5	< 0.50
	06/25/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	< 2.5	< 0.50
	09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	150	< 2.5	< 0.50
	11/26/03	< 50	< 0.50	1.5	< 0.50	1.4	< 47	< 2.5	< 0.50
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	< 0.50
	01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	< 0.50
	02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	< 0.50
	03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
	04/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	54	< 2.5	NA

**TABLE 6: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample		Concentration (µg/L)							
Location	Date	TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
	06/22/04	< 50	< 0.50	3.1	< 0.50	3.6	100	< 2.5	< 0.50
	08/18/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	< 0.50
	09/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 0.50
	10/27/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50

The GES was shut down on 10/27/2004

NA - Not Analyzed

µg/L - Micrograms per liter

TPH-g - Total Petroleum Hydrocarbons as gasoline

TPH-d - Total Petroleum Hydrocarbons as diesel

MTBE - Methyl tertiary butyl ether

TABLE 7A ROSE DIAGRAM DATA: PERCHED ZONE,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
1	04/04/00	0.0180	S	62	E
2	06/28/00	0.031	S	89	E
3	09/26/00	0.051	S	66	E
4	12/28/00	0.038	N	85	E
--	03/28/01	NC	--	--	--
--	09/25/05	NC	--	--	--
--	12/21/05	NC	--	--	--
--	03/21/06	NC	--	--	--

NC Not calculated.

TABLE 7B ROSE DIAGRAM DATA: ZONE 1,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
1	06/23/88	0.0045	N	40	W
2	08/26/88	0.0035	N	40	W
--	12/07/88	NC	--	--	--
3	03/08/89	0.006	S	68	E
4	06/30/89	0.0053	S	23	W
--	08/03/89	NC	--	--	--
5	11/28/89	0.0045	N	65	W
--	01/09/90	NC	--	--	--
6	06/11/90	0.0068	N	0	W
--	09/28/90	NC	--	--	--
7	12/27/90	0.017	S	58	W
8	03/20/91	0.014	S	64	W
9	06/20/91	0.016	S	59	W
10	09/12/91	0.007	N	25	W
--	12/30/91	NC	--	--	--
11	03/02/92	0.0069	N	24	W
12	06/08/92	0.0076	N	25	W
13	09/16/92	0.0068	N	23	W
14	12/10/92	0.008	N	25	W
15	03/11/93	0.01	S	45	W
16	06/01/93	0.0023	S	71	W
--	09/29/93	NC	--	--	--
--	11/23/93	NC	--	--	--
--	03/10/94	NC	--	--	--
17	05/04/94	0.017	S	60	W
--	09/01/94	NC	--	--	--
18	11/16/94	0.067	N	40	E
19	02/15/95	0.006	S	85	E
20	05/09/95	0.01	N	67	E
21	08/21/95	0.01	N	85	E
22	11/30/95	0.016	N	66	E
23	03/28/96	0.01	N	82	E
24	05/31/96	0.01	N	62	E
25	08/28/96	0.02	N	70	E
26	11/18/96	0.017	N	68	E
27	02/28/97	0.023	N	81	E
28	05/23/97	0.017	N	66	E
--	09/23/97	NC	--	--	--
29	12/30/97	0.01	N	55	E
30	03/24/98	0.016	S	58	W
31	06/15/98	0.02	S	64	W

TABLE 7B ROSE DIAGRAM DATA: ZONE 1,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
32	09/11/98	0.14	S	80	W
33	12/09/98	0.11	S	47	W
34	03/31/99	0.013	N	60	E
35	06/30/99	0.003	N	72	E
36	08/03/99	0.018	N	57	E
37	09/24/99	0.009	N	85	W
38	12/22/99	0.009	N	38	W
39	04/04/00	0.005	N	35	W
40	06/28/00	0.004	N	35	W
41	09/26/00	0.004	N	46	W
42	12/28/00	0.009	N	85	E
43	03/28/01	0.004	N	52	W
44	06/25/01	0.001	N	52	W
45	09/26/01	0.019	S	67	W
46	12/17/01	0.023	S	65	W
47	03/18/02	0.006	N	55	W
48	6/17-18/02	0.0064	N	52	W
49	09/16/02	0.0145	S	65	W
50	12/17/02	0.016	S	76	W
51	03/28/03	0.029	S	57	W
52	6/16-17/03	0.007	S	51	W
--	09/22/03	NC	--	--	--
53	12/22/03	0.02	S	55	W
54	03/23/04	0.02	S	50	W
55	6/21-22/04	0.02	S	55	W
56	9/20-21/04	0.02	S	47	W
57	12/20/04	0.02	S	29	W
58	03/28/05	0.016	N	83	W
59	06/20/05	0.0070	N	47	W
--	09/25/05	NC	--	--	--
--	12/21/05	NC	--	--	--
--	03/21/06	NC	--	--	--

NC Not calculated.

TABLE 7C ROSE DIAGRAM DATA: ZONE 3,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
1	06/25/01	0.042	S	41	W
2	09/26/01	0.0005	N	10	W
3	12/17/01	0.0015	N	20	W
4	03/18/02	0.0051	N	57	W
5	6/17-18/02	0.0011	S	17	E
6	09/16/02	0.0006	N	48	E
7	12/17/02	0.0008	S	70	E
8	03/28/03	0.002	S	9	W
9	6/16-17/03	0.0006	N	73	E
10	09/22/03	0.0030	N	17	E
11	12/22/03	0.1	N	44	E
12	03/23/04	0.007	S	21	E
13	6/21-22/04	0.004	S	76	E
14	9/20-21/04	0.001	N	35	E
15	12/20/04	0.003	N	29	W
16	03/28/05	0.0002	N	38	W
17	06/20/05	<0.001	N	27	W
18	09/25/05	0.0011	S	16	W
19	12/21/05	0.001	S	44	E
20	03/21/06	0.008	N	29	W

Appendix A
Field Protocols

PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING

GROUNDWATER GAUGING

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the water is bailed from the well and, if the well does not recover, the well is considered “functionally dry.” Wells with a sheen or measurable liquid-phase hydrocarbons are generally not purged or sampled.

WELL PURGING

After the wells are gauged, each well is purged of approximately 3 well casing volumes of water to provide representative groundwater samples for analysis. Field parameters of pH, temperature, and electrical conductance are measured during purging to ensure that these parameters have stabilized before groundwater in a well is sampled. Groundwater in each well is purged using an inertial pump (WaTerra), an electric submersible pump, or a bailer. After the well is purged, the water level is checked to ensure that the well has recharged to at least 80 percent of its original water level.

GROUNDWATER SAMPLING

After purging, groundwater in each well is sampled using dedicated tubing and an inertial pump (WaTerra) or a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler’s initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

Appendix B
Field Documents



MONITORING WELL DATA FORM

Client: ExxonMobil	Date: 3/21/00
Project Number: UP3399.1	Station Number: 7-3399
Site Location: 2991 Hopyard Rd, Pleasanton, CA	Samplers: Dick L.

MONITORING WELL NUMBER	DEPTH TO WATER (TOC) FT.	DEPTH TO PRODUCT (TOC) FT.	APPARENT PRODUCT THICKNESS (FT.)	AMOUNT OF PRODUCT REMOVED (L)	Well Completion Depth	DEPTH TO BOTTOM (TOC)	WELL CASING DIAMETER
MW1	28.70				57.00	54.94	4"
MW4	29.66				57.00	56.70	4"
MW5D	29.76				77.50	77.47	4"
MW5S	29.57				55.00	54.55	4"
MW7	29.40				53.00	59.33	6"
MW8	29.10				133.00	132.87	4"
MW9A	29.40				58.00	56.90	6"
MW10	31.29				60.00	56.67	4"
MW11	29.69				55.00	54.45	4"
MW12A	30.73				130.50	128.47	2"
MW13	31.51				72.00	70.75	2"
MW14	29.36				136.00	131.97	2"
OW1	9.01					11.51	4"
OW2	8.87					12.50	4"
VR1	23.44				30.00	30.10	4"
VR2	39.44				45.00	43.40	2"
PMW1	12.53				16.00	15.67	4"
PMW2	14.37				16.00	15.50	4"
PMW3	11.01				16.00	15.97	4"
PMW4	14.12				16.00	15.80	4"
PMW5	14.03				16.00	14.58	4"
PMW6	14.43				16.00	15.80	4"



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399 Well No: MW1 Date: 3/22/00
 Project No: UP3399.1 Personnel: Rick R.

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
				1	2	4	6		
	51.94	29.70	26.24	0.04	0.16	0.64	1.44	16.79	50.37

PURGING DATA
 Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
0814	17	17.6	6.90	2589	CLEAR / BEN	N	1	N
0822	34	17.2	6.98	2564	CLEAR / NONE	N	2	N
0829	51	17.7	6.97	2556	CLEAR / NONE	N	3	N

Comments/Observations:

SAMPLING DATA
 Time Sampled: 0835 Approximate Depth to Water During Sampling: 29 (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW1	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 51 (gallons) Disposal: SYSTEM

Weather Conditions: OK BOLTS / N

Condition of Well Box and Casing at Time of Sampling: OK CAP & LOCK / N

Well Head Conditions Requiring Correction: N GROUT / N

Problems Encountered During Purging and Sampling: N WELL BOX / N

Comments: SECURED / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MW4	Date: 3/22/06
Project No: UP3399.1	Personnel: Rick R.	

GAUGING DATA						
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC		
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter:		Total Purge Volume (gal)
	56.70	29.66	27.04	1 0.04	2 0.16	4 0.64
				6 1.44		17.31
						51.93

PURGING DATA						
Purge Method: WATERRA / BAILER / SUB			Purge Depth:	Screen	Purge Rate:	(gpm)
Time	1037	1059	1121			
Volume Purge (gal)	17.5	35.0	52.5			
Temperature (C)	19.8	20.0	20.1			
pH	6.90	6.93	6.91			
Spec. Cond. (umhos)	2604	2609	2590			
Turbidity/Color	CLEAR / NONE	CLEAR / NONE	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 1125	Approximate Depth to Water During Sampling: 30.0 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW4	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS (Y) / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK (Y) / N
Well Head Conditions Requiring Correction: W	GROUT (Y) / N
Problems Encountered During Purging and Sampling:	WELL BOX (Y) / N
Comments:	SECURED (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MWSD	Date: 3/21/06
Project No: UP3399.1	Personnel: Rick R.	

GAUGING DATA									
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	77.47	27.76	47.71	1 0.04	2 0.16	4 0.64	6 1.44	30.53	91.59

PURGING DATA						
Purge Method: <u>WATERRA</u> / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)	
Time	1146	1214	1245			
Volume Purge (gal)	31	62	93			
Temperature (C)	17.9	17.5	17.7			
pH	7.00	7.06	7.10			
Spec. Cond. (umhos)	1817	1833	1829			
Turbidity/Color	<u>CLEAR</u> NONE	<u>CLEAR</u> NONE	<u>CLEAR</u> NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 1250	Approximate Depth to Water During Sampling: 30 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MWSD	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 93 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: N	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: N	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MWSS	Date: 3/21/04
Project No: UP3399.1	Personnel: Rick P.	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		54.55	29.57	24.98	1 0.04	2 0.16	4 0.64	6 1.44	15.99

PURGING DATA
 Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

	1	2	3			
Time	1311	1329	1347			
Volume Purge (gal)	16	32	48			
Temperature (C)	18.4	18.1	18.2			
pH	6.86	6.81	6.90			
Spec. Cond. (umhos)	2694	2689	2685			
Turbidity/Color	CLEAR / NONE	CLEAR / NONE	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA
 Time Sampled: 1350 Approximate Depth to Water During Sampling: 30 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MWSS	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 48 (gallons) Disposal: SYSTEM

Weather Conditions: OK	BOLTS (Y) / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK (Y) / N
Well Head Conditions Requiring Correction: N	GROUT (Y) / N
Problems Encountered During Purging and Sampling: N	WELL BOX (Y) / N
Comments:	SECURED (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MW 7	Date: 03-22-16
Project No: UP3399 1	Personnel: AVE	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		59.33	39.42	29.93	1	2	4	6	43.09
				0.04	0.16	0.64	1.44		

PURGING DATA
 Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	0755	0838	0923			
Volume Purge (gal)	43.5	87	131.5			
Temperature (C)	16.2	18.4	19.6			
pH	6.95	6.97	6.93			
Spec. Cond. (umhos)	2100	2164	2100			
Turbidity/Color	CLEAR/NONE	CLEAR/NONE	CLEAR/NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA
 Time Sampled: 0930 Approximate Depth to Water During Sampling: 30.6 (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW 7	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: 166.5 (gallons) Disposal: SYSTEM

Weather Conditions: <u>OK</u>	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: <u>OK</u>	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: <u>NONE</u>	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: <u>NONE</u>	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MWR	Date: 3/22/04
Project No: UP3399.1	Personnel: Rick R.	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
				1	2	4	6		
	132.87	29.10	103.77	0.04	0.16	0.64	1.44	66.41	199.23

PURGING DATA
 Purge Method: WATERRAY / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1530	1655	1815		
Volume Purge (gal)	66.5	133.0	199.5		
Temperature (C)	18.3	17.4	17.3		
pH	7.42	7.45	7.46		
Spec. Cond. (umhos)	1048	1054	1055		
Turbidity/Color	clear / NONE	clear / NONE	clear / NONE		
Odor (Y/N)	N	N	N		
Casing Volumes	1	2	3		
Dewatered (Y/N)	N	N	N		

Comments/Observations:

SAMPLING DATA
 Time Sampled: 1820 Approximate Depth to Water During Sampling: 30.00 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MWR	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 199.5 (gallons) Disposal: SYSTEM

Weather Conditions:	OK	BOLTS	(Y) / N
Condition of Well Box and Casing at Time of Sampling:	OK	CAP & LOCK	(Y) / N
Well Head Conditions Requiring Correction:	None	GROUT	(Y) / N
Problems Encountered During Purging and Sampling:	None	WELL BOX	(Y) / N
		SECURED	(Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MW9A	Date: 3/27/16
Project No: UP3399 1	Personnel: Rick R.	

GAUGING DATA									
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		56.90	29.40	27.50	1 0.04	2 0.16	4 0.64	6 1.44	39.60

PURGING DATA						
Purge Method: <u>WATERRA</u> / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)	
Time	1449	1543	1636			
Volume Purge (gal)	40	80	120			
Temperature (C)	24.8	20.5	19.2			
pH	7.08	7.01	7.03			
Spec. Cond. (umhos)	2135	2084	1989			
Turbidity/Color	CLEAR/NONE	CLEAR/NONE	CLEAR/NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 1640	Approximate Depth to Water During Sampling: 30.0 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW9A	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 120 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	STRIPPED BOLTS BOLTS Y / <u>N</u>
Condition of Well Box and Casing at Time of Sampling: STRIPPED EARS	CAP & LOCK <u>Y</u> / N
Well Head Conditions Requiring Correction:	GROUT <u>Y</u> / N
Problems Encountered During Purging and Sampling: NONE	WELL BOX <u>Y</u> / N
Comments:	SECURED <u>Y</u> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MW10	Date: 07-22-06
Project No: UP3399.1	Personnel: <i>Am</i>	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		56.67	31.29	25.38	1	2	4	6	16.24
				0.04	0.16	0.64	1.44		

PURGING DATA
 Purge Method: WATER / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1	2	3	4	5	6
Time	1200	1207	1219			
Volume Purge (gal)	16.5	30	49.5			
Temperature (C)	21.6	20.3	19.9			
pH	7.02	6.90	7.04			
Spec. Cond. (umhos)	1962	1974	1970			
Turbidity/Color	<i>clear/none</i>	<i>clear/none</i>	<i>clear/none</i>			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations: *None*

SAMPLING DATA
 Time Sampled: 1230 Approximate Depth to Water During Sampling: 32 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW10	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: <u>49.5</u> (gallons)	Disposal: <u>SYSTEM</u>
Weather Conditions: <u>OK</u>	BOLTS <u>(Y)</u> / N
Condition of Well Box and Casing at Time of Sampling: <u>OK</u>	CAP & LOCK <u>(Y)</u> / N
Well Head Conditions Requiring Correction: <u>NONE</u>	GROUT <u>(Y)</u> / N
Problems Encountered During Purging and Sampling: <u>NONE</u>	WELL BOX <u>(Y)</u> / N
Comments:	SECURED <u>(Y)</u> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MW11	Date: 3/21/06
Project No: UP3399.1	Personnel: [Signature]	

GAUGING DATA									
Water Level Measuring Method: <u>WLM</u> IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	54.45	29.69	24.76	1	2	4	6	19.85	47.55
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: <u>WATERRA</u> / BAILER / SUB			Purge Depth:	Screen	Purge Rate:	(gpm)
Time						
Volume Purge (gal)	16	32	48			
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes	1	2	3			
Dewatered (Y/N)						

Comments/Observations:
DEWATERED @ 8 GALS

SAMPLING DATA	
Time Sampled: 1655	Approximate Depth to Water During Sampling: 30 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW11	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: <u>8</u> (gallons)	Disposal: SYSTEM
Weather Conditions: <u>OK</u>	BOLTS <u>(Y)</u> / N
Condition of Well Box and Casing at Time of Sampling: <u>OK</u>	CAP & LOCK <u>(Y)</u> / N
Well Head Conditions Requiring Correction: <u>N</u>	GROUT <u>(Y)</u> / N
Problems Encountered During Purging and Sampling: <u>DEWATERED</u>	WELL BOX <u>(Y)</u> / N
Comments:	SECURED <u>(Y)</u> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MW12A	Date: 3/21/08
Project No: UP3399.1	Personnel: C. Ok R.	

GAUGING DATA									
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	128.47	30.73	97.74	1	2	4	6	15.64	46.92
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: WATERRA / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)	
Time	1410	1444	1518	1552		
Volume Purge (gal)	16	32	48			
Temperature (C)	17.6	17.2	17.2			
pH	7.46	7.52	7.43			
Spec. Cond. (umhos)	986	986	990			
Turbidity/Color	CLEAR / NONE	CLEAR / NONE	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 1555	Approximate Depth to Water During Sampling: 31 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW12A	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: 48 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS (Y) / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK (Y) / N
Well Head Conditions Requiring Correction: N	GROUT (Y) / N
Problems Encountered During Purging and Sampling: N	WELL BOX (Y) / N
Comments:	SECURED (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MW13	Date: 5/2/06
Project No: UP3399.1	Personnel: Rick R.	

GAUGING DATA									
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		70.75	31.51	39.24	1 0.04	2 0.16	4 0.64	6 1.44	6.28

PURGING DATA						
Purge Method: WATERRA / BAILER / SUB			Purge Depth:	Screen	Purge Rate:	(gpm)
Time	1604	1610	1616			
Volume Purge (gal)	6.5	13.0	19.5			
Temperature (C)	18.3	18.5	18.4			
pH	7.10	7.05	7.06			
Spec. Cond. (umhos)	1859	1853	1850			
Turbidity/Color	CLEAR / BRN	CLEAR / BRN	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 1620	Approximate Depth to Water During Sampling: 32 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW13	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 19.5 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS (Y) / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK (Y) / N
Well Head Conditions Requiring Correction: N	GROUT (Y) / N
Problems Encountered During Purging and Sampling: N	WELL BOX (Y) / N
Comments:	SECURED (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: MW14	Date: 3/2/06
Project No: UP3399.1	Personnel: Rick R.	

GAUGING DATA									
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		131.97	29.36	102.61	1 0.04	2 0.16	4 0.64	6 1.44	16.42

PURGING DATA						
Purge Method: WATERRA / BAILER / SUB			Purge Depth:	Screen	Purge Rate:	(gpm)
Time	0952	1030	1105			
Volume Purge (gal)	16.5	330	49.5			
Temperature (C)	17.4	17.1	16.9			
pH	7.17	7.33	7.44			
Spec. Cond. (umhos)	1106	1108	1110			
Turbidity/Color	CLEAR / NONE	CLEAR / NONE	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 1110	Approximate Depth to Water During Sampling: 30 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW14	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 49.5 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS (Y) / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK (Y) / N
Well Head Conditions Requiring Correction: N	GROUT (Y) / N
Problems Encountered During Purging and Sampling: N	WELL BOX (Y) / N
Comments:	SECURED (Y) / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: CW11	Date: 3/27/06
Project No: UP3399.1	Personnel: Rick R.	

GAUGING DATA									
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	11.51	9.01	2.50	1	2	4	6	1.60	4.80
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: WATERRA / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)	
Time	0913	0917	0922			
Volume Purge (gal)	2	4	6			
Temperature (C)	14.7	14.9	15.0			
pH	7.64	7.55	7.51			
Spec. Cond. (umhos)	250	217	229			
Turbidity/Color	clear 1300	clear 1300	clear NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 0923	Approximate Depth to Water During Sampling: 10 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
CW11	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: 6 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS (Y) / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK (Y) / N
Well Head Conditions Requiring Correction: N	GROUT (Y) / N
Problems Encountered During Purging and Sampling: N	WELL BOX (Y) / N
Comments:	SECURED (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: (A.12)	Date: 3/27/06
Project No: UP3399.1	Personnel: Rick E	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter:				Casing Volume (gal)	Total Purge Volume (gal)
		12.50	8.87	3.63	1 0.04	2 0.16	4 0.64	6 1.44	2.32

PURGING DATA
 Purge Method: WATERRA / (BAILER / SUB) Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
0725	2.5	19.4	7.33	409	clear	✓	1	N
1735	5.0	19.6	7.40	405	clear	✓	2	✓
	7.5						3	

Comments/Observations:
 DEWATERED @ 5.0 GALS / SAMPLED AFTER RECHARGE

SAMPLING DATA
 Time Sampled: 0745 Approximate Depth to Water During Sampling: 9 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
UW2	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 6.1 (gallons) Disposal: SYSTEM

Weather Conditions: OK BOLTS (Y) / N

Condition of Well Box and Casing at Time of Sampling: 2 missing bolts CAP & LOCK (Y) / N

Well Head Conditions Requiring Correction: ✓ GROUT (Y) / N

Problems Encountered During Purging and Sampling: DEWATERED WELL BOX (Y) / N

Comments: SECURED (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: YR1	Date: 03-22-06
Project No: UP3399.1	Personnel: MWS	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
		30.10	23.44	6.67	X	1	2	4	6	4.26
					0.04	0.16	0.64	1.44		

PURGING DATA
 Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1	2	3	4	5	6
Volume Purge (gal)	4.5	9	13.5			
Temperature (C)	19.9	20.0	19.4			
pH	6.94	6.97	6.99			
Spec. Cond. (umhos)	1253	1266	1273			
Turbidity/Color	CLEAR / DRN	CLEAR / DRN	CLEAR / DRN			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA
 Time Sampled: 12:10 Approximate Depth to Water During Sampling: 24.0 (feet)
 Comments: _____

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
YR1	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 13.5 (gallons) Disposal: SYSTEM

Weather Conditions: OK	BOLTS: Y / (N) MISSING BOLT 1
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK: (Y) / N
Well Head Conditions Requiring Correction: NONE	GROUT: (Y) / N
Problems Encountered During Purging and Sampling: NONE	WELL BOX: (Y) / N
Comments:	SECURED: (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: <u>VR 2</u>	Date: <u>03-22-06</u>
Project No: UP3399 1	Personnel:	

GAUGING DATA						
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC		
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter		Casing Volume (gal)
	43.42	37.44	3.98	X 1	2	4
				0.04	0.16	0.64
						1.44
						1.633
						1.49

PURGING DATA						
Purge Method: <u>WATERRA</u> / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)	
Time	1030	1032	1034			
Volume Purge (gal)	1	2	3			
Temperature (C)	20.0	19.6	19.1			
pH	7.26	7.10	7.26			
Spec. Cond. (umhos)	1253	1615	1718			
Turbidity/Color	Silty/Brown	Silty/Brown	Silty/Brown			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: <u>1040</u>	Approximate Depth to Water During Sampling: <u>40.8</u> (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>VR 2</u>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	
					/	

Total Purge Volume: <u>3</u> (gallons)	Disposal: SYSTEM
Weather Conditions: <u>OK</u>	BOLTS <u>(Y)</u> / N
Condition of Well Box and Casing at Time of Sampling: <u>OK</u>	CAP & LOCK <u>(Y)</u> / N
Well Head Conditions Requiring Correction: <u>None</u>	GROUT <u>(Y)</u> / N
Problems Encountered During Purging and Sampling: <u>None</u>	WELL BOX <u>(Y)</u> / N
Comments:	SECURED <u>(Y)</u> / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: PMW1	Date: 03-22-06
Project No: UP3399.1	Personnel: AVE X	

GAUGING DATA									
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	15.67	- 12.50	= 3.12	X 1	2	(4)	6	1.99	= 5.96
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: <u>WATERRA</u> / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)	
Time	1204	1206	/			
Volume Purge (gal)	2	4				
Temperature (C)	21.5	20.9				
pH	7.19	6.90				
Spec. Cond. (umhos)	864.8	882.4				
Turbidity/Color	CLEAR/NONE	CLEAR/NONE				
Odor (Y/N)	N	N				
Casing Volumes	1	2		3		
Dewatered (Y/N)	N	Y	Y			
Comments/Observations: DEWATERED AT 4 GALLONS						

SAMPLING DATA	
Time Sampled: 1235	Approximate Depth to Water During Sampling: 13.6 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMW1	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: 4 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: NONE	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: Y DEWATERED	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: PMW2	Date: 3/22/06
Project No: UP3399.1	Personnel: B. K. R.	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		15.50	14.37	1.13	1 0.04	2 0.16	4 0.64	6 1.44	0.72

PURGING DATA

Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1	2	3			
Time	07:53	11:54	06:55			
Volume Purge (gal)	1	2	3			
Temperature (C)	17.4	18.4	18.6			
pH	7.19	7.11	7.07			
Spec. Cond. (umhos)	16148	1430	1414			
Turbidity/Color	clear	clear	clear			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 07:00 Approximate Depth to Water During Sampling: 15 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMW2	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 3 (gallons) Disposal: SYSTEM

Weather Conditions:	OK	BOLTS	(Y) / N
Condition of Well Box and Casing at Time of Sampling:	OK	CAP & LOCK	(Y) / N
Well Head Conditions Requiring Correction:	N	GROUT	(Y) / N
Problems Encountered During Purging and Sampling:	N	WELL BOX	(Y) / N
Comments:		SECURED	(Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: <u>PMW3</u>	Date: <u>3/23/06</u>
Project No: UP3399.1	Personnel: <u>2, CLR</u>	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
				1	2	4	6		
	<u>15.87</u>	<u>11.01</u>	<u>4.86</u>	<u>0.04</u>	<u>0.16</u>	<u>0.64</u>	<u>1.44</u>	<u>3.11</u>	<u>9.33</u>

PURGING DATA
 Purge Method: WATERRAY BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
<u>0844</u>	<u>3.5</u>	<u>17.4</u>	<u>7.40</u>	<u>631</u>	<u>CLEAR / NONE</u>	<u>N</u>	<u>1</u>	<u>N</u>
<u>0847</u>	<u>7.0</u>	<u>17.7</u>	<u>7.36</u>	<u>615</u>	<u>CLEAR / NONE</u>	<u>N</u>	<u>2</u>	<u>N</u>
<u>0852</u>	<u>10.5</u>	<u>17.7</u>	<u>7.37</u>	<u>637</u>	<u>CLEAR / NONE</u>	<u>N</u>	<u>3</u>	<u>N</u>

Comments/Observations:

SAMPLING DATA
 Time Sampled: 0855 Approximate Depth to Water During Sampling: 12 (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>PMW3</u>	<u>6</u>	<u>Voa</u>	<u>HCL</u>	<u>40 ml</u>	<u>/</u>	<u>TPH-g, BTEX, MTBE</u>
					<u>/</u>	
					<u>/</u>	

Total Purge Volume: <u>0.5</u> (gallons)	Disposal: <u>SYSTEM</u>
Weather Conditions: <u>OK</u>	BOLTS <u>(Y) / N</u>
Condition of Well Box and Casing at Time of Sampling: <u>SK 1 Stripper Bolt</u>	CAP & LOCK <u>(Y) / N</u>
Well Head Conditions Requiring Correction: <u>N</u>	GROUT <u>(Y) / N</u>
Problems Encountered During Purging and Sampling: <u>1</u>	WELL BOX <u>(Y) / N</u>
Comments:	SECURED <u>(Y) / N</u>



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399 Well No: PMW4 Date: 3/27/00
 Project No: UP3399.1 Personnel: R. K. R.

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	15.80	14.12	1.68	1 0.04	2 0.16	4 0.64	6 1.44	1.08	3.24

PURGING DATA
 Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
	1.5						1	
	3.0						2	
	4.5						3	

Comments/Observations:
 DEWATERED @ 1 GAL

SAMPLING DATA
 Time Sampled: 1010 Approximate Depth to Water During Sampling: 15 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMW4	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons) Disposal: SYSTEM

Weather Conditions: OK BOLTS (Y) / N

Condition of Well Box and Casing at Time of Sampling: OK CAP & LOCK (Y) / N

Well Head Conditions Requiring Correction: N GROUT (Y) / N

Problems Encountered During Purging and Sampling: DEWATERED WELL BOX (Y) / N

Comments: SECURED (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: PMW5	Date: 03-22-00
Project No: UP3399.1	Personnel:	

GAUGING DATA											
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC							
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)			
	14.50	14.03	.47	X	1	2	(4)	6	.35	=	1.05
					0.04	0.16	0.64	1.44			

PURGING DATA						
Purge Method: WATERRA / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)	
Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes	1	2	3			
Dewatered (Y/N)						
Comments/Observations: GRAB SAMPLE, INSUFFICIENT WATER						

SAMPLING DATA						
Time Sampled:	1100	Approximate Depth to Water During Sampling:				(feet)
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMW5	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume:	(gallons)	Disposal:	SYSTEM
Weather Conditions:		BOLTS	(Y) / N
Condition of Well Box and Casing at Time of Sampling:		CAP & LOCK	(Y) / N
Well Head Conditions Requiring Correction:		GROUT	(Y) / N
Problems Encountered During Purging and Sampling:		WELL BOX	(Y) / N
Comments:		SECURED	(Y) / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: P17116	Date: 03 22 00
Project No: UP3399.1	Personnel: AVEK	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		15.80	14.43	1.37	X 1	2	4	6	.87
				0.04	0.16	0.64	1.44		

PURGING DATA
 Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1	2	3	4	5	6
Volume Purge (gal)	1	2	3			
Temperature (C)	18.7	18.2				
pH	7.12	7.10				
Spec. Cond. (umhos)	1435	1422				
Turbidity/Color	CLEAR / NONE	CLEAR / NONE				
Odor (Y/N)	N	N				
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N				

Comments/Observations: DEWATERED AT 2 GAL.

SAMPLING DATA
 Time Sampled: 0917 Approximate Depth to Water During Sampling: 15.0 (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
P17116	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 2 (gallons) Disposal: SYSTEM

Weather Conditions: CK BOLTS (Y) / N

Condition of Well Box and Casing at Time of Sampling: CK CAP & LOCK (Y) / N

Well Head Conditions Requiring Correction: NONE GROUT (Y) / N

Problems Encountered During Purging and Sampling: NONE WELL BOX (Y) / N

Comments: SECURED (Y) / N

Appendix C

Laboratory Analytical Reports



7 April, 2006

Bryan Campbell
ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill, CA 94523

RE: Exxon 7-3399
Work Order: MPC0970

Enclosed are the results of analyses for samples received by the laboratory on 03/23/06 19:00. The samples arrived at a temperature of 3° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Christina Dell
Project Manager

CA ELAP Certificate #1210

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Bryan Campbell

MPC0970
Reported:
04/07/06 15:41

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW1	MPC0970-01	Water	03/22/06 08:35	03/23/06 19:00
MW4	MPC0970-02	Water	03/22/06 11:25	03/23/06 19:00
MW5D	MPC0970-03	Water	03/21/06 12:50	03/23/06 19:00
MW5S	MPC0970-04	Water	03/21/06 13:50	03/23/06 19:00
MW7	MPC0970-05	Water	03/22/06 09:30	03/23/06 19:00
MW8	MPC0970-06	Water	03/22/06 18:20	03/23/06 19:00
MW9A	MPC0970-07	Water	03/22/06 16:40	03/23/06 19:00
MW10	MPC0970-08	Water	03/22/06 12:30	03/23/06 19:00
MW11	MPC0970-09	Water	03/21/06 16:55	03/23/06 19:00
MW12A	MPC0970-10	Water	03/21/06 15:55	03/23/06 19:00
MW13	MPC0970-11	Water	03/21/06 16:20	03/23/06 19:00
MW14	MPC0970-12	Water	03/21/06 11:10	03/23/06 19:00
OW1	MPC0970-13	Water	03/22/06 09:25	03/23/06 19:00
OW2	MPC0970-14	Water	03/22/06 07:45	03/23/06 19:00
VR1	MPC0970-15	Water	03/22/06 10:10	03/23/06 19:00
VR2	MPC0970-16	Water	03/22/06 10:40	03/23/06 19:00
PMW1	MPC0970-17	Water	03/22/06 12:35	03/23/06 19:00
PMW2	MPC0970-18	Water	03/22/06 07:00	03/23/06 19:00
PMW3	MPC0970-19	Water	03/22/06 08:55	03/23/06 19:00
PMW4	MPC0970-20	Water	03/22/06 10:10	03/23/06 19:00
PMW5	MPC0970-21	Water	03/22/06 11:00	03/23/06 19:00
PMW6	MPC0970-22	Water	03/22/06 09:17	03/23/06 19:00



ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Bryan Campbell

MPC0970
Reported:
04/07/06 15:41

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW1 (MPC0970-01) Water Sampled: 03/22/06 08:35 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6C31005	03/31/06	04/01/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate a,a,a-Trifluorotoluene</i>		108 %		85-120	"	"	"	"	
<i>Surrogate 4-Bromofluorobenzene</i>		90 %		85-115	"	"	"	"	
MW4 (MPC0970-02) Water Sampled: 03/22/06 11:25 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6C31005	03/31/06	04/01/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate a,a,a-Trifluorotoluene</i>		108 %		85-120	"	"	"	"	
<i>Surrogate 4-Bromofluorobenzene</i>		94 %		85-115	"	"	"	"	
MW5D (MPC0970-03) Water Sampled: 03/21/06 12:50 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6C31005	03/31/06	04/01/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate a,a,a-Trifluorotoluene</i>		108 %		85-120	"	"	"	"	
<i>Surrogate 4-Bromofluorobenzene</i>		100 %		85-115	"	"	"	"	



ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Bryan Campbell	MPC0970 Reported: 04/07/06 15:41
--	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
MW5S (MPC0970-04) Water Sampled: 03/21/06 13:50 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D03017	04/03/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a.a.a-Trifluorotoluene</i>		107 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		95 %		75-125	"	"	"	"	
MW7 (MPC0970-05) Water Sampled: 03/22/06 09:30 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D03017	04/03/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a.a.a-Trifluorotoluene</i>		110 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %		75-125	"	"	"	"	
MW8 (MPC0970-06) Water Sampled: 03/22/06 18:20 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D04025	04/04/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a.a.a-Trifluorotoluene</i>		109 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		92 %		75-125	"	"	"	"	



ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Bryan Campbell	MPC0970 Reported: 04/07/06 15:41
--	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW9A (MPC0970-07) Water Sampled: 03/22/06 16:40 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	420	50	ug/l	1	6D04025	04/04/06	04/04/06	EPA 8015B/8021B	
Benzene	22	0.50	"	"	"	"	"	"	
Toluene	9.0	0.50	"	"	"	"	"	"	
Ethylbenzene	26	0.50	"	"	"	"	"	"	
Xylenes (total)	56	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		108 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		95 %		75-125	"	"	"	"	
MW10 (MPC0970-08) Water Sampled: 03/22/06 12:30 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D04025	04/04/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		110 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		92 %		75-125	"	"	"	"	
MW11 (MPC0970-09) Water Sampled: 03/21/06 16:55 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D03017	04/03/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		111 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		95 %		75-125	"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon)
 2285 Morello Avenue
 Pleasant Hill CA, 94523

 Project: Exxon 7-3399
 Project Number: 7-3399
 Project Manager: Bryan Campbell

 MPC0970
 Reported:
 04/07/06 15:41

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW12A (MPC0970-10) Water Sampled: 03/21/06 15:55 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D03017	04/03/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		108 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		96 %		75-125	"	"	"	"	
MW13 (MPC0970-11) Water Sampled: 03/21/06 16:20 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D03017	04/03/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		111 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		92 %		75-125	"	"	"	"	
MW14 (MPC0970-12) Water Sampled: 03/21/06 11:10 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D03017	04/03/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		114 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		94 %		75-125	"	"	"	"	



ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Bryan Campbell	MPC0970 Reported: 04/07/06 15:41
--	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	------

OW1 (MPC0970-13) Water **Sampled: 03/22/06 09:25** **Received: 03/23/06 19:00**

Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D04025	04/04/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a.a.a-Trifluorotoluene</i>		110 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		94 %		75-125	"	"	"	"	

OW2 (MPC0970-14) Water **Sampled: 03/22/06 07:45** **Received: 03/23/06 19:00**

Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D04025	04/04/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a.a.a-Trifluorotoluene</i>		112 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		93 %		75-125	"	"	"	"	

VR1 (MPC0970-15) Water **Sampled: 03/22/06 10:10** **Received: 03/23/06 19:00**

Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D04025	04/04/06	04/04/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a.a.a-Trifluorotoluene</i>		112 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		92 %		75-125	"	"	"	"	



ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Bryan Campbell	MPC0970 Reported: 04/07/06 15:41
--	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
VR2 (MPC0970-16) Water Sampled: 03/22/06 10:40 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	830	250	ug/l	5	6D04025	04/04/06	04/05/06	EPA 8015B/8021B	HC-11
<i>Surrogate: 4-Bromofluorobenzene</i>		100 %	75-125		"	"	"	"	
VR2 (MPC0970-16RE1) Water Sampled: 03/22/06 10:40 Received: 03/23/06 19:00									
Benzene	ND	0.50	ug/l	1	6D04025	04/04/06	04/05/06	EPA 8015B/8021B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		109 %	85-120		"	"	"	"	
PMW1 (MPC0970-17) Water Sampled: 03/22/06 12:35 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D04025	04/04/06	04/05/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		113 %	85-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		101 %	75-125		"	"	"	"	
PMW2 (MPC0970-18) Water Sampled: 03/22/06 07:00 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D04025	04/04/06	04/05/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		111 %	85-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		93 %	75-125		"	"	"	"	



ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Bryan Campbell	MPC0970 Reported: 04/07/06 15:41
--	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
PMW3 (MPC0970-19) Water Sampled: 03/22/06 08:55 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D05032	04/05/06	04/05/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate a,a,a-Trifluorotoluene</i>		114 %		85-120	"	"	"	"	
<i>Surrogate 4-Bromofluorobenzene</i>		96 %		75-125	"	"	"	"	
PMW4 (MPC0970-20) Water Sampled: 03/22/06 10:10 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D05032	04/05/06	04/05/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate a,a,a-Trifluorotoluene</i>		111 %		85-120	"	"	"	"	
<i>Surrogate 4-Bromofluorobenzene</i>		93 %		75-125	"	"	"	"	
PMW5 (MPC0970-21) Water Sampled: 03/22/06 11:00 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D05032	04/05/06	04/05/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	0.84	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate a,a,a-Trifluorotoluene</i>		112 %		85-120	"	"	"	"	
<i>Surrogate 4-Bromofluorobenzene</i>		92 %		75-125	"	"	"	"	



**Sequoia
Analytical**

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Bryan Campbell	MPC0970 Reported: 04/07/06 15:41
--	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
PMW6 (MPC0970-22) Water Sampled: 03/22/06 09:17 Received: 03/23/06 19:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D05032	04/05/06	04/05/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	0.79	0.50	"	"	"	"	"	"	
Surrogate: <i>a.a.a-Trifluorotoluene</i>		112 %		85-120	"	"	"	"	
Surrogate: <i>4-Bromofluorobenzene</i>		96 %		75-125	"	"	"	"	



ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Bryan Campbell	MPC0970 Reported: 04/07/06 15:41
--	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Notes
Batch 6C31005 - EPA 5030B [P/T]									
Blank (6C31005-BLK1)					Prepared & Analyzed: 03/31/06				
Gasoline Range Organics (C4-C12)	ND	25	ug/l						
Benzene	ND	0.25	"						
Toluene	ND	0.25	"						
Ethylbenzene	ND	0.25	"						
Xylenes (total)	ND	0.25	"						
<i>Surrogate a.a.a-Trifluorotoluene</i>	86.3		"	80.0		108 85-120			
<i>Surrogate 4-Bromofluorobenzene</i>	76.2		"	80.0		95 85-115			
LCS (6C31005-BS1)					Prepared & Analyzed: 03/31/06				
Gasoline Range Organics (C4-C12)	211	50	ug/l	275		77 60-115			
Benzene	3.84	0.50	"	2.65		145 45-150			
Toluene	19.3	0.50	"	23.0		84 70-115			
Ethylbenzene	3.89	0.50	"	4.60		85 65-115			
Xylenes (total)	22.1	0.50	"	26.4		84 70-115			
<i>Surrogate a.a.a-Trifluorotoluene</i>	75.5		"	80.0		94 85-120			
<i>Surrogate 4-Bromofluorobenzene</i>	76.8		"	80.0		96 85-115			
Matrix Spike (6C31005-MS1)					Source: MPC1045-02 Prepared & Analyzed: 03/31/06				
Gasoline Range Organics (C4-C12)	177	50	ug/l	275	ND	64 60-115			
Benzene	3.48	0.50	"	2.65	ND	131 45-150			
Toluene	18.1	0.50	"	23.0	ND	79 70-115			
Ethylbenzene	3.53	0.50	"	4.60	ND	77 65-115			
Xylenes (total)	20.7	0.50	"	26.4	ND	78 70-115			
<i>Surrogate a.a.a-Trifluorotoluene</i>	82.4		"	80.0		103 85-120			
<i>Surrogate 4-Bromofluorobenzene</i>	75.8		"	80.0		95 85-115			
Matrix Spike Dup (6C31005-MSD1)					Source: MPC1045-02 Prepared & Analyzed: 03/31/06				
Gasoline Range Organics (C4-C12)	206	50	ug/l	275	ND	75 60-115	15	20	
Benzene	3.65	0.50	"	2.65	ND	138 45-150	5	25	
Toluene	18.6	0.50	"	23.0	ND	81 70-115	3	20	
Ethylbenzene	3.72	0.50	"	4.60	ND	81 65-115	5	25	
Xylenes (total)	21.5	0.50	"	26.4	ND	81 70-115	4	25	



ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Bryan Campbell

MPC0970
Reported:
04/07/06 15:41

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6C31005 - EPA 5030B [P/T]

Matrix Spike Dup (6C31005-MSD1) Source: MPC1045-02 Prepared & Analyzed: 03/31/06

Surrogate <i>a.a.a-Trifluorotoluene</i>	77.9		ug/l	80.0		97	85-120			
Surrogate <i>4-Bromofluorobenzene</i>	76.5		"	80.0		96	85-115			

Batch 6D03017 - EPA 5030B [P/T]

Blank (6D03017-BLK1) Prepared & Analyzed: 04/03/06

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.25	"							

Surrogate <i>a.a.a-Trifluorotoluene</i>	87.1		"	80.0		109	85-120			
Surrogate <i>4-Bromofluorobenzene</i>	76.1		"	80.0		95	75-125			

LCS (6D03017-BS1) Prepared & Analyzed: 04/03/06

Gasoline Range Organics (C4-C12)	202	50	ug/l	275		73	60-115			
Benzene	3.65	0.50	"	2.65		138	45-150			
Toluene	19.5	0.50	"	23.0		85	70-115			
Ethylbenzene	3.91	0.50	"	4.60		85	65-115			
Xylenes (total)	22.6	0.50	"	26.4		86	70-115			

Surrogate <i>a.a.a-Trifluorotoluene</i>	77.6		"	80.0		97	85-120			
Surrogate <i>4-Bromofluorobenzene</i>	76.0		"	80.0		95	75-125			

Matrix Spike (6D03017-MS1) Source: MPC0998-10 Prepared & Analyzed: 04/03/06

Gasoline Range Organics (C4-C12)	242	50	ug/l	275	61	66	60-115			
Benzene	3.90	0.50	"	2.65	ND	147	45-150			
Toluene	19.4	0.50	"	23.0	ND	84	70-115			
Ethylbenzene	3.83	0.50	"	4.60	ND	83	65-115			
Xylenes (total)	22.4	0.50	"	26.4	ND	85	70-115			

Surrogate <i>a.a.a-Trifluorotoluene</i>	83.2		"	80.0		104	85-120			
Surrogate <i>4-Bromofluorobenzene</i>	75.7		"	80.0		95	75-125			



885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Bryan Campbell

MPC0970
Reported:
04/07/06 15:41

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6D03017 - EPA 5030B [P/T]

Matrix Spike Dup (6D03017-MSD1)

Source: MPC0998-10

Prepared & Analyzed: 04/03/06

Gasoline Range Organics (C4-C12)	246	50	ug/l	275	61	67	60-115	2	20	
Benzene	4 03	0 50	"	2 65	ND	152	45-150	3	25	QM01
Toluene	20 2	0 50	"	23 0	ND	88	70-115	4	20	
Ethylbenzene	4 02	0 50	"	4 60	ND	87	65-115	5	25	
Xylenes (total)	23 2	0 50	"	26 4	ND	88	70-115	4	25	
<i>Surrogate a.a.a-Trifluorotoluene</i>	<i>84 4</i>		"	<i>80 0</i>		<i>106</i>	<i>85-120</i>			
<i>Surrogate 4-Bromofluorobenzene</i>	<i>76 3</i>		"	<i>80 0</i>		<i>95</i>	<i>75-125</i>			

Batch 6D04025 - EPA 5030B [P/T]

Blank (6D04025-BLK1)

Prepared & Analyzed: 04/04/06

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0 25	"							
Toluene	ND	0 25	"							
Ethylbenzene	ND	0 25	"							
Xylenes (total)	ND	0 25	"							
<i>Surrogate a.a.a-Trifluorotoluene</i>	<i>88 9</i>		"	<i>80 0</i>		<i>111</i>	<i>85-120</i>			
<i>Surrogate 4-Bromofluorobenzene</i>	<i>79 0</i>		"	<i>80 0</i>		<i>99</i>	<i>75-125</i>			

LCS (6D04025-BS1)

Prepared & Analyzed: 04/04/06

Gasoline Range Organics (C4-C12)	193	50	ug/l	275		70	60-115			
Benzene	3 56	0 50	"	2 65		134	45-150			
Toluene	19 1	0 50	"	23 0		83	70-115			
Ethylbenzene	3 85	0 50	"	4 60		84	65-115			
Xylenes (total)	22 4	0 50	"	26 4		85	70-115			
<i>Surrogate a.a.a-Trifluorotoluene</i>	<i>78 2</i>		"	<i>80 0</i>		<i>98</i>	<i>85-120</i>			
<i>Surrogate 4-Bromofluorobenzene</i>	<i>76 2</i>		"	<i>80 0</i>		<i>95</i>	<i>75-125</i>			



ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Bryan Campbell	MPC0970 Reported: 04/07/06 15:41
--	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	--------------	----------------	------------	--------------	-------

Batch 6D04025 - EPA 5030B [P/T]

Matrix Spike (6D04025-MS1)		Source: MPC0970-06			Prepared & Analyzed: 04/04/06					
Gasoline Range Organics (C4-C12)	180	50	ug/l	275	ND	65	60-115			
Benzene	3.91	0.50	"	2.65	ND	148	45-150			
Toluene	19.4	0.50	"	23.0	ND	84	70-115			
Ethylbenzene	3.83	0.50	"	4.60	ND	83	65-115			
Xylenes (total)	22.7	0.50	"	26.4	ND	86	70-115			
<i>Surrogate: a.a.a-Trifluorotoluene</i>	<i>84.1</i>		<i>"</i>	<i>80.0</i>		<i>105</i>	<i>85-120</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>76.5</i>		<i>"</i>	<i>80.0</i>		<i>96</i>	<i>75-125</i>			

Matrix Spike Dup (6D04025-MSD1)		Source: MPC0970-06			Prepared & Analyzed: 04/04/06					
Gasoline Range Organics (C4-C12)	179	50	ug/l	275	ND	65	60-115	0.6	20	
Benzene	3.60	0.50	"	2.65	ND	136	45-150	8	25	
Toluene	19.3	0.50	"	23.0	ND	84	70-115	0.5	20	
Ethylbenzene	3.87	0.50	"	4.60	ND	84	65-115	1	25	
Xylenes (total)	22.5	0.50	"	26.4	ND	85	70-115	0.9	25	
<i>Surrogate: a.a.a-Trifluorotoluene</i>	<i>87.0</i>		<i>"</i>	<i>80.0</i>		<i>109</i>	<i>85-120</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>75.7</i>		<i>"</i>	<i>80.0</i>		<i>95</i>	<i>75-125</i>			

Batch 6D05032 - EPA 5030B [P/T]

Blank (6D05032-BLK1)		Prepared & Analyzed: 04/05/06								
Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.25	"							
<i>Surrogate: a.a.a-Trifluorotoluene</i>	<i>90.6</i>		<i>"</i>	<i>80.0</i>		<i>113</i>	<i>85-120</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>72.6</i>		<i>"</i>	<i>80.0</i>		<i>91</i>	<i>75-125</i>			

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Bryan Campbell

MPC0970
Reported:
04/07/06 15:41

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 6D05032 - EPA 5030B [P/T]									
LCS (6D05032-BS1)					Prepared & Analyzed: 04/05/06				
Gasoline Range Organics (C4-C12)	194	50	ug/l	275		71 60-115			
Benzene	3.87	0.50	"	2.65		146 45-150			
Toluene	21.4	0.50	"	23.0		93 70-115			
Ethylbenzene	4.27	0.50	"	4.60		93 65-115			
Xylenes (total)	24.9	0.50	"	26.4		94 70-115			
<i>Surrogate a.a.a-Trifluorotoluene</i>	86.3		"	80.0		108 85-120			
<i>Surrogate 4-Bromofluorobenzene</i>	76.5		"	80.0		96 75-125			
Matrix Spike (6D05032-MS1)					Source: MPC0970-19 Prepared & Analyzed: 04/05/06				
Gasoline Range Organics (C4-C12)	180	50	ug/l	275	ND	65 60-115			
Benzene	3.49	0.50	"	2.65	ND	132 45-150			
Toluene	19.3	0.50	"	23.0	ND	84 70-115			
Ethylbenzene	3.84	0.50	"	4.60	ND	83 65-115			
Xylenes (total)	22.6	0.50	"	26.4	ND	86 70-115			
<i>Surrogate a.a.a-Trifluorotoluene</i>	84.4		"	80.0		106 85-120			
<i>Surrogate 4-Bromofluorobenzene</i>	76.3		"	80.0		95 75-125			
Matrix Spike Dup (6D05032-MSD1)					Source: MPC0970-19 Prepared & Analyzed: 04/05/06				
Gasoline Range Organics (C4-C12)	174	50	ug/l	275	ND	63 60-115	3	20	
Benzene	3.74	0.50	"	2.65	ND	141 45-150	7	25	
Toluene	19.8	0.50	"	23.0	ND	86 70-115	3	20	
Ethylbenzene	3.93	0.50	"	4.60	ND	85 65-115	2	25	
Xylenes (total)	22.9	0.50	"	26.4	ND	87 70-115	1	25	
<i>Surrogate a.a.a-Trifluorotoluene</i>	87.7		"	80.0		110 85-120			
<i>Surrogate 4-Bromofluorobenzene</i>	76.3		"	80.0		95 75-125			

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Bryan Campbell

MPC0970
Reported:
04/07/06 15:41

Notes and Definitions

QM01 The spike recovery was above control limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery

HC-11 The result for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range



DEI Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference



April 05, 2006

Christina Dell
Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Subject: Calscience Work Order No.: 06-03-1810
Client Reference: MPC0970

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 3/31/2006 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of any subcontracted analysis is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager



Analytical Report



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: MPC0970


Page 1 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID			
MPC0970-01	06-03-1810-1	03/22/06	Aqueous	03/31/06	03/31/06	060331L01			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	115	74-140			1,2-Dichloroethane-d4	135	74-146		
Toluene-d8	97	88-112			1,4-Bromofluorobenzene	84	74-110		
MPC0970-02	06-03-1810-2	03/22/06	Aqueous	03/31/06	03/31/06	060331L01			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	114	74-140			1,2-Dichloroethane-d4	132	74-146		
Toluene-d8	103	88-112			1,4-Bromofluorobenzene	87	74-110		
MPC0970-03	06-03-1810-3	03/21/06	Aqueous	03/31/06	03/31/06	060331L01			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	62	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	119	74-140			1,2-Dichloroethane-d4	142	74-146		
Toluene-d8	98	88-112			1,4-Bromofluorobenzene	75	74-110		
MPC0970-04	06-03-1810-4	03/21/06	Aqueous	04/03/06	04/03/06	060403L01			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	107	74-140			1,2-Dichloroethane-d4	114	74-146		
Toluene-d8	101	88-112			1,4-Bromofluorobenzene	82	74-110		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: MPC0970

Page 2 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MPC0970-05	06-03-1810-5	03/22/06	Aqueous	03/31/06	03/31/06	060331L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	120	74-140			1,2-Dichloroethane-d4	143	74-146		
Toluene-d8	96	88-112			1,4-Bromofluorobenzene	80	74-110		

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MPC0970-06	06-03-1810-6	03/22/06	Aqueous	04/03/06	04/03/06	060403L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	108	74-140			1,2-Dichloroethane-d4	105	74-146		
Toluene-d8	96	88-112			1,4-Bromofluorobenzene	82	74-110		

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MPC0970-07	06-03-1810-7	03/22/06	Aqueous	03/31/06	03/31/06	060331L01


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	230	50	100		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	132	74-146		
Toluene-d8	93	88-112			1,4-Bromofluorobenzene	96	74-110		

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MPC0970-08	06-03-1810-8	03/22/06	Aqueous	04/03/06	04/03/06	060403L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	119	74-140			1,2-Dichloroethane-d4	114	74-146		
Toluene-d8	98	88-112			1,4-Bromofluorobenzene	83	74-110		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

Analytical Report



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: MPC0970

Page 3 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID			
MPC0970-09	06-03-1810-9	03/21/06	Aqueous	04/03/06	04/03/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	114	74-140			1,2-Dichloroethane-d4	106	74-146		
Toluene-d8	103	88-112			1,4-Bromofluorobenzene	83	74-110		
MPC0970-10	06-03-1810-10	03/21/06	Aqueous	03/31/06	04/01/06	060331L01			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	122	74-140			1,2-Dichloroethane-d4	141	74-146		
Toluene-d8	100	88-112			1,4-Bromofluorobenzene	82	74-110		
MPC0970-11	06-03-1810-11	03/21/06	Aqueous	04/03/06	04/03/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	116	74-140			1,2-Dichloroethane-d4	109	74-146		
Toluene-d8	99	88-112			1,4-Bromofluorobenzene	80	74-110		
MPC0970-12	06-03-1810-12	03/21/06	Aqueous	04/03/06	04/03/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	116	74-140			1,2-Dichloroethane-d4	110	74-146		
Toluene-d8	99	88-112			1,4-Bromofluorobenzene	75	74-110		

RL - Reporting Limit . DF - Dilution Factor . Qual - Qualifiers



Analytical Report



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: MPC0970


Page 4 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID			
MPC0970-13	06-03-1810-13	03/22/06	Aqueous	04/03/06	04/03/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	113	74-140			1,2-Dichloroethane-d4	107	74-146		
Toluene-d8	94	88-112			1,4-Bromofluorobenzene	76	74-110		
MPC0970-14	06-03-1810-14	03/22/06	Aqueous	04/03/06	04/04/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	2.5	0.5	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	114	74-140			1,2-Dichloroethane-d4	112	74-146		
Toluene-d8	97	88-112			1,4-Bromofluorobenzene	85	74-110		
MPC0970-15	06-03-1810-15	03/22/06	Aqueous	04/03/06	04/04/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	6.1	0.5	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	113	74-140			1,2-Dichloroethane-d4	109	74-146		
Toluene-d8	102	88-112			1,4-Bromofluorobenzene	79	74-110		
MPC0970-16	06-03-1810-16	03/22/06	Aqueous	04/03/06	04/04/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	1500	25	50		Tert-Amyl-Methyl Ether (TAME)	1.2	0.5	1	
Tert-Butyl Alcohol (TBA)	ND	500	50		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	112	74-140			1,2-Dichloroethane-d4	111	74-146		
Toluene-d8	97	88-112			1,4-Bromofluorobenzene	79	74-110		

RL - Reporting Limit . DF - Dilution Factor . Qual - Qualifiers



Analytical Report



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: MPC0970

Page 5 of 7

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MPC0970-17	06-03-1810-17	03/22/06	Aqueous	04/03/06	04/04/06	060403L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	115	74-140			1,2-Dichloroethane-d4	110	74-146		
Toluene-d8	96	88-112			1,4-Bromofluorobenzene	76	74-110		

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MPC0970-18	06-03-1810-18	03/22/06	Aqueous	04/03/06	04/04/06	060403L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	119	74-140			1,2-Dichloroethane-d4	115	74-146		
Toluene-d8	98	88-112			1,4-Bromofluorobenzene	80	74-110		

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MPC0970-19	06-03-1810-19	03/22/06	Aqueous	04/03/06	04/04/06	060403L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	120	74-140			1,2-Dichloroethane-d4	111	74-146		
Toluene-d8	99	88-112			1,4-Bromofluorobenzene	77	74-110		

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MPC0970-20	06-03-1810-20	03/22/06	Aqueous	04/03/06	04/04/06	060403L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	115	74-140			1,2-Dichloroethane-d4	115	74-146		
Toluene-d8	98	88-112			1,4-Bromofluorobenzene	78	74-110		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

Analytical Report



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L


Project: MPC0970

Page 6 of 7


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID			
MPC0970-21	06-03-1810-21	03/22/06	Aqueous	04/03/06	04/04/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	1.5	0.5	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	121	74-140			1,2-Dichloroethane-d4	109	74-146		
Toluene-d8	100	88-112			1,4-Bromofluorobenzene	77	74-110		
MPC0970-22	06-03-1810-22	03/22/06	Aqueous	04/03/06	04/04/06	060403L02			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	118	74-140			1,2-Dichloroethane-d4	113	74-146		
Toluene-d8	95	88-112			1,4-Bromofluorobenzene	77	74-110		
Method Blank	099-10-025-116	N/A	Aqueous	03/31/06	03/31/06	060331L01			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	117	74-140			1,2-Dichloroethane-d4	125	74-146		
Toluene-d8	99	88-112			1,4-Bromofluorobenzene	86	74-110		
Method Blank	099-10-025-117	N/A	Aqueous	04/03/06	04/03/06	060403L01			
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	109	74-140			1,2-Dichloroethane-d4	115	74-146		
Toluene-d8	100	88-112			1,4-Bromofluorobenzene	87	74-110		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers





Analytical Report



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: MPC0970

Page 7 of 7


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-025-118	N/A	Aqueous	04/03/06	04/03/06	060403L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	108	74-140			1,2-Dichloroethane-d4	101	74-146		
Toluene-d8	98	88-112			1,4-Bromofluorobenzene	80	74-110		

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-025-119	N/A	Aqueous	04/04/06	04/04/06	060404L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	112	74-140			1,2-Dichloroethane-d4	115	74-146		
Toluene-d8	94	88-112			1,4-Bromofluorobenzene	79	74-110		

RL - Reporting Limit . DF - Dilution Factor . Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858


Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B

Project MPC0970

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MPC0970-01	Aqueous	GC/MS Z	03/31/06	03/31/06	060331S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	107	107	88-118	0	0-7	
Carbon Tetrachloride	111	110	67-145	2	0-11	
Chlorobenzene	97	95	88-118	2	0-7	
1,2-Dichlorobenzene	107	115	86-116	7	0-8	
1,1-Dichloroethene	110	104	70-130	6	0-25	
Toluene	100	101	87-123	1	0-8	
Trichloroethene	101	102	79-127	1	0-10	
Vinyl Chloride	99	92	69-129	7	0-13	
Methyl-t-Butyl Ether (MTBE)	110	113	71-131	2	0-13	
Tert-Butyl Alcohol (TBA)	78	98	36-168	22	0-45	
Diisopropyl Ether (DIPE)	115	114	81-123	0	0-9	
Ethyl-t-Butyl Ether (ETBE)	109	114	72-126	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	118	120	72-126	1	0-12	
Ethanol	118	114	53-149	3	0-31	

RPD - Relative Percent Difference . CL - Control Limit



Quality Control - Spike/Spike Duplicate



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858


Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B

Project MPC0970

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MPC0970-04	Aqueous	GC/MS Z	04/03/06	04/03/06	060403S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	103	88-118	2	0-7	
Carbon Tetrachloride	95	102	67-145	7	0-11	
Chlorobenzene	103	106	88-118	3	0-7	
1,2-Dichlorobenzene	104	106	86-116	1	0-8	
1,1-Dichloroethene	92	94	70-130	3	0-25	
Toluene	102	104	87-123	2	0-8	
Trichloroethene	99	98	79-127	0	0-10	
Vinyl Chloride	90	91	69-129	0	0-13	
Methyl-t-Butyl Ether (MTBE)	97	105	71-131	9	0-13	
Tert-Butyl Alcohol (TBA)	100	100	36-168	1	0-45	
Diisopropyl Ether (DIPE)	105	112	81-123	6	0-9	
Ethyl-t-Butyl Ether (ETBE)	103	109	72-126	6	0-12	
Tert-Amyl-Methyl Ether (TAME)	106	107	72-126	2	0-12	
Ethanol	99	96	53-149	3	0-31	

RPD - Relative Percent Difference . CL - Control Limit



Quality Control - Spike/Spike Duplicate



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858


Date Received: 03/31/06
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B

Project MPC0970


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
06-03-1811-1	Aqueous	GC/MS Z	04/04/06	04/04/06	060404S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	106	107	88-118	1	0-7	
Carbon Tetrachloride	110	105	67-145	4	0-11	
Chlorobenzene	99	102	88-118	3	0-7	
1,2-Dichlorobenzene	112	111	86-116	1	0-8	
1,1-Dichloroethene	92	90	70-130	3	0-25	
Toluene	102	106	87-123	4	0-8	
Trichloroethene	100	99	79-127	0	0-10	
Vinyl Chloride	89	86	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	104	103	71-131	2	0-13	
Tert-Butyl Alcohol (TBA)	90	89	36-168	1	0-45	
Diisopropyl Ether (DIPE)	101	99	81-123	1	0-9	
Ethyl-t-Butyl Ether (ETBE)	94	92	72-126	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	112	113	72-126	2	0-12	
Ethanol	86	74	53-149	14	0-31	

RPD - Relative Percent Difference . CL - Control Limit



Quality Control - LCS/LCS Duplicate



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858


Date Received: N/A
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B

Project: MPC0970


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-025-116	Aqueous	GC/MS Z	03/31/06	03/31/06	060331L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	108	103	84-120	4	0-8	
Carbon Tetrachloride	110	103	63-147	7	0-10	
Chlorobenzene	96	96	89-119	0	0-7	
1,2-Dichlorobenzene	110	103	89-119	6	0-9	
1,1-Dichloroethene	103	101	77-125	2	0-16	
Toluene	109	105	83-125	4	0-9	
Trichloroethene	108	99	89-119	8	0-8	
Vinyl Chloride	94	93	63-135	1	0-13	
Methyl-t-Butyl Ether (MTBE)	110	105	82-118	5	0-13	
Tert-Butyl Alcohol (TBA)	79	67	46-154	17	0-32	
Diisopropyl Ether (DIPE)	115	109	81-123	6	0-11	
Ethyl-t-Butyl Ether (ETBE)	111	104	74-122	7	0-12	
Tert-Amyl-Methyl Ether (TAME)	119	112	76-124	6	0-10	
Ethanol	90	73	60-138	21	0-32	

RPD - Relative Percent Difference . CL - Control Limit



Quality Control - LCS/LCS Duplicate



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858


Date Received: N/A
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B

Project: MPC0970

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-025-117	Aqueous	GC/MS Z	04/03/06	04/03/06	060403L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	97	84-120	6	0-8	
Carbon Tetrachloride	102	96	63-147	6	0-10	
Chlorobenzene	104	102	89-119	1	0-7	
1,2-Dichlorobenzene	105	100	89-119	5	0-9	
1,1-Dichloroethene	97	94	77-125	3	0-16	
Toluene	106	102	83-125	5	0-9	
Trichloroethene	101	98	89-119	3	0-8	
Vinyl Chloride	96	91	63-135	6	0-13	
Methyl-t-Butyl Ether (MTBE)	105	102	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	103	109	46-154	6	0-32	
Diisopropyl Ether (DIPE)	113	108	81-123	5	0-11	
Ethyl-t-Butyl Ether (ETBE)	113	108	74-122	5	0-12	
Tert-Amyl-Methyl Ether (TAME)	111	106	76-124	4	0-10	
Ethanol	92	77	60-138	18	0-32	

RPD - Relative Percent Difference . CL - Control Limit



Quality Control - LCS/LCS Duplicate



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858


Date Received: N/A
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B

Project: MPC0970


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-025-118	Aqueous	GC/MS Z	04/03/06	04/03/06	060403L02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	97	84-120	6	0-8	
Carbon Tetrachloride	102	96	63-147	6	0-10	
Chlorobenzene	104	102	89-119	1	0-7	
1,2-Dichlorobenzene	105	100	89-119	5	0-9	
1,1-Dichloroethene	97	94	77-125	3	0-16	
Toluene	106	102	83-125	5	0-9	
Trichloroethene	101	98	89-119	3	0-8	
Vinyl Chloride	96	91	63-135	6	0-13	
Methyl-t-Butyl Ether (MTBE)	105	102	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	103	109	46-154	6	0-32	
Diisopropyl Ether (DIPE)	113	108	81-123	5	0-11	
Ethyl-t-Butyl Ether (ETBE)	113	108	74-122	5	0-12	
Tert-Amyl-Methyl Ether (TAME)	111	106	76-124	4	0-10	
Ethanol	92	77	60-138	18	0-32	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037-2858

Date Received: N/A
Work Order No: 06-03-1810
Preparation: EPA 5030B
Method: EPA 8260B

Project: MPC0970


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-025-119	Aqueous	GC/MS Z	04/04/06	04/04/06	060404L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	101	84-120	2	0-8	
Carbon Tetrachloride	104	107	63-147	3	0-10	
Chlorobenzene	96	99	89-119	3	0-7	
1,2-Dichlorobenzene	103	107	89-119	3	0-9	
1,1-Dichloroethene	93	90	77-125	3	0-16	
Toluene	97	105	83-125	7	0-9	
Trichloroethene	99	97	89-119	2	0-8	
Vinyl Chloride	94	90	63-135	4	0-13	
Methyl-t-Butyl Ether (MTBE)	101	103	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	79	93	46-154	16	0-32	
Diisopropyl Ether (DIPE)	101	104	81-123	3	0-11	
Ethyl-t-Butyl Ether (ETBE)	97	98	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	110	108	76-124	2	0-10	
Ethanol	90	87	60-138	3	0-32	

RPD - Relative Percent Difference . CL - Control Limit

Work Order Number: 06-03-1810

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



(1810)

Sequoia Analytical - Morgan Hill
MPC0970

SENDING LABORATORY:

Sequoia Analytical - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037
Phone: 408-776-9600
Fax: 408-782-6308
Project Manager: Christina Dell
Sending lab received date: 03/23/06 19:00

RECEIVING LABORATORY:

Calscience Environmental
7440 Lincoln Way
Garden Grove, CA 92841
Phone: (714) 895-5494
Fax: (714) 894-7501

- Drinking Water
- Waste Water
- Other

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: MPC0970-01 (Water sampled on 03/22/06 08:35)				
8260B Oxygenates	04/05/06 12:00	04/05/06 08:35		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-02 (Water sampled on 03/22/06 11:25)				
8260B Oxygenates-7	04/05/06 12:00	04/05/06 11:25		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-03 (Water sampled on 03/21/06 12:50)				
8260B Oxygenates-7	04/05/06 12:00	04/04/06 12:50		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-04 (Water sampled on 03/21/06 13:50)				
8260B Oxygenates-7	04/05/06 12:00	04/04/06 13:50		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-05 (Water sampled on 03/22/06 09:30)				
8260B Oxygenates-7	04/05/06 12:00	04/05/06 09:30		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-06 (Water sampled on 03/22/06 18:20)				
8260B Oxygenates	04/05/06 12:00	04/05/06 18:20		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		

Released By	Date	Time	Received By	Date	Time
AM	3-20-06		Wobah CA	3-31-06	8:45
CO	3-31-06	8:45			
Released By	Date	Time	Received By	Date	Time

1810

Sequoia Analytical - Morgan Hill
MPC0970

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: MPC0970-07 (Water sampled on 03/22/06 16:40)				
8260B Oxygenates	04/05/06 12:00	04/05/06 16:40		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-08 (Water sampled on 03/22/06 12:30)				
8260B Oxygenates	04/05/06 12:00	04/05/06 12:30		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-09 (Water sampled on 03/21/06 16:55)				
8260B Oxygenates-7	04/05/06 12:00	04/04/06 16:55		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-10 (Water sampled on 03/21/06 15:55)				
8260B Oxygenates-7	04/05/06 12:00	04/04/06 15:55		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-11 (Water sampled on 03/21/06 16:20)				
8260B Oxygenates-7	04/05/06 12:00	04/04/06 16:20		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-12 (Water sampled on 03/21/06 11:10)				
8260B Oxygenates-7	04/05/06 12:00	04/04/06 11:10		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-13 (Water sampled on 03/22/06 09:25)				
8260B Oxygenates	04/05/06 12:00	04/05/06 09:25		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-14 (Water sampled on 03/22/06 07:45)				
8260B Oxygenates	04/05/06 12:00	04/05/06 07:45		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		


Released By	Date	Time	Received By	Date	Time
CO	3-30-06	8:45	Webster	3-31-06	8:45
Released By	Date	Time	Received By	Date	Time

(1810)

Sequoia Analytical - Morgan Hill
MPC0970

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: MPC0970-15 (Water sampled on 03/22/06 10:10)				
8260B Oxygenates	04/05/06 12:00	04/05/06 10:10		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-16 (Water sampled on 03/22/06 10:40)				
8260B Oxygenates	04/05/06 12:00	04/05/06 10:40		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-17 (Water sampled on 03/22/06 12:35)				
8260B Oxygenates	04/05/06 12:00	04/05/06 12:35		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-18 (Water sampled on 03/22/06 07:00)				
8260B Oxygenates	04/05/06 12:00	04/05/06 07:00		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-19 (Water sampled on 03/22/06 08:55)				
8260B Oxygenates	04/05/06 12:00	04/05/06 08:55		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-20 (Water sampled on 03/22/06 10:10)				
8260B Oxygenates-7	04/05/06 12:00	04/05/06 10:10		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-21 (Water sampled on 03/22/06 11:00)				
8260B Oxygenates	04/05/06 12:00	04/05/06 11:00		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		
Sample ID: MPC0970-22 (Water sampled on 03/22/06 09:17)				
8260B Oxygenates-7	04/05/06 12:00	04/05/06 09:17		Calscience
<i>Containers Supplied:</i>				
VOA HCl (A)	VOA HCl (B)	VOA HCl (C)		

<i>mm</i>	<i>3-31-06</i>					
Released By	Date	Time	Received By	Date	Time	
<i>CO</i>	<i>3-31-06</i>	<i>8:45</i>	<i>Wobah CA</i>	<i>3-31-06</i>	<i>8:45</i>	
Released By	Date	Time	Received By	Date	Time	



WORK ORDER #:

06 - 03 - 18 10

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: SEQUOIA ANALYTICAL

DATE: 3-31-06

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature

LABORATORY (Other than Calscience Courier):

- 3.6 °C Temperature blank.
3.6 °C IR thermometer.
Ambient temperature.

Initial: WB

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Applicable (N/A):

Initial: WB

SAMPLE COND

Table with 4 columns: Item, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sample container label(s), Sample container(s) intact and good condition, Correct containers for analyses requested, Proper preservation noted on sample label(s), VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: WB

COMMENTS:

Blank lines for handwritten comments.

Consultant Name: ETIC ENGINEERING

TA Account #: 10236

Address: 2285 MORELLO AVENUE

Invoice To: (ExxonMobil PM unless otherwise indicate)

City/State/Zip: PLEASANT HILL, CA. 94523

Report To: BRYAN CAMPBELL

ExxonMobil Territory Mgr: JENNIFER SEDLACHEK

PO #: 4506876932

Consultant Project Mgr: BRYAN CAMPBELL

Project #: UP3399 TASK 1

Facility ID #: 7-3399


Consultant Telephone Number: (925) 602-4710 EXT. 24

Fax No.: (925) 602-4720

Site Address 2991 HOPYARD ROAD

Sampler Name: (Print) Rick RODRIGUEZ

City, State, Zip PLEASANTON, CA

Sampler Signature: 

Regulatory District (CA) ACHCSA

Sample ID or Field ID	Date Sampled	Time Sampled	No of Containers Shipped	Grab	Composite	Field Filtered	Preservative								Matrix					Analyze For:							RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	Fax Results (yes or no)	Due Date of Report						
							Methanol	Sodium Bisulfate	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	HNO ₃ (Red Label)	None (Black Label)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	TPH-GIBTEX BY 8015/8021B	MTBE BY 8021B	MTBE BY 8260B	ETHANOL BY 8260B	7 OXYGENATES BY 8260B											
MW1	01	3/22 0835	6															X																		
MW4	02	3/22 1125	6															X																		
MW5D	03	3/21 1250	6															X																		
MW5S	04	3/21 1350	6															X																		
MW7	05	3/22 0930	6															X																		
MW8	06	1820	6															X																		
MW9A	07	1640	6															X																		
MW10	08	✓ 1230	6															X																		
MW11	09	3/21 1655	6															X																		
MW12A	10	3/21 1655	6															X																		



Special Instructions:

GLOBAL ID# T0600100537

EDF FILE REQUIRED

7 OXYGENATES INCLUDE MTBE, TBA, TAME, ETBE, DIPE, EDB, AND 1,2-DCA.

Laboratory Comments:
Temperature Upon Receipt: 32°C
Sample Containers Intact? Y N
VOCs Free of Headspace? Y N
QC Deliverables (please circle one)

Relinquished by: 	Date: <u>3/22/06</u>	Time:	Received by: <u>Aloruzo</u>	Date: <u>3-23-06</u>	Time: <u>1400</u>
Relinquished by: <u>Ann M...</u>	Date: <u>3-23-06</u>	Time: <u>1500</u>	Received by TestAmerica: 	Date: <u>3-23-06</u>	Time: <u>1900</u>

Level 2
Level 3
Level 4
Site Specific - if yes, please a pre-schedule w/ TestAmerica Project Manager or attach specific instructions

Consultant Name: ETIC ENGINEERING

TA Account #: 10236

Address: 2285 MORELLO AVENUE

Invoice To: (ExxonMobil PM unless otherwise indicate)

City/State/Zip: PLEASANT HILL, CA. 94523

Report To: BRYAN CAMPBELL

ExxonMobil Territory Mgr: JENNIFER SEDLACHEK

PO #: 4506876932

Consultant Project Mgr: BRYAN CAMPBELL

Project #: UP3399 TASK 1

Facility ID #: 7-3399


Consultant Telephone Number: (925) 602-4710 EXT. 24

Fax No.: (925) 602-4720

Site Address 2991 HOPYARD ROAD

Sampler Name: (Print) Rick Rodriguez

City, State, Zip PLEASANTON, CA

Sampler Signature: 

Regulatory District (CA) ACHCSA

Sample ID or Field ID	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative								Matrix					Analyze For:							RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	Fax Results (yes or no)	Due Date of Report											
							Methanol	Sodium Bisulfate	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	HNO ₃ (Red Label)	None (Black Label)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	TPH-G/STEX BY 8015/8021B	MTBE BY 8021B	MTBE BY 8260B	ETHANOL BY 8260B	7 OXYGENATES BY 8260B																
MPC0970																																									
PMW5 1	21	3/22 1100	6														X						X																		
PMW6	22	3/22 0917	6														X					X																			

Special Instructions:

GLOBAL ID# T0600100537

EDF FILE REQUIRED

Laboratory Comments:

Temperature Upon Receipt:

Sample Containers Intact? Y N

VOCs Free of Headspace? Y N

7 OXYGENATES INCLUDE MTBE, TBA, TAME, ETBE, DIPE, EDB, AND 1,2-DCA.

Relinquished by:

Date

Time

Received by:

Date

Time

QC Deliverables (please circle one)

Level 2

Level 3

Level 4

Site Specific - if yes, please a pre-schedule w/ TestAmerica

Project Manager or attach specific instructions

Relinquished by:


Date

Time


Received by TestAmerica:

Date


Time




3/22/06



3-23-06 1400



3-23-06



3-23-06 1900

SEQUOIA ANALYTICAL SAMPLE RECEIPT LOG

CLIENT NAME: ETIC Engineering
 REC. BY (PRINT): A.C.
 WORKORDER: MPC0970

DATE REC'D AT LAB: 3-23-2006
 TIME REC'D AT LAB: 1900
 DATE LOGGED IN: 3/26/06

For Regulatory Purposes?
 DRINKING WATER YES NO
 WASTE WATER YES NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	DASH #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / <input checked="" type="checkbox"/> Absent Intact / Broken*									<div style="position: absolute; top: 0; right: 0; text-align: right;">A.C.</div> <div style="position: absolute; bottom: 0; left: 0; transform: rotate(-45deg); font-size: 2em; font-weight: bold;">SEE COC 03-23-2006</div>
2. Chain-of-Custody <input checked="" type="checkbox"/> Present / Absent*									
3. Traffic Reports or Packing List: Present / <input checked="" type="checkbox"/> Absent									
4. Airbill: Airbill / Sticker Present / <input checked="" type="checkbox"/> Absent									
5. Airbill #: _____									
6. Sample Labels: <input checked="" type="checkbox"/> Present / Absent									
7. Sample IDs: <input checked="" type="checkbox"/> Listed / Not Listed on Chain-of-Custody									
8. Sample Condition: <input checked="" type="checkbox"/> Intact / Broken* / Leaking*									
9. Does information on chain-of-custody, traffic reports and sample labels agree? <input checked="" type="checkbox"/> Yes / No*									
10. Sample received within hold time? <input checked="" type="checkbox"/> Yes / No*									
11. Adequate sample volume received? <input checked="" type="checkbox"/> Yes / No*									
12. Proper preservatives used? <input checked="" type="checkbox"/> Yes / No*									
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>									
14. Read Temp: <u>hac 3.2°C</u> Corrected Temp: <u>3.2°C</u> Is corrected temp 4 +/-2°C? <input checked="" type="checkbox"/> Yes / No**									

(Acceptance range for samples requiring thermal pres.)
 **Exception (if any): METALS / DFF ON ICE
 or Problem COC

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

PROBLEM CHAIN-OF-CUSTODY

MP00970

DATE/TIME 3/26/06 1505

DATE RECEIVED 3/23/06

CLIENT ETIC / EXXON


TURN AROUND TIME ?

CLIENT SERVICES REP CD

ANALYST PH

PROBLEM

TAT?

- emailed client 3/27 8:40 AM 

RESOLUTION


Client Instruction* (see attached email) std 10 day

Telephone Number of Client: bcampbell@strong.com

Client Contact for Instruction: Bryan Campbell

Date and Time of Instruction: 3/27/06 9:06 AM

Date & Time Form Given to Sample Control: 3/27/06

CLIENT SERVICES REP. SIGNATURE: 

DATE/TIME: 3/27/06

*If client does not return call within 24 hours, please route this form to the Laboratory Director.

Christina Dell

From: Bryan campbell [BCampbell@eticeng.com]
Sent: Monday, March 27, 2006 9:07 AM
To: Christina Dell
Subject: Re: Site 7-3399 sampled on 3/21 & 3/22

Christina,

Standard TAT should be fine. Thanks!

>>> "Christina Dell" <cdell@sequoialabs.com> 03/27/06 08:40AM >>>
Hi Bryan,

The COC does not indicate a requested TAT for this project. Would you like the standard 10 day?

Thanks,

Christina Dell
Project Manager
885 Jarvis Drive
Morgan Hill, CA 95037
Tel: (408) 782-8154
Fax: (408) 782-6308
cdell@sequoialabs.com

www.sequoialabs.com <<http://www.sequoialabs.com/>>

www.testamericainc.com
<<file:///C:/Documents%20and%20Settings/cdell/Application%20Data/Microsoft/Signatures/www.testamericainc.com>>

This transmission contains information that may be legally confidential. The information is intended solely for the individual or entity named above and access by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution, or use of the contents of this information is prohibited and may be unlawful. If you have received this transmission in error, please reply immediately to the sender that you have received the message in error. Because access to receiving equipment is not under our control, we cannot be responsible for the confidentiality of electronically transmitted data.