

May 22, 1997

Mr. Scott Seery  
Alameda County Health Care Services  
1131 Harbor Bay Parkway  
Alameda, California 94501

RE: Unocal Service Station #3292  
15008 E. 14th Street  
San Leandro, California

Dear Mr. Seery:

Per the request of the Tosco Marketing Company Project Professional, Mr. Edward C. Ralston, enclosed please find our report (MPDS-UN3292-14) dated March 11, 1997, for the above referenced site.

Should you have any questions regarding the reporting of data, please feel free to call our office at (510) 602-5120. Any other questions may be directed to the Project Professional at (510) 277-2311.

Sincerely,

MPDS Services, Inc.



Jarrel F. Crider

/jfc

Enclosure

cc: Mr. Edward C. Ralston

MPDS-UN3292-14  
March 11, 1997

76 Products Company  
2000 Crow Canyon Place, Suite 400  
P.O. Box 5155  
San Ramon, California 94583

Attention: Mr. Edward C. Ralston

RE: Quarterly Data Report  
Unocal Service Station #3292  
15008 E. 14th Street  
San Leandro, California

Dear Mr. Ralston:

This data report presents the results of the most recent quarter of monitoring and sampling of the monitoring wells at the referenced site by MPDS Services, Inc. (MPDS).

### RECENT FIELD ACTIVITIES

The Unocal monitoring wells that were monitored and sampled during this quarter are indicated in Table 1. Prior to sampling, the Unocal wells were checked for depth to water and the presence of free product or sheen. The monitoring data and the ground water elevations for the Unocal wells are summarized in Table 1.

A joint monitoring event was conducted with the consultants for the nearby former Mobil site on February 10, 1997. The monitoring data collected from the monitoring wells at the former Mobil site is summarized in Table 4. Also, MPDS attempted to coordinate a joint monitoring event with the nearby Chevron site. However, MPDS was informed by the consultant for the Chevron site that this site was monitored and sampled on a semi-annual basis, in May and November. The ground water flow direction in the vicinity of the Unocal and Mobil sites during the most recent quarter is shown on the attached Figure 1.

Ground water samples were collected from the Unocal wells on February 10 and 11, 1997. In addition, dissolved oxygen concentrations were measured and are presented in Table 3. Prior to sampling, the Unocal wells were each purged of between 5.5 and 7.5 gallons of water. Samples were then collected using a clean Teflon bailer. The samples were decanted into clean VOA vials and/or one-liter amber bottles, as appropriate, which were then sealed with Teflon-lined screw caps, labeled, and stored in a cooler, on ice, until delivery to a state-certified laboratory. MPDS transported the purged ground water to the Unocal Refinery located in Rodeo, California, for treatment and discharge to San Pablo Bay under NPDES permit.

### ANALYTICAL RESULTS

The ground water samples collected from the Unocal wells were analyzed at Sequoia Analytical Laboratory and were accompanied by properly executed Chain of Custody documentation. The analytical results of the ground water samples collected to date from the Unocal wells are summarized

in Table 2. The concentrations of Total Petroleum Hydrocarbons (TPH) as gasoline and benzene detected in the ground water samples collected from the Unocal wells this quarter are shown on the attached Figure 2. Copies of the laboratory analytical results and the Chain of Custody documentation for the Unocal wells are attached to this report.

LIMITATIONS

Environmental changes, either naturally-occurring or artificially-induced, may cause changes in ground water levels and flow paths, thereby changing the extent and concentration of any contaminants.

DISTRIBUTION

A copy of this report should be sent to Mr. Scott Seery of the Alameda County Health Care Services Agency.


If you have any questions regarding this report, please do not hesitate to call Mr. Joel G. Greger at (510) 602-5120.

Sincerely,


MPDS Services, Inc.



Haig (Gary) Tejirian  
Senior Staff Geologist



Joel G. Greger, C.E.G.  
Senior Engineering Geologist



License No. EG 1633  
Exp. Date 8/31/98

- Attachments: Tables 1 through 4  
Location Map  
Figures 1 & 2  
Laboratory Analyses  
Chain of Custody documentation

cc: Mr. Robert H. Kezerian, Kaprealian Engineering, Inc.

**Table 1**  
 Summary of Monitoring Data

Well #	Ground Water Elevation (feet)	Depth to Water (feet)*	Total Well Depth (feet)*	Product Thickness (feet)	Sheen	Water Purged (gallons)
--------	-------------------------------------	------------------------------	--------------------------------	--------------------------------	-------	------------------------------

**(Monitored on February 10, 1997 and Sampled on February 10 and 11, 1997)**

MW1	28.45	7.92	18.98	0	No	6
MW2	28.59	7.75	19.11	0	No	6
MW3	28.71	7.71	22.16	0	No	7.5
MW4	28.59	8.45	19.65	0	No	6
MW5	28.31	7.63	22.12	0	No	7.5
MW6	28.79	6.88	20.13	0	No	7
MW7	28.87	7.22	21.20	0	No	7
MW8	28.05	8.84	19.06	0	No	5.5
MW9	28.14	8.15	19.07	0	No	5.5
MW10	27.94	8.10	19.88	0	No	6
MW11	27.62	7.88	18.97	0	No	6
MW2‡	26.81	8.63	20.00	0	No	6
MW3‡	27.65	8.16	20.20	0	No	6

**(Monitored and Sampled on November 7, 1996)**

MW1	25.63	10.74	18.95	0	No	4.5
MW2	25.65	10.69	19.10	0	No	4.5
MW3	25.46	10.96	22.15	0	No	6
MW4	25.46	11.58	19.65	0	No	4.5
MW5	25.29	10.65	22.08	0	No	6
MW6	25.55	10.12	20.10	0	No	5.5
MW7	25.33	10.76	21.11	0	No	5.5
MW8	25.18	11.71	19.01	0	No	4
MW9	25.19	11.10	19.00	0	No	4
MW10	25.12	10.92	19.83	0	No	5
MW11	24.92	10.58	18.92	0	No	4.5
MW2‡	24.46	10.98	20.90	0	No	5
MW3‡	24.93	10.88	20.70	0	No	5

**Table 1**  
 Summary of Monitoring Data

Well #	Ground Water Elevation (feet)	Depth to Water (feet)*	Total Well Depth (feet)*	Product Thickness (feet)	Screen	Water Purged (gallons)
--------	-------------------------------------	------------------------------	--------------------------------	--------------------------------	--------	------------------------------

**(Monitored and Sampled on August 9, 1996)**

MW1	26.65	9.72	19.00	0	No	6.5
MW2	26.80	9.54	19.12	0	No	6.5
MW3	26.89	9.53	22.16	0	No	9
MW4	26.80	10.24	19.64	0	No	6.5
MW5	26.57	9.37	22.16	0	No	9
MW6	26.95	8.72	20.15	0	No	8
MW7	27.02	9.07	21.25	0	No	8.5
MW8	26.42	10.47	19.10	0	No	6
MW9	26.45	9.84	19.11	0	No	6.5
MW10	26.28	9.76	19.91	0	No	7
MW11	26.04	9.46	19.00	0	No	6.5
MW2‡	25.46	9.98	19.99	0	No	7
MW3‡	26.08	9.73	20.20	0	No	7.5

**(Monitored and Sampled on May 8, 1996)**

MW1	27.87	8.50	19.00	0	No	7.5
MW2	28.13	8.21	19.11	0	No	7.5
MW3	28.22	8.20	22.16	0	No	9.5
MW4	WELL WAS INACCESSIBLE					
MW5	27.69	8.25	22.16	0	No	10
MW6	28.27	7.40	20.16	0	No	9
MW7	28.98	7.11	21.25	0	No	10
MW8	27.43	9.46	19.10	0	No	7
MW9	27.54	8.75	19.10	0	No	7.5
MW10	27.34	8.70	19.90	0	No	8
MW11	27.00	8.50	18.98	0	No	7.5
MW2‡	26.32	9.12	20.00	0	No	7.5
MW3‡	27.08	8.73	20.20	0	No	8

**Table 1**  
**Summary of Monitoring Data**

Well #	Well Casing Elevation (feet)*
MW1	36.37
MW2	36.34
MW3	36.42
MW4	37.04
MW5	35.94
MW6	35.67
MW7	36.09
MW8	36.89
MW9	36.29
MW10	36.04
MW11	35.50
MW2‡	35.44**
MW3‡	35.81**

- ◆ The depth to water level and total well depth measurements were taken from the top of the well casings.
- \* The elevations of the top of the well casings are relative to Mean Sea Level (MSL), per a Benchmark located at the northwest corner of East 14th Street and 150th Avenue (elevation = 36.88 feet MSL).
- \*\* The elevations of the top of the well casings are relative to Mean Sea Level (MSL), per Chevron monitoring well MW-6 used as a benchmark (elevation = 36.92 feet MSL).
- ‡ Wells located on Shadrall Property.

**Table 2**  
 Summary of Laboratory Analyses  
 Water

Well #	Date	TPH as Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE
MW1	5/4/91	31,000	74	20	920	1,500	--
	9/19/91	26,000	130	16	1,300	1,800	--
	12/18/91	17,000	160	20	1,400	1,600	--
	3/17/92	23,000	320	19	1,000	940	--
	5/19/92	29,000	650	370	1,100	1,200	--
	8/20/92	18,000	230	22	640	950	--
	11/10/92	18,000	220	ND	690	830	--
	2/20/93	19,000	190	ND	880	620	--
	5/21/93	27,000	150	200	1,200	950	--
	8/23/93	24,000	160	110	840	810	--
	11/23/93	18,000	210	63	900	620	--
	2/24/94	18,000	74	30	940	480	--
	5/25/94§	6,400	72	ND	170	67	--
	8/23/94	24,000	130	57	970	320	--
	11/23/94	23,000	180	44	970	270	--
	2/3/95	20,000	77	17	950	390	--
	5/10/95	16,000	230	27	880	630	--
	8/2/95	18,000	190	ND	860	590	--
	11/20/95†	20,000	180	ND	960	450	970
	2/8/96	15,000	43	16	940	410	5,200
	5/8/96	16,000	37	16	930	410	1,600
	8/9/96	2,300	25	ND	77	39	1,200
	11/7/96	38,000	140	ND	1,900	5,600	ND
2/11/97	7,300	91	ND	170	68	1,700	
MW2	5/4/91	19,000	6.6	1.4	460	630	--
	9/19/91	19,000	100	6.8	790	310	--
	12/18/91	10,000	110	5.1	420	96	--
	3/17/92	16,000	110	ND	730	220	--
	5/19/92	17,000	140	87	680	170	--
	8/20/92	13,000	52	ND	660	70	--
	11/10/92	11,000	36	7.2	570	45	--
	2/20/93	1,500	2.9	3.8	9.1	ND	--
	5/21/93	9,500	37	ND	470	62	--
	8/23/93	15,000	110	ND	590	64	--
	11/23/93	11,000	80	10	480	20	--
	2/24/94◆	11,000	44	ND	580	32	--
	5/25/94	11,000	50	ND	400	22	--
	8/23/94	12,000	45	10	360	20	--
	11/23/94	15,000	61	24	440	ND	--
	2/3/95	9,700	5.7	ND	250	10	--
	5/10/95	7,500	56	4.7	310	33	--
	8/2/95	8,200	53	22	220	25	--
	11/2/95	5,000	56	4.5	170	7.7	110
	2/8/96	7,200	ND	ND	170	ND	ND
	5/8/96	8,400	5.6	9.0	170	10	130
	8/9/96	3,100	24	ND	80	ND	64
	11/7/96	36,000	140	ND	1,900	5,600	ND
2/11/97	4,600	27	ND	53	ND	ND	

**Table 2**  
 Summary of Laboratory Analyses  
 Water

Well #	Date	TPH as Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE	
MW3	5/4/91	9,100	2.0	ND	55	180	--	
	9/19/91	7,600	ND	13	190	170	--	
	12/18/91	5,900	54	6.4	110	64	--	
	3/17/92	5,800	66	7.5	100	58	--	
	5/19/92	3,400	25	3.6	66	41	--	
	8/20/92	4,500	58	ND	65	35	--	
	11/10/92	3,400	37	ND	85	34	--	
	2/20/93	1,600	12	18	8.9	12	--	
	5/21/93	2,600	42	ND	43	15	--	
	8/23/93	2,900	25	ND	50	18	--	
	11/23/93	2,300	34	ND	24	5.6	--	
	2/24/94	3,400	46	ND	53	11	--	
	5/25/94	1,400	20	ND	ND	ND	--	
	8/23/94	2,900	37	49	14	2.9	--	
	11/23/94	3,200	48	ND	22	ND	--	
	2/3/95	780	13	ND	2.1	ND	--	
	5/10/95	1,300	ND	ND	ND	ND	--	
	8/2/95	1,500	6.3	ND	16	2.1	--	
	11/2/95	1,100	5.2	2.1	7.4	0.5	15	
	2/8/96	450	ND	ND	ND	ND	ND	
	5/8/96	590	ND	11	10	ND	ND	
	8/9/96	ND	ND	ND	ND	ND	ND	
	11/7/96	140	1.2	ND	ND	ND	5.6	
2/10/97	89	1.8	ND	ND	ND	ND		
MW4	5/4/91	6,300	ND	ND	2.8	61	--	
	9/19/91	1,800	0.83	ND	54	46	--	
	12/18/91	2,500	28	2.5	54	22	--	
	3/17/92	1,800	3.7	1.4	90	21	--	
	5/19/92	2,000	20	3.5	42	8.3	--	
	8/20/92	1,000	15	ND	11	3.0	--	
	11/10/92	690	9.1	ND	16	2.8	--	
	2/20/93	2,400	40	2.1	33	ND	--	
	5/21/93	1,900	31	ND	20	4.5	--	
	8/23/93	1,200	5.0	ND	16	ND	--	
	11/23/93	720	10	ND	8.7	ND	--	
	2/24/94	1,300	8.9	ND	20	ND	--	
	5/25/94	1,700	22	ND	4.5	ND	--	
	8/23/94	690	9.2	1.3	7.1	1.9	--	
	11/23/94	420	5.0	1.1	4.2	1.2	--	
	2/3/95	620	6.4	ND	9.3	ND	--	
	5/10/95	280	2.8	ND	2.7	2.4	--	
	8/2/95	290	3.6	ND	2.8	ND	--	
	11/2/95	42,000	390	210	2,800	6,300	270	
	2/8/96	130	2.1	ND	1.5	0.69	ND	
	5/8/96	WELL WAS INACCESSIBLE						
	8/9/96	ND	ND	ND	ND	ND	ND	
	11/7/96	ND	ND	ND	ND	ND	ND	
2/10/97	ND	ND	ND	ND	ND	ND		



**Table 2**  
 Summary of Laboratory Analyses  
 Water

Well #	Date	TPH as Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE
MW5	5/4/91	69,000	1,400	2,500	3,500	15,000	--
	9/19/91	57,000	1,600	2,700	5,200	20,000	--
	12/18/91	31,000	1,600	3,100	4,800	19,000	--
	3/17/92	81,000	850	1,600	4,800	18,000	--
	5/19/92	84,000	760	1,500	4,000	17,000	--
	8/20/92	58,000	660	1,700	4,200	19,000	--
	11/10/92	57,000	800	1,800	4,400	18,000	--
	2/20/93	17,000	75	ND	1,000	620	--
	5/21/93	55,000	ND	160	3,500	12,000	--
	8/23/93	61,000	340	380	3,600	14,000	--
	11/23/93	46,000	290	310	4,100	15,000	--
	2/24/94	57,000	140	400	4,400	16,000	--
	5/25/94	53,000	ND	ND	4,000	14,000	--
	8/23/94	61,000	360	380	4,800	17,000	--
	11/23/94	46,000	230	260	3,900	14,000	--
	2/3/95	56,000	140	330	3,500	13,000	--
	5/10/95	27,000	160	170	2,200	5,200	--
	8/2/95	65,000	260	300	3,500	12,000	--
	11/2/95	240	0.76	ND	1.1	ND	ND
	2/8/96	54,000	210	150	3,400	12,000	170
	5/8/96	52,000	170	200	3,600	11,000	170
	8/9/96	25,000	54	16	1,700	4,700	ND
	11/7/96	2,100	42	ND	9.3	ND	2,300
2/10/97	15,000	46	29	1,400	4,100	ND	
MW6	5/19/92	1,300	2.0	2.1	ND	2.7	--
	8/20/92	280	8.4	ND	0.51	0.84	--
	11/10/92	490	7.0	1.2	1.7	ND	--
	2/20/93	2,400	43	ND	33	2.0	--
	5/21/93	940	18	1.0	7.1	2.7	--
	8/23/93	1,000	9.4	2.3	5.0	2.3	--
	11/23/93	520	ND	1.7	1.9	0.82	--
	2/24/94♦	810	12	ND	2.6	0.77	--
	5/25/94	500	11	ND	ND	0.73	--
	8/23/94	570	8.8	2.5	3.2	2.6	--
	11/23/94	460	6.4	1.1	1.9	1.1	--
	2/3/95	660	4.8	13	1.4	ND	--
	5/10/95	470	ND	0.65	1.4	0.67	--
	8/2/95	360	3.2	ND	1.6	ND	--
	11/2/95	470	ND	0.92	0.89	0.58	5.5
	2/8/96	450	3.1	ND	1.1	0.68	ND
	5/8/96	ND	ND	ND	ND	ND	ND
	8/9/96	ND	ND	ND	ND	ND	ND
	11/7/96	ND	ND	ND	ND	ND	ND
	2/10/97	ND	ND	ND	ND	ND	ND

**Table 2**  
 Summary of Laboratory Analyses  
 Water

Well #	Date	TPH as Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE
MW7	5/19/92	17,000	540	90	1,200	1,900	--
	8/20/92	13,000	460	54	ND	3,100	--
	11/10/92	1,800	74	ND	230	350	--
	2/20/93	1,800	37	4.6	11	7.7	--
	5/21/93	22,000	330	37	2,100	2,900	--
	8/23/93	33,000	360	ND	2,500	4,300	--
	11/23/93	19,000	310	30	2,500	2,300	--
	2/24/94♦	16,000	220	19	2,400	3,200	--
	5/25/94	14,000	200	ND	1,500	1,800	--
	8/23/94	19,000	210	50	2,000	2,800	--
	11/23/94	10,000	220	ND	1,000	730	--
	2/3/95	26,000	170	ND	2,300	3,700	--
	5/10/95	1,300	13	1.5	170	230	--
	8/2/95	15,000	200	ND	2,200	2,000	--
	11/2/95	18,000	190	9.4	2,100	2,200	72
	2/8/96	19,000	150	ND	2,100	3,000	ND
	5/8/96	13,000	130	18	1,900	1,600	85
	8/9/96	11,000	67	ND	1,700	1,800	ND
	11/7/96	32,000	160	ND	3,300	8,400	570
	2/11/97	7,100	55	ND	ND	620	ND
MW8	5/19/92	5,300	28	3.3	2.6	2.1	--
	8/20/92	3,500*	67	11	ND	ND	--
	11/10/92	1,800	20	ND	ND	ND	--
	2/20/93	2,200	32	ND	42	5.0	--
	5/21/93	2,500	44	ND	ND	ND	--
	8/23/93	280*	49	4.5	ND	ND	--
	11/23/93	1,800	ND	3.4	ND	ND	--
	2/24/94	1,200	10	2.3	ND	3.2	--
	5/25/94	14,000	29	ND	ND	ND	--
	8/23/94	3,200	46	18	2.0	7.2	--
	11/23/94	1,700	34	ND	ND	3.1	--
	2/3/95	800	6.1	ND	ND	ND	--
	5/10/95	1,400	15	1.5	0.65	0.84	--
	8/2/95	690	8.3	1.9	ND	ND	--
	11/2/95	1,200	ND	1.9	0.56	ND	6.4
	2/14/96††	650	9.0	1.2	ND	0.52	ND
	5/8/96	1,200	0.7	35	2.2	3.0	ND
	8/9/96	350	ND	12	0.81	0.95	ND
	11/7/96	1,000	23	ND	ND	ND	ND
	2/10/97	630	13	ND	ND	8.1	ND
MW9	5/19/92	8,100	11	ND	25	5.8	--
	8/20/92	3,800*	37	ND	ND	ND	--
	11/10/92	4,200	ND	ND	21	23	--
	2/20/93	2,300	47	ND	32	ND	--
	5/21/93	3,200	32	ND	8.1	ND	--
	8/23/93	3,000	29	ND	ND	ND	--
	11/23/93	2,500	23	2.1	ND	ND	--
	2/24/94	2,900	35	ND	ND	ND	--

**Table 2**  
 Summary of Laboratory Analyses  
 Water

Well #	Date	TPH as Gasoline	Benzene	Toluene	Ethyl Benzene	Xylenes	MTBE
MW9	5/25/94	ND	ND	ND	ND	ND	--
(Cont.)	8/23/94	2,800	28	32	ND	ND	--
	11/23/94	2,000	24	2.2	2.2	2.5	--
	2/3/95	2,100	26	2.5	ND	ND	--
	5/10/95	1,700	0.81	2.2	1.0	1.4	--
	8/2/95	1,900	26	6.6	ND	3.9	--
	11/2/95	1,600	ND	1.3	ND	ND	11
	2/8/96	1,900	ND	ND	ND	ND	ND
	5/8/96	1,700	1.9	22	1.7	2.7	ND
	8/9/96	200	ND	4.5	ND	0.58	ND
	11/7/96	920	24	ND	ND	ND	ND
	2/11/97	580	14	2.4	ND	ND	16
MW10	8/20/92	15,000	230	ND	1,000	350	--
	11/10/92	15,000	300	42	3,500	330	--
	2/20/93	17,000	74	ND	1,000	620	--
	5/21/93	23,000	250	ND	3,000	240	--
	8/23/93	20,000	230	13	3,200	140	--
	11/23/93	18,000	300	10	2,800	110	--
	2/24/94	15,000	330	19	2,000	83	--
	5/25/94	14,000	240	ND	230	62	--
	8/23/94	16,000	250	41	1,800	74	--
	11/23/94	16,000	260	ND	1,600	49	--
	2/3/95	17,000	310	ND	1,500	93	--
	5/10/95	12,000	260	16	1,200	54	--
	8/2/95	8,900	240	ND	780	40	--
	11/2/95	9,300	190	ND	470	1.7	110
	2/8/96	9,700	170	ND	440	ND	ND
	5/8/96	7,100	100	ND	240	ND	43
	8/9/96	4,400	59	7.5	110	6.5	73
	11/7/96	6,300	65	ND	110	ND	130
	2/10/97	6,800	91	ND	100	ND	210
MW11	8/20/92	4,600*	62	ND	ND	54	--
	11/10/92	5,800	130	ND	260	42	--
	2/20/93	18,000	76	ND	1,000	630	--
	5/21/93	7,100	64	ND	340	120	--
	8/23/93	5,400	68	ND	230	43	--
	11/23/93	3,400	105	ND	120	43	--
	2/24/94	4,600	170	ND	140	36	--
	5/25/94	1,400	49	ND	26	ND	--
	8/23/94	7,300	250	13	150	42	--
	11/23/94	5,800	250	10	120	22	--
	2/3/95	4,400	110	ND	150	37	--
	5/10/95	4,200	120	ND	170	38	--
	8/2/95	4,200	110	ND	110	22	--
	11/2/95	6,100	150	ND	78	6.8	6,200
	2/14/96††	3,100	60	ND	98	ND	4,000

**Table 2**  
 Summary of Laboratory Analyses  
 Water

Well #	Date	FPH as Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE
MW11 (Cont.)	5/8/96	3,500	120	ND	160	ND	6,400
	8/9/96	1,100	42	ND	15	ND	4,300
	11/7/96	2,900	57	ND	13	ND	3,400
	2/10/97	600	9.5	ND	ND	ND	3,100
MW2‡	5/8/96	540	0.68	21	1.0	1.7	ND
	8/9/96	170	ND	7.8	ND	ND	ND
	11/7/96	430	8.9	1.5	ND	ND	10
	2/11/97	230**	4.6	1.0	ND	ND	10
MW3‡	5/8/96	4,700	7.9	36	13	4.0	42
	8/9/96	2,000	ND	14	7.6	ND	ND
	11/7/96	1,800	29	ND	ND	ND	40
	2/11/97	3,500	70	14	ND	ND	150

‡ Wells located on Shadrall Property.

§ The analytical results of the ground water sample for well MW1 was inconsistent with the previous analytical results for this well. Sequoia Analytical Laboratory re-analyzed the sample past hold time; therefore the results may be biased low.

† Monitoring well MW1 was resampled on November 20, 1995. The vial containing the water sample collected from this well on November 2, 1995, was inadvertently broken by the laboratory.

†† Monitoring wells MW8 and MW11 were resampled on February 14, 1996. The vials containing the water samples collected from the wells on February 8, 1996, were inadvertently broken by the laboratory.

\* Sequoia Analytical Laboratory reported that the hydrocarbons detected appeared to be a gasoline and non-gasoline mixture.

\*\* Sequoia Analytical Laboratory reported that the hydrocarbons detected did not appear to be gasoline.

♦ All EPA 8010 constituents were non-detectable.

MTBE = methyl tert butyl ether.

ND = Non-detectable.

-- Indicates analysis was not performed.

Results are in micrograms per liter (µg/L), unless otherwise indicated.

**Table 2**  
Summary of Laboratory Analyses  
Water

---

Note: The detection limit for results reported as ND by Sequoia Analytical Laboratory is equal to the stated detection limit times the dilution factor indicated on the laboratory analytical sheets.

Prior to August 1, 1995, the total purgeable petroleum hydrocarbon (TPH as gasoline) quantification range used by Sequoia Analytical Laboratory was C4 - C12. Since August 1, 1995, the quantification range used by Sequoia Analytical Laboratory is C6 - C12.

Laboratory analyses data prior to November 23, 1993, were provided by Kaprealian Engineering, Inc.

**Table 3**  
 Summary of Monitoring Data  
 Dissolved Oxygen (DO) Concentration Measurements

Well #	Date	Dissolved Oxygen Reading		
		(mg/L)*	(mg/L)**	(mg/L)**
MW1	11/2/95	1.80	2.83	--
	2/8/96	--	2.58	--
	5/8/96	--	--	1.92
	8/9/96	--	2.14	--
	11/7/96	--	2.11	2.18
	2/11/97	--	--	2.05
MW2	11/2/95	2.30	2.80	--
	2/8/96	--	2.21	--
	5/8/96	--	--	3.89
	8/9/96	--	3.36	--
	11/7/96	--	1.96	1.98
	2/11/97	--	--	2.12
MW3	11/2/95	2.20	4.98	--
	2/8/96	--	2.78	--
	5/8/96	--	--	3.73
	8/9/96	--	3.29	--
	11/7/96	--	3.15	3.98
	2/10/97	--	--	3.59
MW4	11/2/95	3.00	7.91	--
	2/8/96	--	2.66	--
	5/8/96	--	--	--
	8/9/96	--	2.92	--
	11/7/96	--	4.32	4.38
	2/10/97	--	--	3.87
MW5	11/2/95	3.00	2.30	--
	2/8/96	--	2.35	--
	5/8/96	--	--	1.29
	8/9/96	--	2.19	--
	11/7/96	--	1.84	1.82
	2/10/97	--	--	2.07
MW6	11/2/95	3.80	4.55	--
	2/8/96	--	3.77	--
	5/8/96	--	--	3.40
	8/9/96	--	3.53	--
	11/7/96	--	3.99	4.06
	2/10/97	--	--	3.85

**Table 3**  
 Summary of Monitoring Data  
 Dissolved Oxygen (DO) Concentration Measurements

Well #	Date	Dissolved Oxygen Reading		
		(mg/L)♦	Before Purging (mg/L)♦♦	After Purging (mg/L)♦♦
MW7	11/2/95	--	--	--
	2/8/96	--	2.67	--
	5/8/96	--	--	2.20
	8/9/96	--	2.37	--
	11/7/96	--	2.22	2.28
	2/11/97	--	--	2.33
MW8	11/2/95	--	--	--
	2/8/96	--	3.85	--
	5/8/96	--	--	2.09
	8/9/96	--	2.56	--
	11/7/96	--	1.67	1.84
	2/10/97	--	--	2.10
MW9	11/2/95	--	--	--
	2/8/96	--	3.62	--
	5/8/96	--	--	2.20
	8/9/96	--	2.51	--
	11/7/96	--	2.06	2.02
	2/10/97	--	--	1.96
MW10	11/2/95	3.10	3.96	--
	2/8/96	--	2.88	--
	5/8/96	--	--	2.71
	8/9/96	--	2.63	--
	11/7/96	--	1.81	1.84
	2/10/97	--	--	2.03
MW11	11/2/95	2.60	3.55	--
	2/8/96	--	2.19	--
	5/8/96	--	--	2.06
	8/9/96	--	2.11	--
	11/7/96	--	2.35	2.36
	2/10/97	--	--	2.18
MW2‡	11/7/96	--	2.85	2.80
	2/11/97	--	--	2.73
MW3‡	11/7/96	--	2.41	2.40
	2/11/97	--	--	2.55

**Table 3**  
Summary of Monitoring Data  
Dissolved Oxygen (DO) Concentration Measurements

---

- ◆ Dissolved oxygen concentrations measured in the laboratory.
- ◆◆ Dissolved oxygen concentrations measured in the field using a LaMotte DO4000 dissolved oxygen meter.
- ‡ Wells located on Shadrall Property.
- Indicates measurement was not taken.




**Table 4**  
Summary of Monitoring Data  
Former Mobil Service Station Monitoring Wells  
(Provided by Alton GeoScience)

Well #	Ground Water Elevation (feet)	Depth to Water (feet)*	Well Casing Elevation (feet)*
--------	-------------------------------------	------------------------------	-------------------------------------

(Monitored on February 10, 1997)

MW-1A	29.05	7.58	36.63
MW-2A	28.87	7.75	36.62
MW-3A	28.98	7.95	36.93
MW-4A	29.07	8.11	37.18
MW-5A	28.98	6.93	35.91
MW-6A	29.40	7.70	37.10
MW-7A	28.82	8.57	37.39

- ◆ The depth to water level measurements were taken from the top of the well casings.
- \* The elevations of the top of the well casings have been surveyed relative to Mean Sea Level.




Base modified from 7.5 minute U.S.G.S.  
Hayward and San Leandro Quadrangles  
(both photorevised 1980)



**MPDS** SERVICES, INCORPORATED

**UNOCAL SERVICE STATION #3292  
15008 E. 14TH STREET  
SAN LEANDRO, CALIFORNIA**

**LOCATION  
MAP**




**LEGEND**


- ⊕ Monitoring well (Unocal)
- ⊕ Monitoring well (Shadrall Property)
- ⊕ Monitoring well (Former Mobil)
- ⊕ Monitoring well (Chevron)
- ( ) Ground water elevation in feet above Mean Sea Level
- ### → Direction of ground water flow with approximate hydraulic gradient
- Contours of ground water elevation

**POTENTIOMETRIC SURFACE MAP FOR THE FEBRUARY 10, 1997 MONITORING EVENT**

**UNOCAL SERVICE STATION #3292  
15008 E. 14TH STREET  
SAN LEANDRO, CALIFORNIA**



**FIGURE  
1**




**LEGEND**

- ⊕ Monitoring well (Unocal)
- ⊕ Monitoring well (Shadrall Property)
- ⊕ Monitoring well (Former Mobil)
- ⊕ Monitoring well (Chevron)
- ( ) Concentration of TPH as gasoline in  $\mu\text{g/L}$
- [ ] Concentration of benzene in  $\mu\text{g/L}$
- ND Non-detectable

\* The lab reported that the hydrocarbons detected did not appear to be gasoline.

**PETROLEUM HYDROCARBON CONCENTRATIONS IN GROUND WATER ON FEBRUARY 10 & 11, 1997**

UNOCAL SERVICE STATION #3292  
15008 E. 14TH STREET  
SAN LEANDRO, CALIFORNIA



**mpds**  
SERVICES, INC.

FIGURE  
**2**



MPDS Services 2401 Stanwell Dr., Ste. 300 Concord, CA 94520 Attention: Jarrel Crider	Client Project ID: Unocal #3292, 15008 E. 14th St., Matrix Descript: Water Analysis Method: EPA 5030/8015 Mod./8020 First Sample #: 702-0957	San Leandro	Sampled: Feb 10-11, 97 Received: Feb 11, 1997 Reported: Feb 27, 1997
---	---	-------------	--

**TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION**

Sample Number	Sample Description	Purgeable Hydrocarbons µg/L	Benzene µg/L	Toluene µg/L	Ethyl Benzene µg/L	Total Xylenes µg/L
702-0957	MW-3	89	1.8	ND	ND	ND
702-0958	MW-4	ND	ND	ND	ND	ND
702-0959	MW-5	15,000	46	29	1,400	4,100
702-0960	MW-6	ND	ND	ND	ND	ND
702-0961	MW-8	630	13	ND	ND	8.1
702-0962	MW-9	580	14	2.4	ND	ND
702-0963	M,W-10	6,800	91	ND	100	ND
702-0964	MW-11	600	9.5	ND	ND	ND
702-0965	MW-1	7,300	91	ND	170	68
702-0966	MW-2	4,600	27	ND	53	ND

<b>Detection Limits:</b>	<b>50</b>	<b>0.50</b>	<b>0.50</b>	<b>0.50</b>	<b>0.50</b>
--------------------------	-----------	-------------	-------------	-------------	-------------

Total Purgeable Petroleum Hydrocarbons are quantitated against a fresh gasoline standard.  
Analytes reported as ND were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL, #1271**

Signature on File

Alan B. Kemp  
Project Manager





MPDS Services	Client Project ID: Unocal #3292, 15008 E. 14th St.,	Sampled: Feb 10-11, 97
2401 Stanwell Dr., Ste. 300	Matrix Descript: Water San Leandro	Received: Feb 11, 1997
Concord, CA 94520	Analysis Method: EPA 5030/8015 Mod./8020	Reported: Feb 27, 1997
Attention: Jarrel Crider	First Sample #: 702-0957	

**TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION**

Sample Number	Sample Description	Chromatogram Pattern	DL Mult. Factor	Date Analyzed	Instrument ID	Surrogate Recovery, % QC Limits: 70-130
702-0957	MW-3	Gasoline	1.0	2/20/97	HP-2	86
702-0958	MW-4	--	1.0	2/20/97	HP-9	95
702-0959	MW-5	Gasoline	40	2/20/97	HP-2	84
702-0960	MW-6	--	1.0	2/20/97	HP-4	98
702-0961	MW-8	Gasoline	5.0	2/20/97	HP-2	91
702-0962	MW-9	Gasoline	2.0	2/20/97	HP-4	76
702-0963	M,W-10	Gasoline	40	2/20/97	HP-4	94
702-0964	MW-11	Gasoline	10	2/20/97	HP-4	90
702-0965	MW-1	Gasoline	100	2/20/97	HP-4	100
702-0966	MW-2	Gasoline	40	2/21/97	HP-2	91

**SEQUOIA ANALYTICAL, #1271**

Signature on File

Alan B. Kemp  
Project Manager





MPDS Services	Client Project ID: Unocal #3292, 15008 E. 14th St.,	Sampled: Feb 11, 1997
2401 Stanwell Dr., Ste. 300	Matrix Descript: Water San Leandro	Received: Feb 11, 1997
Concord, CA 94520	Analysis Method: EPA 5030/8015 Mod./8020	Reported: Feb 27, 1997
Attention: Jarrel Crider	First Sample #: 702-0967	

**TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION**

Sample Number	Sample Description	Purgeable Hydrocarbons µg/L	Benzene µg/L	Toluene µg/L	Ethyl Benzene µg/L	Total Xylenes µg/L
702-0967	MW-7	7,100	55	ND	ND	620
702-0968	MW-S5H	230*	4.6	1.0	ND	ND
702-0969	MW-S5H	3,500	70	14	ND	ND

\* Hydrocarbons detected did not appear to be gasoline.

<b>Detection Limits:</b>	<b>50</b>	<b>0.50</b>	<b>0.50</b>	<b>0.50</b>	<b>0.50</b>
--------------------------	-----------	-------------	-------------	-------------	-------------

Total Purgeable Petroleum Hydrocarbons are quantitated against a fresh gasoline standard.  
Analytes reported as ND were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL, #1271**

Signature on File

Alan B. Kemp  
Project Manager





MPDS Services 2401 Stanwell Dr., Ste. 300 Concord, CA 94520 Attention: Jarrel Crider	Client Project ID: Unocal #3292, 15008 E. 14th St., Matrix Descript: Water Analysis Method: EPA 5030/8015 Mod./8020 First Sample #: 702-0967	San Leandro	Sampled: Feb 11, 1997 Received: Feb 11, 1997 Reported: Feb 27, 1997
---	---	-------------	---

**TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION**

Sample Number	Sample Description	Chromatogram Pattern	DL Mult. Factor	Date Analyzed	Instrument ID	Surrogate Recovery, % QC Limits: 70-130
702-0967	MW-7	Gasoline	100	2/20/97	HP-4	99
702-0968	MW-S5H	Unidentified Hydrocarbons <C7*	1.0	2/20/97	HP-4	98
702-0969	MW-S5H	Gasoline	20	2/20/97	HP-4	122

**SEQUOIA ANALYTICAL, #1271**

Signature on File

Alan B. Kemp  
Project Manager

Please Note:  
\* "Unidentified Hydrocarbons <C7" refers to unidentified peaks in the EPA 8010 range.







# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

MPDS Services  
2401 Stanwell Dr., Ste. 300  
Concord, CA 94520  
Attention: Jarrel Crider

Client Project ID: Unocal #3292, 15008 E. 14th St.,  
Sample Descript: Water San Leandro  
Analysis for: MTBE (Modified EPA 8020)  
First Sample #: 702-0957

Sampled: Feb 10-11, 97  
Received: Feb 11, 1997  
Analyzed: Feb 20-21, 97  
Reported: Feb 27, 1997

## LABORATORY ANALYSIS FOR: MTBE (Modified EPA 8020)

Sample Number	Sample Description	Detection Limit µg/L	Sample Result µg/L
702-0957	MW-3	5.0	N.D.
702-0958	MW-4	5.0	N.D.
702-0959	MW-5	100	N.D.
702-0960	MW-6	5.0	N.D.
702-0961	MW-8	13	N.D.
702-0962	MW-9	5.0	16
702-0963	M,W-10	100	210
702-0964	MW-11	25	3,100
702-0965	MW-1	250	1,700
702-0966	MW-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

### SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp  
Project Manager

7020957.MPD <5>





# Sequoia Analytical

680 Chesapeake Drive	Redwood City, CA 94063	(415) 364-9600	FAX (415) 364-9233
404 N. Wiget Lane	Walnut Creek, CA 94598	(510) 988-9600	FAX (510) 988-9673
819 Striker Avenue, Suite 8	Sacramento, CA 95834	(916) 921-9600	FAX (916) 921-0100

<b>MPDS Services</b>	<b>Client Project ID:</b> Unocal #3292, 15008 E. 14th St.,	<b>Sampled:</b> Feb 11, 1997
2401 Stanwell Dr., Ste. 300	<b>Sample Descript:</b> Water	<b>Received:</b> Feb 11, 1997
Concord, CA 94520	San Leandro	
<b>Attention: Jarrel Crider</b>	<b>Analysis for:</b> MTBE (Modified EPA 8020)	<b>Analyzed:</b> Feb 20, 1997
	<b>First Sample #:</b> 702-0967	<b>Reported:</b> Feb 27, 1997

## LABORATORY ANALYSIS FOR: MTBE (Modified EPA 8020)

Sample Number	Sample Description	Detection Limit µg/L	Sample Result µg/L
702-0967	MW-7	250	N.D.
702-0968	MW-25H	5.0	10
702-0969	MW-35H	50	150

Analytes reported as N.D. were not present above the stated limit of detection.

### SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp  
Project Manager





MPDS Services  
 2401 Stanwell Dr., Ste. 300  
 Concord, CA 94520  
 Attention: Jarrel Crider

Client Project ID: Unocal #3292, 15008 E. 14th St., San Leandro  
 Matrix: Liquid

QC Sample Group: 7020957-969

Reported: Feb 28, 1997

**QUALITY CONTROL DATA REPORT**

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes
<b>Method:</b>	EPA 8020	EPA 8020	EPA 8020	EPA 8020
<b>Analyst:</b>	K. Nill	K. Nill	K. Nill	K. Nill

MS/MSD	Benzene	Toluene	Ethyl Benzene	Xylenes
<b>Batch#:</b>	7020810	7020810	7020810	7020810
<b>Date Prepared:</b>	2/20/97	2/20/97	2/20/97	2/20/97
<b>Date Analyzed:</b>	2/20/97	2/20/97	2/20/97	2/20/97
<b>Instrument I.D.#:</b>	HP-9	HP-9	HP-9	HP-9
<b>Conc. Spiked:</b>	20 µg/L	20 µg/L	20 µg/L	60 µg/L
<b>Matrix Spike % Recovery:</b>	110	115	80	115
<b>Matrix Spike Duplicate % Recovery:</b>	110	115	80	118
<b>Relative % Difference:</b>	0.0	0.0	0.0	2.9

LCS Batch#:	9LCS022097	9LCS022097	9LCS022097	9LCS022097
<b>Date Prepared:</b>	2/20/97	2/20/97	2/20/97	2/20/97
<b>Date Analyzed:</b>	2/20/97	2/20/97	2/20/97	2/20/97
<b>Instrument I.D.#:</b>	HP-9	HP-9	HP-9	HP-9
<b>LCS % Recovery:</b>	115	120	85	122

% Recovery Control Limits:	60-140	60-140	60-140	60-140
----------------------------	--------	--------	--------	--------

**Please Note:**  
 The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

**SEQUOIA ANALYTICAL, #1271**

Signature on File

Alan B. Kemp  
 Project Manager





MPDS Services Client Project ID: Unocal #3292, 15008 E. 14th St., San Leandro  
 2401 Stanwell Dr., Ste. 300 Matrix: Liquid  
 Concord, CA 94520  
 Attention: Jarrel Crider QC Sample Group: 7020957-969 Reported: Feb 28, 1997

**QUALITY CONTROL DATA REPORT**

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Analyst:	K. Nill	K. Nill	K. Nill	K. Nill

MS/MSD				
Batch#:	7020797	7020797	7020797	7020797
Date Prepared:	2/20/97	2/20/97	2/20/97	2/20/97
Date Analyzed:	2/20/97	2/20/97	2/20/97	2/20/97
Instrument I.D.#:	HP-4	HP-4	HP-4	HP-4
Conc. Spiked:	20 µg/L	20 µg/L	20 µg/L	60 µg/L
Matrix Spike % Recovery:	85	85	80	85
Matrix Spike Duplicate % Recovery:	85	90	85	85
Relative % Difference:	0.0	5.7	6.1	0.0

LCS Batch#:	4LCS022097	4LCS022097	4LCS022097	4LCS022097
Date Prepared:	2/20/97	2/20/97	2/20/97	2/20/97
Date Analyzed:	2/20/97	2/20/97	2/20/97	2/20/97
Instrument I.D.#:	HP-4	HP-4	HP-4	HP-4
LCS % Recovery:	90	95	95	95

% Recovery Control Limits:	60-140	60-140	60-140	60-140
----------------------------	--------	--------	--------	--------

**Please Note:**  
 The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

**SEQUOIA ANALYTICAL, #1271**

Signature on File  
 Alan B. Kemp  
 Project Manager





MPDS Services Client Project ID: Unocal #3292, 15008 E. 14th St., San Leandro  
 2401 Stanwell Dr., Ste. 300 Matrix: Liquid  
 Concord, CA 94520  
 Attention: Jarrel Crider QC Sample Group: 7020957-969 Reported: Feb 28, 1997

**QUALITY CONTROL DATA REPORT**

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Analyst:	K. Nill	K. Nill	K. Nill	K. Nill

MS/MSD	Benzene	Toluene	Ethyl Benzene	Xylenes
Batch#:	7020947	7020947	7020947	7020947
Date Prepared:	2/21/97	2/21/97	2/21/97	2/21/97
Date Analyzed:	2/21/97	2/21/97	2/21/97	2/21/97
Instrument I.D.#:	HP-2	HP-2	HP-2	HP-2
Conc. Spiked:	20 µg/L	20 µg/L	20 µg/L	60 µg/L
Matrix Spike % Recovery:	90	105	100	98
Matrix Spike Duplicate % Recovery:	90	105	100	97
Relative % Difference:	0.0	0.0	0.0	1.7

LCS Batch#:	2LCS022197	2LCS022197	2LCS022197	2LCS022197
Date Prepared:	2/21/97	2/21/97	2/21/97	2/21/97
Date Analyzed:	2/21/97	2/21/97	2/21/97	2/21/97
Instrument I.D.#:	HP-2	HP-2	HP-2	HP-2
LCS % Recovery:	85	100	95	93

% Recovery Control Limits:	Benzene	Toluene	Ethyl Benzene	Xylenes
	60-140	60-140	60-140	60-140

**Please Note:**  
 The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

**SEQUOIA ANALYTICAL, #1271**

Signature on File  
 Alan B. Kemp  
 Project Manager





MPDS Services 2401 Stanwell Dr., Ste. 300 Concord, CA 94520 Attention: Jarrel Crider	Client Project ID: Unocal #3292, 15008 E. 14th St., San Leandro Matrix: Liquid QC Sample Group: 7020957-969	Reported: Feb 28, 1997
---	---	------------------------

**QUALITY CONTROL DATA REPORT**

<b>ANALYTE</b>	Benzene	Toluene	Ethyl Benzene	Xylenes
<b>Method:</b>	EPA 8020	EPA 8020	EPA 8020	EPA 8020
<b>Analyst:</b>	K. Nill	K. Nill	K. Nill	K. Nill

<b>MS/MSD</b>				
<b>Batch#:</b>	7020831	7020831	7020831	7020831
<b>Date Prepared:</b>	2/19/97	2/19/97	2/19/97	2/19/97
<b>Date Analyzed:</b>	2/19/97	2/19/97	2/19/97	2/19/97
<b>Instrument I.D.#:</b>	HP-2	HP-2	HP-2	HP-2
<b>Conc. Spiked:</b>	20 µg/L	20 µg/L	20 µg/L	60 µg/L
<b>Matrix Spike</b>				
<b>% Recovery:</b>	85	100	95	90
<b>Matrix Spike Duplicate %</b>				
<b>Recovery:</b>	80	95	90	87
<b>Relative %</b>				
<b>Difference:</b>	6.1	5.1	5.4	3.8

<b>LCS Batch#:</b>	2LCS022097	2LCS022097	2LCS022097	2LCS022097
<b>Date Prepared:</b>	2/20/97	2/20/97	2/20/97	2/20/97
<b>Date Analyzed:</b>	2/20/97	2/20/97	2/20/97	2/20/97
<b>Instrument I.D.#:</b>	HP-2	HP-2	HP-2	HP-2
<b>LCS %</b>				
<b>Recovery:</b>	85	100	95	93

<b>% Recovery</b>				
<b>Control Limits:</b>	60-140	60-140	60-140	60-140

**Please Note:**  
The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

**SEQUOIA ANALYTICAL, #1271**

Signature on File

Alan B. Kemp  
Project Manager





# M P D S Services, Inc.

2401 Stanwell Drive, Suite 400, Concord, CA 94520  
 Tel: (510) 602-5120 Fax: (510) 689-1918

## CHAIN OF CUSTODY

9702234

SAMPLER <b>HAIG KEVORK</b>			UNOCAL S/S # <b>3292</b> CITY: <b>SAN LEANDRO</b>					ANALYSES REQUESTED					TURN AROUND TIME: <b>REGULAR</b>								
WITNESSING AGENCY			ADDRESS: <b>15008 E. 14 TH STR.</b>					TPH-G	BTEX	MTBE	5 PPB										
SAMPLE ID NO.	DATE	TIME	WATER	GRAB	COMP	NO. OF CONT.	SAMPLING LOCATION	TPH-G	BTEX	MTBE	5 PPB									REMARKS	
MW 3	2/10/97		✓	✓		2 VOAs	monitoring well	✓	✓	✓			7020957							A-B	
MW 4			✓	✓				✓	✓	✓			7020958								
MW 5			✓	✓				✓	✓	✓			7020959								
MW 6			✓	✓				✓	✓	✓			7020960								
MW 8			✓	✓				✓	✓	✓			7020961								
MW 9			✓	✓				✓	✓	✓			7020962								
MW 10			✓	✓				✓	✓	✓			7020963								
MW 11			✓	✓				✓	✓	✓			7020964								

RELINQUISHED BY: 	DATE/TIME 2/11/97	RECEIVED BY: 	THE FOLLOWING <u>MUST BE</u> COMPLETED BY THE LABORATORY ACCEPTING SAMPLES FOR ANALYSES:		
(SIGNATURE)		(SIGNATURE)	1. HAVE ALL SAMPLES RECEIVED FOR ANALYSIS BEEN STORED ON ICE?	YES	
(SIGNATURE)		(SIGNATURE)	2. WILL SAMPLES REMAIN REFRIGERATED UNTIL ANALYZED?	YES	
(SIGNATURE)		(SIGNATURE)	3. DID ANY SAMPLES RECEIVED FOR ANALYSIS HAVE HEAD SPACE?	NO	
(SIGNATURE)		(SIGNATURE)	4. WERE SAMPLES IN APPROPRIATE CONTAINERS AND PROPERLY PACKAGED?	YES	
(SIGNATURE)		(SIGNATURE)	SIGNATURE:	TITLE:	
				DATE: 2/11/97	



# M P D S Services, Inc.

2401 Stanwell Drive, Suite 400, Concord, CA 94520  
 Tel: (510) 602-5120 Fax: (510) 689-1918

CHAIN OF CUSTODY

9702234

SAMPLER			UNOCAL					ANALYSES REQUESTED						TURN AROUND TIME:		
HAIG KEVORK			S/S # 3292 CITY: SAN LEANDRO					TPH-G	BTEX	MTBE	5PPB					REGULAR
WITNESSING AGENCY			ADDRESS: 15008 E. 14TH STA.													
SAMPLE ID NO.	DATE	TIME	WATER	GRAB	COMP	NO. OF CONT.	SAMPLING LOCATION									
MW1	2/11/97		✓	✓		2 VOA's	monitoring well	✓	✓	✓			7020965	AB		
MW2	↓		✓	✓		↓	↓	✓	✓	✓			7020966	↓		
MW7	↓		✓	✓		↓	↓	✓	✓	✓			7020967	↓		

RELINQUISHED BY:  (SIGNATURE)	DATE/TIME	RECEIVED BY:	THE FOLLOWING <u>MUST BE</u> COMPLETED BY THE LABORATORY ACCEPTING SAMPLES FOR ANALYSES:		
	1715 2/11/97	 (SIGNATURE)	1. HAVE ALL SAMPLES RECEIVED FOR ANALYSIS BEEN STORED ON ICE?	YES	
	(SIGNATURE)	(SIGNATURE)	2. WILL SAMPLES REMAIN REFRIGERATED UNTIL ANALYZED?	YES	
	(SIGNATURE)	(SIGNATURE)	3. DID ANY SAMPLES RECEIVED FOR ANALYSIS HAVE HEAD SPACE?	NO	
	(SIGNATURE)	(SIGNATURE)	4. WERE SAMPLES IN APPROPRIATE CONTAINERS AND PROPERLY PACKAGED?	YES	
(SIGNATURE)	(SIGNATURE)	(SIGNATURE)	SIGNATURE:	TITLE:	DATE: 2/11/97





**M P D S Services, Inc.**

2401 Stanwell Drive, Suite 400, Concord, CA 94520  
 Tel: (510) 602-5120 Fax: (510) 689-1918

**CHAIN OF CUSTODY**

9702234

SAMPLER <b>HAIG KEVORK</b>			UNOCAL S/S # <b>3292</b> CITY: <b>SAN LEANDRO</b>					ANALYSES REQUESTED					TURN AROUND TIME: <b>REGULAR</b>						
WITNESSING AGENCY			ADDRESS: <b>15008 E. 14TH STR.</b>					<b>TPH-G</b>	<b>BTEX</b>	<b>MTBE</b>	<b>5 PPB</b>								
SAMPLE ID NO.	DATE	TIME	WATER	GRAB	COMP	NO. OF CONT.	SAMPLING LOCATION												
MW25H	2/11/97		✓	✓		2 VOA'S	monitoring Well	✓	✓	✓		7020968	A-B						
MW35H	2/11/97		✓	✓		2 VOA'S	monitoring Well	✓	✓	✓		7020969	✓						

RELINQUISHED BY:  (SIGNATURE)	DATE/TIME	RECEIVED BY:	THE FOLLOWING <u>MUST BE</u> COMPLETED BY THE LABORATORY ACCEPTING SAMPLES FOR ANALYSES:		
	1715 2/11/97	 (SIGNATURE)	1. HAVE ALL SAMPLES RECEIVED FOR ANALYSIS BEEN STORED ON ICE?	YES	
			2. WILL SAMPLES REMAIN REFRIGERATED UNTIL ANALYZED?	YES	
			3. DID ANY SAMPLES RECEIVED FOR ANALYSIS HAVE HEAD SPACE?	NO	
			4. WERE SAMPLES IN APPROPRIATE CONTAINERS AND PROPERLY PACKAGED?	YES	
(SIGNATURE)		(SIGNATURE)	SIGNATURE:	TITLE:	DATE: 2/11/97