



**RECEIVED**

1:33 pm, Aug 17, 2007

**Alameda County  
Environmental Health**

**Denis L. Brown**

Jerry Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Shell Oil Products US**  
HSE – Environmental Services  
20945 S. Wilmington Ave.  
Carson, CA 90810-1039  
Tel (707) 865 0251  
Fax (707) 865 2542  
Email [denis.l.brown@shell.com](mailto:denis.l.brown@shell.com)

Re: Shell-branded Service Station  
1784 150th Avenue  
San Leandro, California  
SAP Code 136019  
Incident #98996068  
ACHCSA Case No. 0367

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink that reads "Denis L. Brown".

Denis L. Brown  
Project Manager



**CONESTOGA-ROVERS  
& ASSOCIATES**

19449 Riverside Drive, Suite 230, Sonoma, California 95476  
Telephone: 707-935-4850 Facsimile: 707-935-6649  
www.CRAworld.com

August 16, 2007

Mr. Jerry Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **Groundwater Monitoring and Remediation Report – Second Quarter 2007**  
Shell-branded Service Station  
1784 150th Avenue  
San Leandro, California  
SAP Code 136019  
Incident No. 98996068  
ACHCSA Case No. 0367


Dear Mr. Wickham:

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.

Sincerely,  
**Conestoga-Rovers & Associates**

Ana Friel, PG  
Project Manager



Enclosure: Groundwater Monitoring and Remediation Report – Second Quarter 2007

cc: Denis Brown, Shell Oil Products US, 20945 S. Wilmington Ave., Carson, CA 90810

Equal  
Employment  
Opportunity Employer



**CONESTOGA-ROVERS  
& ASSOCIATES**

Mr. Jerry Wickham  
August 16, 2007

## **GROUNDWATER MONITORING AND REMEDIATION REPORT SECOND QUARTER 2007**

<b>Site Address</b>	<u>1784 150th Avenue, San Leandro</u>
<b>Site Use</b>	<u>Shell-branded Service Station</u>
<b>Shell Project Manager</b>	<u>Denis Brown</u>
<b>Consultant and Contact Person</b>	<u>CRA, Ana Friel</u>
<b>Lead Agency and Contact</b>	<u>ACHCSA, Jerry Wickham</u>
<b>Agency Case No.</b>	<u>0367</u>
<b>Shell SAP Code</b>	<u>136019</u>
<b>Shell Incident No.</b>	<u>98996068</u>
<b>Date of Most Recent Agency Correspondence</b>	<u>July 2, 2007</u>

### **Current Quarter's Activities**

1. Blaine Tech Services, Inc. (Blaine) gauged and sampled wells according to the established monitoring program for this site.
2. CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). The Blaine report, presenting the analytical data, is included in Attachment A.
3. Continued periodic groundwater extraction (GWE) from well MW-11 for MTBE mass removal and MW-1 for removal of separate phase hydrocarbons (SPH); data tabulated on Table 1.
4. CRA submitted the June 5, 2007 *Site Investigation Work Plan* for additional groundwater and soil vapor investigation activities both on and offsite.

### **Current Quarter's Findings**

<b>Groundwater Flow Direction</b>	<u>South-southeasterly</u>
<b>Hydraulic Gradient</b>	<u>0.002</u>
<b>Depth to Water</b>	<u>14.68 to 25.10 feet below top of well casing</u>



**CONESTOGA-ROVERS  
& ASSOCIATES**

Mr. Jerry Wickham  
August 16, 2007

**As of June 27, 2007, periodic GWE has resulted in:**

<b>Volume Extracted</b>	<u>42,429 gallons of liquid</u>
<b>Mass Removed</b>	<u>27.7 pounds of TPHg, 3.91 pounds of benzene, and 5.39 pounds of MTBE</u>

### **Proposed Activities for Next Quarter**

1. Blaine will gauge and sample wells during the third month of the quarter, according to the established monitoring program for this site.
2. Shell received the July 2, 2007 correspondence from ACEH approving the implementation of the June 5, 2007 *Site Investigation Work Plan*. On behalf of Shell, CRA has initiated access notification, permitting, and scheduling of the field work.
3. Based on a conversation between Shell and ACEH, the periodic GWE will be discontinued effective August 14, 2007.


Figures: 1 - Vicinity Map  
2 - Groundwater Contour and Chemical Concentration Map

Tables: 1- Groundwater Extraction - Mass Removal Data

Attachment: A - Blaine Tech Services, Inc. - Groundwater Monitoring Report

Conestoga-Rovers & Associates (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

I:\Sonoma.Shell\San Leandro 1784 150th\QM\2007\2Q07\Text 1784 150th San Leandro 2Q07.doc



I:\SONOMA\_SHELL\SAN LEANDRO 1784 150TH\FIGURES\VICINITY.A1

**Shell-branded Service Station**  
 1784 150th Avenue  
 San Leandro, California



**CONESTOGA-ROVERS & ASSOCIATES**

**Vicinity Map**




figure 2  
 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP  
 JUNE 26, 2007  
 SHELL-BRANDED SERVICE STATION  
 1784 150th Ave., San Leandro, California



**Table 1: Groundwater Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996068, 1784 150th Avenue, San Leandro, California**

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)
07/03/02	MW-2	482	482	06/18/02	72,000	0.28958	0.28958	9,500	0.03821	0.03821	29,000	0.11664	0.11664
07/17/02	MW-2	834	1,316	06/18/02	72,000	0.50106	0.79064	9,500	0.06611	0.10432	29,000	0.20182	0.31845
07/31/02	MW-2	213	1,529	06/18/02	72,000	0.12797	0.91861	9,500	0.01688	0.12121	29,000	0.05154	0.37000
08/14/02	MW-2	664	2,193	06/18/02	72,000	0.39893	1.31754	9,500	0.05264	0.17384	29,000	0.16068	0.53068
09/16/02	MW-2	662	2,855	06/18/02	72,000	0.39773	1.71527	9,500	0.05248	0.22632	29,000	0.16019	0.69087
10/14/02	MW-2	501	3,356	09/18/02	48,000	0.20067	1.91593	7,600	0.03177	0.25809	8,700	0.03637	0.72724
11/11/02	MW-2	547	3,903	09/18/02	48,000	0.21909	2.13502	7,600	0.03469	0.29278	8,700	0.03971	0.76695
12/09/02	MW-2	106	4,009	09/18/02	48,000	0.04246	2.17748	7,600	0.00672	0.29950	8,700	0.00770	0.77465
01/08/03	MW-2	652	4,661	12/27/02	40,000	0.21762	2.39510	5,900	0.03210	0.33160	19,000	0.10337	0.87802
02/04/03	MW-2	326	4,987	12/27/02	40,000	0.10881	2.50391	5,900	0.01605	0.34765	19,000	0.05168	0.92970
03/05/03	MW-2	647	5,634	03/05/03	62,000	0.33473	2.83863	13,000	0.07018	0.41784	21,000	0.11337	1.04308
04/08/03	MW-2	434	6,068	03/05/03	62,000	0.22453	3.06316	13,000	0.04708	0.46491	21,000	0.07605	1.11913
05/06/03	MW-2	736	6,804	03/05/03	62,000	0.38077	3.44393	13,000	0.07984	0.54475	21,000	0.12897	1.24810
06/06/03	MW-2	348	7,152	03/05/03	62,000	0.18004	3.62397	13,000	0.03775	0.58250	21,000	0.06098	1.30908
07/14/03	MW-2	391	7,543	06/24/03	19,000	0.06199	3.68596	9,500	0.03100	0.61350	14,000	0.04568	1.35475
08/12/03	MW-2	591	8,134	06/24/03	19,000	0.09370	3.77966	9,500	0.04685	0.66035	14,000	0.06904	1.42380
09/12/03	MW-2	399	8,533	06/24/03	19,000	0.06326	3.84292	9,500	0.03163	0.69198	14,000	0.04661	1.47041
10/10/03	MW-2	837	9,370	09/25/03	65,000	0.45397	4.29689	24,000	0.16762	0.85960	19,000	0.13270	1.60311
11/12/03	MW-2	259	9,629	09/25/03	65,000	0.14048	4.43737	24,000	0.05187	0.91147	19,000	0.04106	1.64417
12/05/03	MW-2	727	10,356	09/25/03	65,000	0.39431	4.83168	24,000	0.14559	1.05706	19,000	0.11526	1.75943
01/02/04	MW-2	1,168	11,524	12/15/03	67,000	0.65300	5.48468	18,000	0.17543	1.23249	11,000	0.10721	1.86664
02/03/04	MW-2	962	12,486	12/15/03	67,000	0.53783	6.02251	18,000	0.14449	1.37698	11,000	0.08830	1.95494
03/02/04	MW-2	343	12,829	12/15/03	67,000	0.19176	6.21427	18,000	0.05152	1.42850	11,000	0.03148	1.98642
03/16/04	MW-2	856	13,685	03/04/04	72,000	0.51428	6.72855	27,000	0.19285	1.62136	13,000	0.09286	2.07928
04/06/04	MW-2	652	14,337	03/04/04	72,000	0.39172	7.12026	27,000	0.14689	1.76825	13,000	0.07073	2.15001
04/28/04	MW-2	400	14,737	03/04/04	72,000	0.24032	7.36058	27,000	0.09012	1.85837	13,000	0.04339	2.19340

**Table 1: Groundwater Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996068, 1784 150th Avenue, San Leandro, California**

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)
05/04/04	MW-2	700	15,437	03/04/04	72,000	0.42056	7.78114	27,000	0.15771	2.01608	13,000	0.07593	2.26933
05/11/04	MW-2	600	16,037	03/04/04	72,000	0.36048	8.14161	27,000	0.13518	2.15126	13,000	0.06509	2.33442
05/18/04	MW-2	1,169	17,206	03/04/04	72,000	0.70233	8.84394	27,000	0.26337	2.41463	13,000	0.12681	2.46122
05/25/04	MW-2	867	18,073	03/04/04	72,000	0.52089	9.36483	27,000	0.19533	2.60996	13,000	0.09405	2.55527
06/02/04	MW-2	1,533	19,606	05/27/04	74,000	0.94660	10.31143	6,000	0.07675	2.68671	19,000	0.24305	2.79832
06/08/04	MW-2	809	20,415	05/27/04	74,000	0.49954	10.81097	6,000	0.04050	2.72722	19,000	0.12826	2.92658
06/15/04	MW-2	1,462	21,877	05/27/04	74,000	0.90276	11.71373	6,000	0.07320	2.80041	19,000	0.23179	3.15837
06/22/04	MW-2	1,720	23,597	05/27/04	74,000	1.06207	12.77580	6,000	0.08611	2.88653	19,000	0.27269	3.43106
06/29/04	MW-2	1,100	24,697	05/27/04	74,000	0.67923	13.45503	6,000	0.05507	2.94160	19,000	0.17440	3.60546
07/06/04	MW-2	1,595	26,292	05/27/04	74,000	0.98488	14.43992	6,000	0.07986	3.02145	19,000	0.25288	3.85834
07/16/04	MW-2	1,643	27,935	05/27/04	74,000	1.01452	15.45444	6,000	0.08226	3.10371	19,000	0.26049	4.11882
07/20/04	MW-2	1,578	29,513	05/27/04	74,000	0.97439	16.42883	6,000	0.07900	3.18272	19,000	0.25018	4.36900
07/27/04	MW-2	1,660	31,173	05/27/04	74,000	1.02502	17.45385	6,000	0.08311	3.26583	19,000	0.26318	4.63218
08/10/04	MW-2	28	31,201	05/27/04	74,000	0.01729	17.47114	6,000	0.00140	3.26723	19,000	0.00444	4.63662
08/24/04	MW-2	1,273	32,474	05/27/04	74,000	0.78606	18.25719	6,000	0.06373	3.33096	19,000	0.20182	4.83845
09/08/06	MW-1	202	202	*	250,000	0.42139	0.42139	15,000	0.02528	0.02528	2,500	0.00421	0.00421
09/15/06	MW-1	212	414	*	250,000	0.44225	0.86364	15,000	0.02654	0.05182	2,500	0.00442	0.00864
10/05/06	MW-1	13	427	*	250,000	0.02712	0.89076	15,000	0.00163	0.05345	2,500	0.00027	0.00891
10/18/06	MW-1	381	808	*	250,000	0.79376	1.68452	15,000	0.04763	0.10107	2,500	0.00794	0.01685
11/08/06	MW-1	366	1,174	*	250,000	0.76351	1.65427	15,000	0.04581	0.09926	2,500	0.00764	0.01654
11/21/06	MW-1	400	1,574	*	250,000	0.83444	2.48870	15,000	0.05007	0.14932	2,500	0.00834	0.02489
12/13/06	MW-1	148	1,722	*	250,000	0.30874	2.79745	15,000	0.01852	0.16785	2,500	0.00309	0.02797
03/07/07	MW-1	150	1,872	03/20/07	43,600	0.05457	2.85202	11,900	0.01489	0.18274	9,180	0.01149	0.03946
04/11/07 a	MW-1	0	1,872	03/20/07	43,600	0.00000	2.85202	11,900	0.00000	0.18274	9,180	0.00000	0.03946
05/08/07	MW-1	484	2,356	03/20/07	43,600	0.17609	3.02810	11,900	0.04806	0.23080	9,180	0.03707	0.07654
06/09/07	MW-1	66	2,422	06/01/07	22,000	0.01212	3.04022	7,900	0.00435	0.23515	7,800	0.00430	0.08084
06/27/07	MW-1	78	2,500	06/26/07	20,000	0.01302	3.05324	6,700	0.00436	0.23951	6,500	0.00423	0.08507
03/23/04	MW-11	142	142	03/04/04	68,000	0.08057	0.08057	5,300	0.00628	0.00628	8,300	0.00983	0.00983
04/20/04	MW-11	122	264	03/04/04	68,000	0.06922	0.14980	5,300	0.00540	0.01168	8,300	0.00845	0.01828
04/28/04	MW-11	101	365	03/04/04	68,000	0.05731	0.20711	5,300	0.00447	0.01614	8,300	0.00700	0.02528



**Table 1: Groundwater Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996068, 1784 150th Avenue, San Leandro, California**

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE To Date (pounds)
05/04/04	MW-11	216	581	03/04/04	68,000	0.12256	0.32967	5,300	0.00955	0.02569	8,300	0.01496	0.04024
05/11/04	MW-11	268	849	03/04/04	68,000	0.15207	0.48174	5,300	0.01185	0.03755	8,300	0.01856	0.05880
05/18/04	MW-11	200	1,049	03/04/04	68,000	0.11348	0.59522	5,300	0.00885	0.04639	8,300	0.01385	0.07265
05/25/04	MW-11	60	1,109	03/04/04	68,000	0.03404	0.62926	5,300	0.00265	0.04905	8,300	0.00416	0.07681
06/02/04	MW-11	100	1,209	05/27/04	86,000	0.07176	0.70103	8,500	0.00709	0.05614	25,000	0.02086	0.09767
06/08/04	MW-11	250	1,459	05/27/04	86,000	0.17940	0.88043	8,500	0.01773	0.07387	25,000	0.05215	0.14982
06/15/04	MW-11	150	1,609	05/27/04	86,000	0.10764	0.98807	8,500	0.01064	0.08451	25,000	0.03129	0.18111
06/22/04	MW-11	50	1,659	05/27/04	86,000	0.03588	1.02395	8,500	0.00355	0.08806	25,000	0.01043	0.19154
06/29/04	MW-11	100	1,759	05/27/04	86,000	0.07176	1.09571	8,500	0.00709	0.09515	25,000	0.02086	0.21240
07/06/04	MW-11	52	1,811	05/27/04	86,000	0.03732	1.13303	8,500	0.00369	0.09884	25,000	0.01085	0.22325
07/16/04	MW-11	100	1,911	05/27/04	86,000	0.07176	1.20479	8,500	0.00709	0.10593	25,000	0.02086	0.24411
07/20/04	MW-11	50	1,961	05/27/04	86,000	0.03588	1.24067	8,500	0.00355	0.10948	25,000	0.01043	0.25454
07/27/04	MW-11	50	2,011	05/27/04	86,000	0.03588	1.27655	8,500	0.00355	0.11302	25,000	0.01043	0.26497
08/10/04	MW-11	15	2,026	05/27/04	86,000	0.01076	1.28732	8,500	0.00106	0.11409	25,000	0.00313	0.26810
08/24/04	MW-11	80	2,106	05/27/04	86,000	0.05741	1.34473	8,500	0.00567	0.11976	25,000	0.01669	0.28479
09/02/05	MW-11	146	2,252	08/20/05	86,000	0.10477	1.44950	3,800	0.00463	0.12439	3,900	0.00475	0.28954
11/10/05	MW-11	46	2,298	08/20/05	86,000	0.03301	1.48251	3,800	0.00146	0.12585	3,900	0.00150	0.29104
12/20/05	MW-11	144	2,442	12/05/05	69,000	0.08291	1.56542	4,000	0.00481	0.13065	7,400	0.00889	0.29993
01/18/06	MW-11	112	2,554	12/05/05	69,000	0.06449	1.62990	4,000	0.00374	0.13439	7,400	0.00692	0.30685
02/15/06	MW-11	221	2,775	12/05/05	69,000	0.12724	1.75715	4,000	0.00738	0.14177	7,400	0.01365	0.32049
04/19/06	MW-11	257	3,032	04/19/06	116,000	0.24876	2.00591	4,780	0.01025	0.15202	5,550	0.01190	0.33239

**Table 1: Groundwater Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996068, 1784 150th Avenue, San Leandro, California**

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)
05/24/06	MW-11	110	3,142	05/01/06	129,000	0.11841	2.12431	4,180	0.00384	0.15586	4,510	0.00414	0.33653
06/16/06	MW-11	790	3,932	06/30/06	119,000	0.78445	2.90877	4,420	0.02914	0.18499	4,490	0.02960	0.36613
08/29/06	MW-11	94	4,026	07/31/06	<50.0	0.00002	2.90879	4,870	0.00382	0.18881	4,880	0.00383	0.36996
09/08/06	MW-11	202	4,228	08/23/06	115,000	0.19384	3.10263	4,870	0.00821	0.19702	4,880	0.00823	0.37819
09/15/06	MW-11	212	4,440	09/11/06	9,090	0.01608	3.11871	5,140	0.00909	0.20611	5,310	0.00939	0.38758
10/05/06	MW-11	13	4,453	10/18/06	193,000	0.02094	3.13964	4,930	0.00053	0.20665	4,300	0.00047	0.38805
10/18/06	MW-11	381	4,834	10/18/06	193,000	0.61278	3.75242	4,930	0.01565	0.22230	4,300	0.01365	0.40170
11/08/06	MW-11	366	5,200	10/18/06	193,000	0.58943	4.34185	4,930	0.01506	0.23736	4,300	0.01313	0.41483
11/21/06	MW-11	219	5,419	11/22/06	3,600	0.00658	4.34843	3,600	0.00658	0.24394	2,800	0.00512	0.41995
12/13/06	MW-11	140	5,559	12/28/06	75,000	0.08762	4.43605	2,700	0.00315	0.24709	2,500	0.00292	0.42287
12/27/06	MW-11	149	5,708	12/28/06	75,000	0.09325	4.52929	2,700	0.00336	0.25045	2,500	0.00311	0.42598
01/23/07	MW-11	70	5,778	01/25/07	68,000	0.03972	4.56901	2,900	0.00169	0.25214	2,400	0.00140	0.42738
02/05/07	MW-11	418	6,196	01/25/07	68,000	0.23718	4.80619	2,900	0.01012	0.26226	2,400	0.00837	0.43575
02/14/07	MW-11	461	6,657	02/19/07	88,000	0.33851	5.14471	3,600	0.01385	0.27611	2,200	0.00846	0.44421
03/07/07	MW-11	150	6,807	03/20/07	77,600	0.09713	5.24184	3,140	0.00393	0.28004	1,930	0.00242	0.44663
03/26/07	MW-11	22	6,829	03/20/07	77,600	0.01425	5.25608	3,140	0.00058	0.28061	1,930	0.00035	0.44698
04/11/07 a	MW-11	0	6,829	03/20/07	77,600	0.00000	5.25608	3,140	0.00000	0.28061	1,930	0.00000	0.44698
05/08/07	MW-11	483	7,312	04/05/07	67,000	0.27003	5.52611	3,200	0.01290	0.29351	1,800	0.00725	0.45424
06/09/07	MW-11	66	7,378	06/01/07	65,000	0.03580	5.56191	3,100	0.00171	0.29522	1,700	0.00094	0.45517
06/27/07	MW-11	78	7,456	06/26/07	52,000	0.03384	5.59575	2,200	0.00143	0.29665	1,300	0.00085	0.45602
<b>Total Gallons Extracted:</b>		<b>42,429</b>		<b>Total Pounds Removed:</b>		<b>27.7</b>		<b>3.91</b>		<b>5.39</b>			
				<b>Total Gallons Removed:</b>		<b>4.54</b>		<b>0.536</b>		<b>0.869</b>			

**Abbreviations & Notes:**

TPPH = Total purgeable hydrocarbons as gasoline

MTBE = Methyl tert-butyl ether

ppb = Parts per billion

gal = Gallon

Mass removed based on the formula: volume extracted (gal) x Concentration (µg/L) x (g/10<sup>6</sup>µg) x (pound/453.6g) x (3.785 L/gal)

Volume removal data based on the formula: density (in gms/cc) x 9.339 (ccxlbs/gmsxgals)

TPPH, benzene, and MTBE analyzed by EPA Method 8260

If concentration is less than the laboratory detection limit, one half of the detection limit concentration is used in the mass removal calculation.

Groundwater extracted by vacuum trucks. Water disposed at the Shell Refinery in Martinez, CA.

\* no sample obtained due to free product in well. Used: TPPH = 250,000 based on solubility, Benzene concentration = 6% of TPPH, MTBE concentration = 1% of TPPH

a = Vacops truck was unable to extract any water from the well due to technical difficulties

**Attachment A**

**Blaine Tech Services, Inc.  
Groundwater Monitoring Report**

---

**BLAINE**  
TECH SERVICES INC.

---

GROUNDWATER SAMPLING SPECIALISTS  
SINCE 1985

July 31, 2007

Denis Brown  
Shell Oil Products US  
20945 South Wilmington Avenue  
Carson, CA 90810

Second Quarter 2007 Groundwater Monitoring at  
Shell-branded Service Station  
1784 150th Avenue  
San Leandro, CA

Monitoring performed on April 5 and June 1 and 26, 2007

---

Groundwater Monitoring Report **070626-PC-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata  
Project Manager

MN/ks

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheet

cc: Ana Friel  
Conestoga-Rovers & Associates  
19449 Riverside Dr., Suite 230  
Sonoma, CA 95476

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	03/08/1990	510	120	1.5	0.8	<0.5	5.4	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.29	23.84	NA	NA
MW-1	06/12/1990	390	100	86	1.3	0.7	6.2	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.85	23.28	NA	NA
MW-1	09/13/1990	100	130	56	0.75	2.4	2.8	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.49	21.64	NA	NA
MW-1	12/18/1990	480	<50	54	1.7	3.3	3.7	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.41	21.72	NA	NA
MW-1	03/07/1991	80	<50	266	<0.5	1.2	<1.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.79	23.34	NA	NA
MW-1	06/07/1991	510	<50	130	3.8	6.1	11	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.64	23.49	NA	NA
MW-1	09/17/1991	330	120 a	67	<0.5	3.0	2.2	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.54	21.59	NA	NA
MW-1	12/09/1991	140a	80	<0.5	<0.5	1.7	4.7	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.81	21.32	NA	NA
MW-1	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.57	23.56	NA	NA
MW-1	02/24/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.83	26.30	NA	NA
MW-1	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.09	26.04	NA	NA
MW-1	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.26	25.87	NA	NA
MW-1	06/03/1992	1,500	NA	520	180	72	230	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.64	24.49	NA	NA
MW-1	09/01/1992	130	NA	16	1.4	1.8	3.4	NA	NA	NA	NA	NA	NA	NA	NA	49.13	26.74	22.39	NA	NA
MW-1	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.18	21.95	NA	NA
MW-1	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.99	21.14	NA	NA
MW-1	12/04/1992	150	NA	360	0.7	1.8	2.1	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.14	21.99	NA	NA
MW-1	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.09	29.04	NA	NA
MW-1	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.26	24.87	NA	NA
MW-1	03/03/1993	<50	NA	1.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.50	28.63	NA	NA
MW-1	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	21.70	27.43	NA	NA
MW-1	06/17/1993	1,600	NA	340	120	120	440	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.42	26.71	NA	NA
MW-1	09/10/1993	2,600	NA	670	340	310	730	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.11	25.02	NA	NA
MW-1	12/13/1993	11,000	NA	470	320	380	2,300	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.73	25.40	NA	NA
MW-1	03/03/1994	16,000	NA	700	690	480	3,200	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.08	27.05	NA	NA
MW-1	06/06/1994	7,500	NA	420	280	200	1,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.10	26.03	NA	NA
MW-1	09/12/1994	1,200	NA	110	21	3.3	420	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.19	23.94	NA	NA
MW-1	12/19/1994	4,600	NA	470	330	230	1,300	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.06	26.07	NA	NA
MW-1	02/28/1995	500	NA	59	32	6.8	68	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.90	28.23	NA	NA
MW-1	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.28	30.85	NA	NA
MW-1	06/26/1995	5,500	NA	740	420	300	1,800	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.40	28.73	NA	NA
MW-1	09/13/1995	84,000	NA	1,900	2,600	3,000	14,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.62	26.51	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	12/19/1995	80,000	NA	660	350	170	18,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.10	27.03	NA	NA
MW-1	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.83	30.34	0.05	NA
MW-1	06/28/1996	270,000	NA	2,800	820	1,000	16,000	<0.5	NA	NA	NA	NA	NA	NA	NA	49.13	21.46	27.67	NA	NA
MW-1 (D)	06/28/1996	790,000	NA	2,200	780	1,000	13,000	15,000	NA	NA	NA	NA	NA	NA	NA	49.13	21.46	27.67	NA	NA
MW-1	09/26/1996	29,000	NA	1,100	260	270	1,900	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	23.57	25.57	0.01	NA
MW-1	09/26/1996	25,000	NA	1,200	320	240	1,900	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	NA	NA	NA	NA
MW-1	12/10/1996	13,000	NA	510	240	230	1,200	100	NA	NA	NA	NA	NA	NA	NA	49.13	21.43	27.70	NA	1.0
MW-1 (D)	12/10/1996	8,400	NA	420	130	140	680	81	NA	NA	NA	NA	NA	NA	NA	49.13	21.43	27.70	NA	1.0
MW-1	03/10/1997	4,200	NA	13	8.8	16	74	<12	NA	NA	NA	NA	NA	NA	NA	49.13	20.08	29.05	NA	2.0
MW-1 (D)	03/10/1997	5,100	NA	12	8.9	17	79	<25	NA	NA	NA	NA	NA	NA	NA	49.13	20.08	29.05	NA	2.0
MW-1	06/30/1997	5,700	NA	320	120	140	700	47	NA	NA	NA	NA	NA	NA	NA	49.13	21.68	27.45	NA	1.6
MW-1 (D)	06/30/1997	5,300	NA	300	95	120	580	45	NA	NA	NA	NA	NA	NA	NA	49.13	21.68	27.45	NA	1.6
MW-1	09/12/1997	6,300	NA	120	26	82	260	30	NA	NA	NA	NA	NA	NA	NA	49.13	21.78	27.35	NA	2.1
MW-1 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.78	28.35	NA	1.3
MW-1	02/02/1998	84	NA	5.1	<0.50	<0.50	2.1	2.5	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.0
MW-1	06/24/1998	13,000	NA	3,000	260	410	1,400	<250	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.5
MW-1 (D)	06/24/1998	12,000	NA	3,800	250	47	1,400	710	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.5
MW-1	08/26/1998	3,100	NA	1,200	27	170	50	88	NA	NA	NA	NA	NA	NA	NA	49.13	20.49	28.64	NA	2.1
MW-1	12/23/1998	45,000	NA	5,300	220	1,000	3,600	970	NA	NA	NA	NA	NA	NA	NA	49.13	21.22	27.91	NA	3.8
MW-1	03/01/1999	22,300	NA	2,540	436	753	3,370	<400	NA	NA	NA	NA	NA	NA	NA	49.13	19.27	29.86	NA	1.8
MW-1	06/14/1999	18,800	NA	6,820	210	436	958	1,360	NA	NA	NA	NA	NA	NA	NA	49.13	20.80	28.33	NA	2.2
MW-1	09/28/1999	21,500	NA	7,470	281	467	927	1,800	NA	NA	NA	NA	NA	NA	NA	49.13	22.55	26.58	NA	2.0
MW-1	12/08/1999	22,300	NA	6,140	135	256	367	232	NA	NA	NA	NA	NA	NA	NA	49.13	23.12	26.01	NA	2.1
MW-1	03/14/2000	6,690	NA	1,880	63.5	134	307	460	NA	NA	NA	NA	NA	NA	NA	49.13	18.87	30.26	NA	2.3
MW-1	06/28/2000	8,080	NA	2,690	85.1	149	514	701	NA	NA	NA	NA	NA	NA	NA	49.13	21.12	28.01	NA	2.4
MW-1	09/06/2000	17,800	NA	7,390	212	329	1,270	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	21.90	27.23	NA	3.0
MW-1	12/14/2000	8,900	NA	4,870	79.2	106	370	1,840	673*	NA	NA	NA	NA	NA	NA	49.13	22.60	26.53	NA	2.0
MW-1	03/05/2001	7,520	NA	2,120	66.0	107	129	668	NA	NA	NA	NA	NA	NA	NA	49.13	20.06	29.07	NA	0.4
MW-1	06/11/2001	30,000	NA	7,400	390	600	2,300	NA	170	NA	NA	NA	NA	NA	NA	49.13	22.39	26.74	NA	1.6
MW-1	09/12/2001	23,000	NA	7,500	120	280	910	NA	320	NA	NA	NA	NA	NA	NA	49.13	23.37	25.76	NA	2.2
MW-1	12/27/2001	16,000	NA	2,400	190	330	1,500	NA	350	NA	NA	NA	NA	NA	NA	49.13	20.97	28.16	NA	1.3
MW-1	02/27/2002	26,000	NA	6,100	330	510	2,000	NA	210	NA	NA	NA	NA	NA	NA	49.10	20.47	28.63	NA	1.3

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

MW-1	06/18/2002	29,000	NA	8,100	280	510	1,800	NA	140	NA	NA	NA	NA	NA	NA	49.10	21.99	27.11	NA	2.2
MW-1	09/18/2002	34,000	NA	5,900	350	700	3,000	NA	<250	NA	NA	NA	NA	NA	NA	49.10	23.21	25.89	NA	0.8
MW-1	12/27/2002	7,500	NA	1,200	30	120	410	NA	230	<5.0	<5.0	<5.0	310	31	<5.0	49.10	20.10	29.00	NA	0.6
MW-1	03/05/2003	17,000	NA	1,600	88	400	1,400	NA	230	NA	NA	<10	290	<10	NA	49.10	21.05	28.05	NA	1.7
MW-1	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	NA	NA	NA	NA
MW-1	06/25/2003	14,000	NA	5,300	250	440	2,100	NA	100	NA	NA	<200	<500	<50	NA	49.10	21.93	27.17	NA	0.9
MW-1	09/25/2003	33,000	NA	7,700	250	860	3,400	NA	130	NA	NA	<200	<500	<50	NA	49.10	23.21	25.89	NA	1.7
MW-1	12/15/2003	63,000	NA	14,000	360	1,300	3,900	NA	150	NA	NA	<400	<1000	<100	NA	49.10	22.08	27.02	NA	1.5
MW-1	03/04/2004	28,000	NA	8,000	180	640	2,100	NA	79	NA	NA	<200	<500	<50	NA	49.10	19.85	29.25	NA	0.2
MW-1	05/27/2004	33,000	NA	8,700	260	840	2,700	NA	81	NA	NA	<200	<500	<50	NA	49.10	22.15	26.95	NA	0.2
MW-1	09/24/2004	26,000	NA	5,700	210	830	2,900	NA	<50	<200	<200	<200	<500	<50	<50	49.10	23.69	25.41	NA	1.5
MW-1	11/22/2004	100,000	NA	2,500	920	4,100	22,000	NA	130	NA	NA	<200	<500	<50	NA	49.10	23.19	25.91	NA	NA
MW-1	03/02/2005	110,000	NA	1,300	670	4,000	23,000	NA	87	NA	NA	<100	<500	<25	NA	49.10	19.35	29.75	NA	NA
MW-1	06/30/2005	94,000	NA	6,500	1,100	3,900	21,000	NA	900	NA	NA	<1,000	<2,500	<250	NA	49.10	20.64	28.46	NA	0.6
MW-1	09/20/2005	63,000	NA	3,900	540	2,000	14,000	NA	1,100	<800	<800	<800	<2,000	<200	NA	49.10	22.06	27.04	NA	NA
MW-1	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	21.90	27.25	0.06	NA
MW-1	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	17.54	31.60	0.05	NA
MW-1 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	NA	NA	NA	NA
MW-1 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.16	28.97	0.04	NA
MW-1	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.26	28.86	0.03	NA
MW-1	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	21.24	27.91	0.06	NA
MW-1	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.83	28.30	0.04	NA
MW-1	03/20/2007	43,600	NA	11,900 l	348 l	964 l	1,450 l	NA	9,180 l	NA	NA	<200 l	<10,000 l	<100 l	NA	49.10	20.88	28.22	NA	0.26
<b>MW-1</b>	<b>06/01/2007</b>	<b>22,000 q</b>	<b>NA</b>	<b>7,900</b>	<b>120</b>	<b>310</b>	<b>424 r</b>	<b>NA</b>	<b>7,800</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>49.10</b>	<b>21.93</b>	<b>27.17</b>	<b>NA</b>	<b>0.72</b>
<b>MW-1</b>	<b>06/26/2007</b>	<b>20,000 q</b>	<b>NA</b>	<b>6,700</b>	<b>110</b>	<b>360</b>	<b>730</b>	<b>NA</b>	<b>6,500</b>	<b>NA</b>	<b>NA</b>	<b>&lt;200</b>	<b>2,200</b>	<b>&lt;50</b>	<b>NA</b>	<b>49.10</b>	<b>22.30</b>	<b>26.80</b>	<b>NA</b>	<b>1.33</b>

MW-2	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	22.22	23.61	NA	NA
MW-2	02/24/1992	17,000	2,700 a	6,200	1,600	550	1,900	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.61	26.22	NA	NA
MW-2	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.92	25.91	NA	NA
MW-2	03/01/1992	86,000	1,000 a	30,000	34,000	2,300	16,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.11	24.72	NA	NA
MW-2	06/03/1992	87,000	NA	28,000	18,000	2,000	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.58	24.25	NA	NA
MW-2	09/01/1992	110,000	NA	21,000	13,000	1,900	7,800	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.46	22.37	NA	NA



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.99	21.84	NA	NA
MW-2	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	24.25	21.58	NA	NA
MW-2	12/04/1992	42,000	NA	15,000	2,400	960	2,900	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.89	21.94	NA	NA
MW-2	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.03	28.80	NA	NA
MW-2	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.08	27.75	NA	NA
MW-2	03/03/1993	160,000	NA	36,000	3,800	32,000	21,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.28	28.55	NA	NA
MW-2 (D)	03/03/1993	150,000	NA	31,000	3,100	20,000	14,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.28	28.55	NA	NA
MW-2	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.41	27.42	NA	NA
MW-2	06/17/1993	65,000	NA	34,000	15,000	3,200	11,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.06	26.77	NA	NA
MW-2 (D)	06/17/1993	62,000	NA	28,000	14,000	2,700	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.06	26.77	NA	NA
MW-2	09/10/1993	72,000	NA	24,000	16,000	2,300	11,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.88	24.95	NA	NA
MW-2 (D)	09/10/1993	71,000	NA	23,000	15,000	2,300	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.88	24.95	NA	NA
MW-2	12/13/1993	19,000	NA	5,400	4,900	680	3,100	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.42	25.41	NA	NA
MW-2 (D)	12/13/1993	17,000	NA	6,200	5,500	720	3,500	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.42	25.41	NA	NA
MW-2	03/03/1994	110,000	NA	21,000	24,000	2,000	13,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.48	27.35	NA	NA
MW-2 (D)	03/03/1994	93,000	NA	19,000	22,000	1,800	12,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.48	27.35	NA	NA
MW-2	06/06/1994	10,000	NA	1,900	3,300	2,500	13,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.26	25.57	NA	NA
MW-2 (D)	06/06/1994	99,000	NA	9,900	12,000	2,400	12,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.26	25.57	NA	NA
MW-2	09/12/1994	160,000	NA	22,000	33,000	3,400	23,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.80	24.03	NA	NA
MW-2 (D)	09/12/1994	150,000	NA	23,000	34,000	3,500	23,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.80	24.03	NA	NA
MW-2	12/19/1994	80,000	NA	17,000	16,000	2,300	14,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.66	26.17	NA	NA
MW-2 (D)	12/19/1994	100,000	NA	28,000	26,000	3,400	20,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.66	26.17	NA	NA
MW-2	02/28/1995	100,000	NA	24,000	18,000	2,300	17,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.51	28.32	NA	NA
MW-2 (D)	02/28/1995	100,000	NA	31,000	21,000	3,200	18,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.51	28.32	NA	NA
MW-2	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	14.88	30.95	NA	NA
MW-2	06/26/1995	45,000	NA	14,000	12,000	1,500	7,500	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.58	28.25	NA	NA
MW-2 (D)	06/26/1995	68,000	NA	13,000	11,000	1,800	7,700	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.58	28.25	NA	NA
MW-2	09/13/1995	110,000	NA	19,000	19,000	2,800	15,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.28	26.55	NA	NA
MW-2 (D)	09/13/1995	120,000	NA	20,000	20,000	2,900	15,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.28	26.55	NA	NA
MW-2	12/19/1995	180,000	NA	18,000	29,000	4,100	24,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.61	27.22	NA	NA
MW-2 (D)	12/19/1995	160,000	NA	18,000	28,000	3,800	24,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.61	27.22	NA	NA
MW-2	03/06/1996	120,000	NA	28,000	15,000	3,900	17,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	15.41	30.42	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	06/28/1996	96,000	NA	20,000	20,000	4,100	22,000	2,400	NA	NA	NA	NA	NA	NA	NA	45.83	17.84	27.99	NA	NA
MW-2	09/26/1996	87,000	NA	7,600	11,000	2,500	15,000	990	840	NA	NA	NA	NA	NA	NA	45.83	19.60	26.23	NA	NA
MW-2	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.15	27.88	0.25	NA
MW-2	03/10/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.02	28.97	0.20	NA
MW-2	06/30/1997	57,000	NA	3,600	4,600	1,300	9,700	2,300	NA	NA	NA	NA	NA	NA	NA	45.83	19.42	26.41	NA	2.4
MW-2	09/12/1997	88,000	NA	7,800	8,800	2,600	16,000	3,200	NA	NA	NA	NA	NA	NA	NA	45.83	19.40	26.43	NA	1.7
MW-2 (D)	09/12/1997	90,000	NA	8,300	9,400	2,700	17,000	3,400	NA	NA	NA	NA	NA	NA	NA	45.83	19.40	26.43	NA	1.7
MW-2 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.56	28.27	NA	1.3
MW-2	02/02/1998	<50	NA	0.6	1.9	0.93	6.0	9.3	NA	NA	NA	NA	NA	NA	NA	45.83	18.14	27.69	NA	2
MW-2 (D)	02/02/1998	56	NA	1.0	2.8	1.4	9.3	13	NA	NA	NA	NA	NA	NA	NA	45.83	18.14	27.69	NA	2
MW-2	06/24/1998	20,000	NA	<200	620	560	4,500	<1,000	NA	NA	NA	NA	NA	NA	NA	45.83	16.08	29.75	NA	2.4
MW-2	08/26/1998	22,000	NA	380	1,100	560	4,400	330	NA	NA	NA	NA	NA	NA	NA	45.83	19.25	26.58	NA	NA
MW-2 (D)	08/26/1998	11,000	NA	180	130	290	500	1,400	NA	NA	NA	NA	NA	NA	NA	45.83	19.25	26.58	NA	NA
MW-2	12/23/1998	100,000	NA	4,100	6,500	2,400	16,000	<500	NA	NA	NA	NA	NA	NA	NA	45.83	18.29	27.54	NA	3.8
MW-2	03/01/1999	50,800	NA	3,910	7,480	1,890	13,100	9,620	NA	NA	NA	NA	NA	NA	NA	45.83	22.81	23.02	NA	2.0
MW-2	06/14/1999	4,930	NA	128	270	139	1,040	2,200	2,540*	NA	NA	NA	NA	NA	NA	45.83	18.86	26.97	NA	1.6
MW-2	09/28/1999	16,200	NA	647	1,070	542	4,130	5,320	4,790	NA	NA	NA	NA	NA	NA	45.83	21.41	24.42	NA	1.8
MW-2	12/08/1999	25,700	NA	1,670	2,110	977	6,600	6,190	5,970	NA	NA	NA	NA	NA	NA	45.83	21.89	23.94	NA	1.8
MW-2	03/14/2000	45,100	NA	2,070	4,710	1,920	12,800	16,700	18,300*	NA	NA	NA	NA	NA	NA	45.83	15.57	30.26	NA	2.0
MW-2	06/28/2000	52,100	NA	5,150	4,200	1,880	13,300	15,500	13,500*	NA	NA	NA	NA	NA	NA	45.83	17.79	28.04	NA	1.9
MW-2	09/06/2000	39,500	NA	4,490	3,290	2,100	14,000	18,500	9,060*	NA	NA	NA	NA	NA	NA	45.83	18.65	27.18	NA	3.5
MW-2	12/14/2000	209	NA	3.51	1.11	1.00	64.4	79.4	NA	NA	NA	NA	NA	NA	NA	45.83	19.00	26.83	NA	1.5
MW-2	03/05/2001	38,200	NA	2,010	927	1,250	8,300	13,100	15,400	NA	NA	NA	NA	NA	NA	45.83	16.66	29.17	NA	1.0
MW-2	06/11/2001	50,000	NA	4,400	2,200	1,800	11,000	NA	26,000	NA	NA	NA	NA	NA	NA	45.83	18.93	26.90	NA	1.7
MW-2	09/12/2001	59,000	NA	6,100	2,800	2,300	14,000	NA	21,000	NA	NA	NA	NA	NA	NA	45.83	19.85	25.98	NA	1.6
MW-2	12/27/2001	74,000	NA	8,600	2,500	2,500	17,000	NA	25,000	NA	NA	NA	NA	NA	NA	45.83	17.85	27.98	NA	2.6
MW-2	02/27/2002	70,000	NA	8,100	2,600	2,100	13,000	NA	32,000	NA	NA	NA	NA	NA	NA	45.79	17.15	28.64	NA	2.0
MW-2	06/18/2002	72,000	NA	9,500	3,000	2,200	13,000	NA	29,000	NA	NA	NA	NA	NA	NA	45.79	18.49	27.30	NA	0.6
MW-2	09/18/2002	48,000	NA	7,600	850	1,300	6,300	NA	8,700	NA	NA	NA	NA	NA	NA	45.79	19.95	25.84	NA	1.0
MW-2	12/27/2002	40,000	NA	5,900	1,200	1,400	7,800	NA	19,000	<50	<50	55	10,000	<50	<50	45.79	16.71	29.08	NA	1.0
MW-2	03/05/2003	62,000	NA	13,000	1,400	2,000	7,900	NA	21,000	NA	NA	<50	10,000	<50	NA	45.79	17.72	28.07	NA	1.4
MW-2	06/24/2003	19,000	NA	9,500	530	700	2,900	NA	14,000	NA	NA	<400	6,000	<100	NA	45.79	18.30	27.49	NA	1.4
MW-2	09/25/2003	65,000	NA	24,000	1,500	2,400	9,700	NA	19,000	NA	NA	<1,000	6,400	<250	NA	45.79	20.05	25.74	NA	1.3

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	12/15/2003	67,000	NA	18,000	1,800	1,900	7,200	NA	11,000	NA	NA	<400	3,700	<100	NA	45.79	18.80	26.99	NA	0.1
MW-2	03/04/2004	72,000	NA	27,000	1,200	2,100	7,600	NA	13,000	NA	NA	<400	6,800	<100	NA	45.79	16.75	29.04	NA	0.2
MW-2	05/27/2004	74,000	NA	6,000	2,000	2,500	15,000	NA	19,000	NA	NA	<400	8,500	<100	NA	45.79	18.85	26.94	NA	0.8
MW-2	09/24/2004	<100	NA	<1.0	<1.0	<1.0	<2.0	NA	130	<4.0	<4.0	<4.0	46	19	<1.0	45.79	16.10	29.69	NA	5.1
MW-2	11/22/2004	8,800	NA	1,200	230	350	1,900	NA	2,200	NA	NA	<40	1,300	<10	NA	45.79	19.83	25.96	NA	0.3
MW-2	03/02/2005	960	NA	150	21	30	220	NA	630	NA	NA	<10	460	<2.5	NA	45.79	15.90	29.89	NA	0.5
MW-2	06/30/2005	970	NA	130	19	27	210	NA	320 e	NA	NA	<2.0	220	0.98	NA	45.79	17.14	28.65	NA	0.7
MW-2	09/20/2005	890	NA	320	10	35	190	NA	440	<10	<10	<10	570	<2.5	NA	45.79	18.66	27.13	NA	0.9
MW-2	12/05/2005	690	NA	150	6.1	21	130	NA	450	NA	NA	<5.0	520	<5.0	NA	45.79	18.58	27.21	NA	0.51
MW-2	03/02/2006	11,000 g	NA	2,700 g	150 g	440 g	2,300 g	NA	1,600 g	NA	NA	5.7	3,800 g	<0.50 j	NA	45.79	16.30	29.49	NA	1.2
MW-2 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	NA	NA	NA	NA
MW-2 (o)	06/30/2006	3,870	NA	177	33.1	55.5	311	NA	1,560	NA	NA	4.90	1,180	<0.500	NA	45.79	16.72	29.07	NA	0.58
MW-2	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	16.86	28.93	NA	NA
MW-2	09/11/2006	10,700	NA	1,010	134	211	1,280	NA	2,780	<0.500	<0.500	45.7	1,850	<0.500	NA	45.79	17.86	27.93	NA	1.03
MW-2	12/28/2006	29,000	NA	2,600	550	1,000	5,600	NA	2,500	NA	NA	<50	3,300	<12	NA	45.79	17.45	28.34	NA	1.09
MW-2	03/20/2007	57,600	NA	14,200 l	4,150 l	4,310 l	22,400 l	NA	6,240 l	NA	NA	<200 l	<10,000 l	<100 l	NA	45.79	17.28	28.51	NA	0.18
<b>MW-2</b>	<b>06/26/2007</b>	<b>39,000 q</b>	<b>NA</b>	<b>3,400</b>	<b>2,300</b>	<b>2,200</b>	<b>12,900</b>	<b>NA</b>	<b>3,300</b>	<b>NA</b>	<b>NA</b>	<b>&lt;100</b>	<b>3,400</b>	<b>&lt;25</b>	<b>NA</b>	<b>45.79</b>	<b>18.64</b>	<b>27.15</b>	<b>NA</b>	<b>0.30</b>

MW-3	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.97	24.00	NA	NA
MW-3	02/24/1992	4,500	1,300a	97	<5	78	18	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.60	26.37	NA	NA
MW-3	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.88	26.09	NA	NA
MW-3	03/01/1992	2,200	440	69	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.00	25.97	NA	NA
MW-3	06/03/1992	4,100	NA	13	72	44	65	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.70	24.27	NA	NA
MW-3	09/01/1992	1,900	NA	20	6.8	5.5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.46	22.51	NA	NA
MW-3 (D)	09/01/1992	1,900	NA	21	6.6	3.4	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.46	22.51	NA	NA
MW-3	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.01	21.96	NA	NA
MW-3	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.26	21.71	NA	NA
MW-3	12/04/1992	2,400	NA	8.2	<5	<5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.93	22.04	NA	NA
MW-3 (D)	12/04/1992	2,100	NA	11	<0.5	5.7	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.93	22.04	NA	NA
MW-3	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	22.76	29.21	NA	NA
MW-3	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.40	30.57	NA	NA
MW-3	03/03/1993	5,100	NA	63	61	75	150	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.08	28.89	NA	NA
MW-3	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.51	27.46	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3	06/17/1993	4,000	NA	94	140	82	150	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.21	26.76	NA	NA
MW-3	09/10/1993	3,200	NA	140	12.5	12.5	12.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.95	25.02	NA	NA
MW-3	12/13/1993	6,200	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.52	25.45	NA	NA
MW-3	03/03/1994	4,500	NA	73	<5	<5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.50	27.47	NA	NA
MW-3	06/06/1994	3,200	NA	<0.5	<0.5	3.1	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.33	25.64	NA	NA
MW-3	09/12/1994	3,900	NA	<0.5	<0.5	9.6	4.1	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.98	23.99	NA	NA
MW-3	12/19/1994	2,400	NA	21	22	4.2	2.6	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.63	26.34	NA	NA
MW-3	02/28/1995	4,000	NA	58	<0.5	7.1	3.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.45	28.52	NA	NA
MW-3	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.07	30.90	NA	NA
MW-3	06/26/1995	3,900	NA	8.1	<0.5	12	2.4	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.64	28.33	NA	NA
MW-3	09/13/1995	4,100	NA	58	5.5	5.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.40	26.57	NA	NA
MW-3	12/19/1995	3,600	NA	<0.5	4.3	2.1	1.1	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.53	27.44	NA	NA
MW-3	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.59	30.41	0.04	NA
MW-3	06/28/1996	2,400	NA	55	<0.5	<0.5	11	120	NA	NA	NA	NA	NA	NA	NA	51.97	23.95	28.02	NA	NA
MW-3	09/26/1996	2,500	NA	<5.0	<5.0	<5.0	<5.0	160	NA	NA	NA	NA	NA	NA	NA	51.97	25.89	26.08	NA	NA
MW-3	12/10/1996	1,600	NA	28	4.2	<2.0	3.9	110	NA	NA	NA	NA	NA	NA	NA	51.97	24.22	27.75	NA	0.8
MW-3	03/10/1997	130	NA	<0.50	<0.50	<0.50	1.4	4.2	NA	NA	NA	NA	NA	NA	NA	51.97	23.05	28.92	NA	2.8
MW-3	06/30/1997	1,200	NA	21	2.3	<2.0	<2.0	69	NA	NA	NA	NA	NA	NA	NA	51.97	24.34	27.63	NA	2.3
MW-3	09/12/1997	440	NA	8.3	0.82	<0.50	1.9	3.4	NA	NA	NA	NA	NA	NA	NA	51.97	24.47	27.50	NA	1.9
MW-3 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.54	28.43	NA	0.8
MW-3	02/02/1998	400	NA	9.3	0.68	<0.50	<0.50	9	NA	NA	NA	NA	NA	NA	NA	51.97	21.92	30.05	NA	1.5
MW-3	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	51.97	22.35	29.62	NA	1.9
MW-3	08/26/1998	140	NA	7.4	<0.50	<0.50	2.5	13	NA	NA	NA	NA	NA	NA	NA	51.97	23.45	28.52	NA	1.3
MW-3	12/23/1998	1,200	NA	50	<2.0	<2.0	<2.0	69	NA	NA	NA	NA	NA	NA	NA	51.97	24.01	27.96	NA	4.2
MW-3	03/01/1999	2,550	NA	<0.500	<0.500	<0.500	0.658	32.4	NA	NA	NA	NA	NA	NA	NA	51.97	22.08	29.89	NA	2.0
MW-3	06/14/1999	514	NA	18.1	0.728	<0.500	<0.500	15.9	NA	NA	NA	NA	NA	NA	NA	51.97	23.15	28.82	NA	1.7
MW-3	09/28/1999	1,180	NA	<1.00	<1.00	<1.00	<1.00	<10.0	NA	NA	NA	NA	NA	NA	NA	51.97	25.36	26.61	NA	1.2
MW-3	12/08/1999	1,740	NA	71.5	23.0	24.2	61.3	103	NA	NA	NA	NA	NA	NA	NA	51.97	25.75	26.22	NA	2.0
MW-3	03/14/2000	1,410	NA	5.63	35.6	<5.00	8.41	38.7	NA	NA	NA	NA	NA	NA	NA	51.97	21.64	30.33	NA	2.1
MW-3	06/28/2000	2,460	NA	<5.00	9.48	<5.00	28.4	64.0	NA	NA	NA	NA	NA	NA	NA	51.97	23.84	28.13	NA	2.87
MW-3	09/06/2000	887	NA	<1.00	<1.00	<1.00	<1.00	<10.0	NA	NA	NA	NA	NA	NA	NA	51.97	24.73	27.24	NA	2.0
MW-3	12/14/2000	955	NA	25.4	1.96	<0.500	1.13	10.2	NA	NA	NA	NA	NA	NA	NA	51.97	25.45	26.52	NA	2.1

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3	03/05/2001	2,100	NA	4.90	56.5	<2.00	3.62	261	NA	NA	NA	NA	NA	NA	NA	51.97	22.83	29.14	NA	0.8
MW-3	06/11/2001	2,000	NA	1.0	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	51.97	25.20	26.77	NA	0.7
MW-3	09/12/2001	1,500	NA	0.50	0.54	<0.50	1.8	NA	<5.0	NA	NA	NA	NA	NA	NA	51.97	26.15	25.82	NA	1.5
MW-3	12/27/2001	2,100	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.97	23.67	28.30	NA	1.9
MW-3	02/27/2002	2,300	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.92	23.23	28.69	NA	1.5
MW-3	06/18/2002	2,000	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	51.92	24.74	27.18	NA	2.0
MW-3	09/18/2002	2,600	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.92	26.05	25.87	NA	1.4
MW-3	12/27/2002	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3	03/05/2003	2,300	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	<2.0	<50	13	NA	51.92	23.84	28.08	NA	1.3
MW-3	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3	06/25/2003	1,800 c	NA	0.71	<0.50	<0.50	<1.0	NA	0.54	NA	NA	<2.0	<5.0	1.1	NA	51.92	24.48	27.44	NA	1.3
MW-3	09/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	25.99	25.93	NA	NA
MW-3	12/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.94	26.98	NA	NA
MW-3	03/04/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.50	29.42	NA	NA
MW-3	05/27/2004	2,500	NA	<0.50	<0.50	<0.50	<1.0	NA	1.1	NA	NA	<2.0	<5.0	0.82	NA	51.92	24.94	26.98	NA	0.5
MW-3	09/24/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	26.55	25.37	NA	NA
MW-3	11/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	25.92	26.00	NA	NA
MW-3	03/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.12	29.80	NA	NA
MW-3	06/30/2005	3,700	NA	<2.0	2.4	<2.0	<4.0	NA	<2.0	<8.0	<8.0	<8.0	<20	<2.0	NA	51.92	23.31	28.61	NA	1.2
MW-3	09/20/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.78	27.14	NA	NA
MW-3	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.65	27.27	NA	NA
MW-3	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.56	29.36	NA	NA
MW-3 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3 (o)	06/30/2006	1,580	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	5.95	NA	51.92	22.89	29.03	NA	0.49
MW-3	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.99	28.93	NA	NA
MW-3	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.92	28.00	NA	NA
MW-3	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.68	28.24	NA	NA
MW-3	03/20/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.91	28.01	NA	NA
<b>MW-3</b>	<b>06/26/2007</b>	<b>1,400 q</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>44</b>	<b>NA</b>	<b>51.92</b>	<b>25.10</b>	<b>26.82</b>	<b>NA</b>	<b>1.77</b>
MW-4	03/24/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	9.16	31.35	NA	NA
MW-4	06/26/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.06	28.45	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-4	09/13/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	13.90	26.61	NA	NA
MW-4	12/19/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.90	27.61	NA	NA
MW-4	03/06/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	9.63	30.88	NA	NA
MW-4	06/28/1996	40	NA	<0.5	0.59	0.97	3.8	26	NA	NA	NA	NA	NA	NA	NA	40.51	12.30	28.21	NA	NA
MW-4	09/26/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	14.12	26.39	NA	NA
MW-4	12/10/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	12.31	28.20	NA	1.2
MW-4	03/10/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.34	29.17	NA	NA
MW-4	06/30/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	13.80	26.71	NA	1.9
MW-4	09/12/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	13.99	26.52	NA	1.7
MW-4 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.02	28.49	NA	1.8
MW-4	02/02/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.23	29.28	NA	1
MW-4	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	10.58	29.93	NA	1.9
MW-4	08/26/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.75	28.76	NA	1.2
MW-4	12/23/1998	<50	NA	0.60	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	12.41	28.10	NA	4.2
MW-4	03/01/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	NA	NA	NA	NA	NA	NA	40.51	10.38	30.13	NA	2.1
MW-4	06/14/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	11.91	28.60	NA	2.4
MW-4	09/28/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	40.51	10.19	30.32	NA	2.2
MW-4	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	10.67	29.84	NA	1.8
MW-4	03/14/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	9.95	30.56	NA	2.5
MW-4	06/28/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	12.22	28.29	NA	0.9
MW-4	09/06/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	13.17	27.34	NA	3.0
MW-4	12/14/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	8.65	31.86	NA	NA
MW-4	03/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	11.07	29.44	NA	NA
MW-4	06/11/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	40.51	13.62	26.89	NA	1.3
MW-4	09/12/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	14.61	25.90	NA	NA
MW-4	12/27/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.19	28.32	NA	NA
MW-4	02/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.64	28.81	NA	NA
MW-4	06/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	40.45	13.22	27.23	NA	0.6
MW-4	09/18/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.46	25.99	NA	NA
MW-4	12/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.23	29.22	NA	NA
MW-4	03/05/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	12.22	28.23	NA	NA
MW-4	06/24/2003	57 c	NA	<0.50	<0.50	<0.50	<1.0	NA	12	NA	NA	NA	NA	NA	NA	40.45	12.79	27.66	NA	1.6

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-4	09/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.45	26.00	NA	NA
MW-4	12/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.24	27.21	NA	NA
MW-4	03/04/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.93	29.52	NA	NA
MW-4	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	40.45	13.42	27.03	NA	0.5
MW-4	09/24/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	15.11	25.34	NA	NA
MW-4	11/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.42	26.03	NA	NA
MW-4	03/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.17	30.28	NA	NA
MW-4	06/30/2005	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	40.45	11.60	28.85	NA	0.8
MW-4	09/20/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.18	27.27	NA	NA
MW-4	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.08	27.37	NA	NA
MW-4	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.62	29.83	NA	NA
MW-4 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	NA	NA	NA	NA
MW-4 (o)	06/30/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	40.45	11.20	29.25	NA	0.44
MW-4	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.22	29.23	NA	NA
MW-4	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	12.29	28.16	NA	NA
MW-4	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.71	28.74	NA	NA
MW-4	03/20/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.99	28.46	NA	NA
<b>MW-4</b>	<b>06/26/2007</b>	<b>59 q</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>NA</b>	<b>NA</b>	<b>40.45</b>	<b>13.60</b>	<b>26.85</b>	<b>NA</b>	<b>3.69</b>
MW-5	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	12.82	28.64	NA	NA
MW-5	02/27/2002	190	NA	<0.50	<0.50	0.85	1.5	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	12.85	28.61	NA	1.9
MW-5	06/18/2002	650	NA	1.4	3.0	52	28	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.65	27.81	NA	0.8
MW-5	09/18/2002	390	NA	0.72	0.51	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	15.57	25.89	NA	1.1
MW-5	12/27/2002	380	NA	<0.50	<0.50	0.56	<0.50	NA	<0.50	<2.0	<2.0	<2.0	<50	<2.0	<2.0	41.46	12.51	28.95	NA	1.9
MW-5	03/05/2003	290	NA	<0.50	1.7	9.4	22	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	13.39	28.07	NA	2.6
MW-5	06/24/2003	220	NA	<0.50	1.0	19	1.3	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.91	27.55	NA	1.7
MW-5	09/25/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	15.58	25.88	NA	2.1
MW-5	12/15/2003	200 c	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.45	27.01	NA	0.21
MW-5	03/04/2004	170 c	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	12.52	28.94	NA	0.1
MW-5	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.49	26.97	NA	0.5
MW-5	09/24/2004	<50	NA	0.71	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.46	16.08	25.38	NA	1.7
MW-5	11/22/2004	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	15.48	25.98	NA	0.3

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-5	03/02/2005	190	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.46	11.52	29.94	NA	0.4
MW-5	06/30/2005	3,200	NA	<5.0	25	200	270	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	12.33	29.13	NA	0.9
MW-5	09/20/2005	310	NA	<0.50	1.3	47	2.5	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.46	14.36	27.10	NA	0.5
MW-5	12/05/2005	250	NA	<0.50	0.94	26	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.25	27.21	NA	0.58
MW-5	03/02/2006	3,000 g	NA	<0.50	17	230 g	390 g	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	11.87	29.59	NA	0.7
MW-5 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	NA	NA	NA	NA
MW-5 (o)	06/30/2006	729	NA	<0.500	1.00	43.2	21.7	NA	<0.500	NA	NA	NA	NA	NA	NA	41.46	12.49	28.97	NA	0.67
MW-5	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	12.58	28.88	NA	NA
MW-5	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	1.29	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	41.46	13.54	27.92	NA	0.78
MW-5	12/28/2006	330	NA	<0.50	<0.50	8.6	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.25	28.21	NA	0.59
MW-5	03/20/2007	358	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.46	13.28	28.18	NA	0.11
<b>MW-5</b>	<b>06/26/2007</b>	<b>120 q</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>41.46</b>	<b>14.68</b>	<b>26.78</b>	<b>NA</b>	<b>4.72</b>
MW-6	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	3.88	37.62	NA	NA
MW-6	01/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.43	29.07	NA	NA
MW-6	02/27/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	12.82	28.68	NA	4.1
MW-6	06/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	4.26	37.24	NA	3.9
MW-6	09/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	5.26	36.24	NA	4.2
MW-6	12/27/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	<2.0	<2.0	<2.0	<50	<2.0	<2.0	41.50	12.11	29.39	NA	3.0
MW-6	03/05/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	13.47	28.03	NA	4.9
MW-6	06/24/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.71	27.79	NA	5.8
MW-6	09/25/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	NA	NA	NA	NA
MW-6	12/15/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.17	28.33	NA	5.7
MW-6	03/04/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	11.15	30.35	NA	1.0
MW-6	05/27/2004	<50	NA	0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.68	27.82	NA	1.0
MW-6	09/24/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	10.71	30.79	NA	3.1
MW-6	11/22/2004	<50 d	NA	0.65	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	7.60	33.90	NA	6.5
MW-6	03/02/2005	<100	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.50	6.77	34.73	NA	6.2
MW-6	06/30/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	12.87	28.63	NA	1.2
MW-6	09/20/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	14.16	27.34	NA	5.5
MW-6	12/05/2005	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	14.23	27.27	NA	2.40
MW-6	03/02/2006	58 i	NA	<0.50	<0.50	0.73	1.5	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	11.40	30.10	NA	1.2



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-6 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.49	29.01	NA	0.41
MW-6 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.35	29.15	NA	NA
MW-6 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	12.66	28.84	NA	0.30
MW-6	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	0.530	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	13.33	28.17	NA	1.16
MW-6	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.15	28.35	NA	1.0
MW-6	03/20/2007	<50.0	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	13.24	28.26	NA	5.60
<b>MW-6</b>	<b>06/26/2007</b>	<b>60 q</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>41.50</b>	<b>14.60</b>	<b>26.90</b>	<b>NA</b>	<b>5.46</b>
MW-7	10/21/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	18.90	25.55	NA	NA
MW-7	12/27/2002	49,000	NA	830	980	2,000	5,200	NA	<10	<10	<10	<10	<100	<10	<10	44.45	15.43	29.02	NA	2.1
MW-7	03/05/2003	32,000	NA	370	490	1,600	2,900	NA	<100	NA	NA	NA	NA	NA	NA	44.45	16.34	28.11	NA	2.6
MW-7	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	NA	NA	NA	NA
MW-7	09/25/2003	8,700	NA	57	34	450	290	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	18.36	26.09	NA	1.2
MW-7	12/15/2003	27,000	NA	170	260	1,200	1,500	NA	<10	NA	NA	NA	NA	NA	NA	44.45	17.44	27.01	NA	1.3
MW-7	03/04/2004	13,000	NA	200	190	1,200	1,200	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	15.45	29.00	NA	0.1
MW-7	05/27/2004	16,000	NA	76	56	860	420	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.50	26.95	NA	0.5
MW-7	09/24/2004	8,400	NA	26	14	340	200	NA	<5.0	<20	<20	<20	<50	NA	NA	44.45	18.94	25.51	NA	1.1
MW-7	11/22/2004	14,000	NA	92	60	790	730	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	18.47	25.98	NA	0.2
MW-7	03/02/2005	13,000	NA	130	140	740	980	NA	<10	NA	NA	<20	<100	<5.0	NA	44.45	14.53	29.92	NA	0.7
MW-7	06/30/2005	9,900	NA	27	48	380	520	NA	<10	NA	NA	NA	NA	NA	NA	44.45	15.92	28.53	NA	0.9
MW-7	09/20/2005	7,700	NA	30	53	380	570	NA	<5.0	36	<20	<20	<50	NA	NA	44.45	17.28	27.17	NA	1.4
MW-7	12/05/2005	2,900	NA	20	<2.5	270	19	NA	<2.5	NA	NA	NA	NA	NA	NA	44.45	17.40	27.05	NA	0.56
MW-7	03/02/2006	3,900 g	NA	27	31	240 g	190	NA	1.1	NA	NA	NA	NA	NA	NA	44.45	15.00	29.45	NA	0.9
MW-7 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	NA	NA	NA	NA
MW-7 (o)	06/30/2006	10,800	NA	13.8	49.4	474	640	NA	<0.500	NA	NA	NA	NA	NA	NA	44.45	15.35	29.10	NA	0.54
MW-7	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	15.41	29.04	NA	NA
MW-7	09/11/2006	7,210	NA	4.38	3.96	188	91.6	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	44.45	16.33	28.12	NA	0.82
MW-7	12/28/2006	3,100	NA	4.8	5.2	190	160	NA	<1.0	NA	NA	NA	NA	NA	NA	44.45	16.22	28.23	NA	0.78
MW-7	03/20/2007	5,960	NA	11.3	20.6	223	291	NA	<0.500	NA	NA	NA	NA	NA	NA	44.45	16.26	28.19	NA	1.10
<b>MW-7</b>	<b>06/26/2007</b>	<b>7,900 q</b>	<b>NA</b>	<b>5.3</b>	<b>15</b>	<b>410</b>	<b>459</b>	<b>NA</b>	<b>&lt;5.0</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>44.45</b>	<b>17.60</b>	<b>26.85</b>	<b>NA</b>	<b>0.83</b>
MW-8	10/21/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	17.70	25.57	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-8	12/27/2002	30,000	NA	280	220	2,000	5,300	NA	<10	<10	<10	<10	<100	<10	<10	43.27	14.25	29.02	NA	1.2
MW-8	03/05/2003	30,000	NA	220	150	2,100	4,200	NA	<100	NA	NA	NA	NA	NA	NA	43.27	15.36	27.91	NA	1.3
MW-8	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	NA	NA	NA	NA
MW-8	09/25/2003	26,000	NA	240	53	1,600	2,600	NA	<50	NA	NA	NA	NA	NA	NA	43.27	17.43	25.84	NA	1.0
MW-8	12/15/2003	38,000	NA	290	140	2,200	5,200	NA	<13	NA	NA	NA	NA	NA	NA	43.27	16.24	27.03	NA	0.4
MW-8	03/04/2004	19,000	NA	180	95	1,400	3,900	NA	<13	NA	NA	NA	NA	NA	NA	43.27	14.63	28.64	NA	0.1
MW-8	05/27/2004	19,000	NA	230	41	1,100	2,200	NA	<13	NA	NA	NA	NA	NA	NA	43.27	16.41	26.86	NA	0.5
MW-8	09/24/2004	21,000	NA	270	42	1,200	2,600	NA	<13	<50	<50	<50	<130	NA	NA	43.27	18.10	25.17	NA	0.7
MW-8	11/22/2004	24,000	NA	200	64	1,400	4,100	NA	<13	NA	NA	NA	NA	NA	NA	43.27	17.28	25.99	NA	1.0
MW-8	03/02/2005	16,000	NA	100	44	890	2,300	NA	<10	NA	NA	<20	<100	<5.0	NA	43.27	13.35	29.92	NA	0.6
MW-8	06/30/2005	19,000	NA	110	41	700	2,100	NA	<10	NA	NA	NA	NA	NA	NA	43.27	14.91	28.36	NA	0.8
MW-8	09/20/2005	10,000	NA	86	25	600	1,400	NA	<10	<40	<40	<40	<100	NA	NA	43.27	16.11	27.16	NA	0.8
MW-8	12/05/2005	9,900	NA	130	16	600	1,300	NA	<10	NA	NA	NA	NA	NA	NA	43.27	16.20	27.07	NA	0.56
MW-8	03/02/2006	13,000 g	NA	130 g	45	790 g	2,000 g	NA	0.54	NA	NA	NA	NA	NA	NA	43.27	14.28	28.99	NA	1.1
MW-8 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	NA	NA	NA	NA
MW-8 (o)	06/30/2006	14,900	NA	71.8	14.1	622	1,390	NA	<0.500	NA	NA	NA	NA	NA	NA	43.27	14.18	29.09	NA	0.50
MW-8	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	14.39	28.88	NA	NA
MW-8	09/11/2006	18,700	NA	94.2	11.2	683	1,280	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	43.27	15.10	28.17	NA	0.92
MW-8	12/28/2006	9,000	NA	54	7.1	430	980	NA	<2.5	NA	NA	NA	NA	NA	NA	43.27	15.15	28.12	NA	0.93
MW-8	03/20/2007	7,780	NA	40.4	9.21	230	499	NA	0.840	NA	NA	NA	NA	NA	NA	43.27	15.01	28.26	NA	0.11
<b>MW-8</b>	<b>06/26/2007</b>	<b>7,500 q</b>	<b>NA</b>	<b>36</b>	<b>5.5</b>	<b>360</b>	<b>860</b>	<b>NA</b>	<b>&lt;5.0</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>43.27</b>	<b>16.40</b>	<b>26.87</b>	<b>NA</b>	<b>0.59</b>
MW-9	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	15.15	26.50	NA	NA
MW-9	12/15/2003	<50	NA	<0.50	<0.50	<0.50	1.3	NA	2.5	NA	NA	NA	NA	NA	NA	41.65	14.48	27.17	NA	0.9
MW-9	03/04/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	12.15	29.50	NA	0.2
MW-9	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	14.55	27.10	NA	0.5
MW-9	09/24/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.65	16.37	25.28	NA	1.0
MW-9	11/22/2004	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	15.62	26.03	NA	0.3
MW-9	03/02/2005	100	NA	<0.50	<1.0	1.4	3.8	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.65	11.40	30.25	NA	0.4
MW-9	06/30/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	12.70	28.95	NA	1.3
MW-9	09/20/2005	<50	NA	<0.50	<0.50	<0.50	1.8	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.65	14.38	27.27	NA	1.2
MW-9	12/05/2005	<50	NA	<0.50	<0.50	<0.50	0.65	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	14.25	27.40	NA	1.13

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-9	03/02/2006	<50 h	NA	<0.50	<0.50	<0.50 h	<0.50 h	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	11.87	29.78	NA	0.9
MW-9 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	12.35	29.30	NA	0.55
MW-9 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	12.37	29.28	NA	NA
MW-9 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.65	12.46	29.19	NA	0.58
MW-9	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	41.65	13.42	28.23	NA	0.79
MW-9	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	13.23	28.42	NA	0.73
MW-9	03/20/2007	<50.0	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.65	13.35	28.30	NA	1.20
<b>MW-9</b>	<b>06/26/2007</b>	<b>86 q</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>41.65</b>	<b>14.80</b>	<b>26.85</b>	<b>NA</b>	<b>0.91</b>

MW-10	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	24.33	26.31	NA	NA
MW-10	12/15/2003	6,400	NA	3.1	<1.0	33	20	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	23.58	27.06	NA	0.3
MW-10	03/04/2004	1,400	NA	1.2	<1.0	16	3.4	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	21.20	29.44	NA	0.1
MW-10	05/27/2004	810	NA	<1.0	<1.0	8.3	<2.0	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	23.63	27.01	NA	0.5
MW-10	09/24/2004	790	NA	1.2	<1.0	7.3	<2.0	NA	<1.0	<4.0	<4.0	<4.0	<10	<1.0	<1.0	50.64	25.30	25.34	NA	1.5
MW-10	11/22/2004	1,100	NA	1.1	<0.50	17	<1.0	NA	<0.50	NA	NA	<2.0	<5.0	<0.50	NA	50.64	24.62	26.02	NA	0.4
MW-10	03/02/2005	920	NA	0.60	<1.0	3.5	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	20.72	29.92	NA	0.4
MW-10	06/30/2005	470 f	NA	<0.50	<0.50	1.4	<1.0	NA	<0.50	NA	NA	<2.0	<5.0	<0.50	NA	50.64	21.48	29.16	NA	1.4
MW-10	09/20/2005	420	NA	<0.50	<0.50	1.2	2.1	NA	<0.50	<2.0	<2.0	<2.0	<5.0	<0.50	NA	50.64	23.45	27.19	NA	2.0
MW-10	12/05/2005	420	NA	<0.50	<0.50	1.1	<0.50	NA	<0.50	NA	NA	<0.50	<5.0	<0.50	NA	50.64	23.42	27.22	NA	0.97
MW-10	03/02/2006	230 h	NA	<0.50 h	<0.50	0.83 h	<0.50 h	NA	<0.50	NA	NA	<0.50	<5.0 h	<0.50 j	NA	50.64	21.13	29.51	NA	1.1
MW-10 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	NA	NA	NA	NA
MW-10 (o)	06/30/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	<0.500	<10.0	<0.500	NA	50.64	21.49	29.15	NA	0.37
MW-10	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	21.60	29.04	NA	NA
MW-10	09/11/2006	250	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	<0.500	NA	50.64	22.62	28.02	NA	0.98
MW-10	12/28/2006	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	NA	NA	NA	NA
MW-10	03/20/2007	158	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	<1.00	<50.0	<0.500	NA	50.64	22.30	28.34	NA	0.10
<b>MW-10</b>	<b>06/26/2007</b>	<b>230 q</b>	<b>NA</b>	<b>0.15 r</b>	<b>&lt;1.0</b>	<b>0.43 r</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>NA</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>NA</b>	<b>50.64</b>	<b>23.75</b>	<b>26.89</b>	<b>NA</b>	<b>1.54</b>

MW-11	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	19.10	26.48	NA	NA
MW-11	12/15/2003	110,000	NA	9,900	3,300	3,900	23,000	NA	20,000	NA	NA	<800	18,000	<200	NA	45.58	18.50	27.08	NA	0.3
MW-11	03/04/2004	68,000	NA	5,300	3,000	3,600	23,000	NA	8,300	NA	NA	<200	12,000	<50	NA	45.58	16.67	28.91	NA	0.1
MW-11	05/27/2004	86,000	NA	8,500	3,200	13,000	22,000	NA	25,000	NA	NA	<400	18,000	<100	NA	45.58	18.60	26.98	NA	1.6

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-11	09/24/2004	63,000	NA	7,200	2,000	3,000	15,000	NA	26,000	<400	<400	<400	17,000	<100	<100	45.58	20.22	25.36	NA	2.2
MW-11	11/22/2004	96,000	NA	7,100	3,700	2,800	15,000	NA	20,000	NA	NA	<400	14,000	<100	NA	45.58	19.56	26.02	NA	0.3
MW-11	03/02/2005	63,000	NA	6,200	6,800	2,200	15,000	NA	16,000	NA	NA	<200	7,800	<50	NA	45.58	15.75	29.83	NA	4.6
MW-11	06/30/2005	100,000	NA	4,200	18,000	3,800	25,000	NA	2,500	NA	NA	<400	3,400	<100	NA	45.58	16.92	28.66	NA	1.0
MW-11	09/20/2005	65,000	NA	3,800	10,000	3,100	19,000	NA	3,900	<400	<400	<400	4,600	<100	NA	45.58	18.43	27.15	NA	NA
MW-11	12/05/2005	69,000	NA	4,000	10,000	3,100	16,000	NA	7,400	NA	NA	<50	4,400	<50	NA	45.58	18.26	27.32	NA	0.70
MW-11	03/02/2006	76,000 g	NA	4,000 g	13,000 g	2,900 g	16,000 g	NA	6,100 g	NA	NA	36	420 k	<0.50 j	NA	45.58	16.13	29.45	NA	0.9
MW-11	04/19/2006	116,000	NA	4,780	12,000	3,280	20,200	NA	5,550	NA	NA	34.6	4,010	<0.500	NA	45.58	15.30	30.28	NA	0.86
MW-11	05/01/2006	129,000	NA	4,180	15,100	3,180	18,700	NA	4,510	NA	NA	28.9	3,130	92.1	NA	45.58	15.43	30.15	NA	0.97
MW-11 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	NA	NA	NA	NA
MW-11 (o)	06/30/2006	119,000	NA	4,420	11,300	2,650	17,200	NA	4,490	NA	NA	22.8	2,700	<0.500	NA	45.58	15.49	30.09	NA	0.49
MW-11	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	16.61	28.97	NA	NA
MW-11	07/31/2006	<50.0	NA	4,870	11,400	2,890	20,400	NA	4,880	NA	NA	27.2	3,120	<0.500	NA	45.58	17.00	28.58	NA	0.36
MW-11	08/23/2006	115,000	NA	5,230	8,720	2,680	16,900	NA	4,860	NA	NA	29.6	3,670	<10.0	NA	45.58	17.28	28.30	NA	0.7
MW-11	09/11/2006	9,090	NA	5,140	8,400	3,040	17,700	NA	5,310	<0.500	<0.500	134	4,240	<0.500	NA	45.58	17.62	27.96	NA	0.63
MW-11	10/18/2006	193,000	NA	4,930	9,700	3,920	21,000	NA	4,300	NA	NA	<0.500	2,530	<0.500	NA	45.58	18.08	27.50	NA	0.51
MW-11	11/22/2006	3,600	NA	3,600	9,300	2,800	16,000	NA	2,800	NA	NA	<10	4,000	<2.5	NA	45.58	18.06	27.52	NA	0.4
MW-11	12/28/2006	75,000	NA	2,700	9,800	1,900	13,000	NA	2,500	NA	NA	<200	2,500	<50	NA	45.58	17.20	28.38	NA	0.9
MW-11	01/25/2007	68,000	NA	2,900	9,600	2,200	13,000	NA	2,400	NA	NA	<200	2,400	<50	NA	45.58	18.10	27.48	NA	0.7
MW-11	02/19/2007	88,000	NA	3,600	17,000	3,200	20,000	NA	2,200	NA	NA	25	4,000	<5.0	NA	45.58	17.89	27.69	NA	0.2
MW-11	03/20/2007	77,600	NA	3,140 l	12,800 l	3,060 l	17,600 l	NA	1,930 l	NA	NA	<200 l	<10,000 l	<100 l	NA	45.58	17.30	28.28	NA	0.38
<b>MW-11</b>	<b>04/05/2007</b>	<b>67,000 q</b>	<b>NA</b>	<b>3,200</b>	<b>9,600</b>	<b>3,200</b>	<b>14,300</b>	<b>NA</b>	<b>1,800</b>	<b>NA</b>	<b>NA</b>	<b>&lt;100</b>	<b>2,900</b>	<b>&lt;25</b>	<b>NA</b>	<b>45.58</b>	<b>17.50</b>	<b>28.08</b>	<b>NA</b>	<b>0.72</b>
<b>MW-11</b>	<b>06/01/2007</b>	<b>65,000 q</b>	<b>NA</b>	<b>3,100</b>	<b>11,000</b>	<b>3,200</b>	<b>17,900</b>	<b>NA</b>	<b>1,700</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>45.58</b>	<b>18.32</b>	<b>27.26</b>	<b>NA</b>	<b>1.18</b>
<b>MW-11</b>	<b>06/26/2007</b>	<b>52,000 q</b>	<b>NA</b>	<b>2,200</b>	<b>8,000</b>	<b>2,200</b>	<b>13,700</b>	<b>NA</b>	<b>1,300</b>	<b>NA</b>	<b>NA</b>	<b>&lt;200</b>	<b>2,300</b>	<b>&lt;50</b>	<b>NA</b>	<b>45.58</b>	<b>18.70</b>	<b>26.88</b>	<b>NA</b>	<b>0.24</b>
MW-12	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	14.75	29.35	NA	NA
MW-12 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	NA	NA	NA	NA
MW-12 (o)	06/30/2006	95,000	NA	3,930	8,900	2,110	10,400	NA	<0.500	NA	NA	NA	NA	NA	NA	44.10	15.00	29.10	NA	0.62
MW-12	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	15.10	29.00	NA	NA
MW-12	09/11/2006	5,110	NA	3,930	3,290	2,710	8,060	NA	8.50	NA	NA	NA	NA	NA	NA	44.10	15.91	28.19	NA	1.09
MW-12	12/28/2006	31,000	NA	2,400	1,100	1,500	2,900	NA	<2.5	NA	NA	NA	NA	NA	NA	44.10	15.85	28.25	NA	0.82
MW-12	03/20/2007	30,100	NA	508	352	341	748	NA	<0.500	NA	NA	NA	NA	NA	NA	44.10	15.81	28.29	NA	1.44

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
<b>MW-12</b>	<b>06/26/2007</b>	<b>32,000 q</b>	<b>NA</b>	<b>2,700</b>	<b>1,200</b>	<b>2,100</b>	<b>3,700</b>	<b>NA</b>	<b>&lt;20</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>44.10</b>	<b>17.29</b>	<b>26.81</b>	<b>NA</b>	<b>0.40</b>
MW-13	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.10	29.49	NA	NA
MW-13 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.47	29.12	NA	0.61
MW-13 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.25	29.34	NA	NA
MW-13 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	<0.500	NA	41.59	12.35	29.24	NA	0.24
MW-13	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.59	13.33	28.26	NA	1.02
MW-13	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.59	13.12	28.47	NA	0.81
MW-13	03/20/2007	<50.0	NA	1.41	2.36	2.20	6.29	NA	<0.500	NA	NA	NA	NA	NA	NA	41.59	13.12	28.47	NA	0.14
<b>MW-13</b>	<b>06/26/2007</b>	<b>58 q</b>	<b>NA</b>	<b>0.20 r</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>41.59</b>	<b>14.68</b>	<b>26.91</b>	<b>NA</b>	<b>0.38</b>

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to June 11, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to June 11, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260

1,2-DCA = 1,2-dichloroethane, analyzed by EPA Method 8260

EDB = 1,2-dibromomethane or ethylene dibromide, analyzed by EPA Method 8260

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Notes:


- a = Chromatogram pattern indicates an unidentified hydrocarbon.
- b = Samples not analyzed due to laboratory oversight.
- c = Hydrocarbon does not match pattern of laboratory's standard.
- d = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.
- e = Estimated value. The concentration exceeded the calibration of analysis.
- f = Quantity of unknown hydrocarbon(s) in sample based on gasoline.
- g = Sample was originally analyzed within the EPA recommended hold time. Re-analysis for dilution was performed past the recommended hold time.
- h = Sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation was performed past the recommended hold time.
- i = The result for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.
- j = Result was reported with a possible low bias due to the continuing calibration verification falling outside the acceptance criteria.
- k = The result was reported with a possible low bias due to the continuing calibration verification falling outside the acceptance criteria.
- l = Sample required dilution due to high concentrations of target analyte.
- m = Well resampled on July 6, 2006 due to laboratory error.
- n = Well not accessed due to equipment malfunction.
- o = All wells regauged on June 30, 2006 prior to sampling.
- p = Wells resampled for 2Q06 event due to laboratory error.
- q = Analyzed by EPA Method 8015B (M).
- r = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
- \* = Sample analyzed out of EPA recommended hold time.

Site surveyed January 23, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Survey data for wells MW-7 and MW-8 provided by Cambria Environmental Technology.

Wells MW-9, MW-10, and MW-11 surveyed December 11, 2003 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-12 and MW-13 surveyed on June 9, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.



April 16, 2007

Michael Ninokata  
Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject: **CalScience Work Order No.: 07-04-0566**  
**Client Reference: 1784 150th Ave., San Leandro, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 4/7/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read 'Don Burley', is written over a white background.

CalScience Environmental  
Laboratories, Inc.  
Don Burley  
Project Manager





## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 04/07/07  
Work Order No: 07-04-0566  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-11	07-04-0566-1	04/05/07	Aqueous	GC 1	04/09/07	04/10/07	070409B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	67000	5000	100		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	90	38-134			

Method Blank	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
	099-12-436-285	N/A	Aqueous	GC 1	04/09/07	04/09/07	070409B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	82	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 04/07/07  
Work Order No: 07-04-0566  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-11	07-04-0566-1	04/05/07	Aqueous	GC/MS R	04/13/07	04/14/07	070413L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	3200	25	9.6	50		o-Xylene	4300	50	8.5	50	
1,2-Dichloroethane	ND	25	12	50		Methyl-t-Butyl Ether (MTBE)	1800	50	11	50	
Ethylbenzene	3200	50	6.7	50		Tert-Butyl Alcohol (TBA)	2900	500	460	50	
Toluene	9600	50	11	50		Tert-Amyl-Methyl Ether (TAME)	ND	100	25	50	
p/m-Xylene	10000	50	14	50							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	100	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	98	74-110			

Method Blank	099-10-006-21,018	N/A	Aqueous	GC/MS R	04/13/07	04/14/07	070413L01
--------------	-------------------	-----	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		o-Xylene	ND	1.0	0.17	1	
1,2-Dichloroethane	ND	0.50	0.25	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	
Ethylbenzene	ND	1.0	0.13	1		Tert-Butyl Alcohol (TBA)	ND	10	9.2	1	
Toluene	ND	1.0	0.23	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	0.50	1	
p/m-Xylene	ND	1.0	0.27	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	100	74-140				1,2-Dichloroethane-d4	99	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	99	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 04/07/07  
Work Order No: 07-04-0566  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-04-0594-1	Aqueous	GC 1	04/09/07	04/09/07	070409S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	83	90	68-122	8	0-18	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 04/07/07  
Work Order No: 07-04-0566  
Preparation: EPA 5030B  
Method: EPA 8260B

Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-04-0671-1	Aqueous	GC/MS R	04/13/07	04/14/07	070413S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	101	88-118	2	0-7	
Carbon Tetrachloride	94	94	67-145	1	0-11	
Chlorobenzene	100	101	88-118	1	0-7	
1,2-Dichlorobenzene	100	101	86-116	1	0-8	
1,1-Dichloroethene	102	101	70-130	1	0-25	
Toluene	100	102	87-123	2	0-8	
Trichloroethene	97	98	79-127	0	0-10	
Vinyl Chloride	97	97	69-129	0	0-13	
Methyl-t-Butyl Ether (MTBE)	99	99	71-131	0	0-13	
Tert-Butyl Alcohol (TBA)	103	102	36-168	1	0-45	
Diisopropyl Ether (DIPE)	101	102	81-123	1	0-9	
Ethyl-t-Butyl Ether (ETBE)	102	102	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	101	72-126	1	0-12	
Ethanol	102	95	53-149	8	0-31	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-04-0566  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-285	Aqueous	GC 1	04/09/07	04/09/07	070409B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	78	78	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: N/A  
Work Order No: 07-04-0566  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,018	Aqueous	GC/MS R	04/13/07	04/14/07	070413L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	100	101	84-120	1	0-8	
Carbon Tetrachloride	98	99	63-147	1	0-10	
Chlorobenzene	102	103	89-119	1	0-7	
1,2-Dichlorobenzene	100	103	89-119	2	0-9	
1,1-Dichloroethene	105	105	77-125	0	0-16	
Toluene	103	103	83-125	0	0-9	
Trichloroethene	101	103	89-119	2	0-8	
Vinyl Chloride	101	101	63-135	0	0-13	
Methyl-t-Butyl Ether (MTBE)	99	98	82-118	0	0-13	
Tert-Butyl Alcohol (TBA)	99	96	46-154	4	0-32	
Diisopropyl Ether (DIPE)	113	113	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	101	102	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	99	76-124	0	0-10	
Ethanol	94	97	60-138	3	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-04-0566

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



LAB:

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other \_\_\_\_\_



# SHELL Chain Of Custody Record

0566

NAME OF PERSON TO BILL: Denis Brown

ENVIRONMENTAL SERVICES

NETWORK DEV / FE

COMPLIANCE

BILL CONSULTANT

RMT/CRMT

CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY)

9 8 9 9 6 0 6 8

DATE: 4/5/07

PAGE: 1 of 1

SAMPLING COMPANY: <b>Blaine Tech Services, Inc.</b>		LOG CODE: <b>BTSS</b>	SITE ADDRESS: Street and City <b>1784 150th Ave., San Leandro</b>		State <b>CA</b>	GLOBAL ID NO.: <b>T0600101230</b>
ADDRESS: <b>1680 Rogers Avenue, San Jose, CA 95112</b>			EDF DELIVERABLE TO (Name, Company, Office Location): <b>Ana Friel, Cambria, Eureka Office</b>		PHONE NO.: <b>(707) 268-3812</b>	E-MAIL: <b>sonomaedf@cambria-env.com</b>
PROJECT CONTACT (Hardcopy or PDF Report to): <b>Michael Ninokata</b>			SAMPLER NAME(S) (Print): <b>D. Ruzal</b>		CONSULTANT PROJECT NO: <b>BTS # 070405-022</b>	
TELEPHONE: <b>408-573-0555</b>	FAX: <b>408-573-7771</b>	E-MAIL: <b>mninokata@blainetech.com</b>	LAB USE ONLY <b>07-04-0566</b>			

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):  
 STD  5 DAY  3 DAY  2 DAY  24 HOURS  RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT  UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:

- EDD NOT NEEDED
- SHELL CONTRACT RATE APPLIES
- STATE REIMB RATE APPLIES
- RECEIPT VERIFICATION REQUESTED

## REQUESTED ANALYSIS

Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	TEMPERATURE ON RECEIPT C°	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes
Mw. 11	4/5/07	1400	W	5	X	X	X	X	X	X	X	X	X	X									

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i> (Sample Custodian)	Date: 4/5/07	Time: 1300
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature) Shipped GSO	Received by: (Signature) for department (CEL)	Date: 4/6/07	Time: 1700


GSO

for department (CEL)

4/7/07

10:10





WORK ORDER #: 07 - 04 - 0566

Cooler 1 of 1

**SAMPLE RECEIPT FORM**

CLIENT: BTS

DATE: 4/7/07

**TEMPERATURE - SAMPLES RECEIVED BY:**

**CALSCIENCE COURIER:**

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature.
- °C Temperature blank.

**LABORATORY (Other than CalScience Courier):**

- °C Temperature blank.
- 4.5 °C IR thermometer.
- Ambient temperature.

Initial: EM

**CUSTODY SEAL INTACT:**

Sample(s): \_\_\_\_\_ Cooler: \_\_\_\_\_ No (Not Intact) : \_\_\_\_\_

Not Present:   
Initial: EM

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VOA vial(s) free of headspace. ....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Initial: EM

**COMMENTS:**

---



---



---




---



---



---



June 11, 2007

Michael Ninokata  
Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 07-06-0188**  
**Client Reference: 1784 150th Ave., San Leandro, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/5/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Don Burley".

Calscience Environmental  
Laboratories, Inc.  
Don Burley  
Project Manager

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/05/07  
Work Order No: 07-06-0188  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
<b>MW-1</b>	<b>07-06-0188-1</b>	<b>06/01/07</b>	<b>Aqueous</b>	<b>GC 30</b>	<b>06/05/07</b>	<b>06/06/07</b>	<b>070605B01</b>

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	22000	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	89	38-134			

<b>MW-11</b>	<b>07-06-0188-2</b>	<b>06/01/07</b>	<b>Aqueous</b>	<b>GC 30</b>	<b>06/05/07</b>	<b>06/06/07</b>	<b>070605B01</b>
--------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	65000	5000	100		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	88	38-134			

<b>Method Blank</b>	<b>099-12-436-525</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC 30</b>	<b>06/05/07</b>	<b>06/05/07</b>	<b>070605B01</b>
---------------------	-----------------------	------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	88	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/05/07  
Work Order No: 07-06-0188  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-1	07-06-0188-1	06/01/07	Aqueous	GC/MS M	06/06/07	06/06/07	070606L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	7900	50	19	100		p/m-Xylene	380	100	27	100	
Ethylbenzene	310	100	13	100		o-Xylene	44	100	17	100	J
Toluene	120	100	23	100		Methyl-t-Butyl Ether (MTBE)	7800	100	23	100	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	115	74-140				1,2-Dichloroethane-d4	130	74-146			
Toluene-d8	107	88-112				1,4-Bromofluorobenzene	102	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-11	07-06-0188-2	06/01/07	Aqueous	GC/MS R	06/07/07	06/07/07	070607L01

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	3100	50	19	100		p/m-Xylene	13000	100	27	100	
Ethylbenzene	3200	100	13	100		o-Xylene	4900	100	17	100	
Toluene	11000	100	23	100		Methyl-t-Butyl Ether (MTBE)	1700	100	23	100	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	110	74-140				1,2-Dichloroethane-d4	108	74-146			
Toluene-d8	102	88-112				1,4-Bromofluorobenzene	101	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-21,626	N/A	Aqueous	GC/MS M	06/06/07	06/06/07	070606L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	105	74-140				1,2-Dichloroethane-d4	121	74-146			
Toluene-d8	104	88-112				1,4-Bromofluorobenzene	99	74-110			


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-21,651	N/A	Aqueous	GC/MS R	06/07/07	06/07/07	070607L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	109	74-140				1,2-Dichloroethane-d4	113	74-146			
Toluene-d8	102	88-112				1,4-Bromofluorobenzene	94	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 06/05/07  
Work Order No: 07-06-0188  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-0088-7	Aqueous	GC 30	06/05/07	06/05/07	070605S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	81	88	68-122	9	0-18	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 06/05/07  
Work Order No: 07-06-0188  
Preparation: EPA 5030B  
Method: EPA 8260B


Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-0059-2	Aqueous	GC/MS M	06/06/07	06/06/07	070606S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	100	88-118	0	0-7	
Carbon Tetrachloride	104	106	67-145	1	0-11	
Chlorobenzene	102	102	88-118	0	0-7	
1,2-Dichlorobenzene	94	93	86-116	1	0-8	
1,1-Dichloroethene	109	116	70-130	6	0-25	
Toluene	107	108	87-123	1	0-8	
Trichloroethene	110	108	79-127	2	0-10	
Vinyl Chloride	80	92	69-129	14	0-13	4
Methyl-t-Butyl Ether (MTBE)	96	96	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	105	130	36-168	22	0-45	
Diisopropyl Ether (DIPE)	90	91	81-123	1	0-9	
Ethyl-t-Butyl Ether (ETBE)	93	94	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	100	101	72-126	1	0-12	
Ethanol	130	152	53-149	16	0-31	3

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 06/05/07  
Work Order No: 07-06-0188  
Preparation: EPA 5030B  
Method: EPA 8260B


Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-0260-3	Aqueous	GC/MS R	06/07/07	06/07/07	070607S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	103	88-118	3	0-7	
Carbon Tetrachloride	104	109	67-145	5	0-11	
Chlorobenzene	99	100	88-118	1	0-7	
1,2-Dichlorobenzene	98	98	86-116	0	0-8	
1,1-Dichloroethene	105	99	70-130	6	0-25	
Toluene	102	99	87-123	2	0-8	
Trichloroethene	97	96	79-127	1	0-10	
Vinyl Chloride	93	90	69-129	3	0-13	
Methyl-t-Butyl Ether (MTBE)	110	104	71-131	5	0-13	
Tert-Butyl Alcohol (TBA)	93	91	36-168	2	0-45	
Diisopropyl Ether (DIPE)	104	102	81-123	1	0-9	
Ethyl-t-Butyl Ether (ETBE)	106	106	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	105	113	72-126	7	0-12	
Ethanol	96	95	53-149	1	0-31	

RPD - Relative Percent Difference , CL - Control Limit





**Quality Control - LCS/LCS Duplicate**



Blaine Tech Services, Inc.  
 1680 Rogers Avenue  
 San Jose, CA 95112-1105

Date Received: N/A  
 Work Order No: 07-06-0188  
 Preparation: EPA 5030B  
 Method: EPA 8015B (M)


Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-525	Aqueous	GC 30	06/05/07	06/05/07	070605B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	90	89	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-06-0188  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,626	Aqueous	GC/MS M	06/06/07	06/06/07	070606L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	102	102	84-120	0	0-8	
Carbon Tetrachloride	103	107	63-147	4	0-10	
Chlorobenzene	103	102	89-119	1	0-7	
1,2-Dichlorobenzene	98	97	89-119	1	0-9	
1,1-Dichloroethene	94	98	77-125	4	0-16	
Toluene	109	111	83-125	2	0-9	
Trichloroethene	109	110	89-119	1	0-8	
Vinyl Chloride	86	85	63-135	2	0-13	
Methyl-t-Butyl Ether (MTBE)	103	105	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	119	140	46-154	17	0-32	
Diisopropyl Ether (DIPE)	94	95	81-123	2	0-11	
Ethyl-t-Butyl Ether (ETBE)	99	100	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	108	108	76-124	0	0-10	
Ethanol	112	115	60-138	3	0-32	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: N/A  
Work Order No: 07-06-0188  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,651	Aqueous	GC/MS R	06/07/07	06/07/07	070607L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	102	100	84-120	2	0-8	
Carbon Tetrachloride	111	107	63-147	3	0-10	
Chlorobenzene	101	100	89-119	2	0-7	
1,2-Dichlorobenzene	98	97	89-119	2	0-9	
1,1-Dichloroethene	111	107	77-125	4	0-16	
Toluene	105	102	83-125	2	0-9	
Trichloroethene	104	100	89-119	4	0-8	
Vinyl Chloride	101	97	63-135	4	0-13	
Methyl-t-Butyl Ether (MTBE)	104	103	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	98	98	46-154	0	0-32	
Diisopropyl Ether (DIPE)	101	99	81-123	2	0-11	
Ethyl-t-Butyl Ether (ETBE)	106	100	74-122	5	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	100	76-124	1	0-10	
Ethanol	94	96	60-138	2	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-06-0188

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.





# SHELL Chain Of Custody Record

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscienc
- Other \_\_\_\_\_

**NAME OF PERSON TO BILL: Denis Brown**

ENVIRONMENTAL SERVICES       CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

NETWORK DEV / FE       BILL CONSULTANT

COMPLIANCE       RMT/CRMT

INCIDENT # (ES ONLY): 9 8 9 9 6 0 6 8

DATE: 6/1/07

PAGE: 1 of 1

SAMPLING COMPANY: **Blaine Tech Services, Inc.**      LOG CODE: **BTSS**

ADDRESS: **1680 Rogers Avenue, San Jose, CA 95112**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata**

TELEPHONE: **408-573-0555**      FAX: **408-573-7771**      E-MAIL: **mninokata@blainetech.com**

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):  STD     5 DAY     3 DAY     2 DAY     24 HOURS     RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT     UST AGENCY: \_\_\_\_\_

**SPECIAL INSTRUCTIONS OR NOTES:**

- EDD NOT NEEDED
- SHELL CONTRACT RATE APPLIES
- STATE REIMB RATE APPLIES
- RECEIPT VERIFICATION REQUESTED


SITE ADDRESS: Street and City: **1784 150th Ave., San Leandro**      State: **CA**      GLOBAL ID NO.: **T0600101230**

EDF DELIVERABLE TO (Name, Company, Office Location): **Ana Friel, CRA, Eureka Office**      PHONE NO.: **(707) 268-3812**      E-MAIL: **sonomaedf@croworld.com**      CONSULTANT PROJECT NO.: **070601-5L2**

SAMPLER NAME(S) (Print): **Tony Vega & Shawn Lane**      LAB USE ONLY: **07-06-0188**

SPECIAL INSTRUCTIONS OR NOTES:						REQUESTED ANALYSIS														FIELD NOTES:				
LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	TEMPERATURE ON RECEIPT C°	
		DATE	TIME																					
1	MW-1	6/1/07	1240	W	5	X	X	X																
2	MW-11	6/1/07	1315	W	5	X	X	X																

Relinquished by: (Signature) <i>Tony Vega</i>	Received by: (Signature) <i>S. Lane (sample cust.)</i>	Date: <b>6/1/07</b>	Time: <b>1415</b>
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: <b>6-4-07</b>	Time: <b>1046 AM</b>
Relinquished by: (Signature) <i>[Signature] TO BSO</i>	Received by: (Signature) <i>[Signature]</i>	Date: <b>6-5-07</b>	Time: <b>(1000)</b>



WORK ORDER #: 07 - 06 - 0188

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Blaine Tech Svcs

DATE: 06/05/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
°C Temperature blank.

LABORATORY (Other than CalScience Courier):

- °C Temperature blank.
2.5 °C IR thermometer.
Ambient temperature.

Initial: NC

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [checked]

Initial: NC


SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: NC

COMMENTS:

Multiple horizontal lines for writing comments.



July 05, 2007

Michael Ninokata  
Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject: **CalScience Work Order No.: 07-06-2000**  
**Client Reference: 1784 150th Ave., San Leandro, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/27/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Don Burley".

CalScience Environmental  
Laboratories, Inc.  
Don Burley  
Project Manager

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
<b>MW-1</b>	<b>07-06-2000-1</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/28/07</b>	<b>070628B01</b>

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	20000	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	82	38-134			

<b>MW-2</b>	<b>07-06-2000-2</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/28/07</b>	<b>070628B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	39000	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

<b>MW-3</b>	<b>07-06-2000-3</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/28/07</b>	<b>070628B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	1400	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	82	38-134			

<b>MW-4</b>	<b>07-06-2000-4</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/28/07</b>	<b>070628B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	59	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	84	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1784 150th Ave., San Leandro, CA

Page 2 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
<b>MW-5</b>	<b>07-06-2000-5</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/28/07</b>	<b>070628B01</b>

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	120	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	83	38-134			

<b>MW-6</b>	<b>07-06-2000-6</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/28/07</b>	<b>070628B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	60	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	83	38-134			

<b>MW-7</b>	<b>07-06-2000-7</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/28/07</b>	<b>070628B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	7900	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

<b>MW-8</b>	<b>07-06-2000-8</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/29/07</b>	<b>070628B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	7500	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	86	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1784 150th Ave., San Leandro, CA

Page 3 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
<b>MW-9</b>	<b>07-06-2000-9</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/29/07</b>	<b>070628B01</b>

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	86	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	85	38-134			

<b>MW-10</b>	<b>07-06-2000-10</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/29/07</b>	<b>070628B01</b>
--------------	----------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	230	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	84	38-134			

<b>MW-11</b>	<b>07-06-2000-11</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/29/07</b>	<b>070628B01</b>
--------------	----------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	52000	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	90	38-134			

<b>MW-12</b>	<b>07-06-2000-12</b>	<b>06/26/07</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>06/28/07</b>	<b>06/29/07</b>	<b>070628B01</b>
--------------	----------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	32000	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	92	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
 1680 Rogers Avenue  
 San Jose, CA 95112-1105

Date Received: 06/27/07  
 Work Order No: 07-06-2000  
 Preparation: EPA 5030B  
 Method: EPA 8015B (M)

Project: 1784 150th Ave., San Leandro, CA

Page 4 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-13	07-06-2000-13	06/26/07	Aqueous	GC 18	06/28/07	06/29/07	070628B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	58	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	84	38-134			

Method Blank	099-12-436-617	N/A	Aqueous	GC 18	06/28/07	06/28/07	070628B01
--------------	----------------	-----	---------	-------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	80	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-1	07-06-2000-1	06/26/07	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	6700	50	14	100		o-Xylene	130	100	17	100	
1,2-Dichloroethane	ND	50	26	100		Methyl-t-Butyl Ether (MTBE)	6500	100	26	100	
Ethylbenzene	360	100	23	100		Tert-Butyl Alcohol (TBA)	2200	1000	540	100	
Toluene	110	100	27	100		Tert-Amyl-Methyl Ether (TAME)	ND	200	110	100	
p/m-Xylene	600	100	54	100							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	94	74-140				1,2-Dichloroethane-d4	92	74-146			
Toluene-d8	96	88-112				1,4-Bromofluorobenzene	94	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-2	07-06-2000-2	06/26/07	Aqueous	GC/MS W	07/03/07	07/03/07	070703L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	3400	25	7.0	50		o-Xylene	3100	50	8.4	50	
1,2-Dichloroethane	ND	25	13	50		Methyl-t-Butyl Ether (MTBE)	3300	50	13	50	
Ethylbenzene	2200	50	11	50		Tert-Butyl Alcohol (TBA)	3400	500	270	50	
Toluene	2300	50	14	50		Tert-Amyl-Methyl Ether (TAME)	ND	100	56	50	
p/m-Xylene	9800	50	27	50							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	99	74-140				1,2-Dichloroethane-d4	104	74-146			
Toluene-d8	90	88-112				1,4-Bromofluorobenzene	96	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-10	07-06-2000-10	06/26/07	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.15	0.50	0.14	1	J	o-Xylene	ND	1.0	0.17	1	
1,2-Dichloroethane	ND	0.50	0.26	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Ethylbenzene	0.43	1.0	0.23	1	J	Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Toluene	ND	1.0	0.27	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
p/m-Xylene	ND	1.0	0.54	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	93	74-140				1,2-Dichloroethane-d4	94	74-146			
Toluene-d8	97	88-112				1,4-Bromofluorobenzene	96	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-11	07-06-2000-11	06/26/07	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	2200	50	14	100		o-Xylene	3700	100	17	100	
1,2-Dichloroethane	ND	50	26	100		Methyl-t-Butyl Ether (MTBE)	1300	100	26	100	
Ethylbenzene	2200	100	23	100		Tert-Butyl Alcohol (TBA)	2300	1000	540	100	
Toluene	8000	100	27	100		Tert-Amyl-Methyl Ether (TAME)	ND	200	110	100	
p/m-Xylene	10000	100	54	100							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	98	74-140				1,2-Dichloroethane-d4	97	74-146			
Toluene-d8	96	88-112				1,4-Bromofluorobenzene	98	74-110			

Method Blank	099-10-006-21,939	N/A	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03
--------------	-------------------	-----	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		o-Xylene	ND	1.0	0.17	1	
1,2-Dichloroethane	ND	0.50	0.26	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Toluene	ND	1.0	0.27	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
p/m-Xylene	ND	1.0	0.54	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	93	74-140				1,2-Dichloroethane-d4	93	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	94	74-110			

Method Blank	099-10-006-21,969	N/A	Aqueous	GC/MS W	07/03/07	07/03/07	070703L01
--------------	-------------------	-----	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		o-Xylene	ND	1.0	0.17	1	
1,2-Dichloroethane	ND	0.50	0.26	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Toluene	ND	1.0	0.27	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
p/m-Xylene	ND	1.0	0.54	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	103	74-146			
Toluene-d8	94	88-112				1,4-Bromofluorobenzene	96	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-3	07-06-2000-3	06/26/07	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
1,2-Dichloroethane	44	0.50	0.26	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Ethylbenzene	ND	1.0	0.23	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
Toluene	ND	1.0	0.27	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
p/m-Xylene	ND	1.0	0.54	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
o-Xylene	ND	1.0	0.17	1							
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	95	74-140				1,2-Dichloroethane-d4	93	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	97	74-110			

Method Blank	099-10-006-21,939	N/A	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03
--------------	-------------------	-----	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
1,2-Dichloroethane	ND	0.50	0.26	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Ethylbenzene	ND	1.0	0.23	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
Toluene	ND	1.0	0.27	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
p/m-Xylene	ND	1.0	0.54	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
o-Xylene	ND	1.0	0.17	1							
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	93	74-140				1,2-Dichloroethane-d4	93	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	94	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-5	07-06-2000-5	06/26/07	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	97	74-140				1,2-Dichloroethane-d4	99	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	96	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-6	07-06-2000-6	06/26/07	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	95	74-140				1,2-Dichloroethane-d4	96	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	98	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-7	07-06-2000-7	06/26/07	Aqueous	GC/MS W	07/03/07	07/03/07	070703L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	5.3	2.5	0.70	5		p/m-Xylene	400	5.0	2.7	5	
Ethylbenzene	410	5.0	1.1	5		o-Xylene	59	5.0	0.84	5	
Toluene	15	5.0	1.4	5		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1.3	5	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	105	74-140				1,2-Dichloroethane-d4	108	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	98	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-8	07-06-2000-8	06/26/07	Aqueous	GC/MS W	07/03/07	07/03/07	070703L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	36	2.5	0.70	5		p/m-Xylene	670	5.0	2.7	5	
Ethylbenzene	360	5.0	1.1	5		o-Xylene	190	5.0	0.84	5	
Toluene	5.5	5.0	1.4	5		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1.3	5	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	96	74-146			
Toluene-d8	91	88-112				1,4-Bromofluorobenzene	100	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 2 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-9	07-06-2000-9	06/26/07	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	95	74-140				1,2-Dichloroethane-d4	96	74-146			
Toluene-d8	97	88-112				1,4-Bromofluorobenzene	96	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-12	07-06-2000-12	06/26/07	Aqueous	GC/MS W	07/03/07	07/03/07	070703L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	2700	10	2.8	20		p/m-Xylene	2700	20	11	20	
Ethylbenzene	2100	20	4.5	20		o-Xylene	1000	20	3.4	20	
Toluene	1200	20	5.4	20		Methyl-t-Butyl Ether (MTBE)	ND	20	5.2	20	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	98	74-140				1,2-Dichloroethane-d4	100	74-146			
Toluene-d8	97	88-112				1,4-Bromofluorobenzene	93	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-13	07-06-2000-13	06/26/07	Aqueous	GC/MS W	07/03/07	07/03/07	070703L01

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.20	0.50	0.14	1	J	p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	100	74-140				1,2-Dichloroethane-d4	103	74-146			
Toluene-d8	96	88-112				1,4-Bromofluorobenzene	88	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-21,939	N/A	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	93	74-140				1,2-Dichloroethane-d4	93	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	94	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA


Page 3 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
<b>Method Blank</b>	<b>099-10-006-21,969</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC/MS W</b>	<b>07/03/07</b>	<b>07/03/07</b>	<b>070703L01</b>


Comment(s): -Results were evaluated to the MDL, concentrations  $\geq$  to the MDL but  $<$  RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	103	74-146			
Toluene-d8	94	88-112				1,4-Bromofluorobenzene	96	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers







Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-4	07-06-2000-4	06/26/07	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Toluene	ND	1.0	0.27	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	ND	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	ND	1.0	0.17	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	94	74-140				1,2-Dichloroethane-d4	93	74-146			
Toluene-d8	97	88-112				1,4-Bromofluorobenzene	96	74-110			


Method Blank	099-10-006-21,939	N/A	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03
--------------	-------------------	-----	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Toluene	ND	1.0	0.27	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	ND	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	ND	1.0	0.17	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	93	74-140				1,2-Dichloroethane-d4	93	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	94	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-2044-1	Aqueous	GC 18	06/28/07	06/28/07	070628S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	103	103	68-122	0	0-18	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B

Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-2180-3	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	91	93	88-118	2	0-7	
Carbon Tetrachloride	89	96	67-145	8	0-11	
Chlorobenzene	92	95	88-118	2	0-7	
1,2-Dichlorobenzene	89	91	86-116	1	0-8	
1,1-Dichloroethene	92	97	70-130	6	0-25	
Toluene	95	98	87-123	3	0-8	
Trichloroethene	94	98	79-127	4	0-10	
Vinyl Chloride	86	93	69-129	7	0-13	
Methyl-t-Butyl Ether (MTBE)	96	101	71-131	5	0-13	
Tert-Butyl Alcohol (TBA)	83	93	36-168	12	0-45	
Diisopropyl Ether (DIPE)	94	98	81-123	4	0-9	
Ethyl-t-Butyl Ether (ETBE)	95	100	72-126	5	0-12	
Tert-Amyl-Methyl Ether (TAME)	94	97	72-126	3	0-12	
Ethanol	80	80	53-149	1	0-31	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 06/27/07  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B


Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-2074-5	Aqueous	GC/MS W	07/03/07	07/03/07	070703S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	96	96	88-118	0	0-7	
Carbon Tetrachloride	127	130	67-145	3	0-11	
Chlorobenzene	106	103	88-118	2	0-7	
1,2-Dichlorobenzene	101	102	86-116	1	0-8	
1,1-Dichloroethene	106	107	70-130	1	0-25	
Toluene	99	102	87-123	3	0-8	
Trichloroethene	101	103	79-127	1	0-10	
Vinyl Chloride	76	79	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	104	120	71-131	14	0-13	4
Tert-Butyl Alcohol (TBA)	103	116	36-168	12	0-45	
Diisopropyl Ether (DIPE)	98	99	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	115	117	72-126	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	107	116	72-126	8	0-12	
Ethanol	89	79	53-149	12	0-31	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-617	Aqueous	GC 18	06/28/07	06/28/07	070628B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	108	103	78-120	4	0-10	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,939	Aqueous	GC/MS JJ	06/30/07	07/01/07	070630L03

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	90	92	84-120	2	0-8	
Carbon Tetrachloride	86	92	63-147	7	0-10	
Chlorobenzene	93	95	89-119	2	0-7	
1,2-Dichlorobenzene	95	95	89-119	0	0-9	
1,1-Dichloroethene	91	97	77-125	6	0-16	
Toluene	95	98	83-125	3	0-9	
Trichloroethene	96	99	89-119	3	0-8	
Vinyl Chloride	85	92	63-135	9	0-13	
Methyl-t-Butyl Ether (MTBE)	98	103	82-118	5	0-13	
Tert-Butyl Alcohol (TBA)	78	86	46-154	10	0-32	
Diisopropyl Ether (DIPE)	92	96	81-123	4	0-11	
Ethyl-t-Butyl Ether (ETBE)	97	101	74-122	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	100	76-124	1	0-10	
Ethanol	77	85	60-138	9	0-32	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: N/A  
Work Order No: 07-06-2000  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,969	Aqueous	GC/MS W	07/03/07	07/03/07	070703L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	91	90	84-120	1	0-8	
Carbon Tetrachloride	116	115	63-147	1	0-10	
Chlorobenzene	101	101	89-119	0	0-7	
1,2-Dichlorobenzene	99	98	89-119	1	0-9	
1,1-Dichloroethene	96	95	77-125	2	0-16	
Toluene	97	93	83-125	4	0-9	
Trichloroethene	95	93	89-119	2	0-8	
Vinyl Chloride	74	71	63-135	4	0-13	
Methyl-t-Butyl Ether (MTBE)	99	96	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	107	102	46-154	4	0-32	
Diisopropyl Ether (DIPE)	90	92	81-123	2	0-11	
Ethyl-t-Butyl Ether (ETBE)	105	106	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	107	105	76-124	1	0-10	
Ethanol	73	72	60-138	1	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-06-2000

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.





LAB: 777



# SHELL Chain Of Custody Record

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other \_\_\_\_\_

**NAME OF PERSON TO BILL: Denis Brown**

ENVIRONMENTAL SERVICES       CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

NETWORK DEV / FE       BILL CONSULTANT

COMPLIANCE       RMT/CRMT

INCIDENT # (ES ONLY): 9 8 9 9 6 0 6 8

DATE: 6/26/07

PAGE: 1 of 2

SAMPLING COMPANY: **Blaine Tech Services, Inc.**      LOG CODE: **BTSS-070626-PC1-M**

ADDRESS: **1680 Rogers Avenue, San Jose, CA 95112**      SITE ADDRESS: Street and City: **1784 150th Ave., San Leandro**      State: **CA**      GLOBAL ID NO.: **T0600101230**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata**      EDf DELIVERABLE TO (Name, Company, Office Location): **Ana Friel, CRA, Eureka Office**      PHONE NO.: **(707) 268-3812**      E-MAIL: **sonomaedf@croworld.com**      CONSULTANT PROJECT NO.: **070626-PC1**

TELEPHONE: **408-573-0555**      FAX: **408-573-7771**      E-MAIL: **mninokata@blainetech.com**      SAMPLER NAME(S) (Print): **Tony Vega & Pete Comist**      LAB USE ONLY: **06-2000**

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):  STD     5 DAY     3 DAY     2 DAY     24 HOURS       RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT     UST AGENCY: \_\_\_\_\_

**SPECIAL INSTRUCTIONS OR NOTES:**

EDD NOT NEEDED

SHELL CONTRACT RATE APPLIES

STATE REIMB RATE APPLIES

RECEIPT VERIFICATION REQUESTED

**REQUESTED ANALYSIS**

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	TEMPERATURE ON RECEIPT C°	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes
		DATE	TIME																					
1	MW-1	6/26/07	1250	W	5	X	X	X	X	X	X	X	X	X	X									
2	MW-2		1235		5	X	X	X	X	X	X	X	X	X	X									
3	MW-3		1155		5	X	X	X	X	X	X	X	X	X	X									
4	MW-4		0905		5	X	X	X	X	X	X	X	X	X	X									
5	MW-5		1025		5	X	X	X	X	X	X	X	X	X	X									
6	MW-6		0942		5	X	X	X	X	X	X	X	X	X	X									
7	MW-7		1108		5	X	X	X	X	X	X	X	X	X	X									
8	MW-8		1132		5	X	X	X	X	X	X	X	X	X	X									
9	MW-9		938		5	X	X	X	X	X	X	X	X	X	X									
10	MW-10		1125		5	X	X	X	X	X	X	X	X	X	X									

Relinquished by: (Signature) *[Signature]*      Received by: (Signature) *[Signature]*      Date: 6/26/07      Time: 1600

Relinquished by: (Signature) *[Signature]*      Received by: (Signature) *[Signature]*      Date: 6/26/07      Time: 1555

Relinquished by: (Signature) *[Signature]*      Received by: (Signature) *[Signature]*      Date: 6/27/07      Time: 0915

LAB:

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other \_\_\_\_\_



# SHELL Chain Of Custody Record

NAME OF PERSON TO BILL: **Denis Brown**

ENVIRONMENTAL SERVICES

NETWORK DEV / FE

COMPLIANCE

BILL CONSULTANT

RMT/CRMT

CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY)

9 8 9 9 6 0 6 8

DATE: **6/26/07**

PAGE: **2** of **2**

SAMPLING COMPANY: **Blaine Tech Services, Inc.** LOG CODE: **BTSS** SITE ADDRESS: Street and City **1784 150th Ave., San Leandro** State **CA** GLOBAL ID NO.: **T0600101230**

ADDRESS: **1680 Rogers Avenue, San Jose, CA 95112** EDI DELIVERABLE TO (Name, Company, Office Location): **Ana Friel, CRA, Eureka Office** PHONE NO.: **(707) 268-3812** E-MAIL: **sonomaedf@croworld.com** CONSULTANT PROJECT NO.: **070626PCL**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata** TELEPHONE: **408-573-0555** FAX: **408-573-7771** E-MAIL: **mminokata@blainetech.com** SAMPLER NAME(S) (Print): **P. Garnish, T. Vega** LAB USE ONLY: **06-2000**

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):  STD  5 DAY  3 DAY  2 DAY  24 HOURS  RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT  UST AGENCY: \_\_\_\_\_

SPECIAL INSTRUCTIONS OR NOTES:

- EDD NOT NEEDED
- SHELL CONTRACT RATE APPLIES
- STATE REIMB RATE APPLIES
- RECEIPT VERIFICATION REQUESTED


### REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification		SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	TEMPERATURE ON RECEIPT C°	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes	
			DATE	TIME																						
11	MW-11	6/26/07	1310	W		5	X	X	X	X	X	X	X	X	X	X										
12	MW-12	↓	1200	↓		5	X	X	X	X	X	X	X	X	X	X										
13	MW-13	↓	910	↓		5	X	X	X	X	X	X	X	X	X	X										

Relinquished by: (Signature) *[Signature]* Received by: (Signature) *[Signature]* Date: **6/26/07** Time: **1600**

Relinquished by: (Signature) *[Signature]* Received by: (Signature) *[Signature]* Date: **6/26/07** Time: **1555**

Relinquished by: (Signature) *[Signature]* Received by: (Signature) *[Signature]* Date: **6/27/07** Time: **0915**



WORK ORDER #: **07** - 0 6 - 2 0 0 0

Cooler 1 of 1

### SAMPLE RECEIPT FORM

CLIENT: Blaine Tech

DATE: 6/27/07

**TEMPERATURE – SAMPLES RECEIVED BY:**

**CALSCIENCE COURIER:**

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature.
- °C Temperature blank.

**LABORATORY (Other than CalScience Courier):**

- °C Temperature blank.
- 4.1 °C IR thermometer.
- Ambient temperature.

Initial: JP

**CUSTODY SEAL INTACT:**

Sample(s): \_\_\_\_\_ Cooler: \_\_\_\_\_ No (Not Intact) : \_\_\_\_\_ Not Present:

Initial: JP

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VOA vial(s) free of headspace. ....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Initial: JP

**COMMENTS:**

---



---



---



---



---



---

# SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1784 150th Ave. San Leandro CA Date 6/26/07

Job Number 070626-PCI Technician Tony Vega Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
MW-1	X	X							
MW-2	X	X							
MW-3	X	X							
MW-4	X	X							
MW-5	X	X							
MW-6	X	X							
MW-7	X	X							
MW-8	X	X							
MW-9	X	X							
MW-10	X	X							
MW-11	X	X							
MW-12	<del>X</del>	X						X	NO ID TAGS
MW-13	<del>X</del>	X						X	" "

\*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: \_\_\_\_\_

# SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1784 150th Ave San Leandro, CA Date 6/1/07

Job Number 070661-5L2 Technician Tony Vega Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
MW-1	X	X							
MW-2	X	X							

\*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: \_\_\_\_\_  
 \_\_\_\_\_

# SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1784 150<sup>th</sup> Ave. San Leandro CA Date 4/5/07  
 Job Number 0700105-DR2 Technician DA Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
MW-11							x		- 1 of 2 bolts.

\*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: \_\_\_\_\_

## WELL GAUGING DATA

Project # 070626-PCI

Date 6/26/07

Client Shell

Site 1784 150th Ave San Leandro CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	0802	4					22.30	44.30 <sup>Hist.</sup>	TOC	No product
MW-2	0804	4					18.64	42.93		
MW-3	0758	4					25.10	41.52		
MW-4	0843	2					<del>25.6</del> 13.60	25.00		
MW-5	1005	2					14.68	24.95		
MW-6	0930	2					<del>TV 19.1</del> 14.60	19.47		
MW-7	<del>and missed reading</del>	2					17.60	26.90		
MW-8	<del>missed reading</del>	2					16.40	24.10		
MW-9	<del>missed reading</del>	2					14.80	34.78		
MW-10	1107	4					23.75	41.63		
MW-11	0805	4					18.70	24.62		No product
MW-12	<del>missed reading</del>	2					<del>17.29 TV</del> <del>14.68</del> 18.70	<del>TV 27.90</del> <del>23.91</del> 23.91		
MW-13	<del>missed reading</del>	2					14.68	23.91		

IF product

IF product

## SHELL WELL MONITORING DATA SHEET

BTS #: 070626-PC1	Site: 1784 150th Ave San Leandro CA
Sampler: TV	Date: 6/26/07
Well I.D.: MW1	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): 44.70	Depth to Water (DTW): 22.30
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 26.7	

Purge Method: Bailer Disposable Bailer Positive Air Displacement - Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: Bailer - Disposable Bailer Extraction Port Dedicated Tubing Other: _____
--	--	---

14.3 (Gals.) X 3 = 42.9 Gals. 1 Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1240	73.2	6.75	1348	12	14.3	clear, gas odor
1242	70.8	6.63	1376	9	28.6	" "
1245	70.7	6.61	1400	5	42.9	" "

Did well dewater? Yes (No)	Gallons actually evacuated: 42.9	
Sampling Date: 6/26/07	Sampling Time: 1250	Depth to Water: 25.11
Sample I.D.: MW-1	Laboratory: STL	Other: Cal Science
Analyzed for: (TPH-G) (BTEX) (MTBE) TPH-D	Other: TAME, TBA, 1,2-DCA	
EB I.D. (if applicable): @ Time	Duplicate I.D. (if applicable):	
Analyzed for: TPH-G BTEX MTBE TPH-D	Other:	
D.O. (if req'd): Pre-purge:	mg/L	(Post-purge): 1.33 mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge: mV

**Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558**



## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070626-RL1</u>	Site: <u>98996068</u>
Sampler: <u>Pc</u>	Date: <u>6/26/07</u>
Well I.D.: <u>MW-2</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): <u>4293</u>	Depth to Water (DTW): <u>17.64</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>23.49</u>	

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible

Water:  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing

Other: \_\_\_\_\_

$\frac{15.8 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{47.4}{\text{Calculated Volume}} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1222	59.9	6.9	1165	20	16	odor clear
1226	69.3	6.8	1204	5	32	
1230	69.7	6.8	1232	9	47.5	

Did well dewater? Yes  No  Gallons actually evacuated: 47.5

Sampling Date: 6/26/07 Sampling Time: 1235 Depth to Water: 20.28

Sample I.D.: MW-2 Laboratory: STL Other: CalSciEnv

Analyzed for: ~~TPH-G~~ ~~BTEX~~ ~~MTBE~~ TPH-D Other: see LOC

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 070626-PCI	Site: 1784 150 <sup>th</sup> Ave San Leandro
Sampler: TV	Date: 6/26/07
Well I.D.: MW-3	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): 41.52	Depth to Water (DTW): 25.10
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 28.38	

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible      Other \_\_\_\_\_       Dedicated Tubing

Other: \_\_\_\_\_

$10.6 \text{ (Gals.)} \times 3 = 31.8 \text{ Gals.}$ <p>1 Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1148	70.0	6.63	1458	13	10.6	gas odor, clear
1150	69.1	6.61	1484	9	21.2	" "
1151	69.1	6.59	1513	8	31.8	" "

Did well dewater?    Yes     No      Gallons actually evacuated: 31.8

Sampling Date: 6/26/07    Sampling Time: 1155      Depth to Water: 28.38

Sample I.D.: MW-3      Laboratory: STL    Other: Cal Science

Analyzed for:  TPH-G     BTEX     MTBE<sup>TV</sup>     TPH-D    Other: Oxy's (8260), 1,2-DCA

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 070626-PC1	Site: 1784 150th Ave San Leandro CA
Sampler: TV	Date: 6/26/07
Well I.D.: MW-4	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): 25.00	Depth to Water (DTW): 13.60
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.88	

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible       Other \_\_\_\_\_       Dedicated Tubing

Other: \_\_\_\_\_

$1.8 \text{ (Gals.)} \times 3 = 5.4 \text{ Gals.}$ 1 Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
0850	68.2	5.81	974.2	> 1000	1.8	cloudy / brown
0853	67.7	6.43	941.6	> 1000	3.6	✓
0857	67.1	6.85	938.4	> 1000	5.4	✓

Did well dewater?    Yes    No      Gallons actually evacuated: 5.4

Sampling Date: 6/26/07    Sampling Time: 0905    Depth to Water: 15.36

Sample I.D.: MW-4      Laboratory: STL    Other: Cal Science

Analyzed for: TPH-G BTEX    MTBE    TPH-D    Other: Oxy's

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	<u>Post-purge</u>	3.69	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:		mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 070626-PCI	Site: 1784 150th Ave San Leandro CA
Sampler: TV	Date: <del>6/24/07</del> 6/26/07
Well I.D.: MW-5	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): 24.95	Depth to Water (DTW): 14.68
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.73	

Purge Method: Bailer      Waterra      Sampling Method: Bailer  
 - Disposable Bailer      Peristaltic      - Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
 Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing  
 Other: \_\_\_\_\_

$1.6$ (Gals.) X $3$ = $4.8$ Gals. I Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1015	67.3	7.36	840.3	>1000	1.6	cloudy/brown
1017 <sup>TV</sup>	67.0	<del>7.38</del> <sup>3</sup>	881.9	>1000	3.2	✓
1020	66.8	7.42	869.4	>1000	4.8	✓

Did well dewater? Yes  No  Gallons actually evacuated: 4.8

Sampling Date: 6/26/07      Sampling Time: 1025      Depth to Water: 16.54

Sample I.D.: MW-5      Laboratory: STL      Other: Cal Screeno

Analyzed for: TPH-G BTEX MTBE TPH-D      Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D      Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	<u>Post-purge:</u>	4.72	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:		mV



## SHELL WELL MONITORING DATA SHEET

BTS #: 070626 PCJ	Site: 98996068
Sampler: PC	Date: 6/26/07
Well I.D.: MW-7	Well Diameter: <input checked="" type="radio"/> 2    3    4    6    8    _____
Total Well Depth (TD): 26.90	Depth to Water (DTW): 17.60
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <input checked="" type="radio"/> VQ    Grade	D.O. Meter (if req'd): <input checked="" type="radio"/> YSL    HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.40	

Purge Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump <input type="checkbox"/> Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing <input type="checkbox"/> Other: _____
---	--	---

1.5 (Gals.) X 3 = 4.5 Gals. 1 Case Volume                      Specified Volumes                      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <del>µS</del> )	Turbidity (NTUs)	Gals. Removed	Observations
1055	68.3	6.5	3196	>1000	1.5	grey ↓
1058	68.3	6.5	3176	>1000	3	
1102	68.7	6.6	3192	>1000	4.5	

Did well dewater?    Yes     No    Gallons actually evacuated: 4.5

Sampling Date: 6/26/07    Sampling Time: 1108    Depth to Water: 19.41

Sample I.D.: MW-7    Laboratory: STL    Other: CalScience

Analyzed for:  TPH-G     BTEX     MTBE     TPH-D    Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
				0.83

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070626-PC</u>	Site: <u>9899 6068</u>
Sampler: <u>PC</u>	Date: <u>6/26/07</u>
Well I.D.: <u>110-8</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth (TD): <u>24.10</u>	Depth to Water (DTW): <u>16.90</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>17.94</u>	

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible       Other \_\_\_\_\_       Dedicated Tubing

Other: \_\_\_\_\_

$1.2 \text{ (Gals.)} \times 3 = 3.6 \text{ Gals.}$ <p>1 Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <del>DS</del> )	Turbidity (NTUs)	Gals. Removed	Observations
1120	67.7	6.9	1425	>1000	1-2	grey, odor
1124	67.2	6.8	1302	>1000	2-4	↓ ↓
1128	67.8	6.8	1329	>1000	3.6	↓ ↓

Did well dewater?    Yes   No      Gallons actually evacuated: 3.6

Sampling Date: 6/26/07    Sampling Time: 1132    Depth to Water: 19.30 Trapped well

Sample I.D.: 110-8      Laboratory:    STL    Other Calscience

Analyzed for: ~~TPH-G BTEX MTBE~~    TPH-D    Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070626-PC1</u>	Site: <u>98996068</u>
Sampler: <u>PC</u>	Date: <u>6/26/07</u>
Well I.D.: <u>MW-9</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth (TD): <u>34.78</u>	Depth to Water (DTW): <u>14.80</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): <u>PSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>18.80</u>	

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible       Other \_\_\_\_\_       Dedicated Tubing

Other: \_\_\_\_\_

$\frac{3.2 \text{ (Gals.)} \times 3}{1 \text{ Case Volume}} = \frac{9.6 \text{ Gals.}}{\text{Specified Volumes}} = \text{Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
920	66.1	7.6	1028	191	3.2	cloudy ↓
926	66.5	7.4	1021	185	6.4	
932	67.3	7.4	1009	390	9.6	

Did well dewater?    Yes <input checked="" type="checkbox"/> <input type="checkbox"/>	Gallons actually evacuated: <u>9.6</u>
Sampling Date: <u>6/26/07</u> Sampling Time: <u>938</u> Depth to Water: <u>14.80</u>	
Sample I.D.: <u>MW-9</u> Laboratory:    STL    Other: <u>CalScience</u>	
Analyzed for: <u>TPH-G</u> BTEX <u>MTBE</u> TPH-D    Other:	
EB I.D. (if applicable):    @    Time    Duplicate I.D. (if applicable):	
Analyzed for:    TPH-G    BTEX    MTBE    TPH-D    Other:	
D.O. (if req'd):    Pre-purge:    _____    mg/L    Post-purge: <u>0.91</u> mg/L	
O.R.P. (if req'd):    Pre-purge:    _____    mV    Post-purge:    _____    mV	







## SHELL WELL MONITORING DATA SHEET

BTS #: 070626-PC1	Site: 98996068
Sampler: PC	Date: 6/26/07
Well I.D.: MW-12	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 2790	Depth to Water (DTW): 17.29
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.41	

Purge Method:  Bailer      Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible      Other \_\_\_\_\_       Dedicated Tubing

Other: \_\_\_\_\_

$\underline{1.7} \text{ (Gals.)} \times \underline{3} = \underline{5.1} \text{ Gals.}$ 1 Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1145	68.1	6.56	3091	>1000	1.7	grey odor ↓ ↓
1150	68.0	6.48	3365	>1000	3.4	
1154	68.2	6.44	3523	>1000	5.1	

Did well dewater?    Yes     No      Gallons actually evacuated: 5.1

Sampling Date: 6/26/07    Sampling Time: 12:00    Depth to Water: 19.50 Traffic well

Sample I.D.: MW-12      Laboratory: STL    Other: Cal Science

Analyzed for: TPH-G BTEX MTBE TPH-D    Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 670626-PC1	Site: 92996068
Sampler: PC	Date: 6/24/07
Well I.D.: MW-13	Well Diameter: ② 3 4 6 8
Total Well Depth (TD): 23.91	Depth to Water (DTW): 14.68
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.53	

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible       Other \_\_\_\_\_       Dedicated Tubing

Other: \_\_\_\_\_

$1.5 \text{ (Gals.)} \times 3 = 4.5 \text{ Gals.}$ <p style="font-size: small; margin: 0;">1 Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
856	66.5	6.9	1285	>1000	1.5	light brown
901	65.6	7.4	1208	>1000	3	) ↓
905	66.2	7.5	1209	>1000	4.5	

Did well dewater?    Yes     No       Gallons actually evacuated: 4.5

Sampling Date: 6/26/07      Sampling Time: 910      Depth to Water: 15.10

Sample I.D.: MW-13      Laboratory: STL    Other: Calscience

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	0.38 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## WELL GAUGING DATA

Project # 070601-SLZ Date 6/1/07 Client Shell

Site 1784 150th Ave. San Leandro, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	1200	4		NO SPH detected			21.93	27.82	TOC	
MW-2 <small>RV</small>	1205	4		"	"		18.32	24.63	TOC	
* All caps removed 15min. prior to gauging										



## SHELL WELL MONITORING DATA SHEET

BTS #: 070601-522	Site: 98996068
Sampler: TV	Date: 6/1/07
Well I.D.: MW-11	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): 24.63	Depth to Water (DTW): 18.32
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.58	

Purge Method:  Bailer      Waterra      Sampling Method:  Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
 Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing

Other: \_\_\_\_\_

4.1 (Gals.) X 3 = 12.3 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1755	66.4	7.01	884	>1000	4.1	Green Odor
1800	67.1	6.81	879	>1000	8.2	" "
1805	67.0	6.82	812	>1000	12.3	↓

Did well dewater? Yes  No  Gallons actually evacuated: 12.3

Sampling Date: 6/1/07 Sampling Time: 1815 Depth to Water: 19.50

Sample I.D.: MW-11 Laboratory: STL Other: CA Science

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Cee Col

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L Post-purge: 1.18 mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV Post-purge: \_\_\_\_\_ mV

## WELL GAUGING DATA

Project # 070405-DA2 Date 4/15/07 Client 98996068

Site 1784 750th Ave. San Leandro CA.

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <del>TOB</del>	Notes
MW-11		4					17.50	24.60	↓	No SP1+



## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070405-DA2</u>	Site: <u>18996068</u>
Sampler: <u>DR</u>	Date: <u>4/5/07</u>
Well I.D.: <u>MW-11</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): <u>24.60</u>	Depth to Water (DTW): <u>17.50</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>18.92</u>	

Purge Method: Bailer	Watterra	Sampling Method: <input checked="" type="checkbox"/> Bailer
Disposible Bailer	Peristaltic	Disposible Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
<input checked="" type="checkbox"/> Electric Submersible	Other <input type="checkbox"/>	Dedicated Tubing
Other: _____		

$\underline{4.6} \text{ (Gals.)} \times \underline{3} = \underline{13.8} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														
1 Case Volume	Specified Volumes	Calculated Volume															

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1340	70.1	6.1	879	22	4.6	clear / odor
1342	70.7	6.2	910	78	9.2	"
1344	70.8	6.2	911	109	13.8	"
						DTW = 19.95

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: <u>13.8</u>	
Sampling Date: <u>4/5/07</u>	Sampling Time: <u>1400</u>	Depth to Water: <u>18.92</u>
Sample I.D.: <u>MW-11</u>	Laboratory: STL	Other: <u>Calscience</u>
Analyzed for: TPH-G BTEX MTBE TPH-D	Other: <u>See GC</u>	
EB I.D. (if applicable): _____ @ _____ Time	Duplicate I.D. (if applicable): _____	
Analyzed for: TPH-G BTEX MTBE TPH-D	Other: _____	
D.O. (if req'd): Pre-purge: _____ mg/L	Post-purge: <u>0.72</u> mg/L	
O.R.P. (if req'd): Pre-purge: _____ mV	Post-purge: _____ mV	