



Reviewed 10-25-93
SES

April 28, 1993

Scott O. Seery
Alameda County Department
of Environmental Health
Hazardous Materials Division
80 Swan Way, Room 200
Oakland, California 94621-1426

Re: Shell Service Station
WIC #204-6852-1404
1784 150th Avenue
San Leandro, California 94578
WA Job #81-422-203

Dear Mr. Seery:

This letter describes recently completed and anticipated activities at the Shell service station referenced above (Figure 1). This status report satisfies the quarterly reporting requirements prescribed by California Administrative Code Title 23 Waters, Chapter 3, Subchapter 16, Article 5, Section 265.d. Included below are descriptions and results of activities performed in the first quarter 1993 and proposed work for the second quarter 1993.

First Quarter 1993 Activities:

- Blaine Tech Services, Inc. (BTS) of San Jose, California measured ground water depths monthly and collected ground water samples from the three site wells. BTS' report describing these activities and the analytic report for the ground water samples are included as Attachment A.
- As requested in a January 17, 1993 letter from the Alameda County Department of Environmental Health, the three wells were analyzed for volatile organic compounds (VOCs) as part of a regional hydrogeological study.

- Weiss Associates (WA) compiled ground water elevation and analytic data (Tables 1 and 2), prepared ground water elevation contour maps for the last three months as required in your August 17, 1992 letter (Figure 2, 3 and 4) and prepared isoconcentration contour maps for benzene and 1,2-dichloroethane in ground water (Figures 5 and 6).

Anticipated Second Quarter 1993 Activities:

- BTS will collect water samples from all site wells. BTS will also measure ground water depths monthly in each well.
- WA will submit a report presenting the results of second quarter 1993 ground water sampling and monthly ground water depth measurements. The report will include tabulated chemical analytic results, a ground water elevation contour map and isoconcentration contour maps.

Conclusions and Recommendations:

Since hydrocarbons are detected in water samples from well MW-2, which is downgradient of the underground storage tanks near the downgradient property line, [REDACTED] investigation to assess the extent of hydrocarbons downgradient of the site. The investigation workplan and schedule will be submitted under separate cover.

Scott O. Seery
April 28, 1993

3

Weiss Associates 

Please call if you have any questions.



Sincerely,
Weiss Associates

A handwritten signature in black ink, appearing to read "J. Michael Asport".

J. Michael Asport
Technical Assistant

A handwritten signature in black ink, appearing to read "J. P. Theisen".

Joseph P. Theisen, C.E.G.
Senior Hydrogeologist

JMA/JPT:jma

J:\SHELL\400\422QMMA3.WP

Attachments: Figures
 Table
 A - BTS' Ground Water Monitoring Report

cc: Dan Kirk, Shell Oil Company, P.O. Box 5278, Concord, California 94520-9998
 Lester Feldman, California Regional Water Quality Control Board - San Francisco Bay
 Region, 2101 Webster Street, Suite 500, Oakland, California 94612
 Eileen Hughes, California Department of Toxic Substances Control, 700 Hines Avenue,
 Building "F" Suite 200, Berkeley CA, 94710




Figure 1. Site Location Map - Shell Service Station WIC #204-6852-1404, 1784 150th Avenue, San Leandro, California





Figure 2. Monitoring Well Locations and Ground Water Elevations Contours - January 22, 1993 - Shell Service Station WIC #204-6852-1404, 1784 150th Avenue, San Leandro, California



EXPLANATION

- ⊙ MW-2 Monitoring well
- 27.75 Ground water elevation, ft above mean sea level
- 29.0 Ground water elevation contour, ft above mean sea level, approximately located, dashed where inferred
- Inferred ground water flow direction





Figure 3. Monitoring Well Locations and Ground Water Elevations Contours - February 10, 1993 - Shell Service Station WIC #204-6852-1404, 1784 150th Avenue, San Leandro, California



EXPLANATION

- ⊙ MW-2 Monitoring well
- 28.55 Ground water elevation, ft above mean sea level
- 28.6 Ground water elevation contour, ft above mean sea level, approximately located, dashed where inferred
- Inferred ground water flow direction




Figure 4. Monitoring Well Locations and Ground Water Elevations Contours - March 3, 1993 - Shell Service Station WIC #204-6852-1404, 1784 150th Avenue, San Leandro, California




Figure 5. Benzene Concentrations in Ground Water - March 3, 1993 - Shell Service Station WIC #204-6852-1404, 1784 150th Avenue, San Leandro, California




Figure 6. 1,2 - Dichloroethane Concentrations in Ground Water - March 3, 1993 - Shell Service Station WIC #204-6852-1404, 1784 150th Avenue, San Leandro, California

TABLE 1. Ground Water Elevations - Shell Service Station WIC #204-6852-1404, 1784 150th Avenue, San Leandro, California

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)
MW-1	03/08/90	49.13	25.29	23.84
	06/12/90		25.85	23.28
	09/13/90		27.49	21.64
	12/18/90		27.41	21.72
	03/07/91		25.79	23.34
	06/07/91		25.64	23.49
	09/17/91		27.54	21.59
	12/09/91		27.81	21.32
	02/13/92		25.57	23.56
	02/24/92		22.83	26.30
	02/27/92		23.09	26.04
	03/01/92		23.26	25.87
	06/03/92		24.64	24.49
	09/01/92		26.74	22.39
	10/06/92		27.18	21.95
	11/11/92		27.99	21.14
	12/04/92		27.14	21.99
	01/22/93		20.09	29.04
	02/10/93		24.26	24.87
03/03/93	20.50	28.63		
MW-2	02/13/92	45.83	22.22	23.61
	02/24/92		19.61	26.22
	02/27/92		19.92	25.91
	03/01/92		21.11	24.72
	06/03/92		21.58	24.25
	09/01/92		23.46	22.37
	10/06/92		23.99	21.84
	11/11/92		24.25	21.58
	12/04/92		23.89	21.94
	01/22/93		17.03	28.80
02/10/93	18.08	27.75		
03/03/93	17.28	28.55		
MW-3	02/13/92	51.97	27.97	24.00
	02/24/92		25.60	26.37
	02/27/92		25.88	26.09
	03/01/92		26.00	25.97
	06/03/92		27.70	24.27
	09/01/92		29.46	22.51

-- Table 1 continues on next page --

TABLE 1. Ground Water Elevations - Shell Service Station WIC #204-6852-1404, 1784 150th Avenue, San Leandro, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)
	10/06/92		30.01	21.96
	11/11/92		30.26	21.71
	12/04/92		29.93	22.04
	01/22/93		22.76	29.21
	02/10/93		21.40	30.57
	03/03/93		23.08	28.89

TABLE 2. Analytic Results for Ground Water - Shell Service Station WIC #204-6852-0703, 1784 150th Avenue, San Leandro, California

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	TPH-D	POG	B	E	T	X	1,2-DCA
			-----parts per million (mg/l)-----							
MW-1	03/08/90	25.29	0.51	0.12 ^a	<10	0.0015	<0.0005	0.0008	0.0054	0.012
	06/12/90	25.85	0.39	0.10 ^a	<10	0.086	0.0007	0.0013	0.0062	<0.0004
	09/13/90	27.49	0.10	0.13 ^a	<10	0.056	0.0024	0.00075	0.0028	<0.0004 ^b
	12/18/90	27.41	0.48	<0.05 ^a	<10	0.054	0.0033	0.0017	0.0037	0.0053
	03/07/91	25.79	0.08	<0.05 ^a	---	0.026	0.0012	<0.0005	<0.0015	0.0067
	06/07/91	25.64	0.51	<0.05 ^a	---	0.13	0.0061	0.0038	0.011	0.0079
	09/17/91	27.54	0.33	0.12 ^{ac}	---	0.067	0.0030	<0.0005	0.0022	0.0060
	12/09/91	27.81	0.14 ^d	0.08	---	<0.0005	0.0017	<0.0005	0.0047	0.0054
	03/01/92	23.36	<0.05	<0.05	---	<0.0005	<0.0005	<0.0005	<0.0005	0.003
	06/03/92	24.64	1.5	---	---	0.52	0.072	0.18	0.23	0.0030
	09/01/92	26.74	0.13	---	---	0.016	0.0018	0.0014	0.0034	0.0013 ^e
	12/04/92	27.14	0.15	---	---	0.36	0.0018	0.0007	0.0021	0.0033
	03/03/93	20.50	<0.050	---	---	0.0015	<0.0005	<0.0005	<0.0005	0.00076
MW-2	02/24/92	19.61	17	2.7 ^c	---	6.2	0.55	1.6	1.9	0.20
	03/01/92	21.11	86	1.0 ^f	---	30	2.3	34	16	0.082
	06/03/92	21.58	87	---	---	28	2.0	18	10	<0.05
	09/01/92	23.46	110	---	---	21	1.9	13	7.8	0.083 ^g
	12/04/92	23.89	42	---	---	15	0.96	2.4	2.9	0.10
	03/03/93	17.28	160	---	---	36	32	3.8	21	0.0077
03/03/93 ^h	---	150	---	---	31	20	3.1	14	0.016	
MW-3	02/24/92	25.60	4.5	1.3 ^c	---	0.097	0.078	<0.005	0.018	0.0091
	03/01/92	26.00	2.2	0.44	---	0.069	<0.0005	<0.0005	<0.0005	0.013
	06/03/92	27.70	4.1	---	---	0.013	0.044	0.072	0.065	0.016
	09/01/92	29.46	1.9	---	---	0.020	0.0055	0.0068	<0.005	0.019
	09/01/92 ^h	29.46	1.9	---	---	0.021	0.0034	0.0066	<0.005	0.021
	12/04/92	29.93	2.4	---	---	0.0082	<0.005	<0.005	<0.005	0.016
	12/04/92 ^h	29.93	2.1	---	---	0.011	0.0057	<0.0005	<0.0005	0.018
03/03/93	23.08	5.1	---	---	0.063	0.075	0.061	0.15	0.0033	
Trip Blank	03/08/90		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	06/12/90		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	12/18/90		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	03/07/91		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	06/07/91		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	09/17/91		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	12/09/91		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	02/24/92		<0.05	---	---	<0.0005	0.0006	0.0025	0.0022	---
	03/01/92		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	06/03/92		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
	09/01/92		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

-- Table 1 continues on next page --



TABLE 2. Analytic Results for Ground Water - Shell Service Station WIC #204-6852-0703, 1784 150th Avenue, San Leandro, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	TPH-D	POG	B	E	T	X	1,2-DCA
			-----parts per million (mg/l)-----							
	12/04/92		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005 ⁱ
	03/03/93		<0.05	---	---	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Bailer	03/08/90		<0.050	---	---	<0.0005	<0.0005	<0.0005	<0.0005	---
Blank	09/01/92		<0.05	---		<0.0005	<0.0005	0.0007	<0.0005	<0.0005
	12/04/92		0.060	---		<0.0005	<0.0005	<0.0005	<0.0005	<0.0005 ⁱ
DTSC MCLs			NE	NE	NE	0.001	0.680	0.10 ^j	1.750	0.0005

Abbreviations:


TPH-G = Total Petroleum Hydrocarbons as Gasoline by Modified EPA Method 8015
 TPH-D = Total Petroleum Hydrocarbons as Diesel by Modified EPA Method 8015
 POG = Petroleum oil and grease by American Public Health Association Standard Method 503E or 5520F
 B = Benzene by EPA Method 8020
 E = Ethylbenzene by EPA Method 8020
 T = Toluene by EPA Method 8020
 X = Xylenes by EPA Method 8020
 1,2-DCA = 1,2-Dichloroethane by EPA Method 601
 --- = Not analyzed
 <n = Not detected above method detection limit of n ppm
 DTSC MCLs = California Department of Toxic Substances Control maximum contaminant levels for drinking water
 NE = Not established

Notes:

a = No total petroleum hydrocarbons as motor oil detected above modified EPA Method 8015 detection limit of 0.5 ppm
 b = Tetrachloroethene (PCE) detected at 0.024 ppm by EPA Method 601; DTSC MCL for PCE = 0.005 ppm
 c = Result is due to hydrocarbon compounds lighter than diesel
 d = Result due to a non-gasoline hydrocarbon compound
 e = In the matrix spike/matrix spike duplicate of sample MW-1, the RPD for Freon 113 and 1,3-dichlorobenzene was greater than 25%
 f = Diesel result is due to a petroleum hydrogen that is lighter than diesel
 g = Sample MW-2 was diluted 1:100 for EPA Method 8010 due to the interfering hydrocarbon peaks
 h = Duplicate sample
 i = The trip and field flank samples from 12/04/92 contained 0.014 and 0.010 mg/L 1,3-dichlorobenzene, respectively
 j = DTSC recommended action level for drinking water; MCL not established



ATTACHMENT A
GROUND WATER MONITORING REPORT AND ANALYTIC REPORT



BLAINE TECH SERVICES INC.

985 TIMOTHY DRIVE
SAN JOSE, CA 95133
(408) 995-5535
FAX (408) 293-8773

March 16, 1993

RECEIVED
MAR 24 1993

WEISS ASSOCIATES

Shell Oil Company
P.O. Box 5278
Concord, CA 94520-9998

Attn: Daniel T. Kirk

SITE:
Shell WIC # 204-6852-1404
1784 150th Ave.
San Leandro, California

QUARTER:
1st quarter of 1993

QUARTERLY GROUNDWATER SAMPLING REPORT 930303-Y-2

This report contains data collected during routine inspection, gauging and sampling of groundwater monitoring wells performed by Blaine Tech Services, Inc. in response to the request of the consultant who is overseeing work at this site on behalf of our mutual client, Shell Oil Company. Data collected in the course of our field work is presented in a **TABLE OF WELL GAUGING DATA**. The field information was collected during our preliminary gauging and inspection of the wells, the subsequent evacuation of each well prior to sampling, and at the time of sampling.

Measurements taken include the total depth of the well and the depth to water. The surface of the water was further inspected for the presence of immiscibles which may be present as a thin film (a sheen on the surface of the water) or as a measurable free product zone (FPZ). At intervals during the evacuation phase, the purge water was monitored with instruments that measure electrical conductivity (EC), potential hydrogen (pH), temperature (degrees Fahrenheit), and turbidity (NTU). In the interest of simplicity, fundamental information is tabulated here, while the bulk of the information is turned over directly to the consultant who is making professional interpretations and evaluations of the conditions at the site.

TABLE OF WELL GAUGING DATA

WELL I.D.	WELL DIAMETER (inches)	DATA COLLECTION DATE	MEASUREMENTS REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLE LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLE LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	4	03-03-93	TOP OF PIPE	--	NONE	--	--	20.50	44.70
MW-2 *	4	03-03-93	TOP OF PIPE	ODOR	NONE	--	--	17.28	44.42
MW-3	4	03-03-93	TOP OF PIPE	--	NONE	--	--	23.08	41.66

* Sample "DUP" was a duplicate sample taken from well MW-2.

STANDARD PROCEDURES

Evacuation

Groundwater wells are thoroughly purged before sampling to insure that the sample is collected from water that has been newly drawn into the well from the surrounding geologic formation. The selection of equipment to evacuate each well is based on the physical characteristics of the well and what is known about the performance of the formation in which the well has been installed. There are several suitable devices which can be used for evacuation. The most commonly employed devices are air or gas actuated pumps, electric submersible pumps, and hand or mechanically actuated bailers. Our personnel frequently employ USGS/Middleburg positive displacement pumps or similar air actuated pumps which do not agitate the water standing in the well.

Normal evacuation removes three case volumes of water from the well. More than three case volumes of water may be removed in cases where more evacuation is needed to achieve stabilization of water parameters. Less than three case volumes of water may be obtained in cases where the well dewateres and does not recharge to 80% of its original volume within two hours and any additional time our personnel have reason to remain at the site. In such cases, our personnel return to the site within twenty four hours and collect sample material from the water which has recharged into the well case.

Decontamination

All apparatus is brought to the site in clean and serviceable condition. The equipment is decontaminated after each use and before leaving the site.

Free Product Skimmer

The column headed, VOLUME OF IMMISCIBLES REMOVED (ml) is included in the TABLE OF WELL GAUGING DATA to cover situations where a free product skimming device must be removed from the well prior to gauging. Skimmers are installed in wells with a free product zone on the surface of the water. The skimmer is a free product recovery device which often prevents normal well gauging and free product zone measurements. The 2.0" and 3.0" PetroTraps fall into the category of devices that obstruct normal gauging. In cases where the consultant elects to have our personnel pull the skimmers out of the well and gauge the well, our personnel perform the additional task of draining the accumulated free product out of the PetroTrap before putting it back in the well. This recovered free product is measured and logged in the VOLUME OF IMMISCIBLES REMOVED column. Gauging at such site is performed in accordance with specific directions from the professional consulting firm overseeing work at the site on Shell's behalf.

Sample Containers

Sample material is collected in specially prepared containers which are provided by the laboratory that performs the analyses.

Sampling

Sample material is collected in stainless steel bailer type devices normally fitted with both a top and a bottom check valve. Water is promptly decanted into new sample containers in a manner which reduces the loss of volatile constituents and follows the applicable EPA standard for handling volatile organic and semi-volatile compounds.

Following collection, samples are promptly placed in an ice chest containing prefrozen blocks of an inert ice substitute such as Blue Ice or Super Ice. The samples are maintained in either an ice chest or a refrigerator until delivered into the custody of the laboratory.

Sample Designations

All sample containers are identified with a site designation and a discrete sample identification number specific to that particular groundwater well. Additional standard notations (e.g. time, date, sampler) are also made on the label. Either the requested analyses or the specific analytes are written on the sample label (e.g. TPH-G, BTEX).

Chain of Custody

Samples are continuously maintained in an appropriate cooled container while in our custody and until delivered to the laboratory under a standard Shell Oil Company chain of custody. If the samples are taken charge of by a different party (such as another person from our office, a courier, etc.) prior to being delivered to the laboratory, appropriate release and acceptance records are made on the chain of custody (time, date, and signature of the person releasing the samples followed by the time, date and signature of the person accepting custody of the samples).

Hazardous Materials Testing Laboratory

The samples obtained at this site were delivered to Anametrix, Inc. in San Jose, California. Anametrix, Inc. is a California Department of Health Services certified Hazardous Materials Testing Laboratory and is listed as DOHS HMTL #1234.

Objective Information Collection


Blaine Tech Services, Inc. performs specialized environmental sampling and documentation as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc.

performs no consulting and does not become involved in the marketing or installation of remedial systems of any kind. Blaine Tech Services, Inc. is concerned only with the generation of objective information, not with the use of that information to support evaluations and recommendations concerning the environmental condition of the site. Even the straightforward interpretation of objective analytical data is better performed by interested regulatory agencies, and those engineers and geologists who are engaged in the work of providing professional opinions about the site and proposals to perform additional investigation or design remedial systems.

Reportage

Submission of this report and the attached laboratory report to interested regulatory agencies is handled by the consultant in charge of the project. Any professional evaluations or recommendations will be made by the consultant under separate cover.

Please call if we can be of any further assistance.


Richard C. Blaine

RCB/kkl

attachments: chain of custody
certified analytical report

cc: Weiss Associates
5500 Shellmound Street
Emeryville, CA 94608-2411
ATTN: Kristina Koltavary



SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD
Serial No: _____

Date: _____
Page 1 of 1

Site Address: 1789 150th AV. San Leandro

WIC#: 204-6852-1404

Shell Engineer: Daniel T. Kirk Phone No.: 510
Fax #: 675-6171

Consultant Name & Address: Blaine Tech. Services

Consultant Contact: Glen Bennett Phone No.: 408
Fax #: 995-5535

Comments: _____

Sampled by: Joe Curera

Printed Name: JOE CURERA

Analysis Required

TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/802)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 6015 & BTEX 8020	EPA 601	Asbestos	Container Size	Preparation Used	Composite Y/N
X	X	X			X	X				
X	X	X			X	X				
X	X	X			X	X				
X	X	X			X	X				

LAB: AAAMETRIX

CHECK ONE (1) BOX ONLY	CT/DI	TURN AROUND TIME
Quantity Monitoring <input checked="" type="checkbox"/> 6461		24 hour <input type="checkbox"/>
Site Investigation <input type="checkbox"/> 6441		48 hour <input type="checkbox"/>
Soil Clarity/Disposal <input type="checkbox"/> 6442		15 days <input checked="" type="checkbox"/> (Normal)
Water Clarity/Disposal <input type="checkbox"/> 6443		Other <input type="checkbox"/>
Soil/Air Rem. or Sys. O & M <input type="checkbox"/> 6462		
Water Rem. or Sys. O & M <input type="checkbox"/> 6463		
Other <input type="checkbox"/>		

NOTE: Notify Lab as soon as possible at 24/48 hrs. 1AL.

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/802)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 6015 & BTEX 8020	EPA 601	Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS	
① MW-1	3/3			X		7	X	X	X			X	X							
② MW-2						7	X	X	X			X	X							
③ MW-3						7	X	X	X			X	X							
④ Dup.						7	X	X	X			X	X							

Relinquished by (signature): <u>Joe Curera</u>	Printed Name: <u>JOE CURERA</u>	Date: <u>3-4-93</u>	Time: <u>1445</u>	Received (signature): <u>Jenny S. Carrizosa</u>	Printed Name: <u>JENNY S. CARRIZOSA</u>	Date: <u>3-4-93</u>	Time: <u>1500</u>
Relinquished by (signature): <u>Jenny S. Carrizosa</u>	Printed Name: <u>JENNY S. CARRIZOSA</u>	Date: <u>3-4-93</u>	Time: <u>1500</u>	Received (signature): <u>Maria Borjas</u>	Printed Name: <u>Maria Borjas</u>	Date: <u>3-4-93</u>	Time: <u>15:00</u>
Relinquished by (signature): _____	Printed Name: _____	Date: _____	Time: _____	Received (signature): _____	Printed Name: _____	Date: _____	Time: _____

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS



MR. GLEN BENNETT
BLAINE TECH
985 TIMOTHY STREET
SAN JOSE, CA 95133

Workorder # : 9303060
Date Received : 03/04/93
Project ID : 204-6852-1404
Purchase Order: MOH-B813

The following samples were received at Anamatrix, Inc. for analysis :

ANAMETRIX ID	CLIENT SAMPLE ID
9303060- 1	MW-1
9303060- 2	MW-2
9303060- 3	MW-3
9303060- 4	DUP

This report consists of 21 pages not including the cover letter, and is organized in sections according to the specific Anamatrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anamatrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anamatrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anamatrix.

Sarah Schoen, Ph.D.
Laboratory Director

03-17-93

Date

ANAMETRIX REPORT DESCRIPTION

GC

Organic Analysis Data Sheets (OADS)

OADS forms contain tabulated results for target compounds. The OADS are grouped by method and, within each method, organized sequentially in order of increasing Anamatrix ID number.

Surrogate Recovery Summary (SRS)

SRS forms contain quality assurance data. An SRS form will be printed for each method, if the method requires surrogate compounds. They will list surrogate percent recoveries for all samples and any method blanks. Any surrogate recovery outside the established limits will be flagged with an "*", and the total number of surrogates outside the limits will be listed in the column labelled "Total Out".

Matrix Spike Recovery Form (MSR)

MSR forms contain quality assurance data. They summarize percent recovery and relative percent difference information for matrix spikes and matrix spike duplicates. This information is a statement of both accuracy and precision. Any percent recovery or relative percent difference outside established limits will be flagged with an "*", and the total number outside the limits will be listed at the bottom of the page. Not all reports will contain an MSR form.

Qualifiers

Anamatrix uses several data qualifiers (Q) in its report forms. These qualifiers give additional information on the compounds reported. They should help a data reviewer to verify the integrity of the analytical results. The following is a list of qualifiers and their meanings:

- U - Indicates that the compound was analyzed for, but was not detected at or above the specified reporting limit.
- B - Indicates that the compound was detected in the associated method blank.
- J - Indicates that the compound was detected at an amount below the specified reporting limit. Consequently, the amount should be considered an approximate value. Tentatively identified compounds will always have a "J" qualifier because they are not included in the instrument calibration.
- E - Indicates that the amount reported exceeded the linear range of the instrument calibration.
- D - Indicates that the compound was detected in an analysis performed at a secondary dilution.

Absence of a qualifier indicates that the compound was detected at a concentration at or above the specified reporting limit.

REPORTING CONVENTIONS

- ◆ Due to a size limitation in our data processing step, only the first eight (8) characters of your project ID and sample ID will be printed on the report forms. However, the report cover letter and report summary pages display up to twenty (20) characters of your project and sample IDs.
- ◆ Amounts reported are gross values, i.e., not corrected for method blank contamination.

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. GLEN BENNETT
BLAINE TECH
985 TIMOTHY STREET
SAN JOSE, CA 95133

Workorder # : 9303060
Date Received : 03/04/93
Project ID : 204-6852-1404
Purchase Order: MOH-B813
Department : GC
Sub-Department: VOA

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9303060- 1	MW-1	WATER	03/03/93	8010
9303060- 2	MW-2	WATER	03/03/93	8010
9303060- 3	MW-3	WATER	03/03/93	8010
9303060- 4	DUP	WATER	03/03/93	8010

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. GLEN BENNETT
BLAINE TECH
985 TIMOTHY STREET
SAN JOSE, CA 95133

Workorder # : 9303060
Date Received : 03/04/93
Project ID : 204-6852-1404
Purchase Order: MOH-B813
Department : GC
Sub-Department: VOA

QA/QC SUMMARY :

- No QA/QC problems encountered for samples.

Corinne Pham 3/15/93
Department Supervisor Date

Kamel G. Kamel 3/15/93
Chemist Date

DESCRIPTIONS FOR SPECIFIC COMPOUNDS ANALYZED
EPA METHOD 601/8010

<u>CAS #</u>	<u>COMPOUND NAME</u>	<u>ABBREVIATED NAME</u>
74-87-3	Chloromethane	Chloromethane
74-83-9	Bromomethane	Bromoethane
75-71-8	Dichlorodifluoromethane	Freon 12
75-01-4	Vinyl Chloride	Vinyl Chloride
75-00-3	Chloroethane	Chloroethane
75-09-2	Methylene Chloride	Methylene Chlor
75-69-4	Trichlorofluoromethane	Freon 11
75-35-4	1,1-Dichloroethene	1,1-DCE
75-34-3	1,1-Dichloroethane	1,1-DCA
156-59-2	Cis-1,2-Dichloroethene	Cis-1,2-DCE
156-60-5	Trans-1,2-Dichloroethene	Trans-1,2-DCE
67-66-3	Chloroform	Chloroform
76-13-1	Trichlorotrifluoroethane	Freon 113
107-06-2	1,2-Dichloroethane	1,2-DCA
71-55-6	1,1,1-Trichloroethane	1,1,1-TCA
56-23-5	Carbon Tetrachloride	Carbon Tet
75-27-4	Bromodichloromethane	BromodichloroMe
78-87-5	1,2-Dichloropropane	1,2-DCPA
10061-02-6	Trans-1,3-Dichloropropene	Trans-1,3-DCPE
79-01-6	Trichloroethene	TCE
124-48-1	Dibromochloromethane	DibromochloroMe
79-00-5	1,1,2-Trichloroethane	1,1,2-TCA
10061-01-5	Cis-1,3-Dichloropropene	Cis-1,3-DCPE
110-75-8	2-Chloroethylvinylether	Chloroethylvinl
75-25-2	Bromoform	Bromoform
127-18-4	Tetrachloroethene	PCE
79-34-5	1,1,2,2-Tetrachloroethane	PCA
108-90-7	Chlorobenzene	Chlorobenzene
95-50-1	1,2-Dichlorobenzene	1,2-DCB
541-73-1	1,3-Dichlorobenzene	1,3-DCB
106-46-7	1,4-Dichlorobenzene	1,4-DCB
352-33-0	p-Chlorofluorobenzene	Chlorofluoroben

mh/3426 - 10MH

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-6852
 Sample ID : MW-1
 Matrix : WATER
 Date Sampled : 3/ 3/93
 Date Analyzed : 3/10/93
 Instrument ID : HP14

Anamatrix ID : 9303060-01
 Analyst :
 Supervisor : *JP KK*
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Freon 12	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl Chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Freon 11	.50	ND	U
76-13-1	Freon 113	.50	ND	U
75-35-4	1,1-DCE	.50	ND	U
75-09-2	Methylene Chlor	1.0	ND	U
156-60-5	Trans-1,2-DCE	.50	ND	U
75-34-3	1,1-DCA	.50	ND	U
156-59-2	Cis-1,2-DCE	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-TCA	.50	ND	U
56-23-5	Carbon Tet	.50	ND	U
107-06-2	1,2-DCA	.50	.76	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-DCPA	.50	ND	U
75-27-4	Bromodichlorome	.50	ND	U
110-75-8	Chloroethylvinl	1.0	ND	U
10061-01-5	Cis-1,3-DCPE	.50	ND	U
10061-02-6	Trans-1,3-DCPE	.50	ND	U
79-00-5	1,1,2-TCA	.50	ND	U
127-18-4	PCE	.50	ND	U
124-48-1	Dibromochlorome	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-PCA	.50	ND	U
541-73-1	1,3-DCB	1.0	ND	U
106-46-7	1,4-DCB	1.0	ND	U
95-50-1	1,2-DCB	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-6852
 Sample ID : MW-2
 Matrix : WATER
 Date Sampled : 3/ 3/93
 Date Analyzed : 3/11/93
 Instrument ID : HP14

Anamatrix ID : 9303060-02
 Analyst :
 Supervisor : *CP KK*
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Freon 12	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl Chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Freon 11	.50	ND	U
76-13-1	Freon 113	.50	ND	U
75-35-4	1,1-DCE	.50	ND	U
75-09-2	Methylene Chlor	1.0	ND	U
156-60-5	Trans-1,2-DCE	.50	ND	U
75-34-3	1,1-DCA	.50	ND	U
156-59-2	Cis-1,2-DCE	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-TCA	.50	ND	U
56-23-5	Carbon Tet	.50	ND	U
107-06-2	1,2-DCA	.50	7.7	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-DCPA	.50	ND	U
75-27-4	Bromodichlorome	.50	ND	U
110-75-8	Chloroethylvinl	1.0	ND	U
10061-01-5	Cis-1,3-DCPE	.50	ND	U
10061-02-6	Trans-1,3-DCPE	.50	ND	U
79-00-5	1,1,2-TCA	.50	ND	U
127-18-4	PCE	.50	ND	U
124-48-1	Dibromochlorome	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-PCA	.50	ND	U
541-73-1	1,3-DCB	1.0	ND	U
106-46-7	1,4-DCB	1.0	ND	U
95-50-1	1,2-DCB	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-6852
 Sample ID : MW-3
 Matrix : WATER
 Date Sampled : 3/ 3/93
 Date Analyzed : 3/10/93
 Instrument ID : HP14

Anamatrix ID : 9303060-03
 Analyst :
 Supervisor : CP KK
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Freon 12	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl Chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Freon 11	.50	ND	U
76-13-1	Freon 113	.50	ND	U
75-35-4	1,1-DCE	.50	ND	U
75-09-2	Methylene Chlor	1.0	ND	U
156-60-5	Trans-1,2-DCE	.50	ND	U
75-34-3	1,1-DCA	.50	ND	U
156-59-2	Cis-1,2-DCE	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-TCA	.50	ND	U
56-23-5	Carbon Tet	.50	ND	U
107-06-2	1,2-DCA	.50	3.3	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-DCPA	.50	ND	U
75-27-4	Bromodichlorome	.50	ND	U
110-75-8	Chloroethylvinl	1.0	ND	U
10061-01-5	Cis-1,3-DCPE	.50	ND	U
10061-02-6	Trans-1,3-DCPE	.50	ND	U
79-00-5	1,1,2-TCA	.50	ND	U
127-18-4	PCE	.50	ND	U
124-48-1	Dibromochlorome	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-PCA	.50	ND	U
541-73-1	1,3-DCB	1.0	ND	U
106-46-7	1,4-DCB	1.0	ND	U
95-50-1	1,2-DCB	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-6852
 Sample ID : DUP
 Matrix : WATER
 Date Sampled : 3/ 3/93
 Date Analyzed : 3/11/93
 Instrument ID : HP14

Anamatrix ID : 9303060-04
 Analyst :
 Supervisor : *QP KK*
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Freon 12	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	UU
75-01-4	Vinyl Chloride	.50	ND	UU
74-83-9	Bromomethane	.50	ND	UU
75-00-3	Chloroethane	.50	ND	UU
75-69-4	Freon 11	.50	ND	UU
76-13-1	Freon 113	.50	ND	UU
75-35-4	1,1-DCE	.50	ND	UU
75-09-2	Methylene Chlor	1.0	ND	UU
156-60-5	Trans-1,2-DCE	.50	ND	UU
75-34-3	1,1-DCA	.50	ND	UU
156-59-2	Cis-1,2-DCE	.50	ND	UU
67-66-3	Chloroform	.50	ND	UU
71-55-6	1,1,1-TCA	.50	ND	UU
56-23-5	Carbon Tet	.50	ND	U
107-06-2	1,2-DCA	.50	16.	U
79-01-6	Trichloroethene	.50	ND	UU
78-87-5	1,2-DCPA	.50	ND	UU
75-27-4	Bromodichlorome	.50	ND	UU
110-75-8	Chloroethylvinl	1.0	ND	UU
10061-01-5	Cis-1,3-DCPE	.50	ND	UU
10061-02-6	Trans-1,3-DCPE	.50	ND	UU
79-00-5	1,1,2-TCA	.50	ND	UU
127-18-4	PCE	.50	ND	UU
124-48-1	Dibromochlorome	.50	ND	UU
108-90-7	Chlorobenzene	.50	ND	UU
75-25-2	Bromoform	.50	ND	UU
79-34-5	1,1,2,2-PCA	.50	ND	UU
541-73-1	1,3-DCB	1.0	ND	UU
106-46-7	1,4-DCB	1.0	ND	UU
95-50-1	1,2-DCB	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
ANAMETRIX, INC. (408)432-8192

Project ID : 204-68
Sample ID : BLK310
Matrix : WATER
Date Sampled : 0/ 0/ 0
Date Analyzed : 3/10/93
Instrument ID : HP14

Anamatrix ID : 14B0310H01
Analyst :
Supervisor : *CP KK*
Dilution Factor : 1.0
Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Freon 12	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl Chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Freon 11	.50	ND	U
76-13-1	Freon 113	.50	ND	U
75-35-4	1,1-DCE	.50	ND	U
75-09-2	Methylene Chlor	1.0	ND	U
156-60-5	Trans-1,2-DCE	.50	ND	U
75-34-3	1,1-DCA	.50	ND	U
156-59-2	Cis-1,2-DCE	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-TCA	.50	ND	U
56-23-5	Carbon Tet	.50	ND	U
107-06-2	1,2-DCA	.50	ND	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-DCPA	.50	ND	U
75-27-4	Bromodichlorome	.50	ND	U
110-75-8	Chloroethylvinl	1.0	ND	U
10061-01-5	Cis-1,3-DCPE	.50	ND	U
10061-02-6	Trans-1,3-DCPE	.50	ND	U
79-00-5	1,1,2-TCA	.50	ND	U
127-18-4	PCE	.50	ND	U
124-48-1	Dibromochlorome	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-PCA	.50	ND	U
541-73-1	1,3-DCB	1.0	ND	U
106-46-7	1,4-DCB	1.0	ND	U
95-50-1	1,2-DCB	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-68
 Sample ID : BLK311
 Matrix : WATER
 Date Sampled : 0/ 0/ 0
 Date Analyzed : 3/11/93
 Instrument ID : HP14

Anamatrix ID : 14B0311H01
 Analyst :
 Supervisor : CP KK
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Freon 12	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl Chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Freon 11	.50	ND	U
76-13-1	Freon 113	.50	ND	U
75-35-4	1,1-DCE	.50	ND	U
75-09-2	Methylene Chlor	1.0	ND	U
156-60-5	Trans-1,2-DCE	.50	ND	U
75-34-3	1,1-DCA	.50	ND	U
156-59-2	Cis-1,2-DCE	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-TCA	.50	ND	U
56-23-5	Carbon Tet	.50	ND	U
107-06-2	1,2-DCA	.50	ND	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-DCPA	.50	ND	U
75-27-4	Bromodichlorome	.50	ND	U
110-75-8	Chloroethylvinl	1.0	ND	U
10061-01-5	Cis-1,3-DCPE	.50	ND	U
10061-02-6	Trans-1,3-DCPE	.50	ND	U
79-00-5	1,1,2-TCA	.50	ND	U
127-18-4	PCE	.50	ND	U
124-48-1	Dibromochlorome	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-PCA	.50	ND	U
541-73-1	1,3-DCB	1.0	ND	U
106-46-7	1,4-DCB	1.0	ND	U
95-50-1	1,2-DCB	1.0	ND	U

SURROGATE RECOVERY SUMMARY -- EPA METHOD 8010
ANAMETRIX, INC. (408)432-8192

Project ID : 204-6852
Matrix : LIQUID

Anamatrix ID : 9303060
Analyst :
Supervisor : *CP KK*

	SAMPLE ID	SU1	SU2	SU3
1	BLK310	96		
2	MW-3	99		
3	MW-1	95		
4	MW-3 MS	98		
5	MW-3 MSD	98		
6	BLK311	91		
7	MW-2	90		
8	DUP	93		
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

QC LIMITS

SU1 = CHLOROFLUOROBEN

(51-136)

* Values outside of Anamatrix QC limits

MATRIX SPIKE RECOVERY FORM -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-6852
 Sample ID : MW-3
 Matrix : WATER
 Date Sampled : 3/ 3/93
 Date Analyzed : 3/10/93
 Instrument ID : HP14

Anamatrix ID : 9303060-03
 Analyst :
 Supervisor : *CP KK*

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC	%REC LIMITS
Freon 113	10.0	.0	9.0	90	28-127
1,1-DCE	10.0	.0	10.2	102	47-119
Trans-1,2-DCE	10.0	.0	9.2	92	46-112
1,1-DCA	10.0	.0	8.9	89	57-124
Cis-1,2-DCE	10.0	.0	10.2	102	70-139
1,1,1-TCA	10.0	.0	9.3	93	57-125
Trichloroethene	10.0	.0	10.3	103	61-133
PCE	10.0	.0	9.7	97	61-132
Chlorobenzene	10.0	.0	10.5	105	81-120
1,3-DCB	10.0	.0	10.0	100	56-113
1,4-DCB	10.0	.0	10.4	104	62-119
1,2-DCB	10.0	.0	10.2	102	69-116

COMPOUND	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC	% RPD	RPD LIMITS	%REC LIMITS
Freon 113	10.0	8.7	87	4	25	28-127
1,1-DCE	10.0	9.0	90	12	25	47-119
Trans-1,2-DCE	10.0	8.5	85	7	25	46-112
1,1-DCA	10.0	8.5	85	5	25	57-124
Cis-1,2-DCE	10.0	9.8	98	4	25	70-139
1,1,1-TCA	10.0	8.8	88	5	25	57-125
Trichloroethene	10.0	9.6	96	7	25	61-133
PCE	10.0	9.2	92	4	25	61-132
Chlorobenzene	10.0	10.4	104	1	25	81-120
1,3-DCB	10.0	9.5	95	5	25	56-113
1,4-DCB	10.0	9.9	99	6	25	62-119
1,2-DCB	10.0	10.0	100	2	25	69-116

* Value is outside of Anamatrix QC limits

RPD: 0 out of 12 outside limits
 Spike Recovery: 0 out of 24 outside limits

LABORATORY CONTROL SAMPLE
 EPA METHOD 601/8010
 ANAMETRIX, INC. (408)432-8192

Project/Case : LABORATORY CONTROL SAMPLE
 Matrix : WATER
 SDG/Batch : N/A
 Date analyzed : 03/10/93

Anamatrix I.D. : W0031093
 Analyst :
 Supervisor : *KK*
 Instrument I.D.: HP14

COMPOUND	SPIKE AMOUNT (ug/L)	AMOUNT RECOVERED (ug/L)	PERCENT RECOVERY	%RECOVERY LIMITS
FREON 113	10	9.7	97%	34 - 128
1,1-DICHLOROETHENE	10	10.0	100%	63 - 133
trans-1,2-DICHLOROETHENE	10	9.5	95%	55 - 145
1,1-DICHLOROETHANE	10	9.5	95%	49 - 121
cis-1,2-DICHLOROETHENE	10	10.5	105%	66 - 168
1,1,1-TRICHLOROETHANE	10	9.8	98%	72 - 143
TRICHLOROETHENE	10	10.0	100%	63 - 147
TETRACHLOROETHENE	10	9.4	94%	60 - 133
CHLOROBENZENE	10	10.2	102%	70 - 148
1,3-DICHLOROBENZENE	10	9.9	99%	49 - 139
1,4-DICHLOROBENZENE	10	10.3	103%	70 - 133
1,2-DICHLOROBENZENE	10	9.6	96%	69 - 140

* Limits based on data generated by Anamatrix, Inc., August, 1992.

LABORATORY CONTROL SAMPLE
 EPA METHOD 601/8010
 ANAMETRIX, INC. (408)432-8192

Project/Case : LABORATORY CONTROL SAMPLE
 Matrix : WATER
 SDG/Batch : N/A
 Date analyzed : 03/11/93

Anamatrix I.D. : WO031193
 Analyst :
 Supervisor : *CP KK*
 Instrument I.D. : HP14

COMPOUND	SPIKE AMOUNT (ug/L)	AMOUNT RECOVERED (ug/L)	PERCENT RECOVERY	%RECOVERY LIMITS
FREON 113	10	9.9	99%	34 - 128
1,1-DICHLOROETHENE	10	9.5	95%	63 - 133
trans-1,2-DICHLOROETHENE	10	10.2	102%	55 - 145
1,1-DICHLOROETHANE	10	9.0	90%	49 - 121
cis-1,2-DICHLOROETHENE	10	10.3	103%	66 - 168
1,1,1-TRICHLOROETHANE	10	9.3	93%	72 - 143
TRICHLOROETHENE	10	9.9	99%	63 - 147
TETRACHLOROETHENE	10	9.5	95%	60 - 133
CHLOROBENZENE	10	9.8	98%	70 - 148
1,3-DICHLOROBENZENE	10	9.6	96%	49 - 139
1,4-DICHLOROBENZENE	10	10.3	103%	70 - 133
1,2-DICHLOROBENZENE	10	9.6	96%	69 - 140

* Limits based on data generated by Anamatrix, Inc., August, 1992.

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. GLEN BENNETT
BLAINE TECH
985 TIMOTHY STREET
SAN JOSE, CA 95133

Workorder # : 9303060
Date Received : 03/04/93
Project ID : 204-6852-1404
Purchase Order: MOH-B813
Department : GC
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9303060- 1	MW-1	WATER	03/03/93	TPHd
9303060- 2	MW-2	WATER	03/03/93	TPHd
9303060- 3	MW-3	WATER	03/03/93	TPHd
9303060- 4	DUP	WATER	03/03/93	TPHd
9303060- 1	MW-1	WATER	03/03/93	TPHg/BTEX
9303060- 2	MW-2	WATER	03/03/93	TPHg/BTEX
9303060- 3	MW-3	WATER	03/03/93	TPHg/BTEX
9303060- 4	DUP	WATER	03/03/93	TPHg/BTEX

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. GLEN BENNETT
BLAINE TECH
985 TIMOTHY STREET
SAN JOSE, CA 95133

Workorder # : 9303060
Date Received : 03/04/93
Project ID : 204-6852-1404
Purchase Order: MOH-B813
Department : GC
Sub-Department: TPH

QA/QC SUMMARY :

- The concentrations reported as diesel for samples MW-2, MW-3 and MW-4 are primarily due to the presence of a lighter petroleum product of hydrocarbon range C6-C12.

Cheryl Balmer
Department Supervisor

3/17/93
Date

Charles M. Burch
Chemist

3-17-93
Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS
(GASOLINE WITH BTEX)
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9303060
Matrix : WATER
Date Sampled : 03/03/93

Project Number : 204-6852-1404
Date Released : 03/16/93

Reporting Limit	Sample I.D.# MW-1	Sample I.D.# MW-2	Sample I.D.# MW-3	Sample I.D.# DUP	Sample I.D.# BM0801E2	
COMPOUNDS (ug/L)	-01	-02	-03	-04	BLANK	
Benzene	0.5	1.5	36000	63	31000	ND
Toluene	0.5	ND	32000	75	20000	ND
Ethylbenzene	0.5	ND	3800	61	3100	ND
Total Xylenes	0.5	ND	21000	150	14000	ND
TPH as Gasoline	50	ND	160000	5100	150000	ND
% Surrogate Recovery	136%	121%	133%	124%	123%	
Instrument I.D.	HP4	HP4	HP4	HP4	HP4	
Date Analyzed	03/08/93	03/08/93	03/08/93	03/08/93	03/08/93	
RLMF	1	1000	25	1000	1	

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 3.17.93
Analyst Date

Cheryl Balmer 3/17/93
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS DIESEL
ANAMETRIX, INC. (408) 432-8192

Anamatrix W.O.: 9303060
 Matrix : WATER
 Date Sampled : 03/03/93
 Date Extracted: 03/08/93

Project Number : 204-6852-1404
 Date Released : 03/16/93
 Instrument I.D.: HP23

Anamatrix I.D.	Client I.D.	Date Analyzed	Reporting Limit (ug/L)	Amount Found (ug/L)
9303060-01	MW-1	03/11/93	50	ND
9303060-02	MW-2	03/12/93	250	1100
9303060-03	MW-3	03/11/93	50	380
9303060-04	DUP	03/12/93	250	1500
DWBL030893	METHOD BLANK	03/10/93	50	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 50 ug/L.

ND - Not detected at or above the practical quantitation limit for the method.

TPHd - Total Petroleum Hydrocarbons as diesel is determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Sher 3/17/93
 Analyst Date

Cheryl Balmer 3/16/93
 Supervisor Date

TOTAL VOLATILE HYDROCARBON MATRIX SPIKE REPORT
 EPA METHOD 5030 WITH GC/FID
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 204-6852-1404 MW-1	Anamatrix I.D. : 03060-01
Matrix : WATER	Analyst : <u>IS</u>
Date Sampled : 03/03/93	Supervisor : <u>CM</u>
Date Analyzed : 03/08/93	Date Released : 03/16/93

COMPOUND	SPIKE AMT (ug/L)	SAMPLE CONC (ug/L)	MS AMT (ug/L)	% REC MS	MD AMT (ug/L)	% REC MD	RPD	% REC LIMITS
BENZENE	20.0	1.5	24.7	116%	22.2	103%	-11%	45-139
TOLUENE	20.0	0.0	23.6	118%	22.2	111%	-6%	51-138
ETHYLBENZENE	20.0	0.0	24.7	123%	21.3	107%	-15%	48-146
TOTAL-XYLENES	20.0	0.0	23.1	116%	22.7	114%	-2%	50-139
p-BFB				115%		67%		61-139

* Quality control limit established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT
 EPA METHOD 5030 WITH GC/PID
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE
 Matrix : WATER
 Date Sampled : N/A
 Date Analyzed : 03/07/93

Anamatrix I.D.: LCSW0307
 Analyst : *IS*
 Supervisor : *UB*
 Date Released : 03/16/93
 Instrument ID : HP4

COMPOUND	SPIKE AMT. (ug/L)	LCS (ug/L)	REC LCS	%REC LIMITS
Benzene	20.0	20.1	101%	52-133
Toluene	20.0	20.5	102%	57-136
Ethylbenzene	20.0	20.2	101%	56-139
TOTAL Xylenes	20.0	20.5	102%	61-139
P-BFB			116%	61-139

* Limits established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT
 EPA METHOD 3510 WITH GC/FID
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE
 Matrix : WATER
 Date Sampled : N/A
 Date Extracted: 03/08/93
 Date Analyzed : 03/10/93

Anamatrix I.D. : LCSW0308
 Analyst : JS
 Supervisor : B
 Date Released : 03/16/93
 Instrument I.D.: HP23

COMPOUND	SPIKE AMT (ug/L)	LCS REC (ug/L)	% REC LCS	LCSD REC (ug/L)	% REC LCSD	RPD	% REC LIMITS
DIESEL	1250	990	79%	980	78%	-1%	47-130

*Quality control established by Anamatrix, Inc.