

November 3, 1999

Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Second Quarter 1999 Monitoring Report**
Shell-branded Service Station
1784 150th Avenue
San Leandro, California
Incident #98996068
Cambria Project #241-0612-002

99 NOV -9 PM 3:40
ENVIRONMENTAL
PROTECTION



Dear Mr. Seery:

On behalf of Equiva Services LLC (Equiva), Cambria Environmental Technology, Inc. (Cambria) is submitting this ground water monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

SECOND QUARTER 1999 ACTIVITIES

Ground Water Monitoring: Blaine Tech Services, Inc. (Blaine) of San Jose, California checked for separate-phase hydrocarbons (SPH) and gauged and sampled all the site wells. **No SPH were found this quarter.** In addition to the usual gasoline constituents, all wells were analyzed for volatile organic compounds by EPA Method 8010. **No volatile organic compounds were detected this quarter.** Blaine calculated ground water elevations and compiled the analytical data. Cambria prepared a ground water elevation contour map (Figure 1). The Blaine report, presenting the laboratory report and including supporting field documents, is included as Attachment A.

Tier 2 RBCA: Cambria's November 5, 1998 *Subsurface Investigation Work Plan Addendum* proposed conducting an additional Tier 2 RBCA to address the RBCA related topics discussed in Cambria's *Meeting Summary and Work Plan Addendum* dated May 1, 1998. Cambria submitted a *Risk-Based Corrective Action Report* dated September 17, 1999 which characterized the site as low risk to human health and recommended continued ground water monitoring with the existing monitoring well network.

Oakland, CA
Sonoma, CA
Portland, OR
Seattle, WA

**Cambria
Environmental
Technology, Inc.**

1144 65th Street
Suite B
Oakland, CA 94608
Tel (510) 420-0700
Fax (510) 420-9170

ANTICIPATED THIRD QUARTER 1999 ACTIVITIES

Ground Water Monitoring: Blaine will check for and remove any detected SPH, gauge and sample all wells, and tabulate the data. Cambria will prepare a monitoring report.

CLOSING



We appreciate the opportunity to work with you on this project. Please call Darryk Ataide at (510) 420-3339 if you have any questions or comments.

Sincerely,
Cambria Environmental Technology, Inc

Darryk Ataide, REA I
Project Manager

Ailsa S. Le May, R.G.
Senior Geologist




Figure: 1 - Ground Water Elevation Contour Map

Attachment: A - Blaine Ground Water Monitoring Report and Field Notes

cc: Karen Petryna, Equiva Services LLC, P.O. Box 6249, Carson, California 90749-6249

g:\snl1784\qm\2q99qm.doc




FIGURE 1

Shell-branded Service Station
 1784 150th Avenue
 San Leandro, California
 Incident #98996068



CAMBRIA

Ground Water Elevation Contour Map

June 14, 1999

ATTACHMENT A

Blaine Ground Water Monitoring Report
and Field Notes

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE

August 27, 1999

Karen Petryna
Equiva Services LLC
P.O. Box 6249
Carson, CA 90749-6249

Second Quarter 1999 Groundwater Monitoring at
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Monitoring performed on June 14, 1999

Groundwater Monitoring Report **990614-R-3**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, appropriate calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "Deidre Kerwin", with a long horizontal flourish extending to the right.

Deidre Kerwin
Operations Manager

DK/mt

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheet

cc: Anni Kreml
Cambria Environmental Technology, Inc.
1144 65th Street, Ste. C
Oakland, CA 94608

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	03/08/1990	510	120	1.5	0.8	<0.5	5.4	NA	NA	49.13	25.29	23.84	NA	NA
MW-1	06/12/1990	390	100	86	1.3	0.7	6.2	NA	NA	49.13	25.85	23.28	NA	NA
MW-1	09/13/1990	100	130	56	0.75	2.4	2.8	NA	NA	49.13	27.49	21.64	NA	NA
MW-1	12/18/1990	480	<50	54	1.7	3.3	3.7	NA	NA	49.13	27.41	21.72	NA	NA
MW-1	03/07/1991	80	<50	266	<0.5	1.2	<1.5	NA	NA	49.13	25.79	23.34	NA	NA
MW-1	06/07/1991	510	<50	130	3.8	6.1	11	NA	NA	49.13	25.64	23.49	NA	NA
MW-1	09/17/1991	330	120a	67	<0.5	3.0	2.2	NA	NA	49.13	27.54	21.59	NA	NA
MW-1	12/09/1991	140a	80	<0.5	<0.5	1.7	4.7	NA	NA	49.13	27.81	21.32	NA	NA
MW-1	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.57	23.56	NA	NA
MW-1	02/24/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.83	26.30	NA	NA
MW-1	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.09	26.04	NA	NA
MW-1	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	49.13	23.26	25.87	NA	NA
MW-1	06/03/1992	1,500	NA	520	180	72	230	NA	NA	49.13	24.64	24.49	NA	NA
MW-1	09/01/1992	130	NA	16	1.4	1.8	3.4	NA	NA	49.13	26.74	22.39	NA	NA
MW-1	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.18	21.95	NA	NA
MW-1	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.99	21.14	NA	NA
MW-1	12/04/1992	150	NA	360	0.7	1.8	2.1	NA	NA	49.13	27.14	21.99	NA	NA
MW-1	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.09	29.04	NA	NA
MW-1	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.26	24.87	NA	NA
MW-1	03/03/1993	<50	NA	1.5	<0.5	<0.5	<0.5	NA	NA	49.13	20.50	28.63	NA	NA
MW-1	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	49.13	21.70	27.43	NA	NA
MW-1	06/17/1993	1,600	NA	340	120	120	440	NA	NA	49.13	22.42	26.71	NA	NA
MW-1	09/10/1993	2,600	NA	670	340	310	730	NA	NA	49.13	24.11	25.02	NA	NA
MW-1	12/13/1993	11,000	NA	470	320	380	2,300	NA	NA	49.13	23.73	25.40	NA	NA
MW-1	03/03/1994	16,000	NA	700	690	480	3,200	NA	NA	49.13	22.08	27.05	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	06/06/1994	7,500	NA	420	280	200	1,000	NA	NA	49.13	23.10	26.03	NA	NA
MW-1	09/12/1994	1,200	NA	110	21	3.3	420	NA	NA	49.13	25.19	23.94	NA	NA
MW-1	12/19/1994	4,600	NA	470	330	230	1,300	NA	NA	49.13	23.06	26.07	NA	NA
MW-1	02/28/1995	500	NA	59	32	6.8	68	NA	NA	49.13	20.90	28.23	NA	NA
MW-1	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.28	30.85	NA	NA
MW-1	06/26/1995	5,500	NA	740	420	300	1,800	NA	NA	49.13	20.40	28.73	NA	NA
MW-1	09/13/1995	84,000	NA	1,900	2,600	3,000	14,000	NA	NA	49.13	22.62	26.51	NA	NA
MW-1	12/19/1995	80,000	NA	660	350	170	18,000	NA	NA	49.13	22.10	27.03	NA	NA
MW-1	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.83	30.34	0.05	NA
MW-1	06/28/1996	270,000	NA	2,800	820	1,000	16,000	<0.5	NA	49.13	21.46	27.67	NA	NA
MW-1 (D)	06/28/1996	790,000	NA	2,200	780	1,000	13,000	15,000	NA	49.13	21.46	27.67	NA	NA
MW-1	09/26/1996	29,000	NA	1,100	260	270	1,900	<1,000	NA	49.13	23.57	25.57	0.01	NA
MW-1	09/26/1996	25,000	NA	1,200	320	240	1,900	<1,000	NA	49.13	NA	NA	NA	NA
MW-1	12/10/1996	13,000	NA	510	240	230	1,200	100	NA	49.13	21.43	27.70	NA	1.0
MW-1 (D)	12/10/1996	8,400	NA	420	130	140	680	81	NA	49.13	21.43	27.70	NA	1.0
MW-1	03/10/1997	4,200	NA	13	8.8	16	74	<12	NA	49.13	20.08	29.05	NA	2.0
MW-1 (D)	03/10/1997	5,100	NA	12	8.9	17	79	<25	NA	49.13	20.08	29.05	NA	2.0
MW-1	06/30/1997	5,700	NA	320	120	140	700	47	NA	49.13	21.68	27.45	NA	1.6
MW-1 (D)	06/30/1997	5,300	NA	300	95	120	580	45	NA	49.13	21.68	27.45	NA	1.6
MW-1	09/12/1997	6,300	NA	120	26	82	260	30	NA	49.13	21.78	27.35	NA	2.1
MW-1 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.78	28.35	NA	1.3
MW-1	02/02/1998	84	NA	5.1	<0.50	<0.50	2.1	2.5	NA	49.13	19.65	29.48	NA	2.0
MW-1	06/24/1998	13,000	NA	3,000	260	410	1,400	<250	NA	49.13	19.65	29.48	NA	2.5
MW-1 (D)	06/24/1998	12,000	NA	3,800	250	47	1,400	710	NA	49.13	19.65	29.48	NA	2.5
MW-1	08/26/1998	3,100	NA	1,200	27	170	50	88	NA	49.13	20.49	28.64	NA	2.1
MW-1	12/23/1998	45,000	NA	5,300	220	1000	3600	970	NA	49.13	21.22	27.91	NA	3.8

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	03/01/1999	22,300	NA	2,540	436	753	3370	<400	NA	49.13	19.27	29.86	NA	1.8
MW-1	06/14/1999	18,800	NA	6,820	210	436	958	1360	NA	49.13	20.80	28.33	NA	2.2
MW-2	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	45.63	22.22	23.61	NA	NA
MW-2	02/24/1992	17,000	2,700a	6,200	1,600	550	1,900	NA	NA	45.63	19.61	26.22	NA	NA
MW-2	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	45.63	19.92	25.91	NA	NA
MW-2	03/01/1992	86,000	1,000a	30,000	34,000	2,300	16,000	NA	NA	45.63	21.11	24.72	NA	NA
MW-2	06/03/1992	87,000	NA	28,000	18,000	2,000	10,000	NA	NA	45.63	21.58	24.25	NA	NA
MW-2	09/01/1992	110,000	NA	21,000	13,000	1,900	7,800	NA	NA	45.63	23.46	22.37	NA	NA
MW-2	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	45.63	23.99	21.84	NA	NA
MW-2	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	45.63	24.25	21.58	NA	NA
MW-2	12/04/1992	42,000	NA	15,000	2,400	960	2,900	NA	NA	45.63	23.89	21.94	NA	NA
MW-2	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	45.63	17.03	28.80	NA	NA
MW-2	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	45.63	18.08	27.75	NA	NA
MW-2	03/03/1993	160,000	NA	36,000	3,800	32,000	21,000	NA	NA	45.63	17.28	28.55	NA	NA
MW-2 (D)	03/03/1993	150,000	NA	31,000	3,100	20,000	14,000	NA	NA	45.63	17.28	28.55	NA	NA
MW-2	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	45.63	18.41	27.42	NA	NA
MW-2	06/17/1993	65,000	NA	34,000	15,000	3,200	11,000	NA	NA	45.63	19.06	26.77	NA	NA
MW-2 (D)	06/17/1993	62,000	NA	28,000	14,000	2,700	10,000	NA	NA	45.63	19.06	26.77	NA	NA
MW-2	09/10/1993	72,000	NA	24,000	16,000	2,300	11,000	NA	NA	45.63	20.88	24.95	NA	NA
MW-2 (D)	09/10/93,f	71,000	NA	23,000	15,000	2,300	10,000	NA	NA	45.63	20.88	24.95	NA	NA
MW-2	12/13/1993	19,000	NA	5,400	4,900	680	3,100	NA	NA	45.63	20.42	25.41	NA	NA
MW-2 (D)	12/13/1993	17,000	NA	6,200	5,500	720	3,500	NA	NA	45.63	20.42	25.41	NA	NA
MW-2	03/03/1994	110,000	NA	21,000	24,000	2000	13,000	NA	NA	45.63	18.48	27.35	NA	NA
MW-2 (D)	03/03/1994	93,000	NA	19,000	22,000	1,800	12,000	NA	NA	45.63	18.48	27.35	NA	NA
MW-2	06/06/1994	10,000	NA	1,900	3,300	2,500	13,000	NA	NA	45.63	20.26	25.57	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2 (D)	06/06/1994	99,000	NA	9,900	12,000	2,400	12,000	NA	NA	45.63	20.26	25.57	NA	NA
MW-2	09/12/1994	160,000	NA	22,000	33,000	3,400	23,000	NA	NA	45.63	21.80	24.03	NA	NA
MW-2 (D)	09/12/1994	150,000	NA	23,000	34,000	3,500	23,000	NA	NA	45.63	21.80	24.03	NA	NA
MW-2	12/19/1994	80,000	NA	17,000	16,000	2,300	14,000	NA	NA	45.63	19.66	26.17	NA	NA
MW-2 (D)	12/19/1994	100,000	NA	28,000	26,000	3,400	20,000	NA	NA	45.63	19.66	26.17	NA	NA
MW-2	02/28/1995	100,000	NA	24,000	18,000	2,300	17,000	NA	NA	45.63	17.51	28.32	NA	NA
MW-2 (D)	02/28/1995	100,000	NA	31,000	21,000	3,200	18,000	NA	NA	45.63	17.51	28.32	NA	NA
MW-2	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	45.63	14.88	30.95	NA	NA
MW-2	06/26/1995	45,000	NA	14,000	12,000	1,500	7,500	NA	NA	45.63	17.58	28.25	NA	NA
MW-2 (D)	06/26/1995	68,000	NA	13,000	11,000	1,800	7,700	NA	NA	45.63	17.58	28.25	NA	NA
MW-2	09/13/1995	110,000	NA	19,000	19,000	2,800	15,000	NA	NA	45.63	19.28	26.55	NA	NA
MW-2 (D)	09/13/1995	120,000	NA	20,000	20,000	2,900	15,000	NA	NA	45.63	19.28	26.55	NA	NA
MW-2	12/19/1995	180,000	NA	18,000	29,000	4,100	24,000	NA	NA	45.63	18.61	27.22	NA	NA
MW-2 (D)	12/19/1995	160,000	NA	18,000	28,000	3,800	24,000	NA	NA	45.63	18.61	27.22	NA	NA
MW-2	03/06/1996	120,000	NA	28,000	15,000	3,900	17,000	NA	NA	45.63	15.41	30.42	NA	NA
MW-2	06/28/1996	96,000	NA	20,000	20,000	4,100	22,000	2,400	NA	45.63	17.84	27.99	NA	NA
MW-2	09/26/1996	87,000	NA	7,600	11,000	2,500	15,000	990	840	45.63	19.60	26.23	NA	NA
MW-2	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	45.63	18.15	27.48	0.25	NA
MW-2	03/10/1997	NA	NA	NA	NA	NA	NA	NA	NA	45.63	17.02	28.77	0.20	NA
MW-2	06/30/1997	57,000	NA	3,600	4,600	1,300	9,700	2,300	NA	45.63	19.42	26.21	NA	2.4
MW-2	09/12/1997	88,000	NA	7,800	8,800	2,600	16,000	3,200	NA	45.63	19.40	26.23	NA	1.7
MW-2 (D)	09/12/1997	90,000	NA	8,300	9,400	2,700	17,000	3,400	NA	45.63	19.40	26.23	NA	1.7
MW-2 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	45.63	17.56	28.07	NA	1.3
MW-2	02/02/1998	<50	NA	0.6	1.9	0.93	6.0	9.3	NA	45.63	18.14	27.49	NA	2
MW-2 (D)	02/02/1998	56	NA	1.0	2.8	1.4	9.3	13	NA	45.63	18.14	27.49	NA	2
MW-2	06/24/1998	20,000	NA	<200	620	560	4,500	<1,000	NA	45.63	16.08	29.55	NA	2.4

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	08/26/1998	22,000	NA	380	1,100	560	4,400	330	NA	45.63	19.25	26.38	NA	NA
MW-2 (D)	08/26/1998	11,000	NA	180	130	290	500	1,400	NA	45.63	19.25	26.38	NA	NA
MW-2	12/23/1998	100,000	NA	4100	6,500	2400	16,000	<500	NA	45.63	18.29	27.34	NA	3.8
MW-2	03/01/1999	50,800	NA	3910	7,480	1890	13,100	9620	NA	45.63	22.81	22.82	NA	2.0
MW-2	06/14/1999	4,930	NA	128	270	139	1,040	2200	2540	45.63	18.86	26.77	NA	1.6
MW-3	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.97	24.00	NA	NA
MW-3	02/24/1992	4,500	1,300a	97	<5	78	18	NA	NA	51.97	25.60	26.37	NA	NA
MW-3	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.88	26.09	NA	NA
MW-3	03/01/1992	2,200	440	69	<0.5	<0.5	<0.5	NA	NA	51.97	26.00	25.97	NA	NA
MW-3	06/03/1992	4,100	NA	13	72	44	65	NA	NA	51.97	27.70	24.27	NA	NA
MW-3	09/01/1992	1,900	NA	20	6.8	5.5	<5	NA	NA	51.97	29.46	22.51	NA	NA
MW-3 (D)	09/01/1992	1,900	NA	21	6.6	3.4	<5	NA	NA	51.97	29.46	22.51	NA	NA
MW-3	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.01	21.96	NA	NA
MW-3	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.26	21.71	NA	NA
MW-3	12/04/1992	2,400	NA	8.2	<5	<5	<5	NA	NA	51.97	29.93	22.04	NA	NA
MW-3 (D)	12/04/1992	2,100	NA	11	<0.5	5.7	<0.5	NA	NA	51.97	29.93	22.04	NA	NA
MW-3	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	51.97	22.76	29.21	NA	NA
MW-3	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.40	30.57	NA	NA
MW-3	03/03/1993	5,100	NA	63	61	75	150	NA	NA	51.97	23.08	28.89	NA	NA
MW-3	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.51	27.46	NA	NA
MW-3	06/17/1993	4,000	NA	94	140	82	150	NA	NA	51.97	25.21	26.76	NA	NA
MW-3	09/10/1993	3,200	NA	140	12.5	12.5	12.5	NA	NA	51.97	26.95	25.02	NA	NA
MW-3	12/13/1993	6,200	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	51.97	26.52	25.45	NA	NA
MW-3	03/03/1994	4,500	NA	73	<5	<5	<5	NA	NA	51.97	24.50	27.47	NA	NA
MW-3	06/06/1994	3,200	NA	<0.5	<0.5	3.1	<0.5	NA	NA	51.97	26.33	25.64	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3	09/12/1994	3,900	NA	<0.5	<0.5	9.6	4.1	NA	NA	51.97	27.98	23.99	NA	NA
MW-3	12/19/1994	2,400	NA	21	22	4.2	2.6	NA	NA	51.97	25.63	26.34	NA	NA
MW-3	02/28/1995	4,000	NA	58	<0.5	7.1	3.5	NA	NA	51.97	23.45	28.52	NA	NA
MW-3	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.07	30.90	NA	NA
MW-3	06/26/1995	3,900	NA	8.1	<0.5	12	2.4	NA	NA	51.97	23.64	28.33	NA	NA
MW-3	09/13/1995	4,100	NA	58	5.5	5.5	<0.5	NA	NA	51.97	25.40	26.57	NA	NA
MW-3	12/19/1995	3,600	NA	<0.5	4.3	2.1	1.1	NA	NA	51.97	24.53	27.44	NA	NA
MW-3	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.59	30.41	0.04	NA
MW-3	06/28/1996	2,400	NA	55	<0.5	<0.5	11	120	NA	51.97	23.95	28.02	NA	NA
MW-3	09/26/1996	2,500	NA	<5.0	<5.0	<5.0	<5.0	160	NA	51.97	25.89	26.08	NA	NA
MW-3	12/10/1996	1,600	NA	28	4.2	<2.0	3.9	110	NA	51.97	24.22	27.75	NA	0.8
MW-3	03/10/1997	130	NA	<0.50	<0.50	<0.50	1.4	4.2	NA	51.97	23.05	28.92	NA	2.8
MW-3	06/30/1997	1,200	NA	21	2.3	<2.0	<2.0	69	NA	51.97	24.34	27.63	NA	2.3
MW-3	09/12/1997	440	NA	8.3	0.82	<0.50	1.9	3.4	NA	51.97	24.47	27.50	NA	1.9
MW-3 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.54	28.43	NA	0.8
MW-3	02/02/1998	400	NA	9.3	0.68	<0.50	<0.50	9	NA	51.97	21.92	30.05	NA	1.5
MW-3	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	51.97	22.35	29.62	NA	1.9
MW-3	08/26/1998	140	NA	7.4	<0.50	<0.50	2.5	13	NA	51.97	23.45	28.52	NA	1.3
MW-3	12/23/1998	1,200	NA	50	<2.0	<2.0	<2.0	69	NA	51.97	24.01	27.96	NA	4.2
MW-3	03/01/1999	2,550	NA	<0.500	<0.500	<0.500	0.658	32.4	NA	51.97	22.08	29.89	NA	2.0
MW-3	06/14/1999	514	NA	18.1	0.728	<0.500	<0.500	15.9	NA	51.97	23.15	28.82	NA	1.7
MW-4	03/24/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	9.16	31.35	NA	NA
MW-4	06/26/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	12.06	28.45	NA	NA
MW-4	09/13/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	13.90	26.61	NA	NA
MW-4	12/19/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	12.90	27.61	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-4	03/06/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	9.63	30.88	NA	NA
MW-4	06/28/1996	40	NA	<0.5	0.59	0.97	3.8	26	NA	40.51	12.30	28.21	NA	NA
MW-4	09/26/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	40.51	14.12	26.39	NA	NA
MW-4	12/10/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	40.51	12.31	28.20	NA	1.2
MW-4	03/10/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	11.34	29.17	NA	NA
MW-4	06/30/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	13.80	26.71	NA	1.9
MW-4	09/12/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	13.99	26.52	NA	1.7
MW-4 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.02	28.49	NA	1.8
MW-4	02/02/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	11.23	29.28	NA	1
MW-4	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	10.58	29.93	NA	1.9
MW-4	08/26/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	11.75	28.76	NA	1.2
MW-4	12/23/1998	<50	NA	0.60	<0.50	<0.50	<0.50	<2.5	NA	40.51	12.41	28.10	NA	4.2
MW-4	03/01/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	40.51	10.38	30.13	NA	2.1
MW-4	06/14/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	40.51	11.91	28.60	NA	2.4

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015
TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015
BTEX = benzene, toluene, ethylbenzene, xylenes by EPA Method 8020
MTBE = methyl-tertiary-butyl ether
TOC = Top of Casing Elevation
SPH = Separate-Phase Hydrocarbons
GW = Groundwater
DO = Dissolved Oxygen
ug/L = parts per billion

Notes:

a = Chromatogram pattern indicates an unidentified hydrocarbon.
b = Samples not analyzed due to laboratory oversight.
* = Sample analyzed out of EPA recommended hold time.

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

msl = Mean sea level

ft = Feet

<n = Below detection limit

D = Duplicate sample



Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308

July 7, 1999

Ann Pember
Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose, CA 95112

RE: Equiva 1784 150th Ave. San Leandro/M906339

Dear Ann Pember

Enclosed are the results of analyses for sample(s) received by the laboratory on June 15, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kayvan Kimyai
Project Manager D.M.

CA ELAP Certificate Number 1210





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

ANALYTICAL REPORT FOR M906339

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
MW-1	M906339-01	Water	6/14/99
MW-2	M906339-02	Water	6/14/99
MW-3	M906339-03	Water	6/14/99
MW-4	M906339-04	Water	6/14/99





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
MW-1				M906339-01			Water	
Purgeable Hydrocarbons	9060345	6/25/99	6/25/99		10000	18800	ug/l	1
Benzene	"	"	"		100	6820	"	
Toluene	"	"	"		100	210	"	
Ethylbenzene	"	"	"		100	436	"	
Xylenes (total)	"	"	"		100	958	"	
Methyl tert-butyl ether	"	"	"		500	1360	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		94.7	%	
MW-2				M906339-02			Water	
Purgeable Hydrocarbons	9060345	6/25/99	6/25/99		500	4930	ug/l	2
Benzene	"	"	"		5.00	128	"	
Toluene	"	"	"		5.00	270	"	
Ethylbenzene	"	"	"		5.00	139	"	
Xylenes (total)	"	"	"		5.00	1040	"	
Methyl tert-butyl ether	"	"	"		25.0	2200	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		78.9	%	
MW-3				M906339-03			Water	
Purgeable Hydrocarbons	9060345	6/25/99	6/25/99		50.0	514	ug/l	1
Benzene	"	"	"		0.500	18.1	"	
Toluene	"	"	"		0.500	0.728	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.50	15.9	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		149	%	3
MW-4				M906339-04			Water	
Purgeable Hydrocarbons	9060345	6/25/99	6/25/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.50	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		88.5	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Volatile Organic Compounds by EPA Method 8010B
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
MW-1				M906339-01			Water	
Bromodichloromethane	9060149	6/20/99	6/21/99		0.500	ND	ug/l	
Bromoform	"	"	"		0.500	ND	"	
Bromomethane	"	"	"		1.00	ND	"	
Carbon tetrachloride	"	"	"		0.500	ND	"	
Chlorobenzene	"	"	"		0.500	ND	"	
Chloroethane	"	"	"		1.00	ND	"	
Chloroform	"	"	"		0.500	ND	"	
Chloromethane	"	"	"		1.00	ND	"	
Dibromochloromethane	"	"	"		0.500	ND	"	
1,3-Dichlorobenzene	"	"	"		0.500	ND	"	
1,4-Dichlorobenzene	"	"	"		0.500	ND	"	
1,2-Dichlorobenzene	"	"	"		0.500	ND	"	
1,1-Dichloroethane	"	"	"		0.500	ND	"	
1,2-Dichloroethane	"	"	"		0.500	ND	"	
1,1-Dichloroethene	"	"	"		0.500	ND	"	
cis-1,2-Dichloroethene	"	"	"		0.500	ND	"	
trans-1,2-Dichloroethene	"	"	"		0.500	ND	"	
1,2-Dichloropropane	"	"	"		0.500	ND	"	
cis-1,3-Dichloropropene	"	"	"		0.500	ND	"	
trans-1,3-Dichloropropene	"	"	"		0.500	ND	"	
Methylene chloride	"	"	"		5.00	ND	"	
1,1,2,2-Tetrachloroethane	"	"	"		0.500	ND	"	
Tetrachloroethene	"	"	"		0.500	ND	"	
1,1,1-Trichloroethane	"	"	"		0.500	ND	"	
1,1,2-Trichloroethane	"	"	"		0.500	ND	"	
1,1,2-Trichlorotrifluoroethane	"	"	"		1.00	ND	"	
Trichloroethene	"	"	"		0.500	ND	"	
Trichlorofluoromethane	"	"	"		0.500	ND	"	
Vinyl chloride	"	"	"		1.00	ND	"	
Surrogate: 4-Bromofluorobenzene	"	"	"	70.0-130		94.2	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Volatile Organic Compounds by EPA Method 8010B
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
MW-2				M906339-02			Water	
Bromodichloromethane	9060149	6/20/99	6/21/99		0.500	ND	ug/l	
Bromoform	"	"	"		0.500	ND	"	
Bromomethane	"	"	"		1.00	ND	"	
Carbon tetrachloride	"	"	"		0.500	ND	"	
Chlorobenzene	"	"	"		0.500	ND	"	
Chloroethane	"	"	"		1.00	ND	"	
Chloroform	"	"	"		0.500	ND	"	
Chloromethane	"	"	"		1.00	ND	"	
Dibromochloromethane	"	"	"		0.500	ND	"	
1,3-Dichlorobenzene	"	"	"		0.500	ND	"	
1,4-Dichlorobenzene	"	"	"		0.500	ND	"	
1,2-Dichlorobenzene	"	"	"		0.500	ND	"	
1,1-Dichloroethane	"	"	"		0.500	ND	"	
1,2-Dichloroethane	"	"	"		0.500	ND	"	
1,1-Dichloroethene	"	"	"		0.500	ND	"	
cis-1,2-Dichloroethene	"	"	"		0.500	ND	"	
trans-1,2-Dichloroethene	"	"	"		0.500	ND	"	
1,2-Dichloropropane	"	"	"		0.500	ND	"	
cis-1,3-Dichloropropene	"	"	"		0.500	ND	"	
trans-1,3-Dichloropropene	"	"	"		0.500	ND	"	
Methylene chloride	"	"	"		5.00	ND	"	
1,1,2,2-Tetrachloroethane	"	"	"		0.500	ND	"	
Tetrachloroethene	"	"	"		0.500	ND	"	
1,1,1-Trichloroethane	"	"	"		0.500	ND	"	
1,1,2-Trichloroethane	"	"	"		0.500	ND	"	
1,1,2-Trichlorotrifluoroethane	"	"	"		1.00	ND	"	
Trichloroethene	"	"	"		0.500	ND	"	
Trichlorofluoromethane	"	"	"		0.500	ND	"	
Vinyl chloride	"	"	"		1.00	ND	"	
Surrogate: 4-Bromofluorobenzene	"	"	"	70.0-130		87.1	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Volatile Organic Compounds by EPA Method 8010B
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
MW-3				M906339-03			Water	
Bromodichloromethane	9060149	6/20/99	6/21/99		0.500	ND	ug/l	
Bromoform	"	"	"		0.500	ND	"	
Bromomethane	"	"	"		1.00	ND	"	
Carbon tetrachloride	"	"	"		0.500	ND	"	
Chlorobenzene	"	"	"		0.500	ND	"	
Chloroethane	"	"	"		1.00	ND	"	
Chloroform	"	"	"		0.500	ND	"	
Chloromethane	"	"	"		1.00	ND	"	
Dibromochloromethane	"	"	"		0.500	ND	"	
1,3-Dichlorobenzene	"	"	"		0.500	ND	"	
1,4-Dichlorobenzene	"	"	"		0.500	ND	"	
1,2-Dichlorobenzene	"	"	"		0.500	ND	"	
1,1-Dichloroethane	"	"	"		0.500	ND	"	
1,2-Dichloroethane	"	"	"		0.500	ND	"	
1,1-Dichloroethene	"	"	"		0.500	ND	"	
cis-1,2-Dichloroethene	"	"	"		0.500	ND	"	
trans-1,2-Dichloroethene	"	"	"		0.500	ND	"	
1,2-Dichloropropane	"	"	"		0.500	ND	"	
cis-1,3-Dichloropropene	"	"	"		0.500	ND	"	
trans-1,3-Dichloropropene	"	"	"		0.500	ND	"	
Methylene chloride	"	"	"		5.00	ND	"	
1,1,2,2-Tetrachloroethane	"	"	"		0.500	ND	"	
Tetrachloroethene	"	"	"		0.500	ND	"	
1,1,1-Trichloroethane	"	"	"		0.500	ND	"	
1,1,2-Trichloroethane	"	"	"		0.500	ND	"	
1,1,2-Trichlorotrifluoroethane	"	"	"		1.00	ND	"	
Trichloroethene	"	"	"		0.500	ND	"	
Trichlorofluoromethane	"	"	"		0.500	ND	"	
Vinyl chloride	"	"	"		1.00	ND	"	
Surrogate: 4-Bromofluorobenzene	"	"	"	70.0-130		96.1	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Volatile Organic Compounds by EPA Method 8010B
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
MW-4				M906339-04			Water	
Bromodichloromethane	9060149	6/20/99	6/21/99		0.500	ND	ug/l	
Bromoform	"	"	"		0.500	ND	"	
Bromomethane	"	"	"		1.00	ND	"	
Carbon tetrachloride	"	"	"		0.500	ND	"	
Chlorobenzene	"	"	"		0.500	ND	"	
Chloroethane	"	"	"		1.00	ND	"	
Chloroform	"	"	"		0.500	ND	"	
Chloromethane	"	"	"		1.00	ND	"	
Dibromochloromethane	"	"	"		0.500	ND	"	
1,3-Dichlorobenzene	"	"	"		0.500	ND	"	
1,4-Dichlorobenzene	"	"	"		0.500	ND	"	
1,2-Dichlorobenzene	"	"	"		0.500	ND	"	
1,1-Dichloroethane	"	"	"		0.500	ND	"	
1,2-Dichloroethane	"	"	"		0.500	ND	"	
1,1-Dichloroethene	"	"	"		0.500	ND	"	
cis-1,2-Dichloroethene	"	"	"		0.500	ND	"	
trans-1,2-Dichloroethene	"	"	"		0.500	ND	"	
1,2-Dichloropropane	"	"	"		0.500	ND	"	
cis-1,3-Dichloropropene	"	"	"		0.500	ND	"	
trans-1,3-Dichloropropene	"	"	"		0.500	ND	"	
Methylene chloride	"	"	"		5.00	ND	"	
1,1,2,2-Tetrachloroethane	"	"	"		0.500	ND	"	
Tetrachloroethene	"	"	"		0.500	ND	"	
1,1,1-Trichloroethane	"	"	"		0.500	ND	"	
1,1,2-Trichloroethane	"	"	"		0.500	ND	"	
1,1,2-Trichlorotrifluoroethane	"	"	"		1.00	ND	"	
Trichloroethene	"	"	"		0.500	ND	"	
Trichlorofluoromethane	"	"	"		0.500	ND	"	
Vinyl chloride	"	"	"		1.00	ND	"	
Surrogate: 4-Bromofluorobenzene	"	"	"	70.0-130		93.9	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Batch: 9060345			Date Prepared: 6/25/99			Extraction Method: EPA 5030B [P/T]				
Blank			9060345-BLK1							
Purgeable Hydrocarbons	6/25/99			ND	ug/l	50.0				
Benzene	"			ND	"	0.500				
Toluene	"			ND	"	0.500				
Ethylbenzene	"			ND	"	0.500				
Xylenes (total)	"			ND	"	0.500				
Methyl tert-butyl ether	"			ND	"	2.50				
<i>Surrogate: a,a,a-Trifluorotoluene</i>	"	10.0		9.70	"	70.0-130	97.0			
LCS			9060345-BS1							
Benzene	6/25/99	10.0		9.08	ug/l	70.0-130	90.8			
Toluene	"	10.0		8.74	"	70.0-130	87.4			
Ethylbenzene	"	10.0		9.17	"	70.0-130	91.7			
Xylenes (total)	"	30.0		27.2	"	70.0-130	90.7			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	"	10.0		9.14	"	70.0-130	91.4			
Matrix Spike			9060345-MS1		M906476-03					
Benzene	6/25/99	10.0	ND	8.47	ug/l	60.0-140	84.7			
Toluene	"	10.0	ND	8.20	"	60.0-140	82.0			
Ethylbenzene	"	10.0	ND	8.56	"	60.0-140	85.6			
Xylenes (total)	"	30.0	ND	25.6	"	60.0-140	85.3			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	"	10.0		8.67	"	70.0-130	86.7			
Matrix Spike Dup			9060345-MSD1		M906476-03					
Benzene	6/25/99	10.0	ND	8.59	ug/l	60.0-140	85.9	25.0	1.41	
Toluene	"	10.0	ND	8.34	"	60.0-140	83.4	25.0	1.69	
Ethylbenzene	"	10.0	ND	8.77	"	60.0-140	87.7	25.0	2.42	
Xylenes (total)	"	30.0	ND	25.9	"	60.0-140	86.3	25.0	1.17	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	"	10.0		8.61	"	70.0-130	86.1			





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

Volatile Organic Compounds by EPA Method 8010B/Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Batch: 9060149	Date Prepared: 6/17/99			Extraction Method: EPA 5030B [P/T]						
Blank	9060149-BLK1									
Bromodichloromethane	6/20/99			ND	ug/l	0.500				
Bromoform	"			ND	"	0.500				
Bromomethane	"			ND	"	1.00				
Carbon tetrachloride	"			ND	"	0.500				
Chlorobenzene	"			ND	"	0.500				
Chloroethane	"			ND	"	1.00				
Chloroform	"			ND	"	0.500				
Chloromethane	"			ND	"	1.00				
Dibromochloromethane	"			ND	"	0.500				
1,3-Dichlorobenzene	"			ND	"	0.500				
1,4-Dichlorobenzene	"			ND	"	0.500				
1,2-Dichlorobenzene	"			ND	"	0.500				
1,1-Dichloroethane	"			ND	"	0.500				
1,2-Dichloroethane	"			ND	"	0.500				
1,1-Dichloroethene	"			ND	"	0.500				
cis-1,2-Dichloroethene	"			ND	"	0.500				
trans-1,2-Dichloroethene	"			ND	"	0.500				
1,2-Dichloropropane	"			ND	"	0.500				
cis-1,3-Dichloropropene	"			ND	"	0.500				
trans-1,3-Dichloropropene	"			ND	"	0.500				
Methylene chloride	"			ND	"	5.00				
1,1,2,2-Tetrachloroethane	"			ND	"	0.500				
Tetrachloroethene	"			ND	"	0.500				
1,1,1-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichlorotrifluoroethane	"			ND	"	1.00				
Trichloroethene	"			ND	"	0.500				
Trichlorofluoromethane	"			ND	"	0.500				
Vinyl chloride	"			ND	"	1.00				
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		9.10	"	70.0-130	91.0			

Blank	9060149-BLK2									
Bromodichloromethane	6/21/99			ND	ug/l	0.500				
Bromoform	"			ND	"	0.500				
Bromomethane	"			ND	"	1.00				
Carbon tetrachloride	"			ND	"	0.500				
Chlorobenzene	"			ND	"	0.500				
Chloroethane	"			ND	"	1.00				
Chloroform	"			ND	"	0.500				
Chloromethane	"			ND	"	1.00				





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Volatile Organic Compounds by EPA Method 8010B/Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Blank (continued)	9060149-BLK2									
Dibromochloromethane	6/21/99			ND	ug/l	0.500				
1,3-Dichlorobenzene	"			ND	"	0.500				
1,4-Dichlorobenzene	"			ND	"	0.500				
1,2-Dichlorobenzene	"			ND	"	0.500				
1,1-Dichloroethane	"			ND	"	0.500				
1,2-Dichloroethane	"			ND	"	0.500				
1,1-Dichloroethene	"			ND	"	0.500				
cis-1,2-Dichloroethene	"			ND	"	0.500				
trans-1,2-Dichloroethene	"			ND	"	0.500				
1,2-Dichloropropane	"			ND	"	0.500				
cis-1,3-Dichloropropene	"			ND	"	0.500				
trans-1,3-Dichloropropene	"			ND	"	0.500				
Methylene chloride	"			ND	"	5.00				
1,1,2,2-Tetrachloroethane	"			ND	"	0.500				
Tetrachloroethene	"			ND	"	0.500				
1,1,1-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichlorotrifluoroethane	"			ND	"	1.00				
Trichloroethene	"			ND	"	0.500				
Trichlorofluoromethane	"			ND	"	0.500				
Vinyl chloride	"			ND	"	1.00				
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		7.52	"	70.0-130	75.2			

Blank	9060149-BLK3									
Bromodichloromethane	6/24/99			ND	ug/l	0.500				
Bromoform	"			ND	"	0.500				
Bromomethane	"			ND	"	1.00				
Carbon tetrachloride	"			ND	"	0.500				
Chlorobenzene	"			ND	"	0.500				
Chloroethane	"			ND	"	1.00				
Chloroform	"			ND	"	0.500				
Chloromethane	"			ND	"	1.00				
Dibromochloromethane	"			ND	"	0.500				
1,3-Dichlorobenzene	"			ND	"	0.500				
1,4-Dichlorobenzene	"			ND	"	0.500				
1,2-Dichlorobenzene	"			ND	"	0.500				
1,1-Dichloroethane	"			ND	"	0.500				
1,2-Dichloroethane	"			ND	"	0.500				
1,1-Dichloroethene	"			ND	"	0.500				
cis-1,2-Dichloroethene	"			ND	"	0.500				
trans-1,2-Dichloroethene	"			ND	"	0.500				





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Volatile Organic Compounds by EPA Method 8010B/Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Blank (continued)										
9060149-BLK3										
1,2-Dichloropropane	6/24/99			ND	ug/l	0.500				
cis-1,3-Dichloropropene	"			ND	"	0.500				
trans-1,3-Dichloropropene	"			ND	"	0.500				
Methylene chloride	"			ND	"	5.00				
1,1,2,2-Tetrachloroethane	"			ND	"	0.500				
Tetrachloroethene	"			ND	"	0.500				
1,1,1-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichlorotrifluoroethane	"			ND	"	1.00				
Trichloroethene	"			ND	"	0.500				
Trichlorofluoromethane	"			ND	"	0.500				
Vinyl chloride	"			ND	"	1.00				
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		7.93	"	70.0-130	79.3			
LCS										
9060149-BS1										
Chlorobenzene	6/20/99	25.0		23.8	ug/l	70.0-130	95.2			
1,1-Dichloroethene	"	25.0		22.3	"	65.0-135	89.2			
Trichloroethene	"	25.0		23.0	"	70.0-130	92.0			
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		8.42	"	70.0-130	84.2			
LCS										
9060149-BS2										
Chlorobenzene	6/21/99	25.0		21.7	ug/l	70.0-130	86.8			
1,1-Dichloroethene	"	25.0		17.9	"	65.0-135	71.6			
Trichloroethene	"	25.0		20.0	"	70.0-130	80.0			
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		8.23	"	70.0-130	82.3			
LCS										
9060149-BS3										
Chlorobenzene	6/24/99	25.0		26.1	ug/l	70.0-130	104			
1,1-Dichloroethene	"	25.0		21.3	"	65.0-135	85.2			
Trichloroethene	"	25.0		23.4	"	70.0-130	93.6			
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		8.71	"	70.0-130	87.1			
Matrix Spike										
9060149-MS1 M906229-20										
Chlorobenzene	6/20/99	25.0	ND	25.2	ug/l	60.0-140	101			
1,1-Dichloroethene	"	25.0	ND	23.4	"	60.0-140	93.6			
Trichloroethene	"	25.0	ND	23.9	"	60.0-140	95.6			
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		8.36	"	70.0-130	83.6			
Matrix Spike Dup										
9060149-MSD1 M906229-20										
Chlorobenzene	6/20/99	25.0	ND	25.4	ug/l	60.0-140	102	25.0	0.985	
1,1-Dichloroethene	"	25.0	ND	24.1	"	60.0-140	96.4	25.0	2.95	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

**Volatile Organic Compounds by EPA Method 8010B/Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Matrix Spike Dup (continued)										
	<u>9060149-MSD1</u>	<u>M906229-20</u>								
Trichloroethene	6/20/99	25.0	ND	25.4	ug/l	60.0-140	102	25.0	6.48	
Surrogate: 4-Bromofluorobenzene	"	10.0		9.08	"	70.0-130	90.8			





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th. Avenue San Leandro Project Manager: Ann Pember	Sampled: 6/14/99 Received: 6/15/99 Reported: 7/7/99
--------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-----------------------------------------------------------

Notes and Definitions

#	Note
---	------

- 1 Chromatogram Pattern: Unidentified Hydrocarbons C6-C12
- 2 Chromatogram Pattern: Gasoline C6-C12
- 3 The surrogate recovery for this sample is outside of established control limits.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- Recov. Recovery
- RPD Relative Percent Difference





Sequoia Analytical

1551 Industrial Road
San Carlos, CA 94070-4111
(650) 232-9600
FAX (650) 232-9612

August 11, 1999

Kayvan Kimyai
Sequoia - Morgan Hill
885 Jarvis Drive
Morgan Hill, CA 95037

RE: 1/L908055

Dear Kayvan Kimyai

Enclosed are the results of analyses for sample(s) received by the laboratory on August 10, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

for Wayne Stevenson
Project Manager





Sequoia - Morgan Hill 885 Jarvis Drive Morgan Hill, CA 95037	Project: 1 Project Number: 9080314(Blaine-Equiva) Project Manager: Kayvan Kimyai	Sampled: 6/14/99 Received: 8/10/99 Reported: 8/11/99 13:39
--------------------------------------------------------------------	----------------------------------------------------------------------------------------	------------------------------------------------------------------

ANALYTICAL REPORT FOR SAMPLES:

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
9080314-01/MW-2	L908055-01	Water	6/14/99





Sequoia - Morgan Hill 885 Jarvis Drive Morgan Hill, CA 95037	Project: 1 Project Number: 9080314(Blaine-Equiva) Project Manager: Kayvan Kimyai	Sampled: 6/14/99 Received: 8/10/99 Reported: 8/11/99 13:39
--------------------------------------------------------------------	----------------------------------------------------------------------------------------	------------------------------------------------------------------

**9080314-01/MW-2
[L908055-01]**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
---------	--------------	---------------	---------------	--------------------------------------	-----------------	--------	-------	--------

Sequoia Analytical - San Carlos

<u>MTBE by EPA Method 8260A</u>								<u>1</u>
Methyl tert-butyl ether	9080050	8/11/99	8/11/99		40.0	2540	ug/l	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	"	"	76.0-114		99.2	%	





Sequoia - Morgan Hill 885 Jarvis Drive Morgan Hill, CA 95037	Project: 1 Project Number: 9080314(Blaine-Equiva) Project Manager: Kayvan Kimyai	Sampled: 6/14/99 Received: 8/10/99 Reported: 8/11/99 13:39
--------------------------------------------------------------------	----------------------------------------------------------------------------------------	------------------------------------------------------------------

**MTBE by EPA Method 8260A/Quality Control
Sequoia Analytical - San Carlos**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Batch: 9080050		Date Prepared: 8/10/99		Extraction Method: EPA 5030B [P/T]						
Blank		9080050-BLK1								
Methyl tert-butyl ether	8/10/99			ND	ug/l	2.00				
Surrogate: 1,2-Dichloroethane-d4	"	50.0		51.7	"	76.0-114	103			
Blank		9080050-BLK2								
Methyl tert-butyl ether	8/11/99			ND	ug/l	2.00				
Surrogate: 1,2-Dichloroethane-d4	"	50.0		54.8	"	76.0-114	110			
LCS		9080050-BS1								
Methyl tert-butyl ether	8/10/99	50.0		50.6	ug/l	70.0-130	101			
Surrogate: 1,2-Dichloroethane-d4	"	50.0		51.9	"	76.0-114	104			
LCS		9080050-BS2								
Methyl tert-butyl ether	8/11/99	50.0		55.5	ug/l	70.0-130	111			
Surrogate: 1,2-Dichloroethane-d4	"	50.0		55.5	"	76.0-114	111			
Matrix Spike		9080050-MS1		L908043-01						
Methyl tert-butyl ether	8/10/99	50.0	10.5	57.6	ug/l	60.0-140	94.2			
Surrogate: 1,2-Dichloroethane-d4	"	50.0		50.6	"	76.0-114	101			
Matrix Spike Dup		9080050-MSD1		L908043-01						
Methyl tert-butyl ether	8/10/99	50.0	10.5	59.8	ug/l	60.0-140	98.6	25.0	4.56	
Surrogate: 1,2-Dichloroethane-d4	"	50.0		51.4	"	76.0-114	103			





Sequoia - Morgan Hill 885 Jarvis Drive Morgan Hill, CA 95037	Project: 1 Project Number: 9080314(Blaine-Equiva) Project Manager: Kayvan Kimyai	Sampled: 6/14/99 Received: 8/10/99 Reported: 8/11/99 13:39
--------------------------------------------------------------------	----------------------------------------------------------------------------------------	------------------------------------------------------------------

Notes and Definitions

#	Note
---	------

- 1 This sample was analyzed outside the EPA recommended holding time.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- Recov. Recovery
- RPD Relative Percent Difference



BLAINE

TECH SERVICES INC.

1880 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

CONDUCT ANALYSIS TO DETECT

LAB Sequoia DHS # _____
 ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND
 EPA RWQCB REGION _____
 LIA
 OTHER M906339

CHAIN OF CUSTODY 990614R-3
 CLIENT Equiva - Karen Petryna
 SITE 1784 150th Avenue
San Leandro, CA

C = COMPOSITE ALL CONTAINERS

TPH - gas, BTEX	MTBE by 8020	MTBE by 8260	TPH - diesel	Oxygenates by 8260	1,2-DCA & EDB by 8010
X	X				8010
X	X				X
X	X				X
X	X				X

SPECIAL INSTRUCTIONS
 Send invoice to Equiva
 Incident # 98996068
 Send report to Blaine Tech Services
 Attn: Ann Pember

SAMPLE I.D.	MATRIX S = SOIL W = H2O	CONTAINERS TOTAL	CONDUCT ANALYSIS TO DETECT						ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
			TPH - gas, BTEX	MTBE by 8020	MTBE by 8260	TPH - diesel	Oxygenates by 8260	1,2-DCA & EDB by 8010				
MW-1	6/14 14:52	W 6	Loc	X	X							
MW-2	6/14 15:16	W 6	HCL	X	X							
MW-3	6/14 14:26	W 6		X	X							
MW-4	6/14 14:26	W 6		X	X							

SAMPLING COMPLETED	DATE	TIME	SAMPLING PERFORMED BY	RESULTS NEEDED NO LATER THAN	
	6/14		Sm Rosa		
RELEASED BY	DATE	TIME	RECEIVED BY	DATE	TIME
<i>[Signature]</i>	6/15/99	2:56	<i>[Signature]</i>	6/15/99	14:57
RELEASED BY	DATE	TIME	RECEIVED BY	DATE	TIME
<i>[Signature]</i>			<i>[Signature]</i>		
RELEASED BY	DATE	TIME	RECEIVED BY	DATE	TIME
<i>[Signature]</i>			<i>[Signature]</i>	6/15/99	
SHIPPED VIA	DATE SENT	TIME SENT	COOLER #		

EQUIVA WELL MONITORING DATA SHEET

Project #: <u>990614 R-3</u>	Job # <u>204-6852-1404</u>
Sampler: <u>SR</u>	Date: <u>6-14-99</u>
Well I.D.: <u>MW-1</u>	Well Diameter: 2 3 <u>(4)</u> 6 8 <u> </u>
Total Well Depth: <u>44.65</u>	Depth to Water: <u>20.80</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
Middleburg Extraction Port
Electric Submersible Other: _____
Extraction Pump
Other: _____

<u>15.5</u>	x	<u>3</u>	=	<u>46.3</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
<u>14:40</u>	<u>72.1</u>	<u>6.7</u>	<u>1836</u>	<u>121.0</u>	<u>15.5</u>	<u>cloudy</u>
<u>14:43</u>	<u>71.8</u>	<u>6.6</u>	<u> </u>	<u>91.3</u>	<u>31</u>	<u>/</u>
<u>14:46</u>	<u>71.7</u>	<u>6.7</u>	<u> </u>	<u>86.4</u>	<u>47</u>	<u>mild odor</u>

Did well dewater? Yes No Gallons actually evacuated: 47

Sampling Time: 14:52 Sampling Date: 6-14-99

Sample I.D.: MW-1 Laboratory: Sequoia BC Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L	<u>2.2</u>
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV	

EQUIVA WELL MONITORING DATA SHEET

Project #: <u>990614 R-3</u>	Job # <u>204-6852-1404</u>
Sampler: <u>SR</u>	Date: <u>6-14-99</u>
Well I.D.: <u>MW-2</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth: <u>44.06</u>	Depth to Water: <u>18.86</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
Middleburg Extraction Port
Electric Submersible Other: _____
Extraction Pump
 Other: _____

<u>16.3</u>	x	<u>3</u>	=	<u>48.9</u> Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
15:03	74.1	7.3	727	7200	16.5	Empty Skimmer
15:06	73.9	7.3	1083	7200	27	No FPD
15:09	73.2	7.3	1028	7200	49	odor/cloudy

Did well dewater? Yes No Gallons actually evacuated: 49

Sampling Time: 15:16 Sampling Date: 6-14-99

Sample I.D.: MW-2 Laboratory: Sequoia BC Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	1.6	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:		mV

EQUIVA WELL MONITORING DATA SHEET

Project #: <u>990614 R-3</u>	Job # <u>204-6852-1404</u>
Sampler: <u>SR</u>	Date: <u>6-14-99</u>
Well I.D.: <u>MW-3</u>	Well Diameter: 2 3 <u>(4)</u> 6 8 <u> </u>
Total Well Depth: <u>41.60</u>	Depth to Water: <u>23.15</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
Middleburg Extraction Port
Electric Submersible Other: _____
Extraction Pump
 Other: _____

<u>11.9</u>	X	<u>3</u>	=	<u>35.7</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
<u>14:17</u>	<u>71.4</u>	<u>6.6</u>	<u>1381</u>	<u>7200</u>	<u>12</u>	<u>cloudy</u>
<u>14:19</u>	<u>71.3</u>	<u>6.6</u>	<u>1454</u>	<u>54.7</u>	<u>24</u>	<u>/</u>
<u>14:21</u>	<u>71.6</u>	<u>6.6</u>	<u>1462</u>	<u>32.8</u>	<u>36</u>	<u>milky odor</u>

Did well dewater? Yes No Gallons actually evacuated: 36

Sampling Time: 14:26 Sampling Date: 6-14-99

Sample I.D.: MW-3 Laboratory: Sequoia BC Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

EQUIVA WELL MONITORING DATA SHEET

Project #: <u>990614 R-3</u>	Job #: <u>204-6852-1404</u>
Sampler: <u>SR</u>	Date: <u>6-14-99</u>
Well I.D.: <u>MW-4</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth: <u>24.89</u>	Depth to Water: <u>11.91</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
 Middleburg Extraction Port
 Electric Submersible
 Extraction Pump Other: _____
 Other: _____

<u>2.0</u>	x	<u>3</u>	=	<u>6</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
<u>13:50</u>	<u>68.9</u>	<u>7.3</u>	<u>1216</u>	<u>7200</u>	<u>2</u>	<u>turbid</u>
<u>13:55</u>	<u>69.2</u>	<u>7.4</u>	<u>1124</u>	<u>7200</u>	<u>4</u>	/
<u>14:00</u>	<u>70.0</u>	<u>7.4</u>	<u>1093</u>	<u>7200</u>	<u>6</u>	/

Did well dewater? Yes No Gallons actually evacuated: 6

Sampling Time: 14:06 Sampling Date: 6-14-99

Sample I.D.: MW-4 Laboratory: Sequoia BC Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV