

C A M B R I A

ENVIRONMENTAL  
PROTECTION

June 29, 2000

00 JUL -7 PM 4: 01

Scott Seery  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **First Quarter 2000 Monitoring Report**  
Shell-branded Service Station  
1784 150th Avenue  
San Leandro, California  
Incident #98996068  
Cambria Project #242-0612-002



Dear Mr. Seery:

On behalf of Equiva Services LLC (Equiva), Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

#### **FIRST QUARTER 2000 ACTIVITIES**

**Groundwater Monitoring:** Blaine Tech Services, Inc. (Blaine) of San Jose, California checked for separate-phase hydrocarbons (SPH), gauged and sampled all the site wells, calculated groundwater elevations and compiled the analytical data. **No SPH were found this quarter.** In addition to the usual gasoline constituents, **all wells were analyzed for volatile organic compounds (VOCs) by EPA Method 8010B.** Blaine. Cambria prepared a groundwater elevation contour map (Figure 1). Blaine's report, presenting the laboratory report and supporting field documents, is included as Attachment A.

#### **ANTICIPATED SECOND QUARTER 2000 ACTIVITIES**

**Groundwater Monitoring:** Blaine will check for and remove any detected SPH, gauge and sample all wells, and tabulate the data. Cambria will prepare a monitoring report.

Oakland, CA  
San Ramon, CA  
Sonoma, CA  
Portland, OR

**Cambria  
Environmental  
Technology, Inc.**

1144 65th Street  
Suite B  
Oakland, CA 94608  
Tel (510) 420-0700  
Fax (510) 420-9170

**CLOSING**

We appreciate the opportunity to work with you on this project. Please call Darryk Ataide at (510) 420-3339 if you have any questions or comments.

Sincerely,  
**Cambria Environmental Technology, Inc**



Darryk Ataide, REA I  
Project Manager

Stephan A. Bork, C.E.G., C.HG.  
Associate Hydrogeologist




Figure: 1 - Groundwater Elevation Contour Map

Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

cc: Karen Petryna, Equiva Services LLC, P.O. Box 7869, Burbank, California 91510-7869

g:\sanleandro1784-150th\qm\1q00qm.doc




FIGURE 1

**Shell-branded Service Station**  
 1784 150th Avenue  
 San Leandro, California  
 Incident #98996068



CAMBRIA

**Groundwater Elevation Contour Map**

March 14, 2000

**ATTACHMENT A**  
**Blaine Groundwater Monitoring Report**  
**and Field Notes**

**BLAINE**  
TECH SERVICES INC.



1680 ROGERS AVENUE  
SAN JOSE, CALIFORNIA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE

May 6, 2000

Karen Petryna  
Equiva Services LLC  
P.O. Box 7869  
Burbank, CA 91510-7869

First Quarter 2000 Groundwater Monitoring at  
Shell-branded Service Station  
1784 150<sup>th</sup> Avenue  
San Leandro, CA

Monitoring performed on March 14, 2000

---

Groundwater Monitoring Report 000314-N-1

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "Deidre Kerwin", with a long horizontal flourish extending to the right.

Deidre Kerwin  
Operations Manager

DK/jt

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheet

cc: Anni Kremel  
Cambria Environmental Technology, Inc.  
1144 65<sup>th</sup> Street, Ste. C  
Oakland, CA 94608

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**  
**Wic #204-6852-1404**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

MW-1	03/08/1990	510	120	1.5	0.8	<0.5	5.4	NA	NA	49.13	25.29	23.84	NA	NA
MW-1	06/12/1990	390	100	86	1.3	0.7	6.2	NA	NA	49.13	25.85	23.28	NA	NA
MW-1	09/13/1990	100	130	56	0.75	2.4	2.8	NA	NA	49.13	27.49	21.64	NA	NA
MW-1	12/18/1990	480	<50	54	1.7	3.3	3.7	NA	NA	49.13	27.41	21.72	NA	NA
MW-1	03/07/1991	80	<50	266	<0.5	1.2	<1.5	NA	NA	49.13	25.79	23.34	NA	NA
MW-1	06/07/1991	510	<50	130	3.8	6.1	11	NA	NA	49.13	25.64	23.49	NA	NA
MW-1	09/17/1991	330	120a	67	<0.5	3.0	2.2	NA	NA	49.13	27.54	21.59	NA	NA
MW-1	12/09/1991	140a	80	<0.5	<0.5	1.7	4.7	NA	NA	49.13	27.81	21.32	NA	NA
MW-1	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.57	23.56	NA	NA
MW-1	02/24/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.83	26.30	NA	NA
MW-1	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.09	26.04	NA	NA
MW-1	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	49.13	23.26	25.87	NA	NA
MW-1	06/03/1992	1,500	NA	520	180	72	230	NA	NA	49.13	24.64	24.49	NA	NA
MW-1	09/01/1992	130	NA	16	1.4	1.8	3.4	NA	NA	49.13	26.74	22.39	NA	NA
MW-1	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.18	21.95	NA	NA
MW-1	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.99	21.14	NA	NA
MW-1	12/04/1992	150	NA	360	0.7	1.8	2.1	NA	NA	49.13	27.14	21.99	NA	NA
MW-1	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.09	29.04	NA	NA
MW-1	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.26	24.87	NA	NA
MW-1	03/03/1993	<50	NA	1.5	<0.5	<0.5	<0.5	NA	NA	49.13	20.50	28.63	NA	NA
MW-1	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	49.13	21.70	27.43	NA	NA
MW-1	06/17/1993	1,600	NA	340	120	120	440	NA	NA	49.13	22.42	26.71	NA	NA
MW-1	09/10/1993	2,600	NA	670	340	310	730	NA	NA	49.13	24.11	25.02	NA	NA
MW-1	12/13/1993	11,000	NA	470	320	380	2,300	NA	NA	49.13	23.73	25.40	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**  
**Wic #204-6852-1404**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	03/03/1994	16,000	NA	700	690	480	3,200	NA	NA	49.13	22.08	27.05	NA	NA
MW-1	06/06/1994	7,500	NA	420	280	200	1,000	NA	NA	49.13	23.10	26.03	NA	NA
MW-1	09/12/1994	1,200	NA	110	21	3.3	420	NA	NA	49.13	25.19	23.94	NA	NA
MW-1	12/19/1994	4,600	NA	470	330	230	1,300	NA	NA	49.13	23.06	26.07	NA	NA
MW-1	02/28/1995	500	NA	59	32	6.8	68	NA	NA	49.13	20.90	28.23	NA	NA
MW-1	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.28	30.85	NA	NA
MW-1	06/26/1995	5,500	NA	740	420	300	1,800	NA	NA	49.13	20.40	28.73	NA	NA
MW-1	09/13/1995	84,000	NA	1,900	2,600	3,000	14,000	NA	NA	49.13	22.62	26.51	NA	NA
MW-1	12/19/1995	80,000	NA	660	350	170	18,000	NA	NA	49.13	22.10	27.03	NA	NA
MW-1	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.83	30.34	0.05	NA
MW-1	06/28/1996	270,000	NA	2,800	820	1,000	16,000	<0.5	NA	49.13	21.46	27.67	NA	NA
MW-1 (D)	06/28/1996	790,000	NA	2,200	780	1,000	13,000	15,000	NA	49.13	21.46	27.67	NA	NA
MW-1	09/26/1996	29,000	NA	1,100	260	270	1,900	<1,000	NA	49.13	23.57	25.57	0.01	NA
MW-1	09/26/1996	25,000	NA	1,200	320	240	1,900	<1,000	NA	49.13	NA	NA	NA	NA
MW-1	12/10/1996	13,000	NA	510	240	230	1,200	100	NA	49.13	21.43	27.70	NA	1.0
MW-1 (D)	12/10/1996	8,400	NA	420	130	140	680	81	NA	49.13	21.43	27.70	NA	1.0
MW-1	03/10/1997	4,200	NA	13	8.8	16	74	<12	NA	49.13	20.08	29.05	NA	2.0
MW-1 (D)	03/10/1997	5,100	NA	12	8.9	17	79	<25	NA	49.13	20.08	29.05	NA	2.0
MW-1	06/30/1997	5,700	NA	320	120	140	700	47	NA	49.13	21.68	27.45	NA	1.6
MW-1 (D)	06/30/1997	5,300	NA	300	95	120	580	45	NA	49.13	21.68	27.45	NA	1.6
MW-1	09/12/1997	6,300	NA	120	26	82	260	30	NA	49.13	21.78	27.35	NA	2.1
MW-1 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.78	28.35	NA	1.3
MW-1	02/02/1998	84	NA	5.1	<0.50	<0.50	2.1	2.5	NA	49.13	19.65	29.48	NA	2.0
MW-1	06/24/1998	13,000	NA	3,000	260	410	1,400	<250	NA	49.13	19.65	29.48	NA	2.5
MW-1 (D)	06/24/1998	12,000	NA	3,800	250	47	1,400	710	NA	49.13	19.65	29.48	NA	2.5



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**  
**Wic #204-6852-1404**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

MW-1	08/26/1998	3,100	NA	1,200	27	170	50	88	NA	49.13	20.49	28.64	NA	2.1
MW-1	12/23/1998	45,000	NA	5,300	220	1,000	3,600	970	NA	49.13	21.22	27.91	NA	3.8
MW-1	03/01/1999	22,300	NA	2,540	436	753	3,370	<400	NA	49.13	19.27	29.86	NA	1.8
MW-1	06/14/1999	18,800	NA	6,820	210	436	958	1,360	NA	49.13	20.80	28.33	NA	2.2
MW-1	09/28/1999	21,500	NA	7,470	281	467	927	1,800	NA	49.13	22.55	26.58	NA	2.0
MW-1	12/08/1999	22,300	NA	6,140	135	256	367	232	NA	49.13	23.12	26.01	NA	2.1
MW-1	03/14/2000	6,690	NA	1,880	63.5	134	307	460	NA	49.13	18.87	30.26	NA	2.3

MW-2	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	45.63	22.22	23.61	NA	NA
MW-2	02/24/1992	17,000	2,700a	6,200	1,600	550	1,900	NA	NA	45.63	19.61	26.22	NA	NA
MW-2	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	45.63	19.92	25.91	NA	NA
MW-2	03/01/1992	86,000	1,000a	30,000	34,000	2,300	16,000	NA	NA	45.63	21.11	24.72	NA	NA
MW-2	06/03/1992	87,000	NA	28,000	18,000	2,000	10,000	NA	NA	45.63	21.58	24.25	NA	NA
MW-2	09/01/1992	110,000	NA	21,000	13,000	1,900	7,800	NA	NA	45.63	23.46	22.37	NA	NA
MW-2	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	45.63	23.99	21.84	NA	NA
MW-2	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	45.63	24.25	21.58	NA	NA
MW-2	12/04/1992	42,000	NA	15,000	2,400	960	2,900	NA	NA	45.63	23.89	21.94	NA	NA
MW-2	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	45.63	17.03	28.80	NA	NA
MW-2	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	45.63	18.08	27.75	NA	NA
MW-2	03/03/1993	160,000	NA	36,000	3,800	32,000	21,000	NA	NA	45.63	17.28	28.55	NA	NA
MW-2 (D)	03/03/1993	150,000	NA	31,000	3,100	20,000	14,000	NA	NA	45.63	17.28	28.55	NA	NA
MW-2	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	45.63	18.41	27.42	NA	NA
MW-2	06/17/1993	65,000	NA	34,000	15,000	3,200	11,000	NA	NA	45.63	19.06	26.77	NA	NA
MW-2 (D)	06/17/1993	62,000	NA	28,000	14,000	2,700	10,000	NA	NA	45.63	19.06	26.77	NA	NA
MW-2	09/10/1993	72,000	NA	24,000	16,000	2,300	11,000	NA	NA	45.63	20.88	24.95	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**  
**Wic #204-6852-1404**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2 (D)	09/10/93,f	71,000	NA	23,000	15,000	2,300	10,000	NA	NA	45.63	20.88	24.95	NA	NA
MW-2	12/13/1993	19,000	NA	5,400	4,900	680	3,100	NA	NA	45.63	20.42	25.41	NA	NA
MW-2 (D)	12/13/1993	17,000	NA	6,200	5,500	720	3,500	NA	NA	45.63	20.42	25.41	NA	NA
MW-2	03/03/1994	110,000	NA	21,000	24,000	2,000	13,000	NA	NA	45.63	18.48	27.35	NA	NA
MW-2 (D)	03/03/1994	93,000	NA	19,000	22,000	1,800	12,000	NA	NA	45.63	18.48	27.35	NA	NA
MW-2	06/06/1994	10,000	NA	1,900	3,300	2,500	13,000	NA	NA	45.63	20.26	25.57	NA	NA
MW-2 (D)	06/06/1994	99,000	NA	9,900	12,000	2,400	12,000	NA	NA	45.63	20.26	25.57	NA	NA
MW-2	09/12/1994	160,000	NA	22,000	33,000	3,400	23,000	NA	NA	45.63	21.80	24.03	NA	NA
MW-2 (D)	09/12/1994	150,000	NA	23,000	34,000	3,500	23,000	NA	NA	45.63	21.80	24.03	NA	NA
MW-2	12/19/1994	80,000	NA	17,000	16,000	2,300	14,000	NA	NA	45.63	19.66	26.17	NA	NA
MW-2 (D)	12/19/1994	100,000	NA	28,000	26,000	3,400	20,000	NA	NA	45.63	19.66	26.17	NA	NA
MW-2	02/28/1995	100,000	NA	24,000	18,000	2,300	17,000	NA	NA	45.63	17.51	28.32	NA	NA
MW-2 (D)	02/28/1995	100,000	NA	31,000	21,000	3,200	18,000	NA	NA	45.63	17.51	28.32	NA	NA
MW-2	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	45.63	14.88	30.95	NA	NA
MW-2	06/26/1995	45,000	NA	14,000	12,000	1,500	7,500	NA	NA	45.63	17.58	28.25	NA	NA
MW-2 (D)	06/26/1995	68,000	NA	13,000	11,000	1,800	7,700	NA	NA	45.63	17.58	28.25	NA	NA
MW-2	09/13/1995	110,000	NA	19,000	19,000	2,800	15,000	NA	NA	45.63	19.28	26.55	NA	NA
MW-2 (D)	09/13/1995	120,000	NA	20,000	20,000	2,900	15,000	NA	NA	45.63	19.28	26.55	NA	NA
MW-2	12/19/1995	180,000	NA	18,000	29,000	4,100	24,000	NA	NA	45.63	18.61	27.22	NA	NA
MW-2 (D)	12/19/1995	160,000	NA	18,000	28,000	3,800	24,000	NA	NA	45.63	18.61	27.22	NA	NA
MW-2	03/06/1996	120,000	NA	28,000	15,000	3,900	17,000	NA	NA	45.63	15.41	30.42	NA	NA
MW-2	06/28/1996	96,000	NA	20,000	20,000	4,100	22,000	2,400	NA	45.63	17.84	27.99	NA	NA
MW-2	09/26/1996	87,000	NA	7,600	11,000	2,500	15,000	990	840	45.63	19.60	26.23	NA	NA
MW-2	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	45.63	18.15	27.48	0.25	NA
MW-2	03/10/1997	NA	NA	NA	NA	NA	NA	NA	NA	45.63	17.02	28.77	0.20	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**  
**Wic #204-6852-1404**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	06/30/1997	57,000	NA	3,600	4,600	1,300	9,700	2,300	NA	45.63	19.42	26.21	NA	2.4
MW-2	09/12/1997	88,000	NA	7,800	8,800	2,600	16,000	3,200	NA	45.63	19.40	26.23	NA	1.7
MW-2 (D)	09/12/1997	90,000	NA	8,300	9,400	2,700	17,000	3,400	NA	45.63	19.40	26.23	NA	1.7
MW-2 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	45.63	17.56	28.07	NA	1.3
MW-2	02/02/1998	<50	NA	0.6	1.9	0.93	6.0	9.3	NA	45.63	18.14	27.49	NA	2
MW-2 (D)	02/02/1998	56	NA	1.0	2.8	1.4	9.3	13	NA	45.63	18.14	27.49	NA	2
MW-2	06/24/1998	20,000	NA	<200	620	560	4,500	<1,000	NA	45.63	16.08	29.55	NA	2.4
MW-2	08/26/1998	22,000	NA	380	1,100	560	4,400	330	NA	45.63	19.25	26.38	NA	NA
MW-2 (D)	08/26/1998	11,000	NA	180	130	290	500	1,400	NA	45.63	19.25	26.38	NA	NA
MW-2	12/23/1998	100,000	NA	4,100	6,500	2,400	16,000	<500	NA	45.63	18.29	27.34	NA	3.8
MW-2	03/01/1999	50,800	NA	3,910	7,480	1,890	13,100	9,620	NA	45.63	22.81	22.82	NA	2.0
MW-2	06/14/1999	4,930	NA	128	270	139	1,040	2,200	2,540*	45.63	18.86	26.77	NA	1.6
MW-2	09/28/1999	16,200	NA	647	1,070	542	4,130	5,320	4,790	45.63	21.41	24.22	NA	1.8
MW-2	12/08/1999	25,700	NA	1,670	2,110	977	6,600	6,190	5,970	45.63	21.89	23.74	NA	1.8
MW-2	03/14/2000	45,100	NA	2,070	4,710	1,920	12,800	16,700		45.63	15.57	30.06	NA	2.0
MW-3	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.97	24.00	NA	NA
MW-3	02/24/1992	4,500	1,300a	97	<5	78	18	NA	NA	51.97	25.60	26.37	NA	NA
MW-3	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.88	26.09	NA	NA
MW-3	03/01/1992	2,200	440	69	<0.5	<0.5	<0.5	NA	NA	51.97	26.00	25.97	NA	NA
MW-3	06/03/1992	4,100	NA	13	72	44	65	NA	NA	51.97	27.70	24.27	NA	NA
MW-3	09/01/1992	1,900	NA	20	6.8	5.5	<5	NA	NA	51.97	29.46	22.51	NA	NA
MW-3 (D)	09/01/1992	1,900	NA	21	6.6	3.4	<5	NA	NA	51.97	29.46	22.51	NA	NA
MW-3	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.01	21.96	NA	NA
MW-3	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.26	21.71	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**  
**Wic #204-6852-1404**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3	12/04/1992	2,400	NA	8.2	<5	<5	<5	NA	NA	51.97	29.93	22.04	NA	NA
MW-3 (D)	12/04/1992	2,100	NA	11	<0.5	5.7	<0.5	NA	NA	51.97	29.93	22.04	NA	NA
MW-3	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	51.97	22.76	29.21	NA	NA
MW-3	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.40	30.57	NA	NA
MW-3	03/03/1993	5,100	NA	63	61	75	150	NA	NA	51.97	23.08	28.89	NA	NA
MW-3	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.51	27.46	NA	NA
MW-3	06/17/1993	4,000	NA	94	140	82	150	NA	NA	51.97	25.21	26.76	NA	NA
MW-3	09/10/1993	3,200	NA	140	12.5	12.5	12.5	NA	NA	51.97	26.95	25.02	NA	NA
MW-3	12/13/1993	6,200	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	51.97	26.52	25.45	NA	NA
MW-3	03/03/1994	4,500	NA	73	<5	<5	<5	NA	NA	51.97	24.50	27.47	NA	NA
MW-3	06/06/1994	3,200	NA	<0.5	<0.5	3.1	<0.5	NA	NA	51.97	26.33	25.64	NA	NA
MW-3	09/12/1994	3,900	NA	<0.5	<0.5	9.6	4.1	NA	NA	51.97	27.98	23.99	NA	NA
MW-3	12/19/1994	2,400	NA	21	22	4.2	2.6	NA	NA	51.97	25.63	26.34	NA	NA
MW-3	02/28/1995	4,000	NA	58	<0.5	7.1	3.5	NA	NA	51.97	23.45	28.52	NA	NA
MW-3	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.07	30.90	NA	NA
MW-3	06/26/1995	3,900	NA	8.1	<0.5	12	2.4	NA	NA	51.97	23.64	28.33	NA	NA
MW-3	09/13/1995	4,100	NA	58	5.5	5.5	<0.5	NA	NA	51.97	25.40	26.57	NA	NA
MW-3	12/19/1995	3,600	NA	<0.5	4.3	2.1	1.1	NA	NA	51.97	24.53	27.44	NA	NA
MW-3	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.59	30.41	0.04	NA
MW-3	06/28/1996	2,400	NA	55	<0.5	<0.5	11	120	NA	51.97	23.95	28.02	NA	NA
MW-3	09/26/1996	2,500	NA	<5.0	<5.0	<5.0	<5.0	160	NA	51.97	25.89	26.08	NA	NA
MW-3	12/10/1996	1,600	NA	28	4.2	<2.0	3.9	110	NA	51.97	24.22	27.75	NA	0.8
MW-3	03/10/1997	130	NA	<0.50	<0.50	<0.50	1.4	4.2	NA	51.97	23.05	28.92	NA	2.8
MW-3	06/30/1997	1,200	NA	21	2.3	<2.0	<2.0	69	NA	51.97	24.34	27.63	NA	2.3
MW-3	09/12/1997	440	NA	8.3	0.82	<0.50	1.9	3.4	NA	51.97	24.47	27.50	NA	1.9

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**  
**Wic #204-6852-1404**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.54	28.43	NA	0.8
MW-3	02/02/1998	400	NA	9.3	0.68	<0.50	<0.50	9	NA	51.97	21.92	30.05	NA	1.5
MW-3	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	51.97	22.35	29.62	NA	1.9
MW-3	08/26/1998	140	NA	7.4	<0.50	<0.50	2.5	13	NA	51.97	23.45	28.52	NA	1.3
MW-3	12/23/1998	1,200	NA	50	<2.0	<2.0	<2.0	69	NA	51.97	24.01	27.96	NA	4.2
MW-3	03/01/1999	2,550	NA	<0.500	<0.500	<0.500	0.658	32.4	NA	51.97	22.08	29.89	NA	2.0
MW-3	06/14/1999	514	NA	18.1	0.728	<0.500	<0.500	15.9	NA	51.97	23.15	28.82	NA	1.7
MW-3	09/28/1999	1,180	NA	<1.00	<1.00	<1.00	<1.00	<10.0	NA	51.97	25.36	26.61	NA	1.2
MW-3	12/08/1999	1,740	NA	71.5	23.0	24.2	61.3	103	NA	51.97	25.75	26.22	NA	2.0
MW-3	03/14/2000	1,410	NA	5.63	35.6	<5.00	8.41	38.7	NA	51.97	21.64	30.33	NA	2.1
MW-4	03/24/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	9.16	31.35	NA	NA
MW-4	06/26/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	12.06	28.45	NA	NA
MW-4	09/13/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	13.90	26.61	NA	NA
MW-4	12/19/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	12.90	27.61	NA	NA
MW-4	03/06/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	40.51	9.63	30.88	NA	NA
MW-4	06/28/1996	40	NA	<0.5	0.59	0.97	3.8	26	NA	40.51	12.30	28.21	NA	NA
MW-4	09/26/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	40.51	14.12	26.39	NA	NA
MW-4	12/10/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	40.51	12.31	28.20	NA	1.2
MW-4	03/10/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	11.34	29.17	NA	NA
MW-4	06/30/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	13.80	26.71	NA	1.9
MW-4	09/12/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	13.99	26.52	NA	1.7
MW-4 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.02	28.49	NA	1.8
MW-4	02/02/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	11.23	29.28	NA	1
MW-4	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	10.58	29.93	NA	1.9

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**  
**Wic #204-6852-1404**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-4	08/26/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	40.51	11.75	28.76	NA	1.2
MW-4	12/23/1998	<50	NA	0.60	<0.50	<0.50	<0.50	<2.5	NA	40.51	12.41	28.10	NA	4.2
MW-4	03/01/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	40.51	10.38	30.13	NA	2.1
MW-4	06/14/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	40.51	11.91	28.60	NA	2.4
MW-4	09/28/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	40.51	10.19	30.32	NA	2.2
MW-4	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	40.51	10.67	29.84	NA	1.8
MW-4	03/14/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	40.51	9.95	30.56	NA	2.5

**Abbreviations:**

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015  
TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015  
BTEX = benzene, toluene, ethylbenzene, xylenes by EPA Method 8020  
MTBE = methyl-tertiary-butyl ether  
TOC = Top of Casing Elevation  
SPH = Separate-Phase Hydrocarbons  
GW = Groundwater  
DO = Dissolved Oxygen  
ug/L = parts per billion  
ppm = parts per million  
msl = Mean sea level  
ft = Feet  
<n = Below detection limit  
D = Duplicate sample  
NA = Not applicable

**Notes:**

a = Chromatogram pattern indicates an unidentified hydrocarbon.  
b = Samples not analyzed due to laboratory oversight.  
\* = Sample analyzed out of EPA recommended hold time.



April 11, 2000


Nick Sudano  
Blaine Tech Services (Shell)  
1680 Rogers Avenue  
San Jose, CA 95112

RE: Equiva 1784 150th Avenue, San Leandro

Dear Nick Sudano

Enclosed are the results of analyses for sample(s) received by the laboratory on March 15, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



TEO TARRASAS

Kayvan Kimyai  
Project Manager D.M.

CA ELAP Certificate Number 1210





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**ANALYTICAL REPORT FOR SAMPLES:**

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
MW-1	MJC0558-01	Water	3/14/00
MW-2	MJC0558-02	Water	3/14/00
MW-3	MJC0558-03	Water	3/14/00
MW-4	MJC0558-04	Water	3/14/00







Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT  
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method	Reporting Limit	Result	Units	Notes*
<b>MW-1</b>				<b>MJC0558-01</b>			<b>Water</b>	
Purgeable Hydrocarbons	0C29003	3/29/00	3/29/00	DHS LUFT	2500	6690	ug/l	P-01
Benzene	"	"	"	DHS LUFT	25.0	1880	"	
Toluene	"	"	"	DHS LUFT	25.0	63.5	"	
Ethylbenzene	"	"	"	DHS LUFT	25.0	134	"	
Xylenes (total)	"	"	"	DHS LUFT	25.0	307	"	
Methyl tert-butyl ether	"	"	"	DHS LUFT	125	460	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70-130		112	%	
<b>MW-2</b>				<b>MJC0558-02</b>			<b>Water</b>	
Purgeable Hydrocarbons	0C28003	3/28/00	3/28/00	DHS LUFT	5000	45100	ug/l	P-01
Benzene	"	"	"	DHS LUFT	50.0	2070	"	
Toluene	"	"	"	DHS LUFT	50.0	4710	"	
Ethylbenzene	"	"	"	DHS LUFT	50.0	1920	"	
Xylenes (total)	"	"	"	DHS LUFT	50.0	12800	"	
Methyl tert-butyl ether	"	"	"	DHS LUFT	250	16700	"	P-01
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70-130		110	%	
<b>MW-3</b>				<b>MJC0558-03</b>			<b>Water</b>	
Purgeable Hydrocarbons	0C28003	3/28/00	3/28/00	DHS LUFT	500	1410	ug/l	
Benzene	"	"	"	DHS LUFT	5.00	5.63	"	
Toluene	"	"	"	DHS LUFT	5.00	35.6	"	
Ethylbenzene	"	"	"	DHS LUFT	5.00	ND	"	
Xylenes (total)	"	"	"	DHS LUFT	5.00	8.41	"	
Methyl tert-butyl ether	"	"	"	DHS LUFT	25.0	38.7	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70-130		101	%	
<b>MW-4</b>				<b>MJC0558-04</b>			<b>Water</b>	
Purgeable Hydrocarbons	0C28003	3/28/00	3/28/00	DHS LUFT	50.0	ND	ug/l	
Benzene	"	"	"	DHS LUFT	0.500	ND	"	
Toluene	"	"	"	DHS LUFT	0.500	ND	"	
Ethylbenzene	"	"	"	DHS LUFT	0.500	ND	"	
Xylenes (total)	"	"	"	DHS LUFT	0.500	ND	"	
Methyl tert-butyl ether	"	"	"	DHS LUFT	2.50	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70-130		108	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B  
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method	Reporting Limit	Result	Units	Notes*
<b>MW-1</b>				<b>MJC0558-01</b>			<b>Water</b>	
Bromodichloromethane	0C21008	3/21/00	3/24/00	EPA 8010B	0.500	ND	ug/l	
Bromoform	"	"	"	EPA 8010B	0.500	ND	"	
Bromomethane	"	"	"	EPA 8010B	1.00	ND	"	
Carbon tetrachloride	"	"	"	EPA 8010B	0.500	ND	"	
Chlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
Chloroethane	"	"	"	EPA 8010B	1.00	ND	"	
Chloroform	"	"	"	EPA 8010B	0.500	ND	"	
Chloromethane	"	"	"	EPA 8010B	1.00	ND	"	
Dibromochloromethane	"	"	"	EPA 8010B	0.500	ND	"	
1,3-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,4-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,1-Dichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
<b>1,2-Dichloroethane</b>	"	"	"	EPA 8010B	0.500	<b>4.96</b>	"	
1,1-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
cis-1,2-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
trans-1,2-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichloropropane	"	"	"	EPA 8010B	0.500	ND	"	
cis-1,3-Dichloropropene	"	"	"	EPA 8010B	0.500	ND	"	
trans-1,3-Dichloropropene	"	"	"	EPA 8010B	0.500	ND	"	
Methylene chloride	"	"	"	EPA 8010B	5.00	ND	"	
1,1,2,2-Tetrachloroethane	"	"	"	EPA 8010B	0.500	ND	"	
Tetrachloroethene	"	"	"	EPA 8010B	0.500	ND	"	
1,1,1-Trichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1,2-Trichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1,2-Trichlorotrifluoroethane	"	"	"	EPA 8010B	1.00	ND	"	
Trichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
Trichlorofluoromethane	"	"	"	EPA 8010B	0.500	ND	"	
Vinyl chloride	"	"	"	EPA 8010B	1.00	ND	"	
1,2-Dibromoethane	"	"	"	EPA 8010B	1.00	ND	"	
Surrogate: 4-Bromofluorobenzene	"	"	"	70-130		85.9	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B  
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method	Reporting Limit	Result	Units	Notes*
<b>MW-2</b>				<b>MJC0558-02</b>			<b>Water</b>	
Bromodichloromethane	0C21008	3/21/00	3/24/00	EPA 8010B	0.500	ND	ug/l	
Bromoform	"	"	"	EPA 8010B	0.500	ND	"	
Bromomethane	"	"	"	EPA 8010B	1.00	ND	"	
Carbon tetrachloride	"	"	"	EPA 8010B	0.500	ND	"	
Chlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
Chloroethane	"	"	"	EPA 8010B	1.00	ND	"	
Chloroform	"	"	"	EPA 8010B	0.500	ND	"	
Chloromethane	"	"	"	EPA 8010B	1.00	ND	"	
Dibromochloromethane	"	"	"	EPA 8010B	0.500	ND	"	
1,3-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,4-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,1-Dichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
<del>1,2-Dichloroethane</del>	"	"	"	EPA 8010B	0.500	<b>0.668</b>	"	
1,1-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
cis-1,2-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
trans-1,2-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichloropropane	"	"	"	EPA 8010B	0.500	ND	"	
cis-1,3-Dichloropropene	"	"	"	EPA 8010B	0.500	ND	"	
trans-1,3-Dichloropropene	"	"	"	EPA 8010B	0.500	ND	"	
Methylene chloride	"	"	"	EPA 8010B	5.00	ND	"	
1,1,2,2-Tetrachloroethane	"	"	"	EPA 8010B	0.500	ND	"	
Tetrachloroethene	"	"	"	EPA 8010B	0.500	ND	"	
1,1,1-Trichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1,2-Trichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1,2-Trichlorotrifluoroethane	"	"	"	EPA 8010B	1.00	ND	"	
Trichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
Trichlorofluoromethane	"	"	"	EPA 8010B	0.500	ND	"	
Vinyl chloride	"	"	"	EPA 8010B	1.00	ND	"	
1,2-Dibromoethane	"	"	"	EPA 8010B	1.00	ND	"	
Surrogate: 4-Bromofluorobenzene	"	"	"	70-130		85.4	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B  
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method	Reporting Limit	Result	Units	Notes*
<b>MW-3</b>				<b>MJC0558-03</b>			<b>Water</b>	
Bromodichloromethane	0C21008	3/21/00	3/24/00	EPA 8010B	0.500	ND	ug/l	
Bromoform	"	"	"	EPA 8010B	0.500	ND	"	
Bromomethane	"	"	"	EPA 8010B	1.00	ND	"	
Carbon tetrachloride	"	"	"	EPA 8010B	0.500	ND	"	
Chlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
Chloroethane	"	"	"	EPA 8010B	1.00	ND	"	
Chloroform	"	"	"	EPA 8010B	0.500	ND	"	
Chloromethane	"	"	"	EPA 8010B	1.00	ND	"	
Dibromochloromethane	"	"	"	EPA 8010B	0.500	ND	"	
1,3-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,4-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,1-Dichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
<b>1,2-Dichloroethane</b>	"	"	"	EPA 8010B	0.500	<b>4.64</b>	"	
1,1-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
cis-1,2-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
trans-1,2-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichloropropane	"	"	"	EPA 8010B	0.500	ND	"	
cis-1,3-Dichloropropene	"	"	"	EPA 8010B	0.500	ND	"	
trans-1,3-Dichloropropene	"	"	"	EPA 8010B	0.500	ND	"	
Methylene chloride	"	"	"	EPA 8010B	5.00	ND	"	
1,1,1,2-Tetrachloroethane	"	"	"	EPA 8010B	0.500	ND	"	
Tetrachloroethene	"	"	"	EPA 8010B	0.500	ND	"	
1,1,1-Trichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1,2-Trichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1,2-Trichlorotrifluoroethane	"	"	"	EPA 8010B	1.00	ND	"	
Trichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
Trichlorofluoromethane	"	"	"	EPA 8010B	0.500	ND	"	
Vinyl chloride	"	"	"	EPA 8010B	1.00	ND	"	
1,2-Dibromoethane	"	"	"	EPA 8010B	1.00	ND	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	"	"	"	<i>70-130</i>		89.5	%	





Blaine Tech Services (Shell)  
1680 Rogers Avenue  
San Jose, CA 95112

Project: Equiva  
Project Number: 1784 150th Avenue  
Project Manager: Nick Sudano

Sampled: 3/14/00  
Received: 3/15/00  
Reported: 4/11/00 19:48

### Volatile Organic Compounds by EPA Method 8010B Sequoia Analytical - Morgan Hill

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method	Reporting Limit	Result	Units	Notes*
<b>MW-4</b>				<b>MJC0558-04</b>			<b>Water</b>	
Bromodichloromethane	0C21008	3/21/00	3/24/00	EPA 8010B	0.500	ND	ug/l	
Bromoform	"	"	"	EPA 8010B	0.500	ND	"	
Bromomethane	"	"	"	EPA 8010B	1.00	ND	"	
Carbon tetrachloride	"	"	"	EPA 8010B	0.500	ND	"	
Chlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
Chloroethane	"	"	"	EPA 8010B	1.00	ND	"	
Chloroform	"	"	"	EPA 8010B	0.500	ND	"	
Chloromethane	"	"	"	EPA 8010B	1.00	ND	"	
Dibromochloromethane	"	"	"	EPA 8010B	0.500	ND	"	
1,3-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,4-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichlorobenzene	"	"	"	EPA 8010B	0.500	ND	"	
1,1-Dichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
cis-1,2-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
trans-1,2-Dichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
1,2-Dichloropropane	"	"	"	EPA 8010B	0.500	ND	"	
cis-1,3-Dichloropropene	"	"	"	EPA 8010B	0.500	ND	"	
trans-1,3-Dichloropropene	"	"	"	EPA 8010B	0.500	ND	"	
Methylene chloride	"	"	"	EPA 8010B	5.00	ND	"	
1,1,2,2-Tetrachloroethane	"	"	"	EPA 8010B	0.500	ND	"	
Tetrachloroethene	"	"	"	EPA 8010B	0.500	ND	"	
1,1,1-Trichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1,2-Trichloroethane	"	"	"	EPA 8010B	0.500	ND	"	
1,1,2-Trichlorotrifluoroethane	"	"	"	EPA 8010B	1.00	ND	"	
Trichloroethene	"	"	"	EPA 8010B	0.500	ND	"	
Trichlorofluoromethane	"	"	"	EPA 8010B	0.500	ND	"	
Vinyl chloride	"	"	"	EPA 8010B	1.00	ND	"	
1,2-Dibromoethane	"	"	"	EPA 8010B	1.00	ND	"	
Surrogate: 4-Bromofluorobenzene	"	"	"	70-130		82.9	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**MTBE by EPA Method 8260A  
Sequoia Analytical - San Carlos**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
<u>MW-2</u> <b>Methyl tert-butyl ether</b>	0040007	4/4/00	4/4/00	<u>MJC0558-02</u>	500	<b>18300</b>	<u>Water</u> ug/l	<u>I-02</u>
Surrogate: 1,2-Dichloroethane-d4	"	"	"	76.0-114		95.8	%	





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control  
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Reporting Limit Units	Recov. Limits	RPD %	RPD Limit	RPD % Notes*
<b>Batch: 0C28003</b>			<b>Date Prepared: 3/28/00</b>		<b>Extraction Method: EPA 5030B [P/T]</b>				
<b>Blank</b>			<b>0C28003-BLK1</b>						
Purgeable Hydrocarbons	3/28/00			ND	ug/l	50.0			
Benzene	"			ND	"	0.500			
Toluene	"			ND	"	0.500			
Ethylbenzene	"			ND	"	0.500			
Xylenes (total)	"			ND	"	0.500			
Methyl tert-butyl ether	"			ND	"	2.50			
Surrogate: a,a,a-Trifluorotoluene	"	10.0		10.0	"	70-130	100		
<b>LCS</b>			<b>0C28003-BS1</b>						
Benzene	3/28/00	10.0		9.92	ug/l	70-130	99.2		
Toluene	"	10.0		9.86	"	70-130	98.6		
Ethylbenzene	"	10.0		9.97	"	70-130	99.7		
Xylenes (total)	"	30.0		29.6	"	70-130	98.7		
Surrogate: a,a,a-Trifluorotoluene	"	10.0		10.7	"	70-130	107		
<b>Matrix Spike</b>			<b>0C28003-MS1 MJC0531-02</b>						
Benzene	3/28/00	10.0	ND	9.60	ug/l	60-140	96.0		
Toluene	"	10.0	ND	9.43	"	60-140	94.3		
Ethylbenzene	"	10.0	ND	9.40	"	60-140	94.0		
Xylenes (total)	"	30.0	ND	28.8	"	60-140	96.0		
Surrogate: a,a,a-Trifluorotoluene	"	10.0		10.00	"	70-130	100		
<b>Matrix Spike Dup</b>			<b>0C28003-MSD1 MJC0531-02</b>						
Benzene	3/28/00	10.0	ND	9.96	ug/l	60-140	99.6	25	3.68
Toluene	"	10.0	ND	10.0	"	60-140	100	25	5.87
Ethylbenzene	"	10.0	ND	9.99	"	60-140	99.9	25	6.09
Xylenes (total)	"	30.0	ND	30.5	"	60-140	102	25	5.73
Surrogate: a,a,a-Trifluorotoluene	"	10.0		11.0	"	70-130	110		
<b>Batch: 0C29003</b>			<b>Date Prepared: 3/29/00</b>		<b>Extraction Method: EPA 5030B [P/T]</b>				
<b>Blank</b>			<b>0C29003-BLK1</b>						
Purgeable Hydrocarbons	3/29/00			ND	ug/l	50.0			
Benzene	"			ND	"	0.500			
Toluene	"			ND	"	0.500			
Ethylbenzene	"			ND	"	0.500			
Xylenes (total)	"			ND	"	0.500			
Methyl tert-butyl ether	"			ND	"	2.50			





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control  
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>Blank (continued)</b>										
<b><u>0C29003-BLK1</u></b>										
Surrogate: <i>a,a,a</i> -Trifluorotoluene	3/29/00	10.0		10.2	ug/l	70-130	102			
<b>LCS</b>										
<b><u>0C29003-BS1</u></b>										
Purgeable Hydrocarbons	3/29/00	250		271	ug/l	70-130	108			
Surrogate: <i>a,a,a</i> -Trifluorotoluene	"	10.0		9.05	"	70-130	90.5			
<b>Matrix Spike</b>										
<b><u>0C29003-MS1 MJC0663-02</u></b>										
Purgeable Hydrocarbons	3/29/00	250	ND	255	ug/l	60-140	102			
Surrogate: <i>a,a,a</i> -Trifluorotoluene	"	10.0		8.91	"	70-130	89.1			
<b>Matrix Spike Dup</b>										
<b><u>0C29003-MSD1 MJC0663-02</u></b>										
Purgeable Hydrocarbons	3/29/00	250	ND	231	ug/l	60-140	92.4	25	9.88	
Surrogate: <i>a,a,a</i> -Trifluorotoluene	"	10.0		11.0	"	70-130	110			







Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B/Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Reporting Limit Units	Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
---------	---------------	-------------	---------------	-----------	-----------------------	---------------	----------	-----------	-------	--------

**Batch: 0C21008**

**Date Prepared: 3/21/00**

**Extraction Method: EPA 5030B [P/T]**

**Blank**

**0C21008-BLK1**

Bromodichloromethane	3/24/00			ND	ug/l	0.500				
Bromoform	"			ND	"	0.500				
Bromomethane	"			ND	"	0.500				
Carbon tetrachloride	"			ND	"	0.500				
Chlorobenzene	"			ND	"	0.500				
Chloroethane	"			ND	"	0.500				
Chloroform	"			ND	"	0.500				
Chloromethane	"			ND	"	0.500				
Dibromochloromethane	"			ND	"	0.500				
1,3-Dichlorobenzene	"			ND	"	0.500				
1,4-Dichlorobenzene	"			ND	"	0.500				
1,2-Dichlorobenzene	"			ND	"	0.500				
1,1-Dichloroethane	"			ND	"	0.500				
1,2-Dichloroethane	"			ND	"	0.500				
1,1-Dichloroethene	"			ND	"	0.500				
cis-1,2-Dichloroethene	"			ND	"	0.500				
trans-1,2-Dichloroethene	"			ND	"	0.500				
1,2-Dichloropropane	"			ND	"	0.500				
cis-1,3-Dichloropropene	"			ND	"	0.500				
trans-1,3-Dichloropropene	"			ND	"	0.500				
Methylene chloride	"			ND	"	5.00				
1,1,2,2-Tetrachloroethane	"			ND	"	0.500	--			
Tetrachloroethene	"			ND	"	0.500				
1,1,1-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichlorotrifluoroethane	"			ND	"	0.500				
Trichloroethene	"			ND	"	0.500				
Trichlorofluoromethane	"			ND	"	0.500				
Vinyl chloride	"			ND	"	0.500				
1,2-Dibromoethane	"			ND	"	0.500				
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		12.4	"	70-130		124		

**Blank**

**0C21008-BLK2**

Bromodichloromethane	3/25/00			ND	ug/l	0.500				
Bromoform	"			ND	"	0.500				
Bromomethane	"			ND	"	0.500				
Carbon tetrachloride	"			ND	"	0.500				





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B/Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>Blank (continued)</b>	<b>0C21008-BLK2</b>									
Chlorobenzene	3/25/00			ND	ug/l	0.500				
Chloroethane	"			ND	"	0.500				
Chloroform	"			ND	"	0.500				
Chloromethane	"			ND	"	0.500				
Dibromochloromethane	"			ND	"	0.500				
1,3-Dichlorobenzene	"			ND	"	0.500				
1,4-Dichlorobenzene	"			ND	"	0.500				
1,2-Dichlorobenzene	"			ND	"	0.500				
1,1-Dichloroethane	"			ND	"	0.500				
1,2-Dichloroethane	"			ND	"	0.500				
1,1-Dichloroethene	"			ND	"	0.500				
cis-1,2-Dichloroethene	"			ND	"	0.500				
trans-1,2-Dichloroethene	"			ND	"	0.500				
1,2-Dichloropropane	"			ND	"	0.500				
cis-1,3-Dichloropropene	"			ND	"	0.500				
trans-1,3-Dichloropropene	"			ND	"	0.500				
Methylene chloride	"			ND	"	5.00				
1,1,1,2-Tetrachloroethane	"			ND	"	0.500				
Tetrachloroethene	"			ND	"	0.500				
1,1,1-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichlorotrifluoroethane	"			ND	"	0.500				
Trichloroethene	"			ND	"	0.500				
Trichlorofluoromethane	"			ND	"	0.500				
Vinyl chloride	"			ND	"	0.500				
1,2-Dibromoethane	"			ND	"	0.500				
Surrogate: 4-Bromofluorobenzene	"	10.0		8.50	"	70-130	85.0			

<b>Blank</b>	<b>0C21008-BLK3</b>									
Bromodichloromethane	3/28/00			ND	ug/l	0.500				
Bromoform	"			ND	"	0.500				
Bromomethane	"			ND	"	0.500				
Carbon tetrachloride	"			ND	"	0.500				
Chlorobenzene	"			ND	"	0.500				
Chloroethane	"			ND	"	0.500				
Chloroform	"			ND	"	0.500				
Chloromethane	"			ND	"	0.500				
Dibromochloromethane	"			ND	"	0.500				





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B/Quality Control  
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>Blank (continued)</b>	<b>0C21008-BLK3</b>									
1,3-Dichlorobenzene	3/28/00			ND	ug/l	0.500				
1,4-Dichlorobenzene	"			ND	"	0.500				
1,2-Dichlorobenzene	"			ND	"	0.500				
1,1-Dichloroethane	"			ND	"	0.500				
1,2-Dichloroethane	"			ND	"	0.500				
1,1-Dichloroethene	"			ND	"	0.500				
cis-1,2-Dichloroethene	"			ND	"	0.500				
trans-1,2-Dichloroethene	"			ND	"	0.500				
1,2-Dichloropropane	"			ND	"	0.500				
cis-1,3-Dichloropropene	"			ND	"	0.500				
trans-1,3-Dichloropropene	"			ND	"	0.500				
Methylene chloride	"			ND	"	5.00				
1,1,2,2-Tetrachloroethane	"			ND	"	0.500				
Tetrachloroethene	"			ND	"	0.500				
1,1,1-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichlorotrifluoroethane	"			ND	"	0.500				
Trichloroethene	"			ND	"	0.500				
Trichlorofluoromethane	"			ND	"	0.500				
Vinyl chloride	"			ND	"	0.500				
1,2-Dibromoethane	"			ND	"	0.500				
Surrogate: 4-Bromofluorobenzene	"	10.0		9.50	"	70-130	95.0			
<b>Blank</b>	<b>0C21008-BLK4</b>									
Bromodichloromethane	3/29/00			ND	ug/l	0.500				
Bromoform	"			ND	"	0.500				
Bromomethane	"			ND	"	1.00				
Carbon tetrachloride	"			ND	"	0.500				
Chlorobenzene	"			ND	"	0.500				
Chloroethane	"			ND	"	1.00				
Chloroform	"			ND	"	0.500				
Chloromethane	"			ND	"	1.00				
Dibromochloromethane	"			ND	"	0.500				
1,3-Dichlorobenzene	"			ND	"	0.500				
1,4-Dichlorobenzene	"			ND	"	0.500				
1,2-Dichlorobenzene	"			ND	"	0.500				
1,1-Dichloroethane	"			ND	"	0.500				
1,2-Dichloroethane	"			ND	"	0.500				





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B/Quality Control  
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>Blank (continued)</b>	<b><u>0C21008-BLK4</u></b>									
1,1-Dichloroethene	3/29/00			ND	ug/l	0.500				
cis-1,2-Dichloroethene	"			ND	"	0.500				
trans-1,2-Dichloroethene	"			ND	"	0.500				
1,2-Dichloropropane	"			ND	"	0.500				
cis-1,3-Dichloropropene	"			ND	"	0.500				
trans-1,3-Dichloropropene	"			ND	"	0.500				
Methylene chloride	"			ND	"	5.00				
1,1,2,2-Tetrachloroethane	"			ND	"	0.500				
Tetrachloroethene	"			ND	"	0.500				
1,1,1-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichlorotrifluoroethane	"			ND	"	1.00				
Trichloroethene	"			ND	"	0.500				
Trichlorofluoromethane	"			ND	"	0.500				
Vinyl chloride	"			ND	"	1.00				
1,2-Dibromoethane	"			ND	"	1.00				
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		9.27	"	70-130	92.7			
<b>Blank</b>	<b><u>0C21008-BLK5</u></b>									
Bromodichloromethane	3/30/00			ND	ug/l	0.500				
Bromoform	"			ND	"	0.500				
Bromomethane	"			ND	"	1.00				
Carbon tetrachloride	"			ND	"	0.500				
Chlorobenzene	"			ND	"	0.500				
Chloroethane	"			ND	"	1.00				
Chloroform	"			ND	"	0.500				
Chloromethane	"			ND	"	1.00				
Dibromochloromethane	"			ND	"	0.500				
1,3-Dichlorobenzene	"			ND	"	0.500				
1,4-Dichlorobenzene	"			ND	"	0.500				
1,2-Dichlorobenzene	"			ND	"	0.500				
1,1-Dichloroethane	"			ND	"	0.500				
1,2-Dichloroethane	"			ND	"	0.500				
1,1-Dichloroethene	"			ND	"	0.500				
cis-1,2-Dichloroethene	"			ND	"	0.500				
trans-1,2-Dichloroethene	"			ND	"	0.500				
1,2-Dichloropropane	"			ND	"	0.500				
cis-1,3-Dichloropropene	"			ND	"	0.500				





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B/Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>Blank (continued)</b>										
<b><u>0C21008-BLK5</u></b>										
trans-1,3-Dichloropropene	3/30/00			ND	ug/l	0.500				
Methylene chloride	"			ND	"	5.00				
1,1,2,2-Tetrachloroethane	"			ND	"	0.500				
Tetrachloroethene	"			ND	"	0.500				
1,1,1-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichloroethane	"			ND	"	0.500				
1,1,2-Trichlorotrifluoroethane	"			ND	"	1.00				
Trichloroethene	"			ND	"	0.500				
Trichlorofluoromethane	"			ND	"	0.500				
Vinyl chloride	"			ND	"	1.00				
1,2-Dibromoethane	"			ND	"	1.00				
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		7.26	"	70-130	72.6			
<b>LCS</b>										
<b><u>0C21008-BS1</u></b>										
Chlorobenzene	3/24/00	25.0		26.4	ug/l	70-130	106			
1,1-Dichloroethene	"	25.0		26.1	"	65-135	104			
Trichloroethene	"	25.0		25.4	"	70-130	102			
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		12.0	"	70-130	120			
<b>LCS</b>										
<b><u>0C21008-BS2</u></b>										
Chlorobenzene	3/25/00	25.0		21.7	ug/l	70-130	86.8			
1,1-Dichloroethene	"	25.0		20.9	"	65-135	83.6			
Trichloroethene	"	25.0		22.2	"	70-130	88.8			
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		8.96	"	70-130	89.6			
<b>LCS</b>										
<b><u>0C21008-BS3</u></b>										
Chlorobenzene	3/28/00	25.0		23.0	ug/l	70-130	92.0			
1,1-Dichloroethene	"	25.0		22.1	"	65-135	88.4			
Trichloroethene	"	25.0		23.1	"	70-130	92.4			
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		10.3	"	70-130	103			
<b>LCS</b>										
<b><u>0C21008-BS4</u></b>										
Chlorobenzene	3/29/00	25.0		20.6	ug/l	70-130	82.4			
1,1-Dichloroethene	"	25.0		20.3	"	65-135	81.2			
Trichloroethene	"	25.0		21.0	"	70-130	84.0			
<i>Surrogate: 4-Bromofluorobenzene</i>	"	10.0		9.23	"	70-130	92.3			





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

**Volatile Organic Compounds by EPA Method 8010B/Quality Control  
Sequoia Analytical - Morgan Hill**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>LCS</b>		<b>0C21008-BS5</b>								
Chlorobenzene	3/30/00	25.0		19.3	ug/l	70-130	77.2			
1,1-Dichloroethene	"	25.0		21.8	"	65-135	87.2			
Trichloroethene	"	25.0		19.3	"	70-130	77.2			
Surrogate: 4-Bromofluorobenzene	"	10.0		7.92	"	70-130	79.2			
<b>Matrix Spike</b>		<b>0C21008-MS1 MJC0558-01</b>								
Chlorobenzene	3/23/00	25.0	ND	23.3	ug/l	60-140	93.2			
1,1-Dichloroethene	"	25.0	ND	24.7	"	60-140	98.8			
Trichloroethene	"	25.0	ND	24.1	"	60-140	96.4			
Surrogate: 4-Bromofluorobenzene	"	10.0		9.66	"	70-130	96.6			
<b>Matrix Spike</b>		<b>0C21008-MS2 MJC0641-01</b>								
Chlorobenzene	3/29/00	25.0	ND	20.3	ug/l	60-140	81.2			
1,1-Dichloroethene	"	25.0	ND	19.3	"	60-140	77.2			
Trichloroethene	"	25.0	41.1	47.1	"	60-140	24.0			
Surrogate: 4-Bromofluorobenzene	"	10.0		8.99	"	70-130	89.9			
<b>Matrix Spike Dup</b>		<b>0C21008-MSD1 MJC0558-01</b>								
Chlorobenzene	3/23/00	25.0	ND	21.8	ug/l	60-140	87.2	25	6.65	
1,1-Dichloroethene	"	25.0	ND	21.4	"	60-140	85.6	25	14.3	
Trichloroethene	"	25.0	ND	21.1	"	60-140	84.4	25	13.3	
Surrogate: 4-Bromofluorobenzene	"	10.0		10.9	"	70-130	109			
<b>Matrix Spike Dup</b>		<b>0C21008-MSD2 MJC0641-01</b>								
Chlorobenzene	3/29/00	25.0	ND	20.4	ug/l	60-140	81.6	25	0.491	
1,1-Dichloroethene	"	25.0	ND	19.5	"	60-140	78.0	25	1.03	
Trichloroethene	"	25.0	41.1	45.4	"	60-140	17.2	25	3.68	
Surrogate: 4-Bromofluorobenzene	"	10.0		9.07	"	70-130	90.7			





Blaine Tech Services (Shell)  
1680 Rogers Avenue  
San Jose, CA 95112

Project: Equiva  
Project Number: 1784 150th Avenue  
Project Manager: Nick Sudano

Sampled: 3/14/00  
Received: 3/15/00  
Reported: 4/11/00 19:48

**MTBE by EPA Method 8260A/Quality Control**  
**Sequoia Analytical - San Carlos**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>Batch: 0040007</b>			<b>Date Prepared: 4/4/00</b>			<b>Extraction Method: EPA 5030B [P/T]</b>				
<b>Blank</b>			<b>0040007-BLK1</b>							
Methyl tert-butyl ether	4/4/00			ND	ug/l	2.00				
Surrogate: 1,2-Dichloroethane-d4	"	50.0		50.6	"	76.0-114	101			
<b>LCS</b>			<b>0040007-BS1</b>							
Methyl tert-butyl ether	4/4/00	50.0		52.3	ug/l	70.0-130	105			
Surrogate: 1,2-Dichloroethane-d4	"	50.0		52.0	"	76.0-114	104			
<b>Matrix Spike</b>			<b>0040007-MS1 L003259-01</b>							
Methyl tert-butyl ether	4/4/00	50.0	ND	42.8	ug/l	60.0-140	85.6			
Surrogate: 1,2-Dichloroethane-d4	"	50.0		48.3	"	76.0-114	96.6			
<b>Matrix Spike Dup</b>			<b>0040007-MSD1 L003259-01</b>							
Methyl tert-butyl ether	4/4/00	50.0	ND	43.0	ug/l	60.0-140	86.0	25.0	0.466	
Surrogate: 1,2-Dichloroethane-d4	"	50.0		49.5	"	76.0-114	99.0			





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112	Project: Equiva Project Number: 1784 150th Avenue Project Manager: Nick Sudano	Sampled: 3/14/00 Received: 3/15/00 Reported: 4/11/00 19:48
--	--	--

## Notes and Definitions

#	Note
---	------

I-02 This sample was analyzed outside of the EPA recommended holding time.

P-01 Chromatogram Pattern: Gasoline C6-C12

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

Recov. Recovery

RPD Relative Percent Difference





# BLAINE

TECH SERVICES INC.

1680 ROGERS AVENUE  
 SAN JOSE, CALIFORNIA 95112-1105  
 FAX (408) 573-7771  
 PHONE (408) 573-0555

CHAIN OF CUSTODY

CLIENT

Equiva - Karen Petryna

SITE

1784 150th Avenue

San Leandro, CA

C = COMPOSITE ALL CONTAINERS

CONDUCT ANALYSIS TO DETECT						
TPH - gas, BTEX	MTBE by 8020	MTBE by 8260	TPH - diesel	Oxygenates by 8260	1,2-DCA & EDB by 8010	8010
X	X					X
X	X					X
X	X					X
X	X					X

LAB

*Sequoia*

DHS #

ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND

EPA

RWQCB REGION

LIA

OTHER

SPECIAL INSTRUCTIONS

Send invoice to Equiva

Incident # 98996068

Send report to Blaine Tech Services

Attn: Ann Pember

MATRIX CONTAINERS

S = SOIL  
W = H2O

SAMPLE I.D.

Date Time

TOTAL

ADD'L INFORMATION

STATUS

CONDITION

LAB SAMPLE #

MW-1	3/14/00	10:25	W	6																
MW-2		11:05																		
MW-3		9:53																		
MW-4		7:06	✓	✓																

*115C0558*

SAMPLING COMPLETED

DATE TIME

SAMPLING PERFORMED BY

*Garrett Hauertel*

RESULTS NEEDED NO LATER THAN

RELEASED BY

DATE

TIME

RECEIVED BY

DATE

TIME

RELEASED BY

DATE

TIME

RECEIVED BY

DATE

TIME

RELEASED BY

DATE

TIME

RECEIVED BY

DATE

TIME

SHIPPED VIA

DATE SENT

TIME SENT

COOLER #

## WELL GAUGING DATA

Project # 000314N-1 Date 3/14/00 Client Equiva

Site \_\_\_\_\_

Equiva 98996068  
1784 150TH AVE.  
SAN LEANDRO  
CA 94761

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	
MW-1	4					18.87	44.64		3
MW-2	4					15.57	44.05		4
MW-3	4					21.64	41.60		2
MW-4	2					9.95	24.89		1



## WELL MONITORING DATA SHEET

Project #: <u>000314 N-1</u>	Client: <u>Equiva 204-6852-1404</u>
Sampler: <u>Ganett</u>	Start Date: <u>3/14/00</u>
Well I.D.: <u>MW-2</u>	Well Diameter: 2' 3' <u>(4)</u> 6' 8' _____
Total Well Depth: <u>44.05</u>	Depth to Water: <u>15.57</u>
Before: _____ After: _____	Before: _____ After: _____
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: <u>PVC</u> Grade _____	D.O. Meter (if req'd): YSI _____ HACH _____

Purge Method:  Bailor       Disposable Bailor  
 Middleburg  
 Electric Submersible  
 Extraction Pump

Sampling Method:  Bailor       Disposable Bailor  
 Extraction Port

Other: \_\_\_\_\_

<u>18.5</u> (Gals.) X	<u>3</u>	<u>= 55.5</u> Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
<u>10:57</u>	<u>72.6</u>	<u>7.1</u>	<u>1413</u>	<u>7200</u>	<u>19</u>	
<u>10:57</u>	<u>75.0</u>	<u>7.1</u>	<u>1061</u>	<u>7200</u>	<u>38</u>	
<u>11:01</u>	<u>74.8</u>	<u>6.9</u>	<u>1306</u>	<u>7200</u>	<u>57</u>	-

Did well dewater? Yes  No  Gallons actually evacuated: 57

Sampling Time: 11:05 Sampling Date: 3/14/00

Sample I.D.: MW- Laboratory: Sequencia

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

Equipment Blank I.D.: \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D.: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
			<u>20</u>	
ORP (if req'd):	Pre-purge:	mV	Post-purge:	mV

## WELL MONITORING DATA SHEET

Project #: <u>000314 N-1</u>	Client: <u>Equiva 204-6852-1404</u>
Sampler: <u>Ganett</u>	Start Date: <u>3/14/00</u>
Well I.D.: <u>MW-3</u>	Well Diameter: 2' 3' <u>4</u> 6 8
Total Well Depth: <del>41.60</del> <u>41.60</u>	Depth to Water: <u>21.64</u>
Before: _____ After: _____	Before: _____ After: _____
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Purge Method: Bailer  
 Disposable Bailer  
 Middleburg  
Electric Submersible  
 Extraction Pump

Sampling Method: Bailer  
Disposable Bailer  
 Extraction Port  
 Other: \_\_\_\_\_

Other: \_\_\_\_\_

<u>13.0</u>	(Gals.) X	<u>3</u>	=	<u>39.0</u>	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
9:45	68.7	6.7	1320	73	13	
9:47	69.9	6.7	1308	51	26	
9:49	69.8	6.7	1327	39	39	-

Did well dewater? Yes  No  Gallons actually evacuated: 39

Sampling Time: 9:50 Sampling Date: 3/14/00

Sample I.D.: MW-3 Laboratory: Sequoia

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

Equipment Blank I.D.: \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D.: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L Post-purge: 2.1 mg/L

ORP (if req'd): Pre-purge: \_\_\_\_\_ mV Post-purge: \_\_\_\_\_ mV

## WELL MONITORING DATA SHEET

Project #: <u>000314 N-1</u>	Client: <u>Equiva 204-6852-1404</u>
Sampler: <u>Gannett</u>	Start Date: <u>3/14/00</u>
Well I.D.: <u>MW-4</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: <u>24.89</u>	Depth to Water: <u>9.95</u>
Before: _____ After: _____	Before: _____ After: _____
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: <u>PVC</u> <u>TOL</u> Grade	D.O. Meter (if req'd): YSI HACH

Purge Method: Bailer  
Disposable Bailer  
~~Middleburg~~  
 Electric Submersible  
 Extraction Pump  
 Other: \_\_\_\_\_

Sampling Method: Bailer  
Disposable Bailer  
 Extraction Port  
 Other: \_\_\_\_\_

2.4 (Gals.) X 3 = 7.2 Gals.  
 I Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
<u>8:55</u>	<u>66.3</u>	<u>7.3</u>	<u>1171</u>	<u>&gt;200</u>	<u>2.5</u>	
<u>8:59</u>	<u>66.6</u>	<u>7.3</u>	<u>1201</u>	<u>&gt;200</u>	<u>5.0</u>	
<u>9:04</u>	<u>66.4</u>	<u>7.3</u>	<u>1204</u>	<u>&gt;200</u>	<u>7.5</u>	
				<del>Acid</del>		

Did well dewater? Yes  No  Gallons actually evacuated: 75

Sampling Time: 9:06 Sampling Date: 3/14/00

Sample I.D.: MW-4 Laboratory: Sequoia

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

Equipment Blank I.D.: \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D.: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	<u>2.5</u>	mg/L
	ORP (if req'd):	Pre-purge:	mV	Post-purge:	mV