

C A M B R I A

August 24, 2000

Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Second Quarter 2000 Monitoring Report**
Shell-branded Service Station
1784 150th Avenue
San Leandro, California
Incident #98996068
Cambria Project #242-0612-002

RECEIVED
CAMBRIA PROJECT #242-0612-002
AUG 24 2000



Dear Mr. Seery:

On behalf of Equiva Services LLC (Equiva), Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

SECOND QUARTER 2000 ACTIVITIES

Groundwater Monitoring: Blaine Tech Services, Inc. (Blaine) of San Jose, California checked for separate-phase hydrocarbons (SPH), gauged and sampled all the site wells, calculated groundwater elevations, and compiled the analytical data. Cambria prepared a groundwater elevation contour map (Figure 1). Blaine's report, presenting the laboratory report and supporting field documents, is included as Attachment A.

No SPH were found this quarter. In addition to the usual gasoline constituents, all wells were analyzed for volatile organic compounds (VOCs) by EPA Method 8010B. No VOCs were found this quarter, except 3.94 parts per billion (ppb) 1,2-dichloroethane (1,2-DCA) in well MW-2, and 3.89 ppb 1,2-DCA in well MW-3.

Oakland, CA
San Ramon, CA
Sonoma, CA
Portland, OR

ANTICIPATED THIRD QUARTER 2000 ACTIVITIES

**Cambria
Environmental
Technology, Inc.**

Groundwater Monitoring: Blaine will check for, and remove any detected SPH, gauge and sample all wells, and tabulate the data. Cambria will prepare a monitoring report.

1144 65th Street
Suite B
Oakland, CA 94608
Tel (510) 420-0700
Fax (510) 420-9170

C A M B R I A

Scott Seery
August 24, 2000

CLOSING

We appreciate the opportunity to work with you on this project. Please call Stephan Bork at (510) 420-3344 if you have any questions or comments.

Sincerely,
Cambria Environmental Technology, Inc



Anni Kreml

Anni Kreml
Senior Staff Scientist

Stephan A. Bork

Stephan A. Bork, C.E.G., C.H.G.
Associate Hydrogeologist




Figure: 1 - Groundwater Elevation Contour Map

Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

cc: Karen Petryna, Equiva Services LLC, P.O. Box 7869, Burbank, California 91510-7869

g:\sanleandro1784-150th\qm\2q00qm.doc

G:\SAN LEANDRO-1784-150TH\FIGURES\20M00.MP.A1




FIGURE 1

Shell-branded Service Station
 1784 150th Avenue
 San Leandro, California
 Incident #98996068



CAMBRIA

Groundwater Elevation Contour Map

June 28, 2000

ATTACHMENT A
Blaine Groundwater Monitoring Report
and Field Notes

BLAINE
TECH SERVICES, INC.



1680 ROGERS AVENUE
SAN JOSE, CA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE
CONTRACTOR'S LICENSE #746684
www.blainetech.com

July 31, 2000

Karen Petryna
Equiva Services LLC
P.O. Box 7869
Burbank, CA 91510-7869

Second Quarter 2000 Groundwater Monitoring at
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Monitoring performed on ~~June 28~~, 2000.

Groundwater Monitoring Report 000628-A-3

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "Deidre Kerwin", with a long horizontal flourish extending to the right.

Deidre Kerwin
Operations Manager

DK/jt

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheet

cc: Anni Kreml
Cambria Environmental Technology, Inc.
1144 65th Street, Ste. C
Oakland, CA 94608

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
| MW-1 | 03/08/1990 | 510 | 120 | 1.5 | 0.8 | <0.5 | 5.4 | NA | NA | 49.13 | 25.29 | 23.84 | NA | NA |
| MW-1 | 06/12/1990 | 390 | 100 | 86 | 1.3 | 0.7 | 6.2 | NA | NA | 49.13 | 25.85 | 23.28 | NA | NA |
| MW-1 | 09/13/1990 | 100 | 130 | 56 | 0.75 | 2.4 | 2.8 | NA | NA | 49.13 | 27.49 | 21.64 | NA | NA |
| MW-1 | 12/18/1990 | 480 | <50 | 54 | 1.7 | 3.3 | 3.7 | NA | NA | 49.13 | 27.41 | 21.72 | NA | NA |
| MW-1 | 03/07/1991 | 80 | <50 | 266 | <0.5 | 1.2 | <1.5 | NA | NA | 49.13 | 25.79 | 23.34 | NA | NA |
| MW-1 | 06/07/1991 | 510 | <50 | 130 | 3.8 | 6.1 | 11 | NA | NA | 49.13 | 25.64 | 23.49 | NA | NA |
| MW-1 | 09/17/1991 | 330 | 120a | 67 | <0.5 | 3.0 | 2.2 | NA | NA | 49.13 | 27.54 | 21.59 | NA | NA |
| MW-1 | 12/09/1991 | 140a | 80 | <0.5 | <0.5 | 1.7 | 4.7 | NA | NA | 49.13 | 27.81 | 21.32 | NA | NA |
| MW-1 | 02/13/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 25.57 | 23.56 | NA | NA |
| MW-1 | 02/24/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 22.83 | 26.30 | NA | NA |
| MW-1 | 02/27/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 23.09 | 26.04 | NA | NA |
| MW-1 | 03/01/1992 | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | 49.13 | 23.26 | 25.87 | NA | NA |
| MW-1 | 06/03/1992 | 1,500 | NA | 520 | 180 | 72 | 230 | NA | NA | 49.13 | 24.64 | 24.49 | NA | NA |
| MW-1 | 09/01/1992 | 130 | NA | 16 | 1.4 | 1.8 | 3.4 | NA | NA | 49.13 | 26.74 | 22.39 | NA | NA |
| MW-1 | 10/06/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 27.18 | 21.95 | NA | NA |
| MW-1 | 11/11/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 27.99 | 21.14 | NA | NA |
| MW-1 | 12/04/1992 | 150 | NA | 360 | 0.7 | 1.8 | 2.1 | NA | NA | 49.13 | 27.14 | 21.99 | NA | NA |
| MW-1 | 01/22/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 20.09 | 29.04 | NA | NA |
| MW-1 | 02/10/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 24.26 | 24.87 | NA | NA |
| MW-1 | 03/03/1993 | <50 | NA | 1.5 | <0.5 | <0.5 | <0.5 | NA | NA | 49.13 | 20.50 | 28.63 | NA | NA |
| MW-1 | 05/11/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 21.70 | 27.43 | NA | NA |
| MW-1 | 06/17/1993 | 1,600 | NA | 340 | 120 | 120 | 440 | NA | NA | 49.13 | 22.42 | 26.71 | NA | NA |
| MW-1 | 09/10/1993 | 2,600 | NA | 670 | 340 | 310 | 730 | NA | NA | 49.13 | 24.11 | 25.02 | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
| MW-1 | 12/13/1993 | 11,000 | NA | 470 | 320 | 380 | 2,300 | NA | NA | 49.13 | 23.73 | 25.40 | NA | NA |
| MW-1 | 03/03/1994 | 16,000 | NA | 700 | 690 | 480 | 3,200 | NA | NA | 49.13 | 22.08 | 27.05 | NA | NA |
| MW-1 | 06/06/1994 | 7,500 | NA | 420 | 280 | 200 | 1,000 | NA | NA | 49.13 | 23.10 | 26.03 | NA | NA |
| MW-1 | 09/12/1994 | 1,200 | NA | 110 | 21 | 3.3 | 420 | NA | NA | 49.13 | 25.19 | 23.94 | NA | NA |
| MW-1 | 12/19/1994 | 4,600 | NA | 470 | 330 | 230 | 1,300 | NA | NA | 49.13 | 23.06 | 26.07 | NA | NA |
| MW-1 | 02/28/1995 | 500 | NA | 59 | 32 | 6.8 | 68 | NA | NA | 49.13 | 20.90 | 28.23 | NA | NA |
| MW-1 | 03/24/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 18.28 | 30.85 | NA | NA |
| MW-1 | 06/26/1995 | 5,500 | NA | 740 | 420 | 300 | 1,800 | NA | NA | 49.13 | 20.40 | 28.73 | NA | NA |
| MW-1 | 09/13/1995 | 84,000 | NA | 1,900 | 2,600 | 3,000 | 14,000 | NA | NA | 49.13 | 22.62 | 26.51 | NA | NA |
| MW-1 | 12/19/1995 | 80,000 | NA | 660 | 350 | 170 | 18,000 | NA | NA | 49.13 | 22.10 | 27.03 | NA | NA |
| MW-1 | 03/07/1996 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 18.83 | 30.34 | 0.05 | NA |
| MW-1 | 06/28/1996 | 270,000 | NA | 2,800 | 820 | 1,000 | 16,000 | <0.5 | NA | 49.13 | 21.46 | 27.67 | NA | NA |
| MW-1 (D) | 06/28/1996 | 790,000 | NA | 2,200 | 780 | 1,000 | 13,000 | 15,000 | NA | 49.13 | 21.46 | 27.67 | NA | NA |
| MW-1 | 09/26/1996 | 29,000 | NA | 1,100 | 260 | 270 | 1,900 | <1,000 | NA | 49.13 | 23.57 | 25.57 | 0.01 | NA |
| MW-1 | 09/26/1996 | 25,000 | NA | 1,200 | 320 | 240 | 1,900 | <1,000 | NA | 49.13 | NA | NA | NA | NA |
| MW-1 | 12/10/1996 | 13,000 | NA | 510 | 240 | 230 | 1,200 | 100 | NA | 49.13 | 21.43 | 27.70 | NA | 1.0 |
| MW-1 (D) | 12/10/1996 | 8,400 | NA | 420 | 130 | 140 | 680 | 81 | NA | 49.13 | 21.43 | 27.70 | NA | 1.0 |
| MW-1 | 03/10/1997 | 4,200 | NA | 13 | 8.8 | 16 | 74 | <12 | NA | 49.13 | 20.08 | 29.05 | NA | 2.0 |
| MW-1 (D) | 03/10/1997 | 5,100 | NA | 12 | 8.9 | 17 | 79 | <25 | NA | 49.13 | 20.08 | 29.05 | NA | 2.0 |
| MW-1 | 06/30/1997 | 5,700 | NA | 320 | 120 | 140 | 700 | 47 | NA | 49.13 | 21.68 | 27.45 | NA | 1.6 |
| MW-1 (D) | 06/30/1997 | 5,300 | NA | 300 | 95 | 120 | 580 | 45 | NA | 49.13 | 21.68 | 27.45 | NA | 1.6 |
| MW-1 | 09/12/1997 | 6,300 | NA | 120 | 26 | 82 | 260 | 30 | NA | 49.13 | 21.78 | 27.35 | NA | 2.1 |
| MW-1 b | 12/18/1997 | NA | NA | NA | NA | NA | NA | NA | NA | 49.13 | 20.78 | 28.35 | NA | 1.3 |
| MW-1 | 02/02/1998 | 84 | NA | 5.1 | <0.50 | <0.50 | 2.1 | 2.5 | NA | 49.13 | 19.65 | 29.48 | NA | 2.0 |

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
| MW-1 | 06/24/1998 | 13,000 | NA | 3,000 | 260 | 410 | 1,400 | <250 | NA | 49.13 | 19.65 | 29.48 | NA | 2.5 |
| MW-1 (D) | 06/24/1998 | 12,000 | NA | 3,800 | 250 | 47 | 1,400 | 710 | NA | 49.13 | 19.65 | 29.48 | NA | 2.5 |
| MW-1 | 08/26/1998 | 3,100 | NA | 1,200 | 27 | 170 | 50 | 88 | NA | 49.13 | 20.49 | 28.64 | NA | 2.1 |
| MW-1 | 12/23/1998 | 45,000 | NA | 5,300 | 220 | 1,000 | 3,600 | 970 | NA | 49.13 | 21.22 | 27.91 | NA | 3.8 |
| MW-1 | 03/01/1999 | 22,300 | NA | 2,540 | 436 | 753 | 3,370 | <400 | NA | 49.13 | 19.27 | 29.86 | NA | 1.8 |
| MW-1 | 06/14/1999 | 18,800 | NA | 6,820 | 210 | 436 | 958 | 1,360 | NA | 49.13 | 20.80 | 28.33 | NA | 2.2 |
| MW-1 | 09/28/1999 | 21,500 | NA | 7,470 | 281 | 467 | 927 | 1,800 | NA | 49.13 | 22.55 | 26.58 | NA | 2.0 |
| MW-1 | 12/08/1999 | 22,300 | NA | 6,140 | 135 | 256 | 367 | 232 | NA | 49.13 | 23.12 | 26.01 | NA | 2.1 |
| MW-1 | 03/14/2000 | 6,690 | NA | 1,880 | 63.5 | 134 | 307 | 460 | NA | 49.13 | 18.87 | 30.26 | NA | 2.3 |
| MW-1 | 06/28/2000 | 8,080 | NA | 2,690 | 85.1 | 149 | 514 | 701 | NA | 49.13 | 21.12 | 28.01 | NA | 2.4 |
| MW-2 | 02/13/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 22.22 | 23.61 | NA | NA |
| MW-2 | 02/24/1992 | 17,000 | 2,700a | 6,200 | 1,600 | 550 | 1,900 | NA | NA | 45.63 | 19.61 | 26.22 | NA | NA |
| MW-2 | 02/27/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 19.92 | 25.91 | NA | NA |
| MW-2 | 03/01/1992 | 86,000 | 1,000a | 30,000 | 34,000 | 2,300 | 16,000 | NA | NA | 45.63 | 21.11 | 24.72 | NA | NA |
| MW-2 | 06/03/1992 | 87,000 | NA | 28,000 | 18,000 | 2,000 | 10,000 | NA | NA | 45.63 | 21.58 | 24.25 | NA | NA |
| MW-2 | 09/01/1992 | 110,000 | NA | 21,000 | 13,000 | 1,900 | 7,800 | NA | NA | 45.63 | 23.46 | 22.37 | NA | NA |
| MW-2 | 10/06/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 23.99 | 21.84 | NA | NA |
| MW-2 | 11/11/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 24.25 | 21.58 | NA | NA |
| MW-2 | 12/04/1992 | 42,000 | NA | 15,000 | 2,400 | 960 | 2,900 | NA | NA | 45.63 | 23.89 | 21.94 | NA | NA |
| MW-2 | 01/22/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 17.03 | 28.80 | NA | NA |
| MW-2 | 02/10/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 18.08 | 27.75 | NA | NA |
| MW-2 | 03/03/1993 | 160,000 | NA | 36,000 | 3,800 | 32,000 | 21,000 | NA | NA | 45.63 | 17.28 | 28.55 | NA | NA |
| MW-2 (D) | 03/03/1993 | 150,000 | NA | 31,000 | 3,100 | 20,000 | 14,000 | NA | NA | 45.63 | 17.28 | 28.55 | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
| MW-2 | 05/11/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 18.41 | 27.42 | NA | NA |
| MW-2 | 06/17/1993 | 65,000 | NA | 34,000 | 15,000 | 3,200 | 11,000 | NA | NA | 45.63 | 19.06 | 26.77 | NA | NA |
| MW-2 (D) | 06/17/1993 | 62,000 | NA | 28,000 | 14,000 | 2,700 | 10,000 | NA | NA | 45.63 | 19.06 | 26.77 | NA | NA |
| MW-2 | 09/10/1993 | 72,000 | NA | 24,000 | 16,000 | 2,300 | 11,000 | NA | NA | 45.63 | 20.88 | 24.95 | NA | NA |
| MW-2 (D) | 09/10/93,f | 71,000 | NA | 23,000 | 15,000 | 2,300 | 10,000 | NA | NA | 45.63 | 20.88 | 24.95 | NA | NA |
| MW-2 | 12/13/1993 | 19,000 | NA | 5,400 | 4,900 | 680 | 3,100 | NA | NA | 45.63 | 20.42 | 25.41 | NA | NA |
| MW-2 (D) | 12/13/1993 | 17,000 | NA | 6,200 | 5,500 | 720 | 3,500 | NA | NA | 45.63 | 20.42 | 25.41 | NA | NA |
| MW-2 | 03/03/1994 | 110,000 | NA | 21,000 | 24,000 | 2,000 | 13,000 | NA | NA | 45.63 | 18.48 | 27.35 | NA | NA |
| MW-2 (D) | 03/03/1994 | 93,000 | NA | 19,000 | 22,000 | 1,800 | 12,000 | NA | NA | 45.63 | 18.48 | 27.35 | NA | NA |
| MW-2 | 06/06/1994 | 10,000 | NA | 1,900 | 3,300 | 2,500 | 13,000 | NA | NA | 45.63 | 20.26 | 25.57 | NA | NA |
| MW-2 (D) | 06/06/1994 | 99,000 | NA | 9,900 | 12,000 | 2,400 | 12,000 | NA | NA | 45.63 | 20.26 | 25.57 | NA | NA |
| MW-2 | 09/12/1994 | 160,000 | NA | 22,000 | 33,000 | 3,400 | 23,000 | NA | NA | 45.63 | 21.80 | 24.03 | NA | NA |
| MW-2 (D) | 09/12/1994 | 150,000 | NA | 23,000 | 34,000 | 3,500 | 23,000 | NA | NA | 45.63 | 21.80 | 24.03 | NA | NA |
| MW-2 | 12/19/1994 | 80,000 | NA | 17,000 | 16,000 | 2,300 | 14,000 | NA | NA | 45.63 | 19.66 | 26.17 | NA | NA |
| MW-2 (D) | 12/19/1994 | 100,000 | NA | 28,000 | 26,000 | 3,400 | 20,000 | NA | NA | 45.63 | 19.66 | 26.17 | NA | NA |
| MW-2 | 02/28/1995 | 100,000 | NA | 24,000 | 18,000 | 2,300 | 17,000 | NA | NA | 45.63 | 17.51 | 28.32 | NA | NA |
| MW-2 (D) | 02/28/1995 | 100,000 | NA | 31,000 | 21,000 | 3,200 | 18,000 | NA | NA | 45.63 | 17.51 | 28.32 | NA | NA |
| MW-2 | 03/24/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 14.88 | 30.95 | NA | NA |
| MW-2 | 06/26/1995 | 45,000 | NA | 14,000 | 12,000 | 1,500 | 7,500 | NA | NA | 45.63 | 17.58 | 28.25 | NA | NA |
| MW-2 (D) | 06/26/1995 | 68,000 | NA | 13,000 | 11,000 | 1,800 | 7,700 | NA | NA | 45.63 | 17.58 | 28.25 | NA | NA |
| MW-2 | 09/13/1995 | 110,000 | NA | 19,000 | 19,000 | 2,800 | 15,000 | NA | NA | 45.63 | 19.28 | 26.55 | NA | NA |
| MW-2 (D) | 09/13/1995 | 120,000 | NA | 20,000 | 20,000 | 2,900 | 15,000 | NA | NA | 45.63 | 19.28 | 26.55 | NA | NA |
| MW-2 | 12/19/1995 | 180,000 | NA | 18,000 | 29,000 | 4,100 | 24,000 | NA | NA | 45.63 | 18.61 | 27.22 | NA | NA |
| MW-2 (D) | 12/19/1995 | 160,000 | NA | 18,000 | 28,000 | 3,800 | 24,000 | NA | NA | 45.63 | 18.61 | 27.22 | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
| MW-2 | 03/06/1996 | 120,000 | NA | 28,000 | 15,000 | 3,900 | 17,000 | NA | NA | 45.63 | 15.41 | 30.42 | NA | NA |
| MW-2 | 06/28/1996 | 96,000 | NA | 20,000 | 20,000 | 4,100 | 22,000 | 2,400 | NA | 45.63 | 17.84 | 27.99 | NA | NA |
| MW-2 | 09/26/1996 | 87,000 | NA | 7,600 | 11,000 | 2,500 | 15,000 | 990 | 840 | 45.63 | 19.60 | 26.23 | NA | NA |
| MW-2 | 12/10/1996 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 18.15 | 27.48 | 0.25 | NA |
| MW-2 | 03/10/1997 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 17.02 | 28.77 | 0.20 | NA |
| MW-2 | 06/30/1997 | 57,000 | NA | 3,600 | 4,600 | 1,300 | 9,700 | 2,300 | NA | 45.63 | 19.42 | 26.21 | NA | 2.4 |
| MW-2 | 09/12/1997 | 88,000 | NA | 7,800 | 8,800 | 2,600 | 16,000 | 3,200 | NA | 45.63 | 19.40 | 26.23 | NA | 1.7 |
| MW-2 (D) | 09/12/1997 | 90,000 | NA | 8,300 | 9,400 | 2,700 | 17,000 | 3,400 | NA | 45.63 | 19.40 | 26.23 | NA | 1.7 |
| MW-2 b | 12/18/1997 | NA | NA | NA | NA | NA | NA | NA | NA | 45.63 | 17.56 | 28.07 | NA | 1.3 |
| MW-2 | 02/02/1998 | <50 | NA | 0.6 | 1.9 | 0.93 | 6.0 | 9.3 | NA | 45.63 | 18.14 | 27.49 | NA | 2 |
| MW-2 (D) | 02/02/1998 | 56 | NA | 1.0 | 2.8 | 1.4 | 9.3 | 13 | NA | 45.63 | 18.14 | 27.49 | NA | 2 |
| MW-2 | 06/24/1998 | 20,000 | NA | <200 | 620 | 560 | 4,500 | <1,000 | NA | 45.63 | 16.08 | 29.55 | NA | 2.4 |
| MW-2 | 08/26/1998 | 22,000 | NA | 380 | 1,100 | 560 | 4,400 | 330 | NA | 45.63 | 19.25 | 26.38 | NA | NA |
| MW-2 (D) | 08/26/1998 | 11,000 | NA | 180 | 130 | 290 | 500 | 1,400 | NA | 45.63 | 19.25 | 26.38 | NA | NA |
| MW-2 | 12/23/1998 | 100,000 | NA | 4,100 | 6,500 | 2,400 | 16,000 | <500 | NA | 45.63 | 18.29 | 27.34 | NA | 3.8 |
| MW-2 | 03/01/1999 | 50,800 | NA | 3,910 | 7,480 | 1,890 | 13,100 | 9,620 | NA | 45.63 | 22.81 | 22.82 | NA | 2.0 |
| MW-2 | 06/14/1999 | 4,930 | NA | 128 | 270 | 139 | 1,040 | 2,200 | 2,540* | 45.63 | 18.86 | 26.77 | NA | 1.6 |
| MW-2 | 09/28/1999 | 16,200 | NA | 647 | 1,070 | 542 | 4,130 | 5,320 | 4,790 | 45.63 | 21.41 | 24.22 | NA | 1.8 |
| MW-2 | 12/08/1999 | 25,700 | NA | 1,670 | 2,110 | 977 | 6,600 | 6,190 | 5,970 | 45.63 | 21.89 | 23.74 | NA | 1.8 |
| MW-2 | 03/14/2000 | 45,100 | NA | 2,070 | 4,710 | 1,920 | 12,800 | 16,700 | 18,300* | 45.63 | 15.57 | 30.06 | NA | 2.0 |
| MW-2 | 06/28/2000 | 52,100 | NA | 5,150 | 4,200 | 1,880 | | | | 45.63 | 17.79 | 27.84 | NA | 1.9 |
| MW-3 | 02/13/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 27.97 | 24.00 | NA | NA |
| MW-3 | 02/24/1992 | 4,500 | 1,300a | 97 | <5 | 78 | 18 | NA | NA | 51.97 | 25.60 | 26.37 | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
| MW-3 | 02/27/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 25.88 | 26.09 | NA | NA |
| MW-3 | 03/01/1992 | 2,200 | 440 | 69 | <0.5 | <0.5 | <0.5 | NA | NA | 51.97 | 26.00 | 25.97 | NA | NA |
| MW-3 | 06/03/1992 | 4,100 | NA | 13 | 72 | 44 | 65 | NA | NA | 51.97 | 27.70 | 24.27 | NA | NA |
| MW-3 | 09/01/1992 | 1,900 | NA | 20 | 6.8 | 5.5 | <5 | NA | NA | 51.97 | 29.46 | 22.51 | NA | NA |
| MW-3 (D) | 09/01/1992 | 1,900 | NA | 21 | 6.6 | 3.4 | <5 | NA | NA | 51.97 | 29.46 | 22.51 | NA | NA |
| MW-3 | 10/06/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 30.01 | 21.96 | NA | NA |
| MW-3 | 11/11/1992 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 30.26 | 21.71 | NA | NA |
| MW-3 | 12/04/1992 | 2,400 | NA | 8.2 | <5 | <5 | <5 | NA | NA | 51.97 | 29.93 | 22.04 | NA | NA |
| MW-3 (D) | 12/04/1992 | 2,100 | NA | 11 | <0.5 | 5.7 | <0.5 | NA | NA | 51.97 | 29.93 | 22.04 | NA | NA |
| MW-3 | 01/22/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 22.76 | 29.21 | NA | NA |
| MW-3 | 02/10/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 21.40 | 30.57 | NA | NA |
| MW-3 | 03/03/1993 | 5,100 | NA | 63 | 61 | 75 | 150 | NA | NA | 51.97 | 23.08 | 28.89 | NA | NA |
| MW-3 | 05/11/1993 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 24.51 | 27.46 | NA | NA |
| MW-3 | 06/17/1993 | 4,000 | NA | 94 | 140 | 82 | 150 | NA | NA | 51.97 | 25.21 | 26.76 | NA | NA |
| MW-3 | 09/10/1993 | 3,200 | NA | 140 | 12.5 | 12.5 | 12.5 | NA | NA | 51.97 | 26.95 | 25.02 | NA | NA |
| MW-3 | 12/13/1993 | 6,200 | NA | <12.5 | <12.5 | <12.5 | <12.5 | NA | NA | 51.97 | 26.52 | 25.45 | NA | NA |
| MW-3 | 03/03/1994 | 4,500 | NA | 73 | <5 | <5 | <5 | NA | NA | 51.97 | 24.50 | 27.47 | NA | NA |
| MW-3 | 06/06/1994 | 3,200 | NA | <0.5 | <0.5 | 3.1 | <0.5 | NA | NA | 51.97 | 26.33 | 25.64 | NA | NA |
| MW-3 | 09/12/1994 | 3,900 | NA | <0.5 | <0.5 | 9.6 | 4.1 | NA | NA | 51.97 | 27.98 | 23.99 | NA | NA |
| MW-3 | 12/19/1994 | 2,400 | NA | 21 | 22 | 4.2 | 2.6 | NA | NA | 51.97 | 25.63 | 26.34 | NA | NA |
| MW-3 | 02/28/1995 | 4,000 | NA | 58 | <0.5 | 7.1 | 3.5 | NA | NA | 51.97 | 23.45 | 28.52 | NA | NA |
| MW-3 | 03/24/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 21.07 | 30.90 | NA | NA |
| MW-3 | 06/26/1995 | 3,900 | NA | 8.1 | <0.5 | 12 | 2.4 | NA | NA | 51.97 | 23.64 | 28.33 | NA | NA |
| MW-3 | 09/13/1995 | 4,100 | NA | 58 | 5.5 | 5.5 | <0.5 | NA | NA | 51.97 | 25.40 | 26.57 | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|

| | | | | | | | | | | | | | | |
|--------|------------|-------|----|--------|--------|--------|--------|-------|----|-------|-------|-------|------|------|
| MW-3 | 12/19/1995 | 3,600 | NA | <0.5 | 4.3 | 2.1 | 1.1 | NA | NA | 51.97 | 24.53 | 27.44 | NA | NA |
| MW-3 | 03/07/1996 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 21.59 | 30.41 | 0.04 | NA |
| MW-3 | 06/28/1996 | 2,400 | NA | 55 | <0.5 | <0.5 | 11 | 120 | NA | 51.97 | 23.95 | 28.02 | NA | NA |
| MW-3 | 09/26/1996 | 2,500 | NA | <5.0 | <5.0 | <5.0 | <5.0 | 160 | NA | 51.97 | 25.89 | 26.08 | NA | NA |
| MW-3 | 12/10/1996 | 1,600 | NA | 28 | 4.2 | <2.0 | 3.9 | 110 | NA | 51.97 | 24.22 | 27.75 | NA | 0.8 |
| MW-3 | 03/10/1997 | 130 | NA | <0.50 | <0.50 | <0.50 | 1.4 | 4.2 | NA | 51.97 | 23.05 | 28.92 | NA | 2.8 |
| MW-3 | 06/30/1997 | 1,200 | NA | 21 | 2.3 | <2.0 | <2.0 | 69 | NA | 51.97 | 24.34 | 27.63 | NA | 2.3 |
| MW-3 | 09/12/1997 | 440 | NA | 8.3 | 0.82 | <0.50 | 1.9 | 3.4 | NA | 51.97 | 24.47 | 27.50 | NA | 1.9 |
| MW-3 b | 12/18/1997 | NA | NA | NA | NA | NA | NA | NA | NA | 51.97 | 23.54 | 28.43 | NA | 0.8 |
| MW-3 | 02/02/1998 | 400 | NA | 9.3 | 0.68 | <0.50 | <0.50 | 9 | NA | 51.97 | 21.92 | 30.05 | NA | 1.5 |
| MW-3 | 06/24/1998 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 51.97 | 22.35 | 29.62 | NA | 1.9 |
| MW-3 | 08/26/1998 | 140 | NA | 7.4 | <0.50 | <0.50 | 2.5 | 13 | NA | 51.97 | 23.45 | 28.52 | NA | 1.3 |
| MW-3 | 12/23/1998 | 1,200 | NA | 50 | <2.0 | <2.0 | <2.0 | 69 | NA | 51.97 | 24.01 | 27.96 | NA | 4.2 |
| MW-3 | 03/01/1999 | 2,550 | NA | <0.500 | <0.500 | <0.500 | 0.658 | 32.4 | NA | 51.97 | 22.08 | 29.89 | NA | 2.0 |
| MW-3 | 06/14/1999 | 514 | NA | 18.1 | 0.728 | <0.500 | <0.500 | 15.9 | NA | 51.97 | 23.15 | 28.82 | NA | 1.7 |
| MW-3 | 09/28/1999 | 1,180 | NA | <1.00 | <1.00 | <1.00 | <1.00 | <10.0 | NA | 51.97 | 25.36 | 26.61 | NA | 1.2 |
| MW-3 | 12/08/1999 | 1,740 | NA | 71.5 | 23.0 | 24.2 | 61.3 | 103 | NA | 51.97 | 25.75 | 26.22 | NA | 2.0 |
| MW-3 | 03/14/2000 | 1,410 | NA | 5.63 | 35.6 | <5.00 | 8.41 | 38.7 | NA | 51.97 | 21.64 | 30.33 | NA | 2.1 |
| MW-3 | 06/28/2000 | 2,460 | NA | <5.00 | 9.48 | <5.00 | 28.4 | 64.0 | NA | 51.97 | 23.84 | 28.13 | NA | 2.87 |

| | | | | | | | | | | | | | | |
|------|------------|-----|----|------|------|------|------|----|----|-------|-------|-------|----|----|
| MW-4 | 03/24/1995 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | 40.51 | 9.16 | 31.35 | NA | NA |
| MW-4 | 06/26/1995 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | 40.51 | 12.06 | 28.45 | NA | NA |
| MW-4 | 09/13/1995 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | 40.51 | 13.90 | 26.61 | NA | NA |
| MW-4 | 12/19/1995 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | 40.51 | 12.90 | 27.61 | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
| MW-4 | 03/06/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | 40.51 | 9.63 | 30.88 | NA | NA |
| MW-4 | 06/28/1996 | 40 | NA | <0.5 | 0.59 | 0.97 | 3.8 | 26 | NA | 40.51 | 12.30 | 28.21 | NA | NA |
| MW-4 | 09/26/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 40.51 | 14.12 | 26.39 | NA | NA |
| MW-4 | 12/10/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 40.51 | 12.31 | 28.20 | NA | 1.2 |
| MW-4 | 03/10/1997 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 40.51 | 11.34 | 29.17 | NA | NA |
| MW-4 | 06/30/1997 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 40.51 | 13.80 | 26.71 | NA | 1.9 |
| MW-4 | 09/12/1997 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 40.51 | 13.99 | 26.52 | NA | 1.7 |
| MW-4 b | 12/18/1997 | NA | NA | NA | NA | NA | NA | NA | NA | 40.51 | 12.02 | 28.49 | NA | 1.8 |
| MW-4 | 02/02/1998 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 40.51 | 11.23 | 29.28 | NA | 1 |
| MW-4 | 06/24/1998 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 40.51 | 10.58 | 29.93 | NA | 1.9 |
| MW-4 | 08/26/1998 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 40.51 | 11.75 | 28.76 | NA | 1.2 |
| MW-4 | 12/23/1998 | <50 | NA | 0.60 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 40.51 | 12.41 | 28.10 | NA | 4.2 |
| MW-4 | 03/01/1999 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | 40.51 | 10.38 | 30.13 | NA | 2.1 |
| MW-4 | 06/14/1999 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | NA | 40.51 | 11.91 | 28.60 | NA | 2.4 |
| MW-4 | 09/28/1999 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | 40.51 | 10.19 | 30.32 | NA | 2.2 |
| MW-4 | 12/08/1999 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | NA | 40.51 | 10.67 | 29.84 | NA | 1.8 |
| MW-4 | 03/14/2000 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | NA | 40.51 | 9.95 | 30.56 | NA | 2.5 |
| MW-4 | 06/23/2000 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | NA | 40.51 | 12.22 | 28.29 | NA | 0.9 |

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA
Wic #204-6852-1404

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|---------------------------|------------------------|

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015

BTEX = benzene, toluene, ethylbenzene, xylenes by EPA Method 8020

MTBE = methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = parts per billion

ppm = parts per million

msl = Mean sea level

ft = Feet

<n = Below detection limit

D = Duplicate sample

NA = Not applicable

Notes:

a = Chromatogram pattern indicates an unidentified hydrocarbon.

b = Samples not analyzed due to laboratory oversight.

* = Sample analyzed out of EPA recommended hold time.



Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequolalabs.com

25 July, 2000

Nick Sudano
Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose, CA 95112

RE: 1784 150th Ave.
Sequoia Report: MJF0959

Enclosed are the results of analyses for samples received by the laboratory on 06/29/00 13:05. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Ted Terrasas
Project Manager

CA ELAP Certificate #1210





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|-----------|---------------|--------|----------------|----------------|
| MW-1 | MJF0959-01 | Water | 06/28/00 15:13 | 06/29/00 13:05 |
| MW-2 | MJF0959-02 | Water | 06/28/00 15:35 | 06/29/00 13:05 |
| MW-3 | MJF0959-03 | Water | 06/28/00 14:50 | 06/29/00 13:05 |
| MW-4 | MJF0959-04 | Water | 06/28/00 14:20 | 06/29/00 13:05 |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Morgan Hill**

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|--------|----------|---------|----------|----------|----------|-------|
| MW-1 (MJF0959-01) Water Sampled: 06/28/00 15:13 Received: 06/29/00 13:05 | | | | | | | | | |
| Purgeable Hydrocarbons | 8080 | 5000 | ug/l | 100 | 0G07002 | 07/07/00 | 07/07/00 | DHS LUFT | P-01 |
| Benzene | 2690 | 50.0 | " | " | " | " | " | " | |
| Toluene | 85.1 | 50.0 | " | " | " | " | " | " | |
| Ethylbenzene | 149 | 50.0 | " | " | " | " | " | " | |
| Xylenes (total) | 514 | 50.0 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | 701 | 250 | " | " | " | " | " | " | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | | 102 % | 70-130 | " | " | " | " | " | |
| MW-2 (MJF0959-02) Water Sampled: 06/28/00 15:35 Received: 06/29/00 13:05 | | | | | | | | | |
| Purgeable Hydrocarbons | 52100 | 10000 | ug/l | 200 | 9G07002 | 07/07/00 | 07/07/00 | DHS LUFT | P-01 |
| Benzene | 5150 | 100 | " | " | " | " | " | " | |
| Toluene | 4200 | 100 | " | " | " | " | " | " | |
| Ethylbenzene | 1880 | 100 | " | " | " | " | " | " | |
| Xylenes (total) | 13300 | 100 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | 15500 | 500 | " | " | " | " | " | " | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | | 107 % | 70-130 | " | " | " | " | " | |
| MW-3 (MJF0959-03) Water Sampled: 06/28/00 14:50 Received: 06/29/00 13:05 | | | | | | | | | |
| Purgeable Hydrocarbons | 2460 | 500 | ug/l | 10 | 0G06001 | 07/06/00 | 07/06/00 | DHS LUFT | P-03 |
| Benzene | ND | 5.00 | " | " | " | " | " | " | |
| Toluene | 9.48 | 5.00 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Xylenes (total) | 28.4 | 5.00 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | 64.0 | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | | 126 % | 70-130 | " | " | " | " | " | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Morgan Hill

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-------|----------|---------|----------|----------|----------|-------|
| MW-4 (MJF0959-04) Water Sampled: 06/28/00 14:20 Received: 06/29/00 13:05 | | | | | | | | | |
| Purgeable Hydrocarbons | ND | 50.0 | ug/l | 1 | 0G06001 | 07/06/00 | 07/06/00 | DHS LUFT | |
| Benzene | ND | 0.500 | " | " | " | " | " | " | |
| Toluene | ND | 0.500 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 0.500 | " | " | " | " | " | " | |
| Xylenes (total) | ND | 0.500 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 2.50 | " | " | " | " | " | " | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | | 97.4 % | | 70-130 | " | " | " | " | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

**MTBE Confirmation by EPA Method 8260A
Sequoia Analytical - Morgan Hill**

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-----------------|--------|----------|---------|----------|----------|-----------|-------|
| MW-2 (MJF0959-02) Water Sampled: 06/28/00 15:35 Received: 06/29/00 13:05 | | | | | | | | | I-02 |
| Methyl tert-butyl ether | 13500 | 1000 | ug/l | 1000 | 0G14025 | 07/13/00 | 07/14/00 | EPA 8260A | |
| Surrogate: 1,2-Dichloroethane-d4 | | 82.1 % | 70-130 | | " | " | " | " | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

Volatile Organic Compounds by EPA Method 8010B Sequoia Analytical - Morgan Hill

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW-1 (MJF0959-01) Water Sampled: 06/28/00 15:13 Received: 06/29/00 13:05 | | | | | | | | | |
| Bromodichloromethane | ND | 2.50 | ug/l | 5 | 0G03002 | 07/03/00 | 07/06/00 | EPA 8010B | |
| Bromoform | ND | 2.50 | " | " | " | " | " | " | |
| Bromomethane | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 2.50 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 2.50 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 2.50 | " | " | " | " | " | " | |
| Chloromethane | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 2.50 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 2.50 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 2.50 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 2.50 | " | " | " | " | " | " | |
| cis-1,3-Dichloropropene | ND | 2.50 | " | " | " | " | " | " | |
| trans-1,3-Dichloropropene | ND | 2.50 | " | " | " | " | " | " | |
| Methylene chloride | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 2.50 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 2.50 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,1,2-Trichlorotrifluoroethane | ND | 5.00 | " | " | " | " | " | " | |
| Trichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 2.50 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 102 % | | 70-130 | " | " | " | " | |





| | | |
|--|--|-----------------------------|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112 | Project: 1784 150th Ave. Project Number: 1784 150th Avenue/ San Leandro Project Manager: Nick Sudano | Reported: 07/25/00 16:19 |
|--|--|-----------------------------|

Volatile Organic Compounds by EPA Method 8010B
Sequoia Analytical - Morgan Hill

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|-------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW-2 (MJF0959-02) Water Sampled: 06/28/00 15:35 Received: 06/29/00 13:05 | | | | | | | | | |
| Bromodichloromethane | ND | 2.50 | ug/l | 5 | 0G03002 | 07/03/00 | 07/06/00 | EPA 8010B | |
| Bromoform | ND | 2.50 | " | " | " | " | " | " | |
| Bromomethane | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 2.50 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 2.50 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 2.50 | " | " | " | " | " | " | |
| Chloromethane | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 2.50 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 2.50 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 2.50 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | 3.94 | 2.50 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 2.50 | " | " | " | " | " | " | |
| cis-1,3-Dichloropropene | ND | 2.50 | " | " | " | " | " | " | |
| trans-1,3-Dichloropropene | ND | 2.50 | " | " | " | " | " | " | |
| Methylene chloride | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 2.50 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 2.50 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,1,2-Trichlorotrifluoroethane | ND | 5.00 | " | " | " | " | " | " | |
| Trichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 2.50 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 88.7 % | | 70-130 | | | | | |





| | | |
|--|--|-----------------------------|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112 | Project: 1784 150th Ave. Project Number: 1784 150th Avenue/ San Leandro Project Manager: Nick Sudano | Reported: 07/25/00 16:19 |
|--|--|-----------------------------|

Volatile Organic Compounds by EPA Method 8010B Sequoia Analytical - Morgan Hill

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW-3 (MJF0959-03) Water Sampled: 06/28/00 14:50 Received: 06/29/00 13:05 | | | | | | | | | |
| Bromodichloromethane | ND | 0.500 | ug/l | 1 | 0G03002 | 07/03/00 | 07/06/00 | EPA 8010B | |
| Bromoform | ND | 0.500 | " | " | " | " | " | " | |
| Bromomethane | ND | 1.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.500 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 0.500 | " | " | " | " | " | " | |
| Chloroethane | ND | 1.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.500 | " | " | " | " | " | " | |
| Chloromethane | ND | 1.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 0.500 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 0.500 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | 3.89 | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,3-Dichloropropene | ND | 0.500 | " | " | " | " | " | " | |
| trans-1,3-Dichloropropene | ND | 0.500 | " | " | " | " | " | " | |
| Methylene chloride | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.500 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 0.500 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1,2-Trichlorotrifluoroethane | ND | 1.00 | " | " | " | " | " | " | |
| Trichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 0.500 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 1.00 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 1.00 | " | " | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 107 % | | 70-130 | " | " | " | " | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

Volatile Organic Compounds by EPA Method 8010B Sequoia Analytical - Morgan Hill

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW-4 (MJF0959-04) Water Sampled: 06/28/00 14:20 Received: 06/29/00 13:05 | | | | | | | | | |
| Bromodichloromethane | ND | 0.500 | ug/l | 1 | 0G03002 | 07/03/00 | 07/06/00 | EPA 8010B | |
| Bromoform | ND | 0.500 | " | " | " | " | " | " | |
| Bromomethane | ND | 1.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.500 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 0.500 | " | " | " | " | " | " | |
| Chloroethane | ND | 1.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.500 | " | " | " | " | " | " | |
| Chloromethane | ND | 1.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 0.500 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 0.500 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,3-Dichloropropene | ND | 0.500 | " | " | " | " | " | " | |
| trans-1,3-Dichloropropene | ND | 0.500 | " | " | " | " | " | " | |
| Methylene chloride | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.500 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 0.500 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1,2-Trichlorotrifluoroethane | ND | 1.00 | " | " | " | " | " | " | |
| Trichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 0.500 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 1.00 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 1.00 | " | " | " | " | " | " | |
| Surrogate: 4-Bromofluorobenzene | | 94.9 % | | 70-130 | " | " | " | " | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control Sequoia Analytical - Morgan Hill

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 0G06001 - EPA 5030B [P/T]

Blank (0G06001-BLK1)

Prepared & Analyzed: 07/06/00

| | | | | | | | | | | |
|-----------------------------------|------|-------|------|------|--|------|--------|--|--|--|
| Purgeable Hydrocarbons | ND | 50.0 | ug/l | | | | | | | |
| Benzene | ND | 0.500 | " | | | | | | | |
| Toluene | ND | 0.500 | " | | | | | | | |
| Ethylbenzene | ND | 0.500 | " | | | | | | | |
| Xylenes (total) | ND | 0.500 | " | | | | | | | |
| Methyl tert-butyl ether | ND | 2.50 | " | | | | | | | |
| Surrogate: a,a,a-Trifluorotoluene | 9.32 | | " | 10.0 | | 93.2 | 70-130 | | | |

LCS (0G06001-BS1)

Prepared & Analyzed: 07/06/00

| | | | | | | | | | | |
|-----------------------------------|------|------|------|------|--|------|--------|--|--|--|
| Purgeable Hydrocarbons | 225 | 50.0 | ug/l | 250 | | 90.0 | 70-130 | | | |
| Surrogate: a,a,a-Trifluorotoluene | 9.42 | | " | 10.0 | | 94.2 | 70-130 | | | |

Matrix Spike (0G06001-MS1)

Source: MJG0055-02

Prepared & Analyzed: 07/06/00

| | | | | | | | | | | |
|-----------------------------------|------|------|------|------|----|------|--------|--|--|--|
| Purgeable Hydrocarbons | 220 | 50.0 | ug/l | 250 | ND | 88.0 | 60-140 | | | |
| Surrogate: a,a,a-Trifluorotoluene | 11.3 | | " | 10.0 | | 113 | 70-130 | | | |

Matrix Spike Dup (0G06001-MSD1)

Source: MJG0055-02

Prepared & Analyzed: 07/06/00

| | | | | | | | | | | |
|-----------------------------------|------|------|------|------|----|------|--------|-------|----|--|
| Purgeable Hydrocarbons | 221 | 50.0 | ug/l | 250 | ND | 88.4 | 60-140 | 0.454 | 25 | |
| Surrogate: a,a,a-Trifluorotoluene | 10.6 | | " | 10.0 | | 106 | 70-130 | | | |

Batch 0G07002 - EPA 5030B [P/T]

Blank (0G07002-BLK1)

Prepared & Analyzed: 07/07/00

| | | | | | | | | | | |
|-----------------------------------|------|-------|------|------|--|------|--------|--|--|--|
| Purgeable Hydrocarbons | ND | 50.0 | ug/l | | | | | | | |
| Benzene | ND | 0.500 | " | | | | | | | |
| Toluene | ND | 0.500 | " | | | | | | | |
| Ethylbenzene | ND | 0.500 | " | | | | | | | |
| Xylenes (total) | ND | 0.500 | " | | | | | | | |
| Methyl tert-butyl ether | ND | 2.50 | " | | | | | | | |
| Surrogate: a,a,a-Trifluorotoluene | 9.53 | | " | 10.0 | | 95.3 | 70-130 | | | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Morgan Hill**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|--|--------|-----------------|-------|--|---------------|------|-------------|-------|-----------|-------|
| Batch 0G07002 - EPA 5030B [P/T] | | | | | | | | | | |
| LCS (0G07002-BS1) | | | | Prepared & Analyzed: 07/07/00 | | | | | | |
| Purgeable Hydrocarbons | 223 | 50.0 | ug/l | 250 | | 89.2 | 70-130 | | | |
| Surrogate: a,a,a-Trifluorotoluene | 13.7 | | " | 10.0 | | 137 | 70-130 | | | S-02 |
| Matrix Spike (0G07002-MS1) | | | | Source: MJF0957-02 Prepared & Analyzed: 07/07/00 | | | | | | |
| Purgeable Hydrocarbons | 229 | 50.0 | ug/l | 250 | ND | 91.6 | 60-140 | | | |
| Surrogate: a,a,a-Trifluorotoluene | 11.8 | | " | 10.0 | | 118 | 70-130 | | | |
| Matrix Spike Dup (0G07002-MSD1) | | | | Source: MJF0957-02 Prepared & Analyzed: 07/07/00 | | | | | | |
| Purgeable Hydrocarbons | 228 | 50.0 | ug/l | 250 | ND | 91.2 | 60-140 | 0.438 | 25 | |
| Surrogate: a,a,a-Trifluorotoluene | 11.7 | | " | 10.0 | | 117 | 70-130 | | | |





| | | |
|--|--|------------------------------------|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112 | Project: 1784 150th Ave. Project Number: 1784 150th Avenue/ San Leandro Project Manager: Nick Sudano | Reported: 07/25/00 16:19 |
|--|--|------------------------------------|

**MTBE Confirmation by EPA Method 8260A - Quality Control
Sequoia Analytical - Morgan Hill**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---|--------|-----------------|-------|-------------|---------------|------|-------------|------|-----------|-------|
| Batch 0G14025 - EPA 5030B [P/T] | | | | | | | | | | |
| Blank (0G14025-BLK1) Prepared & Analyzed: 07/13/00 | | | | | | | | | | |
| Methyl tert-butyl ether | ND | 1.00 | ug/l | | | | | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 8.03 | | " | 10.0 | | 80.3 | 70-130 | | | |
| LCS (0G14025-BS1) Prepared & Analyzed: 07/13/00 | | | | | | | | | | |
| Methyl tert-butyl ether | 8.28 | 1.00 | ug/l | 10.0 | | 82.8 | 70-130 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 8.29 | | " | 10.0 | | 82.9 | 70-130 | | | |
| Matrix Spike (0G14025-MS1) Source: MJF0767-03 Prepared & Analyzed: 07/13/00 | | | | | | | | | | |
| Methyl tert-butyl ether | 20.0 | 1.00 | ug/l | 10.0 | 12.2 | 78.0 | 70-130 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 8.47 | | " | 10.0 | | 84.7 | 70-130 | | | |
| Matrix Spike Dup (0G14025-MSD1) Source: MJF0767-03 Prepared: 07/13/00 Analyzed: 07/14/00 | | | | | | | | | | |
| Methyl tert-butyl ether | 18.9 | 1.00 | ug/l | 10.0 | 12.2 | 67.0 | 70-130 | 5.66 | 25 | Q-02 |
| Surrogate: 1,2-Dichloroethane-d4 | 8.54 | | " | 10.0 | | 85.4 | 70-130 | | | |





| | | |
|--|--|-----------------------------|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112 | Project: 1784 150th Ave. Project Number: 1784 150th Avenue/ San Leandro Project Manager: Nick Sudano | Reported: 07/25/00 16.19 |
|--|--|-----------------------------|

**Volatile Organic Compounds by EPA Method 8010B - Quality Control
Sequoia Analytical - Morgan Hill**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 0G03002 - EPA 5030B [P/T]

Blank (0G03002-BLK1)

Prepared & Analyzed: 07/03/00

| | | | | | | | | | | |
|---------------------------------|------|-------|------|------|--|-----|--------|--|--|--|
| Bromodichloromethane | ND | 0.500 | ug/l | | | | | | | |
| Bromoform | ND | 0.500 | " | | | | | | | |
| Bromomethane | ND | 1.00 | " | | | | | | | |
| Carbon tetrachloride | ND | 0.500 | " | | | | | | | |
| Chlorobenzene | ND | 0.500 | " | | | | | | | |
| Chloroethane | ND | 1.00 | " | | | | | | | |
| Chloroform | ND | 0.500 | " | | | | | | | |
| Chloromethane | ND | 1.00 | " | | | | | | | |
| Dibromochloromethane | ND | 0.500 | " | | | | | | | |
| 1,3-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,4-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,2-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,1-Dichloroethane | ND | 0.500 | " | | | | | | | |
| 1,2-Dichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1-Dichloroethene | ND | 0.500 | " | | | | | | | |
| cis-1,2-Dichloroethene | ND | 0.500 | " | | | | | | | |
| trans-1,2-Dichloroethene | ND | 0.500 | " | | | | | | | |
| 1,2-Dichloropropane | ND | 0.500 | " | | | | | | | |
| cis-1,3-Dichloropropene | ND | 0.500 | " | | | | | | | |
| trans-1,3-Dichloropropene | ND | 0.500 | " | | | | | | | |
| Methylene chloride | ND | 5.00 | " | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.500 | " | | | | | | | |
| Tetrachloroethene | ND | 0.500 | " | | | | | | | |
| 1,1,1-Trichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1,2-Trichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1,2-Trichlorotrifluoroethane | ND | 1.00 | " | | | | | | | |
| Trichloroethene | ND | 0.500 | " | | | | | | | |
| Trichlorofluoromethane | ND | 0.500 | " | | | | | | | |
| Vinyl chloride | ND | 1.00 | " | | | | | | | |
| 1,2-Dibromoethane | ND | 1.00 | " | | | | | | | |
| Surrogate: 4-Bromofluorobenzene | 11.6 | | " | 10.0 | | 116 | 70-130 | | | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

Volatile Organic Compounds by EPA Method 8010B - Quality Control Sequoia Analytical - Morgan Hill

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 0G03002 - EPA 5030B [P/T]

Blank (0G03002-BLK2)

Prepared: 07/03/00 Analyzed: 07/05/00

| | | | | | | | | | | |
|---------------------------------|------|-------|------|------|--|-----|--------|--|--|--|
| Bromodichloromethane | ND | 0.500 | ug/l | | | | | | | |
| Bromoform | ND | 0.500 | " | | | | | | | |
| Bromomethane | ND | 1.00 | " | | | | | | | |
| Carbon tetrachloride | ND | 0.500 | " | | | | | | | |
| Chlorobenzene | ND | 0.500 | " | | | | | | | |
| Chloroethane | ND | 1.00 | " | | | | | | | |
| Chloroform | ND | 0.500 | " | | | | | | | |
| Chloromethane | ND | 1.00 | " | | | | | | | |
| Dibromochloromethane | ND | 0.500 | " | | | | | | | |
| 1,3-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,4-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,2-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,1-Dichloroethane | ND | 0.500 | " | | | | | | | |
| 1,2-Dichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1-Dichloroethene | ND | 0.500 | " | | | | | | | |
| cis-1,2-Dichloroethene | ND | 0.500 | " | | | | | | | |
| trans-1,2-Dichloroethene | ND | 0.500 | " | | | | | | | |
| 1,2-Dichloropropane | ND | 0.500 | " | | | | | | | |
| cis-1,3-Dichloropropene | ND | 0.500 | " | | | | | | | |
| trans-1,3-Dichloropropene | ND | 0.500 | " | | | | | | | |
| Methylene chloride | ND | 5.00 | " | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.500 | " | | | | | | | |
| Tetrachloroethene | ND | 0.500 | " | | | | | | | |
| 1,1,1-Trichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1,2-Trichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1,2-Trichlorotrifluoroethane | ND | 1.00 | " | | | | | | | |
| Trichloroethene | ND | 0.500 | " | | | | | | | |
| Trichlorofluoromethane | ND | 0.500 | " | | | | | | | |
| Vinyl chloride | ND | 1.00 | " | | | | | | | |
| 1,2-Dibromoethane | ND | 1.00 | " | | | | | | | |
| Surrogate: 4-Bromofluorobenzene | 10.4 | | " | 10.0 | | 104 | 70-130 | | | |





| | | |
|--|--|------------------------------------|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112 | Project: 1784 150th Ave. Project Number: 1784 150th Avenue/ San Leandro Project Manager: Nick Sudano | Reported: 07/25/00 16:19 |
|--|--|------------------------------------|

**Volatile Organic Compounds by EPA Method 8010B - Quality Control
Sequoia Analytical - Morgan Hill**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 0G03002 - EPA 5030B [P/T]

Blank (0G03002-BLK3)

Prepared: 07/03/00 Analyzed: 07/06/00

| | | | | | | | | | | |
|---------------------------------|------|-------|------|------|--|------|--------|--|--|--|
| Bromodichloromethane | ND | 0.500 | ug/l | | | | | | | |
| Bromoform | ND | 0.500 | " | | | | | | | |
| Bromomethane | ND | 1.00 | " | | | | | | | |
| Carbon tetrachloride | ND | 0.500 | " | | | | | | | |
| Chlorobenzene | ND | 0.500 | " | | | | | | | |
| Chloroethane | ND | 1.00 | " | | | | | | | |
| Chloroform | ND | 0.500 | " | | | | | | | |
| Chloromethane | ND | 1.00 | " | | | | | | | |
| Dibromochloromethane | ND | 0.500 | " | | | | | | | |
| 1,3-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,4-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,2-Dichlorobenzene | ND | 0.500 | " | | | | | | | |
| 1,1-Dichloroethane | ND | 0.500 | " | | | | | | | |
| 1,2-Dichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1-Dichloroethene | ND | 0.500 | " | | | | | | | |
| cis-1,2-Dichloroethene | ND | 0.500 | " | | | | | | | |
| trans-1,2-Dichloroethene | ND | 0.500 | " | | | | | | | |
| 1,2-Dichloropropane | ND | 0.500 | " | | | | | | | |
| cis-1,3-Dichloropropene | ND | 0.500 | " | | | | | | | |
| trans-1,3-Dichloropropene | ND | 0.500 | " | | | | | | | |
| Methylene chloride | ND | 5.00 | " | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.500 | " | | | | | | | |
| Tetrachloroethene | ND | 0.500 | " | | | | | | | |
| 1,1,1-Trichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1,2-Trichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1,2-Trichlorotrifluoroethane | ND | 1.00 | " | | | | | | | |
| Trichloroethene | ND | 0.500 | " | | | | | | | |
| Trichlorofluoromethane | ND | 0.500 | " | | | | | | | |
| Vinyl chloride | ND | 1.00 | " | | | | | | | |
| 1,2-Dibromoethane | ND | 1.00 | " | | | | | | | |
| Surrogate: 4-Bromofluorobenzene | 7.79 | | " | 10.0 | | 77.9 | 70-130 | | | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

Volatile Organic Compounds by EPA Method 8010B - Quality Control Sequoia Analytical - Morgan Hill

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|--|-------------|---------------------------|----------|-------------|---------------------------------------|-------------|---------------|------|-----------|-------|
| Batch 0G03002 - EPA 5030B [P/T] | | | | | | | | | | |
| LCS (0G03002-BS1) | | | | | | | | | | |
| | | | | | Prepared & Analyzed: 07/03/00 | | | | | |
| Chlorobenzene | 22.4 | 0.500 | ug/l | 25.0 | | 89.6 | 70-130 | | | |
| 1,1-Dichloroethene | 21.9 | 0.500 | " | 25.0 | | 87.6 | 65-135 | | | |
| Trichloroethene | 25.7 | 0.500 | " | 25.0 | | 103 | 70-130 | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>10.7</i> | | <i>"</i> | <i>10.0</i> | | <i>107</i> | <i>70-130</i> | | | |
| LCS (0G03002-BS2) | | | | | | | | | | |
| | | | | | Prepared: 07/03/00 Analyzed: 07/05/00 | | | | | |
| Chlorobenzene | 24.7 | 0.500 | ug/l | 25.0 | | 98.8 | 70-130 | | | |
| 1,1-Dichloroethene | 23.9 | 0.500 | " | 25.0 | | 95.6 | 65-135 | | | |
| Trichloroethene | 26.2 | 0.500 | " | 25.0 | | 105 | 70-130 | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>9.32</i> | | <i>"</i> | <i>10.0</i> | | <i>93.2</i> | <i>70-130</i> | | | |
| LCS (0G03002-BS3) | | | | | | | | | | |
| | | | | | Prepared: 07/03/00 Analyzed: 07/06/00 | | | | | |
| Chlorobenzene | 26.0 | 0.500 | ug/l | 25.0 | | 104 | 70-130 | | | |
| 1,1-Dichloroethene | 23.8 | 0.500 | " | 25.0 | | 95.2 | 65-135 | | | |
| Trichloroethene | 25.9 | 0.500 | " | 25.0 | | 104 | 70-130 | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>11.2</i> | | <i>"</i> | <i>10.0</i> | | <i>112</i> | <i>70-130</i> | | | |
| Matrix Spike (0G03002-MS1) | | | | | | | | | | |
| | | Source: MJF0968-02 | | | Prepared & Analyzed: 07/03/00 | | | | | |
| Chlorobenzene | 26.1 | 0.500 | ug/l | 25.0 | ND | 104 | 60-140 | | | |
| 1,1-Dichloroethene | 23.2 | 0.500 | " | 25.0 | ND | 92.8 | 60-140 | | | |
| Trichloroethene | 26.0 | 0.500 | " | 25.0 | 1.95 | 96.2 | 60-140 | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>12.2</i> | | <i>"</i> | <i>10.0</i> | | <i>122</i> | <i>70-130</i> | | | |
| Matrix Spike Dup (0G03002-MSD1) | | | | | | | | | | |
| | | Source: MJF0968-02 | | | Prepared & Analyzed: 07/03/00 | | | | | |
| Chlorobenzene | 23.3 | 0.500 | ug/l | 25.0 | ND | 93.2 | 60-140 | 11.3 | 25 | |
| 1,1-Dichloroethene | 24.1 | 0.500 | " | 25.0 | ND | 96.4 | 60-140 | 3.81 | 25 | |
| Trichloroethene | 26.9 | 0.500 | " | 25.0 | 1.95 | 99.8 | 60-140 | 3.40 | 25 | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>9.51</i> | | <i>"</i> | <i>10.0</i> | | <i>95.1</i> | <i>70-130</i> | | | |





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 1784 150th Ave.
Project Number: 1784 150th Avenue/ San Leandro
Project Manager: Nick Sudano

Reported:
07/25/00 16:19

Notes and Definitions

- I-02 This sample was analyzed outside of the EPA recommended holding time.
- P-01 Chromatogram Pattern: Gasoline C6-C12
- P-03 Chromatogram Pattern: Unidentified Hydrocarbons C6-C12
- Q-02 The spike recovery for this QC sample is outside of established control limits due to sample matrix interference.
- S-02 The surrogate recovery for this sample cannot be accurately quantified due to interference from coeluting organic compounds present in the sample.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



BLAINE

TECH SERVICES INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

CONDUCT ANALYSIS TO DETECT

LAB

DHS #

ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND

EPA

RWQCB REGION

LIA

OTHER

MJF0959

CHAIN OF CUSTODY

000628-A3

CLIENT

Equiva - Karen Petryna

SITE

1784 150th Avenue

San Leandro, CA

C = COMPOSITE ALL CONTAINERS

TPH - gas, BTEX

MTBE by 8020

MTBE by 8260

TPH - diesel

Oxygenates by 8260

1,2-DCA & EDB by 8010

8010

SPECIAL INSTRUCTIONS

Send invoice to Equiva

Incident # 98996068

Send report to Blaine Tech Services

Attn: Ann Pember

| SAMPLE I.D. | S-SOIL W-H2O | MATRIX | CONTAINERS | | C = COMPOSITE ALL CONTAINERS | TPH - gas, BTEX | MTBE by 8020 | MTBE by 8260 | TPH - diesel | Oxygenates by 8260 | 1,2-DCA & EDB by 8010 | 8010 | ADD'L INFORMATION | STATUS | CONDITION | LAB SAMPLE # |
|-------------|-----------------|--------|------------|-------|------------------------------|-----------------|--------------|--------------|--------------|--------------------|-----------------------|------|-------------------|--------------------|-----------|--------------|
| | | | TOTAL | He/No | | | | | | | | | | | | |
| MW-1 | 62800 | 1513 | W | 4 | | X | X | | | | | | X | Confirm highest | | |
| MW-2 | 6 | 1535 | S | 4 | | X | X | | | | | | X | MTBE concentration | | |
| MW-3 | 3 | 1450 | W | 4 | | X | X | | | | | | X | by 8260 | | |
| MW-4 | 8 | 1420 | W | 8 | | X | X | | | | | | X | | | |

| | | | | | |
|--------------------|-----------|-----------|-------------------------|------------------------------|-------|
| SAMPLING COMPLETED | DATE | TIME | SAMPLING PERFORMED BY | RESULTS NEEDED NO LATER THAN | |
| | 6-28-00 | 1550 | Oscar | | |
| RELEASED BY | DATE | TIME | RECEIVED BY | DATE | TIME |
| <i>[Signature]</i> | 6/29/00 | 9:45 | <i>[Signature]</i> | 6/29/00 | 9:45 |
| RELEASED BY | DATE | TIME | RECEIVED BY | DATE | TIME |
| <i>[Signature]</i> | 6/29/00 | | <i>[Signature]</i> (WH) | 6/29/00 | 13:05 |
| RELEASED BY | DATE | TIME | RECEIVED BY | DATE | TIME |
| | | | | | |
| SHIPPED VIA | DATE SENT | TIME SENT | COOLER # | | |
| | | | | | |

WELL GAUGING DATA

Project # 000628-A3 Date 6-28-00 Client Eguira

Site 1789 150th Ave. San Leandro

| Well ID | Well Size (in.) | Sheen / Odor | Depth to Immiscible Liquid (ft.) | Thickness of Immiscible Liquid (ft.) | Volume of Immiscibles Removed (ml) | Depth to water (ft.) | Depth to well bottom (ft.) | Survey Point: TOB or TOC |
|---------|-----------------|--------------|----------------------------------|--------------------------------------|------------------------------------|---------------------------|----------------------------|--------------------------|
| MW-1 | 4 | | | | | 12.22 21.12 | 44.61 | S ~ ~ ~ ~ |
| MW-2 | 4 | | | | | 17.79 | 44.05 | |
| MW-3 | 4 | | | | | 23.89 | 41.60 | |
| *MW-4 | 2 | | | | | 12.22 | 24.89 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

WELL MONITORING DATA SHEET

| | |
|-------------------------------------|--|
| Project #: 000628-A3 | Client: 204-6852-140A |
| Sampler: Oslav | Start Date: 6-28-00 |
| Well I.D.: MW-1 | Well Diameter: 2 3 <u>4</u> 6 8 |
| Total Well Depth: 44.61 | Depth to Water: 21.12 |
| Before: After: | Before: After: |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): <u>YSI</u> HACH |

Purge Method:

- | | |
|-------------------------------|-----------------|
| Bailer | Waterra |
| Disposable Bailer | Peristaltic |
| Middleburg | Extraction Pump |
| Electric Submersible <u>o</u> | Other _____ |

Sampling Method:

- Bailer o
- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 16.2 | (Gals.) X | 3 | = | 57.6 | Gals. |
| I Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | <u>4"</u> | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|------|-----------|-----|-------|-----------|---------------|--------------|
| 1501 | 69.9 | 6.8 | 1659 | 24 | 17 | above |
| 1504 | 69.6 | 6.9 | 1696 | 18 | 34 | |
| 1507 | 69.8 | 6.8 | 1698 | 7 | 58 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 58

Sampling Time: 1513 Sampling Date: 6-28-00

Sample I.D.: MW-1 Laboratory: Sequoia

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

Equipment Blank I.D.: @ _____ Time Duplicate I.D.: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

| | | | | |
|------------------|------------|------|------------------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: <u>2.4</u> | mg/L |
| ORP (if req'd): | Pre-purge: | mV | Post-purge: | mV |

WELL MONITORING DATA SHEET

| | |
|-------------------------------------|--|
| Project #: 000628-A3 | Client: 204-6852-140A |
| Sampler: Oslav | Start Date: 6-28-00 |
| Well I.D.: MW-2 | Well Diameter: 2 3 <u>4</u> 6 8 |
| Total Well Depth: 94.05 | Depth to Water: 17.79 |
| Before: After: | Before: After: |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): <u>YSI</u> HACH |

Purge Method:

- Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
- Waterra
 Peristaltic
 Extraction Pump
 Other: _____

Sampling Method:

- Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing

Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 17.0 | (Gals.) X | 3 | = | 51 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | <u>4"</u> | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|------|-----------|-----|-------|-----------|---------------|--------------|
| 1521 | 70.8 | 7.1 | 1291 | 173 | 17 | Odor |
| 1524 | 70.5 | 7.0 | 1395 | 93 | 34 | |
| 1527 | 70.6 | 7.0 | 1907 | 14 | 51 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 51

Sampling Time: 1535 Sampling Date: 6-28-00

Sample I.D.: MW-2 Laboratory: Sequoia

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

Equipment Blank I.D.: @ _____ Time Duplicate I.D.:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

| | | | | | |
|------------------|-----------------|------------|--------------------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | <u>Post-purge:</u> | 1.9 | mg/L |
| | ORP (if req'd): | Pre-purge: | mV | Post-purge: | mV |

WELL MONITORING DATA SHEET

| | |
|-------------------------------------|--|
| Project #: 000628-103 | Client: 204-6852-140A |
| Sampler: Oslav | Start Date: 6-28-00 |
| Well I.D.: MW-3 | Well Diameter: 2 3 <u>4</u> 6 8 |
| Total Well Depth: 41.60 | Depth to Water: 23.84 |
| Before: After: | Before: After: |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): <u>YSI</u> HACH |

Purge Method:

- Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
- Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

- Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing

Other: _____

$1172.8 \text{ (Gals.)} \times 3 = 8.7351 \text{ Gals.}$
 I Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | <u>4"</u> | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|------|-----------|-----|-------|-----------|---------------|--------------|
| 1441 | 70.8 | 6.8 | 1318 | 86 | 12 | |
| 1443 | 70.2 | 6.7 | 1324 | 41 | 24 | |
| 1445 | 70.9 | 6.7 | 1346 | 32 | 36 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 36

Sampling Time: 1450 Sampling Date: 6-28-00

Sample I.D.: MW-3 Laboratory: Sequoia

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

Equipment Blank I.D.: @ _____ Time Duplicate I.D.: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

| | | | | | |
|------------------|------------|------|--------------------|------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | <u>Post-purge:</u> | 2.87 | mg/L |
| ORP (if req'd): | Pre-purge: | mV | Post-purge: | | mV |

WELL MONITORING DATA SHEET

| | |
|-------------------------------------|-------------------------------------|
| Project #: 000628-1A3 | Client: 204-6852-1A0A |
| Sampler: Oslav | Start Date: 6-28-00 |
| Well I.D.: MW-4 | Well Diameter: (2) 3 4 6 8 |
| Total Well Depth: 24.89 | Depth to Water: 12.22 |
| Before: After: | Before: After: |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): (YSI) HACH |

Purge Method:

- | | |
|----------------------|-----------------|
| Bailer | Waterra |
| Disposable Bailer | Peristaltic |
| Middleburg | Extraction Pump |
| Electric Submersible | Other _____ |

Sampling Method:

- | |
|-------------------|
| Bailer (circled) |
| Disposable Bailer |
| Extraction Port |
| Dedicated Tubing |
| Other: _____ |

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 2 | (Gals.) X | 3 | = | 6 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| (2) | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|------|-----------|-----|-------|-----------|---------------|--------------|
| 141 | 71.3 | 7.6 | 1055 | >200 | 2 | |
| 143 | 68.3 | 7.4 | 1052 | >200 | 4 | |
| 144 | 67.9 | 7.5 | 1058 | 184 | 6 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 4

Sampling Time: 1420 Sampling Date: 6-28-00

Sample I.D.: MW-4 Laboratory: Sequoia

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8010

Equipment Blank I.D.: @ Time Duplicate I.D.:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

| | | | | |
|------------------|-----------------|------------|-------------------|-------------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: (0.9) | mg/L |
| | ORP (if req'd): | Pre-purge: | mV | Post-purge: |