



RECEIVED

1:42 pm, Nov 17, 2008

Alameda County
Environmental Health

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Denis L. Brown
Shell Oil Products US
HSE - Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Shell-branded Service Station
1784 150th Avenue
San Leandro, California
SAP Code 136019
Incident No. 98996068
Agency Case No. RO0000367

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown
Project Manager



GROUNDWATER MONITORING REPORT - THIRD QUARTER 2008

**SHELL-BRANDED SERVICE STATION
1784 150TH AVENUE
SAN LEANDRO, CALIFORNIA**

**SAP CODE 136019
INCIDENT NO. 98996068
AGENCY NO. RO0000367**

**NOVEMBER 14, 2008
REF. NO. 240612 (2)**

This report is printed on recycled paper.

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 SITE INFORMATION.....	1
2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION	2
2.1 CURRENT QUARTER'S ACTIVITIES	2
2.2 CURRENT QUARTER'S FINDINGS.....	2
2.3 PROPOSED ACTIVITIES FOR NEXT QUARTER.....	3

LIST OF FIGURES
(Following Text)

- FIGURE 1 VICINITY MAP
- FIGURE 2 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF APPENDICES

- APPENDIX A BLAINE TECH SERVICES, INC. - GROUNDWATER MONITORING
REPORT

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

1.1 SITE INFORMATION

Site Address	1784 150th Avenue, San Leandro
Site Use	Shell-branded Service Station
Shell Project Manager	Denis Brown
CRA Project Manager	Peter Schaefer
Lead Agency and Contact	ACHCSA, Jerry Wickham
Agency Case No.	RO0000367
Shell SAP Code	136019
Shell Incident No.	98996068

Date of most recent agency correspondence was October 1, 2008 (electronic).

2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

2.1 CURRENT QUARTER'S ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this site.

CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). Blaine's report, presenting the analytical data, is included in Appendix A.

Alameda County Health Care Services Agency (ACHCSA) June 27, 2008 letter approved the recommendations in CRA's March 17, 2008 *Well Destruction and Installation Work Plan*, March 25, 2008 *Soil Vapor Sampling Report*, and April 23, 2008 *Pilot Test Work Plan*. The following work was completed pursuant to executing these work plans and report recommendations.

Soil vapor sampling was conducted on September 17, 2008 and a report was submitted to ACHCSA on October 24, 2008.

Shell installed one shallow-zone groundwater monitoring wells (MW-1A), two groundwater extraction wells (EW-1 and EW-2), and eight piezometers (P-1A, P-1B, P-2A, P-2B, P-3A, P-3B, P-4A, and P-4B) between September 2 and 8, 2008. Due to the failure of well P-4A during well development, the well was drilled out and reinstalled on September 26, 2008. Well development data for these wells is included in Appendix A. CRA will submit a report detailing the recent well installations and destructions by February 6, 2009.

Due to the failure of P-4A, the planned pilot test was delayed until November 2008. Well development data for this well is included in Appendix A. Shell requested an extension of the December 12, 2008 pilot test report deadline to February 6, 2009. The extension was granted in ACHCSA's October 1, 2008 electronic correspondence.

2.2 CURRENT QUARTER'S FINDINGS

Groundwater Flow Direction	Variable
Hydraulic Gradient	Variable
Depth to Water	15.55 to 26.85 feet below top of well casing

2.3 PROPOSED ACTIVITIES FOR NEXT QUARTER

Soil vapor sampling was conducted on September 17, 2008 and a report was submitted to ACHCSA on October 24, 2008.

Shell installed two deeper-zone groundwater monitoring wells (MW-1B and MW-2B) and destroyed wells MW-1 and MW-2 on October 28 and 29, 2008. CRA will submit a report detailing the recent well installations and destructions by February 6, 2009.

Shell conducted groundwater pump tests and multi-phase extraction pilot tests using extraction wells EW-1 and EW-2 from November 6 to November 14, 2008. CRA will submit a report presenting the pilot test results to ACHCSA by February 6, 2009.


CRA will sample the five soil vapor probes (SVP-1 through SVP-5) following completion of the pilot tests.

Blaine will gauge and sample wells according to the established monitoring program for this site.


All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES

Peter Schaefer
Peter Schaefer, CHG, CEG
Project Manager

Aubrey K. Cool
Aubrey K. Cool PG
Professional Geologist



FIGURES



I:\Shell\6-charts\2406--\240612--San Leandro 1784 150th\240612-FIGURES\240612 VICINITY.AI

FIGURE 1

Shell-branded Service Station
 1784 150th Avenue
 San Leandro, California



CONESTOGA-ROVERS & ASSOCIATES

Vicinity Map





FIGURE 2

I:\Shell6-chars\240612-San Leandro 1784 150th\240612-REPORTS\240612-RPT2-3q08am\240612 30M08.DWG



APPENDIX A

BLAINE TECH SERVICES, INC. -
GROUNDWATER MONITORING REPORT

BLAINE

TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

October 24, 2008

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Third Quarter 2008 Groundwater Monitoring at
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Monitoring performed on July 22, September 15 and 29
and October 2, 2008

Groundwater Monitoring Report **080929-BD-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purge water (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata
Project Manager

MN/tm

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheet

cc: Anni Kreml
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	03/08/1990	510	120	1.5	0.8	<0.5	5.4	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.29	23.84	NA	NA
MW-1	06/12/1990	390	100	86	1.3	0.7	6.2	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.85	23.28	NA	NA
MW-1	09/13/1990	100	130	56	0.75	2.4	2.8	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.49	21.64	NA	NA
MW-1	12/18/1990	480	<50	54	1.7	3.3	3.7	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.41	21.72	NA	NA
MW-1	03/07/1991	80	<50	266	<0.5	1.2	<1.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.79	23.34	NA	NA
MW-1	06/07/1991	510	<50	130	3.8	6.1	11	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.64	23.49	NA	NA
MW-1	09/17/1991	330	120 a	67	<0.5	3.0	2.2	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.54	21.59	NA	NA
MW-1	12/09/1991	140a	80	<0.5	<0.5	1.7	4.7	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.81	21.32	NA	NA
MW-1	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.57	23.56	NA	NA
MW-1	02/24/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.83	26.30	NA	NA
MW-1	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.09	26.04	NA	NA
MW-1	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.26	25.87	NA	NA
MW-1	06/03/1992	1,500	NA	520	180	72	230	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.64	24.49	NA	NA
MW-1	09/01/1992	130	NA	16	1.4	1.8	3.4	NA	NA	NA	NA	NA	NA	NA	NA	49.13	26.74	22.39	NA	NA
MW-1	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.18	21.95	NA	NA
MW-1	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.99	21.14	NA	NA
MW-1	12/04/1992	150	NA	360	0.7	1.8	2.1	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.14	21.99	NA	NA
MW-1	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.09	29.04	NA	NA
MW-1	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.26	24.87	NA	NA
MW-1	03/03/1993	<50	NA	1.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.50	28.63	NA	NA
MW-1	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	21.70	27.43	NA	NA
MW-1	06/17/1993	1,600	NA	340	120	120	440	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.42	26.71	NA	NA
MW-1	09/10/1993	2,600	NA	670	340	310	730	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.11	25.02	NA	NA
MW-1	12/13/1993	11,000	NA	470	320	380	2,300	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.73	25.40	NA	NA
MW-1	03/03/1994	16,000	NA	700	690	480	3,200	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.08	27.05	NA	NA
MW-1	06/06/1994	7,500	NA	420	280	200	1,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.10	26.03	NA	NA
MW-1	09/12/1994	1,200	NA	110	21	3.3	420	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.19	23.94	NA	NA
MW-1	12/19/1994	4,600	NA	470	330	230	1,300	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.06	26.07	NA	NA
MW-1	02/28/1995	500	NA	59	32	6.8	68	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.90	28.23	NA	NA
MW-1	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.28	30.85	NA	NA
MW-1	06/26/1995	5,500	NA	740	420	300	1,800	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.40	28.73	NA	NA
MW-1	09/13/1995	84,000	NA	1,900	2,600	3,000	14,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.62	26.51	NA	NA
MW-1	12/19/1995	80,000	NA	660	350	170	18,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.10	27.03	NA	NA
MW-1	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.83	30.34	0.05	NA
MW-1	06/28/1996	270,000	NA	2,800	820	1,000	16,000	<0.5	NA	NA	NA	NA	NA	NA	NA	49.13	21.46	27.67	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1 (D)	06/28/1996	790,000	NA	2,200	780	1,000	13,000	15,000	NA	NA	NA	NA	NA	NA	NA	49.13	21.46	27.67	NA	NA
MW-1	09/26/1996	29,000	NA	1,100	260	270	1,900	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	23.57	25.57	0.01	NA
MW-1	09/26/1996	25,000	NA	1,200	320	240	1,900	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	NA	NA	NA	NA
MW-1	12/10/1996	13,000	NA	510	240	230	1,200	100	NA	NA	NA	NA	NA	NA	NA	49.13	21.43	27.70	NA	1.0
MW-1 (D)	12/10/1996	8,400	NA	420	130	140	680	81	NA	NA	NA	NA	NA	NA	NA	49.13	21.43	27.70	NA	1.0
MW-1	03/10/1997	4,200	NA	13	8.8	16	74	<12	NA	NA	NA	NA	NA	NA	NA	49.13	20.08	29.05	NA	2.0
MW-1 (D)	03/10/1997	5,100	NA	12	8.9	17	79	<25	NA	NA	NA	NA	NA	NA	NA	49.13	20.08	29.05	NA	2.0
MW-1	06/30/1997	5,700	NA	320	120	140	700	47	NA	NA	NA	NA	NA	NA	NA	49.13	21.68	27.45	NA	1.6
MW-1 (D)	06/30/1997	5,300	NA	300	95	120	580	45	NA	NA	NA	NA	NA	NA	NA	49.13	21.68	27.45	NA	1.6
MW-1	09/12/1997	6,300	NA	120	26	82	260	30	NA	NA	NA	NA	NA	NA	NA	49.13	21.78	27.35	NA	2.1
MW-1 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.78	28.35	NA	1.3
MW-1	02/02/1998	84	NA	5.1	<0.50	<0.50	2.1	2.5	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.0
MW-1	06/24/1998	13,000	NA	3,000	260	410	1,400	<250	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.5
MW-1 (D)	06/24/1998	12,000	NA	3,800	250	47	1,400	710	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.5
MW-1	08/26/1998	3,100	NA	1,200	27	170	50	88	NA	NA	NA	NA	NA	NA	NA	49.13	20.49	28.64	NA	2.1
MW-1	12/23/1998	45,000	NA	5,300	220	1,000	3,600	970	NA	NA	NA	NA	NA	NA	NA	49.13	21.22	27.91	NA	3.8
MW-1	03/01/1999	22,300	NA	2,540	436	753	3,370	<400	NA	NA	NA	NA	NA	NA	NA	49.13	19.27	29.86	NA	1.8
MW-1	06/14/1999	18,800	NA	6,820	210	436	958	1,360	NA	NA	NA	NA	NA	NA	NA	49.13	20.80	28.33	NA	2.2
MW-1	09/28/1999	21,500	NA	7,470	281	467	927	1,800	NA	NA	NA	NA	NA	NA	NA	49.13	22.55	26.58	NA	2.0
MW-1	12/08/1999	22,300	NA	6,140	135	256	367	232	NA	NA	NA	NA	NA	NA	NA	49.13	23.12	26.01	NA	2.1
MW-1	03/14/2000	6,690	NA	1,880	63.5	134	307	460	NA	NA	NA	NA	NA	NA	NA	49.13	18.87	30.26	NA	2.3
MW-1	06/28/2000	8,080	NA	2,690	85.1	149	514	701	NA	NA	NA	NA	NA	NA	NA	49.13	21.12	28.01	NA	2.4
MW-1	09/06/2000	17,800	NA	7,390	212	329	1,270	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	21.90	27.23	NA	3.0
MW-1	12/14/2000	8,900	NA	4,870	79.2	106	370	1,840	673*	NA	NA	NA	NA	NA	NA	49.13	22.60	26.53	NA	2.0
MW-1	03/05/2001	7,520	NA	2,120	66.0	107	129	668	NA	NA	NA	NA	NA	NA	NA	49.13	20.06	29.07	NA	0.4
MW-1	06/11/2001	30,000	NA	7,400	390	600	2,300	NA	170	NA	NA	NA	NA	NA	NA	49.13	22.39	26.74	NA	1.6
MW-1	09/12/2001	23,000	NA	7,500	120	280	910	NA	320	NA	NA	NA	NA	NA	NA	49.13	23.37	25.76	NA	2.2
MW-1	12/27/2001	16,000	NA	2,400	190	330	1,500	NA	350	NA	NA	NA	NA	NA	NA	49.13	20.97	28.16	NA	1.3
MW-1	02/27/2002	26,000	NA	6,100	330	510	2,000	NA	210	NA	NA	NA	NA	NA	NA	49.10	20.47	28.63	NA	1.3
MW-1	06/18/2002	29,000	NA	8,100	280	510	1,800	NA	140	NA	NA	NA	NA	NA	NA	49.10	21.99	27.11	NA	2.2
MW-1	09/18/2002	34,000	NA	5,900	350	700	3,000	NA	<250	NA	NA	NA	NA	NA	NA	49.10	23.21	25.89	NA	0.8
MW-1	12/27/2002	7,500	NA	1,200	30	120	410	NA	230	<5.0	<5.0	<5.0	310	31	<5.0	49.10	20.10	29.00	NA	0.6
MW-1	03/05/2003	17,000	NA	1,600	88	400	1,400	NA	230	NA	NA	<10	290	<10	NA	49.10	21.05	28.05	NA	1.7
MW-1	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	NA	NA	NA	NA
MW-1	06/25/2003	14,000	NA	5,300	250	440	2,100	NA	100	NA	NA	<200	<500	<50	NA	49.10	21.93	27.17	NA	0.9

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	09/25/2003	33,000	NA	7,700	250	860	3,400	NA	130	NA	NA	<200	<500	<50	NA	49.10	23.21	25.89	NA	1.7
MW-1	12/15/2003	63,000	NA	14,000	360	1,300	3,900	NA	150	NA	NA	<400	<1000	<100	NA	49.10	22.08	27.02	NA	1.5
MW-1	03/04/2004	28,000	NA	8,000	180	640	2,100	NA	79	NA	NA	<200	<500	<50	NA	49.10	19.85	29.25	NA	0.2
MW-1	05/27/2004	33,000	NA	8,700	260	840	2,700	NA	81	NA	NA	<200	<500	<50	NA	49.10	22.15	26.95	NA	0.2
MW-1	09/24/2004	26,000	NA	5,700	210	830	2,900	NA	<50	<200	<200	<200	<500	<50	<50	49.10	23.69	25.41	NA	1.5
MW-1	11/22/2004	100,000	NA	2,500	920	4,100	22,000	NA	130	NA	NA	<200	<500	<50	NA	49.10	23.19	25.91	NA	NA
MW-1	03/02/2005	110,000	NA	1,300	670	4,000	23,000	NA	87	NA	NA	<100	<500	<25	NA	49.10	19.35	29.75	NA	NA
MW-1	06/30/2005	94,000	NA	6,500	1,100	3,900	21,000	NA	900	NA	NA	<1,000	<2,500	<250	NA	49.10	20.64	28.46	NA	0.6
MW-1	09/20/2005	63,000	NA	3,900	540	2,000	14,000	NA	1,100	<800	<800	<800	<2,000	<200	NA	49.10	22.06	27.04	NA	NA
MW-1	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	21.90	27.25	0.06	NA
MW-1	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	17.54	31.60	0.05	NA
MW-1 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	NA	NA	NA	NA
MW-1 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.16	28.97	0.04	NA
MW-1	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.26	28.86	0.03	NA
MW-1	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	21.24	27.91	0.06	NA
MW-1	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.83	28.30	0.04	NA
MW-1	03/20/2007	43,600	NA	11,900 l	348 l	964 l	1,450 l	NA	9,180 l	NA	NA	<200 l	<10,000 l	<100 l	NA	49.10	20.88	28.22	NA	0.26
MW-1	06/01/2007	22,000 q	NA	7,900	120	310	424 r	NA	7,800	NA	NA	NA	NA	NA	NA	49.10	21.93	27.17	NA	0.72
MW-1	06/26/2007	20,000 q	NA	6,700	110	360	730	NA	6,500	NA	NA	<200	2,200	<50	NA	49.10	22.30	26.80	NA	1.33
MW-1	07/19/2007	26,000 q	NA	6,100	92 r	180	523 r	NA	7,100	NA	NA	NA	NA	NA	NA	49.10	22.70	26.40	NA	2.89
MW-1	08/14/2007	44,000 q	NA	6,300	130	910	4,100	NA	6,300	NA	NA	NA	NA	NA	NA	49.10	22.90	26.20	NA	1.9
MW-1	09/11/2007	38,000 q	NA	8,100	140	670	1,770	NA	5,700	<100	<100	<100	3,000	<25	NA	49.10	23.65	25.45	NA	0.84
MW-1	10/26/2007	40,000 q	NA	9,500	120	540	1,370	NA	6,300	NA	NA	NA	NA	NA	NA	49.10	23.04	26.06	NA	0.9
MW-1	11/13/2007	36,000 q	NA	8,400	110	480	1,400	NA	7,100	NA	NA	NA	NA	NA	NA	49.10	22.99	26.11	NA	0.30
MW-1	12/26/2007	33,000 q	NA	8,600	120	550	1,330	NA	5,300	NA	NA	<100	2,500	<25	NA	49.10	22.37	26.73	NA	0.5
MW-1	01/03/2008	42,000 q	NA	9,900	170	810	2,140	NA	5,300	NA	NA	NA	NA	NA	NA	49.10	22.53	26.57	NA	1.63
MW-1	02/21/2008	32,000 q	NA	9,900	540	1,100	2,260	NA	5,500	NA	NA	NA	NA	NA	NA	49.10	20.42	28.68	NA	2.1
MW-1	03/19/2008	41,000 q	NA	9,900	620	1,300	2,280	NA	5,600	NA	NA	NA	6,900	<50	NA	49.10	21.01	28.09	NA	0.24
MW-1	04/16/2008	53,000	NA	10,000	430	1,100	2,200	NA	5,500	NA	NA	NA	NA	NA	NA	49.10	21.49	27.61	NA	1.70
MW-1	05/29/2008	47,000	NA	9,100	670	1,100	2,270	NA	4,600	NA	NA	NA	NA	NA	NA	49.10	22.17	26.93	NA	1.10
MW-1	06/05/2008	51,000	NA	7,900	660	1,100	2,780	NA	4,600	<200	<200	<200	3,700	<50	NA	49.10	22.31	26.79	NA	0.19
MW-1	07/22/2008	69,000	NA	8,700	510	1,400	3,480	NA	3,100	NA	NA	NA	NA	NA	NA	49.10	23.13	25.98	0.01	1.64
MW-1	09/29/2008	61,000	NA	7,900	560	1,400	2,480	NA	2,300	<200	<200	<200	4,100	<50	NA	49.10	24.04	25.06	NA	0.69
MW-1A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.78	NA	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	22.22	23.61	NA	NA
MW-2	02/24/1992	17,000	2,700 a	6,200	1,600	550	1,900	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.61	26.22	NA	NA
MW-2	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.92	25.91	NA	NA
MW-2	03/01/1992	86,000	1,000 a	30,000	34,000	2,300	16,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.11	24.72	NA	NA
MW-2	06/03/1992	87,000	NA	28,000	18,000	2,000	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.58	24.25	NA	NA
MW-2	09/01/1992	110,000	NA	21,000	13,000	1,900	7,800	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.46	22.37	NA	NA
MW-2	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.99	21.84	NA	NA
MW-2	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	24.25	21.58	NA	NA
MW-2	12/04/1992	42,000	NA	15,000	2,400	960	2,900	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.89	21.94	NA	NA
MW-2	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.03	28.80	NA	NA
MW-2	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.08	27.75	NA	NA
MW-2	03/03/1993	160,000	NA	36,000	3,800	32,000	21,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.28	28.55	NA	NA
MW-2 (D)	03/03/1993	150,000	NA	31,000	3,100	20,000	14,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.28	28.55	NA	NA
MW-2	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.41	27.42	NA	NA
MW-2	06/17/1993	65,000	NA	34,000	15,000	3,200	11,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.06	26.77	NA	NA
MW-2 (D)	06/17/1993	62,000	NA	28,000	14,000	2,700	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.06	26.77	NA	NA
MW-2	09/10/1993	72,000	NA	24,000	16,000	2,300	11,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.88	24.95	NA	NA
MW-2 (D)	09/10/1993	71,000	NA	23,000	15,000	2,300	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.88	24.95	NA	NA
MW-2	12/13/1993	19,000	NA	5,400	4,900	680	3,100	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.42	25.41	NA	NA
MW-2 (D)	12/13/1993	17,000	NA	6,200	5,500	720	3,500	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.42	25.41	NA	NA
MW-2	03/03/1994	110,000	NA	21,000	24,000	2,000	13,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.48	27.35	NA	NA
MW-2 (D)	03/03/1994	93,000	NA	19,000	22,000	1,800	12,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.48	27.35	NA	NA
MW-2	06/06/1994	10,000	NA	1,900	3,300	2,500	13,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.26	25.57	NA	NA
MW-2 (D)	06/06/1994	99,000	NA	9,900	12,000	2,400	12,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.26	25.57	NA	NA
MW-2	09/12/1994	160,000	NA	22,000	33,000	3,400	23,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.80	24.03	NA	NA
MW-2 (D)	09/12/1994	150,000	NA	23,000	34,000	3,500	23,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.80	24.03	NA	NA
MW-2	12/19/1994	80,000	NA	17,000	16,000	2,300	14,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.66	26.17	NA	NA
MW-2 (D)	12/19/1994	100,000	NA	28,000	26,000	3,400	20,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.66	26.17	NA	NA
MW-2	02/28/1995	100,000	NA	24,000	18,000	2,300	17,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.51	28.32	NA	NA
MW-2 (D)	02/28/1995	100,000	NA	31,000	21,000	3,200	18,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.51	28.32	NA	NA
MW-2	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	14.88	30.95	NA	NA
MW-2	06/26/1995	45,000	NA	14,000	12,000	1,500	7,500	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.58	28.25	NA	NA
MW-2 (D)	06/26/1995	68,000	NA	13,000	11,000	1,800	7,700	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.58	28.25	NA	NA
MW-2	09/13/1995	110,000	NA	19,000	19,000	2,800	15,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.28	26.55	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2 (D)	09/13/1995	120,000	NA	20,000	20,000	2,900	15,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.28	26.55	NA	NA
MW-2	12/19/1995	180,000	NA	18,000	29,000	4,100	24,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.61	27.22	NA	NA
MW-2 (D)	12/19/1995	160,000	NA	18,000	28,000	3,800	24,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.61	27.22	NA	NA
MW-2	03/06/1996	120,000	NA	28,000	15,000	3,900	17,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	15.41	30.42	NA	NA
MW-2	06/28/1996	96,000	NA	20,000	20,000	4,100	22,000	2,400	NA	NA	NA	NA	NA	NA	NA	45.83	17.84	27.99	NA	NA
MW-2	09/26/1996	87,000	NA	7,600	11,000	2,500	15,000	990	840	NA	NA	NA	NA	NA	NA	45.83	19.60	26.23	NA	NA
MW-2	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.15	27.88	0.25	NA
MW-2	03/10/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.02	28.97	0.20	NA
MW-2	06/30/1997	57,000	NA	3,600	4,600	1,300	9,700	2,300	NA	NA	NA	NA	NA	NA	NA	45.83	19.42	26.41	NA	2.4
MW-2	09/12/1997	88,000	NA	7,800	8,800	2,600	16,000	3,200	NA	NA	NA	NA	NA	NA	NA	45.83	19.40	26.43	NA	1.7
MW-2 (D)	09/12/1997	90,000	NA	8,300	9,400	2,700	17,000	3,400	NA	NA	NA	NA	NA	NA	NA	45.83	19.40	26.43	NA	1.7
MW-2 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.56	28.27	NA	1.3
MW-2	02/02/1998	<50	NA	0.6	1.9	0.93	6.0	9.3	NA	NA	NA	NA	NA	NA	NA	45.83	18.14	27.69	NA	2
MW-2 (D)	02/02/1998	56	NA	1.0	2.8	1.4	9.3	13	NA	NA	NA	NA	NA	NA	NA	45.83	18.14	27.69	NA	2
MW-2	06/24/1998	20,000	NA	<200	620	560	4,500	<1,000	NA	NA	NA	NA	NA	NA	NA	45.83	16.08	29.75	NA	2.4
MW-2	08/26/1998	22,000	NA	380	1,100	560	4,400	330	NA	NA	NA	NA	NA	NA	NA	45.83	19.25	26.58	NA	NA
MW-2 (D)	08/26/1998	11,000	NA	180	130	290	500	1,400	NA	NA	NA	NA	NA	NA	NA	45.83	19.25	26.58	NA	NA
MW-2	12/23/1998	100,000	NA	4,100	6,500	2,400	16,000	<500	NA	NA	NA	NA	NA	NA	NA	45.83	18.29	27.54	NA	3.8
MW-2	03/01/1999	50,800	NA	3,910	7,480	1,890	13,100	9,620	NA	NA	NA	NA	NA	NA	NA	45.83	22.81	23.02	NA	2.0
MW-2	06/14/1999	4,930	NA	128	270	139	1,040	2,200	2,540*	NA	NA	NA	NA	NA	NA	45.83	18.86	26.97	NA	1.6
MW-2	09/28/1999	16,200	NA	647	1,070	542	4,130	5,320	4,790	NA	NA	NA	NA	NA	NA	45.83	21.41	24.42	NA	1.8
MW-2	12/08/1999	25,700	NA	1,670	2,110	977	6,600	6,190	5,970	NA	NA	NA	NA	NA	NA	45.83	21.89	23.94	NA	1.8
MW-2	03/14/2000	45,100	NA	2,070	4,710	1,920	12,800	16,700	18,300*	NA	NA	NA	NA	NA	NA	45.83	15.57	30.26	NA	2.0
MW-2	06/28/2000	52,100	NA	5,150	4,200	1,880	13,300	15,500	13,500*	NA	NA	NA	NA	NA	NA	45.83	17.79	28.04	NA	1.9
MW-2	09/06/2000	39,500	NA	4,490	3,290	2,100	14,000	18,500	9,060*	NA	NA	NA	NA	NA	NA	45.83	18.65	27.18	NA	3.5
MW-2	12/14/2000	209	NA	3.51	1.11	1.00	64.4	79.4	NA	NA	NA	NA	NA	NA	NA	45.83	19.00	26.83	NA	1.5
MW-2	03/05/2001	38,200	NA	2,010	927	1,250	8,300	13,100	15,400	NA	NA	NA	NA	NA	NA	45.83	16.66	29.17	NA	1.0
MW-2	06/11/2001	50,000	NA	4,400	2,200	1,800	11,000	NA	26,000	NA	NA	NA	NA	NA	NA	45.83	18.93	26.90	NA	1.7
MW-2	09/12/2001	59,000	NA	6,100	2,800	2,300	14,000	NA	21,000	NA	NA	NA	NA	NA	NA	45.83	19.85	25.98	NA	1.6
MW-2	12/27/2001	74,000	NA	8,600	2,500	2,500	17,000	NA	25,000	NA	NA	NA	NA	NA	NA	45.83	17.85	27.98	NA	2.6
MW-2	02/27/2002	70,000	NA	8,100	2,600	2,100	13,000	NA	32,000	NA	NA	NA	NA	NA	NA	45.79	17.15	28.64	NA	2.0
MW-2	06/18/2002	72,000	NA	9,500	3,000	2,200	13,000	NA	29,000	NA	NA	NA	NA	NA	NA	45.79	18.49	27.30	NA	0.6
MW-2	09/18/2002	48,000	NA	7,600	850	1,300	6,300	NA	8,700	NA	NA	NA	NA	NA	NA	45.79	19.95	25.84	NA	1.0
MW-2	12/27/2002	40,000	NA	5,900	1,200	1,400	7,800	NA	19,000	<50	<50	55	10,000	<50	<50	45.79	16.71	29.08	NA	1.0
MW-2	03/05/2003	62,000	NA	13,000	1,400	2,000	7,900	NA	21,000	NA	NA	<50	10,000	<50	NA	45.79	17.72	28.07	NA	1.4
MW-2	06/24/2003	19,000	NA	9,500	530	700	2,900	NA	14,000	NA	NA	<400	6,000	<100	NA	45.79	18.30	27.49	NA	1.4

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	09/25/2003	65,000	NA	24,000	1,500	2,400	9,700	NA	19,000	NA	NA	<1,000	6,400	<250	NA	45.79	20.05	25.74	NA	1.3
MW-2	12/15/2003	67,000	NA	18,000	1,800	1,900	7,200	NA	11,000	NA	NA	<400	3,700	<100	NA	45.79	18.80	26.99	NA	0.1
MW-2	03/04/2004	72,000	NA	27,000	1,200	2,100	7,600	NA	13,000	NA	NA	<400	6,800	<100	NA	45.79	16.75	29.04	NA	0.2
MW-2	05/27/2004	74,000	NA	6,000	2,000	2,500	15,000	NA	19,000	NA	NA	<400	8,500	<100	NA	45.79	18.85	26.94	NA	0.8
MW-2	09/24/2004	<100	NA	<1.0	<1.0	<1.0	<2.0	NA	130	<4.0	<4.0	<4.0	46	19	<1.0	45.79	16.10	29.69	NA	5.1
MW-2	11/22/2004	8,800	NA	1,200	230	350	1,900	NA	2,200	NA	NA	<40	1,300	<10	NA	45.79	19.83	25.96	NA	0.3
MW-2	03/02/2005	960	NA	150	21	30	220	NA	630	NA	NA	<10	460	<2.5	NA	45.79	15.90	29.89	NA	0.5
MW-2	06/30/2005	970	NA	130	19	27	210	NA	320 e	NA	NA	<2.0	220	0.98	NA	45.79	17.14	28.65	NA	0.7
MW-2	09/20/2005	890	NA	320	10	35	190	NA	440	<10	<10	<10	570	<2.5	NA	45.79	18.66	27.13	NA	0.9
MW-2	12/05/2005	690	NA	150	6.1	21	130	NA	450	NA	NA	<5.0	520	<5.0	NA	45.79	18.58	27.21	NA	0.51
MW-2	03/02/2006	11,000 g	NA	2,700 g	150 g	440 g	2,300 g	NA	1,600 g	NA	NA	5.7	3,800 g	<0.50 j	NA	45.79	16.30	29.49	NA	1.2
MW-2 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	NA	NA	NA	NA
MW-2 (o)	06/30/2006	3,870	NA	177	33.1	55.5	311	NA	1,560	NA	NA	4.90	1,180	<0.500	NA	45.79	16.72	29.07	NA	0.58
MW-2	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	16.86	28.93	NA	NA
MW-2	09/11/2006	10,700	NA	1,010	134	211	1,280	NA	2,780	<0.500	<0.500	45.7	1,850	<0.500	NA	45.79	17.86	27.93	NA	1.03
MW-2	12/28/2006	29,000	NA	2,600	550	1,000	5,600	NA	2,500	NA	NA	<50	3,300	<12	NA	45.79	17.45	28.34	NA	1.09
MW-2	03/20/2007	57,600	NA	14,200 l	4,150 l	4,310 l	22,400 l	NA	6,240 l	NA	NA	<200 l	<10,000 l	<100 l	NA	45.79	17.28	28.51	NA	0.18
MW-2	06/26/2007	39,000 q	NA	3,400	2,300	2,200	12,900	NA	3,300	NA	NA	<100	3,400	<25	NA	45.79	18.64	27.15	NA	0.30
MW-2	09/11/2007	30,000 q	NA	4,000	2,500	2,500	13,000	NA	2,600	<100	<100	<100	2,600	<25	NA	45.79	19.57	26.22	NA	1.14
MW-2	12/26/2007	43,000 q	NA	6,200	2,200	2,800	17,600	NA	2,200	NA	NA	<50	2,000	<12	NA	45.79	18.78	27.01	NA	3.2
MW-2	03/19/2008	19,000 q	NA	2,400	1,800	1,200	6,000	NA	910	NA	NA	<200	1,000	<50	NA	45.79	17.32	28.47	NA	0.06
MW-2	05/29/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	18.40	27.39	NA	NA
MW-2	06/05/2008	68,000	NA	7,400	2,600	2,800	14,100	NA	2,600	<100	<100	<100	1,800	<25	NA	45.79	18.71	27.08	NA	0.28
MW-2	07/22/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	19.48	26.31	NA	NA
MW-2	09/29/2008	84,000	NA	2,600	6,900	3,400	19,300	NA	620	<100	<100	<100	<500	<25	NA	45.79	24.50	21.29	NA	1.37
MW-3	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.97	24.00	NA	NA
MW-3	02/24/1992	4,500	1,300a	97	<5	78	18	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.60	26.37	NA	NA
MW-3	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.88	26.09	NA	NA
MW-3	03/01/1992	2,200	440	69	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.00	25.97	NA	NA
MW-3	06/03/1992	4,100	NA	13	72	44	65	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.70	24.27	NA	NA
MW-3	09/01/1992	1,900	NA	20	6.8	5.5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.46	22.51	NA	NA
MW-3 (D)	09/01/1992	1,900	NA	21	6.6	3.4	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.46	22.51	NA	NA
MW-3	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.01	21.96	NA	NA
MW-3	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.26	21.71	NA	NA
MW-3	12/04/1992	2,400	NA	8.2	<5	<5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.93	22.04	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3 (D)	12/04/1992	2,100	NA	11	<0.5	5.7	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.93	22.04	NA	NA
MW-3	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	22.76	29.21	NA	NA
MW-3	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.40	30.57	NA	NA
MW-3	03/03/1993	5,100	NA	63	61	75	150	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.08	28.89	NA	NA
MW-3	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.51	27.46	NA	NA
MW-3	06/17/1993	4,000	NA	94	140	82	150	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.21	26.76	NA	NA
MW-3	09/10/1993	3,200	NA	140	12.5	12.5	12.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.95	25.02	NA	NA
MW-3	12/13/1993	6,200	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.52	25.45	NA	NA
MW-3	03/03/1994	4,500	NA	73	<5	<5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.50	27.47	NA	NA
MW-3	06/06/1994	3,200	NA	<0.5	<0.5	3.1	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.33	25.64	NA	NA
MW-3	09/12/1994	3,900	NA	<0.5	<0.5	9.6	4.1	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.98	23.99	NA	NA
MW-3	12/19/1994	2,400	NA	21	22	4.2	2.6	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.63	26.34	NA	NA
MW-3	02/28/1995	4,000	NA	58	<0.5	7.1	3.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.45	28.52	NA	NA
MW-3	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.07	30.90	NA	NA
MW-3	06/26/1995	3,900	NA	8.1	<0.5	12	2.4	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.64	28.33	NA	NA
MW-3	09/13/1995	4,100	NA	58	5.5	5.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.40	26.57	NA	NA
MW-3	12/19/1995	3,600	NA	<0.5	4.3	2.1	1.1	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.53	27.44	NA	NA
MW-3	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.59	30.41	0.04	NA
MW-3	06/28/1996	2,400	NA	55	<0.5	<0.5	11	120	NA	NA	NA	NA	NA	NA	NA	51.97	23.95	28.02	NA	NA
MW-3	09/26/1996	2,500	NA	<5.0	<5.0	<5.0	<5.0	160	NA	NA	NA	NA	NA	NA	NA	51.97	25.89	26.08	NA	NA
MW-3	12/10/1996	1,600	NA	28	4.2	<2.0	3.9	110	NA	NA	NA	NA	NA	NA	NA	51.97	24.22	27.75	NA	0.8
MW-3	03/10/1997	130	NA	<0.50	<0.50	<0.50	1.4	4.2	NA	NA	NA	NA	NA	NA	NA	51.97	23.05	28.92	NA	2.8
MW-3	06/30/1997	1,200	NA	21	2.3	<2.0	<2.0	69	NA	NA	NA	NA	NA	NA	NA	51.97	24.34	27.63	NA	2.3
MW-3	09/12/1997	440	NA	8.3	0.82	<0.50	1.9	3.4	NA	NA	NA	NA	NA	NA	NA	51.97	24.47	27.50	NA	1.9
MW-3 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.54	28.43	NA	0.8
MW-3	02/02/1998	400	NA	9.3	0.68	<0.50	<0.50	9	NA	NA	NA	NA	NA	NA	NA	51.97	21.92	30.05	NA	1.5
MW-3	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	51.97	22.35	29.62	NA	1.9
MW-3	08/26/1998	140	NA	7.4	<0.50	<0.50	2.5	13	NA	NA	NA	NA	NA	NA	NA	51.97	23.45	28.52	NA	1.3
MW-3	12/23/1998	1,200	NA	50	<2.0	<2.0	<2.0	69	NA	NA	NA	NA	NA	NA	NA	51.97	24.01	27.96	NA	4.2
MW-3	03/01/1999	2,550	NA	<0.500	<0.500	<0.500	0.658	32.4	NA	NA	NA	NA	NA	NA	NA	51.97	22.08	29.89	NA	2.0
MW-3	06/14/1999	514	NA	18.1	0.728	<0.500	<0.500	15.9	NA	NA	NA	NA	NA	NA	NA	51.97	23.15	28.82	NA	1.7
MW-3	09/28/1999	1,180	NA	<1.00	<1.00	<1.00	<1.00	<10.0	NA	NA	NA	NA	NA	NA	NA	51.97	25.36	26.61	NA	1.2
MW-3	12/08/1999	1,740	NA	71.5	23.0	24.2	61.3	103	NA	NA	NA	NA	NA	NA	NA	51.97	25.75	26.22	NA	2.0
MW-3	03/14/2000	1,410	NA	5.63	35.6	<5.00	8.41	38.7	NA	NA	NA	NA	NA	NA	NA	51.97	21.64	30.33	NA	2.1
MW-3	06/28/2000	2,460	NA	<5.00	9.48	<5.00	28.4	64.0	NA	NA	NA	NA	NA	NA	NA	51.97	23.84	28.13	NA	2.87

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3	09/06/2000	887	NA	<1.00	<1.00	<1.00	<1.00	<10.0	NA	NA	NA	NA	NA	NA	NA	51.97	24.73	27.24	NA	2.0
MW-3	12/14/2000	955	NA	25.4	1.96	<0.500	1.13	10.2	NA	NA	NA	NA	NA	NA	NA	51.97	25.45	26.52	NA	2.1
MW-3	03/05/2001	2,100	NA	4.90	56.5	<2.00	3.62	261	NA	NA	NA	NA	NA	NA	NA	51.97	22.83	29.14	NA	0.8
MW-3	06/11/2001	2,000	NA	1.0	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	51.97	25.20	26.77	NA	0.7
MW-3	09/12/2001	1,500	NA	0.50	0.54	<0.50	1.8	NA	<5.0	NA	NA	NA	NA	NA	NA	51.97	26.15	25.82	NA	1.5
MW-3	12/27/2001	2,100	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.97	23.67	28.30	NA	1.9
MW-3	02/27/2002	2,300	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.92	23.23	28.69	NA	1.5
MW-3	06/18/2002	2,000	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	51.92	24.74	27.18	NA	2.0
MW-3	09/18/2002	2,600	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.92	26.05	25.87	NA	1.4
MW-3	12/27/2002	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3	03/05/2003	2,300	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	<2.0	<50	13	NA	51.92	23.84	28.08	NA	1.3
MW-3	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3	06/25/2003	1,800 c	NA	0.71	<0.50	<0.50	<1.0	NA	0.54	NA	NA	<2.0	<5.0	1.1	NA	51.92	24.48	27.44	NA	1.3
MW-3	09/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	25.99	25.93	NA	NA
MW-3	12/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.94	26.98	NA	NA
MW-3	03/04/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.50	29.42	NA	NA
MW-3	05/27/2004	2,500	NA	<0.50	<0.50	<0.50	<1.0	NA	1.1	NA	NA	<2.0	<5.0	0.82	NA	51.92	24.94	26.98	NA	0.5
MW-3	09/24/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	26.55	25.37	NA	NA
MW-3	11/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	25.92	26.00	NA	NA
MW-3	03/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.12	29.80	NA	NA
MW-3	06/30/2005	3,700	NA	<2.0	2.4	<2.0	<4.0	NA	<2.0	<8.0	<8.0	<8.0	<20	<2.0	NA	51.92	23.31	28.61	NA	1.2
MW-3	09/20/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.78	27.14	NA	NA
MW-3	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.65	27.27	NA	NA
MW-3	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.56	29.36	NA	NA
MW-3 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3 (o)	06/30/2006	1,580	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	5.95	NA	51.92	22.89	29.03	NA	0.49
MW-3	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.99	28.93	NA	NA
MW-3	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.92	28.00	NA	NA
MW-3	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.68	28.24	NA	NA
MW-3	03/20/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.91	28.01	NA	NA
MW-3	06/26/2007	1,400 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	44	NA	51.92	25.10	26.82	NA	1.77
MW-3	09/11/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.41	28.51	NA	NA
MW-3	12/26/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	25.15	26.77	NA	NA
MW-3	03/19/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.81	28.11	NA	NA
MW-3	06/05/2008	3,600	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	33	NA	51.92	25.08	26.84	NA	0.10

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3	09/29/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	26.85	25.07	NA	NA
MW-4	03/24/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	9.16	31.35	NA	NA
MW-4	06/26/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.06	28.45	NA	NA
MW-4	09/13/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	13.90	26.61	NA	NA
MW-4	12/19/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.90	27.61	NA	NA
MW-4	03/06/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	9.63	30.88	NA	NA
MW-4	06/28/1996	40	NA	<0.5	0.59	0.97	3.8	26	NA	NA	NA	NA	NA	NA	NA	40.51	12.30	28.21	NA	NA
MW-4	09/26/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	14.12	26.39	NA	NA
MW-4	12/10/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	12.31	28.20	NA	1.2
MW-4	03/10/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.34	29.17	NA	NA
MW-4	06/30/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	13.80	26.71	NA	1.9
MW-4	09/12/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	13.99	26.52	NA	1.7
MW-4 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.02	28.49	NA	1.8
MW-4	02/02/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.23	29.28	NA	1
MW-4	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	10.58	29.93	NA	1.9
MW-4	08/26/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.75	28.76	NA	1.2
MW-4	12/23/1998	<50	NA	0.60	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	12.41	28.10	NA	4.2
MW-4	03/01/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	NA	NA	NA	NA	NA	NA	40.51	10.38	30.13	NA	2.1
MW-4	06/14/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	11.91	28.60	NA	2.4
MW-4	09/28/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	40.51	10.19	30.32	NA	2.2
MW-4	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	10.67	29.84	NA	1.8
MW-4	03/14/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	9.95	30.56	NA	2.5
MW-4	06/28/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	12.22	28.29	NA	0.9
MW-4	09/06/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	13.17	27.34	NA	3.0
MW-4	12/14/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	8.65	31.86	NA	NA
MW-4	03/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	11.07	29.44	NA	NA
MW-4	06/11/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	40.51	13.62	26.89	NA	1.3
MW-4	09/12/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	14.61	25.90	NA	NA
MW-4	12/27/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.19	28.32	NA	NA
MW-4	02/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.64	28.81	NA	NA
MW-4	06/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	40.45	13.22	27.23	NA	0.6
MW-4	09/18/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.46	25.99	NA	NA
MW-4	12/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.23	29.22	NA	NA
MW-4	03/05/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	12.22	28.23	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-4	06/24/2003	57 c	NA	<0.50	<0.50	<0.50	<1.0	NA	12	NA	NA	NA	NA	NA	NA	40.45	12.79	27.66	NA	1.6
MW-4	09/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.45	26.00	NA	NA
MW-4	12/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.24	27.21	NA	NA
MW-4	03/04/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.93	29.52	NA	NA
MW-4	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	40.45	13.42	27.03	NA	0.5
MW-4	09/24/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	15.11	25.34	NA	NA
MW-4	11/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.42	26.03	NA	NA
MW-4	03/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.17	30.28	NA	NA
MW-4	06/30/2005	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	40.45	11.60	28.85	NA	0.8
MW-4	09/20/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.18	27.27	NA	NA
MW-4	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.08	27.37	NA	NA
MW-4	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.62	29.83	NA	NA
MW-4 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	NA	NA	NA	NA
MW-4 (o)	06/30/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	40.45	11.20	29.25	NA	0.44
MW-4	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.22	29.23	NA	NA
MW-4	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	12.29	28.16	NA	NA
MW-4	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.71	28.74	NA	NA
MW-4	03/20/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.99	28.46	NA	NA
MW-4	06/26/2007	59 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	40.45	13.60	26.85	NA	3.69
MW-4	09/11/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.61	28.84	NA	NA
MW-4	12/26/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.72	26.73	NA	NA
MW-4	03/19/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	12.19	28.26	NA	NA
MW-4	06/05/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	40.45	13.62	26.83	NA	0.09
MW-4	09/29/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	15.55	24.90	NA	NA
MW-5	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	12.82	28.64	NA	NA
MW-5	02/27/2002	190	NA	<0.50	<0.50	0.85	1.5	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	12.85	28.61	NA	1.9
MW-5	06/18/2002	650	NA	1.4	3.0	52	28	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.65	27.81	NA	0.8
MW-5	09/18/2002	390	NA	0.72	0.51	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	15.57	25.89	NA	1.1
MW-5	12/27/2002	380	NA	<0.50	<0.50	0.56	<0.50	NA	<0.50	<2.0	<2.0	<2.0	<50	<2.0	<2.0	41.46	12.51	28.95	NA	1.9
MW-5	03/05/2003	290	NA	<0.50	1.7	9.4	22	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	13.39	28.07	NA	2.6
MW-5	06/24/2003	220	NA	<0.50	1.0	19	1.3	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.91	27.55	NA	1.7
MW-5	09/25/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	15.58	25.88	NA	2.1
MW-5	12/15/2003	200 c	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.45	27.01	NA	0.21
MW-5	03/04/2004	170 c	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	12.52	28.94	NA	0.1

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-5	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.49	26.97	NA	0.5
MW-5	09/24/2004	<50	NA	0.71	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.46	16.08	25.38	NA	1.7
MW-5	11/22/2004	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	15.48	25.98	NA	0.3
MW-5	03/02/2005	190	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.46	11.52	29.94	NA	0.4
MW-5	06/30/2005	3,200	NA	<5.0	25	200	270	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	12.33	29.13	NA	0.9
MW-5	09/20/2005	310	NA	<0.50	1.3	47	2.5	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.46	14.36	27.10	NA	0.5
MW-5	12/05/2005	250	NA	<0.50	0.94	26	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.25	27.21	NA	0.58
MW-5	03/02/2006	3,000 g	NA	<0.50	17	230 g	390 g	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	11.87	29.59	NA	0.7
MW-5 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	NA	NA	NA	NA
MW-5 (o)	06/30/2006	729	NA	<0.500	1.00	43.2	21.7	NA	<0.500	NA	NA	NA	NA	NA	NA	41.46	12.49	28.97	NA	0.67
MW-5	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	12.58	28.88	NA	NA
MW-5	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	1.29	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	41.46	13.54	27.92	NA	0.78
MW-5	12/28/2006	330	NA	<0.50	<0.50	8.6	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.25	28.21	NA	0.59
MW-5	03/20/2007	358	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.46	13.28	28.18	NA	0.11
MW-5	06/26/2007	120 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	14.68	26.78	NA	4.72
MW-5	09/11/2007	<50 q	NA	0.19 r	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	41.46	15.57	25.89	NA	0.84
MW-5	12/26/2007	110 q, t	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	14.76	26.70	NA	0.8
MW-5	03/19/2008	2,000	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	13.34	28.12	NA	0.31
MW-5	06/05/2008	2,000	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	14.63	26.83	NA	0.10
MW-5	09/29/2008	830	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	41.46	16.45	25.01	NA	1.13
MW-6	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	3.88	37.62	NA	NA
MW-6	01/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.43	29.07	NA	NA
MW-6	02/27/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	12.82	28.68	NA	4.1
MW-6	06/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	4.26	37.24	NA	3.9
MW-6	09/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	5.26	36.24	NA	4.2
MW-6	12/27/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	<2.0	<2.0	<2.0	<50	<2.0	<2.0	41.50	12.11	29.39	NA	3.0
MW-6	03/05/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	13.47	28.03	NA	4.9
MW-6	06/24/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.71	27.79	NA	5.8
MW-6	09/25/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	NA	NA	NA	NA
MW-6	12/15/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.17	28.33	NA	5.7
MW-6	03/04/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	11.15	30.35	NA	1.0
MW-6	05/27/2004	<50	NA	0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.68	27.82	NA	1.0
MW-6	09/24/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	10.71	30.79	NA	3.1
MW-6	11/22/2004	<50 d	NA	0.65	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	7.60	33.90	NA	6.5

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-6	03/02/2005	<100	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.50	6.77	34.73	NA	6.2
MW-6	06/30/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	12.87	28.63	NA	1.2
MW-6	09/20/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	14.16	27.34	NA	5.5
MW-6	12/05/2005	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	14.23	27.27	NA	2.40
MW-6	03/02/2006	58 i	NA	<0.50	<0.50	0.73	1.5	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	11.40	30.10	NA	1.2
MW-6 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.49	29.01	NA	0.41
MW-6 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.35	29.15	NA	NA
MW-6 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	12.66	28.84	NA	0.30
MW-6	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	0.530	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	13.33	28.17	NA	1.16
MW-6	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.15	28.35	NA	1.0
MW-6	03/20/2007	<50.0	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	13.24	28.26	NA	5.60
MW-6	06/26/2007	60 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	14.60	26.90	NA	5.46
MW-6	09/11/2007	<50 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	15.39	26.11	NA	1.16
MW-6	12/26/2007	<50 q	NA	0.27 r	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	14.69	26.81	NA	3.1
MW-6	03/19/2008	1,500	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	12.93	28.57	NA	0.30
MW-6	06/05/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	14.61	26.89	NA	0.09
MW-6	09/29/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	15.62	25.88	NA	2.26
MW-7	10/21/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	18.90	25.55	NA	NA
MW-7	12/27/2002	49,000	NA	830	980	2,000	5,200	NA	<10	<10	<10	<10	<100	<10	<10	44.45	15.43	29.02	NA	2.1
MW-7	03/05/2003	32,000	NA	370	490	1,600	2,900	NA	<100	NA	NA	NA	NA	NA	NA	44.45	16.34	28.11	NA	2.6
MW-7	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	NA	NA	NA	NA
MW-7	09/25/2003	8,700	NA	57	34	450	290	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	18.36	26.09	NA	1.2
MW-7	12/15/2003	27,000	NA	170	260	1,200	1,500	NA	<10	NA	NA	NA	NA	NA	NA	44.45	17.44	27.01	NA	1.3
MW-7	03/04/2004	13,000	NA	200	190	1,200	1,200	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	15.45	29.00	NA	0.1
MW-7	05/27/2004	16,000	NA	76	56	860	420	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.50	26.95	NA	0.5
MW-7	09/24/2004	8,400	NA	26	14	340	200	NA	<5.0	<20	<20	<20	<50	NA	NA	44.45	18.94	25.51	NA	1.1
MW-7	11/22/2004	14,000	NA	92	60	790	730	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	18.47	25.98	NA	0.2
MW-7	03/02/2005	13,000	NA	130	140	740	980	NA	<10	NA	NA	<20	<100	<5.0	NA	44.45	14.53	29.92	NA	0.7
MW-7	06/30/2005	9,900	NA	27	48	380	520	NA	<10	NA	NA	NA	NA	NA	NA	44.45	15.92	28.53	NA	0.9
MW-7	09/20/2005	7,700	NA	30	53	380	570	NA	<5.0	36	<20	<20	<50	NA	NA	44.45	17.28	27.17	NA	1.4
MW-7	12/05/2005	2,900	NA	20	<2.5	270	19	NA	<2.5	NA	NA	NA	NA	NA	NA	44.45	17.40	27.05	NA	0.56
MW-7	03/02/2006	3,900 g	NA	27	31	240 g	190	NA	1.1	NA	NA	NA	NA	NA	NA	44.45	15.00	29.45	NA	0.9
MW-7 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	NA	NA	NA	NA
MW-7 (o)	06/30/2006	10,800	NA	13.8	49.4	474	640	NA	<0.500	NA	NA	NA	NA	NA	NA	44.45	15.35	29.10	NA	0.54

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-7	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	15.41	29.04	NA	NA
MW-7	09/11/2006	7,210	NA	4.38	3.96	188	91.6	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	44.45	16.33	28.12	NA	0.82
MW-7	12/28/2006	3,100	NA	4.8	5.2	190	160	NA	<1.0	NA	NA	NA	NA	NA	NA	44.45	16.22	28.23	NA	0.78
MW-7	03/20/2007	5,960	NA	11.3	20.6	223	291	NA	<0.500	NA	NA	NA	NA	NA	NA	44.45	16.26	28.19	NA	1.10
MW-7	06/26/2007	7,900 q	NA	5.3	15	410	459	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.60	26.85	NA	0.83
MW-7	09/11/2007	4,100 q	NA	1.9	0.66 r	130	25.6	NA	<1.0	0.42 r	<2.0	<2.0	<10	NA	NA	44.45	18.63	25.82	NA	0.97
MW-7	12/26/2007	6,100 q	NA	5.9	7.6	290	348	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.72	26.73	NA	1.3
MW-7	03/19/2008	2,700	NA	5.0	2.4	110	97.9	NA	<1.0	NA	NA	NA	NA	NA	NA	44.45	16.36	28.09	NA	0.47
MW-7	06/05/2008	6,400	NA	3.8	<5.0	220	253	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.65	26.80	NA	0.09
MW-7	09/29/2008	2,500	NA	1.6	<1.0	40	8.1	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	44.45	19.40	25.05	NA	1.26
MW-8	10/21/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	17.70	25.57	NA	NA
MW-8	12/27/2002	30,000	NA	280	220	2,000	5,300	NA	<10	<10	<10	<10	<100	<10	<10	43.27	14.25	29.02	NA	1.2
MW-8	03/05/2003	30,000	NA	220	150	2,100	4,200	NA	<100	NA	NA	NA	NA	NA	NA	43.27	15.36	27.91	NA	1.3
MW-8	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	NA	NA	NA	NA
MW-8	09/25/2003	26,000	NA	240	53	1,600	2,600	NA	<50	NA	NA	NA	NA	NA	NA	43.27	17.43	25.84	NA	1.0
MW-8	12/15/2003	38,000	NA	290	140	2,200	5,200	NA	<13	NA	NA	NA	NA	NA	NA	43.27	16.24	27.03	NA	0.4
MW-8	03/04/2004	19,000	NA	180	95	1,400	3,900	NA	<13	NA	NA	NA	NA	NA	NA	43.27	14.63	28.64	NA	0.1
MW-8	05/27/2004	19,000	NA	230	41	1,100	2,200	NA	<13	NA	NA	NA	NA	NA	NA	43.27	16.41	26.86	NA	0.5
MW-8	09/24/2004	21,000	NA	270	42	1,200	2,600	NA	<13	<50	<50	<50	<130	NA	NA	43.27	18.10	25.17	NA	0.7
MW-8	11/22/2004	24,000	NA	200	64	1,400	4,100	NA	<13	NA	NA	NA	NA	NA	NA	43.27	17.28	25.99	NA	1.0
MW-8	03/02/2005	16,000	NA	100	44	890	2,300	NA	<10	NA	NA	<20	<100	<5.0	NA	43.27	13.35	29.92	NA	0.6
MW-8	06/30/2005	19,000	NA	110	41	700	2,100	NA	<10	NA	NA	NA	NA	NA	NA	43.27	14.91	28.36	NA	0.8
MW-8	09/20/2005	10,000	NA	86	25	600	1,400	NA	<10	<40	<40	<40	<100	NA	NA	43.27	16.11	27.16	NA	0.8
MW-8	12/05/2005	9,900	NA	130	16	600	1,300	NA	<10	NA	NA	NA	NA	NA	NA	43.27	16.20	27.07	NA	0.56
MW-8	03/02/2006	13,000 g	NA	130 g	45	790 g	2,000 g	NA	0.54	NA	NA	NA	NA	NA	NA	43.27	14.28	28.99	NA	1.1
MW-8 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	NA	NA	NA	NA
MW-8 (o)	06/30/2006	14,900	NA	71.8	14.1	622	1,390	NA	<0.500	NA	NA	NA	NA	NA	NA	43.27	14.18	29.09	NA	0.50
MW-8	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	14.39	28.88	NA	NA
MW-8	09/11/2006	18,700	NA	94.2	11.2	683	1,280	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	43.27	15.10	28.17	NA	0.92
MW-8	12/28/2006	9,000	NA	54	7.1	430	980	NA	<2.5	NA	NA	NA	NA	NA	NA	43.27	15.15	28.12	NA	0.93
MW-8	03/20/2007	7,780	NA	40.4	9.21	230	499	NA	0.840	NA	NA	NA	NA	NA	NA	43.27	15.01	28.26	NA	0.11
MW-8	06/26/2007	7,500 q	NA	36	5.5	360	860	NA	<5.0	NA	NA	NA	NA	NA	NA	43.27	16.40	26.87	NA	0.59
MW-8	09/11/2007	10,000 q	NA	55	7.0	420	1,140	NA	<5.0	<10	<10	<10	<50	NA	NA	43.27	17.42	25.85	NA	1.07
MW-8	12/26/2007	10,000 q	NA	54	12 r	490	1,740	NA	<20	NA	NA	NA	NA	NA	NA	43.27	16.61	26.66	NA	1.4

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

MW-8	03/19/2008	5,800	NA	20	<5.0	200	600	NA	<5.0	NA	NA	NA	NA	NA	NA	43.27	15.30	27.97	NA	0.24
MW-8	06/05/2008	7,600	NA	27	<5.0	240	750	NA	<5.0	NA	NA	NA	NA	NA	NA	43.27	16.53	26.74	NA	0.10
MW-8	09/29/2008	5,600	NA	47	<5.0	120	287	NA	<5.0	<10	<10	<10	<50	NA	NA	43.27	18.13	25.14	NA	1.04

MW-9	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	15.15	26.50	NA	NA
MW-9	12/15/2003	<50	NA	<0.50	<0.50	<0.50	1.3	NA	2.5	NA	NA	NA	NA	NA	NA	41.65	14.48	27.17	NA	0.9
MW-9	03/04/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	12.15	29.50	NA	0.2
MW-9	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	14.55	27.10	NA	0.5
MW-9	09/24/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.65	16.37	25.28	NA	1.0
MW-9	11/22/2004	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	15.62	26.03	NA	0.3
MW-9	03/02/2005	100	NA	<0.50	<1.0	1.4	3.8	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.65	11.40	30.25	NA	0.4
MW-9	06/30/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	12.70	28.95	NA	1.3
MW-9	09/20/2005	<50	NA	<0.50	<0.50	<0.50	1.8	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.65	14.38	27.27	NA	1.2
MW-9	12/05/2005	<50	NA	<0.50	<0.50	<0.50	0.65	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	14.25	27.40	NA	1.13
MW-9	03/02/2006	<50 h	NA	<0.50	<0.50	<0.50 h	<0.50 h	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	11.87	29.78	NA	0.9
MW-9 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	12.35	29.30	NA	0.55
MW-9 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	12.37	29.28	NA	NA
MW-9 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.65	12.46	29.19	NA	0.58
MW-9	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	41.65	13.42	28.23	NA	0.79
MW-9	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	13.23	28.42	NA	0.73
MW-9	03/20/2007	<50.0	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.65	13.35	28.30	NA	1.20
MW-9	06/26/2007	86 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	14.80	26.85	NA	0.91
MW-9	09/11/2007	<50 q	NA	0.15 r	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	41.65	15.70	25.95	NA	1.04
MW-9	12/26/2007	<50 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	14.86	26.79	NA	2.0
MW-9	03/19/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	13.39	28.26	NA	0.27
MW-9	06/05/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	14.77	26.88	NA	1.34
MW-9	09/29/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	41.65	16.62	25.03	NA	1.10

MW-10	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	24.33	26.31	NA	NA
MW-10	12/15/2003	6,400	NA	3.1	<1.0	33	20	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	23.58	27.06	NA	0.3
MW-10	03/04/2004	1,400	NA	1.2	<1.0	16	3.4	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	21.20	29.44	NA	0.1
MW-10	05/27/2004	810	NA	<1.0	<1.0	8.3	<2.0	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	23.63	27.01	NA	0.5
MW-10	09/24/2004	790	NA	1.2	<1.0	7.3	<2.0	NA	<1.0	<4.0	<4.0	<4.0	<10	<1.0	<1.0	50.64	25.30	25.34	NA	1.5
MW-10	11/22/2004	1,100	NA	1.1	<0.50	17	<1.0	NA	<0.50	NA	NA	<2.0	<5.0	<0.50	NA	50.64	24.62	26.02	NA	0.4
MW-10	03/02/2005	920	NA	0.60	<1.0	3.5	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	20.72	29.92	NA	0.4

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-10	06/30/2005	470 f	NA	<0.50	<0.50	1.4	<1.0	NA	<0.50	NA	NA	<2.0	<5.0	<0.50	NA	50.64	21.48	29.16	NA	1.4
MW-10	09/20/2005	420	NA	<0.50	<0.50	1.2	2.1	NA	<0.50	<2.0	<2.0	<2.0	<5.0	<0.50	NA	50.64	23.45	27.19	NA	2.0
MW-10	12/05/2005	420	NA	<0.50	<0.50	1.1	<0.50	NA	<0.50	NA	NA	<0.50	<5.0	<0.50	NA	50.64	23.42	27.22	NA	0.97
MW-10	03/02/2006	230 h	NA	<0.50 h	<0.50	0.83 h	<0.50 h	NA	<0.50	NA	NA	<0.50	<5.0 h	<0.50 j	NA	50.64	21.13	29.51	NA	1.1
MW-10 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	NA	NA	NA	NA
MW-10 (o)	06/30/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	<0.500	<10.0	<0.500	NA	50.64	21.49	29.15	NA	0.37
MW-10	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	21.60	29.04	NA	NA
MW-10	09/11/2006	250	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	<0.500	NA	50.64	22.62	28.02	NA	0.98
MW-10	12/28/2006	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	NA	NA	NA	NA
MW-10	03/20/2007	158	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	<1.00	<50.0	<0.500	NA	50.64	22.30	28.34	NA	0.10
MW-10	06/26/2007	230 q	NA	0.15 r	<1.0	0.43 r	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	23.75	26.89	NA	1.54
MW-10	09/11/2007	62 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	NA	50.64	24.78	25.86	NA	0.98
MW-10	12/26/2007	200 q, t	NA	0.15 r	<1.0	0.30 r	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	23.86	26.78	NA	0.9
MW-10	03/19/2008	170 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	22.46	28.18	NA	0.10
MW-10	06/05/2008	150	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	NA	50.64	23.76	26.88	NA	0.11
MW-10	09/29/2008	130	NA	<0.50	<1.0	<1.0	1.4	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	NA	50.64	25.59	25.05	NA	0.91
MW-11	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	19.10	26.48	NA	NA
MW-11	12/15/2003	110,000	NA	9,900	3,300	3,900	23,000	NA	20,000	NA	NA	<800	18,000	<200	NA	45.58	18.50	27.08	NA	0.3
MW-11	03/04/2004	68,000	NA	5,300	3,000	3,600	23,000	NA	8,300	NA	NA	<200	12,000	<50	NA	45.58	16.67	28.91	NA	0.1
MW-11	05/27/2004	86,000	NA	8,500	3,200	13,000	22,000	NA	25,000	NA	NA	<400	18,000	<100	NA	45.58	18.60	26.98	NA	1.6
MW-11	09/24/2004	63,000	NA	7,200	2,000	3,000	15,000	NA	26,000	<400	<400	<400	17,000	<100	<100	45.58	20.22	25.36	NA	2.2
MW-11	11/22/2004	96,000	NA	7,100	3,700	2,800	15,000	NA	20,000	NA	NA	<400	14,000	<100	NA	45.58	19.56	26.02	NA	0.3
MW-11	03/02/2005	63,000	NA	6,200	6,800	2,200	15,000	NA	16,000	NA	NA	<200	7,800	<50	NA	45.58	15.75	29.83	NA	4.6
MW-11	06/30/2005	100,000	NA	4,200	18,000	3,800	25,000	NA	2,500	NA	NA	<400	3,400	<100	NA	45.58	16.92	28.66	NA	1.0
MW-11	09/20/2005	65,000	NA	3,800	10,000	3,100	19,000	NA	3,900	<400	<400	<400	4,600	<100	NA	45.58	18.43	27.15	NA	NA
MW-11	12/05/2005	69,000	NA	4,000	10,000	3,100	16,000	NA	7,400	NA	NA	<50	4,400	<50	NA	45.58	18.26	27.32	NA	0.70
MW-11	03/02/2006	76,000 g	NA	4,000 g	13,000 g	2,900 g	16,000 g	NA	6,100 g	NA	NA	36	420 k	<0.50 j	NA	45.58	16.13	29.45	NA	0.9
MW-11	04/19/2006	116,000	NA	4,780	12,000	3,280	20,200	NA	5,550	NA	NA	34.6	4,010	<0.500	NA	45.58	15.30	30.28	NA	0.86
MW-11	05/01/2006	129,000	NA	4,180	15,100	3,180	18,700	NA	4,510	NA	NA	28.9	3,130	92.1	NA	45.58	15.43	30.15	NA	0.97
MW-11 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	NA	NA	NA	NA
MW-11 (o)	06/30/2006	119,000	NA	4,420	11,300	2,650	17,200	NA	4,490	NA	NA	22.8	2,700	<0.500	NA	45.58	15.49	30.09	NA	0.49
MW-11	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	16.61	28.97	NA	NA
MW-11	07/31/2006	<50.0	NA	4,870	11,400	2,890	20,400	NA	4,880	NA	NA	27.2	3,120	<0.500	NA	45.58	17.00	28.58	NA	0.36
MW-11	08/23/2006	115,000	NA	5,230	8,720	2,680	16,900	NA	4,860	NA	NA	29.6	3,670	<10.0	NA	45.58	17.28	28.30	NA	0.7

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-11	09/11/2006	9,090	NA	5,140	8,400	3,040	17,700	NA	5,310	<0.500	<0.500	134	4,240	<0.500	NA	45.58	17.62	27.96	NA	0.63
MW-11	10/18/2006	193,000	NA	4,930	9,700	3,920	21,000	NA	4,300	NA	NA	<0.500	2,530	<0.500	NA	45.58	18.08	27.50	NA	0.51
MW-11	11/22/2006	3,600	NA	3,600	9,300	2,800	16,000	NA	2,800	NA	NA	<10	4,000	<2.5	NA	45.58	18.06	27.52	NA	0.4
MW-11	12/28/2006	75,000	NA	2,700	9,800	1,900	13,000	NA	2,500	NA	NA	<200	2,500	<50	NA	45.58	17.20	28.38	NA	0.9
MW-11	01/25/2007	68,000	NA	2,900	9,600	2,200	13,000	NA	2,400	NA	NA	<200	2,400	<50	NA	45.58	18.10	27.48	NA	0.7
MW-11	02/19/2007	88,000	NA	3,600	17,000	3,200	20,000	NA	2,200	NA	NA	25	4,000	<5.0	NA	45.58	17.89	27.69	NA	0.2
MW-11	03/20/2007	77,600	NA	3,140	12,800	3,060	17,600	NA	1,930	NA	NA	<200	<10,000	<100	NA	45.58	17.30	28.28	NA	0.38
MW-11	04/05/2007	67,000 q	NA	3,200	9,600	3,200	14,300	NA	1,800	NA	NA	<100	2,900	<25	NA	45.58	17.50	28.08	NA	0.72
MW-11	06/01/2007	65,000 q	NA	3,100	11,000	3,200	17,900	NA	1,700	NA	NA	NA	NA	NA	NA	45.58	18.32	27.26	NA	1.18
MW-11	06/26/2007	52,000 q	NA	2,200	8,000	2,200	13,700	NA	1,300	NA	NA	<200	2,300	<50	NA	45.58	18.70	26.88	NA	0.24
MW-11	07/19/2007	62,000 q	NA	2,500	9,600	2,400	16,300	NA	1,500	NA	NA	NA	NA	NA	NA	45.58	18.10	27.48	NA	3.42
MW-11	08/14/2007	65,000 q	NA	3,000	11,000	3,000	17,600	NA	1,000	NA	NA	NA	NA	NA	NA	45.58	19.30	26.28	NA	1.1
MW-11	09/11/2007	45,000 q	NA	2,000	6,300	2,100	11,900	NA	960	<100	<100	<100	2,100	<25	NA	45.58	19.65	25.93	NA	0.86
MW-11	10/26/2007	58,000 q	NA	2,500	9,300	3,200	17,700	NA	900	NA	NA	NA	NA	NA	NA	45.58	19.42	26.16	NA	1.2
MW-11	11/13/2007	64,000 q	NA	2,400	9,500	3,300	18,000	NA	1,200	NA	NA	NA	NA	NA	NA	45.58	19.34	26.24	NA	0.32
MW-11	12/26/2007	56,000 q	NA	2,300	11,000	3,800	23,400	NA	1,300	NA	NA	<40	1,400	<10	NA	45.58	18.68	26.90	NA	0.9
MW-11	01/03/2008	64,000 q	NA	2,600	10,000	4,400	23,600	NA	1,300	NA	NA	NA	NA	NA	NA	45.58	18.86	26.72	NA	1.65
MW-11	02/21/2008	70,000 q	NA	2,400	9,200	3,700	18,700	NA	440	NA	NA	NA	NA	NA	NA	45.58	16.70	28.88	NA	0.9
MW-11	03/19/2008	65,000 q	NA	2,500	7,700	3,700	19,700	NA	520	NA	NA	<100	810	<25	NA	45.58	17.34	28.26	0.02	0.07
MW-11	04/16/2008	86,000	NA	3,000	8,200	4,500	24,300	NA	280	NA	NA	NA	NA	NA	NA	45.58	17.78	27.80	NA	1.40
MW-11	05/29/2008	70,000	NA	1,900	6,000	3,200	16,500	NA	110	NA	NA	NA	NA	NA	NA	45.58	18.52	27.06	NA	0.43
MW-11	06/05/2008	72,000	NA	1,800	6,700	3,300	18,000	NA	120	<100	<100	<100	<500	<25	NA	45.58	18.63	26.95	NA	0.21
MW-11	07/22/2008	100,000	NA	1,100	9,200	3,800	24,900	NA	<100	NA	NA	NA	NA	NA	NA	45.58	19.41	26.17	NA	1.31
MW-11	09/29/2008	110,000	NA	1,500	10,000	4,300	27,200	NA	210	<100	<100	<100	<500	<25	NA	45.58	20.21	25.37	NA	0.79
MW-12	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	14.75	29.35	NA	NA
MW-12 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	NA	NA	NA	NA
MW-12 (o)	06/30/2006	95,000	NA	3,930	8,900	2,110	10,400	NA	<0.500	NA	NA	NA	NA	NA	NA	44.10	15.00	29.10	NA	0.62
MW-12	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	15.10	29.00	NA	NA
MW-12	09/11/2006	5,110	NA	3,930	3,290	2,710	8,060	NA	8.50	NA	NA	NA	NA	NA	NA	44.10	15.91	28.19	NA	1.09
MW-12	12/28/2006	31,000	NA	2,400	1,100	1,500	2,900	NA	<2.5	NA	NA	NA	NA	NA	NA	44.10	15.85	28.25	NA	0.82
MW-12	03/20/2007	30,100	NA	508	352	341	748	NA	<0.500	NA	NA	NA	NA	NA	NA	44.10	15.81	28.29	NA	1.44
MW-12	06/26/2007	32,000 q	NA	2,700	1,200	2,100	3,700	NA	<20	NA	NA	NA	NA	NA	NA	44.10	17.29	26.81	NA	0.40
MW-12	09/11/2007	21,000 q	NA	810	720	860	1,950	NA	<20	NA	NA	NA	NA	NA	NA	44.10	18.08	26.02	NA	1.21
MW-12	12/26/2007	20,000 q	NA	2,000	600	1,400	2,870	NA	<20	NA	NA	NA	NA	NA	NA	44.10	17.44	26.66	NA	1.3

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-12	03/19/2008	12,000	NA	1,000	460	630	1,490	NA	<20	NA	NA	NA	NA	NA	NA	44.10	15.97	28.13	NA	0.28
MW-12	06/05/2008	22,000	NA	860	530	930	2,340	NA	<10	NA	NA	NA	NA	NA	NA	44.10	17.28	26.82	NA	0.10
MW-12	09/29/2008	23,000	NA	1,800	820	1,300	2,900	NA	<10	NA	NA	NA	NA	NA	NA	44.10	19.10	25.00	NA	0.76
MW-13	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.10	29.49	NA	NA
MW-13 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.47	29.12	NA	0.61
MW-13 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.25	29.34	NA	NA
MW-13 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	<0.500	NA	41.59	12.35	29.24	NA	0.24
MW-13	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.59	13.33	28.26	NA	1.02
MW-13	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.59	13.12	28.47	NA	0.81
MW-13	03/20/2007	<50.0	NA	1.41	2.36	2.20	6.29	NA	<0.500	NA	NA	NA	NA	NA	NA	41.59	13.12	28.47	NA	0.14
MW-13	06/26/2007	58 q	NA	0.20 r	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	14.68	26.91	NA	0.38
MW-13	09/11/2007	<50 q	NA	0.69	0.30 r	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	15.51	26.08	NA	0.92
MW-13	12/26/2007	<50 q	NA	0.24 r	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	14.74	26.85	NA	1.0
MW-13	03/19/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	13.28	28.31	NA	0.34
MW-13	06/05/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	14.65	26.94	NA	0.15
MW-13	09/29/2008	<50	NA	0.53	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	16.50	25.09	NA	1.59
EW-1	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	NA	NA	NA
EW-2	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.35	NA	NA	NA
P-1A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.49	NA	NA	NA
P-2A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.58	NA	NA	NA
P-3A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.21	NA	NA	NA
P-4A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.95	NA	NA	NA
P-1B	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.50	NA	NA	NA
P-2B	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.40	NA	NA	NA
P-3B	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.02	NA	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
P-4A	10/02/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.63	NA	NA	NA
P-4B	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.30	NA	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to June 11, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to June 11, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260

1,2-DCA = 1,2-dichloroethane, analyzed by EPA Method 8260

EDB = 1,2-dibromomethane or ethylene dibromide, analyzed by EPA Method 8260

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

WELL CONCENTRATIONS
Shell-branded Service Station
1784 150th Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Notes:

- a = Chromatogram pattern indicates an unidentified hydrocarbon.
- b = Samples not analyzed due to laboratory oversight.
- c = Hydrocarbon does not match pattern of laboratory's standard.
- d = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.
- e = Estimated value. The concentration exceeded the calibration of analysis.
- f = Quantity of unknown hydrocarbon(s) in sample based on gasoline.
- g = Sample was originally analyzed within the EPA recommended hold time. Re-analysis for dilution was performed past the recommended hold time.
- h = Sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation was performed past the recommended hold time.
- i = The result for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.
- j = Result was reported with a possible low bias due to the continuing calibration verification falling outside the acceptance criteria.
- k = The result was reported with a possible low bias due to the continuing calibration verification falling outside the acceptance criteria.
- l = Sample required dilution due to high concentrations of target analyte.
- m = Well resampled on July 6, 2006 due to laboratory error.
- n = Well not accessed due to equipment malfunction.
- o = All wells regauged on June 30, 2006 prior to sampling.
- p = Wells resampled for 2Q06 event due to laboratory error.
- q = Analyzed by EPA Method 8015B (M).
- r = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
- t = the sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
- * = Sample analyzed out of EPA recommended hold time.


When Separate-Phase Hydrocarbons are present, the groundwater elevation is adjusted using the following formula: $GWE = TOC - DTW + 0.8 * SPH$ thickness.

Site surveyed January 23, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-7 and MW-8 surveyed by Virgil Chavez Land Surveying of Vallejo, CA

Wells MW-9, MW-10, and MW-11 surveyed December 11, 2003 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-12 and MW-13 surveyed on June 9, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.



July 29, 2008

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **CalScience Work Order No.: 08-07-2081**
Client Reference: 1784 150th Ave., San Leandro, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 7/24/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Jessie Kim", with a large, stylized flourish at the end.

CalScience Environmental
Laboratories, Inc.
Jessie Kim
Project Manager

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 07/24/08
Work Order No: 08-07-2081
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-07-2081-1-A	07/22/08 09:43	Aqueous	GC/MS RR	07/24/08	07/25/08 07:48	080724L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	69000	5000	100		p/m-Xylene	3000	100	100	
Benzene	8700	50	100		o-Xylene	480	100	100	
Ethylbenzene	1400	100	100		Methyl-t-Butyl Ether (MTBE)	3100	100	100	
Toluene	510	100	100						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	91	70-130			1,4-Bromofluorobenzene-TPPH	96	70-130		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-11	08-07-2081-2-A	07/24/08 10:02	Aqueous	GC/MS RR	07/24/08	07/25/08 08:12	080724L02


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	100000	5000	100		p/m-Xylene	18000	100	100	
Benzene	1100	50	100		o-Xylene	6900	100	100	
Ethylbenzene	3800	100	100		Methyl-t-Butyl Ether (MTBE)	ND	100	100	
Toluene	9200	100	100						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	70-130			1,4-Bromofluorobenzene-TPPH	103	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-715-661	N/A	Aqueous	GC/MS RR	07/24/08	07/25/08 02:46	080724L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	84	70-130			1,4-Bromofluorobenzene-TPPH	87	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 07/24/08
Work Order No: 08-07-2081
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B


Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-07-2017-3	Aqueous	GC/MS RR	07/24/08	07/25/08	080724S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	83	89	70-130	8	0-30	
Ethylbenzene	86	95	70-130	10	0-30	
Toluene	86	94	70-130	10	0-30	
p/m-Xylene	90	99	70-130	10	0-30	
o-Xylene	92	101	70-130	10	0-30	
Methyl-t-Butyl Ether (MTBE)	97	110	70-130	6	0-30	
Tert-Butyl Alcohol (TBA)	86	100	70-130	15	0-30	
Diisopropyl Ether (DIPE)	100	111	70-130	8	0-30	
Ethyl-t-Butyl Ether (ETBE)	89	100	70-130	12	0-30	
Tert-Amyl-Methyl Ether (TAME)	93	103	70-130	10	0-30	
Ethanol	100	110	70-130	9	0-30	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 08-07-2081
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-715-661	Aqueous	GC/MS RR	07/24/08	07/25/08	080724L02

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPPH	94	87	65-135	8	0-30	
Benzene	85	89	70-130	4	0-30	
Ethylbenzene	91	94	70-130	3	0-30	
Toluene	89	93	70-130	4	0-30	
p/m-Xylene	95	98	70-130	2	0-30	
o-Xylene	97	100	70-130	3	0-30	
Methyl-t-Butyl Ether (MTBE)	93	98	70-130	6	0-30	
Tert-Butyl Alcohol (TBA)	84	94	70-130	10	0-30	
Diisopropyl Ether (DIPE)	95	98	70-130	2	0-30	
Ethyl-t-Butyl Ether (ETBE)	91	96	70-130	5	0-30	
Tert-Amyl-Methyl Ether (TAME)	96	100	70-130	4	0-30	
Ethanol	104	100	70-130	3	0-30	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 08-07-2081

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	A Marginal Exceedance (ME) is defined as a LCS percent recovery beyond the normal 3 standard deviation Control Limits but still within the marginal exceedance limits (set at 4 standard deviations from the mean)
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



LAB (LOCATION)

- CALSCIENCE ()
- SPL ()
- XENCO ()
- TEST AMERICA ()
- OTHER ()



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input checked="" type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SD&CM	<input type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER _____	

Print Bill To Contact Name: Denis Brown

INCIDENT # (ENV SERVICES): 9 8 9 9 6 0 6 8

CHECK IF NO INCIDENT # APPLIES

DATE: 07-22-08

PAGE: 1 of 1

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

SITE ADDRESS: Street and City: 1784 150th Ave., San Leandro

State: CA

GLOBAL ID NO.: T0600101230

ADDRESS: 1680 Rogers Ave, San Jose, CA 95112

EDF DELIVERABLE TO (Name, Company, Office Location): Ann Kremi, CRA, Emeryville

PHONE NO.: (510) 420-3335

E-MAIL: Shelledf@craworld.com

CONSULTANT PROJECT NO.: 080722-wwj

PROJECT CONTACT (Hardcopy or PDF Report to): Michael Ninokata

SAMPLER NAME(S) (Print): WILLIAM WONG

E-MAIL: mninokata@blainetech.com

LAB USE ONLY: 08-07-2081

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS

RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

REQUESTED ANALYSIS

SPECIAL INSTRUCTIONS OR NOTES :

Run TPH-d w/Silica Gel Clean Up

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES


EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

LAB USE ONLY	SAMPLING			MATRIX	PRESERVATIVE						NO. OF CONT.	REQUESTED ANALYSIS											TEMPERATURE ON RECEIPT °C	Container PID Readings or Laboratory Notes				
	DATE	TIME			HCL	HNO3	H2SO4	NONE	OTHER	TPH - Purgeable (8260B)		TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)			Methanol (8015M)			
1	MW-1	07/22/08	0943	W	3							3	X	X	X													
2	MW-11	↓	1002	W	3							3	X	X	X													

Relinquished by: (Signature) <i>Wong</i>	Received by: (Signature) <i>Wong</i> SAMPLE W/STODIAN	Date: 07/22/08	Time: 1515
Relinquished by: (Signature) <i>Tom Simpson</i> (Sample Custodian)	Received by: (Signature) <i>Tom Simpson</i> CER	Date: 7/23/08	Time: 1015
Relinquished by: (Signature) <i>Tom Simpson</i> 1730	Received by: (Signature) <i>Wong</i>	Date: 7-24-08	Time: 1030

650510038183



WORK ORDER #: 08 - 07 - 2081

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: BTS

DATE: 7-24-08

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature (For Air & Filter only).

LABORATORY (Other than Calscience Courier):

- Temperature blank.
3.6 C IR thermometer.
Ambient temperature (For Air & Filter only).

Temperature blank.

Initial: WB

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [check]

Initial: WB


SAMPLE CONDITION:

Table with 4 columns: Item, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: WB

COMMENTS:

Blank lines for handwritten comments.



October 10, 2008

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **CalScience Work Order No.: 08-10-0239**
Client Reference: 1784 150th Ave., San Leandro, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/3/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Jessie Kim".

CalScience Environmental
Laboratories, Inc.
Jessie Kim
Project Manager

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-6	08-10-0239-4-A	09/29/08 16:44	Aqueous	GC/MS T	10/07/08	10/07/08 16:07	081007L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	93	70-130			1,4-Bromofluorobenzene-TPPH	90	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-12	08-10-0239-10-A	09/29/08 12:37	Aqueous	GC/MS T	10/07/08	10/07/08 17:39	081007L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	23000	500	10		p/m-Xylene	1800	10	10	
Benzene	1800	5.0	10		o-Xylene	1100	10	10	
Ethylbenzene	1300	10	10		Methyl-t-Butyl Ether (MTBE)	ND	10	10	
Toluene	820	10	10						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	70-130			1,4-Bromofluorobenzene-TPPH	94	70-130		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-13	08-10-0239-11-A	09/29/08 11:11	Aqueous	GC/MS T	10/07/08	10/07/08 18:10	081007L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	0.53	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	95	70-130			1,4-Bromofluorobenzene-TPPH	91	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-715-1,013	N/A	Aqueous	GC/MS T	10/07/08	10/07/08 15:37	081007L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	96	70-130			1,4-Bromofluorobenzene-TPPH	90	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	08-10-0239-3-A	09/29/08 16:24	Aqueous	GC/MS T	10/07/08	10/07/08 18:40	081007L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	830	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	70-130			1,4-Bromofluorobenzene-TPPH	91	70-130		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	2500	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	1.6	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	40	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	8.1	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	96	70-130			1,4-Bromofluorobenzene-TPPH	88	70-130		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	5600	250	5		Methyl-t-Butyl Ether (MTBE)	ND	5.0	5	
Benzene	47	2.5	5		Tert-Butyl Alcohol (TBA)	ND	50	5	
Ethylbenzene	120	5.0	5		Diisopropyl Ether (DIPE)	ND	10	5	
Toluene	ND	5.0	5		Ethyl-t-Butyl Ether (ETBE)	ND	10	5	
p/m-Xylene	240	5.0	5		Tert-Amyl-Methyl Ether (TAME)	ND	10	5	
o-Xylene	47	5.0	5						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	70-130			1,4-Bromofluorobenzene-TPPH	95	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-9	08-10-0239-7-A	09/29/08 11:32	Aqueous	GC/MS T	10/07/08	10/07/08 20:12	081007L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	93	70-130			1,4-Bromofluorobenzene-TPPH	89	70-130		


Method Blank	099-12-715-1,013	N/A	Aqueous	GC/MS T	10/07/08	10/07/08 15:37	081007L01
--------------	------------------	-----	---------	---------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	96	70-130			1,4-Bromofluorobenzene-TPPH	90	70-130		

Method Blank	099-12-715-1,020	N/A	Aqueous	GC/MS T	10/08/08	10/08/08 17:13	081008L01
--------------	------------------	-----	---------	---------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	89	70-130			1,4-Bromofluorobenzene-TPPH	88	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-10-0239-1-A	09/29/08 15:58	Aqueous	GC/MS OO	10/06/08	10/06/08 19:55	081006L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	7900	50	100		Methyl-t-Butyl Ether (MTBE)	2300	100	100	
1,2-Dichloroethane	ND	50	100		Tert-Butyl Alcohol (TBA)	4100	1000	100	
Ethylbenzene	1400	100	100		Diisopropyl Ether (DIPE)	ND	200	100	
Toluene	560	100	100		Ethyl-t-Butyl Ether (ETBE)	ND	200	100	
p/m-Xylene	2100	100	100		Tert-Amyl-Methyl Ether (TAME)	ND	200	100	
o-Xylene	380	100	100		TPPH	61000	5000	100	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	110	74-140			1,2-Dichloroethane-d4	108	74-146		
Toluene-d8	100	88-112			Toluene-d8-TPPH	100	88-112		
1,4-Bromofluorobenzene	88	74-110							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-10-0239-2-A	09/29/08 14:53	Aqueous	GC/MS OO	10/06/08	10/06/08 20:20	081006L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	2600	25	50		Methyl-t-Butyl Ether (MTBE)	620	50	50	
1,2-Dichloroethane	ND	25	50		Tert-Butyl Alcohol (TBA)	ND	500	50	
Ethylbenzene	3400	50	50		Diisopropyl Ether (DIPE)	ND	100	50	
Toluene	6900	50	50		Ethyl-t-Butyl Ether (ETBE)	ND	100	50	
p/m-Xylene	14000	50	50		Tert-Amyl-Methyl Ether (TAME)	ND	100	50	
o-Xylene	5300	50	50		TPPH	84000	2500	50	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	105	74-140			1,2-Dichloroethane-d4	107	74-146		
Toluene-d8	101	88-112			Toluene-d8-TPPH	102	88-112		
1,4-Bromofluorobenzene	98	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-10	08-10-0239-8-A	09/29/08 14:00	Aqueous	GC/MS OO	10/06/08	10/06/08 20:46	081006L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	1.4	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1		TPPH	130	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	107	74-140			1,2-Dichloroethane-d4	110	74-146		
Toluene-d8	99	88-112			Toluene-d8-TPPH	101	88-112		
1,4-Bromofluorobenzene	85	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-11	08-10-0239-9-A	09/29/08 15:10	Aqueous	GC/MS OO	10/06/08	10/06/08 21:12	081006L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	1500	25	50		Methyl-t-Butyl Ether (MTBE)	210	50	50	
1,2-Dichloroethane	ND	25	50		Tert-Butyl Alcohol (TBA)	ND	500	50	
Ethylbenzene	4300	50	50		Diisopropyl Ether (DIPE)	ND	100	50	
Toluene	10000	200	200		Ethyl-t-Butyl Ether (ETBE)	ND	100	50	
p/m-Xylene	19000	200	200		Tert-Amyl-Methyl Ether (TAME)	ND	100	50	
o-Xylene	8200	50	50		TPPH	110000	2500	50	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	109	74-146		
Toluene-d8	99	88-112			Toluene-d8-TPPH	101	88-112		
1,4-Bromofluorobenzene	99	74-110							


Method Blank	099-12-767-223	N/A	Aqueous	GC/MS OO	10/06/08	10/06/08 13:03	081006L01
--------------	----------------	-----	---------	----------	----------	-------------------	-----------


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1		TPPH	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	104	74-140			1,2-Dichloroethane-d4	103	74-146		
Toluene-d8	98	88-112			Toluene-d8-TPPH	99	88-112		
1,4-Bromofluorobenzene	87	74-110							

Method Blank	099-12-767-227	N/A	Aqueous	GC/MS OO	10/07/08	10/07/08 12:53	081007L01
--------------	----------------	-----	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1		TPPH	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	108	74-140			1,2-Dichloroethane-d4	108	74-146		
Toluene-d8	100	88-112			Toluene-d8-TPPH	101	88-112		
1,4-Bromofluorobenzene	87	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B


Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-6	Aqueous	GC/MS T	10/07/08	10/07/08	081007S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	92	90	70-130	3	0-30	
Ethylbenzene	95	93	70-130	2	0-30	
Toluene	92	90	70-130	2	0-30	
p/m-Xylene	96	94	70-130	2	0-30	
o-Xylene	94	93	70-130	1	0-30	
Methyl-t-Butyl Ether (MTBE)	99	100	70-130	1	0-30	
Tert-Butyl Alcohol (TBA)	94	103	70-130	8	0-30	
Diisopropyl Ether (DIPE)	101	98	70-130	3	0-30	
Ethyl-t-Butyl Ether (ETBE)	94	96	70-130	1	0-30	
Tert-Amyl-Methyl Ether (TAME)	95	96	70-130	1	0-30	
Ethanol	92	101	70-130	9	0-30	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B


Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-0365-2	Aqueous	GC/MS T	10/08/08	10/08/08	081008S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	90	90	70-130	1	0-30	
Ethylbenzene	92	93	70-130	1	0-30	
Toluene	90	90	70-130	0	0-30	
p/m-Xylene	95	96	70-130	1	0-30	
o-Xylene	93	93	70-130	0	0-30	
Methyl-t-Butyl Ether (MTBE)	97	98	70-130	0	0-30	
Tert-Butyl Alcohol (TBA)	88	89	70-130	0	0-30	
Diisopropyl Ether (DIPE)	98	99	70-130	1	0-30	
Ethyl-t-Butyl Ether (ETBE)	93	95	70-130	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	95	97	70-130	2	0-30	
Ethanol	83	83	70-130	0	0-30	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B


Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-0092-12	Aqueous	GC/MS OO	10/06/08	10/06/08	081006S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	105	88-118	3	0-7	
Carbon Tetrachloride	99	105	67-145	5	0-11	
Chlorobenzene	99	103	88-118	4	0-7	
1,2-Dibromoethane	102	106	70-130	4	0-30	
1,2-Dichlorobenzene	100	105	86-116	5	0-8	
1,1-Dichloroethene	99	103	70-130	4	0-25	
Ethylbenzene	107	114	70-130	6	0-30	
Toluene	102	105	87-123	2	0-8	
Trichloroethene	101	103	79-127	2	0-10	
Vinyl Chloride	104	114	69-129	9	0-13	
Methyl-t-Butyl Ether (MTBE)	104	106	71-131	2	0-13	
Tert-Butyl Alcohol (TBA)	105	101	36-168	4	0-45	
Diisopropyl Ether (DIPE)	113	116	81-123	3	0-9	
Ethyl-t-Butyl Ether (ETBE)	108	112	72-126	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	106	108	72-126	2	0-12	
Ethanol	104	98	53-149	6	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 10/03/08
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B


Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-0448-7	Aqueous	GC/MS OO	10/07/08	10/07/08	081007S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	114	88-118	8	0-7	4
Carbon Tetrachloride	101	110	67-145	8	0-11	
Chlorobenzene	100	107	88-118	7	0-7	
1,2-Dibromoethane	99	109	70-130	10	0-30	
1,2-Dichlorobenzene	98	109	86-116	10	0-8	4
1,1-Dichloroethene	107	114	70-130	6	0-25	
Ethylbenzene	108	116	70-130	7	0-30	
Toluene	104	110	87-123	6	0-8	
Trichloroethene	102	109	79-127	7	0-10	
Vinyl Chloride	101	115	69-129	13	0-13	
Methyl-t-Butyl Ether (MTBE)	103	114	71-131	11	0-13	
Tert-Butyl Alcohol (TBA)	91	104	36-168	13	0-45	
Diisopropyl Ether (DIPE)	114	124	81-123	8	0-9	3
Ethyl-t-Butyl Ether (ETBE)	103	116	72-126	12	0-12	
Tert-Amyl-Methyl Ether (TAME)	104	113	72-126	8	0-12	
Ethanol	101	111	53-149	9	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-715-1,013	Aqueous	GC/MS T	10/07/08	10/07/08	081007L01		
<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>ME CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPPH	75	76	65-135	53-147	1	0-30	
Benzene	86	91	70-130	60-140	6	0-30	
Ethylbenzene	89	95	70-130	60-140	7	0-30	
Toluene	87	92	70-130	60-140	6	0-30	
p/m-Xylene	91	97	70-130	60-140	7	0-30	
o-Xylene	90	95	70-130	60-140	5	0-30	
Methyl-t-Butyl Ether (MTBE)	98	101	70-130	60-140	3	0-30	
Tert-Butyl Alcohol (TBA)	86	90	70-130	60-140	4	0-30	
Diisopropyl Ether (DIPE)	95	99	70-130	60-140	4	0-30	
Ethyl-t-Butyl Ether (ETBE)	95	98	70-130	60-140	3	0-30	
Tert-Amyl-Methyl Ether (TAME)	94	96	70-130	60-140	3	0-30	
Ethanol	84	89	70-130	60-140	6	0-30	


Total number of LCS compounds : 12


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-715-1,020	Aqueous	GC/MS T	10/08/08	10/08/08	081008L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
TPPH	88	82	65-135	53-147	7	0-30	
Benzene	92	95	70-130	60-140	3	0-30	
Ethylbenzene	96	98	70-130	60-140	2	0-30	
Toluene	91	95	70-130	60-140	4	0-30	
p/m-Xylene	98	100	70-130	60-140	1	0-30	
o-Xylene	94	95	70-130	60-140	2	0-30	
Methyl-t-Butyl Ether (MTBE)	96	96	70-130	60-140	1	0-30	
Tert-Butyl Alcohol (TBA)	91	104	70-130	60-140	13	0-30	
Diisopropyl Ether (DIPE)	94	99	70-130	60-140	5	0-30	
Ethyl-t-Butyl Ether (ETBE)	92	90	70-130	60-140	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	92	90	70-130	60-140	3	0-30	
Ethanol	94	105	70-130	60-140	11	0-30	


Total number of LCS compounds : 12


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-767-223	Aqueous	GC/MS OO	10/06/08	10/06/08	081006L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	98	105	84-120	78-126	7	0-8	
Carbon Tetrachloride	97	104	63-147	49-161	7	0-10	
Chlorobenzene	99	104	89-119	84-124	5	0-7	
1,2-Dibromoethane	98	106	80-120	73-127	8	0-20	
1,2-Dichlorobenzene	99	106	89-119	84-124	7	0-9	
1,1-Dichloroethene	95	105	77-125	69-133	10	0-16	
Ethylbenzene	108	113	80-120	73-127	5	0-20	
Toluene	100	107	83-125	76-132	7	0-9	
Trichloroethene	98	106	89-119	84-124	7	0-8	
Vinyl Chloride	106	115	63-135	51-147	8	0-13	
Methyl-t-Butyl Ether (MTBE)	101	111	82-118	76-124	9	0-13	
Tert-Butyl Alcohol (TBA)	90	99	46-154	28-172	10	0-32	
Diisopropyl Ether (DIPE)	110	118	81-123	74-130	7	0-11	
Ethyl-t-Butyl Ether (ETBE)	105	115	74-122	66-130	9	0-12	
Tert-Amyl-Methyl Ether (TAME)	104	112	76-124	68-132	7	0-10	
Ethanol	92	107	60-138	47-151	15	0-32	
TPPH	105	109	65-135	53-147	3	0-30	


Total number of LCS compounds : 17


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 08-10-0239
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-767-227	Aqueous	GC/MS OO	10/07/08	10/07/08	081007L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	110	110	84-120	78-126	0	0-8	
Carbon Tetrachloride	110	109	63-147	49-161	1	0-10	
Chlorobenzene	106	107	89-119	84-124	1	0-7	
1,2-Dibromoethane	106	106	80-120	73-127	0	0-20	
1,2-Dichlorobenzene	105	109	89-119	84-124	4	0-9	
1,1-Dichloroethene	117	118	77-125	69-133	0	0-16	
Ethylbenzene	115	117	80-120	73-127	2	0-20	
Toluene	110	111	83-125	76-132	1	0-9	
Trichloroethene	107	110	89-119	84-124	3	0-8	
Vinyl Chloride	113	112	63-135	51-147	1	0-13	
Methyl-t-Butyl Ether (MTBE)	108	110	82-118	76-124	1	0-13	
Tert-Butyl Alcohol (TBA)	93	95	46-154	28-172	3	0-32	
Diisopropyl Ether (DIPE)	122	122	81-123	74-130	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	114	115	74-122	66-130	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	110	111	76-124	68-132	1	0-10	
Ethanol	95	106	60-138	47-151	10	0-32	
TPPH	109	108	65-135	53-147	0	0-30	


Total number of LCS compounds : 17

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 08-10-0239

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



LAB (LOCATION)

- CALSCIENCE ()
- SPL ()
- XENCO ()
- TEST AMERICA ()
- OTHER ()



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input checked="" type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SD&CM	<input type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER _____	

Print Bill To Contact Name: **Denis Brown**

INCIDENT # (ENV SERVICES): **9 8 9 9 6 0 6 8**

PO # _____ SAP # _____

DATE: **9/29/08**

PAGE: **1** of **2**

CHECK IF NO INCIDENT # APPLIES

SAMPLING COMPANY: **Bialne Tech Services**

LOG CODE: **BTSS**

ADDRESS: **1680 Rogers Ave, San Jose, CA 95112**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata**

TELEPHONE: **(408)573-0555** FAX: **(408)573-7771** E-MAIL: **mninokata@blainetech.com**

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

SITE ADDRESS: Street and City: **1784 150th Ave., San Leandro** State: **CA** GLOBAL ID NO.: **T0600101230**

EDF DELIVERABLE TO (Name, Company, Office Location): **Ann Krenl, CRA, Emeryville** PHONE NO.: **(510) 420-3335** E-MAIL: **Shelledf@craworld.com** CONSULTANT PROJECT NO.: **080919-181**

SAMPLER NAME(S) (Print): **B. Doshi** LAB USE ONLY: **10-0239**

SPECIAL INSTRUCTIONS OR NOTES :

Run TPH-d w/Silica Gel Clean Up

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

REQUESTED ANALYSIS


LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.	REQUESTED ANALYSIS										TEMPERATURE ON RECEIPT °C	Container PID Readings or Laboratory Notes					
		DATE	TIME		HCL	HNO3	H2SO4	NONE	OTHER		TPH - Purgeable (8260B)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)			EDB (8260B)	Ethanol (8260B)	Methanol (8015M)		
1	MW-1	9/29/08	1558	W	X					3	X	X	X														
2	MW-2		1453		X					3	X	X	X														
3	MW-5		1624		X					3	X	X	X														yes on 5 oxy's
4	MW-6		1644		X					3	X	X	X														
5	MW-7		1217		X					3	X	X	X														
6	MW-8		1256		X					3	X	X	X														
7	MW-9		1132		X					3	X	X	X														
8	MW-10		1400		X					3	X	X	X		X												
9	MW-11		1510		X					3	X	X	X														
10	MW-12		1257		X					3	X	X	X														

Relinquished by: (Signature)	Received by: (Signature)	Date: 9/29/08	Time: 1820
Relinquished by: (Signature)	Received by: (Signature)	Date: 10/2/08	Time: 1600

Shipped via G70 GS0510476035

wobatu cr

10-3-08 1045



WORK ORDER #: 08 - 10 - 0239

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Blaine Tech

DATE: 10/3/08

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature (For Air & Filter Only).
°C Temperature blank.

LABORATORY (Other than Calscience Courier):

- 2.7 °C Temperature blank.
°C IR Thermometer.
Ambient temperature (For Air & Filter Only).

Initial: [Signature]

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [check]

Initial: [Signature]

SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: [Signature]

COMMENTS:

Blank lines for handwritten comments.

WELL DEVELOPMENT DATA SHEET

Project #: <u>081002-EC1</u>	Client: <u>Shell</u>
Developer: <u>EC</u>	Date Developed: <u>10-2-08</u>
Well I.D. <u>P-4A</u>	Well Diameter: (circle one) 2 3 <u>(4)</u> 6
Total Well Depth: Before <u>22.70</u> After <u>22.70</u>	Depth to Water: Before <u>19.63</u> After <u>20.00</u>
Reason not developed:	If Free Product, thickness:
Additional Notations: <u>swabbed for 16 minutes prior to purging</u>	

Volume Conversion Factor (VCF):
 $(12 \times (d^2/4) \times \pi) / 231$
 where
 12 = in / foot
 d = diameter (in.)
 $\pi = 3.1416$
 231 = in³/gal

Well dia.	VCF
2" =	0.16
3" =	0.37
4" =	0.65
6" =	1.47
10" =	4.08
12" =	6.87

<u>2.0</u>	<u>X</u>	<u>10</u>	<u>=</u>	<u>20</u>	gallons
1 Case Volume		Specified Volumes			

Purging Device: Bailer Electric Submersible
 Suction Pump Positive Air Displacement

Type of Installed Pump 2" PAD

Other equipment used _____

TIME	TEMP (F)	pH	Cond. (mS or μ S)	TURBIDITY (NTUs)	VOLUME REMOVED:	NOTATIONS:
<u>0815</u>	<u>71.2</u>	<u>8.71</u>	<u>1044</u>	<u>>1000</u>	<u>2</u>	<u>grayish cloudy</u>
<u>0825</u>	<u>69.6</u>	<u>8.31</u>	<u>1076</u>	<u>>1000</u>	<u>4</u>	<u>" "</u>
<u>0835</u>	<u>69.2</u>	<u>8.07</u>	<u>1064</u>	<u>>1000</u>	<u>6</u>	<u>switched to bailer</u>
<u>0850</u>	<u>69.3</u>	<u>8.00</u>	<u>1051</u>	<u>>1000</u>	<u>8</u>	<u>grayish cloudy</u>
<u>0900</u>	<u>69.1</u>	<u>7.83</u>	<u>1023</u>	<u>>1000</u>	<u>10</u>	<u>" fine sand "</u>
<u>0910</u>	<u>69.2</u>	<u>7.35</u>	<u>1031</u>	<u>>1000</u>	<u>12</u>	<u>" "</u>
<u>0920</u>	<u>69.2</u>	<u>7.33</u>	<u>1028</u>	<u>>1000</u>	<u>14</u>	<u>" "</u>
<u>0930</u>	<u>68.9</u>	<u>7.27</u>	<u>1021</u>	<u>>1000</u>	<u>16</u>	<u>" "</u>
<u>0940</u>	<u>69.1</u>	<u>7.17</u>	<u>1019</u>	<u>>1000</u>	<u>18</u>	<u>" "</u>
<u>0950</u>	<u>69.2</u>	<u>7.17</u>	<u>1018</u>	<u>>1000</u>	<u>20</u>	<u>" "</u>
	<u>69</u>	<u>7.16</u>	<u>1022</u>			
Did Well Dewater? <u>no</u>		If yes, note above.		Gallons Actually Evacuated:		<u>20</u>

SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1784 150th Ave San Leandro CA. Date 9/29/00

Job Number 080929-BD1 Technician B. Dushier Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
12 MW-1	X	X							
11 MW-2	X	X							
7 MW-3	X	X							
5 MW-4	X	X							
3 MW-5	X	X							
4 MW-6	X	X							
8 MW-7	X	X							
9 MW-8	X	X							
1 MW-9	X	X							
6 MW-10	X	X							
13 MW-11	X	X							
10 MW-12	X	*BD						X	No tag
2 MW-13	X						X	X	(no tag) 1 9/16 bolt broken

*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: _____

WELL GAUGING DATA

Project # 080929-BDI Date 09/29/08 Client Shell

Site 1784 150th Ave San Leandro CA.

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
MW-1	0950	4		* No spt	Detected *		24.04	44.67		INT
MW-2	0945	4		* No spt	Detected *		24.50	43.80		INT
MW-3	0931	4	-	* No spt	Detected *		26.85	41.66		INT
MW-4	1015	2					15.55	24.90		TR
MW-5	0928	2					16.45	24.95		
MW-6	0924	2					15.62	19.42		
MW-7	1206	2					19.40	26.90		TR
MW-8	1245	2					18.13	24.00		TR
MW-9	1055	2					16.62	34.74		TR
MW-10	0935	4	-	* No spt	Detected *		25.59	31.70		INT
MW-11	0940	4		* No spt	Detected *		20.21	24.78		INT
MW-12	1227	2					19.10	27.79		TR
MW-13	1050 0950	2					16.50	23.88		TR
* All caps popped 15 min prior to gauging *										

SHELL WELL MONITORING DATA SHEET

BTS #: <u>080929-BD1</u>	Site: <u>98996068</u>
Sampler: <u>BD</u>	Date: <u>9/29/08</u>
Well I.D.: <u>MW-2</u>	Well Diameter: 2 3 <input checked="" type="radio"/> 6 8 _____
Total Well Depth (TD): <u>43.80</u>	Depth to Water (DTW): <u>24.50</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YS</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>19.30 + 24.50 = 28.36</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

$\underline{12.5} \text{ (Gals.)} \times \underline{3} = \underline{37.5} \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1439</u>	<u>72.7</u>	<u>6.48</u>	<u>1578</u>	<u>29</u>	<u>12.5</u>	<u>clear/odor</u>
<u>1441</u>	<u>71.5</u>	<u>6.60</u>	<u>760</u>	<u>14</u>	<u>25.0</u>	↓
<u>1444</u>	<u>70.9</u>	<u>6.71</u>	<u>741</u>	<u>18</u>	<u>37.5</u>	

Did well dewater? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Gallons actually evacuated: <u>37.5</u>
Sampling Date: <u>9/29/08</u> Sampling Time: <u>15⁰⁰ 1453</u> Depth to Water: <u>28.30</u>	
Sample I.D.: <u>MW-2</u> Laboratory: STL Other: <u>CAL SCI</u>	
Analyzed for: TPH-G BTEX MTBE TPH-D Other: <u>see COC</u>	
EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):	
Analyzed for: TPH-G BTEX MTBE TPH-D Other:	
D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: <u>1.37</u> mg/L	
O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV	

SHELL WELL MONITORING DATA SHEET

BTS #: <u>080929-BD1</u>	Site: <u>98996068</u>
Sampler: <u>BD</u>	Date: <u>9/29/08</u>
Well I.D.: <u>MW-9</u>	Well Diameter: <u>3</u> 4 6 8
Total Well Depth (TD): <u>34.74</u>	Depth to Water (DTW): <u>16.62</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>ST</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>TRAFFIC</u>	

Purge Method: Bailer Watera Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

<u>2.8</u> (Gals.) X	<u>3</u> Specified Volumes	<u>=</u>	<u>8.4</u> Gals. Calculated Volume
----------------------	----------------------------	----------	------------------------------------

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1122</u>	<u>66.2</u>	<u>7.17</u>	<u>1124</u>	<u>165</u>	<u>2.8</u>	<u>clear</u>
<u>1126</u>	<u>66.1</u>	<u>7.04</u>	<u>1074</u>	<u>140</u>	<u>5.6</u>	↓
<u>1130</u>	<u>66.1</u>	<u>6.99</u>	<u>1068</u>	<u>137</u>	<u>8.4</u>	

Did well dewater? Yes No Gallons actually evacuated: 8.4

Sampling Date: 9/29/08 Sampling Time: 1132 Depth to Water: 17.10
TRAFFIC

Sample I.D.: MW-9 Laboratory: STL Other CAL SCI

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	<u>Post-purge:</u>	1.10 mg/L
------------------	------------	------	--------------------	-----------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

SHELL WELL MONITORING DATA SHEET

BTS #: <u>080929-BD1</u>	Site: <u>98996068</u>
Sampler: <u>BD</u>	Date: <u>9/29/08</u>
Well I.D.: <u>MW-13</u>	Well Diameter: <u>2</u> 3 4 6 8 _____
Total Well Depth (TD): <u>BD</u> <u>46.23.88</u>	Depth to Water (DTW): <u>16.50</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YS</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>TRAFFIC</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

<u>1.1</u> (Gals.) X <u>3</u> = <u>3.3</u> Gals. 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>US</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1105</u>	<u>66.5</u>	<u>7.23</u>	<u>1223</u>	<u>71000</u>	<u>1.1</u>	<u>Brown / cloudy</u>
<u>1107</u>	<u>66.3</u>	<u>7.07</u>	<u>1293</u>	<u>71000</u>	<u>2.2</u>	↓
<u>1109</u>	<u>66.3</u>	<u>7.12</u>	<u>1297</u>	<u>71000</u>	<u>3.3</u>	

Did well dewater? Yes No Gallons actually evacuated: 3.3

Sampling Date: 9/29/08 Sampling Time: 1111 Depth to Water: TRAFFIC
16.93

Sample I.D.: MW-13 Laboratory: STL Other CAL SCI

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1784 15th AVE, SAN LEANDRO, CA Date 09-15-08
 Job Number 080915-WW1 Technician WW Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
EW-1	X	X			X				
EW-2	X	X			X				ANNULAR SEAL HOLE (NEXT TO CASING)
P-1A	X	X							
P-2A	X	X							
P-3A	X	X							
P-4A	X	X							
P-1B	X	X			X				
P-2B	X	X							
P-3B	X	X							
P-4B	X	X							
MW-1A	X	X							

*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: WELLS DON'T HAVE METAL TAGS
*ALAMEDA COUNTY WATER RESOURCES TAGS

WELL GAUGING DATA

Project # 080915-WW1 Date 09-15-08 Client SHELL

Site 1784 150th AVE, SAN LEANDRO, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
EW-1	0828	4					23.26	34.75		
EW-2	0840	4	ODOR				19.35	32.86		
P-1A	0832	4					22.49	26.90		
P-2A	0824	4					23.58	26.79		
P-3A	0841	4					19.21	22.40		
P-4A	0846	4	ODOR				19.95	22.78		
P-1B	0835	4	ODOR				22.50	35.10		
P-2B	0826	4					23.40	33.42		
P-3B	0839	4					19.02	32.32		
P-4B	0844	4	ODOR				19.30	32.77		
MW-1A	0821	4					23.78	26.31		

WELL DEVELOPMENT DATA SHEET

Project #: 080915-WW1	Client: SHELL
Developer: WW	Date Developed: 09-15-08
Well I.D. EW-1	Well Diameter: (circle one) 2 3 4 6
Total Well Depth: Before 34.75 After 34.92	Depth to Water: Before 23.26 After 29.06
Reason not developed:	If Free Product, thickness:
Additional Notations: swabbed well 15 mins prior	

Volume Conversion Factor (VCF):
 $(12 \times (d^2/4) \times \pi) / 231$
 where
 12 = in/ foot
 d = diameter (in.)
 $\pi = 3.1416$
 231 = in³/gal

Well dia.	VCF
2"	= 0.16
3"	= 0.37
4"	= 0.65
6"	= 1.47
10"	= 4.08
12"	= 6.87

<u>7.5</u>	X	<u>10</u>	=	<u>75</u>
1 Case Volume		Specified Volumes		gallons

Purging Device: Bailer Electric Submersible
 Suction Pump Positive Air Displacement

Type of Installed Pump 2" PAD
 Other equipment used 4" SWAB

TIME	TEMP (F)	pH	Cond. (mS or μ S)	TURBIDITY (NTUs)	VOLUME REMOVED:	NOTATIONS:
0920	START		PURGE			odor, milky ^(no)
0946	65.7	6.08	1143	>1000	7.5	odor, milky
0954	66.0	6.81	1123	>1000	15	" " / HARD BOTTOM
0959	66.0	6.93	1103	>1000	22.5	odor, milky / HARD BOTTOM
1005	66.4	6.66	1088	>1000	30	" " "
1011	66.5	6.64	1056	>1000	37.5	" " "
SWITCH TO 3" ES PUMP						
1017	66.2	7.03	1066	>1000	45	" " "
1018	66.7	6.92	1047	>1000	52.5	" " "
1019	67.1	6.83	1031	>1000	60	" " "
1020	67.4	6.74	1006	>1000	67.5	" " "
1022	69.3	6.82	981	>1000	75	" " "
Did Well Dewater? No If yes, note above. NO					Gallons Actually Evacuated: 75	

WELL DEVELOPMENT DATA SHEET

Project #: 080915-WW1	Client: SHELL
Developer: WW	Date Developed: 09-17-08
Well I.D. EW-2	Well Diameter: (circle one) 2 3 4 6
Total Well Depth: Before 32.86 After 32.86	Depth to Water: Before 19.35 After 27.45
Reason not developed:	If Free Product, thickness:
Additional Notations: swabbed well 15 mins prior	

Volume Conversion Factor (VCF):
 $(12 \times (d^3/4) \times \pi) / 231$
 where
 12 = in / foot
 d = diameter (in.)
 $\pi = 3.1416$
 231 = in³/gal

Well dia.	VCF
2" =	0.16
3" =	0.37
4" =	0.65
6" =	1.47
10" =	4.08
12" =	6.87

<u>8.8</u>	X	<u>10</u>	=	<u>88</u>	gallons
1 Case Volume		Specified Volumes			

Purging Device: Bailer Electric Submersible
 Suction Pump Positive Air Displacement

Type of Installed Pump 2" PAD
 Other equipment used 4" swab

TIME	TEMP (F)	pH	Cond. (mS or <u>µS</u>)	TURBIDITY (NTUs)	VOLUME REMOVED:	NOTATIONS:
START	PURGE		0929 AM			<i>milky,</i>
0939	64.2	7.74	665	>1000	8.8	gray/cloudy / HARD BOTTOM
0947	64.6	7.57	684	>1000	17.6	gray/cloudy / odor / HARD BOTTOM
0954	64.7	7.79	698	>1000	26.4	" " " "
15 0959	64.8	5.82	692	>1000	35.2	switched to 3" ES
30 1000	65.3	6.32	642	>1000	44.0	gray / HARD BOTTOM
45 1001	66.2	6.67	721	>1000	52.8	" " "
1002	66.3	6.85	804	>1000	61.6	" " "
15 1004	66.2	6.89	927	>1000	70.4	" " "
30 1005	66.4	6.98	895	>1000	79.2	" " "
15 1006	66.2	7.00	949	>1000	88.0	" " "
Did Well Dewater? NO	If yes, note above.		Gallons Actually Evacuated:		88	

switched

WELL DEVELOPMENT DATA SHEET

Project #: 080915-WW1	Client: SHELL
Developer: WW	Date Developed: 09-15-08
Well I.D. P-1A	Well Diameter: (circle one) 2 3 4 6
Total Well Depth: 26.97	Depth to Water: 26.40
Before 26.90 After 26.90 26.40	Before 22.49 After 25.70 26.40
Reason not developed:	If Free Product, thickness:
Additional Notations: swabbed well 15 mins prior	

Volume Conversion Factor (VCF): $(12 \times (d^2/4) \times \pi) / 231$	Well dia.	VCF
where	2" =	0.16
12 = in / foot	3" =	0.37
d = diameter (in.)	4" =	0.65
$\pi = 3.1416$	6" =	1.47
231 = in ³ /gal	10" =	4.08
	12" =	6.87

<u>2.9</u>	X	<u>10</u>	=	<u>29</u>	gallons
1 Case Volume		Specified Volumes			

Purging Device: Bailer Electric Submersible
 Suction Pump Positive Air Displacement

Type of Installed Pump 2" PAD
 Other equipment used 4" SWAB

TIME	TEMP (F)	pH	Cond. (mS or μ S)	TURBIDITY (NTUs)	VOLUME REMOVED:	NOTATIONS:
1025	Start	Purge	w/ PAD PUMP			
1028	66.1	6.70	2159	71000	2.9	Brownish Grey / cloudy / Little hard silt bottom
1031	66.0	6.88	2252	71000	5.8	" "
10:37	66.0	6.76	2058	71000	8.7	" "
Dewatered @	10:43				9	Dtw: 25.00 DTB: 27.00
1308	Started	Purge	w/ PAD PUMP			Dtw @ 24.50
1314	70.1	7.06	2389	71000	11.6	Light Grey / cloudy
Dewatered @	1316				15.9	Dtw: 25.70 DTB: 27.00
1345	09/17/08	RESTART	PURGE		1	
1349	69.8	7.36	2402	>1000	14.5	gray, cloudy
1355	69.4	7.00	20.94ms	821	17.4	" "
1358	68.7	7.43	20.84ms	>1000	20.3	" "
1410	71.2	7.67	1787	>1000	23.2	" "
Did Well Dewater?	Yes		If yes, note above.	Gallons Actually Evacuated:		29

WELL DEVELOPMENT DATA SHEET

Project #: <u>080915-ww1</u>	Client: <u>Shell</u>
Developer: <u>MT</u>	Date Developed: <u>09-16-08</u>
Well I.D. <u>P-3A</u>	Well Diameter: (circle one) 2 3 <u>4</u> 6
Total Well Depth: Before <u>22.44</u> After <u>22.45</u>	Depth to Water: Before <u>19.21</u> After <u>20.32</u>
Reason not developed:	If Free Product, thickness:
Additional Notations: <u>SWABBED WELL 15 mins prior.</u>	

Volume Conversion Factor (VCF):
 $(12 \times (d^2/4) \times \pi) / 231$
 where
 12 = in / foot
 d = diameter (in.)
 $\pi = 3.1416$
 231 = in³/gal

Well dia.	VCF
2" =	0.16
3" =	0.37
4" =	0.65
6" =	1.47
10" =	4.08
12" =	6.87

<u>2.9</u>	X	<u>10</u>	=	<u>20</u> ^{ww} <u>19</u>
1 Case Volume		Specified Volumes		gallons

- Purging Device:
- | | |
|---------------------------------------|---|
| <input type="checkbox"/> Bailer | <input type="checkbox"/> Electric Submersible |
| <input type="checkbox"/> Suction Pump | <input checked="" type="checkbox"/> Positive Air Displacement |

Type of Installed Pump 2" PAD
 Other equipment used 4" Swab

TIME	TEMP (F)	pH	Cond. (mS or µS)	TURBIDITY (NTUs)	VOLUME REMOVED:	NOTATIONS:
1337	Start					grey/silty / Hard Bottom
1350	70.5	7.82	963.2	71000	6	Case volumes 1-3
Dewatered @ 6gls						
RESTART PURGE			09/17/08	0821 AM		
1824	65.7	5.48	960	>2000	7.6	gray / cloudy / odor ^{HARD} BOTTO.
0829	63.8	6.42	952	>1000	9.5	" " " "
0835	64.4	6.56	1032	>1000	11.4	" " " "
0841	64.7	5.60	1002	>1000	13.3	" " " "
0852	64.2	6.22	1053	>1000	15.2	" " " "
0900	63.0	6.61	1004	145	17.1	clear / ^{HARD} BOTTOM
0905	64.2	6.32	982	59	19.0	" "
Did Well Dewater? <u>Yes</u>	If yes, note above.		Gallons Actually Evacuated:		<u>19</u>	

WELL DEVELOPMENT DATA SHEET

Project #: <u>080915-WW1</u>	Client: <u>SHELL</u>
Developer: <u>WW</u>	Date Developed: <u>09-15-08</u>
Well I.D. <u>P-2B</u>	Well Diameter: (circle one) 2 3 <u>4</u> 6
Total Well Depth: Before <u>33.42</u> After <u>34.54</u>	Depth to Water: Before <u>23.40</u> After <u>29.59</u>
Reason not developed:	If Free Product, thickness:
Additional Notations: <u>swabbed well 15 mins prior</u>	

Volume Conversion Factor (VCF):
 $(12 \times (d^2/4) \times \pi) / 231$
 where
 12 = in / foot
 d = diameter (in.)
 $\pi = 3.1416$
 231 = in³/gal

Well dia.	VCF
2" =	0.16
3" =	0.37
4" =	0.65
6" =	1.47
10" =	4.08
12" =	6.87

<u>6.5</u>	X	<u>10</u>	=	<u>65</u>	gallons
1 Case Volume		Specified Volumes			

Purging Device: Bailer Electric Submersible
 Suction Pump Positive Air Displacement

Type of Installed Pump 2" PAD
 Other equipment used 4" swab

TIME	TEMP (F)	pH	Cond. (mS or <u>µS</u>)	TURBIDITY (NTUs)	VOLUME REMOVED:	NOTATIONS:
<u>1240</u>						
						<u>START PURGE</u>
<u>1252</u>	<u>71.2</u>	<u>7.10</u>	<u>1889</u>	<u>>1000</u>	<u>6.5</u>	<u>brown/milky / HARD BOTTOM</u>
<u>1259</u>	<u>68.9</u>	<u>7.20</u>	<u>1865</u>	<u>>1000</u>	<u>13</u>	<u>" " "</u>
<u>1305</u>	<u>68.1</u>	<u>7.09</u>	<u>1858</u>	<u>>1000</u>	<u>19.5</u>	<u>" " "</u>
						<u>SWITCHED TO 3" ES</u>
<u>1311</u>	<u>68.7</u>	<u>6.80</u>	<u>1782</u>	<u>>1000</u>	<u>26</u>	<u>" " "</u>
<u>1312</u>	<u>68.5</u>	<u>6.63</u>	<u>2426</u>	<u>>1000</u>	<u>32.5</u>	<u>" " "</u>
<u>1313</u>	<u>68.5</u>	<u>6.57</u>	<u>2193</u>	<u>>1000</u>	<u>39</u>	<u>" " "</u>
<u>1314</u>	<u>68.6</u>	<u>6.56</u>	<u>1832</u>	<u>>1000</u>	<u>45.5</u>	<u>" " "</u>
<u>1315</u>	<u>68.9</u>	<u>6.56</u>	<u>1873</u>	<u>>1000</u>	<u>52</u>	<u>" " "</u>
<u>1316</u>	<u>69.1</u>	<u>6.45</u>	<u>1857</u>	<u>>1000</u>	<u>58.5</u>	<u>" " "</u>
<u>1317</u>	<u>69.2</u>	<u>6.39</u>	<u>1850</u>	<u>>1000</u>	<u>65</u>	<u>" " "</u>

Did Well Dewater? <u>NO</u>	If yes, note above.	Gallons Actually Evacuated: <u>65</u>
-----------------------------	---------------------	---------------------------------------

WELL DEVELOPMENT DATA SHEET

Project #: 080915-WW1	Client: SHELL
Developer: WW	Date Developed: 09-17-08
Well I.D. P-4B	Well Diameter: (circle one) 2 3 4 6
Total Well Depth: Before 32.77 After 32.80	Depth to Water: Before 19.30 After 27.53
Reason not developed:	If Free Product, thickness:
Additional Notations: swabbed well 15 mins prior	

Volume Conversion Factor (VCF): (12 x (d ² /4) x π) / 231	Well dia.	VCF
where	2" =	0.16
12 = in / foot	3" =	0.37
d = diameter (in.)	4" =	0.65
π = 3.1416	6" =	1.47
231 = in ³ /gal	10" =	4.08
	12" =	6.87

<u>8.8</u>	X	<u>10</u>	=	<u>88</u>
1 Case Volume		Specified Volumes		gallons

Purging Device: Bailer Electric Submersible
 Suction Pump Positive Air Displacement

Type of Installed Pump 2" PAD
 Other equipment used 4" swab

TIME	TEMP (F)	pH	Cond. (mS or <u>μS</u>)	TURBIDITY (NTUs)	VOLUME REMOVED:	NOTATIONS:
1207	START DEVELOPMENT / SWAB					
1222	START PURGE					
1252	67.0	7.64	1122	>1000	8.8	cloudy / milky
1301	66.9	7.40	1252	>1000	17.6	cloudy / milky / odor
1307	67.1	7.43	1251	>1000	26.4	cloudy / odor
1311	64.4	7.24	1199	>1000	35.2	" "
1312	67.9	7.12	1207	>1000	44.0	" "
1313	67.9	6.94	1445	>1000	53.8	" "
1315	67.7	6.81	1571	>1000	62.6	" "
1316	67.7	6.90	1502	>1000	71.4	" "
1317	68.0	6.83	1510	>1000	80.2	" "
1318	68.4	6.42	1513	>1000	88.0	" "
Did Well Dewater? NO				If yes, note above.		Gallons Actually Evacuated: 88

WELL DEVELOPMENT DATA SHEET

Project #: <u>080915-WW1</u>	Client: <u>SHELL</u>
Developer: <u>WW</u>	Date Developed: <u>09-15-08</u>
Well I.D. <u>MW-1A</u>	Well Diameter: (circle one) 2 3 <u>4</u> 6
Total Well Depth: Before <u>26.31</u> After <u>26.31</u>	Depth to Water: Before <u>23.78</u> After <u>24.71</u>
Reason not developed:	If Free Product, thickness:
Additional Notations: <u>swabbed well 15 mins prior</u>	

Volume Conversion Factor (VCF):
 $(12 \times (d^2/4) \times \pi) / 231$
 where
 12 = in / foot
 d = diameter (in.)
 $\pi = 3.1416$
 231 = in³/gal

Well dia.	VCF
2" =	0.16
3" =	0.37
4" =	0.65
6" =	1.47
10" =	4.08
12" =	6.87

<u>1.6</u>	X	<u>10</u>	=	<u>16</u>
1 Case Volume		Specified Volumes		gallons

Purging Device: Bailer Electric Submersible
 Suction Pump Positive Air Displacement

Type of Installed Pump 2" PAD
 Other equipment used 4" swab

TIME	TEMP (F)	pH	Cond. (mS or μ S)	TURBIDITY (NTUs)	VOLUME REMOVED:	NOTATIONS:
1050	START	PURGE				
1054	67.2	7.21	3516	>1000	1.6	cloudy / HARD BOTTOM
1101	68.7	7.25	3475	>1000	3.2	" "
1105	68.2	7.18	3482	>1000	4.8	" "
1109	67.8	7.59	3389	>1000	6.4	" "
WELL	DEWATERED @				6.4	GALLONS DTW = 24.90 DTB = 26.21
RESTART	PURGE					1207 PM
1215	70.6	7.21	2693	>1000	8	cloudy; HARD BOTTOM
1222	69.7	7.68	2515	>1000	9.6	" "
1234	70.3	7.81	2314	>1000	11.2	" "
WELL	DEWATERED @				11.2	GALLONS DTW = 25.23 DTB = 26.31
1340	RESTART PURGE				8	
1343	70.9	6.55	2105	>1000	12.8	cloudy / HARD BOTTOM
Did Well Dewater?	YES		If yes, note above.	YES	Gallons Actually Evacuated:	

SHELL WELL MONITORING DATA SHEET

BTS #: <u>080722-MW1</u>	Site: <u>98996068</u>
Sampler: <u>MW</u>	Date: <u>07-22-08</u>
Well I.D.: <u>MW-1</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>44.62</u>	Depth to Water (DTW): <u>23.13</u>
Depth to Free Product: <u>23.12</u>	Thickness of Free Product (feet): <u>0.01</u>
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YST</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>27.43</u>	

Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
---	---	--

$\frac{14}{1} \text{ (Gals.)} \times \frac{3}{1} \text{ Specified Volumes} = 42 \text{ Gals. Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

15
30

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
0934	67.4	6.80	1215	39	14	odor
0936	67.9	6.52	1229	51	28	"
0938	68.5	6.77	1247	28	42	"

Did well dewater? Yes No Gallons actually evacuated: 42

Sampling Date: 07/22/08 Sampling Time: 0943 Depth to Water: 23.57

Sample I.D.: MW-1 Laboratory: STL Other: CAL SCIENCE

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: 644.31 mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558

