



GETTLER-RYAN INC.

January 12, 2001
G-R Job #386461

Mr. Thomas Bauhs
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Second Semi-Annual Event of October 10, 2000
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-8139
16304 Foothill Boulevard
San Leandro, California

Dear Mr. Bauhs:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


Deanna L. Harding
Project Coordinator




Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



X (ppb)	MIBE (ppb)
---------	------------

<0.5	<0.5
-	-
<0.5	-
<0.5	<0.5
-	-
1.0	-
<0.5	-
-	-
<0.5	-
<0.5	-
<0.5	-
0.5	-
<0.5	-
<0.5	-
<0.5	-
3.0	-
1.0	-
3.0	-
2.0	-
<0.5	-
5.5	-
<0.5	-
4.1	-
<0.5	-



Gettler - Ryan Inc.

6747 Sierra Ct., Suite J
Dublin, CA 94568 (925) 561-7555

POTENTIOMETRIC MAP
Chevron Service Station #9-8139
16304 Foothill Boulevard
San Leandro, California

FIGURE
1

JOB NUMBER
386461

REVIEWED BY

DATE
October 10, 2000

REVISED DATE

Table I
Groundwater Monitoring and Analytical Results
Chevron Service Station #9-8139
16304 Foothill Boulevard
San Leandro, California

WELL ID	DATE	DTW	S.L.	GWE	SPHT	TPH-G	B	T	E
TOC*		(ft.)	(ft. bgs.)	(mil)	(ft.)	(ppb)	(ppb)	(ppb)	(ppb)
MW-1									
127.09	12/05/89 ^{1,2}	--	--	--	--	<500	<0.5	<0.5	<0.5
	03/23/90	12.92		114.17	--	--	--	--	--
	05/24/90	--		--	--	<50	<0.5	<0.5	<0.5
	09/06/90 ³	14.68		112.41	--	<50	<0.5	0.8	<0.5
	09/25/90	15.01		112.08	--	--	--	--	--
	11/29/90	14.82		112.27	--	<50	0.7	0.9	<0.5
	02/20/91	14.29		112.80	--	<50	<0.5	<0.5	<0.5
	04/19/91	12.16		114.93	--	--	--	--	--
	05/22/91	13.69		113.40	--	<50	<0.5	<0.5	<0.5
	08/22/91	15.38		111.71	--	<50	<0.5	<0.5	<0.5
	11/13/91	15.80		111.29	--	<50	<0.5	<0.5	<0.5
	01/30/92	14.71		112.38	--	<50	0.5	<0.5	<0.5
	04/23/92	12.22		114.87	--	<50	<0.5	<0.5	<0.5
	07/27/92	14.30		112.79	--	<50	<0.5	<0.5	<0.5
	10/26/92	15.90		111.19	--	<50	0.6	<0.5	<0.5
	01/29/93	10.51		116.58	--	<50	3.0	3.0	0.7
	04/30/93	9.90		117.19	--	<50	<0.5	0.7	<0.5
	07/14/93	12.28		114.81	--	<50	0.7	1.0	<0.5
	10/27/93	15.53		111.56	--	<50	0.9	2.0	<0.5
	01/13/94	12.24		114.85	--	<50	<0.5	0.9	<0.5
	04/22/94	12.91		114.18	--	<50	1.1	2.6	1.0
	07/29/94	12.75		114.34	--	<50	<0.5	0.9	<0.5
	10/25/94	13.63		113.46	--	100	0.6	1.6	<0.5
	01/19/95	9.93		117.16	--	<50	<0.5	<0.5	<0.5
	ABANDONED								

Table 1
Groundwater Monitoring and Analytical Results
 Chevron Service Station #9-8139
 16304 Foothill Boulevard
 San Leandro, California

X (ppb)	MTBE (ppb)	WELL ID TDC*	DATE	DTW (ft.)	S.I. (ft. bgs.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
2,600	<0.5	MW-2	12/05/89 ^{1,3}	--	--	--	--	<500	<0.5	<0.5	<0.5	0.9	<0.5
2,600	<0.5	125.98	03/23/90	12.40		113.58	--	--	--	--	--	--	--
--	--		05/24/90	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	--
1,500	--		09/06/90 ³	14.85		111.13	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1,600	--		09/25/90	14.80		111.18	--	--	--	--	--	--	--
460	<0.5		11/29/90	14.40		111.58	--	<50	<0.5	<0.5	<0.5	<0.5	--
--	--		02/20/91	14.09		111.89	--	<50	<0.5	<0.5	<0.5	<0.5	--
1,100	--		04/19/91	12.62		113.36	--	--	--	--	--	--	--
920	--		05/22/91	12.98		113.00	--	<50	<0.5	<0.5	<0.5	<0.5	--
--	--		08/22/91	14.93		111.05	--	<50	<0.5	<0.5	<0.5	<0.5	--
2,300	--		11/13/91	15.42		110.56	--	58	<0.5	0.5	0.7	2.3	--
--	--		01/30/92	14.70		111.28	--	<50	<0.5	<0.5	<0.5	<0.5	--
2,000	--		04/23/92	13.83		112.15	--	<50	<0.5	<0.5	<0.5	<0.5	--
1,700	--		07/27/92	15.30		110.68	--	<50	<0.5	<0.5	<0.5	1.1	--
2,200	--		10/26/92	15.62		110.36	--	<50	<0.5	<0.5	<0.5	<0.5	--
2,600	--		01/29/93	9.26		116.72	--	<50	3.0	8.0	1.0	5.0	--
3,500	--		04/30/93	9.66		116.32	--	<1,300	<13	<13	<13	<13	--
3,600	--		07/14/93	11.90		114.08	--	<50	0.8	2.0	0.8	4.0	--
570	--		10/27/93	13.49		112.49	--	<50	1.0	2.0	1.0	2.0	--
5,000	--		01/13/94	11.99		113.99	--	<50	<0.5	0.6	<0.5	<0.5	--
2,400	--		04/22/94	12.73		113.25	--	<50	0.6	<0.5	<0.5	1.7	--
2,900	--		07/29/94	12.30		113.68	--	<50	<0.5	0.9	<0.5	<0.5	--
3,400	--		10/25/94	13.39		112.59	--	<50	<0.5	0.8	<0.5	2.1	--
1,800	--		01/19/95	8.71		117.27	--	<50	<0.5	2.3	<0.5	<0.5	--
2,400	--		ABANDONED										
420	--												
1,400	--												
740	--												
1,500	13,000												
1,500	6,800												
--	--												

Table 1
Groundwater Monitoring and Analytical Results
Chevron Service Station #9-8139
16304 Foothill Boulevard
San Leandro, California

WELL ID	DATE	DTW	S.L.	GWE	SPHT	TPH-G	B	T	E
TOC*		(ft.)	(ft. bgs.)	(msf)	(ft.)	(ppb)	(ppb)	(ppb)	(ppb)
MW-3	12/05/89 ^{2,3}	--	--	--	--	24,000	2,400	1,800	360
127.84	(D) 12/05/89 ³	--		--	--	24,000	2,500	1,900	390
	03/23/90	17.50		110.34	--	--	--	--	--
	05/24/90	--		--	--	9,000	2,600	1,700	250
	(D) 05/24/90	--		--	--	10,000	2,600	1,800	260
126.77	09/06/90 ³	18.72		108.05	--	3,500	900	550	110
	09/25/90	18.40		108.37	--	--	--	--	--
	11/29/90	18.97		107.80	--	9,200	1,100	1,100	210
	02/20/91	19.20		107.57	--	8,800	960	780	200
	04/19/91	17.81		108.96	--	--	--	--	--
	05/22/91	17.88		108.89	--	28,000	5,800	1,200	460
	08/01/91	19.23		107.54	--	--	--	--	--
	08/22/91	20.17		106.60	--	21,000	3,100	2,000	480
	(D) 08/22/91	--		--	--	19,000	2,700	1,800	420
	11/13/91	19.95		106.82	--	18,000	2,400	1,200	450
	01/30/92	19.14		107.63	--	18,000	3,800	920	700
	04/23/92	17.75		109.02	--	46,000	5,000	1,900	1,000
	07/27/92	19.00		107.77	--	26,000	4,900	1,100	1,200
	10/26/92	19.62		107.15	--	6,600	1,100	41	220
	01/29/93	15.95		110.82	--	32,000	5,900	2,900	1,300
	04/30/93	15.67		111.10	--	14,000	6,100	98	870
	07/14/93	16.83		109.94	--	12,000	3,100	1,100	720
	10/27/93	17.70		109.07	--	19,000	7,800	400	1,500
	01/13/94	16.54		110.23	--	51,000	3,700	140	720
	04/22/94	17.02		109.75	--	22,000	9,300	89	1,200
	07/29/94	16.95		109.82	--	13,000	4,700	44	580
	10/25/94	17.66		109.11	--	24,000	8,700	52	1,500
	01/19/95	13.87		112.90	--	17,000	9,300	36	1,600
	10/12/95	14.23		112.54	--	37,000	12,000	180	1,800
	04/11/96	11.04		115.73	--	19,000	2,400	81	1,400
	10/03/96	14.62		112.15	--	--	--	--	--
	ABANDONED								

Table 1
Groundwater Monitoring and Analytical Results
 Chevron Service Station #9-8139
 16304 Foothill Boulevard
 San Leandro, California

WELL ID TOC*	DATE	DTW (ft.)	S.L. (ft. bgs.)	GWE (msf)	SPHT (ft.)	FPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 124.18	03/23/90	18.51	-	105.67	--	-	-	-	-	-	-
	05/25/90 ⁵	--		--	--	<50	<2.0	<3.0	<3.0	<3.0	<0.02
	09/07/90 ³	16.18		108.00	--	<50	<2.0	<3.0	<3.0	<3.0	<0.05
	09/25/90	16.42		107.76	--	-	-	-	-	-	-
	11/29/90 ³	16.11		108.07	--	<50	<0.5	<0.5	<0.5	<0.5	<0.05
	02/20/91	16.09		108.09	--	<50	<0.5	<0.5	<0.5	<0.5	-
	04/19/91	15.15		109.03	--	-	-	-	-	-	-
	05/22/91	15.41		108.77	--	<50	0.5	0.7	<0.5	1.1	-
	08/23/91	17.80		106.38	--	<50	<0.5	<0.5	<0.5	<0.5	-
	11/14/91 ⁵	16.52		107.66	--	<50	<0.5	<0.5	<0.5	<0.5	<0.02
(D)	11/14/91 ³	--		--	--	<50	<0.5	0.6	<0.5	1.1	<0.05
	01/31/92	16.48		107.70	--	<50	<0.5	<0.5	<0.5	<0.5	-
(D)	01/31/92	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	-
	04/23/92	16.20		107.98	--	<50	<0.5	<0.5	<0.5	<0.5	-
(D)	04/23/92	--		--	--	-	-	-	-	-	-
	07/27/92	16.52		107.66	--	<50	1.2	0.6	<0.5	1.9	-
	10/26/92	17.12		107.06	--	<50	<0.5	<0.5	<0.5	<0.5	-
	01/29/93	13.13		111.05	--	<50	<0.5	<0.5	<0.5	<0.5	-
	04/30/93	14.86		109.32	--	<50	<0.5	<0.5	<0.5	0.6	-
	07/14/93	14.61		109.57	--	<50	<0.5	<0.5	<0.5	<0.5	-
	10/27/93	15.38		108.80	--	<50	0.9	1.0	0.6	1.0	-
	01/13/94	15.34		108.84	--	<50	<0.5	<0.5	<0.5	<0.5	-
	04/22/94	15.07		109.11	--	<50	<0.5	<0.5	<0.5	2.5	-
	07/29/94	15.30		108.88	--	<50	7.5	1.2	1.0	1.1	-
	10/25/94	15.69		108.49	--	<50	<0.5	<0.5	<0.5	1.2	-
	01/19/95	11.49		112.69	--	<50	<0.5	3.1	<0.5	0.6	-
	10/11/95	14.16		110.02	--	-	-	-	-	-	-
	11/07/95	14.30		109.88	--	<50	<0.5	<0.5	<0.5	<0.5	>2.5
	04/11/96	10.63		113.55	--	<50	<0.5	<0.5	<0.5	<0.5	>2.5
	10/03/96	13.34		110.84	--	-	-	-	-	-	-

ABANDONED

Table 1
Groundwater Monitoring and Analytical Results
 Chevron Service Station #9-8139
 16304 Foothill Boulevard
 San Leandro, California

WELL ID TOC*	DATE	DTW (ft.)	S.L. (ft. bgs.)	GWE (msf)	SPHT (ft.)	TPH-C (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-7											
126.86	03/23/90	21.40	--	105.46	--	--	--	--	--	--	--
	05/25/90 ⁵	--		--	--	<50	<2.0	<3.0	<3.0	<3.0	<0.02
	09/07/90	18.38		108.48	--	--	--	--	--	--	--
	09/25/90	19.25		107.61	--	--	--	--	--	--	--
	09/27/90 ³	--		--	--	<50	<2.0	<3.0	<3.0	<3.0	<0.05
(D)	09/27/90 ³	--		--	--	<50	<2.0	<3.0	<3.0	<3.0	<0.05
	11/29/90	18.55		108.31	--	<50	<0.5	<0.5	<0.5	<0.5	--
	02/20/91	18.55		108.31	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/19/91	17.33		109.53	--	--	--	--	--	--	--
	05/22/91	17.42		109.44	--	<50	<0.5	<0.5	<0.5	<0.5	--
	08/22/91	19.05		107.81	--	<50	<0.5	<0.5	<0.5	<0.5	--
	11/13/91	21.84		105.02	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/30/92	22.42		104.44	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/23/92	22.04		104.82	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/27/92	22.24		104.62	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/26/92	22.11		104.75	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/29/93	17.07		109.79	--	<50	4.0	13	2.0	8.0	--
	04/30/93	14.86		112.00	--	<50	<0.5	<0.5	<0.5	0.6	--
	07/14/93	16.10		110.76	--	<50	<0.5	1.0	<0.5	2.0	--
	10/27/93	18.71		108.15	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/13/94	17.89		108.97	--	<50	<0.5	0.9	<0.5	1.0	--
	04/22/94	16.94		109.92	--	<50	<0.5	<0.5	<0.5	1.3	--
	07/29/94	16.70		110.16	--	74	19	8.2	7.8	11	--
	10/25/94	17.42		109.44	--	<50	<0.5	0.6	<0.5	1.6	--
	01/19/95	13.66		113.20	--	<50	<0.5	1.4	<0.5	<0.5	--

ABANDONED

Table 1
Groundwater Monitoring and Analytical Results
Chevron Service Station #9-8139
16304 Foothill Boulevard
San Leandro, California

WELL ID	DATE	DTW (ft.)	S.I. (ft. per ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-8											
123.61	09/07/90 ³	16.07	--	107.54	--	<50	<0.5	<0.5	<0.5	<0.5	<0.05
	09/25/90	16.20		107.41	--	--	--	--	--	--	--
	11/29/90	16.30		107.31	--	<50	<0.5	<0.5	<0.5	<0.5	--
(D)	11/29/90	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	02/20/91	16.32		107.29	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/19/91	14.71		108.90	--	--	--	--	--	--	--
	05/22/91	15.42		108.19	--	<50	0.6	<0.5	<0.5	1.0	--
	08/22/91	17.15		106.46	--	<50	<0.5	<0.5	<0.5	<0.5	--
	11/14/91	16.99		106.62	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/30/92	16.30		107.31	--	<50	1.0	0.7	<0.5	1.1	--
	04/23/92	15.05		108.56	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/27/92	16.08		107.53	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/26/92	16.72		106.89	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/29/93	12.82		110.79	--	1,400	470	470	37	160	--
	04/30/93	13.54		110.07	--	1,600	<13	15	18	29	--
	07/14/93	14.65		108.96	--	<50	<0.5	0.7	<0.5	2.0	--
	10/27/93	15.04		108.57	--	<50	3.0	4.0	2.0	4.0	--
	01/13/94	15.14		108.47	--	<50	<0.5	4.0	<0.5	<0.5	--
	04/22/94	15.01		108.60	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/28/94	14.70		108.91	--	69	7.3	18	3.3	12	--
	10/25/94	15.20		108.41	--	<50	<0.5	0.8	<0.5	1.6	--
	01/19/95	12.00		111.61	--	<50	<0.5	3.1	<0.5	0.7	--
	05/01/95	11.40		112.21	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/03/97	11.72		111.89	--	<200	<2.0	<2.0	<2.0	<2.0	610
	10/07/97	13.60		110.01	--	<50	<0.5	<0.5	<0.5	<0.5	500
	04/14/98	8.75		114.86	--	<50	<0.5	<0.5	<0.5	<0.5	120
	10/13/98	12.72		110.89	--	270	<0.5	<0.5	<0.5	<0.5	2,600
	04/16/99	11.55		112.06	--	480	<2.0	<2.0	<2.0	<2.0	5,000
	07/29/99 ⁶	12.35		111.26	--	--	--	--	--	--	--
	10/26/99	12.68		110.93	--	1,890	<5.0	12.1	<5.0	<5.0	39,000
	04/07/00 ⁹	11.24		112.37	0.00	<500	<5.0	<5.0	<5.0	<5.0	2,500
	10/10/00 ⁹	12.76		110.85	0.00	295 ¹¹	<0.500	<0.500	<0.500	<0.500	19,500

Table 1
Groundwater Monitoring and Analytical Results
 Chevron Service Station #9-8139
 16304 Foothill Boulevard
 San Leandro, California

WELL ID TOC ^a	DATE	DTW (ft.)	S.L. (ft. bgs.)	GWE (msl)	SPHT (ft.)	TPHC (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-9											
124.20	08/22/91 ¹	17.60	-	106.60	--	9,600	46	170	98	1,200	<0.05
	11/14/91 ¹	17.48		106.72	--	11,000	130	58	86	1,500	<0.05
	01/30/92	16.71		107.49	--	11,000	210	29	110	1,900	--
	04/23/92	15.23		108.97	--	17,000	180	25	100	1,900	--
	07/27/92	16.72		107.48	--	2,800	59	1.6	18	280	--
	10/26/92	17.22		106.98	--	3,200	38	<0.5	19	200	--
	01/29/93	13.39		110.81	--	1,300	23	6.0	8.0	100	--
	04/30/93	14.00		110.20	--	<1300	<13	<13	<13	58	--
	07/14/93	15.08		109.12	--	1,300	25	4.0	15	120	--
	10/27/93	15.62		108.58	--	1,100	21	10	19	73	--
	01/13/94	15.59		108.61	--	80	0.7	3.0	0.6	3.0	--
	04/22/94	15.43		108.77	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/29/94	15.20		109.00	--	1,400	19	11	11	69	--
	10/25/94	15.70		108.50	--	1,200	11	2.0	7.6	28	--
	01/19/95	12.58		111.62	--	380	1.6	4.3	1.5	11	--
	05/01/95	11.96		112.24	--	350	1.1	<0.5	1.8	2.3	--
	10/12/95	13.85		110.35	--	1,700	3.8	<2.5	5.3	7.8	18
	04/11/96	11.87		112.33	--	140	<0.5	<0.5	<0.5	<0.5	2.8
	10/03/96	14.07		110.13	--	53	<0.5	<0.5	<0.5	<0.5	<2.5
	04/03/97	12.38		111.82	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/07/97	14.14		110.06	--	66	1.3	<0.5	<0.5	<0.5	<2.5
	04/14/98	9.55		114.65	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/13/98	12.61		111.59	--	190	<0.5	<0.5	<0.5	<0.5	1,900
	04/16/99	11.01		113.19	--	3,800	<12	<12	<12	<12	4,400
	07/29/99 ⁶	12.85		111.35	--	--	--	--	--	--	--
	10/26/99	13.24		110.96	--	88.6	<0.5	<0.5	<0.5	<0.5	530
	04/07/00 ⁹	11.68		112.52	0.00	<5,000	<50	<50	<50	<50	27,000
	10/10/00 ⁹	13.30		110.90	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	322

Table 1
Groundwater Monitoring and Analytical Results
 Chevron Service Station #9-8139
 16304 Foothill Boulevard
 San Leandro, California

WELL ID TOC*	DATE	DTW (ft.)	S.L. (lbs.)	GWE (mg/l)	SPRT (ft.)	TPHG (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-10											
125.03	07/27/92	17.52	--	107.51	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/27/92	18.06		106.97	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/29/93	14.15		110.88	--	<50	<0.5	<0.5	<0.5	0.7	--
	04/30/93	14.68		110.35	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/14/93	15.80		109.23	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/27/93	16.33		108.70	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/13/94	16.29		108.74	--	<50	<0.5	0.5	<0.5	<0.5	--
	04/22/94	16.15		108.88	--	<50	<0.5	<0.5	<0.5	1.1	--
	07/29/94	15.85		109.18	--	<50	0.8	2.1	0.5	1.3	--
	10/25/94	16.41		108.62	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/19/95	13.29		111.74	--	<50	<0.5	<0.5	<0.5	<0.5	--
	05/01/95	12.60		112.43	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/11/95	14.54		110.49	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/11/96	12.47		112.56	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/03/96	14.74		110.29	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/03/97	12.99		112.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/07/97	14.86		110.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/14/98	10.24		114.79	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
124.69	10/13/98 ⁷	13.06		111.63	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/16/99	11.80		112.89	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/26/99	13.43		111.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/07/00	12.00		112.69	0.00	--	--	--	--	--	--
	10/10/00	13.59		111.10	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50

Table 1
Groundwater Monitoring and Analytical Results
Chevron Service Station #9-8139
16304 Foothill Boulevard
San Leandro, California

WELL ID IOC*	DATE	DTW (ft.)	SL (ft. bgs.)	GWE (msf)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-11											
122.92	07/27/92	15.38	--	107.54	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/26/92	15.97		106.95	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/29/93	12.24		110.68	--	<50	8.0	16	2.0	10	--
	04/30/93	12.77		110.15	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/14/93	13.84		109.08	--	<50	<0.5	0.7	<0.5	1.0	--
	10/27/93	14.23		108.69	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/13/94	14.24		108.68	--	<50	<0.5	1.0	<0.5	<0.5	--
	04/22/94	14.08		108.84	--	<50	<0.5	0.5	<0.5	1.4	--
	07/29/94	13.90		109.02	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/25/94	14.38		108.54	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/19/95	11.45		111.47	--	<50	<0.5	1.8	<0.5	<0.5	--
	05/01/95	11.10		111.82	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/11/95	12.57		110.35	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/11/96	11.05		111.87	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/03/96	12.92		110.00	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/03/97	11.22		111.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/07/97	13.05		109.87	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/14/98	9.05		113.87	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/13/98	12.34		110.58	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/16/99	10.73		112.19	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/26/99	11.97		110.95	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/07/00	10.90		112.02	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	10/10/00	12.09		110.83	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
MW-12	09/01/00 ¹⁰	11.69	10-28.5	--	--	--	--	--	--	--	--
	10/10/00	12.13		--	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
MW-13	09/01/00 ¹⁰	11.57	19-34	--	--	--	--	--	--	--	--
	10/10/00	11.83		--	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	28.0

Table 1
Groundwater Monitoring and Analytical Results
 Chevron Service Station #9-8139
 16304 Foothill Boulevard
 San Leandro, California

WELL ID TOC*	DATE	D/W (%)	S.L. (ft.bgs.)	GWE (mg/l)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MIBE (ppb)	
MW-14	09/01/00 ¹⁰	11.96	15-30	--	--	--	--	--	--	--	--	
	10/10/00	12.33		--	0.00	79.9 ¹¹	<0.500	<0.500	<0.500	<0.500	854	
EW-1 124.95	05/25/90	--	--	--	--	3,900	260	430	64	340	0.03	
	08/01/91	17.54		107.41	--	--	--	--	--	--	--	
	10/27/93	--		--	--	350	<0.5	<0.5	<0.5	<0.5	--	
	01/13/94	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
	04/22/94	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
	07/29/94	--		--	--	97	0.6	0.5	0.6	5.1	--	
	01/19/95	12.63		112.32	--	3,000	1,600	100	350	760	--	
	ABANDONED											
EW-2 125.79	08/01/91	18.07	--	107.72	--	--	--	--	--	--	--	
	04/22/94	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
	10/25/94	16.69		109.10	--	--	--	--	--	--	--	
	01/19/95	12.20		113.59	--	1,700	540	69	56	400	--	
	05/01/95	12.16		113.63	--	<50	13	<0.5	<0.5	2.1	--	
	04/16/99	10.04		115.75	--	3,500	350	160	130	550	3,800	
	07/29/99	INACCESSIBLE			--	--	--	--	--	--	--	--
	10/26/99	13.82		111.97	--	2,760	20.6	17.8	40.2	196	13,300	
	04/07/00	10.94		114.85	0.00	4,100 ⁸	480	21	310	560	6,800	
10/10/00	13.32		112.47	0.00	3,010 ¹²	14.4	<5.00	61.0	28.2	15,700		
EW-3 125.22	08/01/91	17.49	--	107.73	--	--	--	--	--	--	--	
	10/27/93	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
	01/13/94	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
	04/22/94	--		--	--	<50	<0.5	<0.5	<0.5	<0.5	--	

Table 1
Groundwater Monitoring and Analytical Results
 Chevron Service Station #9-8139
 16304 Foothill Boulevard
 San Leandro, California

WELL ID TGC*	DATE	DTW (ft.)	S.I. (2 bgs.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	K (ppb)	MTBE (ppb)
EW-3	07/29/94	--	--	--	--	<50	1.3	1.3	0.6	5.3	--
(cont)	10/25/94	16.20		109.02	--	--	--	--	--	--	--
	01/19/95	12.71		112.51	--	240	45	0.8	22	48	--
	04/03/97	12.33		112.89	--	450	140	<1.2	4.3	3.9	17
	10/07/97	14.58		110.64	--	1,900	510	<5.0	26	8.7	12
	04/14/98	INACCESSIBLE			--	--	--	--	--	--	--
	10/13/98	12.48		112.74	--	1,500	130	<2.5	9.0	4.7	3,600
	04/16/99	11.55		113.67	--	3,800	280	37	270	300	2,800
	07/29/99	INACCESSIBLE			--	--	--	--	--	--	--
	10/26/99	13.49		111.73	--	710	204	2.87	7.31	11.8	3,760
	04/07/00	11.41		113.81	0.00	1,100 ^B	30	<5.0	20	48	2,800
	10/10/00	13.55		111.67	0.00	119 ¹²	2.77	<0.500	4.65	2.77	172
Trip Blank											
TB-LB	02/20/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	05/22/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	05/22/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	11/13/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/30/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/23/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/27/92	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
	10/26/92	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
	01/29/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/30/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/27/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/13/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/22/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/29/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/25/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/19/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring and Analytical Results
 Chevron Service Station #9-8139
 16304 Foothill Boulevard
 San Leandro, California

WELL ID TOC*	DATE	DTW (ft.)	SI (fl. hrs.)	GWE (ml)	SPHT (%)	TPH-C (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TB-LB	05/01/95	--	-	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
(cont)	10/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/11/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/03/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/07/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/13/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/07/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	10/10/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50

Table 1
Groundwater Monitoring and Analytical Results
Chevron Service Station #9-8139
16304 Foothill Boulevard
San Leandro, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to April 7, 2000, were compiled from reports prepared by Blaine Tech Services.

TOC = Top of Casing	SPHT = Separate Phase Hydrocarbon Thickness	(ppb) = Parts per billion
DTW = Depth to Water	TPH(G) = Total Petroleum Hydrocarbons as Gasoline	ND = Not Detected
(ft.) = Feet	B = Benzene	-- = Not Measured/Not Analyzed
S.I. = Screen Interval	T = Toluene	(D) = Duplicate
(ft.bgs) = Feet below ground surface	E = Ethylbenzene	
GWE = Groundwater Elevation	X = Xylenes	
(msl) = Mean sea level	MTBE = Methyl tertiary butyl ether	

- * TOC elevations are relative to mean sea level (ft.).
- ¹ TPH-Diesel (TPH-D) was ND with a detection limit of 1,000 ppb and Oil and Grease (TOG) was ND with a detection limit of 5,000 ppb.
- ² TOG was ND with a detection limit of 5,000 ppb.
- ³ Ethylene Dibromide (EDB) was <0.05 ppb.
- ⁴ EDB was detected at 2.4 ppb.
- ⁵ EDB was <0.02 ppb.
- ⁶ ORC installed.
- ⁷ TOC altered due to wellhead maintenance.
- ⁸ Laboratory report indicates gasoline C6-C12.
- ⁹ ORC present in well.
- ¹⁰ Well development performed.
- ¹¹ Laboratory report indicates unidentified hydrocarbons C6-C8.
- ¹² Laboratory report indicates weathered gasoline C6-C12.