

RECEIVED

12:50 pm, May 02, 2007

Alameda County  
Environmental Health

SUSTAINABLE STRATEGIES FOR GLOBAL LEADERS

April 15, 2007  
DELTA Project SJ15-275-1  
SAP: 129460

Roseanna Garcia-LaGrille  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: SEMI-ANNUAL GROUNDWATER MONITORING REPORT-  
FIRST QUARTER 2007  
Former Shell-Branded Service Station  
15275 Washington Avenue  
San Leandro, California

Dear Ms. Garcia-LaGrille:


On behalf of Shell Oil Products (Shell), Delta Consultants, Inc. (Delta) has prepared this *First Quarter 2007 Semi-Annual Groundwater Monitoring Report* for the above referenced site.




This semi-annual report represents Delta's professional opinions based upon the currently available information and is arrived at in accordance with currently acceptable professional standards. This report is based upon a specific scope of work requested by the client. The Contract between Delta and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Delta's Client and anyone else specifically listed on this report. Delta will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Delta makes no express or implied warranty as to the contents of this report.

If you have any questions regarding this site, please contact Mr. Joe Rounds (Delta) at (408) 826-1871 or Mr. Denis Brown (Shell) at (707) 865-0251.

Sincerely,  
Delta Consultants, Inc.

  
Joe Rounds  
Project Manager



Attachment: First Quarter 2007 semi-annual Groundwater Monitoring Report  
cc: Denis Brown, Shell Oil Products US, Carson  
Mike Bakaldin, San Leandro Fire Department, San Leandro  
Jonathan Redding, Wendell, Rosen, Black & Dean, Oakland  
Richard Waxman, Wendell, Rosen, Black & Dean, Oakland  
Salel Enterprises c/o Foothill Hardware, Oakland



**Shell Oil Products US**

April 15, 2007

Re: **Semi-Annual Monitoring Report – First Quarter 2007**  
**Shell-branded Service Station**  
**15275 Washington Avenue**  
**San Leandro, California**

Dear Ms. Roseanna Garcia-LaGrille:

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Sincerely,  
Shell Oil Products US

A handwritten signature in black ink, appearing to read "Denis L. Brown", with a long horizontal flourish extending to the right.

Denis L. Brown  
Project Manager

April 15, 2007

## SHELL QUARTERLY STATUS REPORT

Station Address:	15275 Washington Avenue, San Leandro, CA
DELTA Project No.:	SJ15-275-1
SHELL Project Manager / Phone No.:	Denis Brown / (707) 865-0251
DELTA Site Manager / Phone No.:	Joe Rounds / (408) 826-1871
Primary Agency / Regulatory ID No.:	Alameda County Health Care Services Agency
Other Agencies to Receive Copies:	San Leandro Fire Department


### WORK PERFORMED FOURTH QUARTER 2006 AND FIRST QUARTER 2007:

1. Semi-annual groundwater monitoring and sampling. Submitted status report.

### WORK PROPOSED FOR SECOND AND THIRD QUARTER 2007:

1. Submit semi-annual report.
2. Submit work plan for site activities by May 15, 2007

Current Phase of Project:	Groundwater monitoring
Frequency of Sampling:	Semi-annual (S-3 and S-7 through S-9) Annual (S-1, S-5, S-10, S-13, and S-16 through S-19)
Frequency of Monitoring:	Semi-annual
Is Separate Phase Hydrocarbon Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
On-site (Well #'s):	
Cumulative SPH Recovered to Date:	NA
SPH Recovered This Quarter :	None
Sensitive Receptor(s) and Respective Direction(s):	No municipal wells are located within a half mile from the site.
Current Remediation Techniques:	None
Permits for Discharge:	None
Approximate Depth to Groundwater:	6 to 7.5 feet below top of well casing
Groundwater Gradient	South to southwest at a gradient ranging from less than 0.01 ft/ft to 0.01 ft/ft, consistent with previous data
Current Agency Correspondence:	Letter from Alameda County Health Care Services dated December 29, 2006.
Summary of Unusual Activity:	TPH-G concentrations in Well S-9 have decreased to 5,800 ug/l down from 22,500 ug/l in July of 2006.

  
Joe Rounds  
Site Manager (DELTA)

**ATTACHED:**

- Figure 1 – Groundwater Elevation Contour Map, January 4, 2007
- Figure 2 – Benzene Concentration Map, January 4, 2007
- Attachment A – Groundwater Monitoring and Sampling Report, February 2, 2007

**ATTACHMENT A**

**GROUNDWATER MONITORING AND SAMPLING REPORT, FEBRUARY 2, 2007**

**BLAINE**  
**TECH SERVICES INC.**

GROUNDWATER SAMPLING SPECIALISTS  
SINCE 1985

February 2, 2007

Denis Brown  
Shell Oil Products US  
20945 South Wilmington Avenue  
Carson, CA 90810

First Quarter 2007 Groundwater Monitoring at  
Former Shell Service Station  
15275 Washington Boulevard  
San Leandro, CA

Monitoring performed on January 4, 2007

Groundwater Monitoring Report 070104-SS-1

This report covers the routine monitoring of groundwater wells at this former Shell facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purge water (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

SAN JOSE

1680 ROGERS AVENUE SAN JOSE, CA 95112-1105

SACRAMENTO

(408) 573-0555

LOS ANGELES

FAX (408) 573-7771

LIC. 746684

SAN DIEGO

www.blainetech.com

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata  
Project Manager

MN/ks

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Joe Rounds  
Delta Environmental  
175 Bernal Rd., Suite 200  
San Jose, CA 95119

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-1	07/08/1985	520	NA	NA	NA	NA	NA	NA	21.55	NA	NA	NA	NA
S-1	09/06/1988	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	NA	NA	NA	NA
S-1	11/16/1988	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	8.01	13.54	NA	NA
S-1	02/27/1989	<50	0.5	<1	<1	<0.3	NA	NA	21.55	NA	NA	NA	NA
S-1	05/04/1989	<50	1.0	<1	<1	<0.3	NA	NA	21.55	7.93	13.62	NA	NA
S-1	08/10/1989	<50	0.7	<1	<1	<0.3	NA	NA	21.55	8.09	13.46	NA	NA
S-1	10/10/1989	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	7.73	13.82	NA	NA
S-1	01/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.55	7.91	13.64	NA	NA
S-1	04/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.55	7.72	13.83	NA	NA
S-1	07/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.55	8.55	13.00	NA	NA
S-1	10/18/1990	80	5	<0.5	<0.5	3.0	NA	NA	21.55	8.52	13.03	NA	NA
S-1	01/28/1991	<50	4.5	<0.5	<0.5	2.0	NA	NA	21.55	7.18	14.37	NA	NA
S-1	04/25/1991	80a	3.7	<0.5	0.7	2.0	NA	NA	21.55	8.22	13.33	NA	NA
S-1	07/09/1991	200	16	<0.5	1.3	5.8	NA	NA	21.55	8.70	12.85	NA	NA
S-1	10/08/1991	<50	2.3	<0.5	<0.5	<0.5	NA	NA	21.55	8.14	13.41	NA	NA
S-1	02/05/1992	160	8.9	<0.5	2.1	6.0	NA	NA	21.55	7.52	14.03	NA	NA
S-1	04/28/1992	<50	2.4	<0.5	<0.5	0.9	NA	NA	21.55	8.28	13.27	NA	NA
S-1	07/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.55	8.74	12.81	NA	NA
S-1	10/26/1992	57	3.0	1.6	1.4	1.7	NA	NA	21.55	5.91	15.64	NA	NA
S-1	01/14/1993	490	53	1.2	20	33	NA	NA	21.55	6.66	14.89	NA	NA
S-1	04/16/1993	240	20	<0.5	15	240	NA	NA	21.55	7.53	14.02	NA	NA
S-1	07/23/1993	<50	0.5	<0.5	<0.5	<0.5	NA	NA	21.55	8.20	13.35	NA	NA
S-1	10/27/1993	60	5.9	<0.5	2.5	1.7	NA	NA	21.55	7.26	14.29	NA	NA
S-1	01/27/1994	<50	2.1	<0.5	<0.5	0.63	NA	NA	21.27	7.38	13.89	NA	NA
S-1	05/05/1994	57	3.9	<0.5	1.9	1.9	NA	NA	21.27	7.86	13.41	NA	NA
S-1	07/26/1994	<50	2.2	<0.3	<0.3	<0.6	NA	NA	21.27	7.86	13.41	NA	NA
S-1	10/28/1994	<50	0.8	<0.3	<0.3	0.8	NA	NA	21.27	6.85	14.42	NA	NA
S-1	01/02/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.27	6.85	14.42	NA	NA



**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	
S-1	04/14/1995	NA	NA	NA	NA	NA	NA	NA	21.27	6.08	15.19	NA	NA	
S-1	07/28/1995	60	2.2	<0.5	1.3	1.2	NA	NA	21.27	6.79	14.48	NA	NA	
S-1	10/17/1995	60	2.6	<0.5	1.2	1.3	NA	NA	21.27	7.04	14.23	NA	NA	
S-1	01/11/1996	<50	2.0	<0.5	<0.5	<0.5	<2	NA	21.27	6.40	14.87	NA	NA	
S-1	04/02/1996	NA	NA	NA	NA	NA	NA	NA	21.27	5.84	15.43	NA	NA	
S-1	07/09/1996	NA	NA	NA	NA	NA	NA	NA	21.27	6.50	14.77	NA	NA	
S-1	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.27	7.31	13.96	NA	NA	
S-1	01/09/1997	<50	<0.50	<0.50	<0.50	<0.50	6.7	NA	21.27	5.50	15.77	NA	NA	
S-1	04/08/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.03	14.24	NA	NA	
S-1	07/21/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.00	14.27	NA	NA	
S-1	10/08/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.51	13.76	NA	NA	
S-1	01/15/1998	420	16	<0.50	4.6	3.9	26	NA	21.27	5.43	15.84	NA	NA	
S-1	04/14/1998	NA	NA	NA	NA	NA	NA	NA	21.27	5.55	15.72	NA	NA	
S-1	07/14/1998	NA	NA	NA	NA	NA	NA	NA	21.33	6.38	14.95	NA	NA	
S-1	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.33	7.48	13.85	NA	NA	
S-1	01/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	2.53	NA	21.33	6.37	14.96	NA	NA	
S-1	04/08/1999	NA	NA	NA	NA	NA	NA	NA	21.33	5.93	15.40	NA	NA	
S-1	07/23/1999	NA	NA	NA	NA	NA	NA	NA	21.33	7.20	14.13	NA	NA	
S-1	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.33	7.61	13.72	NA	NA	
S-1	01/03/2000	<50.0	<0.500	<0.500	<0.500	<0.500	4.73	NA	21.33	7.76	13.57	NA	NA	
S-1	04/14/2000	NA	NA	NA	NA	NA	NA	NA	21.33	6.35	14.98	NA	NA	
S-1	07/12/2000	NA	NA	NA	NA	NA	NA	NA	21.33	6.35	14.98	NA	NA	
S-1	11/01/2000	NA	NA	NA	NA	NA	NA	NA	21.33	7.05	14.28	NA	NA	
S-1	01/03/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	21.33	7.05	14.28	NA	NA	
S-1	04/24/2001	NA	NA	NA	NA	NA	NA	NA	21.33	6.51	14.82	NA	NA	
S-1	07/02/2001	NA	NA	NA	NA	NA	NA	NA	21.33	7.49	13.84	NA	NA	
S-1	11/02/2001	NA	NA	NA	NA	NA	NA	NA	21.33	7.49	13.84	NA	NA	
S-1	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.33	6.16	15.17	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-1	04/01/2002	NA	NA	NA	NA	NA	NA	NA	21.33	6.57	14.76	NA	NA
S-1	07/11/2002	NA	NA	NA	NA	NA	NA	NA	21.33	7.52	13.81	NA	NA
S-1	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.33	7.99	13.34	NA	NA
S-1	01/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	5.6	21.33	6.46	14.87	NA	NA
S-1	04/30/2003	NA	NA	NA	NA	NA	NA	NA	21.33	7.38	13.95	NA	NA
S-1	07/01/2003	NA	NA	NA	NA	NA	NA	NA	21.33	7.87	13.46	NA	NA
S-1	10/08/2003	NA	NA	NA	NA	NA	NA	NA	21.33	6.90	14.43	NA	NA
S-1	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	7.83	13.50	NA	NA
S-1	07/13/2004	NA	NA	NA	NA	NA	NA	NA	21.33	5.68	15.65	NA	NA
S-1	01/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	6.35	14.98	NA	NA
S-1	07/19/2005	NA	NA	NA	NA	NA	NA	NA	21.33	6.05	15.28	NA	NA
S-1	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.33	7.12	14.21	NA	NA
S-1	07/25/2006	NA	NA	NA	NA	NA	NA	NA	21.33	6.75	14.58	NA	NA
S-1	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	6.75	14.58	NA	NA
S-3	09/06/1988	96000	3400	9500	2700	17000	NA	NA	21.14	NA	NA	NA	NA
S-3	11/16/1988	70000	4600	8400	2500	13000	NA	NA	21.14	7.76	13.38	NA	NA
S-3	02/27/1989	32000	2400	3100	1500	6400	NA	NA	21.14	NA	NA	NA	NA
S-3	05/04/1989	47000	4400	300	2400	15000	NA	NA	21.14	7.92	13.22	NA	NA
S-3	08/10/1989	110000	5700	5700	3200	19000	NA	NA	21.14	8.00	13.14	NA	NA
S-3	10/10/1989	52000	4600	3300	2600	15000	NA	NA	21.14	7.54	13.60	NA	NA
S-3	01/25/1990	420000	5200	4100	6700	34000	NA	NA	21.14	7.74	13.40	NA	NA
S-3	04/18/1990	58000	3800	1400	2400	12000	NA	NA	21.14	7.55	13.59	NA	NA
S-3	07/23/1990	49000	3400	1800	2300	12000	NA	NA	21.14	8.47	12.67	NA	NA
S-3	10/18/1990	44000	3500	650	2400	11000	NA	NA	21.14	8.38	12.76	NA	NA
S-3	01/28/1991	64000	40900	570	1940	8090	NA	NA	21.14	6.91	14.23	NA	NA
S-3	04/25/1991	120000	3900	3600	2400	8900	NA	NA	21.14	8.07	13.07	NA	NA
S-3	07/09/1991	50000	3600	2300	1800	10000	NA	NA	21.14	8.07	13.07	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-3	10/08/1991	130000	3600	1000	2800	8400	NA	NA	21.14	8.61	12.53	NA	NA
S-3	02/05/1992	150000	2500	670	2700	10000	NA	NA	21.14	7.80	13.34	NA	NA
S-3	04/28/1992	120000	2200	1200	2000	5800	NA	NA	21.14	7.27	13.87	NA	NA
S-3	07/27/1992	190000	1400	<1250	<1250	3400	NA	NA	21.14	8.10	13.04	NA	NA
S-3	10/26/1992	950000	2000	8400	16000	36000	NA	NA	21.14	8.62	12.52	NA	NA
S-3	01/14/1993	41000	2700	2500	1800	6900	NA	NA	21.14	5.16	15.98	NA	NA
S-3	04/16/1993	40000	930	2800	1900	14000	NA	NA	21.14	7.18	13.96	NA	NA
S-3	07/23/1993	87000	1600	<5	1300	4000	NA	NA	21.14	7.34	13.80	NA	NA
S-3	10/27/1993	36000	2200	<500	1500	3200	NA	NA	21.14	8.03	13.11	NA	NA
S-3	01/27/1994	190000	3200	3100	4100	15000	NA	NA	21.14	6.79	14.35	NA	NA
S-3	05/05/1994	36000	1100	490	1600	4700	NA	NA	20.48	6.75	13.73	NA	NA
S-3	07/26/1994	18000	1039	170.5	845.4	967.5	NA	NA	20.48	7.30	13.18	NA	NA
S-3	10/28/1994	25869	467.9	294	546.2	343.3	NA	NA	20.48	8.36	12.12	NA	NA
S-3	01/02/1995	23000	850	260	900	2100	NA	NA	20.48	6.36	14.12	NA	NA
S-3	04/14/1995	33000	720	670	1600	6600	NA	NA	20.48	5.87	14.61	NA	NA
S-3	07/28/1995	12000	540	<10	580	780	NA	NA	20.48	6.33	14.15	NA	NA
S-3	10/17/1995	Well inaccessible		NA	NA	NA	NA	NA	20.48	6.48	14.00	NA	NA
S-3	01/11/1996	16000	520	290	740	2600	<200	NA	20.48	5.80	14.68	NA	NA
S-3	04/02/1996	NA	NA	NA	NA	NA	NA	NA	20.48	5.00	15.48	NA	NA
S-3	07/09/1996	NA	NA	NA	NA	NA	NA	NA	20.48	5.93	14.55	NA	NA
S-3	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.48	6.73	13.75	NA	NA
S-3	01/09/1997	30000	420	330	1500	6300	<500	NA	20.48	4.72	15.76	NA	NA
S-3	04/08/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.63	13.85	NA	NA
S-3	07/21/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.18	14.30	NA	NA
S-3	10/08/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.83	13.65	NA	NA
S-3	01/15/1998	21000	300	51	770	2800	<100	NA	20.48	4.30	16.18	NA	NA
S-3 (D)	01/15/1998	14000	330	63	920	3400	<250	NA	20.48	NA	NA	NA	NA
S-3	04/14/1998	NA	NA	NA	NA	NA	NA	NA	20.48	4.37	16.11	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-3	07/14/1998	NA	NA	NA	NA	NA	NA	NA	20.48	5.47	15.01	NA	NA
S-3	10/20/1998	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	01/22/1999	40000	313	194	2200	8800	<40.0	NA	20.48	5.71	14.77	NA	NA
S-3	04/08/1999	NA	NA	NA	NA	NA	NA	NA	20.48	4.95	15.53	NA	NA
S-3	07/23/1999	NA	NA	NA	NA	NA	NA	NA	20.48	6.78	13.70	NA	NA
S-3	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.48	7.25	13.23	NA	NA
S-3	01/03/2000	39700	150	61.8	1690	7720	445	NA	20.48	7.46	13.02	NA	NA
S-3	04/14/2000	NA	NA	NA	NA	NA	NA	NA	20.48	5.64	14.84	NA	NA
S-3	07/12/2000	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	11/01/2000	NA	NA	NA	NA	NA	NA	NA	20.48	6.72	13.76	NA	NA
S-3	01/03/2001	25000	89.0	<50.0	1270	5180	<250	NA	20.48	7.14	13.34	NA	NA
S-3	04/24/2001	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	07/02/2001	NA	NA	NA	NA	NA	NA	NA	20.48	7.28	13.20	NA	3.2
S-3	11/02/2001	NA	NA	NA	NA	NA	NA	NA	20.48	7.64	12.84	NA	3.5
S-3	01/16/2002	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	04/01/2002	NA	NA	NA	NA	NA	NA	NA	20.48	5.99	14.49	NA	3.8
S-3	07/11/2002	NA	NA	NA	NA	NA	NA	NA	20.48	7.21	13.27	NA	0.7
S-3	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.85	7.90	12.95	NA	e
S-3	01/23/2003	28000	60	13	970	3700	NA	<50	20.85	6.00	14.85	NA	0.3
S-3	04/30/2003	NA	NA	NA	NA	NA	NA	NA	20.85	5.34	15.51	NA	1.0
S-3	07/01/2003	NA	NA	NA	NA	NA	NA	NA	20.85	7.28	13.57	NA	1.0
S-3	10/08/2003	NA	NA	NA	NA	NA	NA	NA	20.85	7.63	13.22	NA	26.9
S-3	01/22/2004	3200	5.7	<2.5	16	320	NA	NA	20.85	6.53	14.32	NA	0.5
S-3	07/13/2004	Well inaccessible		NA	NA	NA	NA	NA	20.85	NA	NA	NA	NA
S-3	07/21/2004	3100	4.1	<2.5	10	130	NA	NA	20.85	7.64	13.21	NA	2.2
S-3	01/20/2005	93	<0.50	<0.50	1.3	1.8	NA	NA	20.85	5.78	15.07	NA	0.8
S-3	07/19/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.85	6.35	14.50	NA	NA
S-3	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.85	5.55	15.30	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-3	07/25/2006	100	<1.00	<1.00	<1.00	<3.00	NA	NA	20.85	7.09	13.76	NA	NA
S-3	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.85	6.53	14.32	NA	NA
S-5	01/08/1987	7800	380	510	NA	1000	NA	NA	21.41	NA	NA	NA	NA
S-5	09/06/1988	7000	2600	60	400	700	NA	NA	21.41	NA	NA	NA	NA
S-5	11/16/1988	3000	660	60	120	220	NA	NA	21.41	NA	NA	NA	NA
S-5	02/27/1989	5700	2000	220	260	320	NA	NA	21.41	NA	NA	NA	NA
S-5	05/04/1989	9000	3000	600	630	1700	NA	NA	21.41	8.28	13.13	NA	NA
S-5	08/10/1989	5100	1100	<50	270	400	NA	NA	21.41	8.32	13.09	NA	NA
S-5	10/10/1989	15000	3300	160	830	2200	NA	NA	21.41	8.20	13.21	NA	NA
S-5	01/25/1990	12000	2400	360	570	1400	NA	NA	21.41	8.32	13.09	NA	NA
S-5	04/18/1990	5200	1100	40	300	460	NA	NA	21.41	8.03	13.38	NA	NA
S-5	07/23/1990	5500	1300	140	320	730	NA	NA	21.41	9.03	12.38	NA	NA
S-5	10/18/1990	12000	3200	40	720	900	NA	NA	21.41	8.80	12.61	NA	NA
S-5	01/28/1991	2550	410	15	110	60	NA	NA	21.41	7.40	14.01	NA	NA
S-5	04/25/1991	67000	5100	3100	2800	11000	NA	NA	21.41	8.52	12.89	NA	NA
S-5	07/09/1991	4900	480	36	360	1000	NA	NA	21.41	9.00	12.41	NA	NA
S-5	10/08/1991	6600	370	7.0	190	380	NA	NA	21.41	8.11	13.30	NA	NA
S-5	02/05/1992	44000	4800	850	2700	8400	NA	NA	21.41	7.70	13.71	NA	NA
S-5	04/28/1992	33000	1400	320	1600	5200	NA	NA	21.41	8.52	12.89	NA	NA
S-5	07/27/1992	20000	2400	<25	1800	2300	NA	NA	21.41	9.02	12.39	NA	NA
S-5	10/26/1992	21000	1600	140	1500	2800	NA	NA	21.41	5.22	16.19	NA	NA
S-5	01/14/1993	54000	1900	1000	2700	16000	NA	NA	21.41	7.04	14.37	NA	NA
S-5	04/16/1993	42000	2000	1300	4300	18000	NA	NA	21.41	7.75	13.66	NA	NA
S-5	07/23/1993	46000	2500	2200	3400	11000	NA	NA	21.41	8.49	12.92	NA	NA
S-5	10/27/1993	6500	990	31	1100	1000	NA	NA	21.41	7.04	14.37	NA	NA
S-5	01/27/1994	34000	1800	580	2900	9700	NA	NA	21.03	7.20	13.83	NA	NA
S-5	05/05/1994	24000	670	70	1400	2700	NA	NA					

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-5	01/03/2001	516	3.65	0.968	18.0	4.02	18.4	NA	21.27	7.48	13.79	NA	NA
S-5	04/24/2001	NA	NA	NA	NA	NA	NA	NA	21.27	6.58	14.69	NA	NA
S-5	07/02/2001	NA	NA	NA	NA	NA	NA	NA	21.27	7.60	13.67	NA	NA
S-5	11/02/2001	NA	NA	NA	NA	NA	NA	NA	21.27	7.94	13.33	NA	NA
S-5	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.27	5.88	15.39	NA	NA
S-5	04/01/2002	NA	NA	NA	NA	NA	NA	NA	21.27	6.27	15.00	NA	NA
S-5	07/11/2002	NA	NA	NA	NA	NA	NA	NA	21.27	7.53	13.74	NA	NA
S-5	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.27	8.11	13.16	NA	NA
S-5	01/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.27	6.22	15.05	NA	NA
S-5	04/30/2003	NA	NA	NA	NA	NA	NA	NA	21.27	5.48	15.79	NA	NA
S-5	07/01/2003	NA	NA	NA	NA	NA	NA	NA	21.27	7.32	13.95	NA	NA
S-5	10/08/2003	NA	NA	NA	NA	NA	NA	NA	21.27	7.91	13.36	NA	NA
S-5	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	6.68	14.59	NA	NA
S-5	07/13/2004	NA	NA	NA	NA	NA	NA	NA	21.27	8.17	13.10	NA	NA
S-5	01/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	5.30	15.97	NA	NA
S-5	07/19/2005	NA	NA	NA	NA	NA	NA	NA	21.27	6.35	14.92	NA	NA
S-5	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.27	5.83	15.44	NA	NA
S-5	07/25/2006	NA	NA	NA	NA	NA	NA	NA	21.27	7.35	13.92	NA	NA
S-5	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	6.82	14.45	NA	NA
S-6	11/16/1988	50	0.7	<1	<1	<3	NA	NA	22.02	8.58	13.44	NA	NA
S-6	02/27/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	NA	NA	NA	NA
S-6	05/04/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	8.54	13.48	NA	NA
S-6	08/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	8.58	13.44	NA	NA
S-6	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	8.31	13.71	NA	NA
S-6	01/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	22.02	8.43	13.59	NA	NA
S-6	04/18/1990	<50	<0.5	0.6	<0.5	1.0	NA	NA	22.02	8.24	13.78	NA	NA
S-6	07/23/1990	<50	<0.5	0.9	<0.5	1.8	NA	NA	22.02				

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-6	10/18/1990	<50	<0.5	0.7	<0.5	0.8	NA	NA	22.02	9.20	12.82	NA	NA
S-6	01/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	9.10	12.92	NA	NA
S-6	04/25/1991	<50	<0.5	<0.5	<0.5	0.7	NA	NA	22.02	7.74	14.28	NA	NA
S-6	07/09/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	8.81	13.21	NA	NA
S-6	10/08/1991	<50	0.7	<0.5	<0.5	<0.5	NA	NA	22.02	9.26	12.76	NA	NA
S-6	02/02/1992	NA	NA	NA	NA	NA	NA	NA	22.02	8.47	13.55	NA	NA
S-6	04/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	7.91	14.11	NA	NA
S-6	07/27/1992	NA	NA	NA	NA	NA	NA	NA	22.02	8.83	13.19	NA	NA
S-6	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	9.29	12.73	NA	NA
S-6	01/13/1994	NA	NA	NA	NA	NA	NA	NA	22.02	9.43	12.59	NA	NA
S-6	04/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	7.12	14.90	NA	NA
S-6	07/23/1993	NA	NA	NA	NA	NA	NA	NA	22.02	8.14	13.88	NA	NA
S-6	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	8.75	13.27	NA	NA
S-6	01/27/1994	NA	NA	NA	NA	NA	NA	NA	22.02	7.87	14.15	NA	NA
S-6	05/05/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.40	7.71	13.69	NA	NA
S-6	07/26/1994	NA	NA	NA	NA	NA	NA	NA	21.40	8.10	13.30	NA	NA
S-6	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.40	8.04	13.36	NA	NA
S-6	01/02/1995	NA	NA	NA	NA	NA	NA	NA	21.40	7.07	14.33	NA	NA
S-6	04/14/1995	<50	<0.5	1.3	<0.5	<0.5	NA	NA	21.40	6.29	15.11	NA	NA
S-6	07/28/1995	NA	NA	NA	NA	NA	NA	NA	21.40	6.91	14.49	NA	NA
S-6	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.40	7.20	14.20	NA	NA
S-6	01/11/1996	NA	NA	NA	NA	NA	NA	NA	21.40	6.60	14.80	NA	NA
S-6	01/22/2004	Unable to locate		NA	NA	NA	NA	NA	21.40	NA	NA	NA	NA
S-7	11/16/1988	100	5.1	15	2.0	13	NA	NA	21.47	8.24	13.23	NA	NA
S-7	02/27/1989	50	0.5	3.0	1.0	11	NA	NA	21.47	NA	NA	NA	NA
S-7	05/04/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	8.18	13.29	NA	NA
S-7	08/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	NA	NA	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-7	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	8.35	13.12	NA	NA
S-7	01/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.47	7.95	13.52	NA	NA
S-7	04/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.47	8.06	13.41	NA	NA
S-7	07/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.89	13.58	NA	NA
S-7	10/18/1990	<50	<0.5	0.5	0.5	4.1	NA	NA	21.47	8.83	12.64	NA	NA
S-7	01/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.77	12.70	NA	NA
S-7	04/25/1991	60	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.25	14.22	NA	NA
S-7	07/09/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.41	13.06	NA	NA
S-7	10/08/1991	NA	NA	NA	NA	NA	NA	NA	21.47	8.95	12.52	NA	NA
S-7	02/05/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.04	13.43	NA	NA
S-7	10/08/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.95	12.52	NA	NA
S-7	04/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.45	14.02	NA	NA
S-7	07/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.48	12.99	NA	NA
S-7	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	9.95	11.52	NA	NA
S-7	01/14/1993	56	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	5.84	15.63	NA	NA
S-7	04/16/1993	110	28	<0.5	<0.5	1.8	NA	NA	21.47	6.38	15.09	NA	NA
S-7	07/23/1993	80	0.48	<0.5	<0.5	0.8	NA	NA	21.47	7.72	13.75	NA	NA
S-7	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.79	13.68	NA	NA
S-7	01/27/1994	70a	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.85	13.62	NA	NA
S-7	05/05/1994	92	2.1	<0.5	<0.5	<0.5	NA	NA	20.85	9.45	11.40	NA	NA
S-7	07/26/1994	88	<0.3	<0.3	<0.3	<0.6	NA	NA	20.85	7.64	13.21	NA	NA
S-7	10/28/1994	60	<0.3	0.5	<0.3	<0.6	NA	NA	20.85	7.68	13.17	NA	NA
S-7	01/02/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.85	6.95	13.90	NA	NA
S-7	04/14/1995	NA	NA	NA	NA	NA	NA	NA	20.85	5.82	15.03	NA	NA
S-7	07/28/1995	170	1.7	<0.5	<0.5	2.2	NA	NA	20.85	6.32	14.53	NA	NA
S-7	10/17/1995	100	<0.5	0.6	<0.5	<0.5	NA	NA	20.85	7.07	13.78	NA	NA
S-7	01/11/1996	80	0.6	<0.5	<0.5	<0.5	54	NA	20.85	6.10	14.75	NA	NA
S-7	04/02/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.14	14.71	NA	NA



**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-7	07/09/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.40	14.45	NA	NA
S-7	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.70	14.15	NA	NA
S-7	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.85	5.25	15.60	NA	NA
S-7	01/09/1997	130	1.4	<0.50	<0.50	0.56	70	NA	20.85	7.15	13.70	NA	NA
S-7	04/08/1997	NA	NA	NA	NA	NA	NA	NA	20.85	6.67	14.18	NA	NA
S-7	07/21/1997	NA	NA	NA	NA	NA	NA	NA	20.85	7.26	13.59	NA	NA
S-7	10/08/1997	NA	NA	NA	NA	NA	NA	NA	20.85	5.51	15.34	NA	NA
S-7	01/15/1998	<50	<0.50	<0.50	<0.50	<0.50	39	NA	20.85	5.45	15.40	NA	NA
S-7	04/14/1998	NA	NA	NA	NA	NA	NA	NA	21.03	6.48	14.55	NA	NA
S-7	07/14/1998	NA	NA	NA	NA	NA	NA	NA	21.03	7.37	13.66	NA	NA
S-7	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.03	6.21	14.82	NA	NA
S-7	01/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	97.8	NA	21.03	6.21	14.82	NA	NA
S-7	01/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	97.8	NA	21.03	5.30	15.73	NA	NA
S-7	04/08/1999	NA	NA	NA	NA	NA	NA	NA	21.03	7.12	13.91	NA	NA
S-7	07/23/1999	NA	NA	NA	NA	NA	NA	NA	21.03	7.54	13.49	NA	NA
S-7	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.03	7.73	13.30	NA	NA
S-7	01/03/2000	615	8.73	2.90	4.00	7.17	17.0	NA	21.03	6.27	14.76	NA	NA
S-7	04/14/2000	NA	NA	NA	NA	NA	NA	NA	21.03	6.97	14.06	NA	NA
S-7	07/12/2000	NA	NA	NA	NA	NA	NA	NA	21.03	6.43	14.60	NA	NA
S-7	11/01/2000	NA	NA	NA	NA	NA	NA	NA	21.03	7.27	13.76	NA	NA
S-7	01/03/2001	460	6.68	<0.500	0.712	0.596	10.2	NA	21.03	6.75	14.28	NA	NA
S-7	04/24/2001	NA	NA	NA	NA	NA	NA	NA	21.03	7.55	13.48	NA	NA
S-7	07/02/2001	NA	NA	NA	NA	NA	NA	NA	21.03	7.80	13.23	NA	NA
S-7	11/02/2001	NA	NA	NA	NA	NA	NA	NA	21.03	6.11	14.92	NA	NA
S-7	01/16/2002	360	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.03	6.54	14.49	NA	NA
S-7	04/01/2002	NA	NA	NA	NA	NA	NA	NA	21.03	7.37	13.66	NA	NA
S-7	07/11/2002	NA	NA	NA	NA	NA	NA	NA	21.01	7.97	13.04	NA	NA
S-7	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.01	6.45	14.56	NA	NA
S-7	01/23/2003	160	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.01	6.14	14.87	NA	NA
S-7	04/30/2003	NA	NA	NA	NA	NA	NA	NA	21.01	6.14	14.87	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-7	07/01/2003	NA	NA	NA	NA	NA	NA	NA	21.01	7.28	13.73	NA	NA
S-7	10/08/2003	NA	NA	NA	NA	NA	NA	NA	21.01	7.78	13.23	NA	NA
S-7	01/22/2004	140	<0.50	<0.50	0.51	<1.0	NA	NA	21.01	6.93	14.08	NA	NA
S-7	07/13/2004	150	<0.50	<0.50	<0.50	<1.0	NA	17	21.01	7.88	13.13	NA	NA
S-7	01/20/2005	200 a	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	5.68	15.33	NA	NA
S-7	07/19/2005	140 a	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	6.18	14.83	NA	NA
S-7	01/27/2006	69.8	<0.500	<0.500	<0.500	<0.500	NA	NA	21.01	6.11	14.90	NA	NA
S-7	07/25/2006	78.6	<1.00	<1.00	<1.00	<3.00	NA	NA	21.01	7.01	14.00	NA	NA
S-7	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	6.70	14.31	NA	NA

S-8	11/16/1988	210	5.0	<1	1.0	5.0	NA	NA	20.72	7.76	12.96	NA	NA
S-8	02/27/1989	<50	2.4	<1	<1	<3	NA	NA	20.72	NA	NA	NA	NA
S-8	05/04/1989	<50	7.5	<1	2.0	<3	NA	NA	20.72	NA	NA	NA	NA
S-8	08/10/1989	<50	0.6	<1	<1	<3	NA	NA	20.72	7.79	12.93	NA	NA
S-8	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.72	7.84	12.88	NA	NA
S-8	01/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.72	7.47	13.25	NA	NA
S-8	04/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.72	7.59	13.13	NA	NA
S-8	07/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	7.49	13.23	NA	NA
S-8	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.44	12.28	NA	NA
S-8	01/28/1991	<50	55	0.5	<0.5	1.4	NA	NA	20.72	8.28	12.44	NA	NA
S-8	04/25/1991	130a	19	<0.5	1.3	1.1	NA	NA	20.72	6.72	14.00	NA	NA
S-8	07/09/1991	200	33	<0.5	1.8	2.8	NA	NA	20.72	7.98	12.74	NA	NA
S-8	10/08/1991	580	95	2.2	4.9	6.5	NA	NA	20.72	8.55	12.17	NA	NA
S-8	02/05/1992	90a	18	<0.5	6.2	1.8	NA	NA	20.72	7.50	13.22	NA	NA
S-8	04/28/1992	<50	5.9	<0.5	2.5	<0.5	NA	NA	20.72	7.14	13.58	NA	NA
S-8	07/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.06	12.66	NA	NA
S-8	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.58	12.14	NA	NA
S-8	01/14/1993	270	74	0.9	25	5.5	NA	NA	20.72	5.32	15.40	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-8	04/16/1993	1100	420	<0.5	200	20	NA	NA	20.72	5.76	14.96	NA	NA
S-8	07/23/1993	160	23	<0.5	1.2	1.5	NA	NA	20.72	7.29	13.43	NA	NA
S-8	10/27/1993	420	650	0.7	11	1.7	NA	NA	20.72	7.93	12.79	NA	NA
S-8	01/27/1994	290	65	<1	6.9	2.4	NA	NA	20.72	6.31	14.41	NA	NA
S-8	05/05/1994	120	13	<0.5	<0.5	<0.5	NA	NA	20.32	6.84	13.48	NA	NA
S-8	07/26/1994	115	12.2	1.3	<0.3	2.7	NA	NA	20.32	7.42	12.90	NA	NA
S-8	10/28/1994	733	75.9	3.2	4.9	4.2	NA	NA	20.32	6.19	14.13	NA	NA
S-8	01/02/1995	290	54	<0.5	10	<0.5	NA	NA	20.32	5.54	14.78	NA	NA
S-8	04/14/1995	230	68	<0.5	10	2.4	NA	NA	20.32	6.28	14.04	NA	NA
S-8	07/28/1995	290	44	<0.5	8.0	<0.5	NA	NA	20.32	6.64	13.68	NA	NA
S-8	10/17/1995	190	24	<0.5	1.0	0.9	NA	NA	20.32	5.96	14.36	NA	NA
S-8	01/11/1996	400	85	1.1	13	3.4	2.3	NA	20.32	5.21	15.11	NA	NA
S-8	04/02/1996	300	110	0.7	4.9	0.9	<2	NA	20.32	6.05	14.27	NA	NA
S-8	07/09/1996	<50	5.4	<0.50	0.63	<0.50	<2.5	NA	20.32	6.83	13.49	NA	NA
S-8	10/10/1996	150	0.53	0.66	2.3	1.0	8.9	NA	20.32	4.51	15.81	NA	NA
S-8	01/09/1997	240	27	<0.50	2.4	<0.50	5.8	NA	20.32	6.50	13.82	NA	NA
S-8	04/08/1997	220	27	0.62	1.9	0.71	5.7	NA	20.32	6.36	13.96	NA	NA
S-8	07/21/1997	1200	140	2.8	21	5.0	27	NA	20.32	NA	NA	NA	NA
S-8 (D)	07/21/1997	1200	120	<2.0	19	3.9	25	NA	20.32	6.83	13.49	NA	NA
S-8	10/08/1997	690	92	1.4	25	2.0	<2.5	NA	20.32	NA	NA	NA	NA
S-8 (D)	10/08/1997	700	95	1.3	26	1.9	<2.5	NA	20.32	4.30	16.02	NA	NA
S-8	01/15/1998	460	110	1.0	3.4	1.7	<5.0	NA	20.32	4.68	15.64	NA	NA
S-8	04/14/1998	780	190	2.9	15	3.4	<2.5	NA	20.32	6.36	14.00	NA	NA
S-8	07/14/1998	1600	240	<5.0	36	<5.0	<25	NA	20.36	6.91	13.45	NA	NA
S-8	10/20/1998	700	55	<5.0	<5.0	<5.0	49	NA	20.36	5.97	14.39	NA	NA
S-8	01/22/1999	<50.0	5.83	<0.500	0.919	<0.500	<2.00	NA	20.36	5.01	15.35	NA	NA
S-8	04/08/1999	684	10.6	1.3	9.75	1.0	10.5	NA	20.36	6.61	13.75	NA	NA
S-8	07/23/1999	1540	86.5	5.20	5.30	6.35	<25.0	NA	20.36				

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-8	10/26/1999	1680	116	<2.50	22.4	5.58	<12.5	NA	20.36	6.95	13.41	NA	NA
S-8	01/03/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	NA	NA	NA	NA
S-8	04/14/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	NA	NA	NA	NA
S-8	07/12/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	5.68	14.68	NA	NA
S-8	11/01/2000	2300	118	12.4	51.7	<2.50	<12.5	NA	20.36	6.95	13.41	NA	NA
S-8	01/03/2001	263	4.34	0.620	<0.500	0.643	5.40	NA	20.36	6.25	14.11	NA	NA
S-8	04/24/2001	680	12	<0.50	0.86	<0.50	NA	<0.50	20.36	7.00	13.36	NA	NA
S-8	07/02/2001	330	2.5	<0.50	0.86	<0.50	NA	<5.0	20.36	7.44	12.92	NA	NA
S-8	11/02/2001	1300	71	0.84	14	1.7	NA	<5.0	20.36	7.44	12.92	NA	NA
S-8	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.36	5.99	14.37	NA	NA
S-8	04/01/2002	330	2.2	<0.50	<0.50	<0.50	NA	<5.0	20.36	6.94	13.42	NA	NA
S-8	07/11/2002	1400	55	0.83	5.3	0.71	NA	<5.0	20.36	7.50	12.86	NA	1.1
S-8	10/28/2002	660	6.2	0.63	0.76	<0.50	NA	<5.0	20.36	5.99	14.37	NA	NA
S-8	01/23/2003	1600	30	0.56	6.7	<0.50	NA	<5.0	20.36	5.30	15.06	NA	NA
S-8	04/30/2003	890	13	<0.50	0.59	<1.0	NA	<0.50	20.36	6.87	13.49	NA	1.0
S-8	07/01/2003	1800	68	1.3	2.6	1.2	NA	<0.50	20.36	7.27	13.09	NA	NA
S-8	10/08/2003	220	1.3	<0.50	<0.50	<1.0	NA	<0.50	20.36	6.50	13.86	NA	NA
S-8	01/22/2004	1000	6.7	<0.50	0.61	<1.0	NA	NA	20.36	7.41	12.95	NA	NA
S-8	07/13/2004	2000	100	1.7	5.7	<2.0	NA	<1.0	20.36	5.02	15.34	NA	NA
S-8	01/20/2005	380	4.3	<0.50	<0.50	<1.0	NA	NA	20.36	5.82	14.54	NA	NA
S-8	07/19/2005	120	1.2	<0.50	<0.50	<1.0	NA	NA	20.36	5.51	14.85	NA	NA
S-8	01/27/2006	494	2.42	<0.500	<0.500	<0.500	NA	NA	20.36	6.66	13.70	NA	NA
S-8	07/25/2006	382	2.05	<1.00	<1.00	<3.00	NA	NA	20.36	6.13	14.23	NA	NA
S-8	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36	6.13	14.23	NA	NA
S-9	11/16/1988	1400	69	3.0	52	180	NA	NA	20.96	7.78	13.18	NA	NA
S-9	02/27/1989	1600	240	4.0	130	180	NA	NA	20.96	NA	NA	NA	NA
S-9	05/04/1989	2600	470	10	240	480	NA	NA	20.96	NA	NA	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-9	08/10/1989	520	73	<10	40	<30	NA	NA	20.96	7.82	13.14	NA	NA
S-9	10/10/1989	380	82	<1	46	13	NA	NA	20.96	7.87	13.09	NA	NA
S-9	01/25/1990	750	140	1.2	69	75	NA	NA	20.96	7.41	13.55	NA	NA
S-9	04/18/1990	680	150	1.7	50	37	NA	NA	20.96	7.65	13.31	NA	NA
S-9	07/23/1990	490	94	1.2	32	24	NA	NA	20.96	7.58	13.38	NA	NA
S-9	10/18/1990	390	140	0.7	3.3	24	NA	NA	20.96	8.46	12.50	NA	NA
S-9	01/28/1991	1040	450	4.6	85	97	NA	NA	20.96	8.29	12.67	NA	NA
S-9	04/25/1991	5800	880	9.0	360	500	NA	NA	20.96	6.09	14.87	NA	NA
S-9	07/09/1991	1400	220	2.8	82	100	NA	NA	20.96	7.82	13.14	NA	NA
S-9	10/08/1991	890	960	<2.5	16	29	NA	NA	20.96	8.55	12.41	NA	NA
S-9	02/05/1992	950	240	<2.5	28	55	NA	NA	20.96	6.96	14.00	NA	NA
S-9	04/28/1992	1400a	290	3.0	100	81	NA	NA	20.96	6.76	14.20	NA	NA
S-9	07/27/1992	890	190	<2.5	66	68	NA	NA	20.96	8.10	12.86	NA	NA
S-9	10/26/1992	650	160	<2.5	63	89	NA	NA	20.96	8.53	12.43	NA	NA
S-9	01/13/1993	19000	2400	38	1700	2200	NA	NA	20.96	6.80	14.16	NA	NA
S-9	04/16/1993	10000	1500	<5	1100	990	NA	NA	20.96	6.28	14.68	NA	NA
S-9	07/23/1993	1100	400	<5	260	160	NA	NA	20.96	7.26	13.70	NA	NA
S-9	10/27/1993	2500	400	<5	190	110	NA	NA	20.96	8.00	12.96	NA	NA
S-9	01/27/1994	4800	990	16	630	490	NA	NA	20.96	5.96	15.00	NA	NA
S-9	05/05/1994	3700	480	<5	21	120	NA	NA	20.68	6.99	13.69	NA	NA
S-9	07/26/1994	1000	124.6	<0.3	35.8	28.6	NA	NA	20.68	7.56	13.12	NA	NA
S-9	10/28/1994	979	80.3	7.0	21.7	29.2	NA	NA	20.68	7.78	12.90	NA	NA
S-9	01/02/1995	3900	540	2.4	350	150	NA	NA	20.68	6.29	14.39	NA	NA
S-9	04/14/1995	5100	1000	<10	380	230	NA	NA	20.68	5.69	14.99	NA	NA
S-9	07/28/1995	4600	680	<10	120	47	NA	NA	20.68	6.61	14.07	NA	NA
S-9	10/17/1995	1600	150	<0.5	42	15	NA	NA	20.68	7.00	13.68	NA	NA
S-9	01/11/1996	6800	1100	12	720	95	24	NA	20.68	6.20	14.48	NA	NA
S-9	04/02/1996	6000	1300	8.3	430	99	49	NA	20.68	5.19	15.49	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-9 (D)	04/02/1996	6500	1200	8.3	410	90	<20	NA	20.68	NA	NA	NA	NA
S-9	07/09/1996	3400	680	6.7	54	31	<25	NA	20.68	6.43	14.25	NA	NA
S-9 (D)	07/09/1996	3300	730	<5.0	58	28	<25	NA	20.68	NA	NA	NA	NA
S-9	10/10/1996	6600	1200	<10	160	<10	70	NA	20.68	7.08	13.60	NA	NA
S-9 (D)	10/10/1996	6100	1000	<10	200	15	65	NA	20.68	NA	NA	NA	NA
S-9	01/09/1997	12000	1400	<25	1000	39	<125	NA	20.68	5.03	15.65	NA	NA
S-9	04/08/1997	6600	920	10	230	26	150	NA	20.68	6.78	13.90	NA	NA
S-9	07/21/1997	7800	860	13	260	14	87	NA	20.68	6.77	13.91	NA	NA
S-9	10/08/1997	4600	320	<10	61	<10	28	NA	20.68	6.92	13.76	NA	NA
S-9	01/15/1998	9300	1000	<10	730	24	<50	NA	20.68	4.50	16.18	NA	NA
S-9	04/14/1998	12000	1200	<2.5	960	<2.5	<12	NA	20.68	4.35	16.33	NA	NA
S-9 (D)	04/14/1998	12000	1200	<2.5	930	<2.5	<12	NA	20.68	NA	NA	NA	NA
S-9	07/14/1998	12000	1700	<25	990	39	<125	NA	20.68	5.95	14.73	NA	NA
S-9 (D)	07/14/1998	11000	1800	<25	650	<25	<125	NA	20.68	NA	NA	NA	NA
S-9	10/20/1998	14000	1600	<25	560	<25	340	NA	20.68	7.03	13.65	NA	NA
S-9 (D)	10/20/1998	11000	1100	<10	230	<10	100	NA	20.68	NA	NA	NA	NA
S-9	01/22/1999	9900	1030	26.7	819	27.5	46.8	NA	20.68	6.01	14.67	NA	NA
S-9	04/08/1999	17900	1450	<50.0	1610	73.8	<500	NA	20.68	5.25	15.43	NA	NA
S-9	07/23/1999	12200	1020	<20.0	536	<20.0	<200	NA	20.68	6.71	13.97	NA	NA
S-9	10/26/1999	9580	1170	11.9	566	23.1	<50.0	NA	20.68	7.27	13.41	NA	NA
S-9	10/26/1999	9580	1170	11.9	566	23.1	<50.0	NA	20.68	7.27	13.41	NA	NA
S-9	01/03/2000	9660	689	<50.0	640	<50.0	<250	NA	20.68	7.47	13.21	NA	NA
S-9	04/14/2000	14000	1040	<50.0	1210	<50.0	<250	NA	20.68	5.75	14.93	NA	NA
S-9	07/12/2000	13200	1360	33.9	552	26.8	<100	NA	20.68	6.63	14.05	NA	NA
S-9	11/01/2000	9120	928	13.5	468	<10.0	<50.0	NA	20.68	5.50	15.18	NA	NA
S-9	01/03/2001	355	19.8	0.732	2.23	0.630	5.09	NA	20.68	7.11	13.57	NA	NA
S-9	04/24/2001	3500	300	1.7	150	1.7	NA	<1.0	20.68	6.30	14.38	NA	NA
S-9	07/02/2001	88	3.8	<0.50	<0.50	<0.50	NA	<5.0	20.68	8.18	12.50	NA	2.6

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-9	11/02/2001	210	9.5	<0.50	<0.50	<0.50	NA	<5.0	20.68	8.40	12.28	NA	16.4
S-9	01/16/2002	15000	520	4.9	580	7.1	NA	<20	20.68	5.71	14.97	NA	0.5
S-9	04/01/2002	15000	530	5.1	920	7.8	NA	<25	20.68	5.99	14.69	NA	3.0
S-9	07/11/2002	10000	520	5.3	97	5.8	NA	<25	20.68	6.99	13.69	NA	0.5
S-9	10/28/2002	11000	580	6.2	65	5.3	NA	<2.5	20.70	7.63	13.07	NA	1.0
S-9	01/23/2003	9300	400	5.6	320	6.5	NA	<5.0	20.70	5.96	14.74	NA	0.5
S-9	04/30/2003	180	4.2	<0.50	3.7	<1.0	NA	<5.0	20.70	5.20	15.50	NA	7.0
S-9	07/01/2003	2200	71	0.94	6.4	<1.0	NA	<0.50	20.70	7.78	12.92	NA	0.9
S-9	10/08/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.70	7.38	13.32	NA	16.2
S-9	01/22/2004	1400	26	<1.0	14	12	NA	NA	20.70	6.51	14.19	NA	0.7
S-9	07/13/2004	1900	36	<1.0	2.0	<2.0	NA	<1.0	20.70	8.51	12.19	NA	17.1
S-9	01/20/2005	3600	60	1.2	50	<2.0	NA	NA	20.70	5.80	14.90	NA	0.4
S-9	07/19/2005	2800	42	1.4	18	<2.0	NA	NA	20.70	7.50	13.20	NA	NA
S-9	01/27/2006	16800	152	4.74	165	6.77	NA	NA	20.70	6.40	14.30	NA	NA
S-9	07/25/2006	22500	79.3	2.32	27.2	<3.00	NA	NA	20.70	6.92	13.78	NA	NA
S-9	01/04/2007	5800	82	3.2	110	<5.0	NA	NA	20.70	6.40	14.30	NA	NA
S-10	11/16/1988	330	0.5	<1	1.0	11	NA	NA	20.86	7.91	12.95	NA	NA
S-10	02/27/1989	140	<0.5	<3	2.0	6.0	NA	NA	20.86	NA	NA	NA	NA
S-10	05/03/1989	220	<0.5	1.0	2.0	7.0	NA	NA	20.86	NA	NA	NA	NA
S-10	08/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.86	7.94	12.92	NA	NA
S-10	10/09/1989	170	<0.5	<1	<1	<3	NA	NA	20.86	7.99	12.87	NA	NA
S-10	01/25/1990	<50	<0.5	<0.5	1.1	4.0	NA	NA	20.86	7.56	13.30	NA	NA
S-10	04/18/1990	<50	<0.5	0.9	<0.5	2.0	NA	NA	20.86	7.71	13.15	NA	NA
S-10	07/23/1990	590	<0.5	<0.5	1.9	19	NA	NA	20.86	7.64	13.22	NA	NA
S-10	10/18/1990	140	<0.5	0.7	<0.5	7.0	NA	NA	20.86	8.58	12.28	NA	NA
S-10	01/28/1991	<50	<0.5	<0.5	<0.5	0.5	NA	NA	20.86	8.35	12.51	NA	NA
S-10	04/25/1991	<50	<0.5	<0.5	1.1	0.8	NA	NA	20.69	6.91	13.78	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-10	07/09/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.14	12.55	NA	NA
S-10	10/08/1991	140	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.70	11.99	NA	NA
S-10	02/05/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	7.57	13.12	NA	NA
S-10	04/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	7.20	13.49	NA	NA
S-10	07/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.17	12.52	NA	NA
S-10	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.68	12.01	NA	NA
S-10	01/13/1993	88	<0.5	0.6	0.6	<0.5	NA	NA	20.69	3.78	16.91	NA	NA
S-10	04/16/1993	80	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	6.46	14.23	NA	NA
S-10	07/23/1993	<50	1.5	<0.5	0.7	2.7	NA	NA	20.69	7.38	13.31	NA	NA
S-10	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.09	12.60	NA	NA
S-10	01/27/1994	270	1.1	1.3	2.0	7.4	NA	NA	20.69	5.81	14.88	NA	NA
S-10	05/05/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.82	13.33	NA	NA
S-10	07/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.15	7.40	12.75	NA	NA
S-10	10/28/1994	<50	2.4	<0.3	0.5	0.8	NA	NA	20.15	7.62	12.53	NA	NA
S-10	01/02/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.13	14.02	NA	NA
S-10	04/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	5.60	14.55	NA	NA
S-10	07/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.44	13.71	NA	NA
S-10	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.85	13.30	NA	NA
S-10	01/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.15	6.08	14.07	NA	NA
S-10	04/02/1996	NA	NA	NA	NA	NA	NA	NA	20.15	5.21	14.94	NA	NA
S-10	07/09/1996	NA	NA	NA	NA	NA	NA	NA	20.15	6.20	13.95	NA	NA
S-10	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.15	6.92	13.23	NA	NA
S-10	01/09/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.15	4.64	15.51	NA	NA
S-10	04/08/1997	NA	NA	NA	NA	NA	NA	NA	20.15	5.82	14.33	NA	NA
S-10	07/21/1997	NA	NA	NA	NA	NA	NA	NA	20.15	6.48	13.67	NA	NA
S-10	10/08/1997	NA	NA	NA	NA	NA	NA	NA	20.15	5.48	14.67	NA	NA
S-10	01/15/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.15	3.01	17.14	NA	NA
S-10	04/14/1998	NA	NA	NA	NA	NA	NA	NA	20.15	4.30	15.85	NA	NA



**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-10	07/14/1998	NA	NA	NA	NA	NA	NA	NA	20.15	5.84	14.31	NA	NA
S-10	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.15	6.89	13.26	NA	NA
S-10	01/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.15	6.00	14.15	NA	NA
S-10	04/08/1999	NA	NA	NA	NA	NA	NA	NA	20.15	4.41	15.74	NA	NA
S-10	07/23/1999	NA	NA	NA	NA	NA	NA	NA	20.15	6.48	13.67	NA	NA
S-10	07/23/1999	NA	NA	NA	NA	NA	NA	NA	20.15	7.07	13.08	NA	NA
S-10	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.15	7.27	12.88	NA	NA
S-10	01/03/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.15	5.75	14.40	NA	NA
S-10	04/14/2000	NA	NA	NA	NA	NA	NA	NA	20.15	6.17	13.98	NA	NA
S-10	07/12/2000	NA	NA	NA	NA	NA	NA	NA	20.15	5.63	14.52	NA	NA
S-10	11/01/2000	NA	NA	NA	NA	NA	NA	NA	20.15	6.89	13.26	NA	NA
S-10	01/03/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.15	6.20	13.95	NA	NA
S-10	04/24/2001	NA	NA	NA	NA	NA	NA	NA	20.15	6.80	13.35	NA	NA
S-10	07/02/2001	NA	NA	NA	NA	NA	NA	NA	20.15	7.40	12.75	NA	NA
S-10	11/02/2001	NA	NA	NA	NA	NA	NA	NA	20.15	5.66	14.49	NA	NA
S-10	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.15	5.63	14.52	NA	NA
S-10	04/01/2002	NA	NA	NA	NA	NA	NA	NA	20.15	6.72	13.43	NA	NA
S-10	07/11/2002	NA	NA	NA	NA	NA	NA	NA	20.14	7.50	12.64	NA	NA
S-10	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.14	5.97	14.17	NA	NA
S-10	01/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.14	5.24	14.90	NA	NA
S-10	04/30/2003	NA	NA	NA	NA	NA	NA	NA	20.14	6.82	13.32	NA	NA
S-10	07/01/2003	NA	NA	NA	NA	NA	NA	NA	20.14	7.06	13.08	NA	NA
S-10	10/08/2003	NA	NA	NA	NA	NA	NA	NA	20.14	6.50	13.64	NA	NA
S-10	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	7.49	12.65	NA	NA
S-10	07/13/2004	NA	NA	NA	NA	NA	NA	NA	20.14	5.09	15.05	NA	NA
S-10	01/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	6.00	14.14	NA	NA
S-10	07/19/2005	NA	NA	NA	NA	NA	NA	NA	20.14	5.61	14.53	NA	NA
S-10	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.14	6.61	13.53	NA	NA
S-10	07/25/2006	NA	NA	NA	NA	NA	NA	NA	20.14				

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-10	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	6.29	13.85	NA	NA
S-11	11/16/1988	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.62	12.64	NA	NA
S-11	02/27/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	NA	NA	NA	NA
S-11	05/03/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.65	12.61	NA	NA
S-11	08/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.64	12.62	NA	NA
S-11	10/09/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.43	12.83	NA	NA
S-11	01/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.26	8.42	12.84	NA	NA
S-11	04/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.26	8.23	13.03	NA	NA
S-11	07/23/1990	<50	<0.5	0.6	<0.5	1.1	NA	NA	21.26	9.20	12.06	NA	NA
S-11	10/18/1990	<50	<0.5	<0.5	<0.5	0.5	NA	NA	21.26	9.13	12.13	NA	NA
S-11	01/28/1991	63	<0.5	3.3	0.9	7.0	NA	NA	21.26	7.53	13.73	NA	NA
S-11	04/25/1991	<50	<0.5	<0.5	0.8	<0.5	NA	NA	21.26	8.85	12.41	NA	NA
S-11	07/09/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	9.34	11.92	NA	NA
S-11	10/08/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	8.50	12.76	NA	NA
S-11	02/05/1991	NA	NA	NA	NA	NA	NA	NA	21.26	7.80	13.46	NA	NA
S-11	04/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	8.80	12.46	NA	NA
S-11	07/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	9.42	11.84	NA	NA
S-11	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	6.52	14.74	NA	NA
S-11	01/13/1993	NA	NA	NA	NA	NA	NA	NA	21.26	6.86	14.40	NA	NA
S-11	04/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	8.07	13.19	NA	NA
S-11	07/23/1993	NA	NA	NA	NA	NA	NA	NA	21.26	NA	NA	NA	NA
S-11	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	21.26	NA	NA	NA	NA
S-11	01/27/1994	NA	NA	NA	NA	NA	NA	NA	21.24	7.73	13.51	NA	NA
S-11	05/05/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	8.30	12.94	NA	NA
S-11	07/26/1994	NA	NA	NA	NA	NA	NA	NA	21.24	8.30	12.94	NA	NA
S-11	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.24	7.25	13.99	NA	NA
S-11	01/02/1995	NA	NA	NA	NA	NA	NA	NA					

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-11	04/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	6.99	14.25	NA	NA
S-11	07/28/1995	NA	NA	NA	NA	NA	NA	NA	21.24	7.21	14.03	NA	NA
S-11	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	7.41	13.83	NA	NA
S-11	01/11/1996	NA	NA	NA	NA	NA	NA	NA	21.24	6.80	14.44	NA	NA
S-11	07/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	21.24	7.28	13.96	NA	NA
S-11	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.27	NA	NA	NA	NA
S-11	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	0.57	21.27	7.55	13.72	NA	NA
S-12	11/16/1988	50	3.5	<1	<1	<3	NA	NA	21.05	NA	NA	NA	NA
S-12	02/27/1989	<50	0.8	<1	<1	<3	NA	NA	21.05	NA	NA	NA	NA
S-12	05/03/1989	<50	<0.5	<1	<1	<3	NA	NA	21.05	8.32	12.73	NA	NA
S-12	08/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.05	8.32	12.73	NA	NA
S-12	10/09/1989	<50	<0.5	<1	<1	<1	NA	NA	21.05	8.18	12.87	NA	NA
S-12	01/25/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.05	13.00	NA	NA
S-12	04/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	7.92	13.13	NA	NA
S-12	07/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.90	12.15	NA	NA
S-12	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.54	12.51	NA	NA
S-12	01/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	7.08	13.97	NA	NA
S-12	04/25/1991	90	5.4	<0.5	1.1	0.7	NA	NA	21.05	8.42	12.63	NA	NA
S-12	07/09/1991	<50	2.9	<0.5	<0.5	<0.5	NA	NA	21.05	8.80	12.25	NA	NA
S-12	10/08/1991	50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.07	12.98	NA	NA
S-12	02/05/1992	50a	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.33	12.72	NA	NA
S-12	04/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.55	12.50	NA	NA
S-12	07/27/1992	94	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	9.03	12.02	NA	NA
S-12	10/26/1992	86	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	6.38	14.67	NA	NA
S-12	01/14/1993	120	2.0	<0.5	<0.5	<0.5	NA	NA	21.05	6.56	14.49	NA	NA
S-12	04/16/1993	60	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	7.76	13.29	NA	NA
S-12	07/23/1993	90	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	7.76	13.29	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-12	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	21.05	NA	NA	NA	NA
S-12	01/27/1994	Well inaccessible		NA	NA	NA	NA	NA	21.05	NA	NA	NA	NA
S-12	05/05/1994	<50	2.0	<0.5	<0.5	<0.5	NA	NA	20.71	7.49	13.22	NA	NA
S-12	07/26/1994	128	<0.3	<0.3	<0.3	<0.6	NA	NA	20.71	7.92	12.79	NA	NA
S-12	10/28/1994	167	<0.3	<0.3	<0.3	<0.6	NA	NA	20.71	7.78	12.93	NA	NA
S-12	01/02/1995	50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	7.33	13.38	NA	NA
S-12	01/02/1995	50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	6.47	14.24	NA	NA
S-12	04/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	6.90	13.81	NA	NA
S-12	07/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	7.16	13.55	NA	NA
S-12	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	82	NA	20.71	6.65	14.06	NA	NA
S-12	01/11/1996	<50	<0.5	<0.5	<0.5	<0.5	45	NA	20.71	6.95	13.76	NA	NA
S-12	07/21/1997	<50	<0.50	<0.50	<0.50	<0.50	NA	NA	20.73	NA	NA	NA	NA
S-12	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	20.73	7.30	13.43	NA	NA
S-12	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	0.58	20.73	7.30	13.43	NA	NA
S-13	05/03/1989	150	4.9	4.0	2.0	14	NA	NA	20.57	NA	NA	NA	NA
S-13	08/10/1989	110	2.9	<1	<1	<3	NA	NA	20.57	8.00	12.57	NA	NA
S-13	10/09/1989	77	1.4	<1	<1	<3	NA	NA	20.57	7.95	12.62	NA	NA
S-13	10/09/1989	77	1.4	<1	<1	<3	NA	NA	20.57	7.79	12.78	NA	NA
S-13	01/25/1990	51	0.5	<0.5	<0.5	<1	NA	NA	20.57	7.73	12.84	NA	NA
S-13	04/18/1990	85	8.7	<0.5	<0.5	<1	NA	NA	20.57	7.63	12.94	NA	NA
S-13	07/23/1990	80	0.8	<0.5	<0.5	<0.5	NA	NA	20.57	8.58	11.99	NA	NA
S-13	10/18/1990	130	<0.5	<0.5	<0.5	<5	NA	NA	20.57	8.39	12.18	NA	NA
S-13	01/28/1991	<50	<0.5	0.9	1.2	1.0	NA	NA	20.57	7.00	13.57	NA	NA
S-13	04/25/1991	440a	3.8	<0.5	<0.5	0.6	NA	NA	20.57	8.12	12.45	NA	NA
S-13	07/09/1991	320a	0.6	<0.5	<0.5	<0.5	NA	NA	20.57	8.69	11.88	NA	NA
S-13	10/08/1991	310	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.62	12.95	NA	NA
S-13	02/05/1992	NA	NA	NA	NA	NA	NA	NA	20.57	7.15	13.42	NA	NA
S-13	04/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	8.20	12.37	NA	NA
S-13	07/27/1992	NA	NA	NA	NA	NA	NA	NA	20.57	8.20	12.37	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-13	10/26/1992	180	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	8.73	11.84	NA	NA
S-13	01/13/1993	NA	NA	NA	NA	NA	NA	NA	20.57	5.06	15.51	NA	NA
S-13	04/16/1993	240	4.8	<0.5	1.3	<0.5	NA	NA	20.57	6.38	14.19	NA	NA
S-13	07/23/1993	NA	NA	NA	NA	NA	NA	NA	20.57	7.45	13.12	NA	NA
S-13	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
S-13	01/27/1994	NA	NA	NA	NA	NA	NA	NA	20.16	6.91	13.25	NA	NA
S-13	05/05/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.16	7.52	12.64	NA	NA
S-13	07/26/1994	NA	NA	NA	NA	NA	NA	NA	20.16	7.68	12.48	NA	NA
S-13	10/28/1994	368	<0.3	<0.3	<0.3	<0.6	NA	NA	20.16	6.37	13.79	NA	NA
S-13	01/02/1995	NA	NA	NA	NA	NA	NA	NA	20.16	5.81	14.35	NA	NA
S-13	04/14/1995	NA	NA	NA	NA	NA	NA	NA	20.16	6.73	13.43	NA	NA
S-13	07/28/1995	NA	NA	NA	NA	NA	NA	NA	20.16	6.94	13.22	NA	NA
S-13	10/17/1995	<50	1.0	<0.5	<0.5	<0.5	NA	NA	20.16	6.20	13.96	NA	NA
S-13	01/11/1996	NA	NA	NA	NA	NA	NA	NA	20.16	5.28	14.88	NA	NA
S-13	04/02/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.16	6.35	13.81	NA	NA
S-13	07/09/1996	NA	NA	NA	NA	NA	NA	NA	20.16	7.04	13.12	NA	NA
S-13	10/10/1996	<50	<0.50	<0.50	<0.50	<0.50	210	160	20.16	5.19	14.97	NA	NA
S-13	01/09/1997	NA	NA	NA	NA	NA	NA	NA	20.16	6.62	13.54	NA	NA
S-13	04/08/1997	<50	<0.50	<0.50	<0.50	<0.50	81	NA	20.16	6.76	13.40	NA	NA
S-13	07/21/1997	NA	NA	NA	NA	NA	NA	NA	20.16	7.05	13.11	NA	NA
S-13	10/08/1997	<50	<0.50	<0.50	<0.50	<0.50	110	NA	20.16	5.27	14.89	NA	NA
S-13	01/15/1998	NA	NA	NA	NA	NA	NA	NA	20.16	5.24	14.92	NA	NA
S-13	04/14/1998	<50	<0.50	<0.50	<0.50	<0.50	3.2	NA	20.16	5.48	14.68	NA	NA
S-13	07/14/1998	NA	NA	NA	NA	NA	NA	NA	20.16	7.08	13.08	NA	NA
S-13	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.16	6.65	13.51	NA	NA
S-13	01/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	92.2	NA	20.16	5.61	14.55	NA	NA
S-13	04/08/1999	NA	NA	NA	NA	NA	NA	NA	20.16	6.78	13.38	NA	NA
S-13	07/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.16				

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-13	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.16	7.33	12.83	NA	NA
S-13	01/03/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.16	7.51	12.65	NA	NA
S-13	04/14/2000	NA	NA	NA	NA	NA	NA	NA	20.16	6.08	14.08	NA	NA
S-13	07/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.16	6.50	13.66	NA	NA
S-13	11/01/2000	NA	NA	NA	NA	NA	NA	NA	20.16	6.10	14.06	NA	NA
S-13	01/03/2001	<50.0	<0.500	<0.500	<0.500	<0.500	21.2	23.9	20.16	7.09	13.07	NA	NA
S-13	04/24/2001	Well inaccessible		NA	NA	NA	NA	NA	20.16	NA	NA	NA	NA
S-13	07/02/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.16	7.13	13.03	NA	NA
S-13	11/02/2001	NA	NA	NA	NA	NA	NA	NA	20.16	7.38	12.78	NA	NA
S-13	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	5.9	20.16	6.02	14.14	NA	NA
S-13	04/01/2002	NA	NA	NA	NA	NA	NA	NA	20.16	6.26	13.90	NA	NA
S-13	07/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.16	7.00	13.16	NA	NA
S-13	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.19	7.70	12.49	NA	NA
S-13	01/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	NA	20.19	6.41	13.78	NA	NA
S-13	04/30/2003	NA	NA	NA	NA	NA	NA	110	20.19	6.12	14.07	NA	NA
S-13	07/01/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.19	7.65	12.54	NA	1.4
S-13	10/08/2003	NA	NA	NA	NA	NA	NA	NA	20.19	7.32	12.87	NA	NA
S-13	01/22/2004	<250	<2.5	<2.5	<2.5	<5.0	NA	NA	20.19	6.60	13.59	NA	NA
S-13	07/13/2004	NA	NA	NA	NA	NA	NA	NA	20.19	6.60	13.59	NA	e
S-13	07/13/2004	NA	NA	NA	NA	NA	NA	NA	20.19	6.56	13.63	NA	NA
S-13	01/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.19	6.56	13.63	NA	NA
S-13	07/19/2005	NA	NA	NA	NA	NA	NA	NA	20.19	6.15	14.04	NA	NA
S-13	07/19/2005	NA	NA	NA	NA	NA	NA	NA	20.19	6.42	13.77	NA	NA
S-13	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.19	6.42	13.77	NA	NA
S-13	07/25/2006	NA	NA	NA	NA	NA	NA	NA	20.19	7.51	12.68	NA	NA
S-13	07/25/2006	NA	NA	NA	NA	NA	NA	NA	20.19	6.85	13.34	NA	NA
S-13	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.19	6.85	13.34	NA	NA
S-14	05/03/1989	5300	750	400	200	800	NA	NA	20.44	NA	NA	NA	NA
S-14	08/10/1989	1800	540	140	42	50	NA	NA	20.44	7.58	12.86	NA	NA
S-14	10/09/1989	1000	360	60	20	30	NA	NA	20.44	7.62	12.82	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-14	01/25/1990	640	160	77	17	39	NA	NA	20.44	7.82	12.62	NA	NA
S-14	04/18/1990	1200	200	110	30	96	NA	NA	20.44	7.37	13.07	NA	NA
S-14	07/23/1990	5000	430	340	140	660	NA	NA	20.44	7.28	13.16	NA	NA
S-14	10/18/1990	1800	770	13	17	120	NA	NA	20.44	8.10	12.34	NA	NA
S-14	01/28/1991	720	200	36	21	78	NA	NA	20.44	8.04	12.40	NA	NA
S-14	04/25/1991	14000	930	430	250	970	NA	NA	20.44	6.40	14.04	NA	NA
S-14	07/09/1991	160	30	5.3	5	16	NA	NA	20.44	7.69	12.75	NA	NA
S-14	10/08/1991	5400	81	57	95	380	NA	NA	20.44	8.24	12.20	NA	NA
S-14	02/02/1992	NA	NA	NA	NA	NA	NA	NA	20.44	7.20	13.24	NA	NA
S-14	04/28/1992	2000	270	140	48	170	NA	NA	20.44	9.75	10.69	NA	NA
S-14	10/26/1992	920	33	12	25	88	NA	NA	20.44	8.32	12.12	NA	NA
S-14	01/13/1993	NA	NA	NA	NA	NA	NA	NA	20.44	5.07	15.37	NA	NA
S-14	04/16/1993	4500	1100	29	91	170	NA	NA	20.44	5.86	14.58	NA	NA
S-14	07/23/1993	NA	NA	NA	NA	NA	NA	NA	20.44	7.06	13.38	NA	NA
S-14	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	20.44	NA	NA	NA	NA
S-14	01/27/1994	NA	NA	NA	NA	NA	NA	NA	19.99	NA	NA	NA	NA
S-14	05/05/1994	810	250	<2.5	9.4	19	NA	NA	19.99	6.48	13.51	NA	NA
S-14	07/26/1994	NA	NA	NA	NA	NA	NA	NA	19.99	7.04	12.95	NA	NA
S-14	10/28/1994	5385	290.6	85.8	49.7	186.2	NA	NA	19.99	7.07	12.92	NA	NA
S-14	01/02/1995	NA	NA	NA	NA	NA	NA	NA	19.99	5.95	14.04	NA	NA
S-14	04/14/1995	1600	40	4.7	11	20	NA	NA	19.99	5.22	14.77	NA	NA
S-14	07/28/1995	NA	NA	NA	NA	NA	NA	NA	19.99	6.21	13.78	NA	NA
S-14	10/17/1995	1200	37	<0.5	7.8	11	NA	NA	19.99	6.30	13.69	NA	NA
S-14	01/11/1996	NA	NA	NA	NA	NA	NA	NA	19.99	5.70	14.29	NA	NA
S-14	07/21/1997	220	71	0.71	1.3	1.3	100	NA	19.99	6.14	13.85	NA	NA
S-14	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	20.01	NA	NA	NA	NA
S-14	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	55	20.01	6.20	13.81	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-15	05/03/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	NA	NA	NA	NA
S-15	08/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	8.48	13.74	NA	NA
S-15	10/09/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	8.46	13.76	NA	NA
S-15	01/25/1990	<50	<0.5	<1	<1	<1	NA	NA	22.22	8.34	13.88	NA	NA
S-15	04/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	22.22	8.45	13.77	NA	NA
S-15	07/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.22	14.00	NA	NA
S-15	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.11	13.11	NA	NA
S-15	01/28/1991	<50	<0.5	0.6	<0.5	0.8	NA	NA	22.22	9.13	13.09	NA	NA
S-15	04/25/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	7.83	14.39	NA	NA
S-15	07/09/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.93	13.29	NA	NA
S-15	10/08/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.26	12.96	NA	NA
S-15	02/05/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.60	13.62	NA	NA
S-15	04/28/1992	50	0.8	0.9	<0.5	1.4	NA	NA	22.22	8.09	14.13	NA	NA
S-15	07/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.83	13.39	NA	NA
S-15	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.31	12.91	NA	NA
S-15	01/14/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	6.64	15.58	NA	NA
S-15	04/16/1993	<50	0.6	1.0	<0.5	0.7	NA	NA	22.22	7.14	15.08	NA	NA
S-15	07/23/1993	<50	1.2	<0.5	<0.5	1.6	NA	NA	22.22	8.23	13.99	NA	NA
S-15	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	22.22	NA	NA	NA	NA
S-15	01/27/1994	Well inaccessible		NA	NA	NA	NA	NA	21.42	7.57	13.85	NA	NA
S-15	05/05/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	8.16	13.26	NA	NA
S-15	07/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.42	7.87	13.55	NA	NA
S-15	10/28/1994	<50	0.3	<0.3	<0.3	<0.6	NA	NA	21.42	7.02	14.40	NA	NA
S-15	01/02/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	6.19	15.23	NA	NA
S-15	04/14/1995	NA	NA	NA	NA	NA	NA	NA	21.42	6.72	14.70	NA	NA
S-15	07/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	7.04	14.38	NA	NA
S-15	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	6.40	15.02	NA	NA
S-15	01/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	21.42	6.40	15.02	NA	NA



**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-15	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.47	NA	NA	NA	NA
S-15	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	21.47	7.07	14.40	NA	NA
S-16	05/04/1994	380	44	3.0	2.0	<3	NA	NA	21.82	NA	NA	NA	NA
S-16	08/10/1989	<50	0.6	<1	<1	<3	NA	NA	21.82	8.36	13.46	NA	NA
S-16	10/10/1989	<5	<0.5	<1	<1	<3	NA	NA	21.82	8.23	13.59	NA	NA
S-16	01/25/1990	240	160	3.3	0.8	11	NA	NA	21.82	7.88	13.94	NA	NA
S-16	04/18/1990	<50	1.0	<0.5	<0.5	<1	NA	NA	21.82	8.19	13.63	NA	NA
S-16	07/23/1990	<50	1.1	<0.5	<0.5	<0.5	NA	NA	21.82	8.09	13.73	NA	NA
S-16	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.82	8.90	12.92	NA	NA
S-16	01/28/1991	<50	<0.5	0.6	<0.5	0.9	NA	NA	21.82	8.55	13.27	NA	NA
S-16	04/25/1991	60	21	0.5	3.2	4.8	NA	NA	21.82	7.48	14.34	NA	NA
S-16	07/09/1991	<50	1.0	<0.5	<0.5	<0.5	NA	NA	21.82	8.48	13.34	NA	NA
S-16	10/08/1991	50	17	1.4	1.2	5.5	NA	NA	21.82	8.95	12.87	NA	NA
S-16	02/05/1992	150	65	0.7	<0.5	8.4	NA	NA	21.82	8.20	13.62	NA	NA
S-16	04/28/1992	<50	13	<0.5	<0.5	<0.5	NA	NA	21.82	7.80	14.02	NA	NA
S-16	07/27/1992	510	130	<2.5	<0.5	21	NA	NA	21.82	8.29	13.53	NA	NA
S-16	10/26/1992	<50	<0.5	<0.5	<2.5	<0.5	NA	NA	21.82	9.02	12.80	NA	NA
S-16	01/13/1993	100	25	1.9	<0.5	8.4	NA	NA	21.82	5.78	16.04	NA	NA
S-16	04/16/1993	150	56	1.8	4.6	12	NA	NA	21.82	6.80	15.02	NA	NA
S-16	07/23/1993	<50	0.9	<0.5	<0.5	<0.5	NA	NA	21.82	7.67	14.15	NA	NA
S-16	10/27/1993	<50	1.5	<0.5	<0.5	<0.5	NA	NA	21.82	8.52	13.30	NA	NA
S-16	01/27/1994	140	85	<1	<1	13	NA	NA	21.82	7.20	14.62	NA	NA
S-16	05/05/1994	71	25	<0.5	<0.5	4.2	NA	NA	21.24	7.76	13.48	NA	NA
S-16	07/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.24	7.84	13.40	NA	NA
S-16	10/28/1994	<50	11.5	<0.3	<0.3	1.8	NA	NA	21.24	7.97	13.27	NA	NA
S-16	01/02/1995	70	64	<0.5	<0.5	4.0	NA	NA	21.24	6.49	14.75	NA	NA
S-16	04/14/1995	NA	NA	NA	NA	NA	NA	NA	21.24	6.08	15.16	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-16	07/28/1995	<50	1.7	<0.5	<0.5	<0.5	NA	NA	21.24	7.00	14.24	NA	NA
S-16	10/17/1995	<50	4.6	<0.5	<0.5	<0.5	NA	NA	21.24	7.15	14.09	NA	NA
S-16	01/11/1996	80	17	0.7	<0.5	2.9	<2	NA	21.24	6.30	14.94	NA	NA
S-16	04/02/1996	NA	NA	NA	NA	NA	NA	NA	21.24	5.84	15.40	NA	NA
S-16	07/09/1996	NA	NA	NA	NA	NA	NA	NA	21.24	6.72	14.52	NA	NA
S-16	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.24	7.41	13.83	NA	NA
S-16	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.24	5.60	15.64	NA	NA
S-16	01/09/1997	80	18	<0.50	1.7	4.8	<2.5	NA	21.24	7.34	13.90	NA	NA
S-16	04/08/1997	NA	NA	NA	NA	NA	NA	NA	21.24	7.20	14.04	NA	NA
S-16	07/21/1997	NA	NA	NA	NA	NA	NA	NA	21.24	7.34	13.90	NA	NA
S-16	10/08/1997	NA	NA	NA	NA	NA	NA	NA	21.24	4.79	16.45	NA	NA
S-16	01/15/1998	650	160	2.7	8.7	62	<12	NA	21.24	5.27	15.97	NA	NA
S-16	04/14/1998	NA	NA	NA	NA	NA	NA	NA	21.24	6.32	14.92	NA	NA
S-16	07/14/1998	NA	NA	NA	NA	NA	NA	NA	21.24	6.94	14.30	NA	NA
S-16	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.24	NA	NA	NA	NA
S-16	01/22/1999	Well inaccessible		NA	NA	NA	NA	NA	21.24	5.80	15.44	NA	NA
S-16	04/08/1999	NA	NA	NA	NA	NA	NA	NA	21.24	6.62	14.62	NA	NA
S-16	07/23/1999	NA	NA	NA	NA	NA	NA	NA	21.24	7.42	13.82	NA	NA
S-16	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.24	7.34	13.90	NA	NA
S-16	01/03/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	21.24	6.27	14.97	NA	NA
S-16	04/14/2000	NA	NA	NA	NA	NA	NA	NA	21.24	7.02	14.22	NA	NA
S-16	07/12/2000	NA	NA	NA	NA	NA	NA	NA	21.24	6.79	14.45	NA	NA
S-16	11/01/2000	NA	NA	NA	NA	NA	NA	NA	21.24	7.18	14.06	NA	NA
S-16	01/03/2001	<50.0	<0.500	<0.500	<0.500	<0.500	3.05	NA	21.24	6.85	14.39	NA	NA
S-16	04/24/2001	NA	NA	NA	NA	NA	NA	NA	21.24	7.51	13.73	NA	NA
S-16	07/02/2001	NA	NA	NA	NA	NA	NA	NA	21.24	7.68	13.56	NA	NA
S-16	11/02/2001	NA	NA	NA	NA	NA	NA	NA	21.24	6.40	14.84	NA	NA
S-16	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.24	6.33	14.91	NA	NA
S-16	04/01/2002	NA	NA	NA	NA	NA	NA	NA	21.24	6.33	14.91	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-16	07/11/2002	NA	NA	NA	NA	NA	NA	NA	21.24	7.39	13.85	NA	NA
S-16	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.30	8.00	13.30	NA	NA
S-16	01/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.30	6.36	14.94	NA	NA
S-16	04/30/2003	NA	NA	NA	NA	NA	NA	NA	21.30	6.03	15.27	NA	NA
S-16	07/01/2003	NA	NA	NA	NA	NA	NA	NA	21.30	7.28	14.02	NA	NA
S-16	10/08/2003	NA	NA	NA	NA	NA	NA	NA	21.30	7.77	13.53	NA	NA
S-16	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	6.80	14.50	NA	NA
S-16	07/13/2004	NA	NA	NA	NA	NA	NA	NA	21.30	7.94	13.36	NA	NA
S-16	01/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	5.62	15.68	NA	NA
S-16	07/19/2005	NA	NA	NA	NA	NA	NA	NA	21.30	6.53	14.77	NA	NA
S-16	01/19/2005	NA	NA	NA	NA	NA	NA	NA	21.30	6.05	15.25	NA	NA
S-16	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.30	7.19	14.11	NA	NA
S-16	07/25/2006	NA	NA	NA	NA	NA	NA	NA	21.30	6.89	14.41	NA	NA
S-16	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	6.89	14.41	NA	NA
S-17	05/03/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	NA	NA	NA	NA
S-17	08/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	8.13	12.82	NA	NA
S-17	10/09/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	8.18	12.77	NA	NA
S-17	01/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.95	7.60	13.35	NA	NA
S-17	04/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.95	7.95	13.00	NA	NA
S-17	07/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.87	13.08	NA	NA
S-17	10/18/1990	390	10	62	22	110	NA	NA	20.95	8.71	12.24	NA	NA
S-17	01/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.54	12.41	NA	NA
S-17	04/25/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.15	13.80	NA	NA
S-17	07/09/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.24	12.71	NA	NA
S-17	10/08/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.86	12.09	NA	NA
S-17	02/05/1992	NA	NA	NA	NA	NA	NA	NA	20.95	7.74	13.21	NA	NA
S-17	04/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.41	13.54	NA	NA
S-17	07/27/1992	NA	NA	NA	NA	NA	NA	NA	20.95	8.34	12.61	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-17	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.87	12.08	NA	NA
S-17	01/13/1993	NA	NA	NA	NA	NA	NA	NA	20.95	3.43	17.52	NA	NA
S-17	04/16/1993	130	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	6.70	14.25	NA	NA
S-17	07/23/1993	NA	NA	NA	NA	NA	NA	NA	20.95	7.53	13.42	NA	NA
S-17	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.29	12.66	NA	NA
S-17	01/27/1994	NA	NA	NA	NA	NA	NA	NA	20.95	5.78	15.17	NA	NA
S-17	05/05/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.45	6.99	13.46	NA	NA
S-17	07/26/1994	NA	NA	NA	NA	NA	NA	NA	20.45	7.62	12.83	NA	NA
S-17	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.45	7.91	12.54	NA	NA
S-17	01/02/1995	NA	NA	NA	NA	NA	NA	NA	20.45	6.33	14.12	NA	NA
S-17	04/14/1995	NA	NA	NA	NA	NA	NA	NA	20.45	5.53	14.92	NA	NA
S-17	07/28/1995	NA	NA	NA	NA	NA	NA	NA	20.45	6.75	13.70	NA	NA
S-17	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.45	7.15	13.30	NA	NA
S-17	01/11/1996	NA	NA	NA	NA	NA	NA	NA	20.45	6.37	14.08	NA	NA
S-17	04/02/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.45	5.31	15.14	NA	NA
S-17	07/09/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.30	14.15	NA	NA
S-17	10/10/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	7.80	12.65	NA	NA
S-17	01/09/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	4.80	15.65	NA	NA
S-17	04/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.83	13.62	NA	NA
S-17 (D)	04/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	NA	NA	NA	NA
S-17	07/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.78	13.67	NA	NA
S-17	10/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.80	13.65	NA	NA
S-17	01/15/1998	380	<0.50	<0.50	<0.50	0.94	<2.5	NA	20.45	2.91	17.54	NA	NA
S-17	04/14/1998	160	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	4.47	15.98	NA	NA
S-17	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.45	14.00	NA	NA
S-17	10/20/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	7.11	13.34	NA	NA
S-17	01/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.45	6.01	14.44	NA	NA
S-17	04/08/1999	145	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.45	4.69	15.76	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-17	07/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.45	6.60	13.85	NA	NA
S-17	10/26/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	6.68	13.77	NA	NA
S-17	01/03/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	7.20	13.25	NA	NA
S-17	04/14/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	5.88	14.57	NA	NA
S-17	07/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	6.45	14.00	NA	NA
S-17	11/01/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	5.45	15.00	NA	NA
S-17	01/03/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	7.22	13.23	NA	NA
S-17	04/24/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.45	6.10	14.35	NA	NA
S-17	07/02/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.95	13.50	NA	NA
S-17	11/02/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	7.50	12.95	NA	NA
S-17	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	5.76	14.69	NA	NA
S-17	04/01/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.02	14.43	NA	NA
S-17	07/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.97	13.48	NA	NA
S-17	10/28/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.44	7.60	12.84	NA	0.9
S-17	01/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.44	5.77	14.67	NA	NA
S-17	04/30/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	20.44	5.35	15.09	NA	NA
S-17	07/01/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.44	6.95	13.49	NA	1.1
S-17	10/08/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.44	7.01	13.43	NA	NA
S-17	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.44	6.57	13.87	NA	NA
S-17	07/13/2004	NA	NA	NA	NA	NA	NA	NA	20.36 f	7.71	12.65	NA	NA
S-17	01/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36 f	5.09	15.27	NA	NA
S-17	07/19/2005	NA	NA	NA	NA	NA	NA	NA	20.36	6.30	14.06	NA	NA
S-17	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.36	5.50	14.86	NA	NA
S-17	07/25/2006	NA	NA	NA	NA	NA	NA	NA	20.36	6.84	13.52	NA	NA
S-17	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36	6.15	14.21	NA	NA
S-18	05/31/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	NA	NA	NA	NA
S-18	07/09/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.23	12.80	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-18	10/08/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.84	12.19	NA	NA
S-18	02/05/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.67	13.36	NA	NA
S-18	04/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.40	13.63	NA	NA
S-18	07/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.38	12.65	NA	NA
S-18	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.83	12.20	NA	NA
S-18	01/13/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	5.86	15.17	NA	NA
S-18	04/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	4.88	16.15	NA	NA
S-18	07/23/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.56	13.47	NA	NA
S-18	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.30	12.73	NA	NA
S-18	01/27/1994	<50	1.9	<0.5	<0.5	<0.5	NA	NA	21.03	6.84	14.19	NA	NA
S-18	05/05/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.05	13.52	NA	NA
S-18	07/26/1994	<500	<3	1.1	<0.3	1.8	NA	NA	20.57	7.62	12.95	NA	NA
S-18	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.57	8.01	12.56	NA	NA
S-18	01/02/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	6.26	14.31	NA	NA
S-18	04/14/1995	NA	NA	NA	NA	NA	NA	NA	20.57	4.85	15.72	NA	NA
S-18	07/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	5.80	14.77	NA	NA
S-18	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.22	13.35	NA	NA
S-18	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	6.40	14.17	NA	NA
S-18	01/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.57	6.40	14.17	NA	NA
S-18	04/02/1996	NA	NA	NA	NA	NA	NA	NA	20.57	4.80	15.77	NA	NA
S-18	07/09/1996	NA	NA	NA	NA	NA	NA	NA	20.57	5.74	14.83	NA	NA
S-18	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.57	6.06	14.51	NA	NA
S-18	01/09/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.57	4.70	15.87	NA	NA
S-18	04/08/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.62	13.95	NA	NA
S-18	07/21/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.94	13.63	NA	NA
S-18	07/21/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.88	13.69	NA	NA
S-18	10/08/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.88	13.69	NA	NA
S-18	10/08/1997	NA	NA	NA	NA	NA	NA	NA	20.57	3.60	16.97	NA	NA
S-18	01/15/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.57	3.60	16.97	NA	NA
S-18	01/15/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.57	3.60	16.97	NA	NA
S-18	04/14/1998	NA	NA	NA	NA	NA	NA	NA	20.57	4.28	16.29	NA	NA
S-18	04/14/1998	NA	NA	NA	NA	NA	NA	NA	20.57	4.28	16.29	NA	NA
S-18	07/14/1998	NA	NA	NA	NA	NA	NA	NA	20.57	6.13	14.44	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-18	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.57	7.20	13.37	NA	NA
S-18	01/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.57	6.00	14.57	NA	NA
S-18	04/08/1999	NA	NA	NA	NA	NA	NA	NA	20.57	4.95	15.62	NA	NA
S-18	07/23/1999	NA	NA	NA	NA	NA	NA	NA	20.57	6.03	14.54	NA	NA
S-18	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.57	7.39	13.18	NA	NA
S-18	01/03/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.57	7.54	13.03	NA	NA
S-18	04/14/2000	NA	NA	NA	NA	NA	NA	NA	20.57	4.41	16.16	NA	NA
S-18	07/12/2000	NA	NA	NA	NA	NA	NA	NA	20.57	5.31	15.26	NA	NA
S-18	11/01/2000	NA	NA	NA	NA	NA	NA	NA	20.57	6.42	14.15	NA	NA
S-18	01/03/2001	<50.0	<0.500	<0.500	<0.500	<0.500	3.67	NA	20.57	7.30	13.27	NA	NA
S-18	04/24/2001	NA	NA	NA	NA	NA	NA	NA	20.57	6.83	13.74	NA	NA
S-18	07/02/2001	NA	NA	NA	NA	NA	NA	NA	20.57	7.23	13.34	NA	NA
S-18	11/02/2001	Unable to locate		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
S-18	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.57	6.15	14.42	NA	NA
S-18	04/01/2002	NA	NA	NA	NA	NA	NA	NA	20.57	6.06	14.51	NA	NA
S-18	07/11/2002	NA	NA	NA	NA	NA	NA	NA	20.57	6.98	13.59	NA	NA
S-18	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.63	7.66	12.97	NA	NA
S-18	01/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.63	6.18	14.45	NA	NA
S-18	04/30/2003	NA	NA	NA	NA	NA	NA	NA	20.63	5.32	15.31	NA	NA
S-18	07/01/2003	NA	NA	NA	NA	NA	NA	NA	20.63	7.20	13.43	NA	NA
S-18	10/08/2003	NA	NA	NA	NA	NA	NA	NA	20.63	7.48	13.15	NA	NA
S-18	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	6.74	13.89	NA	NA
S-18	07/13/2004	NA	NA	NA	NA	NA	NA	NA	20.63	7.87	12.76	NA	NA
S-18	01/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	5.33	15.30	NA	NA
S-18	07/19/2005	NA	NA	NA	NA	NA	NA	NA	20.63	6.55	14.08	NA	NA
S-18	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.63	5.89	14.74	NA	NA
S-18	07/25/2006	NA	NA	NA	NA	NA	NA	NA	20.63	7.10	13.53	NA	NA
S-18	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	6.60	14.03	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-19	10/20/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.11	6.41	13.70	NA	NA
S-19	01/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	90.6	NA	20.11	5.42	14.69	NA	NA
S-19	04/08/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.11	4.61	15.50	NA	NA
S-19	07/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.11	5.86	14.25	NA	NA
S-19	10/26/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	6.28	13.83	NA	NA
S-19	01/03/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	6.62	13.49	NA	NA
S-19	04/14/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	4.31	15.80	NA	NA
S-19	07/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	5.46	14.65	NA	NA
S-19	11/01/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	5.05	15.06	NA	NA
S-19	01/03/2001	<50.0	<0.500	<0.500	<0.500	<0.500	9.61	NA	20.11	6.00	14.11	NA	NA
S-19	04/24/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.11	5.58	14.53	NA	NA
S-19	07/02/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	6.34	13.77	NA	3.4
S-19	11/02/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	6.57	13.54	NA	3.4
S-19	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.05	15.06	NA	0.5
S-19	01/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.13	14.98	NA	3.3
S-19	04/01/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.50	14.61	NA	0.5
S-19	07/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.10	6.35	13.75	NA	0.6
S-19	10/28/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.10	5.15	14.95	NA	0.3
S-19	01/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.10	4.90	15.20	NA	0.5
S-19	04/30/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.10	5.50	14.60	NA	1.7
S-19	07/01/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.10	6.63	13.47	NA	0.4
S-19	10/08/2003	58	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	5.67	14.43	NA	0.6
S-19	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	6.82	13.28	NA	1.0
S-19	07/13/2004	NA	NA	NA	NA	NA	NA	NA	20.10	4.75	15.35	NA	0.6
S-19	01/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	5.15	14.95	NA	NA
S-19	07/19/2005	NA	NA	NA	NA	NA	NA	NA	20.10	4.85	15.25	NA	NA
S-19	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.10	6.14	13.96	NA	NA
S-19	07/25/2006	NA	NA	NA	NA	NA	NA	NA	20.10	6.14	13.96	NA	NA



**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-19	01/04/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	5.75	14.35	NA	NA
SR-1	03/22/1989	5400	1100	230	350	1300	NA	NA	21.45	NA	NA	NA	NA
SR-1	01/25/1990	2200	470	120	110	510	NA	NA	21.45	7.53	13.92	NA	NA
SR-1	04/18/1990	1000	130	47	47	220	NA	NA	21.45	8.17	13.28	NA	NA
SR-1	07/23/1990	3200	470	320	170	870	NA	NA	21.45	7.58	13.87	NA	NA
SR-1	10/18/1990	1300	280	6.6	110	130	NA	NA	21.45	8.81	12.64	NA	NA
SR-1	01/28/1991	110	120	12	51	110	NA	NA	21.45	8.37	13.08	NA	NA
SR-1	04/25/1991	NA	NA	NA	NA	NA	NA	NA	21.45	6.91	14.54	NA	NA
SR-1	07/09/1991	1400	200	27	130	340	NA	NA	21.45	8.11	13.34	NA	NA
SR-1	10/08/1991	980	79	1.5	44	52	NA	NA	21.45	8.63	12.82	NA	NA
SR-1	02/05/1991	3800	580	36	320	400	NA	NA	21.45	7.68	13.77	NA	NA
SR-1	04/28/1992	38000	1800	460	1900	750	NA	NA	21.45	7.27	14.18	NA	NA
SR-1	07/27/1992	NA	NA	NA	NA	NA	NA	NA	21.45	8.11	13.34	0.01	NA
SR-1	10/26/1992	1800	370	10	130	130	NA	NA	21.45	8.63	12.82	NA	NA
SR-1	01/13/1993	47000	1000	1100	1700	13000	NA	NA	21.45	5.46	15.99	NA	NA
SR-1	04/16/1993	25000	1700	430	2400	8300	NA	NA	21.45	6.28	15.17	NA	NA
SR-1	07/23/1993	33000	2400	2000	3800	14000	NA	NA	21.45	7.34	14.11	NA	NA
SR-1	10/27/1993	2300	340	<12.5	270	440	NA	NA	21.45	8.04	13.41	NA	NA
SR-1	01/27/1994	36000	2000	1700	3000	11000	NA	NA	21.45	6.68	14.77	NA	NA
SR-1	05/05/1994	43000	1500	130	2900	12000	NA	NA	20.57	6.81	13.76	NA	NA
SR-1	07/26/1994	13600	682.7	39.2	996.6	2516	NA	NA	20.57	7.38	13.19	NA	NA
SR-1	10/28/1994	8462	301.5	29.3	384.7	2019	NA	NA	20.57	7.48	13.09	NA	NA
SR-1	01/02/1995	13000	400	120	2500	10000	NA	NA	20.57	6.34	14.23	NA	NA
SR-1	04/14/1995	43000	690	370	2500	12000	NA	NA	20.57	5.29	15.28	NA	NA
SR-1	07/28/1995	35000	760	120	2300	8100	NA	NA	20.57	6.36	14.21	NA	NA
SR-1	10/17/1995	9700	310	12	610	1200	NA	NA	20.57	6.62	13.95	NA	NA
SR-1 (D)	10/17/1995	8300	230	9.6	680	840	NA	NA	20.57	NA	NA	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
SR-1	01/11/1996	18000	410	170	1200	4400	42	NA	20.57	5.66	14.91	NA	NA
SR-1 (D)	01/11/1996	17000	420	180	1100	4000	42	NA	20.57	NA	NA	NA	NA
SR-1	04/02/1996	NA	NA	NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	07/09/1996	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	10/10/1996	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	01/09/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	04/08/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	07/21/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	10/08/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.94	13.63	NA	NA
SR-1	01/15/1998	8100	82	<25	36	2300	<125	NA	20.57	4.30	16.27	NA	NA
SR-1	04/14/1998	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	07/14/1998	NA	NA	NA	NA	NA	NA	NA	20.28	6.48	13.80	NA	NA
SR-1	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.28	6.61	13.67	NA	NA
SR-1	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	01/22/1999	Well inaccessible		NA	NA	NA	NA	NA	20.28	0.97	19.31	NA	NA
SR-1	04/08/1999	NA	NA	NA	NA	NA	NA	NA	20.28	0.97	19.31	NA	NA
SR-1	07/23/1999	Well dry		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	10/26/1999	Well dry		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	04/14/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	07/12/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	11/01/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	01/03/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	04/24/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	07/02/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	11/02/2001	Well dry	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	01/16/2002	Well dry	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	04/01/2002	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	07/11/2002	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	10/28/2002	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
SR-1	01/23/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	04/30/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	07/01/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	10/08/2003	Well dry	NA	NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SV-1	04/15/1998 b	NA	NA	NA	NA	NA	NA	NA	NA	6.02	NA	NA	NA
SV-1	04/15/1998 c	NA	NA	NA	NA	NA	NA	NA	NA	7.15	NA	NA	NA
SV-1	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.31	NA	NA	NA	NA
SV-1	01/22/2004	3000	15	<2.5	34	11	NA	<2.5	21.31	6.67	14.64	NA	NA

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to April 24, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to April 24, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

MSL = Mean sea level

ppm = Parts per million

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**15275 Washington Boulevard**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Notes:

- a = Chromatogram pattern indicated an unidentified hydrocarbon.
  - b = Pre-development sample
  - c = Post-development sample
  - d = Survey date only.
  - e = DO reading not taken.
  - f = TOC lowered 0.08 feet due to wellhead maintenance on June 3, 2004.
- Site surveyed March 18, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

22 January, 2007

Michael Ninokata  
Blaine Tech Services (Shell)  
1680 Rogers Avenue  
San Jose, CA 95112

RE: 15275 Washington, San Leandro  
Work Order: S701097

Enclosed are the results of analyses for samples received by the laboratory on 01/05/07 14:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Sylvia Krenn  
Project Manager

CA ELAP Certificate # 2630

Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112	Project: 15275 Washington, San Leandro	S701097
	Project Number: 97093412	Reported:
	Project Manager: Michael Ninokata	01/22/07 21:19

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
S-1	S701097-01	Water	01/04/07 11:20	01/05/07 14:00
S-3	S701097-02	Water	01/04/07 13:05	01/05/07 14:00
S-5	S701097-03	Water	01/04/07 12:50	01/05/07 14:00
S-7	S701097-04	Water	01/04/07 13:15	01/05/07 14:00
S-8	S701097-05	Water	01/04/07 13:30	01/05/07 14:00
S-9	S701097-06	Water	01/04/07 13:45	01/05/07 14:00
S-10	S701097-07	Water	01/04/07 10:20	01/05/07 14:00
S-13	S701097-08	Water	01/04/07 10:45	01/05/07 14:00
S-16	S701097-09	Water	01/04/07 11:08	01/05/07 14:00
S-17	S701097-10	Water	01/04/07 10:08	01/05/07 14:00
S-18	S701097-11	Water	01/04/07 09:55	01/05/07 14:00
S-19	S701097-12	Water	01/04/07 11:40	01/05/07 14:00

Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112	Project: 15275 Washington, San Leandro Project Number: 97093412 Project Manager: Michael Ninokata	S701097 Reported: 01/22/07 21:19
--	---	--

**Gasoline\BTEX\Oxygenates by GCMS\8260B**  
**TestAmerica - Sacramento, CA**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>S-1 (S701097-01) Water</b> Sampled: 01/04/07 11:20    Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/16/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		108 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		98 %	86-112		"	"	"	"	
Surrogate: 4-BFB		108 %	86-114		"	"	"	"	
<b>S-3 (S701097-02) Water</b> Sampled: 01/04/07 13:05    Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/16/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		108 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		97 %	86-112		"	"	"	"	
Surrogate: 4-BFB		109 %	86-114		"	"	"	"	
<b>S-5 (S701097-03) Water</b> Sampled: 01/04/07 12:50    Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/16/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		110 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		98 %	86-112		"	"	"	"	
Surrogate: 4-BFB		108 %	86-114		"	"	"	"	

Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112	Project: 15275 Washington, San Leandro Project Number: 97093412 Project Manager: Michael Ninokata	S701097 Reported: 01/22/07 21:19
--	---	--

**Gasoline\BTEX\Oxygenates by GCMS\8260B**  
**TestAmerica - Sacramento, CA**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>S-7 (S701097-04) Water</b> Sampled: 01/04/07 13:15    Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		102 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		98 %	86-112		"	"	"	"	
Surrogate: 4-BFB		99 %	86-114		"	"	"	"	
<b>S-8 (S701097-05) Water</b> Sampled: 01/04/07 13:30    Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		104 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		99 %	86-112		"	"	"	"	
Surrogate: 4-BFB		98 %	86-114		"	"	"	"	
<b>S-9 (S701097-06) Water</b> Sampled: 01/04/07 13:45    Received: 01/05/07 14:00									
Benzene	82	2.5	ug/l	5	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	110	2.5	"	"	"	"	"	"	
Toluene	3.2	2.5	"	"	"	"	"	"	
Xylenes (total)	ND	5.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	5800	250	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		96 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		102 %	86-112		"	"	"	"	
Surrogate: 4-BFB		102 %	86-114		"	"	"	"	



Blaine Tech Services (Shell)  
 1680 Rogers Avenue  
 San Jose CA, 95112

Project: 15275 Washington, San Leandro  
 Project Number: 97093412  
 Project Manager: Michael Ninokata

S701097  
 Reported:  
 01/22/07 21:19

## Gasoline\BTEX\Oxygenates by GCMS\8260B

### TestAmerica - Sacramento, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>S-10 (S701097-07) Water</b> Sampled: 01/04/07 10:20 Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		105 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		102 %	86-112		"	"	"	"	
Surrogate: 4-BFB		100 %	86-114		"	"	"	"	
<b>S-13 (S701097-08) Water</b> Sampled: 01/04/07 10:45 Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		102 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		103 %	86-112		"	"	"	"	
Surrogate: 4-BFB		98 %	86-114		"	"	"	"	
<b>S-16 (S701097-09) Water</b> Sampled: 01/04/07 11:08 Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		100 %	78-128		"	"	"	"	
Surrogate: Toluene-d8		102 %	86-112		"	"	"	"	
Surrogate: 4-BFB		97 %	86-114		"	"	"	"	

Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112	Project: 15275 Washington, San Leandro Project Number: 97093412 Project Manager: Michael Ninokata	S701097 Reported: 01/22/07 21:19
--	---	--

**Gasoline\BTEX\Oxygenates by GCMS\8260B**  
**TestAmerica - Sacramento, CA**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>S-17 (S701097-10) Water</b> Sampled: 01/04/07 10:08    Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		106 %		78-128	"	"	"	"	
Surrogate: Toluene-d8		102 %		86-112	"	"	"	"	
Surrogate: 4-BFB		100 %		86-114	"	"	"	"	
<b>S-18 (S701097-11) Water</b> Sampled: 01/04/07 09:55    Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		102 %		78-128	"	"	"	"	
Surrogate: Toluene-d8		101 %		86-112	"	"	"	"	
Surrogate: 4-BFB		98 %		86-114	"	"	"	"	
<b>S-19 (S701097-12) Water</b> Sampled: 01/04/07 11:40    Received: 01/05/07 14:00									
Benzene	ND	0.50	ug/l	1	7010159	01/17/07	01/17/07	GCMS \ 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
Surrogate: 1,2-DCA-d4		103 %		78-128	"	"	"	"	
Surrogate: Toluene-d8		100 %		86-112	"	"	"	"	
Surrogate: 4-BFB		100 %		86-114	"	"	"	"	

Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112	Project: 15275 Washington, San Leandro Project Number: 97093412 Project Manager: Michael Ninokata	S701097 Reported: 01/22/07 21:19
--	---	--

**Gasoline\BTEX\Oxygenates by GCMS\8260B - Quality Control**  
**TestAmerica - Sacramento, CA**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 7010159 - EPA 5030B [P/T] / GCMS \ 8260B**

Prepared: 01/16/07 Analyzed: 01/17/07

<b>Blank (7010159-BLK1)</b>										
Benzene	ND	0.50	ug/l							
Ethylbenzene	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	1.0	"							
Gasoline Range Organics (C4-C12)	ND	50	"							
Surrogate: 1,2-DCA-d4	10.9		"	10.0		109	78-128			
Surrogate: Toluene-d8	10.1		"	10.0		101	86-112			
Surrogate: 4-BFB	10.4		"	10.0		104	86-114			

Prepared & Analyzed: 01/17/07

<b>Blank (7010159-BLK2)</b>										
Benzene	ND	0.50	ug/l							
Ethylbenzene	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	1.0	"							
Gasoline Range Organics (C4-C12)	ND	50	"							
Surrogate: 1,2-DCA-d4	10.0		"	10.0		100	78-128			
Surrogate: Toluene-d8	10.3		"	10.0		103	86-112			
Surrogate: 4-BFB	10.1		"	10.0		101	86-114			

Prepared: 01/16/07 Analyzed: 01/17/07

<b>Laboratory Control Sample (7010159-BS1)</b>										
Gasoline Range Organics (C4-C12)	1910	50	ug/l	2200		87	75-122			
Surrogate: 1,2-DCA-d4	10.3		"	10.0		103	78-128			
Surrogate: Toluene-d8	9.94		"	10.0		99	86-112			
Surrogate: 4-BFB	10.4		"	10.0		104	86-114			

Prepared: 01/16/07 Analyzed: 01/17/07

<b>Laboratory Control Sample (7010159-BS2)</b>										
Benzene	23.8	0.50	ug/l	20.0		119	87-113			L1
Toluene	20.7	0.50	"	20.0		104	86-114			
Surrogate: 1,2-DCA-d4	10.6		"	10.0		106	78-128			
Surrogate: Toluene-d8	9.77		"	10.0		98	86-112			
Surrogate: 4-BFB	10.6		"	10.0		106	86-114			

Blaine Tech Services (Shell)  
1680 Rogers Avenue  
San Jose CA, 95112

Project: 15275 Washington, San Leandro  
Project Number: 97093412  
Project Manager: Michael Ninokata

S701097  
Reported:  
01/22/07 21:19

**Gasoline\BTEX\Oxygenates by GCMS\8260B - Quality Control**  
**TestAmerica - Sacramento, CA**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 7010159 - EPA 5030B [P/T] / GCMS \ 8260B**

**Laboratory Control Sample (7010159-BS3)**

Prepared & Analyzed: 01/17/07

Gasoline Range Organics (C4-C12)	1800	50	ug/l	2200		82	75-122			
Surrogate: 1,2-DCA-d4	9.57		"	10.0		96	78-128			
Surrogate: Toluene-d8	10.2		"	10.0		102	86-112			
Surrogate: 4-BFB	10.0		"	10.0		100	86-114			

**Laboratory Control Sample (7010159-BS4)**

Prepared & Analyzed: 01/17/07

Benzene	21.0	0.50	ug/l	20.0		105	87-113			
Toluene	21.1	0.50	"	20.0		106	86-114			
Surrogate: 1,2-DCA-d4	9.72		"	10.0		97	78-128			
Surrogate: Toluene-d8	10.0		"	10.0		100	86-112			
Surrogate: 4-BFB	10.4		"	10.0		104	86-114			

Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112	Project: 15275 Washington, San Leandro Project Number: 97093412 Project Manager: Michael Ninokata	S701097 Reported: 01/22/07 21:19
--	---	--

**Notes and Definitions**

- L1 Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

# SHELL Chain Of Custody Record

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other \_\_\_\_\_

NAME OF PERSON TO BILL: Denis Brown

ENVIRONMENTAL SERVICES

CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT# (ES ONLY)  
9 7 0 9 3 4 1 2

DATE: 1/4/07

NETWORK DEV / FE

BILL CONSULTANT

PO#

SAP or CRMT #

PAGE: 1 of 2

COMPLIANCE

RMT/CRMT

SAMPLING COMPANY: Blaine Tech Services  
LOG CODE: BTSS

SITE ADDRESS: Street and City  
15275 Washington, San Leandro  
State: CA

GLOBAL ID NO.: T0600101226

ADDRESS: 1680 Rogers Avenue, San Jose, CA 95112

EDF DELIVERABLE TO (Name, Company, Office Location):  
Lena Martinez, Delta, San Jose Office  
PHONE NO.: (408) 826-1861

E-MAIL: lmartinez@dellaenv.com  
CONSULTANT PROJECT NO.: 070104551  
BTS #

PROJECT CONTACT (Hardcopy or PDF Report to):  
Michael Ninokata

SAMPLER NAME(S) (Print):  
SUCUTION SWIG

TELEPHONE: 408-573-0555  
FAX: 408-573-7771  
E-MAIL: mninokata@blainetech.com

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):  
 STD  5 DAY  3 DAY  2 DAY  24 HOURS  
 RESULTS NEEDED ON WEEKEND

### REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT  UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:  
 EDD NOT NEEDED  
 SHELL CONTRACT RATE APPLIES  
 STATE REIMB RATE APPLIES  
 RECEIPT VERIFICATION REQUESTED

CC Joe Rounds [jrounds@dellaenv.com](mailto:jrounds@dellaenv.com) and Heather Buckingham [hbuckingham@dellaenv.com](mailto:hbuckingham@dellaenv.com) when sending final report.

LAB USE ONLY	Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160-1)	Total Iron (6010B)	Total Lead (6010B)	Total Oil and Grease (1664A)
	S-1 -	1/4	1120	GW	3	X	X							01									
	S-3 ✓		1305			X	X							03									
	S-5 ✓		1250			X	X							05									
	S-7 ✓		1315			X	X							04									
	S-8 ✓		1330			X	X							05									
	S-9 ✓		1345			X	X							06									
	S-10 ✓		1020			X	X							07									
	S-13 ✓		1045			X	X							06									
	S-16 ✓		1108			X	X							07									
	S-17 ✓		1008			X	X							10									

### FIELD NOTES:

Container/Preservative or PID Readings or Laboratory Notes

TEMPERATURE ON RECEIPT C°

30

Relinquished by: (Signature)  
*[Signature]*

Relinquished by: (Signature)  
*[Signature]*

Relinquished by: (Signature)  
*[Signature]*

Received by: (Signature)  
*[Signature]* (Sample Custodian)

Received by: (Signature)  
*[Signature]*

Received by: (Signature)  
*[Signature]*

Date: 1/4/07

Date: 1/4/07

Date: 1-4-07

Time: 1515

Time: 1645

Time: 1755

Blaine 1/10/07

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- CalScience
- Other \_\_\_\_\_



# SHELL Chain Of Custody Record

NAME OF PERSON TO BILL: Denis Brown

ENVIRONMENTAL SERVICES       CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

NETWORK DEV / FE       BILL CONSULTANT

COMPLIANCE       RMT/CRMT

INCIDENT # (ES ONLY): 9 7 0 9 3 4 1 2

DATE: 1/4/07

PAGE: 2 of 2

SAMPLING COMPANY: Blaine Tech Services      LOG CODE: BTSS

ADDRESS: 1680 Rogers Avenue, San Jose, CA 95112

PROJECT CONTACT (Hardcopy or PDF Report to): Michael Ninokata

TELEPHONE: 408-573-0555      FAX: 408-573-7771      E-MAIL: mninokata@blainetech.com

SITE ADDRESS: Street and City: 15275 Washington, San Leandro      State: CA      GLOBAL ID NO.: T0600101226

EDF DELIVERABLE TO (Name, Company, Office Location): Lena Martinez, Delta, San Jose Office      PHONE NO.: (408) 826-1861      E-MAIL: lmartinez@deltaenv.com

CONSULTANT PROJECT NO.: 070104-551

SAMPLER NAME(S) (Print): Suctions SWB

LAB USE ONLY:

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):  STD     5 DAY     3 DAY     2 DAY     24 HOURS       RESULTS NEEDED ON WEEKEND

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT     UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:

EDD NOT NEEDED

SHELL CONTRACT RATE APPLIES

STATE REIMB RATE APPLIES

RECEIPT VERIFICATION REQUESTED

CC Joe Rounds rounds@deltaenv.com and Heather Buckingham hbuckingham@deltaenv.com when sending final report.

TPH - Gas, Purgeable (8280B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8016M)	TPH-meter oil (8015M)	TDS (180.1)	Total Iron (8010B)	Total Lead (8010B)	Total Oil and Grease (1664A)
------------------------------	-----------------------------------	--------------	--	--------------	-------------	--------------	--------------	--------------	-----------------	-------------	-----------------	------------------	-----------------------	-------------	--------------------	--------------------	------------------------------

FIELD NOTES:

Container/Preservative or PID Readings or Laboratory Notes

TEMPERATURE ON RECEIPT °C

LAB USE ONLY	Field Sample Identification		SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8280B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8016M)	TPH-meter oil (8015M)	TDS (180.1)	Total Iron (8010B)	Total Lead (8010B)	Total Oil and Grease (1664A)	TEMPERATURE ON RECEIPT °C
	DATE	TIME																							
	S-18	/	1/4	955	SW	3	X	X																	3.0
	S-19	/	"	1140	"	3	X	X																	

Relinquished by (Signature): [Signature]

Received by (Signature): [Signature] / sample Custodian

Date: 1/4/07      Time: 1515

Relinquished by (Signature): [Signature]

Received by (Signature): [Signature]

Date: 1/4/07      Time: 1645

Relinquished by (Signature): [Signature]

Received by (Signature): [Signature]

Date: 1-4-07      Time: 1755

115102 8265

C&G Graphic (714) 838-8702

# SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 15275 WASHINGTON AVE. San Leandro Date 1/4/07  
 Job Number 070104-SS1 Technician Sooch Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Sealed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
S-1	<del>X</del>	<del>X</del>						X	
S-3	X	X							
S-5							<del>X</del>	X	missin 1/4 bolts (vault)
S-7							X		2/ci stripped tabs (vault)
S-8							X		missin 2/c bolts, 1 stripped tab. (vault)
S-9	X	X							
S-10	X	X							
S-13								X	CHARGE BOX / IN TRAFFIC
S-16	X	X							
S-17	X	X	X						
S-18	X	X							
S-19	X	X	X						

\*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: \_\_\_\_\_



# Repair Data Sheet

Client Shell Date 8-21-06  
 Site Address 15275 Washington Blvd., San Leandro  
 Job Number 060818AA1 Technician Andrew Adinolfi

Inspection Point (Well ID or description of location)	Check Indicates deficiency													Well Not Inspected (explain in notes)	Deficiency Logged on Repair Order	Deficiency Remains Uncorrected/Logged on Site Inspection Checklist	Partial Repair Completed/Outstanding Deficiency Logged on Repair Order	All Repairs Completed		
	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Secure by Design (12" diameter or less)	List not marked with words "MONITORING WELL"						Other Deficiency	Not Secure by Design (greater than 12" diameter)
S-18								<input checked="" type="checkbox"/>											<input checked="" type="checkbox"/>	
	Notes: <span style="margin-left: 100px;">Replaced with 12" box</span>																			
	Notes:																			
	Notes:																			
	Notes:																			
	Notes:																			

# Repair Data Sheet

Client Shell Date 8-17-06  
 Site Address 15275 Washington Blvd., San Leandro  
 Job Number 060818AA1 Technician Andrew Adinolfi

Inspection Point (Well ID or description of location)	Check Indicates deficiency														All Repairs Completed					
	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Securable by Design (12" diameter or less)	Lid not marked with words "MONITORING WELL"	Other Deficiency		Not Securable by Design (greater than 12" diameter)	Well Not Inspected (explain in notes)	Deficiency Logged on Repair Order	Deficiency Remains Uncorrected/Logged on Site Inspection Checklist	Partial Repair Completed/Outstanding Deficiency Logged on Repair Order
S-9												X								X
Notes: Replaced with 8" box																				
S-10												X								X
Notes: Replaced with 12" box and sonotube																				
S-17											X	X								X
Notes: Replaced with 8" box																				
Notes:																				
Notes:																				
Notes:																				

## WELL GAUGING DATA

Project # 070104.551 Date 1/4/07 Client 97093412

Site 15275 WASHINGTON AVE., San Leandro

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes	
S-1	1115	3					6.75	19.60		NPE 4'	
S-3	1300	2					6.53	20.60		"	
S-5	1240	4					6.82	18.10		NPE 3.5'	
S-7	1310	3					6.70	23.85		NPE 4'	
S-8	1325	3					6.13	23.93		↓	
S-9	1340	3					6.40	17.65			
S-10	1015	3					6.29	17.60			
S-13	1040	3					6.85	23.60			
S-16	1102	3					6.89	23.30			
S-17	1001	3					6.15	23.82			
S-18	0950	3					6.60	17.68			
S-19	1135	2					5.25	20.20			

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>090104-551</u>	Site: <u>97093412</u>
Sampler: <u>500ct</u>	Date: <u>1/4/07</u>
Well I.D.: <u>S-1</u>	Well Diameter: 2 <u>(3)</u> 4 6 8
Total Well Depth (TD): <u>19.50</u>	Depth to Water (DTW): <u>6.25</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  Water  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method: Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

GRAB (Gals.) X \_\_\_\_\_ = \_\_\_\_\_ Gals.  
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>11:30</u>	<u>61.9</u>	<u>7.5</u>	<u>270</u>	<u>11</u>	_____	<u>clear</u>

Did well dewater? Yes ~~No~~ Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 1/4/07 Sampling Time: 11:30 Depth to Water: \_\_\_\_\_

Sample I.D.: S-1 Laboratory: STL Other TA

Analyzed for: (TPH-G) (BTEX) MTBE TPH-D Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

### SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-661</u>	Site: <u>97093412</u>
Sampler: <u>Sooett</u>	Date: <u>1/7/04</u>
Well I.D.: <u>S-3</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): <u>20.60</u>	Depth to Water (DTW): <u>6.53</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  Other: \_\_\_\_\_

Water  Peristaltic  Extraction Pump  Other: \_\_\_\_\_

Sampling Method: Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

$\frac{\text{GRAB (Gals.)} \times \text{Specified Volumes}}{\text{I Case Volume}} = \text{Calculated Volume Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1305	68.7	7.0	1142	8	—	clear

Did well dewater?  Yes  No      Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 1/4/04      Sampling Time: 1305      Depth to Water: \_\_\_\_\_

Sample I.D.: S-3      Laboratory: STL      Other: TA

Analyzed for: TPH-G BTEX      MTBE      TPH-D      Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G      BTEX      MTBE      TPH-D      Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

**Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558**

### SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-SS1</u>	Site: <u>97093412</u>
Sampler: <u>SODCT</u>	Date: <u>1/4/07</u>
Well I.D.: <u>5-5</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>18.10</u>	Depth to Water (DTW): <u>6.82</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  Water  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method: Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

$\frac{\text{GAS}}{1 \text{ Case Volume}} \times \text{Specified Volumes} = \text{Calculated Volume Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1250	65.1	7.4	988	9	—	clear

Did well dewater?  Yes  No      Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 1/4/07      Sampling Time: 1250      Depth to Water: \_\_\_\_\_

Sample I.D.: 5-5      Laboratory: STL Other TA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-851</u>	Site: <u>97093412</u>
Sampler: <u>500CH</u>	Date: <u>1/4/07</u>
Well I.D.: <u>S-7</u>	Well Diameter: 2 (3) 4 6 8
Total Well Depth (TD): <u>23.85</u>	Depth to Water (DTW): <u>6.20</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer  Water  Sampling Method: Bailer  
 Disposable Bailer  Peristaltic  Disposable Bailer   
 Positive Air Displacement  Extraction Pump  Extraction Port   
 Electric Submersible  Other \_\_\_\_\_ Dedicated Tubing

$\text{GRAB (Gals.)} \times \text{Specified Volumes} = \text{Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1315</u>	<u>66.2</u>	<u>7.0</u>	<u>1066</u>	<u>17</u>	<u>---</u>	<u>clear</u>

Did well dewater? Yes — No

Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 1/4/07 Sampling Time: 1315 Depth to Water: \_\_\_\_\_

Sample I.D.: S-7 Laboratory: STL Other TA

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

**Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558**

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-551</u>	Site: <u>97093412</u>
Sampler: <u>Sooett</u>	Date: <u>1/4/07</u>
Well I.D.: <u>8-8</u>	Well Diameter: 2 <u>(3)</u> 4 6 8 <u>   </u>
Total Well Depth (TD): <u>23.93</u>	Depth to Water (DTW): <u>6.13</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible       Other:       Dedicated Tubing

$\frac{\text{GRRB}}{1} \text{ (Gals.)} \times \text{Specified Volumes} = \text{Calculated Volume} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>1330</u>	<u>68.7</u>	<u>7.1</u>	<u>769</u>	<u>7</u>	<u>   </u>	<u>clear</u>

Did well dewater?  Yes  No      Gallons actually evacuated:    

Sampling Date: 1/4/07      Sampling Time: 1330      Depth to Water:    

Sample I.D.: S-8      Laboratory: STL      Other: YA

Analyzed for:  TPH-G     BTEX     MTBE     TPH-D    Other:    

EB I.D. (if applicable):     @     Time      Duplicate I.D. (if applicable):    

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV



## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-551</u>	Site: <u>97093412</u>
Sampler: <u>500cH</u>	Date: <u>1/4/07</u>
Well I.D.: <u>5-9</u>	Well Diameter: 2 <input type="radio"/> 3 <input checked="" type="radio"/> 4 <input type="radio"/> 6 <input type="radio"/> 8 <input type="radio"/>
Total Well Depth (TD): <u>17.65</u>	Depth to Water (DTW): <u>6.40</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  Waterra  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

62.0 (Gals.) X \_\_\_\_\_ = \_\_\_\_\_ Gals.  
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1345</u>	<u>68.7</u>	<u>7.0</u>	<u>835</u>	<u>7</u>	<u>---</u>	<u>den / 995 order</u>

Did well dewater?  Yes  No Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 1/4/07 Sampling Time: 1345 Depth to Water: \_\_\_\_\_

Sample I.D.: 5-9 Laboratory: STL Other: TA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-SS1</u>	Site: <u>97093412</u>
Sampler: <u>S000H</u>	Date: <u>1/4/07</u>
Well I.D.: <u>S-10</u>	Well Diameter: 2 <u>(3)</u> 4 6 8
Total Well Depth (TD): <u>17.60</u>	Depth to Water (DTW): <u>6.29</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: ~~Bailer~~ ~~Disposable Bailer~~ ~~Positive Air Displacement~~ ~~Electric Submersible~~ ~~Water~~ ~~Peristaltic~~ ~~Extraction Pump~~ ~~Other~~

Sampling Method: Bailer ~~Disposable Bailer~~ ~~Extraction Port~~ ~~Dedicated Tubing~~ Other: \_\_\_\_\_

$\frac{\text{GPAO (Gals.)} \times \text{Specified Volumes}}{\text{I Case Volume}} = \text{Calculated Volume Gals.}$	<table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>1020</u>	<u>64.7</u>	<u>7.3</u>	<u>747</u>	<u>31</u>	<u>—</u>	<u>clear</u>

Did well dewater? Yes ~~No~~ Gallons actually evacuated:           

Sampling Date: 1/4/07 Sampling Time: 1020 Depth to Water:           

Sample I.D.: S-10 Laboratory: STL Other TA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

**Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558**

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-551</u>	Site: <u>97093412</u>
Sampler: <u>SoeCH</u>	Date: <u>1/4/07</u>
Well I.D.: <u>S-13</u>	Well Diameter: 2 <u>(3)</u> 4 6 8
Total Well Depth (TD): <u>23.60</u>	Depth to Water (DTW): <del>23.60</del> <u>6.85</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: ~~Bailer~~ ~~Disposable Bailer~~ ~~Positive Air Displacement~~ ~~Electric Submersible~~ ~~Water~~ ~~Peristaltic~~ ~~Extraction Pump~~ ~~Other~~

Sampling Method: ~~Bailer~~ Disposable Bailer ~~Extraction Port~~ ~~Dedicated Tubing~~ Other:

$\frac{\text{GVAS (Gals.) X Specified Volumes}}{\text{1 Case Volume}} = \text{Calculated Volume Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1045</u>	<u>65.0</u>	<u>7.3</u>	<u>1221</u>	<u>15</u>	<u>---</u>	<u>clear</u>

Did well dewater? ~~Yes~~ No      Gallons actually evacuated: ---

Sampling Date: 1/4/07      Sampling Time: 1045      Depth to Water: ---

Sample I.D.: S-13      Laboratory: STL      Other: TA

Analyzed for: TPH-G BTEX      MTBE      TPH-D      Other:

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-551</u>	Site: <u>97093412</u>
Sampler: <u>500cH</u>	Date: <u>1/4/07</u>
Well I.D.: <u>S-16</u>	Well Diameter: 2 <u>(3)</u> 4 6 8
Total Well Depth (TD): <u>23.30</u>	Depth to Water (DTW): <u>6.89</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer  Waterra  Sampling Method: Bailer  
 Disposable Bailer  Peristaltic  Disposable Bailer  
 Positive Air Displacement  Extraction Pump  Extraction Port  
Electric Submersible  Other \_\_\_\_\_ Dedicated Tubing

<u>0000</u> (Gals.) X _____ = _____ Gals.	
1 Case Volume	Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>μS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>1108</u>	<u>63.3</u>	<u>7.2</u>	<u>1312</u>	<u>11</u>	—	<u>clear</u>

Did well dewater? ~~Yes~~ No      Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 1/4/07      Sampling Time: 1108      Depth to Water: \_\_\_\_\_

Sample I.D.: S-16      Laboratory: STL      Other: TA

Analyzed for: (TPH-G) (BTEX)      MTBE      TPH-D      Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G      BTEX      MTBE      TPH-D      Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

**Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558**

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-SS1</u>	Site: <u>97093412</u>
Sampler: <u>500CH</u>	Date: <u>1/4/07</u>
Well I.D.: <u>S-17</u>	Well Diameter: 2 <u>(3)</u> 4 6 8
Total Well Depth (TD): <u>23.82</u>	Depth to Water (DTW): <u>6.15</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade:	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  ~~Water~~ Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method: Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

<u>6000</u> (Gals.) X _____ = _____ Gals. I Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>1008</u>	<u>64.7</u>	<u>7.2</u>	<u>728</u>	<u>20</u>	<u>---</u>	<u>clear</u>

Did well dewater? ~~Yes~~ No Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 1/4/07 Sampling Time: 1008 Depth to Water: \_\_\_\_\_

Sample I.D.: S-17 Laboratory: STL Other: TA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>070104-SS1</u>	Site: <u>97093412</u>
Sampler: <u>500ct</u>	Date: <u>1/4/07</u>
Well I.D.: <u>5-18</u>	Well Diameter: 2 <u>(3)</u> 4 6 8
Total Well Depth (TD): <u>17.68</u>	Depth to Water (DTW): <u>6.60</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: ~~Bailer~~ ~~Disposable Bailer~~ ~~Positive Air Displacement~~ ~~Electric Submersible~~ ~~Watertra~~ ~~Peristaltic~~ ~~Extraction Pump~~ ~~Other~~

Sampling Method: Bailer ~~Disposable Bailer~~ ~~Extraction Port~~ ~~Dedicated Tubing~~ Other: \_\_\_\_\_

$\text{GRAB (Gals.) X Specified Volumes} = \text{Calculated Volume Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>9:55</u>	<u>65.9</u>	<u>6.8</u>	<u>1475</u>	<u>21</u>	<u>—</u>	<u>clear</u>

Did well dewater? Yes No      Gallons actually evacuated:       

Sampling Date: 1/4/07      Sampling Time: 9:55      Depth to Water:       

Sample I.D.: 5-18      Laboratory: STL Other: TA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

**Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558**

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>090104-SS1</u>	Site: <u>97093412</u>
Sampler: <u>Soodh</u>	Date: <u>1/4/07</u>
Well I.D.: <u>S-19</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth (TD): <u>20.20</u>	Depth to Water (DTW): <u>5.75</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible

Waterra  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing

Other: \_\_\_\_\_

$\frac{\text{GRAB (Gals.)} \times \text{Specified Volumes}}{1 \text{ Case Volume}} = \text{Calculated Volume Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1140</u>	<u>65.9</u>	<u>6.9</u>	<u>1094</u>	<u>11</u>	<u>---</u>	<u>clear</u>

Did well dewater?  Yes  No      Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 1/4/07      Sampling Time: 1140      Depth to Water: \_\_\_\_\_

Sample I.D.: S-19      Laboratory: STL      Other: TA



Analyzed for:  TPH-C  BTEX      MTBE      TPH-D      Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_


Analyzed for: TPH-G      BTEX      MTBE      TPH-D      Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

**Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558**





- LEGEND**
- S-6 ◆ GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
  - S-1 ▲ GROUNDWATER MONITORING WELL MODIFIED FOR SOIL VAPOR EXTRACTION
  - SV-1 ▲ SOIL VAPOR EXTRACTION WELL LOCATION AND DESIGNATION
  - (15.28) GROUNDWATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL (FT/MSL)
  - 14.00 — GROUNDWATER CONTOUR IN FEET ABOVE MEAN SEA LEVEL (FT/MSL) CONTOUR INTERVAL=0.30 FEET
  - ← 0.008FT/FT APPROXIMATE GROUNDWATER GRADIENT DIRECTION (ft/ft)
  - (NM) NOT MEASURED




SHELL OIL PRODUCTS U.S.  
FORMER SHELL-BRANDED SERVICE STATION  
SAN LEANDRO, CALIFORNIA

FIGURE 1  
GROUNDWATER ELEVATION CONTOUR MAP  
JANUARY 4, 2007  
15275 WASHINGTON AVENUE  
SAN LEANDRO, CALIFORNIA





- LEGEND**
- S-6 ◆ GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
  - S-1 ▲ GROUNDWATER MONITORING WELL MODIFIED FOR SOIL VAPOR EXTRACTION
  - SV-1 ▲ SOIL VAPOR EXTRACTION WELL LOCATION AND DESIGNATION
  - $<0.50$  BENZENE CONCENTRATION IN GROUNDWATER IN MICROGRAMS PER LITER ( $\mu\text{g/L}$ )
  - NS NOT SAMPLED



**DELTA** CONSULTANTS  
 SHELL OIL PRODUCTS U.S.  
 FORMER SHELL-BRANDED SERVICE STATION  
 SAN LEANDRO, CALIFORNIA

**FIGURE 2**

**BENZENE CONCENTRATION MAP**  
 JANUARY 4, 2007  
 15275 WASHINGTON AVENUE  
 SAN LEANDRO, CALIFORNIA