

**RECEIVED**

By Alameda County Environmental Health 10:30 am, Jul 13, 2015


Mr. Mark Detterman  
Alameda County Environmental Health Care Services  
Department of Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502

Re: Former Olympic Service Station  
1436 Grant Avenue  
San Lorenzo, California  
ACEHD Case No. RO0000373, GeoTacker No. T0600102256

Dear Mr. Detterman:

I declare, under penalty of perjury, that the information and or recommendations contained in the attached document are true and correct to the best of my knowledge.

Sincerely,  
George and Frida Jaber 1989 Family Trust



Philip Jaber, Trustee



3330 Cameron Park Drive Suite 550 Cameron Park CA 95682

Phone: (530) 676-6004 ~ Fax (530) 676-6005

## TRANSMITTAL

Date April 8, 2015

Project Former Olympic Station

To:

Oro Loma Sanitary District (OLSD)

Industrial Waste Inspector

2600 Grant Avenue, San Lorenzo, CA 94580

Attn: Rodney Smith

Re: Wastewater Discharge Monthly Report (Permit #SDP-2014147)

<b>Item</b>	<b>Description</b>
1	Analytical Report (Effluent sample collected on 3/10/15)
2	Operational Performance and Mass Removal Summary Table (Table 9: GW Extraction Component)

Dear Mr. Smith,

Please find attached for your review the analytical results for the effluent water samples collected on March 10, 2015 and the groundwater discharge flow rates observed from the dual-phase extraction and groundwater remediation system at the Former Olympic Station Facility, located at 1436 Grant Avenue, San Lorenzo, California. The system was shut down on March 23, 2015 due to lack of project funding. However, upon receipt of additional project funds, which is assumed to occur in the next fiscal year (after July 1, 2015), Stratus will re-start the system. Until then, Stratus will not discharge any treated groundwater to the municipal sewer system. Between March 10 and March 23, 2015, all extracted groundwater was treated using carbon vessels, and discharged into the sanitary sewer. The approximate monthly discharge and extraction rates are as follows:

- March 10 – March 23, 2015: 23,780 gallons (5.36 gpm)

The system operated in compliance with permit conditions and all effluent sample results were below laboratory reporting limits, and within the permit limitations.

“I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my



3330 Cameron Park Drive Suite 550 Cameron Park CA 95682

Phone: (530) 676-6004 ~ Fax (530) 676-6005


inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

If you have any questions, or need more information, please contact me at (530) 313-9974 or [dbarr@stratusinc.net](mailto:dbarr@stratusinc.net).

Sincerely,

A handwritten signature in black ink, consisting of the letters "DB" in a stylized, cursive font.

Deborah L. Barr, P.E.





# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005  
Date Received : 03/11/15

Job: Olypmic Station

Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B / SW8260B  
Volatile Organic Compounds (VOCs) EPA Method SW8260B

Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID: Oly W EFF				
Lab ID: STR15031147-01A	TPH-P (GRO)	ND	50 µg/L	03/12/15
Date Sampled 03/10/15 06:52	Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	03/12/15
	Benzene	ND	0.50 µg/L	03/12/15
	Toluene	ND	0.50 µg/L	03/12/15
	Ethylbenzene	ND	0.50 µg/L	03/12/15
	m,p-Xylene	ND	0.50 µg/L	03/12/15
	o-Xylene	ND	0.50 µg/L	03/12/15

Gasoline Range Organics (GRO) C4-C13

ND = Not Detected

Reported in micrograms per Liter, per client request.



*Roger Scholl*     *Randy Gardner*     *Walter Hinchman*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer  
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity: Alpha Analytical, Inc. attests that the data reported has not been altered in any way.



Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

*VPB*

3/12/15

Report Date



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

---

## VOC Sample Preservation Report

**Work Order:** STR15031147

**Job:** Olypmic Station

---

Alpha's Sample ID	Client's Sample ID	Matrix	pH
15031147-01A	Oly W EFF	Aqueous	2

---

3/12/15  
**Report Date**



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:  
16-Mar-15

## QC Summary Report

Work Order:  
15031147

### Method Blank

File ID: 15031205.D

Type MBLK

Test Code: EPA Method SW8015B/C / SW8260B

Batch ID: MS15W0312B

Analysis Date: 03/12/2015 12:39

Sample ID: MBLK MS15W0312B

Units: µg/L

Run ID: MSD\_15\_150312A

Prep Date: 03/12/2015 12:39

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	ND	50								
Surr: 1,2-Dichloroethane-d4	10.5		10		105	70	130			
Surr: Toluene-d8	10		10		100	70	130			
Surr: 4-Bromofluorobenzene	10.1		10		101	70	130			

### Laboratory Control Spike

File ID: 15031204.D

Type LCS

Test Code: EPA Method SW8015B/C / SW8260B

Batch ID: MS15W0312B

Analysis Date: 03/12/2015 12:10

Sample ID: GLCS MS15W0312B

Units: µg/L

Run ID: MSD\_15\_150312A

Prep Date: 03/12/2015 12:10

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	391	50	400		98	70	130			
Surr: 1,2-Dichloroethane-d4	11		10		110	70	130			
Surr: Toluene-d8	9.73		10		97	70	130			
Surr: 4-Bromofluorobenzene	10.1		10		101	70	130			

### Sample Matrix Spike

File ID: 15031228.D

Type MS

Test Code: EPA Method SW8015B/C / SW8260B

Batch ID: MS15W0312B

Analysis Date: 03/12/2015 22:00

Sample ID: 15031147-01AGS

Units: µg/L

Run ID: MSD\_15\_150312A

Prep Date: 03/12/2015 22:00

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	1970	250	2000		99	54	143			
Surr: 1,2-Dichloroethane-d4	56.4		50		113	70	130			
Surr: Toluene-d8	48.4		50		97	70	130			
Surr: 4-Bromofluorobenzene	49.5		50		99	70	130			

### Sample Matrix Spike Duplicate

File ID: 15031229.D

Type MSD

Test Code: EPA Method SW8015B/C / SW8260B

Batch ID: MS15W0312B

Analysis Date: 03/12/2015 22:25

Sample ID: 15031147-01AGSD

Units: µg/L

Run ID: MSD\_15\_150312A

Prep Date: 03/12/2015 22:25

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	2060	250	2000		103	54	143	1971	4.3(23)	
Surr: 1,2-Dichloroethane-d4	56.9		50		114	70	130			
Surr: Toluene-d8	49.6		50		99	70	130			
Surr: 4-Bromofluorobenzene	50.3		50		101	70	130			

### Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Reported in micrograms per Liter, per client request.



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:  
16-Mar-15

## QC Summary Report

Work Order:  
15031147

### Method Blank

File ID: 15031205.D

Type MBLK Test Code: EPA Method 624/8260

Batch ID: MS15W0312A

Analysis Date: 03/12/2015 12:39

Sample ID: MBLK MS15W0312A

Units: µg/L

Run ID: MSD\_15\_150312A

Prep Date: 03/12/2015 12:39

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Methyl tert-butyl ether (MTBE)	ND	0.5								
Benzene	ND	0.5								
Toluene	ND	0.5								
Ethylbenzene	ND	0.5								
m,p-Xylene	ND	0.5								
o-Xylene	ND	0.5								
Surr: 1,2-Dichloroethane-d4	10.5		10		105	70	130			
Surr: Toluene-d8	10		10		100	70	130			
Surr: 4-Bromofluorobenzene	10.1		10		101	70	130			

### Laboratory Control Spike

File ID: 15031203.D

Type LCS Test Code: EPA Method 624/8260

Batch ID: MS15W0312A

Analysis Date: 03/12/2015 11:46

Sample ID: LCS MS15W0312A

Units: µg/L

Run ID: MSD\_15\_150312A

Prep Date: 03/12/2015 11:46

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Methyl tert-butyl ether (MTBE)	8.47	0.5	10		85	63	137			
Benzene	9.4	0.5	10		94	70	130			
Toluene	10.7	0.5	10		107	80	120			
Ethylbenzene	10.1	0.5	10		101	80	120			
m,p-Xylene	11	0.5	10		110	65	139			
o-Xylene	10.9	0.5	10		109	70	130			
Surr: 1,2-Dichloroethane-d4	9.49		10		95	70	130			
Surr: Toluene-d8	10.1		10		101	70	130			
Surr: 4-Bromofluorobenzene	9.98		10		99.8	70	130			

### Sample Matrix Spike

File ID: 15031226.D

Type MS Test Code: EPA Method 624/8260

Batch ID: MS15W0312A

Analysis Date: 03/12/2015 21:12

Sample ID: 15030446-02AMS

Units: µg/L

Run ID: MSD\_15\_150312A

Prep Date: 03/12/2015 21:12

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Methyl tert-butyl ether (MTBE)	48.3	1.3	50		0	97	56	140		
Benzene	41	1.3	50		0	82	67	134		
Toluene	43.4	1.3	50		0	87	38	130		
Ethylbenzene	38.9	1.3	50		0	78	70	130		
m,p-Xylene	42.1	1.3	50		0	84	65	139		
o-Xylene	44.3	1.3	50		0	89	69	130		
Surr: 1,2-Dichloroethane-d4	54.7		50		109	70	130			
Surr: Toluene-d8	48.7		50		97	70	130			
Surr: 4-Bromofluorobenzene	49.1		50		98	70	130			

### Sample Matrix Spike Duplicate

File ID: 15031227.D

Type MSD Test Code: EPA Method 624/8260

Batch ID: MS15W0312A

Analysis Date: 03/12/2015 21:36

Sample ID: 15030446-02AMSD

Units: µg/L

Run ID: MSD\_15\_150312A

Prep Date: 03/12/2015 21:36

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Methyl tert-butyl ether (MTBE)	46.2	1.3	50		0	92	56	140	48.33	4.6(40)
Benzene	39.1	1.3	50		0	78	67	134	41	4.8(21)
Toluene	42.1	1.3	50		0	84	38	130	43.37	3.0(20)
Ethylbenzene	38.7	1.3	50		0	77	70	130	38.88	0.5(20)
m,p-Xylene	42.2	1.3	50		0	84	65	139	42.12	0.2(20)
o-Xylene	43.3	1.3	50		0	87	69	130	44.27	2.2(20)
Surr: 1,2-Dichloroethane-d4	54.1		50		108	70	130			
Surr: Toluene-d8	49.4		50		99	70	130			
Surr: 4-Bromofluorobenzene	49.8		50		99.5	70	130			



# *Alpha Analytical, Inc.*

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

**Date:**  
*16-Mar-15*

## **QC Summary Report**

**Work Order:**  
15031147

**Comments:**

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Billing Information :

# CHAIN-OF-CUSTODY RECORD

# RUSH! CA

**Alpha Analytical, Inc.**  
 255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778  
 TEL: (775) 355-1044 FAX: (775) 355-0406

**WorkOrder : STR15031147**  
**Report Due By : 5:00 PM On : 12-Mar-15**

**Client:**  
 Stratus Environmental  
 3330 Cameron Park Drive  
 Suite 550  
 Cameron Park, CA 95682-8861

Report Attention	Phone Number	EEmail Address
Scott Bittinger	(530) 676-2062 x	sbittinger@stratusinc.net

EDD Required : Yes

Sampled by : C. Hill


**PO :**  
 Client's COC # : 16142                      Job : Olypmic Station

Cooler Temp	Samples Received	Date Printed
0 °C	11-Mar-15	11-Mar-15

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Alpha Sample ID	Client Sample ID	Collection Matrix	Date	No. of Bottles			Requested Tests							Sample Remarks		
				Alpha	Sub	TAT	TPH/P_W	VOC_W								
STR15031147-01A	Oly W EFF	AQ	03/10/15 06:52	3	0	1	GAS-C	BTEX/M_C								

**Comments:**      24hr TAT. Security seals intact. Frozen ice. Chain split into three separate work orders due to different TAT. :

<b>Signature</b>	<b>Print Name</b>	<b>Company</b>	<b>Date/Time</b>
	JESSICA ALVARADO	Alpha Analytical, Inc.	3/11/15 1050

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other)      Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

Company: Stanley's  
 Attn: Debbie  
 Address: 5330 Cameron Pk Dr  
Carson, NV  
 City, State, Zip: 89002  
 Phone Number: 5306760004 Fax: 5306760005



Alpha Analytical, Inc.  
 Main Laboratory: 255 Glendale Ave, Suite 21 Sparks, NV 89431  
 Satellite Service Centers:  
 Northern CA: 9891 Horn Road, Suite C, Rancho Cordova, CA 95827  
 Southern CA: 1007 E. Dominguez St., Suite O, Carson, CA 90746  
 Northern NV: 1250 Lamolle Hwy., #310, Elko, NV 89801  
 Southern NV: 6255 McLeod Ave., Suite 24, Las Vegas, NV 89120

Phone: 775-355-1044  
 Fax: 775-355-0406  
 Phone: 916-366-9089  
 Phone: 714-386-2901  
 Phone: 775-388-7043  
 Phone: 702-281-4848

16142

Page # 1 of 1

Company: Stanley's Job and Purchase Order Info: Job #: Olympic Stadium Report Attention/Project Manager: SCOTT  
 Address: \_\_\_\_\_ Job Name: \_\_\_\_\_ Email Address: \_\_\_\_\_  
 City, State, Zip: \_\_\_\_\_ P.O. #: \_\_\_\_\_ Phone #: \_\_\_\_\_  
 Cell #: \_\_\_\_\_

QC Deliverable Info:  
 EDD Required? Yes / No \_\_\_\_\_ EDF Required? Yes / No \_\_\_\_\_  
 Global ID: T0600102256  
 Data Validation Packages: III or IV

Samples Collected from which State? (circle one) AR CA KS NV OR WA DOD Site Other

Time Sampled (MM/HH)	Date Sampled (MM/DD)	Matrix (See Key Below)	Lab ID Number (For Lab Use Only)	Sample Description	TAT	# Containers* (See Key Below)	Analysis Requested				Remarks
							Field Filtered?	GR0	BTEL	MYBE	
0705	3/10	AQ		Oly W INI	STD	3	X	X	X	X	
0700	)	)		Oly W GAL 1	STD	3	X	X	X	X	
0655	)	)		Oly W GAL 2	STD	3	X	X	X	X	
0652	)	)		Oly W EFF	24	3	X	X	X	X	

ADDITIONAL INSTRUCTIONS:

I (field sampler) attest to the validity and authenticity of this sample(s). I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action. NAC 445.0636 (c) (2).

Sampled By: <u>CHUCK STANTON</u>	Date: <u>3-10-15</u>	Time: <u>1200</u>	Received by: (Signature/Affiliation): <u>MENUSSA T</u>	Date: <u>3-10-15</u>	Time: <u>1200</u>
Relinquished by: (Signature/Affiliation): <u>CHUCK STANTON</u>	Date: _____	Time: _____	Received by: (Signature/Affiliation): <u>[Signature]</u>	Date: <u>3/11/15</u>	Time: <u>1000</u>
Relinquished by: (Signature/Affiliation): _____	Date: _____	Time: _____	Received by: (Signature/Affiliation): _____	Date: _____	Time: _____

\* Key: AQ - Aqueous WA - Waste OT - Other So - Soil \*\* L - Liter V - VOA S - Soil Jar O - Orbo T - Tedlar B - Brass P - Plastic OT - Other

NOTE: Samples are discarded 60 days after sample receipt unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

**TABLE 9  
GROUNDWATER EXTRACTION COMPONENT - OPERATIONAL PERFORMANCE AND MASS REMOVAL SUMMARY  
DPE REMEDIATION EVENT**

Former Olympic Station, 1436 Grant Avenue, San Lorenzo, California

Date	Notes	Sample Time	Hour Meter Reading <sup>1</sup>	Sewer Discharge Data				Analytical Results			Mass Removed			Cumulative Mass Removed		
				Totalizer Reading (gallons)	Period (gallons)	Cumulative Flow (gallons)	Average Sewer Discharge Flow Rate (gpm) <sup>a</sup>	Influent			This Period			Mass Removed		
								GRO (µg/L)	Benzene (µg/L)	MTBE (µg/L)	GRO (lbs)	Benzene (lbs)	MTBE (lbs)	GRO (lbs)	Benzene (lbs)	MTBE (lbs)
7/21/14	1	7:43	3,478.1	60,440	--	--	--	Start of Test								
07/29/14		5:55	3,599.7	110,120	49,680	49,680	6.81	310	3.3	37	0.13	0.0014	0.015	0.13	0.0014	0.015
08/18/14		7:15	3,862.0	196,310	86,190	135,870	5.48	170	3.4	39	0.17	0.0024	0.027	0.30	0.0038	0.043
09/08/14		7:55	4,247.0	305,370	109,060	244,930	4.72	<50	0.89	12	<0.10	0.0020	0.023	0.40	0.0057	0.066
10/02/14	2	7:25	4,823.0	458,740	153,370	398,300	4.44	<50	0.77	11	<0.06	0.0011	0.015	0.47	0.0068	0.081
11/03/14		7:58	5,265.0	618,930	160,190	558,490	6.04	<50	<0.50	13	<0.07	<0.001	0.016	0.53	0.0076	0.097
12/04/14		6:55	5,271.0	621,440	2,510	561,000	6.97	<50	0.98	21	<0.001	<0.00002	0.0004	0.53	0.0077	0.097
01/05/15	3	7:46	5,873.0	875,710	254,270	815,270	7.04	<50	5.40	29	<0.106	<0.00677	0.0530	0.64	0.0144	0.150
02/02/15		6:53	5,926.0	898,290	22,580	837,850	7.10	<50	2.40	22	<0.009	<0.00073	0.0048	0.65	0.0152	0.155
03/10/15	4	7:05	5,941.0	904,000	5,710	843,560	6.34	<50	1.50	21	<0.002	<0.00009	0.0010	0.65	0.0153	0.156
03/23/15	5	--	6,015.0	927,780	23,780	867,340	5.36	--	--	--	<0.010	<0.00030	0.0042	0.66	0.0156	0.160

**Legend / Key:**

GRO = Gasoline Range Organics C4-C13

µg/L = micrograms per liter

lbs = pounds

MTBE = Methyl tertiary butyl ether

gpm = gallons per minute

-- = data not collected/not calculated

**Analytical Methods /Laboratory:**

GRO analyzed using EPA Method SW8015B/SW8260B

Benzene and MTBE analyzed using EPA Method SW8260B

Alpha Analytical, Inc. (ELAP # 2019)

<sup>a</sup> Not representative of actual flow rate, calculation affected by system down time.

<sup>b</sup> Mass removed this period (pounds) = Average concentration (µg/L)[ between the sample dates] x Period gallons x (2.2046 x 10<sup>-9</sup>)(lb/µg) / 0.26418 (gal/L)

<sup>1</sup> Hour meter readings were not taken at exact sampling times, therefore, times noted are readings obtained closest to the actual sampling times.

**Notes:**

1 DPE extracting from extraction wells EX-2 through EX-7.

2 DPE extracting from extraction wells EX-1 through EX-7.

3 DPE extracting from extraction wells EX-1, EX-5 and EX-6.

4 DPE extracting from extraction wells EX-1 and EX-5.

5 Mass removed is based on analytical results obtained during March 10, 2015 sampling event.