

## **Detterman, Mark, Env. Health**

---

**From:** Detterman, Mark, Env. Health  
**Sent:** Friday, March 24, 2017 12:06 PM  
**To:** 'mehdi mohammadian'  
**Subject:** RE: 15595 Washington Ave, San Lorenzo, ca 94580

Hi Mr. Mohammadian,

Thank you for your phone call and email. Unfortunately the Alameda County Department of Environmental Health (ACDEH) cannot provide an extension for the work. The State Water Board closed this case and must issue any approval. ACDEH concurs that well destruction is the next step and is necessary to obtain closure. When you proceed, ACDEH will quickly approve the well destruction permits in conjunction with the Alameda County Public Works Agency (ACPWA).

Should you have a question, please let me know.

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF Copies of case files can be downloaded at:*  
*<http://www.acgov.org/aceh/lop/ust.htm>*

---

**From:** mehdi mohammadian [mailto:mehdi\_m1@yahoo.com]  
**Sent:** Tuesday, March 21, 2017 2:49 PM  
**To:** Detterman, Mark, Env. Health <Mark.Detterman@acgov.org>  
**Subject:** Fw: 15595 Washington Ave, San Lorenzo, ca 94580

----- Forwarded Message -----

**From:** mehdi mohammadian <[mehdi\\_m1@yahoo.com](mailto:mehdi_m1@yahoo.com)>  
**To:** [Mark.detterman@acgov.org](mailto:Mark.detterman@acgov.org)  
**Sent:** Thursday, March 16, 2017 3:49 PM  
**Subject:** 15595 Washington Ave, San Lorenzo, ca 94580

Dear Mark,

I have just returned from overseas and received a Notice of violation dated July 1, 2016. If you could please extend the compliance deadline for 3 months I would be most appreciative as I have arranged for Soil Tech Engineering to take care of the close up.

Thank you in advanced for your anticipated courtesy and attention to this matter. Should you have any questions or concerns please feel free to contact by phone or email.

Sincerely,

