

**FIRST QUARTER OF 2005 GROUNDWATER
MONITORING AND SAMPLING
FOR THE PROPERTY
LOCATED AT 15595 WASHINGTON AVENUE
SAN LORENZO, CALIFORNIA
APRIL 15, 2005**

Alameda County

JUL 15 2005

Environmental Health

**PREPARED FOR:
MR. MEHDI MOHAMMADIAN
CAL GAS
15595 WASHINGTON AVENUE
SAN LORENZO, CALIFORNIA 94580**

**BY:
ENVIRO SOIL TECH CONSULTANTS
131 TULLY ROAD
SAN JOSE, CALIFORNIA 95111**

ENVIRO SOIL TECH CONSULTANTS

LIST OF TABLES

TABLE 1 ... Groundwater Monitoring Data and Analytical Results

TABLE 2 ... Groundwater Analytical Results for Hydrocarbons Fuel Oxygenates (EPA 8260B)

LIST OF FIGURES

FIGURE 1 ... Site Vicinity Map showing 15595 Washington Avenue,
San Lorenzo, California

FIGURE 2 ... Site Plan showing location of Building, Monitoring Wells
Groundwater Flow Direction and Groundwater Elevation
Contour

FIGURE 3 ... TPHg Concentration Contour Map

FIGURE 4 ... Benzene Concentration Contour Map

FIGURE 5 ... MTBE Concentration Contour Map

LIST OF APPENDICES

APPENDIX "A" ... Table 1 and Table 2

APPENDIX "B" ... Figures 1, 2, 3, 4 and 5

APPENDIX "C" ... Graphs of Historical Chemical Concentrations and Groundwater Elevations

APPENDIX "D" ... Standard Operation Procedures

APPENDIX "E" ... Laboratory Report and Chain-of-Custody Documentation

APPENDIX "F" ... Field Notes

TABLE OF CONTENTS

	<u>Page Number</u>
Letter of Transmittal	1-2
Purpose	3
Site Description	3
Background	3-4
Scope of Present Work	5
Field Activities	5
<i>Groundwater Monitoring</i>	5-6
<i>Groundwater Sampling</i>	6
Groundwater Flow	7
Analytical Results	7
Summary	8
Recommendation	8
Limitations	8-9

APPENDIX "A"

Table 1 - Groundwater Monitoring Data and Analytical Results	T1-T8
Table 2 - Groundwater Analytical Results for Hydrocarbons Fuel Oxygenates EPA 8260B	T9-T14

TABLE OF CONTENTS CONT'D Page Number

APPENDIX "B"

Figure 1 - Vicinity Map	M1
Figure 2 - Site Plan	M2
Figure 3 - TPHg Concentration Contour Map	M3
Figure 4 - Benzene Concentration Contour Map	M4
Figure 5 - MTBE Concentration Contour Map	M5

APPENDIX "C"

Graphs of Historical Chemical Concentrations and Groundwater Elevations

APPENDIX "D"


Groundwater Sampling SOP1

APPENDIX "E"

Entech Analytical Labs Report and Chain-of-Custody Record

APPENDIX "F"

Field Notes



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

April 15, 2005

File No. 12-99-702-SI

Mr. Mehdi Mohammadian

Cal Gas

15595 Washington Avenue

San Lorenzo, California 94580

**SUBJECT: FIRST QUARTER OF 2005 GROUNDWATER
MONITORING & SAMPLING FOR THE PROPERTY**

Located at 15595 Washington Avenue, in
San Lorenzo, California

Dear Mr. Mohammadian:


This report presents results from the quarterly groundwater monitoring and sampling conducted by Enviro Soil Tech Consultants (ESTC), on March 21, 2005, at the subject site (Figure 1).

The five monitoring wells (MW-1 through MW-5) located on-site were monitored for presence of floating products and/or distinctive odor, and groundwaters were collected from these wells for laboratory analyses.

This quarterly groundwater monitoring and sampling of the on-site monitoring wells was conducted in accordance with the request and authorization of Mr. Mehdi Mohammadian and at the request of Mr. Scott O. Seery with Alameda County Health Care Services Agency-Environmental Health Services (ACHCSA-EHS) in letter dated May 19, 1999.

If you have any questions or require additional information, please feel free to contact our office at (408) 297-1500.

Sincerely,



FRANK HAMEDI-FARD
GENERAL MANAGER

ENVIRO SOIL TECH CONSULTANTS



LAWRENCE KOO, P. E.
C. E. #34928

PURPOSE:

The purpose of quarterly groundwater monitoring and sampling investigation was to define the direction of groundwater flow, water quality and the extent of hydrocarbons contamination in the groundwater at the site.

SITE DESCRIPTION:

The site is located on the northwest corner of Washington Avenue and Via Enrico Street, in San Lorenzo, California (Figure 1), and is currently being used as a service station. The site contained one single story building, underground storage tanks located at the center portion of the property and south of the pump islands. The subject property is located in an area of commercial and residential development.

BACKGROUND:

From 1974 to 1983, Calleris who had operated the gasoline service station owned the site.

From 1983 to 1986, Texaco owned the site, and during this time, the site was not in operation. Texaco removed the existing USTs in 1986, and subsurface contamination was detected in the fuel tank excavation.

In 1986, Bertram Kubo, who installed three new 10,000-gallon fuel tanks at a new location and reopened as a retail service station, purchased the site.

In 1990, the property was sold to the current owner, Mr. Mehdi Mohammadian, who operates the site as Shell retail service station.

In 1986, Groundwater Technology (GWT) conducted soil and groundwater investigation at the site by installing three on-site monitoring wells (MW-1 to MW-3). Hydrocarbon impact to shallow groundwater was detected in these wells. The detail of GWT's subsurface investigation is described in a report dated October 1986.

In July 1998, Toxicem Management Systems, Inc. (TMS) conducted an additional subsurface investigation, by installing two additional on-site wells (MW-4 and MW-5). TMS's findings showed presence of petroleum hydrocarbons in all wells. The details of this additional assessment are described in their report dated October 16, 1998. Quarterly monitoring of the five on-site wells has been conducted since August 1998. TPHg, BTEX and MTBE were detected in all the monitoring wells.

Per the request and authorization of Mr. Mehdi Mohammadian and under the directive of Mr. Scott O. Seery with ACHCSA-EHS in letters dated May 9, 1999; November 8, 1999 and November 10, 1999, ESTC submitted a proposed work plan for assessment of off-site gasoline plume using of so-called "rapid assessment" tools such as Geoprobe. The details of this work plan is described in ESTC's report entitled "Proposed Work Plan for Preliminary Off-Site Soil & Groundwater Assessment for the Property...", dated February 11, 2000.

On April 18, 2000, ESTC conducted soil and groundwater assessment off-site gasoline plume. Based on the off-site investigation, upto date, ESTC have been conducting quarterly monitoring and sampling of groundwater from the on-site monitoring wells.

SCOPE OF PRESENT WORK:

- The scopes of present work are as follow:
- Monitor wells MW-1 to MW-5 for presence of any sheen and/or odor and measure the depth-to-water table.
 - Purge the monitoring wells prior to sampling.
 - Sample monitoring wells MW-1 to MW-5.
 - Submit water samples to a state-certified laboratory for chemical analyses of Total Petroleum Hydrocarbons as gasoline (TPHg); Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX); Methyl Tertiary Butyl Ether (MTBE) and other hydrocarbons fuel oxygenates compounds per EPA Method 8260B.
 - Review results and prepare a report of the investigation.

FIELD ACTIVITIES:

Five on-site monitoring wells (MW-1 to MW-5) were monitored for floating products and/or distinctive odor, and the water samples were collected for laboratory analyses.

GROUNDWATER MONITORING:

On March 21, 2005, ESTC's staff monitored five monitoring wells (MW-1 to MW-5) for groundwater depth and presence of sheen and/or odor.

Based on recent field measurement of water depth and well installation data of MW-1, MW-2 and MW-3, these well screens are submerged. Wells MW-4 and MW-5 may have the same well construction; however, at this point, we have no information regarding these wells.

No sheen or odor was detected in monitoring wells MW-1 through MW-4 during field inspection. Sewerage odor was noted in monitoring well MW-5. The shallow groundwater table depths ranged from 6.54 feet (well MW-2) to 8.58 feet (well MW-5) below ground surface. Table 1 summarizes the depth to groundwater measurements and the field observations made.

GROUNDWATER SAMPLING:

Following the monitoring of the groundwater, in order to assure the samples were representative of surrounding groundwater, approximately four to five well volumes of water was purged from each well using a bailer before the sample was collected. A stainless steel bailer was used for sample collection. Water sampling equipment was decontaminated before and after each well sampling using Tri-sodium Phosphate (TSP) and water wash, followed by double rinsing. Groundwater samples were collected in 40-milliliter glass vials sealed with Teflon-lined screw caps, labeled and placed in a cold ice chest. Groundwater samples were submitted to Entech Analytical Labs, a state-certified laboratory, with proper chain-of-custody for analyses. The sampling was conducted in accordance with ESTC's Standard Operation Procedures (Appendix "D") and ACHCSA-EHS guidelines.

GROUNDWATER FLOW:

Water elevation data were used to determine groundwater flow direction. Table 1 summarizes the groundwater elevations. The groundwater flow direction beneath the site was in a westerly direction as of March 21, 2005 (Figure 2).

ANALYTICAL RESULTS:

Groundwater samples from monitoring wells MW-1 to MW-5 were analyzed for Total Petroleum Hydrocarbons as gasoline (TPHg) ~~per Method~~ ^{by} GC-MS; BTEX; MTBE and other hydrocarbons fuel oxygenates compounds per EPA Method 8260B.

Groundwater samples from the monitoring wells detected levels of TPHg ranging from 59 micrograms per liter ($\mu\text{g/L}$) (well MW-2) to the maximum of 5600 $\mu\text{g/L}$ (MW-5), Benzene ranging from non-detectable (wells MW-1 and MW-3) to maximum of 60 $\mu\text{g/L}$ (MW-5), Toluene ranging from non-detectable (wells MW-1, MW-3 and MW-5) to maximum of 5.1 $\mu\text{g/L}$ (MW-4). Ethylbenzene ranging from non-detectable (wells MW-1, MW-3 and MW-5) to maximum of 1.2 $\mu\text{g/L}$ (well MW-4), Total Xylenes ranging from non-detectable (wells MW-1, MW-3 and MW-5) to maximum of 6.9 $\mu\text{g/L}$ (well MW-4), and MTBE ranging from 15 $\mu\text{g/L}$ (MW-4) to maximum of 6400 $\mu\text{g/L}$ (MW-3). Monitoring wells MW-1, MW-2, MW-3 and MW-5 detected other fuel hydrocarbon oxygenated constituents in the water samples.

The groundwater analytical results are summarized in Table 1. Copy of the analytical results and chain-of-custody documentation are attached in Appendix "E".

SUMMARY:

All five monitoring wells detected TPHg and MTBE in the water samples. Three out of five monitoring wells detected Benzene in the water samples, and two out of five wells detected TEX in the water samples. Four out of five wells detected other fuel hydrocarbons oxygenated constituents in the water samples. Since the wells casing are submerged, the results of water samples may not be the representative of the water quality of monitoring wells.

RECOMMENDATION:

Since all five monitoring wells detected TPHg and MTBE in the water samples, ESTC recommends the continuation of quarterly monitoring and sampling of the five on-site wells.

A work plan has been submitted to Alameda County Health Care Services Agency-Environmental Health Services (ACHCSA-EHS) on September 20, 2004. Upon review and approval of work plan by ACHCSA-EHS, this work plan must be implemented in the timely manner.

A copy of this report will be forward to Alameda County Health Care Services Agency-Environmental Health Services (ACHCSA-EHS) and Regional Water Quality Control Board (RWQCB).

LIMITATIONS:

This report and the associated work have been provided in accordance with the general principles and practices currently employed in the environmental consulting profession. The contents of this report reflect the conditions of the site at this particular time. The findings of this report are based on:

- 1) The observations of field personnel.
- 2) The results of laboratory analyses performed by a state-certified laboratory.

It is possible that variations in the soil and groundwater could exist beyond the points explored in this investigation. Also, changes in groundwater conditions of a property can occur with the passage of time due to variations in rainfall, temperature, regional water usage and other natural processes or the works of man on this property or adjacent property.

The services that ESTC provided have been in accordance with generally accepted environmental professional practices for the nature and conditions of work completed in the same or similar localities at the time the work was performed. The contents of this report reflect the conditions of the subject site at this particular time. No other warranties, expressed or implied as to the professional advice provided are made.

A P P E N D I X "A"

TABLES

ENVIRO SOIL TECH CONSULTANTS

TABLE 1
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth of Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE
8/08/86	MW-1 (N/A)	15	10	N/A	N/A	N/A	N/A	ND<500	ND<500	NA	82	NA
11/12/92				11.37†	N/A	N/A	720	3	0.5	1	1	NA
3/24/94	22.93 (feet MSL)			8.71*	14.22	Odor	1300	110	ND<0.5	19	ND<0.5	NA
12/15/95				8.49*	14.44	No sheen Weakly petroleum odor	350	18	2.9	3.5	2.8	NA
8/26/98	22.96 Resurveyed			9.30*	13.66	N/A	ND <500	17	ND<5	ND<5	ND<5	340000
1/26/99				7.96*	15.00	N/A	ND <50000	ND<500	ND<500	ND<500	ND<500	269000
4/06/99				8.01*	14.95	N/A	3500	296	ND<10	43	18.6	117000
5/24/00	23.05 Resurveyed			8.24*	14.81	No sheen or odor	33000	ND <5000	ND <5000	ND <5000	ND <5000	74000
8/24/00				9.43*	13.62	No sheen or odor	11000	ND <2000	ND <2000	ND <2000	ND <2000	32000
11/22/00				9.28*	13.77	Light rainbow sheen No odor	24000	ND <2500	ND <2500	ND <2500	ND <2500	35000
2/22/01				7.86*	15.19	No sheen or odor	19000	ND <5000	ND <5000	ND <5000	ND <5000	51000
5/29/01				8.96*	14.09	No sheen or odor	30000	ND <5000	ND <5000	ND <5000	ND <5000	110000
8/22/01				9.66*	13.39	No sheen or odor	46000	ND <2500	ND <2500	ND <2500	ND <2500	70000
12/06/01				8.36*	14.69	No sheen or odor	25000	ND <2500	ND <2500	ND <2500	ND <2500	37000
3/25/02	23.05 Resurveyed			7.84*	15.21	Light rainbow sheen No odor	770	ND<830	ND<830	ND<830	ND<830	20000

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth of Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE
7/02/02	MW-1 (23.05)	15	10	8.96*	14.14	No sheen or odor	550	ND<500	ND<500	ND<500	ND<500	13000
10/05/02				9.58*	13.47	No sheen or odor	880•	ND<250	ND<250	ND<250	ND<250	3800
1/17/03				7.72*	15.33	No sheen or odor	8200a	ND<500	ND<500	ND<500	ND<500	11000
4/17/03				8.48*	14.57	No sheen or odor	390	ND<2.5	ND<2.5	ND<2.5	ND<2.5	1400
7/24/03				9.20*	13.85	No sheen or odor	490•	ND<100	ND<100	ND<100	ND<100	590
10/22/03				9.88*	13.17	No sheen or odor	430c	ND<50	ND<50	ND<50	ND<50	540
1/17/04				8.18*	14.87	No sheen or odor	420d	ND<25	ND<25	ND<25	ND<25	340
4/05/04				7.96*	15.09	No sheen or odor	520n	ND<5	ND<5	ND<5	ND<10	700
7/06/04				9.13*	13.92	No sheen or odor	150c	ND<0.5	ND<0.5	ND<0.5	ND<1	120
9/27/04				9.46*	13.59	No sheen or odor	110	5.3	1.2	2	4.3	47
12/17/04				8.38*	14.67	No sheen or odor	160	13	15	3.2	13	34
3/21/05				7.62*	15.43	No sheen or odor	450	ND<5	ND<5	ND<5	ND<5	520
8/08/96	MW-2 (N/A)	15	10	N/A	N/A	N/A	NA	ND<50	ND<50	NA	ND<50	NA
11/12/92				10.55†	N/A	N/A	ND<10	ND<0.3	ND<0.3	ND<0.3	ND<0.5	NA
3/24/94	22.09 (feet MSL)			7.87*	14.22	N/A	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	N/A
12/15/95				4.62*	17.47	No sheen or odor	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
2/28/98	22.07 Resurveyed			8.40*	13.67	N/A	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	210000
1/26/99				7.29*	14.78	N/A	ND<2000	ND<20	ND<20	ND<20	ND<20	9450
4/06/99				7.28*	14.79	N/A	ND<1000	ND<10	ND<10	ND<10	ND<10	209000
5/24/00	21.94 Resurveyed			7.22*	14.72	No sheen or odor	46000	ND<12500	ND<12500	ND<12500	ND<12500	180000

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth of Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE
8/24/00	MW-2 (21.94)	15	10	8.39*	13.55	No sheen or odor	21000	ND <2500	ND <2500	ND <2500	ND <2500	70000
11/22/00				8.24*	13.70	No sheen or odor	29000	ND <2500	ND <2500	ND <2500	ND <2500	43000
2/22/01				6.52*	15.42	No sheen or odor	20000	ND <5000	ND <5000	ND <5000	ND <5000	61000
5/29/01				7.90*	14.04	No sheen or odor	9100	ND <1000	ND <1000	ND <1000	ND <1000	24000
8/22/01				8.62*	13.32	No sheen or odor	8700	ND<500	ND<500	ND<500	ND<500	12000
12/06/01				7.28*	14.66	No sheen or odor	11000	ND <1250	ND <1250	ND <1250	ND <1250	22000
3/25/02	(21.94) Resurveyed			6.86*	15.08	No sheen or odor	ND<50	ND<830	ND<830	ND<830	ND<830	25000
7/02/02				7.96*	13.98	No sheen or odor	ND<50	ND<170	ND<170	ND<170	ND<170	6000
10/05/02				8.54*	13.40	No sheen or odor	820•	ND<250	ND<250	ND<250	ND<250	3400
1/17/03				6.76*	15.18	No sheen or odor	7000a	ND<500	ND<500	ND<500	ND<500	6800
4/17/03				7.38*	14.56	No sheen or odor	ND <500	ND<5	ND<5	ND<5	ND<5	3100
7/24/03				8.14*	13.80	No sheen or odor	720a	ND<5	ND<5	ND<5	ND<5	1400
10/22/03				8.82*	13.12	No sheen or odor	420c	ND<50	ND<50	ND<50	ND<50	580
1/17/04				7.14*	14.80	No sheen or odor	860c	ND<100	ND<100	ND<100	ND<100	1800
4/05/04				6.94*	15.00	No sheen or odor	330n	ND<5	ND<5	ND<5	ND<10	500
7/06/04				8.05*	13.89	No sheen or odor	200e	ND<1	ND<1	ND<1	ND<2	220
9/27/04				8.38*	13.11	No sheen or odor	54e	1.1	ND<0.5	ND<0.5	ND<1	72
12/17/04				7.31*	14.63	No sheen or odor	160	22	25	5.1	21	86
3/21/05				6.54*	15.40	No sheen or odor	59	1.2	3.2	0.87	4.8	63

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth of Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE
8/08/96	MW-3 (N/A)	16	10	N/A	N/A	N/A	NA	ND<50	ND<50	NA	ND<50	NA
11/12/92				11.32†	N/A	N/A	69	ND<0.3	ND<0.3	ND<0.3	ND<0.3	NA
3/24/94	22.73 (feet MSL)			8.69*	14.04	N/A	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
12/15/95				8.31*	14.42	No sheen or odor	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
8/26/98	22.74 Resurveyed			9.29*	13.45	N/A	ND <500	36	ND<5	ND<5	ND<5	99000
12/16/99				8.00*	14.74	N/A	ND <500	ND<50	ND<50	ND<50	ND<50	19800
4/06/99				8.00*	14.74	N/A	ND <1000	ND<10	ND<10	ND<10	ND<10	151000
5/24/00	22.56 Resurveyed			8.08*	14.47	No sheen or odor	48000	ND <12500	ND <12500	ND <12500	ND <12500	200000
8/24/00				9.24*	13.32	No sheen or odor	52000	ND <5000	ND <5000	ND <5000	ND <5000	170000
11/22/00				9.08*	13.48	No sheen or odor	69000	ND <10000	ND <10000	ND <10000	ND <10000	160000
2/22/01				7.58*	14.98	No sheen or odor	30000	ND <5000	ND <5000	ND <5000	ND <5000	130000
5/29/01				8.76*	13.80	No sheen or odor	29000	ND <2500	ND <2500	ND <2500	ND <2500	78000
8/22/01				9.46*	13.10	No sheen or	37000	ND <5000	ND <5000	ND <5000	ND <5000	98000
12/06/01				8.06*	14.50	No sheen or odor	33000	ND <5000	ND <5000	ND <5000	ND <5000	94000
3/25/02	22.56 Resurveyed			7.62*	14.94	No sheen or odor	ND<50	ND <2500	ND <2500	ND <2500	ND <2500	62000

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth of Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE
7/02/02	MW-3 (22.56)	16	10	7.78*	14.78	No sheen or odor	73Z	ND <2000	ND <2000	ND <2000	ND <2000	67000
10/05/02				9.38*	13.18	No sheen or odor	25000•	ND <2500	ND <2500	ND <2500	ND <2500	55000
1/17/03				7.46*	15.10	No sheen or odor	32000*	ND <2500	ND <2500	ND <2500	ND <2500	49000
4/17/03				8.22*	14.34	No sheen or odor	ND <10000	ND<100	ND<100	ND<100	ND<100	38000
7/24/03				9.02*	13.54	No sheen or odor	16000*	ND <2500	ND <2500	ND <2500	ND <2500	31000
10/22/03				9.66*	12.90	No sheen or odor	17000c	ND <2500	ND <2500	ND <2500	ND <2500	29000
1/17/04				7.92*	14.64	No sheen or odor	11000d	ND <2000	ND <2000	ND <2000	ND <2000	23000
4/05/04				7.46*	15.10	No sheen or odor	13000n	ND<200	ND<200	ND<200	ND<400	22000
7/06/04				8.92*	13.64	No sheen or odor	13000e	ND<50	ND<50	ND<50	ND<100	12000
9/27/04				9.24*	13.32	No sheen or odor	4200e	ND<50	ND<50	ND<50	ND<100	6800
12/17/04				8.12*	14.44	No sheen or odor	4000c	ND<50	ND<50	ND<50	ND<50	5400
3/21/05				7.38*	15.18	No sheen or odor	3500c	ND<50	ND<50	ND<50	ND<50	6400
8/26/98	MW-4 (23.51) feet MSL	19	N/A	9.87	13.64	N/A	170	2	0.74	1.3	1	150
1/26/99				8.54	14.97	N/A	140	ND<0.5	ND<0.5	ND<0.5	ND<0.5	7.6
4/06/99				8.34	15.17	N/A	390	3.94	ND<0.5	1.52	0.808	15.2
5/24/00	23.40 Resurveyed			8.72	14.68	No sheen or odor	210	ND<5	ND<5	ND<5	ND<5	40
8/24/00				9.88	13.52	No sheen or odor	160	ND<5	7.4	ND<5	ND<5	44

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth of Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE
11/22/00	MW-4 (23.40)	19	N/A	9.76	13.64	No sheen or odor	140	ND<5	ND<5	ND<5	ND<5	25
2/22/01				8.42	14.98	No sheen or odor	160	ND<5	ND<5	ND<5	ND<5	32
5/29/01				9.42	13.98	No sheen or odor	160	ND<5	ND<5	ND<5	ND<5	31
8/22/01				10.10	13.30	No sheen or odor	96	N<5	ND<5	ND<5	ND<5	28
12/06/01				8.68	14.72	No sheen or odor	160	ND<5	ND<5	ND<5	ND<5	25
3/25/02				8.28	15.12	No sheen or odor	150	ND<5	ND<5	ND<5	ND<5	14
7/02/02				9.36	14.04	No sheen or odor	120	ND<5	ND<5	ND<5	ND<5	ND<5
10/05/02				10.12	13.28	No sheen or odor	110	ND<5	ND<5	ND<5	ND<5	53
1/17/03				8.10	15.30	No sheen or odor	86c	ND<5	ND<5	ND<5	ND<5	23
4/17/03				8.88	14.52	No sheen or odor	110	3	2.8	1.1	2.84	89
7/24/03				9.74	13.66	No sheen or odor	130*	ND<5	ND<5	ND<5	ND<5	71
10/22/03				10.40	13.00	No sheen or odor	130b	ND<5	ND<5	ND<5	ND<5	81
1/17/04				8.72	14.68	No sheen or odor	180d	ND<5	ND<5	ND<5	ND<5	65
4/05/04				8.48	14.92	No sheen or odor	94	ND<0.5	ND<0.5	ND<0.5	ND<1	38
7/06/04				9.67	13.73	No sheen or odor	61e	ND<0.5	ND<0.5	ND<0.5	ND<1	79
9/27/04				10.02	13.38	No sheen or odor	230	3.8	0.8	1.3	2.3	57
12/17/04				8.88	14.52	No sheen or odor	430	62	68	13	53	42
3/21/05				8.02	15.38	No sheen or odor	71	2.3	5.1	1.2	6.9	15
8/26/98	MW-5 (23.85) feet MSL	19	N/A	10.51	13.34	N/A	6600	240	ND<50	380	84	ND<250
1/26/99				10.26	13.59	N/A	371	11.7	ND<0.5	3.22	ND<0.5	36.4
4/06/99				9.32	14.53	N/A	7680	266	ND<10	280	ND<10	ND<10
5/24/00	23.86 Resurveyed			9.39	14.47	Rainbow sheen No odor	3300	180	ND<25	140	ND<25	200

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth of Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE
8/24/00	MW-5 (23.86)	19	N/A	10.54	13.32	Light rainbow sheen No odor	3200	150	ND<10	91	ND<10	300
11/22/00				10.42	13.44	No sheen Light sewerage odor	520	120	ND<25	46	ND<25	510
2/22/01				8.88	14.98	No sheen or odor	5400	100	ND<50	94	ND<50	700
5/29/01				10.08	13.78	Rainbow sheen No odor	3700	83	ND<50	58	ND<50	860
8/22/01				10.76	13.10	Light rainbow sheen No odor	5900	150	ND<10	ND<10	ND<10	1700
12/06/01				9.48	14.38	Rainbow sheen Light petroleum odor	4900	ND<50	ND<50	ND<50	ND<50	1900
3/25/02	23.86 Resurveyed			9.08	14.78	No sheen or odor	4000	170	ND<83	ND<83	ND<83	2200
7/02/02				10.02	13.84	No sheen or odor	6100	ND<130	ND<130	ND<130	ND<130	2600
10/05/02				10.72	13.14	No sheen or odor	5500	110	ND<100	ND<100	ND<100	2500
1/17/03				8.76	15.10	No sheen or odor	3900 ^a	ND<100	ND<100	ND<100	ND<100	2000
4/17/03				9.58	14.28	No sheen or odor	7500	110	ND<10	61	ND<10	3500
7/24/03				10.36	13.50	No sheen or odor	7000 ^b	ND<250	ND<250	ND<250	ND<250	3300
10/22/03				11.02	12.84	No sheen Sewerage odor	7100	ND<500	ND<500	ND<500	ND<500	6100
1/17/04				9.30	14.56	No sheen Sewerage odor	7100 ^b	ND<500	ND<500	ND<500	ND<500	4200
4/05/04				9.06	14.80	No sheen Light sewerage odor	6200 ^b	100	ND<50	ND<50	ND<100	4800
7/06/04				10.30	13.56	No sheen Sewerage odor	7800	110	ND<25	44	ND<50	5600
9/27/04				10.92	12.94	No sheen Sewerage odor	6100 ^c	83	ND<50	ND<50	ND<100	4000

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth of Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE
12/17/04	MW-5 (23.86)	19	N/A	9.47	14.39	Slight sheen Sewerage odor	5700	110	54	27	ND<25	4200
3/21/05				8.58	15.28	No sheen Sewerage odor	5600	60	ND<50	ND<50	ND<50	4600

TPHg - Total Petroleum Hydrocarbons as gasoline

MTBE - Methyl Tertiary Butyl Ether

MSL - Mean Sea Level

N/A - Not Applicable

ND - Not Detected (Below Laboratory Detection Limit)

* Well screens are submerged

• TPH as gasoline reported value due to high concentrations of MTBE which are present in the TPH as gasoline quantitation range

a Report TPH as gasoline value is the result of high concentrations of discrete peak (MTBE) within the TPH as gasoline quantitation range

c Report TPH as gasoline value contains the result of high concentrations of MTBE within the TPH as gasoline quantitation range

n Report TPH as gasoline value contains the result of high concentrations of MTBE within the TPH as gasoline quantitation range

High surrogate recovery for 4-BFB due to matrix interference. See TFT results.

b TPH as gasoline value is the result of high concentrations of MTBE and high boiling point hydrocarbon mixture within the TPH as gasoline quantitation range

d TPH as gasoline value contains high concentration of MTBE and a typical gasoline pattern within the TPH as gasoline quantitation range

e TPH as gasoline reported value due to high concentrations of MTBE present in the TPH as gasoline

BTEX - Benzene, Toluene, Ethylbenzene, Total Xylenes

Perf. - Perforation

GW Elev. - Groundwater Elevation

NA - Not Analyzed

† Well screens are not submerged

Z - Sample exhibits unknown single peak or peaks

TABLE 2
GROUNDWATER ANALYTICAL RESULTS FOR
HYDROCARBONS FUEL OXYGENATES (EPA 8260B)

Date	Well No.	Hydrocarbons Fuel Oxygenates	Concentration ($\mu\text{g/L}$)
5/24/00	MW-1	Methyl tert-butyl Ether	74000
8/24/00		Methyl tert-butyl Ether	32000
11/22/00		Methyl tert-butyl Ether	35000
2/22/01		Methyl tert-butyl Ether	51000
5/29/01		Methyl tert-butyl Ether	110000
8/22/01		Methyl tert-butyl Ether tert-Butanol	70000 11000
12/06/01		Methyl tert-butyl Ether	37000
3/25/02		Methyl tert-butyl Ether	20000
7/02/02		Methyl tert-butyl Ether	13000
10/05/02		Methyl tert-butyl Ether	3800
1/17/03		Methyl tert-butyl Ether tert-Butanol	11000 2200
4/17/03		Methyl-t-butyl Ether n-Propylbenzene	1400 3.1
7/24/03		Methyl tert-butyl Ether	590
10/22/03		Methyl tert-butyl Ether	540
1/17/04		Methyl tert-butyl Ether	340
4/05/04		Methyl tert-butyl Ether	700
7/06/04		Methyl tert-butyl Ether	120
9/27/04		Benzene Ethylbenzene Methyl tert-butyl Ether Toluene Xylenes, Total	5.3 2 47 1.2 4.3
12/17/04		Benzene Ethylbenzene Methyl tert-butyl Ether Toluene Xylenes, Total	13 3.2 34 15 13
3/21/05		Methyl tert-butyl Ether tert-Butanol (TBA)	520 150
5/24/00	MW-2	Methyl tert-butyl Ether	180000
8/24/00		Methyl tert-butyl Ether	70000
11/22/00		Methyl tert-butyl Ether	43000
2/22/01		Methyl tert-butyl Ether	61000
5/29/01		Methyl tert-butyl Ether	24000
8/22/01		Methyl tert-butyl Ether	12000
12/06/01		Methyl tert-butyl Ether	22000

ENVIRO SOIL TECH CONSULTANTS

TABLE 2 CONT'D
GROUNDWATER ANALYTICAL RESULTS FOR
HYDROCARBONS FUEL OXYGENATES (EPA 8260B)

Date	Well No.	Hydrocarbons Fuel Oxygenates	Concentration ($\mu\text{g/L}$)
3/25/02	MW-2	Methyl tert-butyl Ether	25000
7/02/02		Methyl tert-butyl Ether	6000
10/05/02		Methyl tert-butyl Ether	3400
1/17/03		Methyl tert-butyl Ether tert-Butanol	6800 1100
4/17/03		Methyl-tert-butyl Ether	3100
7/24/03		Methyl tert-butyl Ether	1400
10/22/03		Methyl tert-butyl Ether	580
1/17/04		Methyl tert-butyl Ether tert-Butanol (TBA)	1800 250
4/05/04		Methyl tert-butyl Ether tert-Butanol (TBA)	500 260
7/06/04		Methyl tert-butyl Ether	220
9/27/04		Benzene Methyl tert-butyl Ether	1.1 72
12/17/04		Benzene Ethylbenzene Methyl tert-butyl Ether tert-Butanol (TBA) Toluene Xylenes, Total	22 5.1 86 39 25 21
3/21/05		Benzene Ethylbenzene Methyl tert-butyl Ether tert-Butanol (TBA) Toluene Xylenes, Total	1.2 0.87 63 30 3.2 4.8
5/24/00	MW-3	Methyl tert-butyl Ether	200000
8/24/00		Methyl tert-butyl Ether	170000
11/22/00		Methyl tert-butyl Ether	160000
2/22/01		Methyl tert-butyl Ether	200000
5/29/01		Methyl tert-butyl Ether	78000
8/22/01		Methyl tert-butyl Ether	98000
12/06/01		Methyl tert-butyl Ether	94000
3/25/02		Methyl tert-butyl Ether	6200
7/02/02		Methyl tert-butyl Ether	67000
10/05/02		Methyl tert-butyl Ether Methylene Chloride	55000 7000
1/17/03		Methyl tert-butyl Ether	49000
4/17/03		Methyl-tert-butyl Ether	38000

ENVIRO SOIL TECH CONSULTANTS

TABLE 2 CONT'D
GROUNDWATER ANALYTICAL RESULTS FOR
HYDROCARBONS FUEL OXYGENATES (EPA 8260B)

Date	Well No.	Hydrocarbons Fuel Oxygenates	Concentration ($\mu\text{g/L}$)
7/24/03	MW-3	Methyl tert-butyl Ether	31000
10/22/03		Methyl tert-butyl Ether	29000
1/17/04		Methyl tert-butyl Ether	23000
4/05/04		Methyl tert-butyl Ether	22000
7/06/04		Methyl tert-butyl Ether	12000
9/27/04		Methyl tert-butyl Ether	6800
12/17/04		Methyl tert-butyl Ether	5400
		Tetrachloroethene	110
3/21/05		Methyl tert-butyl Ether tert-Butanol (TBA)	6400 4300
5/24/00	MW-4	Methyl tert-butyl Ether	40
8/24/00		Methyl tert-butyl Ether Toluene	44 7.4
11/22/00		Methyl tert-butyl Ether	25
2/22/01		Methyl tert-butyl Ether	32
5/29/01		Methyl tert-butyl Ether	31
8/22/01		Methyl tert-butyl Ether	28
12/06/01		Methyl tert-butyl Ether	25
3/25/02		Methyl tert-butyl Ether	14
7/02/02		None Detected	<5
10/05/02		Methyl tert-butyl Ether	53
1/17/03		Methyl tert-butyl Ether	23
4/17/03		Methyl-t-butyl Ether Benzene Toluene Ethylbenzene p,m-Xylenes o-Xylene Naphthalene	89 3 2.8 1.1 2 0.84 0.81
7/24/03		Methyl t-butyl Ether tert-Butanol (TBA)	71 11
10/22/03		Methyl tert-butyl Ether	81
1/17/04		Methyl tert-butyl Ether	65
4/05/04		Methyl tert-butyl Ether	38
7/06/04		Methyl tert-butyl Ether	79

TABLE 2 CONT'D
GROUNDWATER ANALYTICAL RESULTS FOR
HYDROCARBONS FUEL OXYGENATES (EPA 8260B)

Date	Well No.	Hydrocarbons Fuel Oxygenates	Concentration ($\mu\text{g/L}$)
9/27/04	MW-5	Benzene Ethylbenzene Methyl tert-butyl Ether Toluene Xylenes, Total	3.8 1.3 57 0.8 2.3
12/17/04		1,2,4-Trimethylbenzene Benzene Ethylbenzene Methyl tert-butyl Ether Toluene Xylenes, Total	6.9 62 13 42 68 53
3/21/05		Benzene Ethylbenzene Methyl tert-butyl Ether Toluene Xylenes, Total	2.3 1.2 15 5.1 6.9
5/24/00		Benzene Ethylbenzene Isopropylbenzene Methyl tert-butyl Ether n-Butylbenzene n-Propylbenzene Naphthalene	180 140 55 200 42 200 120
8/24/00		1,2,4-Trimethylbenzene Benzene Ethylbenzene Isopropylbenzene Methyl tert-butyl Ether n-Butylbenzene n-Propylbenzene Naphthalene p-Isopropyltoluene sec-Butylbenzene	15 150 91 38 300 29 140 87 28 12
11/22/00		Benzene Ethylbenzene Isopropylbenzene Methyl tert-butyl Ether n-Propylbenzene Naphthalene	120 46 31 510 100 37

TABLE 2 CONT'D
GROUNDWATER ANALYTICAL RESULTS FOR
HYDROCARBONS FUEL OXYGENATES (EPA 8260B)

Date	Well No.	Hydrocarbons Fuel Oxygenates	Concentration ($\mu\text{g/L}$)
2/22/01	MW-5	Benzene Ethylbenzene Methyl tert-butyl Ether n-Propylbenzene Naphthalene	100 94 700 160 90
5/29/01		Benzene Ethylbenzene Methyl tert-butyl Ether n-Propylbenzene Naphthalene	83 58 860 130 64
8/22/01		Benzene Methyl tert-butyl Ether n-Propylbenzene Naphthalene	150 1700 230 140
12/06/01		Methyl tert-butyl Ether	1900
3/25/02		Methyl tert-butyl Ether Benzene Propylbenzene	2200 170 180
7/02/02		Methyl tert-butyl Ether Propylbenzene	2600 240
10/05/02		Benzene Methyl tert-butyl Ether n-Propylbenzene Naphthalene	110 2500 230 120
1/17/03		Methyl tert-butyl Ether n-Propylbenzene tert-Butanol (TBA)	2000 140 310
4/17/03		Methyl t-butyl Ether Benzene Ethylbenzene Isopropylbenzene n-Propylbenzene sec-Butylbenzene Naphthalene	3500 110 61 71 270 21 140
7/24/03		Methyl t-butyl Ether n-Propylbenzene tert-Butanol (TBA)	3300 400 520
10/22/03		Methyl tert-butyl Ether	6100
1/17/04		Methyl tert-butyl Ether	4200
4/05/04		Benzene Methyl tert-butyl Ether	100 4800

ENVIRO SOIL TECH CONSULTANTS

TABLE 2 CONT'D
GROUNDWATER ANALYTICAL RESULTS FOR
HYDROCARBONS FUEL OXYGENATES (EPA 8260B)

Date	Well No.	Hydrocarbons Fuel Oxygenates	Concentration ($\mu\text{g/L}$)
7/06/04	MW-5	Benzene Ethylbenzene Isopropylbenzene Methyl tert-butyl Ether n-Propylbenzene	110 44 81 5600 350
9/27/04		Benzene Methyl tert-butyl Ether	83 4000
12/17/04		Benzene Ethylbenzene Methyl tert-butyl Ether Tetrachloroethene Toluene	110 27 4200 64 54
3/21/05		Benzene Methyl tert-butyl Ether tert-Butanol (TBA)	60 4600 1300


ENVIRO SOIL TECH CONSULTANTS

T14

A P P E N D I X "B"


FIGURES

ENVIRO SOIL TECH CONSULTANTS



ENVIRO SOIL TECH CONSULTANTS

Figure 1






Figure 3: Contour map of TPH-g concentrations in the groundwater.
March 21, 2005.





Figure 4: Map of Benzene concentrations in the groundwater.
March 21, 2005.



approximate scale in feet

Figure 5: Contour map of MtBE concentrations in the groundwater.
March 21, 2005.


**Enviro Soil
Consultants**

A P P E N D I X "C"


HYDROGRAPHS

ENVIRO SOIL TECH CONSULTANTS


File No.: 12-99-702-SI
TPHg, BENZENE & MTBE FOR MW-1 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 12-99-702-SI
TPHg, BENZENE & MTBE RESULTS FOR MW-2 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 12-99-702-SI
TPHg, BENZENE & MTBE RESULTS FOR MW-3 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)



File No.: 12-99-702-SI
TPHg, BENZENE & MTBE RESULTS FOR MW-4 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)



File No.: 12-99-702-SI
TPHg, BENZENE & MTBE RESULTS FOR MW-5 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)



File No. 12-99-702-SI

A P P E N D I X "D"

STANDARD OPERATION PROCEDURE

ENVIRO SOIL TECH CONSULTANTS

GROUNDWATER SAMPLING

Prior to collection of groundwater samples, all of the sampling equipment (i.e. bailer, cables, bladder pump, discharge lines and etc.) was cleaned by pumping TSP water solution followed by distilled water.

Prior to purging, the well "Water Sampling Field Survey Forms" were filled out (depth to water and total depth of water column were measured and recorded). The well was then bailed or pumped to remove four to ten well volumes or until the discharged water temperature, conductivity and pH stabilized. "Stabilized" is defined as three consecutive readings within 15% of one another.

The groundwater sample was collected when the water level in the well recovered to 80% of its static level.

Forty milliliter (ml.), glass volatile organic analysis (VOA) vials with Teflon septa were used as sample containers. The groundwater sample was decanted into each VOA vial in such a manner that there was a meniscus at the top. The cap was quickly placed over the top of the vial and securely tightened. The VOA vial was then inverted and tapped to see if air bubbles were present. If none were present, the sample was labeled and refrigerated for delivery under chain-of-custody to the laboratory. The label information would include a sample identification number, job identification number, date, time, type of analysis requested, and the sampler's name.

A P P E N D I X "E"

LABORATORY REPORT

ENVIRO SOIL TECH CONSULTANTS

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111

Certificate ID: 42907 - 3/30/2005 9:22:13 PM

Order Number: 42907
Project Name: 15595 Washington Ave
Project Number: 12-99-702-SI

Date Received: 3/22/2005 12:02:49 PM
P.O. Number: 12-99-702-SI

Certificate of Analysis - Final Report

On March 22, 2005, samples were received under chain of custody for analysis. Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test</u>	<u>Method</u>	<u>Comments</u>
Liquid	EPA 8260B TPH as Gasoline - GC/MS	EPA 8260B GC-MS	

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #: 42907-001 Sample ID: MW-1 Matrix: Liquid Sample Date: 3/21/2005 11:28 AM

Method: GC-MS - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	450		10	250	µg/L	N/A	N/A	03/30/2005	WMS1050329

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Xbian
Bromofluorobenzene	96.9	75 - 125	Reviewed by: MTU
Dibromofluoromethane	107	75 - 125	
luene-d8	107	75 - 125	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Job # : 42907-002 Sample ID: MW-2 Matrix: Liquid Sample Date: 3/21/2005 12:35 PM

Method: GC-MS - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
-----------	--------	------	----	-----------------	-------	-----------	------------	---------------	----------

TPH as Gasoline	59		1	25	µg/L	N/A	N/A	03/29/2005	WMS1050329
-----------------	----	--	---	----	------	-----	-----	------------	------------

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Xbian
-----------	--------------------	--------------------	--------------------

4-Bromofluorobenzene	101	75 - 125	Reviewed by: MTU
----------------------	-----	----------	------------------

Dibromofluoromethane	106	75 - 125	
----------------------	-----	----------	--

Heptane-d8	102	75 - 125	
------------	-----	----------	--

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:26 PM - Igantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #: 42907-003 Sample ID: MW-3 Matrix: Liquid Sample Date: 3/21/2005 1:41 PM

Method: GC-MS - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	3500		100	2500	µg/L	N/A	N/A	03/29/2005	WMS1050329

Note: Reported TPH as Gasoline value is the result of high concentration of MTBE within the TPH as Gasoline quantitation range.

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Xbian
4-Bromofluorobenzene	98.4	75 - 125	Reviewed by: MTU
4-Bromofluoromethane	104	75 - 125	
luene-d8	104	75 - 125	

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #: 42907-004 Sample ID: MW-4 Matrix: Liquid Sample Date: 3/21/2005 10:32 AM

Method: GC-MS - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	71		1	25	µg/L	N/A	N/A	03/29/2005	WMS1050329

Surrogate	Surrogate Recovery	Control Limits (%)			Analyzed by: Xbian		
Bromofluorobenzene	100	75	-	125	Reviewed by: MTU		
Dibromofluoromethane	103	75	-	125			
Toluene-d8	102	75	-	125			

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #: 42907-005 Sample ID: MW-5 Matrix: Liquid Sample Date: 3/21/2005 9:30 AM

Method: GC-MS - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	5600		100	2500	µg/L	N/A	N/A	03/29/2005	WMS1050329

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Xbian
Bromofluorobenzene	98.9	75 - 125	Reviewed by: MTU
Dibromofluoromethane	103	75 - 125	
Toluene-d8	104	75 - 125	

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:31 PM - Igantz

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #: 42907-001 Sample ID: MW-1 Matrix: Liquid Sample Date: 3/21/2005 11:28 AM

Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,1,1-Trichloroethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,1,2,2-Tetrachloroethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,1,2-Trichloroethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,1-Dichloroethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,1-Dichloroethene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,1-Dichloropropene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2,3-Trichlorobenzene	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2,3-Trichloropropane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2,4-Trichlorobenzene	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2,4-Trimethylbenzene	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2-Dibromo-3-Chloropropane	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2-Dibromoethane (EDB)	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2-Dichlorobenzene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2-Dichloroethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2-Dichloropropane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,3,5-Trimethylbenzene	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,3-Dichlorobenzene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,3-Dichloropropane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,4-Dichlorobenzene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,4-Dioxane	ND	10	500	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
1,2-Dichloropropene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
-Butanone (MEK)	ND	10	200	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
2-Chloroethyl-vinyl Ether	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
2-Chlorotoluene	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
-Hexanone	ND	10	200	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
-Chlorotoluene	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
4-Methyl-2-Pentanone(MIBK)	ND	10	200	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Cetone	ND	10	200	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
cetonitrile	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Acrolein	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Acrylonitrile	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Benzene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Benzyl Chloride	ND	10	50	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Bromobenzene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Bromochloromethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Bromodichloromethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Bromoform	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Bromomethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Carbon Disulfide	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Carbon Tetrachloride	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Chlorobenzene	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Chloroethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Chloroform	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329
Chloromethane	ND	10	5	µg/L	N/A	N/A	N/A	03/30/2005	WMS1050329

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:24 PM - Igantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab # : 42907-001	Sample ID: MW-1	Matrix: Liquid	Sample Date: 3/21/2005	11:28 AM
-------------------	-----------------	----------------	------------------------	----------

Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
trans-1,3-Dichloropropene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
cyclohexanone	ND		10	200	µg/L	N/A	N/A	03/30/2005	WMS1050329
Dibromochloromethane	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
Dibromomethane	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
Trichlorodifluoromethane	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
Diisopropyl Ether	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Ethyl Benzene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
Heptane	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Exachlorobutadiene	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Iodomethane	ND		10	10	µg/L	N/A	N/A	03/30/2005	WMS1050329
Isopropanol	ND		10	200	µg/L	N/A	N/A	03/30/2005	WMS1050329
Propylbenzene	ND		10	10	µg/L	N/A	N/A	03/30/2005	WMS1050329
Methyl-t-butyl Ether	520		10	10	µg/L	N/A	N/A	03/30/2005	WMS1050329
Methylene Chloride	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
p-Butylbenzene	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Propylbenzene	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Naphthalene	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Isopropyltoluene	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Pentachloroethane	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
sec-Butylbenzene	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Styrene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
tert-Amyl Methyl Ether	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
tert-Butanol (TBA)	150		10	100	µg/L	N/A	N/A	03/30/2005	WMS1050329
tert-Butyl Ethyl Ether	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
p-tert-Butylbenzene	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Tetrachloroethene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
Tetrahydrofuran	ND		10	200	µg/L	N/A	N/A	03/30/2005	WMS1050329
Toluene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
trans-1,2-Dichloroethene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
trans-1,3-Dichloropropene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
trans-1,4-Dichloro-2-butene	ND		10	10	µg/L	N/A	N/A	03/30/2005	WMS1050329
Trichloroethene	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
Trichlorofluoromethane	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
Vinyl Acetate	ND		10	50	µg/L	N/A	N/A	03/30/2005	WMS1050329
Vinyl Chloride	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329
Ylenes, Total	ND		10	5	µg/L	N/A	N/A	03/30/2005	WMS1050329

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Xbian
Bromofluorobenzene	95.4	75 - 125	Reviewed by: MTU
bromofluoromethane	103	75 - 125	
Toluene-d8	103	75 - 125	

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:24 PM - Igantz

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

b #: 42907-002 Sample ID: MW-2 Matrix: Liquid Sample Date: 3/21/2005 12:35 PM

Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1,1-Trichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1,2-Tetrachloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1,2-Trichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloropropene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichlorobenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,4-Trichlorobenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromo-3-Chloropropane	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromoethane (EDB)	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloropropene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3-Trimethylbenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,4-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,4-Dioxane	ND	1	50	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2,2-Dichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Methyl-1-Pentanone (MEK)	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Chloroethyl-vinyl Ether	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Chlorotoluene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Decanone	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Chlorotoluene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acetone	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acetonitrile	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acrolein	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acrylonitrile	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Benzene	1.2	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Benzyl Chloride	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromochloromethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromodichloromethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromoform	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Promomethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Carbon Disulfide	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Carbon Tetrachloride	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloroform	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloromethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

DF = Dilution and/or Prep Factor including sample volume adjustments.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:25 PM - iglantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi**

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)		Matrix: Liquid		Sample Date: 3/21/2005		12:35 PM			
Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples									
Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,3-Dichloropropene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Methylcyclohexanone	ND	1	1	20	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dibromochloromethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dibromomethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichlorodifluoromethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Methylpropyl Ether	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Ethyl Benzene	0.87	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Peak 113	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,3-Dichlorobutadiene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Iodomethane	ND	1	1	1	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Propanol	ND	1	1	20	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Methylpropylbenzene	ND	1	1	1	µg/L	N/A	N/A	03/29/2005	WMS1050329
Methyl-t-butyl Ether	63	1	1	1	µg/L	N/A	N/A	03/29/2005	WMS1050329
Methylene Chloride	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Butylbenzene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Methyl-2-Propylbenzene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Naphthalene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Ethyl-2-Isopropyltoluene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dimethylchloroethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
sec-Butylbenzene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Styrene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Ethyl-2-Methyl Methyl Ether	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Butanol (TBA)	30	1	1	10	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Butyl Ethyl Ether	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Ethylbenzene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Tetrahydrofuran	ND	1	1	20	µg/L	N/A	N/A	03/29/2005	WMS1050329
1-Pentene	3.2	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,2-Dichloroethene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,3-Dichloropropene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,4-Dichloro-2-butene	ND	1	1	1	µg/L	N/A	N/A	03/29/2005	WMS1050329
1-Chloroethene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichlorodifluoromethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Vinyl Acetate	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Vinyl Chloride	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Arenes, Total	4.8	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Xbian
Bromofluorobenzene	99.0	75 - 125	Reviewed by: MTU
Bromofluoromethane	102	75 - 125	
Toluene d ₈	98.5	75 - 125	

Detection Limit = Detection Limit for Reporting

ND = Not Detected at or above the Detection Limit

DE = Dilution and/or Prep Factor including sample volume adjustments

B = Analyte found in associated Method Blank

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #: 42907-003 Sample ID: MW-3 Matrix: Liquid Sample Date: 3/21/2005 1:41 PM

Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Trichloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2,2-Tetrachloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1,2-Trichloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloropropene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichlorobenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichloropropane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2,4-Trichlorobenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromo-3-Chloropropane	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromoethane (EDB)	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichlorobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloropropane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,3,5-Trimethylbenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichlorobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichloropropane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,4-Dichlorobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,4-Dioxane	ND		100	5000	µg/L	N/A	N/A	03/29/2005	WMS1050329
2,2-Dichloropropane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Butanone (MEK)	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Chloroethyl-vinyl Ether	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Chlorotoluene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Hexanone	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chlorotoluene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
4-Methyl-2-Pentanone(MIBK)	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Cetone	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Acetonitrile	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Acrolein	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Acrylonitrile	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Benzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Benzyl Chloride	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromochloromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromodichloromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromoform	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromomethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Carbon Disulfide	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Carbon Tetrachloride	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chlorobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chloroform	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chloromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:27 PM - lgiantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #:	42907-003	Sample ID:	MW-3	Matrix:	Liquid	Sample Date:	3/21/2005	1:41 PM	
Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)									
Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples									
Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
cis-1,3-Dichloropropene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
cyclohexanone	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dibromochloromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dibromomethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dichlorodifluoromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Diisopropyl Ether	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Ethyl Benzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Heptane	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Hexachlorobutadiene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Iodomethane	ND		100	100	µg/L	N/A	N/A	03/29/2005	WMS1050329
Isopropanol	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Isopropylbenzene	ND		100	100	µg/L	N/A	N/A	03/29/2005	WMS1050329
Methyl-t-butyl Ether	6400		100	100	µg/L	N/A	N/A	03/29/2005	WMS1050329
Methylene Chloride	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
-Butylbenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
-Propylbenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Naphthalene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
-Isopropyltoluene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Octachloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
sec-Butylbenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Styrene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Amyl Methyl Ether	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Butanol (TBA)	4300		100	1000	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Butyl Ethyl Ether	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Butylbenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Tetrachloroethene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Tetrahydrofuran	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Toluene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,2-Dichloroethene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,3-Dichloropropene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,4-Dichloro-2-butene	ND		100	100	µg/L	N/A	N/A	03/29/2005	WMS1050329
Trichloroethene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Trichlorofluoromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Vinyl Acetate	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Vinyl Chloride	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Ylenes, Total	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Xbian
-Bromofluorobenzene	96.8	75 - 125	Reviewed by: MTU
Bromofluoromethane	101	75 - 125	
Toluene-d8	99.6	75 - 125	

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:27 PM - lgiantz

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #:	42907-004	Sample ID:	MW-4	Matrix:	Liquid	Sample Date:	3/21/2005	10:32 AM	
Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)									
Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples									
Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1,1-Trichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1,2,2-Tetrachloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1,2-Trichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloropropene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichlorobenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,4-Trichlorobenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,4-Trimethylbenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromo-3-Chloropropane	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromoethane (EDB)	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3,5-Trimethylbenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,4-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,4-Dioxane	ND	1	50	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1-Butanone (MEK)	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Chloroethyl-vinyl Ether	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Chlorotoluene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Hexanone	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
4-Chlorotoluene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acetone	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acetonitrile	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acrolein	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acrylonitrile	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Benzene	2.3	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Benzyl Chloride	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromochloromethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromodichloromethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromoform	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromomethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Carbon Disulfide	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Carbon Tetrachloride	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloroform	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloromethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:28 PM - lgantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #: 42907-004 Sample ID: MW-4 Matrix: Liquid Sample Date: 3/21/2005 10:32 AM

Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Trichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,2-Tetrachloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1,2-Trichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloropropene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichlorobenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,4-Trichlorobenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2,4-Trimethylbenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromo-3-Chloropropane	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromoethane (EDB)	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3,5-Trimethylbenzene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
1,4-Dioxane	ND	1	50	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2,2-Dichloropropane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Butanone (MEK)	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Chloroethyl-vinyl Ether	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
2-Chlorotoluene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Hexanone	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chlorotoluene	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Tetone	ND	1	20	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Tetonitrile	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acrolein	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Acrylonitrile	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Benzene	2.3	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Benzyl Chloride	ND	1	5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromoform	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Bromomethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Carbon Disulfide	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Carbon Tetrachloride	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chlorobenzene	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloroethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloroform	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329
Chloromethane	ND	1	0.5	µg/L	N/A	N/A	N/A	03/29/2005	WMS1050329

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

PF = Dilution and/or Prep Factor including sample volume adjustments.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:28 PM - lgplant

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Lab #: 42907-004 Sample ID: MW-4 Matrix: Liquid Sample Date: 3/21/2005 10:32 AM

Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
cis-1,3-Dichloropropene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
cyclohexanone	ND	1	1	20	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dibromochloromethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dibromomethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
chlorodifluoromethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Isopropyl Ether	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Ethyl Benzene	1.2	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Neon 113	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Exachlorobutadiene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Iodomethane	ND	1	1	1	µg/L	N/A	N/A	03/29/2005	WMS1050329
Isopropanol	ND	1	1	20	µg/L	N/A	N/A	03/29/2005	WMS1050329
Propylbenzene	ND	1	1	1	µg/L	N/A	N/A	03/29/2005	WMS1050329
Methyl-t-butyl Ether	15	1	1	1	µg/L	N/A	N/A	03/29/2005	WMS1050329
Methylene Chloride	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Butylbenzene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Propylbenzene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Naphthalene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Isopropyltoluene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Trichloroethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
sec-Butylbenzene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Styrene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Amyl Methyl Ether	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Butanol (TBA)	ND	1	1	10	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Butyl Ethyl Ether	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
tert-Butylbenzene	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Trichloroethene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Tetrahydrofuran	ND	1	1	20	µg/L	N/A	N/A	03/29/2005	WMS1050329
Toluene	5.1	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,2-Dichloroethene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,3-Dichloropropene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
trans-1,4-Dichloro-2-butene	ND	1	1	1	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dichloroethene	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Dichlorofluoromethane	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Vinyl Acetate	ND	1	1	5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Vinyl Chloride	ND	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329
Vinylanes, Total	6.9	1	1	0.5	µg/L	N/A	N/A	03/29/2005	WMS1050329

Surrogate	Surrogate Recovery	Control Limits (%)		Analyzed by: Xbian
Bromofluorobenzene	98.8	75	- 125	Reviewed by: MTU
bromofluoromethane	99.8	75	- 125	
Toluene-d8	98.1	75	- 125	

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:29 PM - lgiantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Job #: 42907-005 Sample ID: MW-5 Matrix: Liquid Sample Date: 3/21/2005 9:30 AM

Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)

Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples

Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1,1-Trichloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1,2,2-Tetrachloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1,2-Trichloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloroethene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,1-Dichloropropene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichlorobenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2,3-Trichloropropane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2,4-Trichlorobenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2,4-Trimethylbenzene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromo-3-Chloropropane	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dibromoethane (EDB)	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichlorobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichloropropane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,2-Dichlorobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichlorobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,3-Dichloropropane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
1,4-Dioxane	ND		100	5000	µg/L	N/A	N/A	03/29/2005	WMS1050329
2,2-Dichloropropane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Butanone (MEK)	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Chloroethyl-vinyl Ether	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
2-Chlorotoluene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Hexanone	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chlorotoluene	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
4-Methyl-2-Pentanone(MIBK)	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Acetone	ND		100	2000	µg/L	N/A	N/A	03/29/2005	WMS1050329
Acetonitrile	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Acrolein	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Acrylonitrile	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Benzene	60		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Benzyl Chloride	ND		100	500	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromochloromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromodichloromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromoform	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Bromomethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Carbon Disulfide	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Carbon Tetrachloride	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chlorobenzene	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chloroethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chloroform	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329
Chloromethane	ND		100	50	µg/L	N/A	N/A	03/29/2005	WMS1050329

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

DF = Dilution and/or Prep Factor including sample volume adjustments.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:30 PM - lgantz

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 12-99-702-SI
Project Name: 15595 Washington Ave
Date Received: 3/22/2005
P.O. Number: 12-99-702-SI
Sample Collected by: Client

Certificate of Analysis - Data Report

Job # : 42907-005 Sample ID: MW-5		Matrix: Liquid			Sample Date: 3/21/2005 9:30 AM								
Method: EPA 8260B - Gas Chromatography/Mass Spectrometry (GC/MS)													
Prep Method: EPA 5030B - Purge-and-Trap for Aqueous Samples													
Parameter	Result	Flag	DF	Detection Limit	Units	Prep Date	Prep Batch						
cis-1,2-Dichloroethene	ND		100	50	µg/L	N/A	N/A						
trans-1,3-Dichloropropene	ND		100	50	µg/L	N/A	N/A						
Cyclohexanone	ND		100	2000	µg/L	N/A	N/A						
Dibromochloromethane	ND		100	50	µg/L	N/A	N/A						
Dibromomethane	ND		100	50	µg/L	N/A	N/A						
Trichlorodifluoromethane	ND		100	50	µg/L	N/A	N/A						
Dimethyl Ether	ND		100	500	µg/L	N/A	N/A						
Ethyl Benzene	ND		100	50	µg/L	N/A	N/A						
1,4-Dioxane	ND		100	500	µg/L	N/A	N/A						
1,3-Dichlorobutadiene	ND		100	500	µg/L	N/A	N/A						
Iodomethane	ND		100	100	µg/L	N/A	N/A						
Isopropanol	ND		100	2000	µg/L	N/A	N/A						
Methylpropylbenzene	ND		100	100	µg/L	N/A	N/A						
Methyl-t-butyl Ether	4600		100	100	µg/L	N/A	N/A						
Methylene Chloride	ND		100	500	µg/L	N/A	N/A						
Isobutylbenzene	ND		100	500	µg/L	N/A	N/A						
Propylbenzene	ND		100	500	µg/L	N/A	N/A						
Naphthalene	ND		100	500	µg/L	N/A	N/A						
Isopropyltoluene	ND		100	500	µg/L	N/A	N/A						
1,1-Dichloroethane	ND		100	50	µg/L	N/A	N/A						
sec-Butylbenzene	ND		100	500	µg/L	N/A	N/A						
Styrene	ND		100	50	µg/L	N/A	N/A						
tert-Amyl Methyl Ether	ND		100	500	µg/L	N/A	N/A						
tert-Butanol (TBA)	1300		100	1000	µg/L	N/A	N/A						
tert-Butyl Ethyl Ether	ND		100	500	µg/L	N/A	N/A						
m-Butylbenzene	ND		100	500	µg/L	N/A	N/A						
1,1-Dichloroethene	ND		100	50	µg/L	N/A	N/A						
Tetrahydrofuran	ND		100	2000	µg/L	N/A	N/A						
Acrylene	ND		100	50	µg/L	N/A	N/A						
trans-1,2-Dichloroethene	ND		100	50	µg/L	N/A	N/A						
trans-1,3-Dichloropropene	ND		100	50	µg/L	N/A	N/A						
trans-1,4-Dichloro-2-butene	ND		100	100	µg/L	N/A	N/A						
Chloroethene	ND		100	50	µg/L	N/A	N/A						
Trichlorofluoromethane	ND		100	50	µg/L	N/A	N/A						
Vinyl Acetate	ND		100	500	µg/L	N/A	N/A						
Chloroform	ND		100	50	µg/L	N/A	N/A						
Alkenes, Total	ND		100	50	µg/L	N/A	N/A						

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Xbian
Bromofluorobenzene	97.3	75 - 125	Reviewed by: MTU
Bromofluoromethane	99.0	75 - 125	
Toluene-d8	99.8	75 - 125	

Detection Limit = Detection Limit for Reporting.

DF = Dilution and/or Prep Factor including sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

B = Analyte found in associated Method Blank.

3/30/2005 9:22:30 PM - Iglastz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Quality Control - Method Blank

Liquid

QC Batch ID: WMS1050329

Validated by: MTU - 03/30/05

QC Batch ID Analysis Date: 3/29/2005

Method Blank	Method: EPA 8260B	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane		ND	1	0.50	µg/L
1,1,1-Trichloroethane		ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane		ND	1	0.50	µg/L
1,1,2-Trichloroethane		ND	1	0.50	µg/L
1,1-Dichloroethane		ND	1	0.50	µg/L
1,1-Dichloroethene		ND	1	0.50	µg/L
1,1-Dichloropropene		ND	1	0.50	µg/L
1,2,3-Trichlorobenzene		ND	1	5.0	µg/L
1,2,3-Trichloropropane		ND	1	0.50	µg/L
1,2,4-Trichlorobenzene		ND	1	5.0	µg/L
1,2,4-Trimethylbenzene		ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane		ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)		ND	1	0.50	µg/L
1,2-Dichlorobenzene		ND	1	0.50	µg/L
1,2-Dichloroethane		ND	1	0.50	µg/L
1,2-Dichloropropane		ND	1	0.50	µg/L
1,3,5-Trimethylbenzene		ND	1	5.0	µg/L
1,3-Dichlorobenzene		ND	1	0.50	µg/L
1,3-Dichloropropane		ND	1	0.50	µg/L
1,4-Dichlorobenzene		ND	1	0.50	µg/L
1,4-Dioxane		ND	1	50	µg/L
2,2-Dichloropropane		ND	1	0.50	µg/L
2-Butanone (MEK)		ND	1	20	µg/L
2-Chloroethyl-vinyl Ether		ND	1	5.0	µg/L
2-Chlorotoluene		ND	1	5.0	µg/L
2-Hexanone		ND	1	20	µg/L
4-Chlorotoluene		ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)		ND	1	20	µg/L
Acetone		ND	1	20	µg/L
Acetonitrile		ND	1	5.0	µg/L
Acrolein		ND	1	5.0	µg/L
Acrylonitrile		ND	1	5.0	µg/L
Benzene		ND	1	0.50	µg/L
Benzyl Chloride		ND	1	5.0	µg/L
Bromobenzene		ND	1	0.50	µg/L
Bromochloromethane		ND	1	0.50	µg/L
Bromodichloromethane		ND	1	0.50	µg/L
Bromoform		ND	1	0.50	µg/L
Bromomethane		ND	1	0.50	µg/L
Carbon Disulfide		ND	1	0.50	µg/L
Carbon Tetrachloride		ND	1	0.50	µg/L
Chlorobenzene		ND	1	0.50	µg/L
Chloroethane		ND	1	0.50	µg/L
Chloroform		ND	1	0.50	µg/L
Chloromethane		ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Quality Control - Method Blank

Liquid

QC Batch ID: WMS1050329

Validated by: MTU - 03/30/05

QC Batch ID Analysis Date: 3/29/2005

Method Blank	Method: EPA 8260B			
Parameter	Result	DF	PQLR	Units
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	1.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Methylene Chloride	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Naphthalene	ND	1	5.0	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	1.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L
Surrogate for Blank	% Recovery	Control Limits		
4-Bromofluorobenzene	95.9	75 - 125		
Dibromofluoromethane	101	75 - 125		
Toluene-d8	101	75 - 125		

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Quality Control - Method Blank

Liquid

QC Batch ID: WMS1050329

Validated by: MTU - 03/30/05

QC Batch ID Analysis Date: 3/29/2005

Method Blank Method: GC-MS

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	25	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	97.5	75 - 125
Dibromofluoromethane	105	75 - 125
Toluene-d8	105	75 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Quality Control - Laboratory Control Spike / Duplicate Results

Liquid

Reviewed by: MTU - 03/30/05

QC BatchID: WMS1050329

Analysis Date: 3/29/2005

Method: EPA 8260B		Conc. Units: µg/L						
LCS		Blank (MDL)	Spike Amt	SpikeResult	% Recovery	RPD	RPD Limits	Recovery Limits
Parameter								
1,1-Dichloroethene		<0.2	20	17	85.0			80 - 120
Benzene		<0.2	20	19	95.0			80 - 120
Chlorobenzene		<0.2	20	19	94.0			80 - 120
Methyl-t-butyl Ether		<0.3	20	20	101			80 - 120
Toluene		<0.2	20	18	92.0			80 - 120
Trichloroethene		<0.2	20	18	88.0			80 - 120

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	96.4	75 - 125
Dibromofluoromethane	96	75 - 125
Toluene-d8	95.3	75 - 125

Method: EPA 8260B		Conc. Units: µg/L						
LCSD		Blank (MDL)	Spike Amt	SpikeResult	% Recovery	RPD	RPD Limits	Recovery Limits
Parameter								
1,1-Dichloroethene		<0.2	20	17	84.0	1.2	25.0	80 - 120
Benzene		<0.2	20	19	94.5	0.53	25.0	80 - 120
Chlorobenzene		<0.2	20	19	95.0	1.1	25.0	80 - 120
Methyl-t-butyl Ether		<0.3	20	20	101	0.50	25.0	80 - 120
Toluene		<0.2	20	19	93.0	1.1	25.0	80 - 120
Trichloroethene		<0.2	20	18	90.0	2.2	25.0	80 - 120

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	96.1	75 - 125
Dibromofluoromethane	96.8	75 - 125
Toluene-d8	95.1	75 - 125

Method: GC-MS		Conc. Units: µg/L						
LCS		Blank (MDL)	Spike Amt	SpikeResult	% Recovery	RPD	RPD Limits	Recovery Limits
Parameter								
TPH as Gasoline		<6	130	130	106			65 - 135
Surrogate	% Recovery	Control Limits						
4-Bromofluorobenzene	99.5	75 - 125						
Dibromofluoromethane	102	75 - 125						
Toluene-d8	105	75 - 125						

Method: GC-MS		Conc. Units: µg/L						
LCSD		Blank (MDL)	Spike Amt	SpikeResult	% Recovery	RPD	RPD Limits	Recovery Limits
Parameter								
TPH as Gasoline		<6	130	130	103	2.9	25.0	65 - 135
Surrogate	% Recovery	Control Limits						
4-Bromofluorobenzene	99.1	75 - 125						
Dibromofluoromethane	102	75 - 125						
Toluene-d8	105	75 - 125						

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Quality Control - Matrix Spike / Duplicate Results Liquid

QC Batch ID: WMS1050329

Reviewed by: MTU - 03/30/05

QC Batch ID Analysis Date: 3/29/2005

Method EPA 8260B

Conc. Units: µg/L

MS

SampleNumber: 42930-004

Parameter

Benzene

Methyl-t-butyl Ether

Toluene

Sample Result	Spike Amount	Spike Result	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
ND	20	18.6	3/29/2005	93.0			65 - 135
ND	20	19.9	3/29/2005	99.5			65 - 135
ND	20	18.9	3/29/2005	94.5			65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	95.2	75 - 125
Dibromofluoromethane	95.1	75 - 125
Toluene-d8	97.3	75 - 125

MSD

SampleNumber: 42930-004

Parameter

Benzene

Methyl-t-butyl Ether

Toluene

Sample Result	Spike Amount	Spike Result	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
ND	20	19.0	3/29/2005	95.0	2.1	25	65 - 135
ND	20	20.2	3/29/2005	101	1.5	25	65 - 135
ND	20	19.1	3/29/2005	95.5	1.1	25	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	94	75 - 125
Dibromofluoromethane	96.7	75 - 125
Toluene-d8	96	75 - 125

CHAIN OF CUSTODY RECORD

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Relinquished by: (Signature)

Date / Time

Receive by: _____

Renounced by: /Signature/

Date / Time

Received by: (Signature)

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Published by: (Signature)


Date / Time

Received for Laboratory by:
(Signature)

Date / Time

Remarks

Please send lab report
to Frank Hamed



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 247-1500


Fax: (408) 292-2116

File No. 12-99-702-SI

A P P E N D I X "F"

FIELD NOTES

ENVIRO SOIL TECH CONSULTANTS



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 12-99-702-SI

WELL NO.: MW-1

DATE: 3-21-05

SAMPLER: Pusher pump

DEPTH TO WELL: _____

1 WELL VOLUME: 1.2

DEPTH TO WATER: 7 ft .62

5 WELL VOLUME: 6

HEIGHT OF WATER COLUMN: _____

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2" 4"

CALCULATIONS:

$$2" - \times 0.1632 = 7.38$$

$$4" - 0.653$$

PURGE METHOD: BAILER ✓ DISPLACEMENT PUMP OTHER

SAMPLE METHOD: ✓ BAILER OTHER


SHEEN: ✓ NO YES, DESCRIBE: _____

ODOR: ✓ NO YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	3 gal	7.53	18.7	732
	6 gal	7.41	18.8	754
	9 gal	7.31	18.9	752

7 ft 88



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 12-99-702-SI

DATE: 3-21-05

DEPTH TO WELL: _____

DEPTH TO WATER: 7 ft .38

HEIGHT OF WATER COLUMN: _____

CASING DIAMETER: 2"

4"

CALCULATIONS:

$$2" \times 0.1632 = 8.62$$

$$4" - 0.653$$

PURGE METHOD: BAILER DISPLACEMENT PUMP OTHER

SAMPLE METHOD: BAILER OTHER


SHEEN: NO YES, DESCRIBE: _____

ODOR: NO YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	<u>3 74C</u>	<u>7.11</u>	<u>19.2</u>	<u>767</u>
	<u>6 94C</u>	<u>7.35</u>	<u>19.1</u>	<u>798</u>
	<u>9 94C</u>	<u>7.29</u>	<u>19.3</u>	<u>872</u>

8 ft .02



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 12-99-702-51

DATE: 3-21-05

DEPTH TO WELL: _____

DEPTH TO WATER: 6 ft 54

HEIGHT OF WATER COLUMN: _____

CASING DIAMETER: ✓ 2" 4"

CALCULATIONS:

$2" \times 0.1632 = 8.46$

$4" \times 0.653 =$

PURGE METHOD: BAILER DISPLACEMENT PUMP OTHER

SAMPLE METHOD: BAILER OTHER


SHEEN: NO YES, DESCRIBE: _____

ODOR: NO YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	<u>3 gal</u>	<u>7.67</u>	<u>19.9</u>	<u>643</u>
	<u>6 gal</u>	<u>7.41</u>	<u>19.7</u>	<u>645</u>
	<u>9 gal</u>	<u>7.38</u>	<u>20.0</u>	<u>651</u>

6 ST 94



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 12-99-702-SI

WELL NO.: MW-4

SAMPLER: Plastic Monitor

1 WELL VOLUME: 1.79

5 WELL VOLUME: 8.95

ACTUAL PURGED VOLUME: 9

DEPTH TO WELL: _____

DEPTH TO WATER: 8 ft .02

HEIGHT OF WATER COLUMN: _____

CASING DIAMETER: 2" 4"

CALCULATIONS:

$2" \times 0.1632 = 10.98$

$4" \times 0.653 =$

PURGE METHOD: BAILER DISPLACEMENT PUMP OTHER

SAMPLE METHOD: BAILER OTHER


SHEEN: NO YES, DESCRIBE: _____

ODOR: NO YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	3 gal	7.64	20.1	874
	6 gal	7.42	19.7	886
	9 gal	7.92	19.4	884

8 ft .24



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 12-99-702-51

WELL NO.: MW-5

DATE: 3-21-05

SAMPLER: Pusher pump

DEPTH TO WELL: _____

1 WELL VOLUME: 1.7

DEPTH TO WATER: 8 ft .58

5 WELL VOLUME: 8.5

HEIGHT OF WATER COLUMN: _____

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2"

4"

CALCULATIONS:

$$2" \times 0.1632 = 10.42$$

$$4" - 0.653 =$$

PURGE METHOD: BAILER DISPLACEMENT PUMP OTHER

SAMPLE METHOD: BAILER OTHER

SHEEN: NO YES, DESCRIBE: _____

ODOR: NO YES, DESCRIBE: SEARANG

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	39AC	7.39	18.7	1060
	69AC	7.10	18.5	1050
	99AC	7.02	18.6	1044

8 ft .82