


A Report Prepared for

Texaco Refining and Marketing Inc.
10 Universal City Plaza
Universal City, California 91608

QUARTERLY TECHNICAL REPORT
SECOND QUARTER OF 1991
FORMER TEXACO STATION
2200 EAST 12TH STREET
OAKLAND, CALIFORNIA

HLA Job No. 2251,175.03
September 6, 1991
1991 Report No. 2


by



Marlene K. Watson
Project Engineer



Jeanna S. Hudson
Registered Geologist



Harding Lawson Associates
1355 Willow Way, Suite 109
Concord, California 94520
510/687-9660



Texaco Refining
and Marketing Inc

108 Cutting Boulevard
Richmond CA 94804

91 OCT -9 AM 11:33

October 4, 1991


Mr. Tom Callaghan
California Regional Water
Quality Control Board
San Francisco Bay Area Region
2101 Webster Street, Ste. 500
Oakland, CA 94612

Dear Mr. Callaghan:

Enclosed is a copy of our Quarterly Technical Report dated September 6, 1991 for our former Texaco Service Station located at 2200 East 12th Street in Oakland, California. This report covers the period from April through June, 1991.

Please call me at (415) 236-1770 if you have any questions.

Best Regards,


R.R. Zielinski
Environmental Supervisor

RRZ:pap

Enclosure

cc: Mr. Barney Chan
Alameda County Environmental
Health Department
80 Swan Way, Room 200
Oakland, CA 94621

pr: *KRP*

KEG

2200EAST12.TC

INTRODUCTION

This quarterly technical report (QTR) presents the results of site investigation and remediation activities conducted by Harding Lawson Associates (HLA) at a service station site formerly owned by Texaco Refining and Marketing Inc. The station, at 2200 East 12th Street, Oakland, California (Plate 1), is currently owned and operated by Exxon Company U.S.A. This QTR summarizes HLA's work at the site, ongoing since May 1988, and presents results of the recent quarter's work.

SITE DESCRIPTION

The site is on the southeast corner of the intersection of East 12th Street and 22nd Avenue; the surrounding area is occupied by commercial/retail businesses, including a Shell Oil Company (Shell) service station immediately across 22nd Avenue (Plate 2). The site is bordered on the west by East 12th Street, on the north by 22nd Avenue, and on the east by a building occupied by a mattress manufacturer. Adjacent to the site on the south is a parcel owned by M.C.B. Industries and currently used for automobile storage.

The topography is relatively flat, sloping gently southwest toward East 12th Street and the Brooklyn Basin Tidal Canal. The site's surface is approximately 20 feet above Mean Sea Level, and drainage is toward East 12th Street. This area has been

extensively developed, and surface runoff is mainly controlled by the municipal storm sewer system.

At the station, leaded and unleaded gasoline are dispensed and automotive repair services are provided. Structures include a building, three fuel pump islands, one underground waste oil tank, and three underground fuel storage tanks (Plate 3).

HYDROGEOLOGIC SETTING

The East Bay Plain is divided into seven groundwater subareas, defined by the California Department of Water Resources (DWR) on the basis of areal differences (i.e., faults and geologic conditions). The site lies within the Oakland Upland and Alluvial Plain subarea. The groundwater reservoir is made up of the Alameda and Temescal Formations, along with the Merritt Sand, with an aggregate thickness of more than 1,100 feet. Regionally, groundwater flows west-southwest, toward San Francisco Bay.

Most uses of groundwater in the East Bay Plain are related to irrigation or industrial needs; the majority of domestic water is supplied by the East Bay Municipal Utility District (EBMUD) from surface sources.

Soils at the site, to the maximum depth explored (20 feet), generally consist of unconsolidated, stiff, sandy clay interbedded with silty sand and gravel lenses. During HLA's investigation, groundwater was initially encountered between 11

and 13 feet below grade and stabilized in the wells at approximately 6.5 feet below grade.

The tops of well casings were surveyed relative to an arbitrary datum with an assumed elevation of 100.0 feet. The HLA datum is located at the western end of the dispenser island nearest the underground storage tanks (USTs [Plate 3]). Water level measurements and survey data are presented in Table 1. The general direction of groundwater flow is to the west-northwest, with a gradient of about 0.007 foot per foot across the site, as shown on the Groundwater Surface Map, Plate 4. Estimates of the hydraulic conductivity of the slightly confined shallow soils range from 0.4 to 0.5 foot per day.

SUMMARY OF PREVIOUS WORK

Previous Reports

Since May 1988, HLA has investigated soil and groundwater conditions at this site. To date, the investigation and remediation plan have been presented in the following reports:

- | | | |
|----|--|--------------------|
| 1. | Sensitive Receptor Study | May 24, 1988 |
| 2. | Subsurface Investigation | July 20, 1988 |
| 3. | Environmental Assessment | September 19, 1989 |
| 4. | Soil and Groundwater
Remediation Plan | May 11, 1990 |

Previous Field Operations

During previous quarters, HLA completed the following field operations:

- Conducted a soil-gas survey on site and in city streets near the site. Probe locations are shown on Plate 5 and soil-gas survey results are presented in Table 2.
- Drilled and sampled 20 shallow soil borings (SB-1 through SB-20); locations are shown on Plate 3.
- Drilled, constructed, developed, and sampled five on-site monitoring wells (MW-9A through MW-9E) and three off-site wells (MW-9F through MW-9H); locations are shown on Plate 3.
- Obtained chemical analyses on soil and water samples to determine concentrations of petroleum hydrocarbons; results of analyses are presented in Tables 3 and 4, respectively.
- Conducted slug tests in MW-9B and MW-9E to estimate hydraulic conductivity and transmissivity values for the shallow aquifer; slug test results are presented in Table 5.
- Replaced Emco-Wheaton traffic boxes in public right-of-way with Phoenix Iron Works Model P-2001 traffic boxes, as specified by the City of Oakland.
- Implemented the remediation plan which consisted of excavating hydrocarbon-bearing soils with concentrations greater than 100 parts per million (ppm) from the vadose zone in the vicinity of MW-9E, and quarterly monitoring of the groundwater for dissolved hydrocarbons.
- MW-9E (located inside the excavation boundaries) was abandoned and a new monitoring well (MW-9I) was installed in approximately the same location after backfilling the excavation (Plate 3).

SUMMARY OF FINDINGS

Vadose-zone Soil Condition

The area where detectable concentrations of petroleum products were found in vadose-zone soils and soil gas is near the pump islands on the west side of the station. Soil samples were collected from 11 borings (MW-9E, SB-4, and SB-12 through SB-20) to delineate the extent of hydrocarbons in the vadose zone around the pump island. Results of chemical analyses on soil samples from these borings are presented in Table 3.

Only two samples contained total petroleum hydrocarbons (TPH) in concentrations exceeding 100 ppm. These samples were from borings MW-9E and SB-4, on the west and east sides, respectively, of the pump island. The soil sample from a depth of 5.5 feet in MW-9E represents the highest hydrocarbon concentration detected in our investigation (1,900 ppm TPH). We concluded that MW-9E and SB-4 are in two isolated occurrences of vadose-zone soil with TPH concentrations above 100 ppm. Correspondingly high concentrations of benzene, toluene, ethylbenzene, and xylenes (BTEX) and TPH were detected in soil-gas samples from Probe Locations SG-01 and SG-03.

In May 1990, HLA submitted a Soil and Groundwater Remediation Plan. The plan was approved by Alameda County Environmental Health Hazardous Materials Division on October 22, 1990. Implementation of the remediation plan consisted of excavating hydrocarbon-bearing soils with concentrations greater than 100 ppm from the vadose zone in the vicinity of MW-9E.

Soil samples were taken from the walls and bottom of the excavation to confirm that hydrocarbon concentrations in the remaining soil were below 100 ppm (Table 6). The locations of the soil excavation and confirmation soil samples are shown on Plate 3. The excavated soils were systematically spread three feet thick over the space available behind the station office and garage, in compliance with Bay Area Air Quality Management District Regulation 8, Rule 40, and agitated periodically with mechanical equipment. The treated soils were transported from the site to the Redwood Landfill in Novato in December 1990.

Groundwater Condition

Shallow groundwater in the site vicinity contains detectable quantities of BTEX and TPH as gasoline, as shown in Table 4. The extent of organic hydrocarbons in the groundwater is well delineated and the plume (as delineated by January 1991 chemical analyses) appears to be extending downgradient, toward utility lines in East 12th Street and 22nd Avenue. The bottom of the storm drain in East 12th Street is approximately 8.5 feet below grade, approximately 2 feet below the water table.

The lateral limits of the plume are delineated by MW-9A, MW-9C, MW-9D, MW-9F, MW-9G and MW-9H; samples from these wells indicated no detectable hydrocarbon concentrations. Samples from MW-9B and MW-9E have exhibited benzene concentrations in groundwater that exceeded Maximum Contaminant Levels (MCLs). No

other constituent analyzed in these two samples exceeded the MCLs or Drinking Water Action Levels (DWALs).*

WORK PERFORMED DURING THE SECOND QUARTER OF 1991

HLA continued the one year quarterly monitoring program scheduled to follow soil remediation. Four on-site and three off-site monitoring wells were purged by removing 3 casing volumes of water using a 12-volt pump. Groundwater temperature, pH, and conductivity were monitored prior to sampling. When these parameters had stabilized, groundwater samples were collected in a clean stainless steel bailer and decanted into 40-ml volatile organic analysis (VOA) vials. The samples were then transported, under chain-of-custody, to National Environmental Testing, Inc. in Santa Rosa, California, where they were analyzed for BTEX (EPA Test Method 602) and TPH as gasoline (EPA Test Method GC FID/5030). The laboratory analysis reports are presented in Appendix A and summarized in Table 4. The results of the analyses are discussed below.

* The California Department of Health Services issued an action list for chemical contaminants of drinking water. Acceptable drinking water concentrations are specified for four gasoline constituents: benzene, toluene, ethylbenzene, and xylenes (BTEX). MCLs are drinking water standards enforced by law under California Code of Regulations, Title 22. DWALs are recommended levels, but are not enforced by law.

DISCUSSION OF SECOND QUARTER 1991 TEST RESULTS

Benzene was detected in MW-9B, MW-9C, and MW-9I in concentrations of 68, 100, and 100 parts per billion (ppb), respectively. Ethylbenzene, toluene, and xylenes were also detected in these three wells in concentrations of less than five ppb. TPH as gasoline was detected in groundwater from MW-9B, MW-9C, and MW-9I in concentrations of 170 ppb, 240 ppb, and 460 ppb, respectively. Petroleum hydrocarbons were not detected in any of the other monitoring wells.

Prior to the second quarter 1991, petroleum hydrocarbons were not detected in groundwater samples from MW-9C. Hydrocarbon concentrations detected in groundwater from MW-9B and MW-9I (MW-9E prior to remediation) are higher than previous sampling results. The benzene concentrations detected in second quarter groundwater samples are also higher than any previous results, except for the June 1988 sampling of MW-9B. This apparent increase in petroleum hydrocarbon concentrations suggests a recent influx of contaminants into the groundwater at the site. The source of this influx has not been determined at this time. However, the wells exhibiting increased hydrocarbon concentrations are all located downgradient or crossgradient of the pump islands and USTs.

ANTICIPATED ACTIVITIES FOR THE THIRD QUARTER OF 1991

HLA plans to continue the quarterly monitoring program by purging and sampling each of the eight monitoring wells on- and off-site. The groundwater samples will be analyzed for BTEX and TPH as gasoline. Chemical test results will be presented in the third quarter 1991 Quarterly Technical Report.

LIST OF TABLES

Table	1	Water Level Measurements and Survey Data
Table	2	Results of Soil-gas Survey
Table	3	Results of Soil Analyses from Soil Borings
Table	4	Results of Groundwater Analyses
Table	5	Slug Test Results
Table	6	Results of Soil Analyses from Excavation Boundaries

LIST OF ILLUSTRATIONS

Plate	1	Site Location
Plate	2	Vicinity Plan
Plate	3	Site Plan
Plate	4	Groundwater Surface Map
Plate	5	Soil-gas Probe Locations

APPENDIX

LABORATORY TEST RESULTS (SECOND QUARTER 1991)

Table 1. Water Level Measurements and Survey Data
 2200 East 12th Street
 Oakland, California

Well No.	Date	Top of Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Surface Elevation ² (feet)	Incremental Water Elevation Change ³ (feet)	Total Water Elevation Change Since 10/12/89 ⁴ (feet)	
MW-9A	10/12/89	100.07	7.25	92.82	--	--	
	09/20/90		--	--	--	--	
	10/19/90		7.23	92.84	+0.02	+0.02	
	01/11/91		6.96	93.11	+0.27	+0.29	
	04/30/91		6.74	93.33	+0.22	+0.51	
MW-9B	10/12/89	98.41	6.14	92.27	--	--	
	09/20/90		6.28	92.13	-0.14	-0.14	
	10/19/90		6.21	92.20	+0.07	-0.07	
	01/11/91		6.21	92.20	0	-0.07	
	04/30/91		5.74	92.67	+0.47	+0.40	
MW-9C	10/12/89	99.73	6.99	92.74	--	--	
	09/20/90		--	--	--	--	
	10/19/90		6.96	92.77	+0.03	+0.03	
	01/11/91		6.60	93.13	+0.36	+0.39	
	04/30/91		6.32	93.41	+0.28	+0.67	
MW-9D	10/12/89	101.46	8.40	93.06	--	--	
	09/20/90		8.47	92.99	-0.07	-0.07	
	10/19/90		8.43	93.03	+0.04	-0.03	
	01/11/91		7.97	93.49	+0.46	+0.43	
	04/30/91*		--	--	--	--	
MW-9E	10/12/89	98.41	5.70	92.71	--	--	
	09/20/90		5.84	92.57	-0.14	-0.14	
	10/19/90		5.78	92.63	+0.06	-0.08	
	11/02/90		Well Abandoned				
MW-9F	10/12/89	96.96	6.07	90.89	--	--	
	09/20/90		5.97	90.99	+0.10	+0.10	
	10/19/90		5.94	91.02	+0.03	+0.13	
	01/11/91		5.72	91.24	+0.22	+0.35	
	04/30/91		5.74	91.22	+0.20	+0.33	
MW-9G	10/12/89	98.51	6.01	92.50	--	--	
	09/20/90		6.03	92.48	-0.02	-0.02	
	10/19/90		5.92	92.59	+0.11	+0.09	
	01/11/91		5.72	92.79	+0.20	+0.29	
	04/30/91		5.74	93.04	+0.25	+0.54	
MW-9H	10/12/89	97.14	8.35	88.79	--	--	
	09/20/90		8.25	88.89	+0.10	+0.10	
	10/19/90		8.17	88.97	+0.08	+0.18	
	01/11/91		7.55	89.59	+0.62	+0.80	
	04/30/91		8.02	89.12	+0.47	+0.33	
MW-9I	11/15/90	98.66	6.01	92.65	--	--	
	01/11/91		5.80	92.86	--	--	
	04/30/91		5.45	93.21	--	--	

Notes:

- 1 Elevation relative to HLA temporary benchmark located at the western corner of the dispenser island nearest the underground storage tanks, with an arbitrary elevation of 100.0 feet (see Plate 3).
- 2 Groundwater surface elevation = top of casing elevation - depth to water.
- 3 Incremental groundwater elevation change = groundwater elevation - previous groundwater elevation.
- 4 Total groundwater elevation change = groundwater elevation - groundwater elevation on 10/12/89.
- * Access to well blocked by a vehicle that could not be moved.

Table 2. Results of Soil-gas Survey
 2200 East 12th Street
 Oakland, California

Conducted on September 20, 1988
 Concentrations in micrograms per liter ($\mu\text{g/L}$)

<u>Sample</u>	<u>Depth (ft)</u>	<u>Benzene</u>	<u>Ethyl- benzene</u>	<u>Toluene</u>	<u>Xylenes</u>	<u>Total Petroleum Hydrocarbons</u>
Air	N/A	<0.8	<0.8	<0.7	<0.8	<0.8
SG-01	5.0	320,000	620	1	2,200	700,000
WS-02	5.0	12,000	<80	<73	<80	25,000
SG-03	4.0	32,000	<8	<28,000	800	96,000
SG-04	5.0	<0.8	<0.8	<0.7	<0.8	<0.8
MW-9A	6.0	<76	<80	<73	<80	<76
SG-05	2.0	<0.8	<0.8	<0.7	<0.8	<0.8
SG-06	--	--	--	--	--	--
SG-07	--	--	--	--	--	--
SG-08	5.0	<0.8	<0.8	<0.7	<0.8	<0.8
SG-09	6.0	<0.8	<0.8	<0.7	<0.8	<0.8
WS-10	6.0	<76	<80	<73	<80	<76
SG-11	4.0	<0.8	<0.8	<0.7	<0.8	<0.8
SG-12	5.0	<0.8	<0.8	<0.7	<0.8	<0.8
SG-13	5.0	<0.8	<0.8	<0.7	<0.8	23
Air	N/A	<0.7	<0.8	<0.8	<0.8	<0.7

-- = Not able to obtain sample

N/A = Not applicable

Air = ambient air sample

Table 3. Results of Soil Analyses from Soil Borings
2200 East 12th Street
Oakland, California

Concentrations in milligrams per kilogram (mg/kg)

Sample Number	Depth (ft)	Benzene ¹	Ethyl-benzene ²	Toluene ³	Xylenes ³	TPH as Gasoline ⁴	TPH as Diesel ⁴
SB-1	4.8	0.30	ND	0.2	ND	ND	NT
B-9-1	5.0	ND	ND	ND	ND	ND	NT
B-9-1	9.0	ND	ND	ND	ND	ND	NT
B-9-1	12.0	ND	ND	ND	ND	ND	NT
B-9-2	5.0	ND	ND	ND	ND	ND	NT
B-9-2	9.0	ND	ND	ND	ND	ND	NT
B-9-2	10.5	ND	ND	ND	ND	ND	NT
B-9-2	13.0	ND	ND	ND	ND	ND	NT
SB-4	4.0	1.0	2.3	0.9	5.8	160	NT
SB-4	9.0	ND	ND	ND	ND	ND	NT
SB-5	4.0	0.33	ND	ND	ND	ND	NT
SB-5	9.0	ND	ND	ND	ND	ND	NT
SB-6	5.0	ND	ND	ND	ND	ND	NT
SB-6	5.5	ND	ND	ND	ND	ND	NT
SB-7	4.0	ND	ND	ND	ND	ND	NT
SB-7	8.5	ND	ND	ND	ND	ND	NT
SB-8	5.5	0.43	ND	ND	ND	ND	NT
SB-8	9.0	ND	ND	ND	ND	ND	NT
SB-9	4.0	ND	ND	ND	ND	ND	NT
SB-9	9.0	ND	0.4	ND	1.1	39	NT
SB10-1	5.0	ND	ND	ND	ND	ND	NT
SB10-2	10.0	ND	ND	ND	ND	ND	NT
SB11-1	5.0	ND	ND	0.1	ND	ND	NT
SB11-2	10.0	ND	ND	ND	ND	ND	NT
SB-12	3.5	0.09	0.07	0.2	0.09	11 (1)	NT
SB-13	4.0	ND	ND	0.1	ND	1.7 (1)	NT
SB-14	4.5	ND	ND	ND	ND	3.5 (1)	NT
SB-15	3.5	0.07	ND	ND	ND	6.3 (1)	NT
SB-16	4.5	0.21	0.08	ND	ND	9.0 (1)	NT
SB-17	5.0	0.093 (.01)	0.139 (.01)	0.043 (.01)	ND (.01)	42 (2)	NT
SB-18	5.0	ND (.01)	0.021 (.01)	0.245 (.01)	0.015 (.01)	5 (2)	NT
SB-19	5.0	ND (.01)	0.022 (.01)	0.078 (.01)	ND (.01)	6 (2)	NT
SB-20	5.0	0.035 (.01)	0.017 (.01)	0.038 (.01)	ND (.01)	7 (2)	NT
MW-9D	6.0	ND	ND	ND	ND	ND	NT
MW-9D	10.5	ND	ND	ND	ND	ND	NT
MW-9E	5.5	ND	18	ND	ND	1,900	NT
MW-9E	9.0	ND	ND	ND	ND	ND	NT
MW-9G	4.0	ND	ND	0.2	ND	ND	NT
MW-9I	15.0	ND	ND (0.05)	ND (0.05)	ND (0.05)	ND (1)	ND

ND = Not detected.

NT = Not tested.

1 Detection limit 0.05 mg/kg except as noted in parentheses.

2 Detection limit 0.2 mg/kg except as noted in parentheses.

3 Detection limit 0.1 mg/kg except as noted in parentheses.

4 Detection limit 10 mg/kg except as noted in parentheses.

Table 6. Results of Soil Analysis from Excavation Boundaries
 2200 East 12th Street
 Oakland, California

Concentrations in milligrams per kilogram (mg/kg)

<u>Sample Number</u>	<u>Depth (ft)</u>	<u>Benzene</u> ¹	<u>Ethyl-benzene</u> ¹	<u>Toluene</u> ¹	<u>Xylenes</u> ¹	<u>TPH as Gasoline</u> ²	<u>TPH as Diesel</u> ²
S-1	5-W	0.66	0.77	0.038	0.076	9.5	1.4
S-2	5-W	0.32	1.5	0.15	0.17	40	6.1
S-3	6-W	0.49	0.15	0.028	0.16	2.3	ND
S-4	5-W	1.2	1.7	0.056	0.052	16	1.3
S-5	5-W	2.8	12	1.5	ND	290*	22
S-6	6-W	0.28	0.52	0.028	0.21	7.7	10
S-7	7-B	0.30	0.68	0.070	0.36	17	1.4
S-8	7-W	0.068	0.20	0.19	0.27	52	2.2

W = Sample taken from wall of excavation

B = Sample taken from base of excavation

ND = Not detected.

1 Detection Limit 0.0050 mg/kg.

2 Detection Limit 1.0 mg/kg.

* Excavation extended beyond this sample both horizontally and vertically. Hydrocarbon concentrations less than 100 ppm are confirmed in samples S-7 and S-8

Table 4. Results of Groundwater Analyses
2200 East 12th Street
Oakland, California

Concentrations in micrograms per liter ($\mu\text{g/L}$)

Well Number	Date Sampled	EPA TEST METHOD 602				TPH as (Gasoline)
		Benzene	Ethyl- benzene	Toluene	Xylenes	
MW-9A	06/13/88	ND	ND	ND	ND	NT
	10/24/88	ND	ND	ND	ND	NT
	10/13/89	ND	ND ¹	ND ¹	ND ²	NT
	10/19/90	ND	ND ¹	ND ¹	ND ¹	ND
	01/11/91	ND	ND ¹	ND ¹	ND ¹	ND
	04/30/91	ND	ND ¹	ND ¹	ND ¹	ND
MW-9B	06/13/88	350	66	7.8	160	NT
	10/24/88	84	3.1	ND	3.2	NT
	10/13/89	4.1	ND ¹	ND ¹	ND ²	NT
	10/19/90	27	2.3	ND ¹	ND ¹	62
	01/11/91	4.3	1.1	ND ¹	1.0	100
	04/30/91	68	3.9	1.0	ND ¹	170
MW-9C	06/13/88	ND	ND	ND	ND	NT
	10/28/88	ND	ND	ND	ND	NT
	10/13/89	ND	ND ¹	ND ¹	ND ²	NT
	10/19/90	ND	ND ¹	ND ¹	ND ¹	ND
	01/11/91	ND	ND ¹	ND ¹	ND ¹	ND
	04/30/91	100	ND ¹	1.6	ND ¹	240
MW-9D	10/24/88	ND	ND	ND	ND	NT
	10/13/89	ND	ND ¹	ND ¹	ND ²	NT
	10/19/90	ND	ND ¹	ND ¹	ND ¹	ND
	01/11/91	ND	ND ¹	ND ¹	ND ¹	ND
MW-9E	10/24/88	1.3	ND	ND	ND	NT
	10/13/89	15	2.1 ¹	ND ¹	ND ²	NT
	10/19/90	4.0	0.9 ¹	ND ¹	ND ¹	ND
	11/02/90	WELL ABANDONED				
MW-9F	12/06/88	ND	ND	ND	ND	NT
	10/13/89	ND	ND ¹	ND ¹	ND ²	NT
	10/19/90	ND	ND ¹	ND ¹	ND ¹	ND
	01/11/91	ND	ND ¹	ND ¹	ND ¹	ND
	04/30/91	ND	ND ¹	ND ¹	ND ¹	ND
MW-9G	12/06/88	0.8	ND	ND	ND	NT
	10/13/89	ND	ND ¹	ND ¹	ND ²	NT
	10/19/90	ND	ND ¹	ND ¹	ND ¹	ND
	01/11/91	ND	ND ¹	ND ¹	ND ¹	ND
	04/30/91	ND	ND ¹	ND ¹	ND ¹	ND
MW-9H	12/06/88	ND	ND	ND	ND	NT
	10/13/89	ND	ND ¹	ND ¹	ND ²	NT
	10/19/90	ND	ND ¹	ND ¹	ND ¹	ND
	01/11/91	ND	ND ¹	ND ¹	ND ¹	ND
	04/30/91	ND	ND ¹	ND ¹	0.5	ND
MW-9I	11/15/90	4.0	1.1 ¹	1.2 ¹	2.2 ¹	55
	01/11/91	6.1	ND ¹	ND ¹	ND ¹	ND
	04/30/91	100	4.2	3.5	4.4	460
Detection limits		0.5	2.0	1.0	1.0	50


ND = Not detected NT = Not Tested

¹ Detection limit = 0.5

² Detection limit = 3.0

Table 5. Slug Test Results
2200 East 12th Street
Oakland, California

<u>Well Number</u>	<u>Lithology of Tested Zone</u>	<u>Thickness of Zone (feet)</u>	<u>Estimated Hydraulic Conductivity of Zone (feet/day)</u>
MW-9B	Clayey sand	2.5	0.42
MW-9E	Sandy clay with gravel	13.0	0.52



Harding Lawson Associates
Engineers and Geoscientists

Site Location
Former Texaco Service Station
2200 East 12th Street
Oakland, California

PLATE
1

DRAWN


JOB NUMBER
2251,175.03

APPROVED
MKW

DATE
08/13/91


REVISED

DATE



EXPLANATION

-  Monitoring well (4" diameter)
-  Monitoring well (2" diameter)
-  Abandoned monitoring well



Harding Lawson Associates
Engineering and
Environmental Services

DRAWN RHC
JOB NUMBER 2251,175.03

Vicinity Plan
Former Texaco Service Station
2200 East 12th Street
Oakland, California


APPROVED
MKW

DATE
08/13/91

REVISED DATE

PLATE

2



EXPLANATION

-  Monitoring well location and number
-  Boring location and number
-  Approximate location of soil sample taken during excavation
-  Excavation area
-  Benchmark (HLA datum elev. = 100 ft.)
-  Abandoned monitoring well




Harding Lawson Associates
 Engineering and Environmental Services

Site Plan
 Former Texaco Service Station
 2200 East 12th Street
 Oakland, California

PLATE
3

DRAWN	JOB NUMBER	APPROVED	DATE	REVISED DATE
EH/RHC	2251,175.03	MKW	09/05/91	



Harding Lawson Associates
 Engineering and
 Environmental Services

Groundwater Surface Map
 Former Texaco Service Station
 2200 East 12th Street
 Oakland, California

PLATE
4


DRAWN
 EH/RHC

JOB NUMBER
 2251,175.03

APPROVED
 MKW

DATE
 08/13/91

REVISED DATE
 09/05/91



LEGEND

- Soil-gas probe location
- (23) TPH concentration in micrograms/liter
- * Water sample (NS) Not sampled (ND) Not Detected
- Bench mark (HLA datum EI.=100 feet)



Harding Lawson Associates
Engineers and Geoscientists

Soil-gas Probe Locations
Former Texaco Service Station
2200 East 12th Street
Oakland, California

PLATE

5

CRAWN	JOB NUMBER	APPROVED	DATE	REVISED	DATE
YC	2251.175.03	MKW	08/13/91		

APPENDIX
LABORATORY TEST RESULTS (SECOND QUARTER)



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NET Pacific, Inc.
435 Tesconi Circle
Santa Rosa, CA 95401
Tel: (707) 526-7200
Fax: (707) 526-9623

HARDING ASSOC.
MKW
MAY 20 1991

Marlene Watson
Harding Lawson Associates
1355 Willow Way, Ste. 109
Concord, CA 94520

Date: 05-16-91
NET Client Acct No: 10.01
NET Pacific Log No: 7322
Received: 05-03-91 0800

Client Reference Information

Texaco, 12th; Job: 2251,112.03

Sample analysis in support of the project referenced above has been completed and results are presented on following pages. Please refer to the enclosed "Key to Abbreviations" for definition of terms. Should you have questions regarding procedures or results, please feel welcome to contact Client Services.

Approved by:


Jules Skamarack
Laboratory Manager

JS:rct
Enclosure(s)



Client No: 10.01
 Client Name: Harding Lawson Associates
 NET Log No: 7322

Date: 05-16-91

NET Pacific, Inc.

Page: 2

Ref: Texaco, 12th; Job: 2251,112.03

Descriptor, Lab No. and Results

Parameter	Method	Reporting Limit	MW-9A	MW-9B	Units
			04-30-91	04-30-91	
			84225	84226	
PETROLEUM HYDROCARBONS			--	--	
VOLATILE (WATER)			--	--	
DILUTION FACTOR *			1	1	
DATE ANALYZED			05-10-91	05-10-91	
METHOD GC FID/5030			--	--	
as Gasoline		0.05	ND	0.17	mg/L
METHOD 602			--	--	
DILUTION FACTOR *			1	1	
DATE ANALYZED			05-10-91	05-10-91	
Benzene		0.5	ND	68	ug/L
Ethylbenzene		0.5	ND	3.9	ug/L
Toluene		0.5	ND	1.0	ug/L
Xylenes, total		0.5	ND	ND	ug/L



NET Pacific, Inc.

Client No: 10.01
Client Name: Harding Lawson Associates
NET Log No: 7322

Date: 05-16-91

Page: 3

Ref: Texaco, 12th; Job: 2251,112.03

Descriptor, Lab No. and Results

Parameter	Method	Reporting Limit	MW-9C	MW-9F	Units
			04-30-91	04-30-91	
			84227	84228	
PETROLEUM HYDROCARBONS			--	--	
VOLATILE (WATER)			--	--	
DILUTION FACTOR *			1	1	
DATE ANALYZED			05-10-91	05-10-91	
METHOD GC FID/5030			--	--	
as Gasoline		0.05	0.24	ND	mg/L
METHOD 602			--	--	
DILUTION FACTOR *			1	1	
DATE ANALYZED			05-10-91	05-10-91	
Benzene		0.5	100	ND	ug/L
Ethylbenzene		0.5	ND	ND	ug/L
Toluene		0.5	1.6	ND	ug/L
Xylenes, total		0.5	ND	ND	ug/L



Client No: 10.01
 Client Name: Harding Lawson Associates
 NET Log No: 7322

Date: 05-16-91

NET Pacific, Inc.

Page: 4

Ref: Texaco, 12th; Job: 2251,112.03

Descriptor, Lab No. and Results

Parameter	Method	Reporting Limit	MW-9G	MW-9H	Units
			04-30-91	04-30-91	
			84229	84230	
PETROLEUM HYDROCARBONS			--	--	
VOLATILE (WATER)			--	--	
DILUTION FACTOR *			1	1	
DATE ANALYZED			05-10-91	05-10-91	
METHOD GC FID/5030			--	--	
as Gasoline		0.05	ND	ND	mg/L
METHOD 602			--	--	
DILUTION FACTOR *			1	1	
DATE ANALYZED			05-10-91	05-10-91	
Benzene		0.5	ND	ND	ug/L
Ethylbenzene		0.5	ND	ND	ug/L
Toluene		0.5	ND	0.5	ug/L
Xylenes, total		0.5	ND	ND	ug/L



NET Pacific, Inc.

Client No: 10.01
Client Name: Harding Lawson Associates
NET Log No: 7322

Date: 05-16-91

Page: 5

Ref: Texaco, 12th; Job: 2251,112.03

Descriptor, Lab No. and Results

MW-91
04-30-91

Parameter	Method	Reporting Limit	84231	Units
PETROLEUM HYDROCARBONS			--	
VOLATILE (WATER)			--	
DILUTION FACTOR *			1	
DATE ANALYZED			05-10-91	
METHOD GC FID/5030			--	
as Gasoline		0.05	0.46	mg/L
METHOD 602			--	
DILUTION FACTOR *			1	
DATE ANALYZED			05-10-91	
Benzene		0.5	100	ug/L
Ethylbenzene		0.5	4.2	ug/L
Toluene		0.5	3.5	ug/L
Xylenes, total		0.5	4.4	ug/L



Client Acct: 10.01
*Client Name: Harding Lawson Associates
NET Log No: 7322

Date: 05-16-91
Page: 6

NET Pacific, Inc.

Ref: Texaco, 12th; Job: 2251,112.03

QUALITY CONTROL DATA

Parameter	Reporting Limits	Units	Cal Verf Stand % Recovery	Blank Data	Spike % Recovery	Duplicate Spike % Recovery	RPD
Gasoline	0.05	mg/L	94	ND	93	96	3.2
Benzene	0.5	ug/L	104	ND	97	95	2.0
Toluene	0.5	ug/L	106	ND	97	93	< 1
Benzene	0.5	ug/L	106	ND	108	101	6.7

COMMENT: Blank Results were ND on other analytes tested.



NET Pacific, Inc.

KEY TO ABBREVIATIONS and METHOD REFERENCES

- < : Less than; When appearing in results column indicates analyte not detected at the value following. This datum supercedes the listed Reporting Limit.
- * : Reporting Limits are a function of the dilution factor for any given sample. To obtain the actual reporting limits for this sample, multiply the stated Reporting Limits by the dilution factor (but do not multiply reported values).
- ICVS : Initial Calibration Verification Standard (External Standard).
- mean : Average; sum of measurements divided by number of measurements.
- mg/Kg (ppm) : Concentration in units of milligrams of analyte per kilogram of sample, (parts per million).
- mg/L : Concentration in units of milligrams of analyte per liter of sample.
- mL/L/hr : Milliliters per liter per hour.
- MPN/100 mL : Most probable number of bacteria per one hundred milliliters of sample.
- N/A : Not applicable.
- NA : Not analyzed.
- ND : Not detected; the analyte concentration is less than applicable listed reporting limit.
- NTU : Nephelometric turbidity units.
- RPD : Relative percent difference, $100 \text{ [Value 1 - Value 2] / mean value}$.
- SNA : Standard not available.
- ug/Kg (ppb) : Concentration in units of micrograms of analyte per kilogram of sample, (parts per billion).
- ug/L : Concentration in units of micrograms of analyte per liter of sample.
- umhos/cm : Micromhos per centimeter.

Method References

Methods 100 through 493: see "Methods for Chemical Analysis of Water & Wastes", U.S. EPA, 600/4-79-020, rev. 1983.

Methods 601 through 625: see "Guidelines Establishing Test Procedures for the Analysis of Pollutants" U.S. EPA, 40 CFR, Part 136, rev. 1988.

Methods 1000 through 9999: see "Test Methods for Evaluating Solid Waste", U.S. EPA SW-846, 3rd edition, 1986.

SM: see "Standard Methods for the Examination of Water & Wastewater, 17th Edition, APHA, 1989.



Harding Lawson Associates
 1355 Willow Way, Suite 109
 Concord, California 94520
 415/687-9660
 Telecopy: 415/687-9673

CHAIN OF CUSTODY FORM

Lab: NET 7322

Job Number: 2251, 112.03
 Name/Location: Texaco 12th
 Project Manager: M. Watson

Samplers: DPM, SBH
 Recorder: *Meyer*
(Signature Required)

SOURCE CODE	MATRIX				#CONTAINERS & PRESERV.				SAMPLE NUMBER OR LAB NUMBER			DATE			
	Water	Sediment	Soil	Oil	Unpres.	H ₂ SO ₄	HNO ₃	Other	Yr	Wk	Seq	Yr	Mo	Dy	Time
	233	X	X							MW	-	9A	9	10	30
	X	X							MW	-	9B				
	X	X							MW	-	9C				
	X	X							MW	-	9E				
	X	X							MW	-	9F				
	X	X							MW	-	9G				
	X	X							MW	-	9H				
	X	X							MW	-	9I				

STATION DESCRIPTION/NOTES

CUSTODY SEALED 5/2/91
 19:00 J.W.

ANALYSIS REQUESTED										
EPA 601/8010	EPA 602/8020	EPA 624/8240	EPA 625/8270	ICP METALS	EPA 8015M/TPH					

LAB NUMBER			DEPTH IN FEET	COL MTD CD	QA CODE	MISCELLANEOUS
Yr	Wk	Seq				

CHAIN OF CUSTODY RECORD		
RELINQUISHED BY: (Signature) <i>Meyer</i>	RECEIVED BY: (Signature) <i>Goffman</i>	DATE/TIME 5/2/91 15:35
RELINQUISHED BY: (Signature) 5/2 <i>Goffman</i>	RECEIVED BY: (Signature)	DATE/TIME 19:00
RELINQUISHED BY: (Signature)	RECEIVED BY: (Signature)	DATE/TIME
RELINQUISHED BY: (Signature)	RECEIVED BY: (Signature)	DATE/TIME
DISPATCHED BY: (Signature)	DATE/TIME	RECEIVED FOR LAB BY: (Signature) <i>Goffman</i> 5/3/91 07:00
METHOD OF SHIPMENT <u>NCS</u>		



Harding Lawson Associates
 1355 Willow Way, Suite 109
 Concord, California 94520
 415/687-9660
 Telecopy: 415/687-9673

CHAIN OF CUSTODY FORM

Lab: NET 7333

Job Number: 2251, 112.03
 Name/Location: TEXACO 12th
 Project Manager: M. Watson

Samplers: DPM, SBH

Recorder: *Meyer*
 (Signature Required)

SOURCE CODE	MATRIX				#CONTAINERS & PRESERV.			SAMPLE NUMBER OR LAB NUMBER			DATE				
	Water	Sediment	Soil	Oil	Unpres.	H ₂ SO ₄	HNO ₃	VOLUME	Yr	Wk	Seq	Yr	Mo	Dy	Time
23	X							MW-9A				9	11	04	30
	X							MW-9B							
	X							MW-9C							
	X							MW-9E							
	X							MW-9F							
	X							MW-9G							
	X							MW-9H							
	X							MW-9I							

STATION DESCRIPTION/NOTES

CHAIN OF CUSTODY SEALED 5/2/91
 19:00 J.W.

ANALYSIS REQUESTED											
EPA 601/8010											
EPA 602/8020											
EPA 624/8240											
EPA 625/8270											
ICP METALS											
EPA 8015M/TPH											
XXXX BTEX TPH											

LAB NUMBER			DEPTH IN FEET	COL MTD CD	QA CODE	MISCELLANEOUS
Yr	Wk	Seq				

CHAIN OF CUSTODY RECORD		
RELINQUISHED BY: (Signature) <i>Meyer</i>	RECEIVED BY: (Signature) <i>Jeff Winkler</i>	DATE/TIME 5/2/91 15:20
RELINQUISHED BY: (Signature) s/2 <i>Jeff Winkler</i>	RECEIVED BY: (Signature)	DATE/TIME
RELINQUISHED BY: (Signature)	RECEIVED BY: (Signature)	DATE/TIME
RELINQUISHED BY: (Signature)	RECEIVED BY: (Signature)	DATE/TIME
DISPATCHED BY: (Signature)	DATE/TIME	RECEIVED FOR LAB BY: (Signature) <i>Jeff Winkler</i>
METHOD OF SHIPMENT NET		DATE/TIME 5/2/91 08:00

DISTRIBUTION

4 copies: Texaco Refining and Marketing Inc.
108 Cutting Boulevard
Richmond, California 94804

Attention: Mr. R. R. Zielinski

MKW/JSH/lk 032536P/R48

QUALITY CONTROL REVIEWER



Stephen J. Osborne
Principal Engineer