

**RECEIVED**

*By loprojectop at 9:24 am, May 09, 2006*

Tomorrow Development Co.

# **SOIL AND GROUNDWATER SAMPLING MONITORING WELL INSTALLATIONS**

**Former Gas Station  
2547 East 27th Street  
Oakland, California**



Prepared for:

Tomorrow Development Co.  
1305 Franklin, #500  
Oakland, California

**RECEIVED**

*By lopprojectop at 9:24 am, May 09, 2006*

SOIL AND GROUNDWATER SAMPLING  
MONITORING WELL INSTALLATIONS

Former Gas Station  
2547 East 27th Street  
Oakland, California

Project CA1264-3

Ceres Associates  
424 First Street  
Benicia, California 94510  
(707) 748-3170 / Fax (707) 748-3171



---

---

## TABLE OF CONTENTS

---

---

	<u>PAGE</u>
<b>1.0 SITE CONCEPTUAL MODEL .....</b>	<b>1</b>
<b>2.0 SOIL AND GROUNDWATER SAMPLING .....</b>	<b>4</b>
<b>3.0 MONITORING WELL INSTALLATION .....</b>	<b>6</b>
<b>4.0 WELL SURVEY .....</b>	<b>8</b>
<b>5.0 DISCUSSIONS .....</b>	<b>9</b>

### FIGURES

- Figure 1 - Property Location Map
- Figure 2 - Soil Boring Location Map
- Figure 3 - TPHg contour map
- Figure 4 - TPHd contour map
- Figure 5 - TPHro contour map

### APPENDICES

- Appendix - Laboratory Data Reports
- Appendix - Permits and Other Documents



---

---

## 1.0 SITE CONCEPTUAL MODEL

---

---

The following site conceptual model has been created based upon the work conducted for the Property by Kleinfelder and Ceres Associates.

### Developments

The Property was formerly developed with a fuel and service station between 1927 and 1994. In 1994, one 100-gallon waste oil UST and four 500-gallon gasoline USTs were removed from the Property. After the tanks were removed, the excavation pits were lined with visqueen plastic and backfilled with the excavated material. It was reported that eight soil samples were collected from below the tanks and two were collected from the stockpiled soil (from the excavation).

The Property is currently undeveloped with a chain-link fence along the perimeter. Some concrete pieces, remnants of the former foundation, were observed on the Property.

The Property is located amongst single and multiple family residences.

### Soil

The soils on the Property consist of generally sandy gravel fill from the surface to four (4) feet below ground surface (bgs). From four (4) to twelve (12) feet bgs the soil appears to be fat and lean silty clays. Below twelve (12) feet the soil is generally gravel and sand with some clay. Off-site soils are generally consistent with on-site soils (*refer to Appendix - Soil Logs*).

### Groundwater

Groundwater has been encountered on the Property between approximately three and fourteen (14) feet bgs. Once encountered, groundwater appears to rise to within approximately three to five feet of the ground surface. The variable groundwater elevations across the Property suggest the possibility of a perched groundwater lense.

Groundwater flow appears to be predominantly to the east. Groundwater flow gradient will be reported once the monitoring well elevations have been surveyed.

### Contamination

Soil and groundwater contamination at the Property appears to have originated from historic uses of underground storage tanks for the purposes of storing motor vehicle fuel and waste oil. Underground storage tanks were present on the Property between at least 1927 and 2002. Resulting contamination appears to have migrated from the soil to the groundwater on the Property. Based upon the results of this sampling event, it is apparent that contamination has migrated off-site as well, impacting soil borings more than 100 feet down-gradient of the Property.



Although initial sampling events by Kleinfelder indicated that soil, not groundwater, was predominantly impacted with petroleum hydrocarbons, subsequent sampling by Ceres Associates has revealed the opposite, that groundwater is more impacted than sampled soils:

#### 2002 Soil and Groundwater Sampling

Kleinfelder conducted soil and groundwater sampling activities at the Property on June 19 and July 10, 2002. Kleinfelder supervised the advance of three soil borings ranging in depth from 11 to 19 feet below ground surface (bgs). Kleinfelder reportedly advanced each boring until approximately two feet below groundwater.

According to the report issued by Kleinfelder, dated August 2, 2002:

“TPH-g was detected in the soil samples extracted from borings EB-1 and EB-2 at concentrations of 1,200 mg/kg and 1,800 mg/kg, respectively. TPH-d was detected in these samples, from borings EB-1 and EB-2, at concentrations of 650 mg/kg and 1,500 mg/kg, respectively. TPH-mo was detected in concentrations above laboratory reporting limits only in the sample from boring EB-1 at 14 mg/kg. Further, the laboratory described the detected TPH-g as strongly aged gasoline, and the TPH-d was described as Stoddard solvent.”

Total lead was reported as high as 24 ppm in the soil samples collected from the Property.

Groundwater samples were reported to contain concentrations of TPH-g as high as 82 micrograms per liter ( $\mu\text{g/l}$ ) or parts per billion (ppb); TPH-d as high as 360 ppb; motor oil as high as 540 ppb; benzene as high as 0.97 ppb; and toluene and xylenes as high as 1.3 ppb. Ethylbenzene and MTBE were not reported above their laboratory reporting limits.

#### 2005 Soil and Groundwater Sampling

Ceres Associates collected soil and groundwater samples from the Property on January 7, 2005. Generally, soil samples collected from five feet bgs were not reported by the laboratory to contain concentrations of target analytes above their respective method reporting limits. The exceptions were SB-6 and SB-9. Concentrations of target analytes above method reporting limits in the five foot sample from SB-6 included: benzene at 0.024 ppm and ethylbenzene at 0.031 ppm. Concentrations of target analytes above method reporting limits in the five foot sample from SB-9 included: TPH-g at 32 ppm, TPH-d at 52 ppm, ethylbenzene at 0.017 ppm, and xylenes at 0.013 ppm.

The deeper soil samples, collected at 10 feet bgs, tended to contain higher concentrations of target analytes. Soil samples collected at this depth from SB-1, SB-2, and SB-8 were not reported by the laboratory to contain concentrations of target analytes above their respective method reporting limits. For those samples where concentrations of target analytes were reported above the method reporting limits, they were reported to contain as much as 61 ppm of TPH-g, 46 ppm of TPH-d, 0.0070 ppm of benzene, 0.045 ppm of ethylbenzene, and 0.027 ppm of xylenes.

These reported concentrations of soil samples do not exceed regulatory criteria for further action based on Environmental Screening Levels (ESLs) established by the State of California Regional Water Quality Control Board (RWQCB) or Residential Preliminary Remediation Goals (Res PRGs) established by the United States Environmental Protection Agency, Region IX (US EPA).

Target analytes were reported above method reporting limits in all but one groundwater sample collected from the Property. Generally, samples collected after retrieving soil samples (using the



continuous sampling macro-core device) were reported as containing higher concentrations of target analytes than from those samples collected using the hydro-punch device.

Concentrations of target analytes were reported by the laboratory as high as 90,000 micrograms per liter ( $\mu\text{g}/\text{l}$ ) or parts per billion (ppb) for TPH-g; 750,000 ppb for TPH-d; 140 ppb for benzene; 1.5 ppb for toluene; 77 ppb for ethylbenzene; and 20 ppb for xylenes. Methyl tert butyl ether (MTBE) was not reported above the method reporting limits for any sample.

Concentrations of benzene far exceed the regulatory limit of 1.0 ppb as defined by the State of California Department of Health Services (CDHS) Maximum Contaminant Level (MCL). MCLs are not defined for petroleum hydrocarbons including gasoline and diesel. However, the RWQCB has established an ESL for TPH-g and TPH-d of 100 ppb. The ESL is designed to protect groundwater resources in the area.

#### Generally

Contamination on the Property was historically attributable to soil contamination by petroleum hydrocarbons and associated BTEX compounds. Groundwater contamination was limited. However, during the January 2005 and January 2006 sampling events, petroleum hydrocarbon and BTEX compounds were identified above regulatory action limits in the groundwater, but generally not in the soil. This is true of both on and off-site sample points.

The Property lacks an impermeable surface layer, and given the rate of precipitation for Oakland (approximately 24.30 inches per year according to the National Oceanic and Atmospheric Administration) the rate of infiltration of contaminants from the soil to the groundwater has likely increased since the removal of the asphalt surface during demolition.

The potential migration of target analyte contaminants to deeper aquifer layers is not yet known; however, based upon the general soil profiles of sites in the City of Oakland and at the Property, it is anticipated that clay layers of varying thickness, located throughout the soil horizon, will help retard the vertical flow of contaminants.



---

---

## 2.0 SOIL AND GROUNDWATER SAMPLING

---

---

### Soil and Groundwater Sampling

Prior to sampling, individual boring locations were cleared using USA notification processes as well as a private utility locating service. Underground pipelines and conduits which were identified within the boring area were marked on the surface.

A Health and Safety Plan, prepared by Ceres Associates, was used to facilitate a pre-drilling safety meeting prior to conducting work. Signatures of attendees were collected at the meeting indicating an understanding of the risks and hazards involved in the drilling process. A copy of this document was kept on site during the drilling process.

### PURPOSE OF BORING LOCATIONS

Ceres Associates advanced a total of sixteen (14) soil borings on the Property (*Figure 2 - Soil Boring Locations Map*). The borings were advanced to the following depths:

Boring	Total Depth (feet bgs)
SB-11	10
SB-12	16
SB-13	15
SB-14	20
SB-15	15
SB-16	20
SB-17	16
SB-18	16
SB-19	15
SB-20	15
SB-21	15
SB-22	15
SB-23	15
SB-24	15

Boring locations were placed both on-site to confirm the contamination concentrations on the Property as well as off-site to assess the potential extent of contamination migration.



## SAMPLE METHODOLOGY

Soil and groundwater samples were collected using Geoprobe® sampling equipment provided by Vironex of San Leandro, California. The Geoprobe® sampler utilizes direct-push technology to collect soil and groundwater samples from specific subsurface depths without generating soil cuttings. The Geoprobe® sampling system consists of a series of 1.5-inch diameter hollow stainless steel rods which are hydraulically driven into the ground using a pneumatic hammer attached to the Geoprobe® assembly.

### Soil Sampling

Soil samples were collected by driving a four-foot long stainless steel sample sleeve attached to the end of the steel rods into soil at a specified sample depth. Soil samples were then collected in acetate sample tubes installed inside the sample sleeve. After the rod assembly was hydraulically extended to the target sample depth, the sample sleeve was retrieved to ground surface and the acetate sample tube containing soil from the appropriate sample interval was capped with Teflon®-lined plastic end caps, labeled, placed in a Ziplock® bag, and stored in a chest cooled with crushed ice.

### Groundwater Sampling

Groundwater samples were collected with the Geoprobe® sampler by hydraulically driving a temporary PVC well screen into the water bearing zone, and allowing the groundwater to collect in the bottom of the PVC pipe. Groundwater samples were collected using a disposable bailer, then transferred to containers preserved with HCL (for VOC analysis). Sample containers were then labeled, placed in a Ziplock® bag, and stored in a chest cooled with crushed ice.

### Boring Completion

After soil and groundwater samples had been collected, each borehole was tremmie-grouted with Portland Cement and the ground surface was repaired with concrete. A black dying agent was mixed with the surface concrete in an attempt to match the surrounding surface color.

### Laboratory Analysis

Ceres Associates, following chain of custody protocols, released soil and groundwater samples to Mc Campbell Analytical of Pacheco, California, a State of California-certified analytical laboratory, on January 18, 2006.

Ceres Associates analyzed the soil samples collected from varying depths according to observed odors, colorations, capillary fringe location, and PID readings. Soil and groundwater samples were analyzed for total petroleum hydrocarbons (TPH) as gasoline (g), diesel (d), motor oil (mo), hydraulic oil (ho), benzene, toluene, ethylbenzene, and xylenes (BTEX), ethylene dibromide (EDB), 1,2-dichlorethane (1,2-DCA), methyl tertiary butyl ether (MTBE), and lead (Pb) using US EPA methods 8015, 8020, 8260 and ICP analysis. Laboratory Data Reports are included in the Appendix of this document.

### Results

The following tables detail the results of laboratory analyses.





---

---

### 3.0 MONITORING WELL INSTALLATION

---

---

#### Well Location

Ceres Associates installed two wells on-site including one groundwater monitoring well and one groundwater extraction well. SB23 (MW-5) was converted into a groundwater monitoring well, to be used for monitoring groundwater flow along the boundary of the Property and near adjacent residences. SB22 (EX-1) was converted into an extraction well for a potential future remediation system.

Ceres Associates installed four groundwater monitoring wells off-site in potential down-gradient groundwater flow directions. SB12 (MW-1), SB13 (MW-2), SB17 (MW-3), and SB19 (MW-4) were converted into groundwater monitoring wells to be used to further assess the migration of contamination originating from the Property (*refer to Figure 2 - Soil Boring Location Map*).

#### Well Design

The groundwater monitoring wells were constructed of two-inch diameter flush-threaded PVC well casing and screen. The extraction well was constructed of similar materials and design except that it is a four-inch diameter well. The casing joints were sealed with “o” rings. The upper five feet of the well were blank casing. Ten feet of 0.020 slot PVC screen completed the well, yielding a total well depth of approximately 15 feet, except that MW-2 was extended only to eight feet bgs due to auger refusal.

The filter pack extends from total depth to one-foot above the top of the screen, and to approximately four (4) feet below grade surface (bgs). The silica sand used was #3. As the well was drilled the geologist evaluated the sediments encountered in the screen design interval (5 to 15 feet bgs) with respect to grain size, and selected the appropriately sized filter pack. After the filter pack was placed, surge blocks were used to gently surge the well screen to settle the filter pack and remove possible bridges or other gaps.

A one-foot thick bentonite pellet seal was placed above the filter pack and hydrated with deionized water. Since the surface seal is so close to the surface, the surface seal consists of concrete with 5% bentonite powder for both strength and flexibility. The mix was 1:2:5%, Portland cement, coarse sand, bentonite powder.

A 12-inch diameter Morrison® wellhead box, or similar-style wellhead box, was installed approximately one inch above the height of the surrounding surface. A concrete apron approximately two-feet in diameter was constructed of concrete with aggregate, and slopes away from the wellhead box to reduce flooding and infiltration of the well from surface water runoff and ponding. A locking wellhead plug with a padlock was installed to reduce the possibility of tampering.

#### Well Construction

After groundwater samples were obtained, the monitoring wells were constructed by inserting the well screen and casing inside the hollow stem auger. The casing was suspended in the auger by a lifting plug and cable during the placement of the filter pack. After the filter pack had been completed the auger was withdrawn, and the bentonite pellet seal was set and hydrated. The concrete surface seal and



wellhead box were installed at the completion of the project, after allowing sufficient time for the bentonite seal to congeal and solidify sufficiently to withstand the weight of the surface seal.

### **Monitoring Well Development**

After allowing sufficient time for the surface seal to set and cure, the monitoring wells were developed with a surge block and bailer. A small well development rig (Schmeal or equivalent) performed the development. A two (2)-inch (nominal) stainless steel or PVC vented surge block was reciprocated over two to three foot intervals of the well screen to cause two-way movement of water and sediment. The surging began at the bottom of the well screen and moved successively upward through each interval. Each interval was surged for two to three minutes. After the entire screen interval had been completed, the surge block was withdrawn and a 1.5-inch diameter stainless steel sand pump bailer was used to remove the developed sediment from the well. When sediment could no longer be effectively removed from the well, the surge block will be reintroduced, and the process repeated. Development proceeded until sediment could no longer be effectively removed from the well.

After the completion of mechanical development, an electric submersible development pump was placed in the bottom of the well. The wells were pumped at a low discharge rate until relatively clear water is discharged. The wells were deemed sufficiently developed at that time. The wells were pumped at a rate which placed low stress on the well relative to the recharge rate of the adjoining aquifer.

Soil and groundwater generated during this process was collected into 55-gallon drums and stored on-site pending laboratory analysis to determine proper disposal.



---

---

## 4.0 WELL SURVEY

---

---

Ceres Associates contacted the State of California Department of Water Resources (DWR), the Alameda County Public Works Agency (PWA), and the City of Oakland Public Works Department (PWD).

The well survey will be issued shortly under separate cover, once information has been received from these agencies. The information will be applied to a surrounding areas map and well locations will be identified with respect to distance and gradient from the Property.



---

---

## 5.0 DISCUSSION

---

---

### **Soil and Groundwater Sampling**

#### *Soil*

Soil sampling results indicate that concentrations of TPH-g ranged from below the laboratory reporting limits (ND) to a high of 250 parts per million (ppm). More notably, concentrations of TPHg in all samples except one (SB12-14 at 250 ppm) fell below the Residential Environmental Screening Limit (ESL) of 100 ppm.

Soil sample results indicate that concentrations of TPH-d ranged from ND to 490 ppm. Again, quite notably, concentrations of TPH-d in all sample except one (SB21-12 at 490 ppm) fell below the ESL of 100 ppm.

Although concentrations of other target analytes were reported in many samples above the laboratory detection limits, the concentrations were reported below their respective ESLs or the Residential Preliminary Remediation Goals (PRGs). These results are consistent with previous sampling results by Ceres Associates on the Property.

#### *Groundwater*

Groundwater sampling results suggest that on-site contamination has migrated off-site, east of the Property, in almost all sample points advanced by Ceres Associates. Groundwater sample results reported to Ceres Associates are consistent with previous results from the January 2005 sampling event.

Concentrations of TPH-g were reported as high as 1,500 parts per billion (ppb), but more generally between ND and 74 ppb. The highest concentration of TPH-g was reported in SB21, on the Property. Additional samples with concentration of TPH-g above ND include SB14, east of the Property; and, SB19, south of the Property. However, points between these sample locations were not reported above ND. It is unclear whether and how on-site TPH-g contamination has affected these off-site borings. Preferential pathways, including utility lines, soil-soil contact, or groundwater flow don't appear consistent with anticipated contamination migration. Even though a clear spatial disbursement of TPH-g is not clear, it is clear that on-site contamination of TPH-g remains above the ESL and that off-site contamination falls below the TPH-g ESL.

Concentrations of TPH-d were reported between ND and 3,600 ppb. The highest concentrations of TPH-d were reported off-site: SB22 at 3,600 ppb, immediately south of the Property and SB13 at 1,300 ppb, east of the Property. On-site contamination was reported as high as 910 ppb of TPH-d at SB21, located along the southern boundary of the Property. Samples further south and east of SB21 were also reported above ND at concentrations exceeding the ESL. In fact, approximately 2/3 of all samples were reported above the ESL for concentrations of TPH-d.

Concentrations of residual oils TPH-ro (motor oil and hydraulic oil) coincided with increased concentrations of TPH-d. Concentrations of these target analytes were, on average, higher than those concentrations reported for TPH-g or TPH-d, with a high value of 28,000 ppb of TPH-ro in SB22.



Overall, it is apparent that on-site contamination of petroleum hydrocarbons has migrated off-site, down-gradient of the Property, in a generally easterly direction. Concentrations of petroleum hydrocarbons were reported above the ESL in samples collected as much as 100 feet down-gradient of the Property.

The relatively high concentrations of petroleum hydrocarbons was not accompanied by higher concentrations of BTEX compounds or fuel oxygenates. In fact, fuel oxygenates EDB and 1,2-DCA were reported as ND for all samples submitted to the laboratory. Concentrations of BTEX compounds fell below the Maximum Contaminant Levels (MCLs) and ESLs for all samples submitted; except that two concentrations of xylenes (SB14 at 1.7 ppb, and SB21 at 1.8 ppb) exceeded the ESL. Though some concentrations of xylenes were reported off-site, these target compounds do not appear to be a significant source of off-site contamination.

### **Monitoring Well Installations**

Monitoring wells installed both on and off-site were developed and are now ready for monitoring. It appears from the laboratory data from soil and groundwater sampling that all wells installed by Ceres Associates should be monitored, as even the most down-gradient wells were reported by the laboratory to have concentrations of target analytes above the ESLs.

### **Utility Surveys**

Ceres Associates contracted with Cruz Brothers locators to identify utility lines in the streets adjoining the Property, to assess for the potential of preferential pathways off-site. Sewer, water, storm water, and gas lines appear to run along both 27th Street and 26th Avenue in the parking lane and just under the sidewalk (*refer to Figure 2 - Soil Boring Locations Map*).

Soil borings placed in the parking lane of 27th Street were located amongst several different utility lines. However, based upon the results of the sampling, there is not a clear connection between these utility lines, contamination on the Property, and that contamination observed off-site. In fact, soil contamination off-site was limited to depths below 10 feet bgs, suggesting that contaminants found in the soil were from groundwater contaminant migration. It does not appear that these utility lines are significantly aiding in contamination migration.

### **Future Remedial Activities Planned**

Based upon the results of this sampling event as well as previous soil and groundwater sampling events at the Property, it is not clear whether further assessments or remedial activities are necessary. At the time of this report Ceres Associates is preparing a corrective action plan, potentially including a risk assessment, which will be issued in late March 2006.





## LIMITATIONS

Much of the information on which the conclusions and recommendations of this report are based comes from data provided by others. Ceres Associates is not responsible for the accuracy or completeness of this information. Inaccurate data provided by others, as well as information that was not found or made available to Ceres Associates, may result in a modification of the conclusions presented in this report.

It is possible unpermitted, undocumented or concealed improvements or alterations to the Property could exist beyond what was found during assessment activities. Variations in Property specific soil and groundwater conditions are probable beyond what field characterization can record. Changes in the conditions found on the Property could occur at some time in the future due to variations in environmental and physical conditions.

In today's technology, no amount of assessment can ascertain that the Property is completely free of environmental concern.

This report was prepared for the sole use and benefit of the Joseph Felix Realty Company. This report is not a legal opinion and does not offer warranties or guarantees.

If you have questions, please call me at (707) 748-3170.

Sincerely,  
Ceres Associates

Ryan Meyer, REA 07936  
Environmental Specialist

Ken Durand, RG 5630, CHG 70  
Senior Project Manager



---

---

## FIGURES

---

---



---

---

**APPENDIX**  
**LABORATORY DATA REPORTS**

---

---

---

---

**APPENDIX**  
**PERMITS & OTHER DOCUMENTS**

---

---

0601240



**McC Campbell Analytical, Inc.**  
 110 2nd Avenue South, #D7  
 Pacheco, California 94533-5660  
 (925) 798-1620/ fax (925) 798-1622

**Chain of Custody Form**  
 Turn around time: 5-day std  
 EDF Required?: Yes (send to email noted)

Notes: \_\_\_\_\_ Page 1 of 7

Report to: Ryan Meyer  
 Company: Ceres Associates  
 424 First Street  
 Benicia, CA 94510  
 Phone: (707) 748-3170  
 Project#: CA1264-3  
 Location: Oakland, California  
 Bill To: \_\_\_\_\_  
 E-Mail: ryanmeyer@gmail.com  
 Fax: (707) 748-3171  
 Project Name: TD  
 Sampler Signature: *[Signature]*

Analysis Request

Sample ID	Date	Time	# Containers	Matrix	Preservation Method	<del>TPH</del> & TPH Igas (802/8021 + 8015)	MTBE/BTEX ONLY (602/8021)	TPH diesel/motor oil/ <del>TPH</del> (8015)	Total Petroleum O&G (1664/5220)	Total Petroleum Hydrocarbons (418.1)	5 OXYs (MTBE/TBA/DIPE/EBE/TAME)	EPA 608/8082 PCBs ONLY	EPA 524.4/624/8260 (VOCs)	EPA 502.2/601/8010/8021 (HIVOCs)	EPA 505/608/8081 (CL Pesticides)	EPA 07/8141 (NP Pesticides)	CAM 17 Metals	<del>TPH</del> Metals lead by ICP	Nitrate & Nitrite	Sulfate & Sulfide	Bicarbonate Alkalinity	Ferrous Iron (equivalent)	Total Dissolved Solids	General Minerals	Bromate & Bromide	Comments		
SB12-2	11/16/06		1	soil	ice	X	X					X						X										
SB12-4																							hold					
SB12-6																							hold					
SB12-8																							hold					
SB12-10																							hold					
SB12-12																							hold					
SB12-14																												
SB12-16																							hold					
SB18-2																							hold					
SB18-4																							hold					
SB18-6																							hold					
SB18-8																							hold					
SB18-10																							hold					
SB18-12																							hold					
SB18-14																												
SB18-16																							hold					

Relinquished by: *[Signature]* Received by: Kathleen Owen  
 Date/Time: 11/8/06 1:40 PM Date/Time: 1/18/06

Relinquished by: \_\_\_\_\_ Received by: \_\_\_\_\_  
 Date/Time: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished by: \_\_\_\_\_ Received by: \_\_\_\_\_  
 Date/Time: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Ice/c° ✓  
 Good Condition ✓  
 Head Space Absent ✓  
 Dechlorinated in Lab ✓  
 Appropriate Containers ✓  
 Preserved in Lab ✓

Comments: \_\_\_\_\_

Filter Samples for Metals analysis?



**McCampbell Analytical, Inc.**  
 110 2nd Avenue South, #D7  
 Pacheco, California 94533-5660  
 (925) 798-1620/ fax (925) 798-1622

**Chain of Custody Form**

Turn around time: 5-day std

EDF Required?: Yes (send to email noted)

Notes:

Page 2 of 7

Report to: Ryan Meyer      Bill To:  
 Company: Ceres Associates  
 424 First Street  
 Benicia, CA 94510      E-Mail: ryanmeyer@gmail.com  
 Phone: (707) 748-3170      Fax: (707) 748-3171  
 Project#: CA1264-3      Project Name: TD  
 Location: Oakland, California  
 Sampler Signature: *[Signature]*

**Analysis Request**

Comments

Sample ID	Date	Time	# Containers	Matrix	Preservation Method	TPH gas (602/8021 + 8015)	MTBE/BTEX ONLY (602/8021)	TPH diesel/motor oil/lowboiling (8015)	Total Petroleum O&G (1664/ 5220)	Total Petroleum Hydrocarbons (418.1)	5 OXYs (MTBE/TBA/DIPE/EBE/TAME)	EPA 608/ 8082 PCBs ONLY	EPA 524.4/ 624/ 8260 (VOCs)	EPA 502.2/ 601/ 8010/ 8021 (HVCOCs)	EPA 505/ 608/ 8081 (CL Pesticides)	EPA 07/ 8141 (NP Pesticides)	CAM 17 Metals	<del>TPH gas</del> Lead by ICP	Nitrate & Nitrite	Sulfate & Sulfide	Bicarbonate Alkalinity	Ferrous Iron (equivalent)	Total Dissolved Solids	General Minerals	Bromate & Bromide	Filter Samples for Metals analysis?		
SB 17-2	1/16/06		1	soil	ice	X	X						X					X										
SB 17-4																												
SB 17-6																												
SB 17-8																												
SB 17-10																												
SB 17-12																												
SB 17-14																												
SB 17-16																												
SB 16-4	1/17/06																											
SB 16-6																												
SB 16-8																												
SB 16-10																												
SB 16-12																												
SB 16-14																												
SB 15-6																												
SB 15-8																												

Relinquished by: *[Signature]*      Received by: Kathleen Owen  
 Date/Time: 1/18/06 1:48 PM      Date/Time: 1/18/06

Relinquished by:      Received by:  
 Date/Time:      Date/Time:

Relinquished by:      Received by:  
 Date/Time:      Date/Time:

Ice/rt°  
 Good Condition  
 Head Space Absent  
 Dechlorinated in Lab  
 Appropriate Containers  
 Preserved in Lab

Comments:



**McCampbell Analytical, Inc.**  
 110 2nd Avenue South, #D7  
 Pacheco, California 94533-5660  
 (925) 798-1620/ fax (925) 798-1622

**Chain of Custody Form**

Turn around time: 5-day std

EDF Required?: Yes (send to email noted)

Page 3 of 7

Notes:

Report to: Ryan Meyer      Bill To:  
 Company: Ceres Associates  
 424 First Street  
 Benicia, CA 94510      E-Mail: ryanmeyer@gmail.com  
 Phone: (707) 748-3170      Fax: (707) 748-3171  
 Project#: CA1264-3      Project Name: TD  
 Location: Oakland, California  
 Sampler Signature: *[Signature]*

**Analysis Request**

Comments

Sample ID	Date	Time	# Containers	Matrix	Preservation Method	<del>TPHgas</del> (602/8021 + 8015)	MTBE/BTEX ONLY (602/8021)	TPHdiesel/motor oil/kerosene (8015)	Total Petroleum O&G (1664/ 5220)	Total Petroleum Hydrocarbons (418.1)	5 OXYs (MTBE/TBA/DIPE/EBE/TAME)	EPA 608/ 8082 PCBs ONLY	EPA 524.4/ 624/ 8260 (VOCs)	EPA 502.2/ 601/ 8010/ 8021 (HVOCS)	EPA 505/ 608/ 8081 (CL Pesticides)	EPA 07/ 8141 (NP Pesticides)	CAM 17 Metals	HEAVY Metals Lead by ICP	Nitrate & Nitrite	Sulfate & Sulfide	Bicarbonate Alkalinity	Ferrous Iron (equivalent)	Total Dissolved Solids	General Minerals	Bromate & Bromide	Filter Samples for Metals analysis?		
SB15-10	1/17/06		1	soil	ice	X	X						X					X										
SB15-12																												
SB15-14																												
SB14-2																												
SB14-4																												
SB14-6																												
SB14-8																												
SB14-10																												
SB14-12																												
SB14-14																												
SB14-16																												
SB14-18																												
SB14-20																												
SB11-4																												
SB11-6																												
SB11-8																												

Relinquished by: *[Signature]*      Received by: Kathleen Owen  
 Date/Time: 1/18/06 4:40 PM      Date/Time: 1/18/06

Relinquished by:      Received by:  
 Date/Time:      Date/Time:

Relinquished by:      Received by:  
 Date/Time:      Date/Time:

Ice/t°  
 Good Condition  
 Head Space Absent  
 Dechlorinated in Lab  
 Appropriate Containers  
 Preserved in Lab

Comments:



**McC Campbell Analytical, Inc.**  
 110 2nd Avenue South, #D7  
 Pacheco, California 94533-5660  
 (925) 798-1620/ fax (925) 798-1622

**Chain of Custody Form**

Turn around time: 5-day std

EDF Required?: Yes (send to email noted)

Notes:

Page 4 of 7

Report to: Ryan Meyer      Bill To:  
 Company: Ceres Associates  
 424 First Street  
 Benicia, CA 94510      E-Mail: ryanmeyer@gmail.com  
 Phone: (707) 748-3170      Fax: (707) 748-3171  
 Project#: CA1264-3      Project Name: TD  
 Location: Oakland, California  
 Sampler Signature: *[Signature]*

**Analysis Request**

**Comments**

Sample ID	Date	Time	# Containers	Matrix	Preservation Method	MTBE/BTEX ONLY (602/8021)	TPH Diesel/motor oil/Acetone (8015)	Total Petroleum O&G (1664/ 5220)	Total Petroleum Hydrocarbons (418.1)	5 OXYs (MTBE/TBA/DIPE/EBE/TAME)	EPA 608/ 8082 PCBs ONLY	EPA 524.4/ 624/ 8260 (VOCs)	EPA 502.2/ 601/ 8010/ 8021 (HVOCs)	EPA 505/ 608/ 8081 (CL Pesticides)	EPA 07/ 8141 (NP Pesticides)	CAM 17 Metals	LUFT 5 Metals <i>hand by ICP</i>	Nitrate & Nitrite	Sulfate & Sulfide	Bicarbonate Alkalinity	Ferrous Iron (equivalent)	Total Dissolved Solids	General Minerals	Bromate & Bromide	Filter Samples for Metals analysis?		
SB11-10	1/17/06		1	Soil	Ice	X	X					X					X										
SB19-2	<i>[Large blue arrow pointing down]</i>																										
SB19-4																											
SB19-6																											
SB19-8																											
SB19-10																											
SB19-12																											
SB19-14																											
SB22-2																											
SB22-4																											
SB22-6																											
SB22-8																											
SB22-10																											
SB22-12																											
SB22-14																											
SB22-2																											

Relinquished by: *Ryan Meyer*      Received by: *Kathleen Owen*  
 Date/Time: *1/18/06 4:00 PM*      Date/Time: *1/18/06*

Ice/c°  
 Good Condition  
 Head Space Absent  
 Dechlorinated in Lab  
 Appropriate Containers  
 Preserved in Lab  
 Comments:

Relinquished by:      Received by:  
 Date/Time:      Date/Time:

Relinquished by:      Received by:  
 Date/Time:      Date/Time:



McC Campbell Analytical, Inc.  
 110 2nd Avenue South, #1D7  
 Pacheco, California 94533-5660  
 (925) 798-1620/ fax (925) 798-1622

Chain of Custody Form

Turn around time: 5-day std

EDF Required?: Yes (send to email noted)

Notes:

Page 5 of 7

Report to: Ryan Meyer      Bill To:  
 Company: Ceres Associates  
 424 First Street  
 Benicia, CA 94510      E-Mail: ryanmeyer@gmail.com  
 Phone: (707) 748-3170      Fax: (707) 748-3171  
 Project#: CA1264-3      Project Name: TD  
 Location: Oakland, California  
 Sampler Signature: *Ryan Meyer*

Analysis Request

Comments

Sample ID	Date	Time	# Containers	Matrix	Preservation Method	TPH & TPH Igas (602/8021 + 8015)	MTBE/BTEX ONLY (602/8021)	TPH Diesel/motor oil/ <sup>L.O.</sup> Hexane (8015)	Total Petroleum O&G (1664/ 5220)	Total Petroleum Hydrocarbons (418.1)	5 OXYs (MTBE/TBA/DIPE/EBE/TAME)	EPA 608/ 8082 PCBs ONLY	EPA 524-4/ 624/ 8260 (VOCs)	EPA 502.2/ 601/ 8010/ 8021 (HVOCs)	EPA 505/ 608/ 8081 (CL Pesticides)	EPA 07/ 8141 (NP Pesticides)	CAM 17 Metals	<del>LEAD</del> Metals lead by FCP	Nitrate & Nitrite	Sulfate & Sulfide	Bicarbonate Alkalinity	Ferrous Iron (equivalent)	Total Dissolved Solids	General Minerals	Bromate & Bromide	Filter Samples for Metals analysis?		
SB 20-4	1/17/06		1	soil	ice	X	X					X						X										
SB 20-6																												
SB 20-8																												
SB 20-10																												
SB 20-12																												
SB 20-14																												
SB 21-2																												
SB 21-4																												
SB 21-6																												
SB 21-8																												
SB 21-10																												
SB 21-12																												
SB 21-14																												
SB 23-2																												
SB 23-4																												
SB 23-6																												

Relinquished by: *Ryan Meyer*      Received by: *Kathleen Owen*  
 Date/Time: *1/18/06 1:40pm*      Date/Time: *1/18/06*

Relinquished by:      Received by:  
 Date/Time:      Date/Time:

Relinquished by:      Received by:  
 Date/Time:      Date/Time:

Ice/t<sup>o</sup>      Comments:  
 Good Condition  
 Head Space Absent  
 Dechlorinated in Lab  
 Appropriate Containers  
 Preserved in Lab



McC Campbell Analytical, Inc.  
 110 2nd Avenue South, #D7  
 Pacheco, California 94533-5660  
 (925) 798-1620 / fax (925) 798-1622

Chain of Custody Form

Turn around time: 5-day std

EDF Required?: Yes (send to email noted)

Notes:

Page 6 of 7

Report to: Ryan Meyer Bill To:  
 Company: Ceres Associates  
 424 First Street  
 Benicia, CA 94510 E-Mail: ryanmeyer@gmail.com  
 Phone: (707) 748-3170 Fax: (707) 748-3171  
 Project#: CA1264-3 Project Name: TD  
 Location: Oakland, California  
 Sampler Signature: *[Signature]*

Analysis Request

Comments

Sample ID	Date	Time	# Containers	Matrix	Preservation Method	TPH gas (602/8021 + 8015)	MTBE/BTEX ONLY (602/8021)	TPH diesel/motor oil/ <sup>n.o</sup> Microsols (8015)	Total Petroleum O&G (1664/ 5220)	Total Petroleum Hydrocarbons (418.1)	5 OXYS (MTBE/TBA/DIPE/EBE/TAME)	EPA 608/ 8082 PCBs ONLY	EPA 524.4/ 624/ 8260 (VOCs)	EPA 502.2/ 601/ 8010/ 8021 (HVOCS)	EPA 505/ 608/ 8081 (CL Pesticides)	EPA 07/ 8141 (NP Pesticides)	CAM 17 Metals	<del>Lead</del> Lead by ICP	Nitrate & Nitrite	Sulfate & Sulfide	Bicarbonate Alkalinity	Ferrous Iron (equivalent)	Total Dissolved Solids	General Minerals	Bromate & Bromide	Filter Samples for Metals analysis?	
SB 23-8	1/17/06		1	soil	ice	X	X					X						X									
SB 23-10																											
SB 23-12																											
SB 23-14																											
SB 24-2																											
SB 24-4																											
SB 24-6																											
SB 24-8																											
SB 24-10																											
SB 24-12																											
SB 24-14																											
SB 16GW	1/16/06		5	water	ice + Hcl																						
SB 16GW	1/17/06																										
SB 12GW																											
SB 13GW																											
SB 14GW																											

Relinquished by: *[Signature]* Received by: Kathleen Ower  
 Date/Time: 1/18/06 1:40 PM Date/Time: 1/18/06  
 Relinquished by: Received by:  
 Date/Time: Date/Time:  
 Relinquished by: Received by:  
 Date/Time: Date/Time:

Ice/TP  
 Good Condition  
 Head Space Absent  
 Dechlorinated in Lab  
 Appropriate Containers  
 Preserved in Lab

Comments:

hold  
 hold  
 hold

Filter Samples for Metals analysis?





McC Campbell Analytical, Inc.  
110 2nd Avenue South, #D7  
Pacheco, California 94533-5660  
(925) 798-1620 / fax (925) 798-1622

Chain of Custody Form

Turn around time: 5-day std

EDF Required?: Yes (send to email noted)

Notes:

Page 7 of 7

Report to: Ryan Meyer Bill To:  
Company: Ceres Associates  
424 First Street  
Benicia, CA 94510 E-Mail: ryanmeyer@gmail.com  
Phone: (707) 748-3170 Fax: (707) 748-3171  
Project#: CA1264-3 Project Name: TD  
Location: Oakland, California  
Sampler Signature: *[Signature]*

Analysis Request

Comments

Sample ID	Date	Time	# Containers	Matrix	Preservation Method	TPH Gas (602/8021 + 8015)	MTBE/BTEX ONLY (602/8021)	TPH Diesel/motor oil/ kerosene (8015)	Total Petroleum O&G (1664/ 5220)	Total Petroleum Hydrocarbons (418.1)	5 OXYS (MTBE/TBA/DIPE/EBE/TAME)	EPA 608/ 8082 PCBs ONLY	EPA 524.4/ 624/ 8260 (VOCs)	EPA 502.2/ 601/ 8010/ 8021 (HVOCS)	EPA 505/ 608/ 8081 (CL Pesticides)	EPA 07/ 8141 (NP Pesticides)	CAM 17 Metals	Lead by TCLP	Nitrate & Nitrite	Sulfate & Sulfide	Bicarbonate Alkalinity	Ferrous Iron (equivalent)	Total Dissolved Solids	General Minerals	Bromate & Bromide	Filter Samples for Metals analysis?	
SB 15 GW	11/17/06		5	water	ice + HCL	X	X					X						X									
SB 17 GW																											
SB 19 GW																											
SB 20 GW																											
SB 21 GW																											
SB 22 GW																											
SB 23 GW																											
SB 24 GW																											
SB 11 GW	11/17/06		4 + half	water	ice + HCL	X	X					X						X									
SB 21-5	11/17/06			soil	ice	X	X					X						X									
SB 13-2	11/17/06			nothing		X	X					X						X									
SB 13-4						X	X					X						X									
SB 13-6						X	X					X						X									
SB 13-8						X	X					X						X									

Relinquished by: *[Signature]* Received by: Kathleen Owen  
Date/Time: 11/18/06 1:40 PM Date/Time: 1/18/06

Ice/TP Good Condition  
Comments: hold 4 VOCs + part of number one maybe too little water?

Relinquished by: Received by:  
Date/Time: Date/Time:

Head Space Absent  
Dechlorinated in Lab

Relinquished by: Received by:  
Date/Time: Date/Time:

Appropriate Containers  
Preserved in Lab

# McC Campbell Analytical, Inc.



110 Second Avenue South, #D7  
 Pacheco, CA 94553-5560  
 (925) 798-1620

# CHAIN-OF-CUSTODY RECORD

WorkOrder: 0601240

ClientID: CAB

EDF: YES

Report to:

Ryan Meyer  
 Ceres Associates  
 424 First Street  
 Benicia, CA 94510

TEL: (707) 748-3170  
 FAX: (707) 748-3171  
 ProjectNo: #CA1264-3; TD  
 PO:

Bill to:

Lori  
 Ceres Associates  
 555 First Street, Ste. 303  
 Benicia, CA 94510

Requested TAT:

5 days

Date Received: 01/18/2006

Date Printed: 01/19/2006

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0601240-004	SB12-8	Soil	1/16/06	<input type="checkbox"/>	A		A			A	A						
0601240-006	SB12-12	Soil	1/16/06	<input type="checkbox"/>	A		A			A							
0601240-007	SB12-14	Soil	1/16/06	<input type="checkbox"/>	A		A			A							
0601240-012	SB18-8	Soil	1/16/06	<input type="checkbox"/>	A		A			A							
0601240-014	SB18-12	Soil	1/16/06	<input type="checkbox"/>	A		A			A							
0601240-015	SB18-14	Soil	1/16/06	<input type="checkbox"/>	A		A			A							
0601240-020	SB17-8	Soil	1/16/06	<input type="checkbox"/>	A		A			A							
0601240-022	SB17-12	Soil	1/16/06	<input type="checkbox"/>	A		A			A							
0601240-023	SB17-14	Soil	1/16/06	<input type="checkbox"/>	A		A			A							
0601240-027	SB16-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-029	SB16-12	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-030	SB16-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-032	SB15-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-034	SB15-12	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-035	SB15-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							

Test Legend:

1	8260B_S	2	8260B_W	3	G-MBTX_S	4	G-MBTX_W	5	METALSMS(TRM)_W
6	PB_S	7	PREF REPORT	8		9		10	
11		12							

Prepared by: Kathleen Owen

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

**McC Campbell Analytical, Inc.**



110 Second Avenue South, #D7  
 Pacheco, CA 94553-5560  
 (925) 798-1620

**CHAIN-OF-CUSTODY RECORD**

**WorkOrder: 0601240**

**ClientID: CAB**

**EDF: YES**

**Report to:**

Ryan Meyer  
 Ceres Associates  
 424 First Street  
 Benicia, CA 94510

TEL: (707) 748-3170  
 FAX: (707) 748-3171  
 ProjectNo: #CA1264-3; TD  
 PO:

**Bill to:**

Lori  
 Ceres Associates  
 555 First Street, Ste. 303  
 Benicia, CA 94510

**Requested TAT:**

**5 days**

*Date Received:* **01/18/2006**

*Date Printed:* **01/19/2006**

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0601240-038	SB14-6	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-039	SB14-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-042	SB14-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-047	SB11-6	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-048	SB11-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-049	SB11-10	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-053	SB19-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-055	SB19-12	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-056	SB19-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-060	SB22-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-062	SB22-12	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-063	SB22-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-064	SB20-2	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-067	SB20-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-069	SB20-12	Soil	1/17/06	<input type="checkbox"/>	A		A			A							

**Test Legend:**

<b>1</b>	8260B_S	<b>2</b>	8260B_W	<b>3</b>	G-MBTX_S	<b>4</b>	G-MBTX_W	<b>5</b>	METALSMS(TRM)_W
<b>6</b>	PB_S	<b>7</b>	PREDF REPORT	<b>8</b>		<b>9</b>		<b>10</b>	
<b>11</b>		<b>12</b>							

**Prepared by: Kathleen Owen**

**Comments:**

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

# McC Campbell Analytical, Inc.



110 Second Avenue South, #D7  
 Pacheco, CA 94553-5560  
 (925) 798-1620

# CHAIN-OF-CUSTODY RECORD

WorkOrder: 0601240

ClientID: CAB

EDF: YES

Report to:

Ryan Meyer  
 Ceres Associates  
 424 First Street  
 Benicia, CA 94510

TEL: (707) 748-3170  
 FAX: (707) 748-3171  
 ProjectNo: #CA1264-3; TD  
 PO:

Bill to:

Lori  
 Ceres Associates  
 555 First Street, Ste. 303  
 Benicia, CA 94510

Requested TAT:

5 days

Date Received: 01/18/2006

Date Printed: 01/19/2006

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0601240-070	SB20-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-071	SB21-2	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-074	SB21-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-075	SB21-10	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-076	SB21-12	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-077	SB21-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-081	SB23-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-083	SB23-12	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-084	SB23-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-088	SB24-8	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-090	SB24-12	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-091	SB24-14	Soil	1/17/06	<input type="checkbox"/>	A		A			A							
0601240-092	SB18GW	Water	1/16/06	<input type="checkbox"/>		B		A	A								
0601240-093	SB16GW	Water	1/17/06	<input type="checkbox"/>		B		A	A								
0601240-094	SB12GW	Water	1/17/06	<input type="checkbox"/>		B		A	A								

Test Legend:

1	8260B_S	2	8260B_W	3	G-MBTX_S	4	G-MBTX_W	5	METALSMS(TRM)_W
6	PB_S	7	PREFD REPORT	8		9		10	
11		12							

Prepared by: Kathleen Owen

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

# McC Campbell Analytical, Inc.



110 Second Avenue South, #D7  
 Pacheco, CA 94553-5560  
 (925) 798-1620

# CHAIN-OF-CUSTODY RECORD

WorkOrder: 0601240

ClientID: CAB

EDF: YES

Report to:

Ryan Meyer  
 Ceres Associates  
 424 First Street  
 Benicia, CA 94510

TEL: (707) 748-3170  
 FAX: (707) 748-3171  
 ProjectNo: #CA1264-3; TD  
 PO:

Bill to:

Lori  
 Ceres Associates  
 555 First Street, Ste. 303  
 Benicia, CA 94510

Requested TAT:

5 days

Date Received: 01/18/2006

Date Printed: 01/19/2006

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0601240-095	SB13GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-096	SB14GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-097	SB15GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-098	SB17GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-099	SB19GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-100	SB20GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-101	SB21GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-102	SB22GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-103	SB23GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-104	SB24GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-105	SB11GW	Water	1/17/06	<input type="checkbox"/>			B		A	A							
0601240-106	SB21-S	Soil	1/17/06	<input type="checkbox"/>	A			A			A						
0601240-108	SB13-4	Soil	1/17/06	<input type="checkbox"/>	A			A			A						
0601240-109	SB13-6	Soil	1/17/06	<input type="checkbox"/>	A			A			A						
0601240-110	SB13-8	Soil	1/17/06	<input type="checkbox"/>	A			A			A						

Test Legend:

1	8260B_S	2	8260B_W	3	G-MBTX_S	4	G-MBTX_W	5	METALSMS(TRM)_W
6	PB_S	7	PREF REPORT	8		9		10	
11		12							

Prepared by: Kathleen Owen

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-004A
Client ID	SB12-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	108
%SS3:	105		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-006A
Client ID	SB12-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	97	%SS2:	98
%SS3:	101		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-007A
Client ID	SB12-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND<0.25	5.0	0.05	Acrolein (Propenal)	ND<0.25	5.0	0.05
Acrylonitrile	ND<0.10	5.0	0.02	tert-Amyl methyl ether (TAME)	ND<0.025	5.0	0.005
Benzene	ND<0.025	5.0	0.005	Bromobenzene	ND<0.025	5.0	0.005
Bromochloromethane	ND<0.025	5.0	0.005	Bromodichloromethane	ND<0.025	5.0	0.005
Bromoform	ND<0.025	5.0	0.005	Bromomethane	ND<0.025	5.0	0.005
2-Butanone (MEK)	ND<0.10	5.0	0.02	t-Butyl alcohol (TBA)	ND<0.25	5.0	0.05
n-Butyl benzene	0.15	5.0	0.005	sec-Butyl benzene	0.078	5.0	0.005
tert-Butyl benzene	ND<0.025	5.0	0.005	Carbon Disulfide	ND<0.025	5.0	0.005
Carbon Tetrachloride	ND<0.025	5.0	0.005	Chlorobenzene	ND<0.025	5.0	0.005
Chloroethane	ND<0.025	5.0	0.005	2-Chloroethyl Vinyl Ether	ND<0.050	5.0	0.01
Chloroform	ND<0.025	5.0	0.005	Chloromethane	ND<0.025	5.0	0.005
2-Chlorotoluene	ND<0.025	5.0	0.005	4-Chlorotoluene	ND<0.025	5.0	0.005
Dibromochloromethane	ND<0.025	5.0	0.005	1,2-Dibromo-3-chloropropane	ND<0.025	5.0	0.005
1,2-Dibromoethane (EDB)	ND<0.025	5.0	0.005	Dibromomethane	ND<0.025	5.0	0.005
1,2-Dichlorobenzene	ND<0.025	5.0	0.005	1,3-Dichlorobenzene	ND<0.025	5.0	0.005
1,4-Dichlorobenzene	ND<0.025	5.0	0.005	Dichlorodifluoromethane	ND<0.025	5.0	0.005
1,1-Dichloroethane	ND<0.025	5.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND<0.025	5.0	0.005
1,1-Dichloroethene	ND<0.025	5.0	0.005	cis-1,2-Dichloroethene	ND<0.025	5.0	0.005
trans-1,2-Dichloroethene	ND<0.025	5.0	0.005	1,2-Dichloropropane	ND<0.025	5.0	0.005
1,3-Dichloropropane	ND<0.025	5.0	0.005	2,2-Dichloropropane	ND<0.025	5.0	0.005
1,1-Dichloropropene	ND<0.025	5.0	0.005	cis-1,3-Dichloropropene	ND<0.025	5.0	0.005
trans-1,3-Dichloropropene	ND<0.025	5.0	0.005	Diisopropyl ether (DIPE)	ND<0.025	5.0	0.005
Ethylbenzene	ND<0.025	5.0	0.005	Ethyl tert-butyl ether (ETBE)	ND<0.025	5.0	0.005
Freon 113	ND<0.50	5.0	0.1	Hexachlorobutadiene	ND<0.025	5.0	0.005
Hexachloroethane	ND<0.025	5.0	0.005	2-Hexanone	ND<0.025	5.0	0.005
Isopropylbenzene	ND<0.025	5.0	0.005	4-Isopropyl toluene	0.045	5.0	0.005
Methyl-t-butyl ether (MTBE)	ND<0.025	5.0	0.005	Methylene chloride	ND<0.025	5.0	0.005
4-Methyl-2-pentanone (MIBK)	ND<0.025	5.0	0.005	Naphthalene	ND<0.025	5.0	0.005
Nitrobenzene	ND<0.50	5.0	0.1	n-Propyl benzene	0.087	5.0	0.005
Styrene	ND<0.025	5.0	0.005	1,1,1,2-Tetrachloroethane	ND<0.025	5.0	0.005
1,1,2,2-Tetrachloroethane	ND<0.025	5.0	0.005	Tetrachloroethene	ND<0.025	5.0	0.005
Toluene	ND<0.025	5.0	0.005	1,2,3-Trichlorobenzene	ND<0.025	5.0	0.005
1,2,4-Trichlorobenzene	ND<0.025	5.0	0.005	1,1,1-Trichloroethane	ND<0.025	5.0	0.005
1,1,2-Trichloroethane	ND<0.025	5.0	0.005	Trichloroethene	ND<0.025	5.0	0.005
Trichlorofluoromethane	ND<0.025	5.0	0.005	1,2,3-Trichloropropane	ND<0.025	5.0	0.005
1,2,4-Trimethylbenzene	ND<0.025	5.0	0.005	1,3,5-Trimethylbenzene	ND<0.025	5.0	0.005
Vinyl Chloride	ND<0.025	5.0	0.005	Xylenes	ND<0.025	5.0	0.005

#### Surrogate Recoveries (%)

%SS1:	96	%SS2:	110
%SS3:	112		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.





Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-012A
Client ID	SB18-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	96	%SS2:	98
%SS3:	100		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-014A
Client ID	SB18-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	97	%SS2:	98
%SS3:	103		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-015A
Client ID	SB18-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	96	%SS2:	99
%SS3:	100		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-020A
Client ID	SB17-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	96	%SS2:	97
%SS3:	102		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-022A
Client ID	SB17-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	96	%SS2:	98
%SS3:	103		

Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-023A
Client ID	SB17-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	98
%SS3:	102		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-027A
Client ID	SB16-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	96	%SS2:	107
%SS3:	106		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-029A
Client ID	SB16-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	107
%SS3:	105		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.





# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-030A
Client ID	SB16-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	94	%SS2:	109
%SS3:	106		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-032A
Client ID	SB15-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	106
%SS3:	105		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-034A
Client ID	SB15-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	99
%SS3:	101		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-035A
Client ID	SB15-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	96	%SS2:	98
%SS3:	100		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-038A
Client ID	SB14-6
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	0.011	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	0.019	1.0	0.005	1,3,5-Trimethylbenzene	0.0050	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	97	%SS2:	109
%SS3:	105		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-039A
Client ID	SB14-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	93	%SS2:	107
%SS3:	105		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-042A
Client ID	SB14-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	0.0057	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	0.025	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	0.039	1.0	0.005	1,3,5-Trimethylbenzene	0.011	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	0.0075	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	96	%SS2:	108
%SS3:	107		

Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-047A
Client ID	SB11-6
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	93	%SS2:	107
%SS3:	104		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.





Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-048A
Client ID	SB11-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	95	%SS2:	106
%SS3:	104		

Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-049A
Client ID	SB11-10
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	91	%SS2:	108
%SS3:	107		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-053A
Client ID	SB19-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	109
%SS3:	105		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-055A
Client ID	SB19-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	96	%SS2:	109
%SS3:	106		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-056A
Client ID	SB19-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	96	%SS2:	109
%SS3:	105		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-060A
Client ID	SB22-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	109
%SS3:	106		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-062A
Client ID	SB22-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	94	%SS2:	110
%SS3:	107		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-063A
Client ID	SB22-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	109
%SS3:	107		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.





# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-064A
Client ID	SB20-2
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	108
%SS3:	106		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-067A
Client ID	SB20-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	95	%SS2:	107
%SS3:	108		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/21/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-069A
Client ID	SB20-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	92	%SS2:	101
%SS3:	103		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/21/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-070A
Client ID	SB20-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	91	%SS2:	101
%SS3:	105		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/21/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-071A
Client ID	SB21-2
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	94	%SS2:	109
%SS3:	108		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/24/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-074A
Client ID	SB21-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	0.025	1.0	0.005	sec-Butyl benzene	0.017	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	0.014	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	0.040	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	93	%SS2:	103
%SS3:	109		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/21/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-075A
Client ID	SB21-10
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	93	%SS2:	109
%SS3:	108		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/25/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-076A
Client ID	SB21-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND<1.0	20	0.05	Acrolein (Propenal)	ND<1.0	20	0.05
Acrylonitrile	ND<0.40	20	0.02	tert-Amyl methyl ether (TAME)	ND<0.10	20	0.005
Benzene	ND<0.10	20	0.005	Bromobenzene	ND<0.10	20	0.005
Bromochloromethane	ND<0.10	20	0.005	Bromodichloromethane	ND<0.10	20	0.005
Bromoform	ND<0.10	20	0.005	Bromomethane	ND<0.10	20	0.005
2-Butanone (MEK)	ND<0.40	20	0.02	t-Butyl alcohol (TBA)	ND<1.0	20	0.05
n-Butyl benzene	0.87	20	0.005	sec-Butyl benzene	0.62	20	0.005
tert-Butyl benzene	ND<0.10	20	0.005	Carbon Disulfide	ND<0.10	20	0.005
Carbon Tetrachloride	ND<0.10	20	0.005	Chlorobenzene	ND<0.10	20	0.005
Chloroethane	ND<0.10	20	0.005	2-Chloroethyl Vinyl Ether	ND<0.20	20	0.01
Chloroform	ND<0.10	20	0.005	Chloromethane	ND<0.10	20	0.005
2-Chlorotoluene	ND<0.10	20	0.005	4-Chlorotoluene	ND<0.10	20	0.005
Dibromochloromethane	ND<0.10	20	0.005	1,2-Dibromo-3-chloropropane	ND<0.10	20	0.005
1,2-Dibromoethane (EDB)	ND<0.10	20	0.005	Dibromomethane	ND<0.10	20	0.005
1,2-Dichlorobenzene	ND<0.10	20	0.005	1,3-Dichlorobenzene	ND<0.10	20	0.005
1,4-Dichlorobenzene	ND<0.10	20	0.005	Dichlorodifluoromethane	ND<0.10	20	0.005
1,1-Dichloroethane	ND<0.10	20	0.005	1,2-Dichloroethane (1,2-DCA)	ND<0.10	20	0.005
1,1-Dichloroethene	ND<0.10	20	0.005	cis-1,2-Dichloroethene	ND<0.10	20	0.005
trans-1,2-Dichloroethene	ND<0.10	20	0.005	1,2-Dichloropropane	ND<0.10	20	0.005
1,3-Dichloropropane	ND<0.10	20	0.005	2,2-Dichloropropane	ND<0.10	20	0.005
1,1-Dichloropropene	ND<0.10	20	0.005	cis-1,3-Dichloropropene	ND<0.10	20	0.005
trans-1,3-Dichloropropene	ND<0.10	20	0.005	Diisopropyl ether (DIPE)	ND<0.10	20	0.005
Ethylbenzene	ND<0.10	20	0.005	Ethyl tert-butyl ether (ETBE)	ND<0.10	20	0.005
Freon 113	ND<2.0	20	0.1	Hexachlorobutadiene	ND<0.10	20	0.005
Hexachloroethane	ND<0.10	20	0.005	2-Hexanone	ND<0.10	20	0.005
Isopropylbenzene	0.59	20	0.005	4-Isopropyl toluene	0.25	20	0.005
Methyl-t-butyl ether (MTBE)	ND<0.10	20	0.005	Methylene chloride	ND<0.10	20	0.005
4-Methyl-2-pentanone (MIBK)	ND<0.10	20	0.005	Naphthalene	ND<0.10	20	0.005
Nitrobenzene	ND<2.0	20	0.1	n-Propyl benzene	1.6	20	0.005
Styrene	ND<0.10	20	0.005	1,1,1,2-Tetrachloroethane	ND<0.10	20	0.005
1,1,2,2-Tetrachloroethane	ND<0.10	20	0.005	Tetrachloroethene	ND<0.10	20	0.005
Toluene	ND<0.10	20	0.005	1,2,3-Trichlorobenzene	ND<0.10	20	0.005
1,2,4-Trichlorobenzene	ND<0.10	20	0.005	1,1,1-Trichloroethane	ND<0.10	20	0.005
1,1,2-Trichloroethane	ND<0.10	20	0.005	Trichloroethene	ND<0.10	20	0.005
Trichlorofluoromethane	ND<0.10	20	0.005	1,2,3-Trichloropropane	ND<0.10	20	0.005
1,2,4-Trimethylbenzene	ND<0.10	20	0.005	1,3,5-Trimethylbenzene	ND<0.10	20	0.005
Vinyl Chloride	ND<0.10	20	0.005	Xylenes	ND<0.10	20	0.005

#### Surrogate Recoveries (%)

%SS1:	104	%SS2:	82
%SS3:	103		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.





Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/21/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-077A
Client ID	SB21-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	89	%SS2:	104
%SS3:	118		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/24/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-081A
Client ID	SB23-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	97	%SS2:	99
%SS3:	95		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/24/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-083A
Client ID	SB23-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	94	%SS2:	99
%SS3:	96		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/24/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-084A
Client ID	SB23-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	91	%SS2:	98
%SS3:	94		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/23/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-088A
Client ID	SB24-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	97	%SS2:	88
%SS3:	105		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/23/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-090A
Client ID	SB24-12
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	86	%SS2:	92
%SS3:	105		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/23/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-091A
Client ID	SB24-14
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	97	%SS2:	89
%SS3:	103		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06
	Client P.O.:	Date Analyzed: 01/23/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-106A
Client ID	SB21-S
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	86	%SS2:	95
%SS3:	104		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.





Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/23/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-108A
Client ID	SB13-4
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	87	%SS2:	95
%SS3:	106		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/23/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-109A
Client ID	SB13-6
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	80	%SS2:	101
%SS3:	108		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/23/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-110A
Client ID	SB13-8
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	Acrolein (Propenal)	ND	1.0	0.05
Acrylonitrile	ND	1.0	0.02	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	2-Chloroethyl Vinyl Ether	ND	1.0	0.01
Chloroform	ND	1.0	0.005	Chloromethane	ND	1.0	0.005
2-Chlorotoluene	ND	1.0	0.005	4-Chlorotoluene	ND	1.0	0.005
Dibromochloromethane	ND	1.0	0.005	1,2-Dibromo-3-chloropropane	ND	1.0	0.005
1,2-Dibromoethane (EDB)	ND	1.0	0.005	Dibromomethane	ND	1.0	0.005
1,2-Dichlorobenzene	ND	1.0	0.005	1,3-Dichlorobenzene	ND	1.0	0.005
1,4-Dichlorobenzene	ND	1.0	0.005	Dichlorodifluoromethane	ND	1.0	0.005
1,1-Dichloroethane	ND	1.0	0.005	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.005
1,1-Dichloroethene	ND	1.0	0.005	cis-1,2-Dichloroethene	ND	1.0	0.005
trans-1,2-Dichloroethene	ND	1.0	0.005	1,2-Dichloropropane	ND	1.0	0.005
1,3-Dichloropropane	ND	1.0	0.005	2,2-Dichloropropane	ND	1.0	0.005
1,1-Dichloropropene	ND	1.0	0.005	cis-1,3-Dichloropropene	ND	1.0	0.005
trans-1,3-Dichloropropene	ND	1.0	0.005	Diisopropyl ether (DIPE)	ND	1.0	0.005
Ethylbenzene	ND	1.0	0.005	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005
Freon 113	ND	1.0	0.1	Hexachlorobutadiene	ND	1.0	0.005
Hexachloroethane	ND	1.0	0.005	2-Hexanone	ND	1.0	0.005
Isopropylbenzene	ND	1.0	0.005	4-Isopropyl toluene	ND	1.0	0.005
Methyl-t-butyl ether (MTBE)	ND	1.0	0.005	Methylene chloride	ND	1.0	0.005
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005	Naphthalene	ND	1.0	0.005
Nitrobenzene	ND	1.0	0.1	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes	ND	1.0	0.005

#### Surrogate Recoveries (%)

%SS1:	85	%SS2:	101
%SS3:	104		

#### Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-092B
Client ID	SB18GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	107	%SS2:	92
%SS3:	96		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-093B
Client ID	SB16GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	70	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	105	%SS2:	92
%SS3:	96		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/20/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-094B
Client ID	SB12GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	120	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	5.0	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	103	%SS2:	96
%SS3:	97		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-095B
Client ID	SB13GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	490	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	106	%SS2:	92
%SS3:	99		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-096B
Client ID	SB14GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	400	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	7.0	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	4.2	1.0	0.5	1,3,5-Trimethylbenzene	1.4	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	1.7	1.0	0.5

**Surrogate Recoveries (%)**

%SS1:	107	%SS2:	92
%SS3:	92		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.





# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-097B
Client ID	SB15GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	110	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	105	%SS2:	92
%SS3:	98		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-098B
Client ID	SB17GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	200	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	1.4	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	0.51	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	107	%SS2:	90
%SS3:	98		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-099B
Client ID	SB19GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	53	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	4.1	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	102	%SS2:	100
%SS3:	90		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-100B
Client ID	SB20GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	102	%SS2:	100
%SS3:	92		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/20/06
	Client P.O.:	Date Analyzed: 01/20/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-101B
Client ID	SB21GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	7.4	1.0	0.5	sec-Butyl benzene	8.9	1.0	0.5
tert-Butyl benzene	1.1	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	1.3	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	23	1.0	0.5	4-Isopropyl toluene	2.9	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	38	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	1.8	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	102	%SS2:	97
%SS3:	108		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-102B
Client ID	SB22GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

**Surrogate Recoveries (%)**

%SS1:	102	%SS2:	100
%SS3:	92		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-103B
Client ID	SB23GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	3.3	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
Tetrachloroethene	ND	1.0	0.5	Toluene	ND	1.0	0.5
1,2,3-Trichlorobenzene	ND	1.0	0.5	1,2,4-Trichlorobenzene	ND	1.0	0.5
1,1,1-Trichloroethane	ND	1.0	0.5	1,1,2-Trichloroethane	ND	1.0	0.5
Trichloroethene	ND	1.0	0.5	Trichlorofluoromethane	ND	1.0	0.5
1,2,3-Trichloropropane	ND	1.0	0.5	1,2,4-Trimethylbenzene	ND	1.0	0.5
1,3,5-Trimethylbenzene	ND	1.0	0.5	Vinyl Chloride	ND	1.0	0.5
Xylenes	ND	1.0	0.5				

#### Surrogate Recoveries (%)

%SS1:	103	%SS2:	100
%SS3:	91		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/19/06

### Volatile Organics by P&T and GC/MS (Basic Target List)\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-104B
Client ID	SB24GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

#### Surrogate Recoveries (%)

%SS1:	102	%SS2:	99
%SS3:	93		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.





Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/20/06
	Client P.O.:	Date Analyzed: 01/20/06

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0601240

Lab ID	0601240-105B
Client ID	SB11GW
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	270	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

**Surrogate Recoveries (%)**

%SS1:	101	%SS2:	97
%SS3:	96		

Comments: i

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/24/06
	Client P.O.:	Date Analyzed: 01/19/06-01/24/06

### Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline\*

Extraction method: SW5030B

Analytical methods: SW8015Cm

Work Order: 0601240

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS
004A	SB12-8	S	ND	1	93
006A	SB12-12	S	ND	1	91
007A	SB12-14	S	250,b,m	10	114
012A	SB18-8	S	ND	1	100
014A	SB18-12	S	ND	1	97
015A	SB18-14	S	ND	1	95
020A	SB17-8	S	ND	1	96
022A	SB17-12	S	ND	1	97
023A	SB17-14	S	ND	1	95
027A	SB16-8	S	ND	1	82
029A	SB16-12	S	ND	1	86
030A	SB16-14	S	ND	1	96
032A	SB15-8	S	ND	1	88
034A	SB15-12	S	ND	1	97
035A	SB15-14	S	ND	1	96
038A	SB14-6	S	ND	1	108

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	1.0	mg/Kg

\* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request; o) results are reported on a dry weight basis.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/24/06
	Client P.O.:	Date Analyzed: 01/19/06-01/24/06

### Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline\*

Extraction method: SW5030B

Analytical methods: SW8015Cm

Work Order: 0601240

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS
039A	SB14-8	S	ND	1	87
042A	SB14-14	S	ND	1	89
047A	SB11-6	S	ND	1	84
048A	SB11-8	S	ND	1	81
049A	SB11-10	S	ND	1	87
053A	SB19-8	S	ND	1	93
055A	SB19-12	S	ND	1	97
056A	SB19-14	S	ND	1	95
060A	SB22-8	S	ND	1	102
062A	SB22-12	S	ND	1	95
063A	SB22-14	S	ND	1	89
064A	SB20-2	S	ND	1	90
067A	SB20-8	S	3.6,g,m	1	82
069A	SB20-12	S	5.1,g	1	86
070A	SB20-14	S	ND	1	99
071A	SB21-2	S	ND	1	87

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	1.0	mg/Kg

\* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request; o) results are reported on a dry weight basis.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/24/06
	Client P.O.:	Date Analyzed: 01/19/06-01/24/06

### Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline\*

Extraction method: SW5030B

Analytical methods: SW8015Cm

Work Order: 0601240

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS
074A	SB21-8	S	ND	1	---#
075A	SB21-10	S	ND	1	101
076A	SB21-12	S	18,g,m	1	112
077A	SB21-14	S	ND	1	94
081A	SB23-8	S	ND	1	83
083A	SB23-12	S	ND	1	89
084A	SB23-14	S	ND	1	103
088A	SB24-8	S	ND	1	84
090A	SB24-12	S	ND	1	86
091A	SB24-14	S	ND	1	84
092A	SB18GW	W	ND,i	1	100
093A	SB16GW	W	ND,i	1	103
094A	SB12GW	W	ND,i	1	104
095A	SB13GW	W	ND,i	1	107
096A	SB14GW	W	74,b,i	1	105
097A	SB15GW	W	ND,i	1	109

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	1.0	mg/Kg

\* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request; o) results are reported on a dry weight basis.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/24/06
	Client P.O.:	Date Analyzed: 01/19/06-01/24/06

### Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline\*

Extraction method: SW5030B

Analytical methods: SW8015Cm

Work Order: 0601240

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS
098A	SB17GW	W	ND,i	1	103
099A	SB19GW	W	51,b,i	1	108
100A	SB20GW	W	ND,i	1	109
101A	SB21GW	W	1500,a,i	1	94
102A	SB22GW	W	ND,i	1	105
103A	SB23GW	W	ND,i	1	106
104A	SB24GW	W	ND,i	1	98
105A	SB11GW	W	ND,i	1	103
106A	SB21-S	S	ND	1	98
108A	SB13-4	S	ND	1	86
109A	SB13-6	S	ND	1	98
110A	SB13-8	S	ND	1	90

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	1.0	mg/Kg

\* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request; o) results are reported on a dry weight basis.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/19/06
	Client P.O.:	Date Analyzed: 01/20/06

### Metals\*

Extraction method: E200.8 Analytical methods: E200.8 Work Order: 0601240

Lab ID	Client ID	Matrix	Extraction	Lead	DF	% SS
0601240-092A	SB18GW	W	TRM	17,i	1	N/A
0601240-093A	SB16GW	W	TRM	ND,i	1	N/A
0601240-094A	SB12GW	W	TRM	ND,i	1	N/A
0601240-095A	SB13GW	W	TRM	ND,i	1	N/A
0601240-096A	SB14GW	W	TRM	19,i	1	N/A
0601240-097A	SB15GW	W	TRM	19,i	1	N/A
0601240-098A	SB17GW	W	TRM	2.4,i	1	N/A
0601240-099A	SB19GW	W	TRM	2.5,i	1	N/A
0601240-100A	SB20GW	W	TRM	18,i	1	N/A
0601240-101A	SB21GW	W	TRM	16,i	1	N/A
0601240-102A	SB22GW	W	TRM	19,i	1	N/A
0601240-103A	SB23GW	W	TRM	13,i	1	N/A
0601240-104A	SB24GW	W	TRM	10,i	1	N/A
0601240-105A	SB11GW	W	TRM	29,i	1	N/A

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	TRM	0.5	µg/L
	S	TTLC	NA	mg/kg

\*water samples are reported in µg/L, product/oil/non-aqueous liquid samples and all TCLP / STLC / DISTLC / SPLP extracts are reported in mg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter.

# means surrogate diluted out of range; ND means not detected above the reporting limit; N/A means not applicable to this sample or instrument.

i) aqueous sample containing greater than ~1 vol. % sediment; for TRM (Total Recoverable Metals), this sample has been preserved prior to filtration; for TTLC metals, a representative sediment-water mixture was digested; j) reporting limit raised due to insufficient sample amount; k) reporting limit raised due to matrix interference; m) estimated value due to low/high surrogate recovery; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/19/06
	Client P.O.:	Date Analyzed: 01/19/06-01/20/06

### Lead by ICP\*

Extraction method: SW3050B Analytical methods: 6010C Work Order: 0601240

Lab ID	Client ID	Matrix	Extraction	Lead	DF	% SS
0601240-004A	SB12-8	S	TTLC	8.8	1	105
0601240-006A	SB12-12	S	TTLC	ND	1	103
0601240-007A	SB12-14	S	TTLC	6.2	1	102
0601240-012A	SB18-8	S	TTLC	14	1	99
0601240-014A	SB18-12	S	TTLC	7.5	1	99
0601240-015A	SB18-14	S	TTLC	ND	1	100
0601240-020A	SB17-8	S	TTLC	7.2	1	100
0601240-022A	SB17-12	S	TTLC	9.8	1	101
0601240-023A	SB17-14	S	TTLC	9.9	1	98
0601240-027A	SB16-8	S	TTLC	10	1	97
0601240-029A	SB16-12	S	TTLC	8.7	1	99
0601240-030A	SB16-14	S	TTLC	7.8	1	100
0601240-032A	SB15-8	S	TTLC	7.9	1	102
0601240-034A	SB15-12	S	TTLC	7.5	1	102
0601240-035A	SB15-14	S	TTLC	7.0	1	101
0601240-038A	SB14-6	S	TTLC	10	1	93

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	TTLC	NA	mg/L
	S	TTLC	5.0	mg/Kg

\*water samples are reported in µg/L, product/oil/non-aqueous liquid samples and all TCLP / STLC / DISTLC / SPLP extracts are reported in mg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter.

# means surrogate diluted out of range; ND means not detected above the reporting limit; N/A means not applicable to this sample or instrument.

i) aqueous sample containing greater than ~1 vol. % sediment; for DISSOLVED metals, this sample has been preserved prior to filtration; for TTLC metals, a representative sediment-water mixture was digested; j) reporting limit raised due to insufficient sample amount; k) reporting limit raised due to matrix interference; m) estimated value due to low/high surrogate recovery, caused by matrix interference; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/19/06
	Client P.O.:	Date Analyzed: 01/19/06-01/20/06

### Lead by ICP\*

Extraction method: SW3050B

Analytical methods: 6010C

Work Order: 0601240

Lab ID	Client ID	Matrix	Extraction	Lead	DF	% SS
0601240-039A	SB14-8	S	TTLC	10	1	99
0601240-042A	SB14-14	S	TTLC	9.1	1	96
0601240-047A	SB11-6	S	TTLC	7.6	1	112
0601240-048A	SB11-8	S	TTLC	7.1	1	98
0601240-049A	SB11-10	S	TTLC	5.9	1	97
0601240-053A	SB19-8	S	TTLC	6.6	1	99
0601240-055A	SB19-12	S	TTLC	6.6	1	101
0601240-056A	SB19-14	S	TTLC	10	1	98
0601240-060A	SB22-8	S	TTLC	5.6	1	99
0601240-062A	SB22-12	S	TTLC	5.2	1	99
0601240-063A	SB22-14	S	TTLC	ND	1	106
0601240-064A	SB20-2	S	TTLC	12	1	100
0601240-067A	SB20-8	S	TTLC	7.0	1	101
0601240-069A	SB20-12	S	TTLC	ND	1	101
0601240-070A	SB20-14	S	TTLC	11	1	100
0601240-071A	SB21-2	S	TTLC	51	1	97

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	TTLC	NA	mg/L
	S	TTLC	5.0	mg/Kg

\*water samples are reported in µg/L, product/oil/non-aqueous liquid samples and all TCLP / STLC / DISTLC / SPLP extracts are reported in mg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter.

# means surrogate diluted out of range; ND means not detected above the reporting limit; N/A means not applicable to this sample or instrument.

i) aqueous sample containing greater than ~1 vol. % sediment; for DISSOLVED metals, this sample has been preserved prior to filtration; for TTLC metals, a representative sediment-water mixture was digested; j) reporting limit raised due to insufficient sample amount; k) reporting limit raised due to matrix interference; m) estimated value due to low/high surrogate recovery, caused by matrix interference; n) results are reported on a dry weight basis; p) see attached narrative.





# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates  424 First Street  Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/19/06
	Client P.O.:	Date Analyzed: 01/19/06-01/20/06

### Lead by ICP\*

Extraction method: SW3050B

Analytical methods: 6010C

Work Order: 0601240

Lab ID	Client ID	Matrix	Extraction	Lead	DF	% SS
0601240-074A	SB21-8	S	TTLC	5.9	1	97
0601240-075A	SB21-10	S	TTLC	6.5	1	95
0601240-076A	SB21-12	S	TTLC	5.5	1	100
0601240-077A	SB21-14	S	TTLC	12	1	98
0601240-081A	SB23-8	S	TTLC	ND	1	98
0601240-083A	SB23-12	S	TTLC	17	1	100
0601240-084A	SB23-14	S	TTLC	8.1	1	102
0601240-088A	SB24-8	S	TTLC	9.1	1	100
0601240-090A	SB24-12	S	TTLC	5.1	1	99
0601240-091A	SB24-14	S	TTLC	6.1	1	100
0601240-106A	SB21-S	S	TTLC	16	1	88
0601240-108A	SB13-4	S	TTLC	7.1	1	81
0601240-109A	SB13-6	S	TTLC	6.3	1	100
0601240-110A	SB13-8	S	TTLC	16	1	99

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	TTLC	NA	mg/L
	S	TTLC	5.0	mg/Kg

\*water samples are reported in µg/L, product/oil/non-aqueous liquid samples and all TCLP / STLC / DISTLC / SPLP extracts are reported in mg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter.

# means surrogate diluted out of range; ND means not detected above the reporting limit; N/A means not applicable to this sample or instrument.

i) aqueous sample containing greater than ~1 vol. % sediment; for DISSOLVED metals, this sample has been preserved prior to filtration; for TTLC metals, a representative sediment-water mixture was digested; j) reporting limit raised due to insufficient sample amount; k) reporting limit raised due to matrix interference; m) estimated value due to low/high surrogate recovery, caused by matrix interference; n) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates 424 First Street Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/19/06
	Client P.O.:	Date Analyzed: 01/19/06-01/24/06

### Diesel (C10-23), Motor Oil & Hydraulic Oil (C18+) Range Extractable Hydrocarbons as Diesel and Oil\*

Extraction method: SW3510C/SW3550C

Analytical methods: SW8015C

Work Order: 0601240

Lab ID	Client ID	Matrix	TPH(d)	TPH(ho)	TPH(mo)	DF	% SS
004A	SB12-8	S	ND	ND	ND	1	118
006A	SB12-12	S	ND	ND	ND	1	118
007A	SB12-14	S	28,n	ND	ND	1	110
012A	SB18-8	S	ND	ND	ND	1	118
014A	SB18-12	S	ND	ND	ND	1	118
015A	SB18-14	S	ND	ND	ND	1	119
020A	SB17-8	S	ND	ND	ND	1	119
022A	SB17-12	S	ND	ND	ND	1	119
023A	SB17-14	S	ND	ND	ND	1	118
027A	SB16-8	S	ND	ND	ND	1	105
029A	SB16-12	S	ND	ND	ND	1	102
030A	SB16-14	S	ND	ND	ND	1	102
032A	SB15-8	S	ND	ND	ND	1	105
034A	SB15-12	S	3.1,g,b	17	17	2	98
035A	SB15-14	S	ND	ND	ND	1	105
038A	SB14-6	S	1.2,d	ND	ND	1	102

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	250	250	µg/L
	S	1.0	5.0	5.0	mg/Kg

\* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant; d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel (asphalt?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; k) kerosene/kerosene range/jet fuel; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates 424 First Street Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/19/06
	Client P.O.:	Date Analyzed: 01/19/06-01/24/06

### Diesel (C10-23), Motor Oil & Hydraulic Oil (C18+) Range Extractable Hydrocarbons as Diesel and Oil\*

Extraction method: SW3510C/SW3550C

Analytical methods: SW8015C

Work Order: 0601240

Lab ID	Client ID	Matrix	TPH(d)	TPH(ho)	TPH(mo)	DF	% SS
039A	SB14-8	S	ND	ND	ND	1	100
042A	SB14-14	S	2.1,d	ND	ND	1	102
047A	SB11-6	S	ND	ND	ND	1	107
048A	SB11-8	S	ND	ND	ND	1	103
049A	SB11-10	S	ND	ND	ND	1	102
053A	SB19-8	S	ND	ND	ND	1	102
055A	SB19-12	S	ND	ND	ND	1	99
056A	SB19-14	S	ND	ND	ND	1	97
060A	SB22-8	S	ND	ND	ND	1	98
062A	SB22-12	S	ND	ND	ND	1	104
063A	SB22-14	S	ND	ND	ND	1	103
064A	SB20-2	S	1.1,b	ND	ND	1	89
067A	SB20-8	S	14,n	ND	ND	1	104
069A	SB20-12	S	12,k	38	38	1	103
070A	SB20-14	S	ND	ND	ND	1	103
071A	SB21-2	S	1.4,b	ND	ND	1	103

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	250	250	µg/L
	S	1.0	5.0	5.0	mg/Kg

\* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant; d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel (asphalt?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; k) kerosene/kerosene range/jet fuel; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates 424 First Street Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/19/06
	Client P.O.:	Date Analyzed: 01/19/06-01/24/06

### Diesel (C10-23), Motor Oil & Hydraulic Oil (C18+) Range Extractable Hydrocarbons as Diesel and Oil\*

Extraction method: SW3510C/SW3550C

Analytical methods: SW8015C

Work Order: 0601240

Lab ID	Client ID	Matrix	TPH(d)	TPH(ho)	TPH(mo)	DF	% SS
074A	SB21-8	S	1.4,d	ND	ND	1	105
075A	SB21-10	S	ND	ND	ND	1	101
076A	SB21-12	S	490,n	ND	ND	1	100
077A	SB21-14	S	2.1,n	ND	ND	1	100
081A	SB23-8	S	ND	ND	ND	1	102
083A	SB23-12	S	ND	ND	ND	1	101
084A	SB23-14	S	ND	ND	ND	1	98
088A	SB24-8	S	ND	ND	ND	1	102
090A	SB24-12	S	ND	ND	ND	1	102
091A	SB24-14	S	ND	ND	ND	1	102
092A	SB18GW	W	470,g,b,i	2300	2300	1	129
093A	SB16GW	W	ND,g,i	310	310	1	87
094A	SB12GW	W	ND,i	ND	ND	1	84
095A	SB13GW	W	1300,g,b,i	7900	7900	10	99
096A	SB14GW	W	190,g,d,i	400	400	1	89
097A	SB15GW	W	790,g,i	4900	4900	1	103

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	250	250	µg/L
	S	1.0	5.0	5.0	mg/Kg

\* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant; d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel (asphalt?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; k) kerosene/kerosene range/jet fuel; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit.



# McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

Ceres Associates 424 First Street Benicia, CA 94510	Client Project ID: #CA1264-3; TD	Date Sampled: 01/16/06-01/17/06
		Date Received: 01/18/06
	Client Contact: Ryan Meyer	Date Extracted: 01/18/06-01/19/06
	Client P.O.:	Date Analyzed: 01/19/06-01/24/06

### Diesel (C10-23), Motor Oil & Hydraulic Oil (C18+) Range Extractable Hydrocarbons as Diesel and Oil\*

Extraction method: SW3510C/SW3550C

Analytical methods: SW8015C

Work Order: 0601240

Lab ID	Client ID	Matrix	TPH(d)	TPH(ho)	TPH(mo)	DF	% SS
098A	SB17GW	W	ND,i	ND	ND	1	91
099A	SB19GW	W	89,b,i	ND	ND	1	88
100A	SB20GW	W	280,g,b,i	2200	2200	1	104
101A	SB21GW	W	910,d,i	ND	ND	1	100
102A	SB22GW	W	3600,g,b,i	28,000	28,000	20	114
103A	SB23GW	W	ND,i	ND	ND	1	106
104A	SB24GW	W	ND,i	ND	ND	1	107
105A	SB11GW	W	150,g,b,i	730	730	1	107
106A	SB21-S	S	ND	ND	ND	1	103
108A	SB13-4	S	1.1,b	ND	ND	1	104
109A	SB13-6	S	1.3,b	5.1	5.1	1	105
110A	SB13-8	S	4.2,g,b	16	16	1	105

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	250	250	µg/L
	S	1.0	5.0	5.0	mg/Kg

\* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant; d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel (asphalt?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; k) kerosene/kerosene range/jet fuel; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

Table with columns: EPA Method: SW8260B, Extraction: SW5030B, BatchID: 19888, Spiked Sample ID: 0601216-001A. Rows include analytes like tert-Amyl methyl ether (TAME), Benzene, t-Butyl alcohol (TBA), Chlorobenzene, 1,2-Dibromoethane (EDB), 1,2-Dichloroethane (1,2-DCA), 1,1-Dichloroethene, Diisopropyl ether (DIPE), Ethyl tert-butyl ether (ETBE), Methyl-t-butyl ether (MTBE), Toluene, Trichloroethene, %SS1, %SS2, %SS3 with various recovery and RPD values.

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:

NONE

BATCH 19888 SUMMARY

Summary table with columns: Sample ID, Date Sampled, Date Extracted, Date Analyzed. Rows list sample IDs and their corresponding dates and times.

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0601240

EPA Method: SW8021B/8015Cm		Extraction: SW5030B			BatchID: 19903			Spiked Sample ID: 0601249-007C		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(btex) £	ND	60	107	103	3.76	109	110	1.75	70 - 130	70 - 130
MTBE	ND	10	91.9	92.2	0.339	94.6	91.3	3.59	70 - 130	70 - 130
Benzene	ND	10	97.6	91.1	6.87	94.7	90.9	4.02	70 - 130	70 - 130
Toluene	ND	10	97	90.7	6.77	94.1	89.9	4.53	70 - 130	70 - 130
Ethylbenzene	ND	10	98.4	92.5	6.25	95.5	91.9	3.82	70 - 130	70 - 130
Xylenes	ND	30	99.3	94.3	5.16	99	94.7	4.48	70 - 130	70 - 130
%SS:	104	10	103	99	4.11	100	99	1.70	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19903 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-092A	1/16/06	1/20/06	1/20/06 5:41 PM	0601240-093A	1/17/06	1/20/06	1/20/06 12:11 AM
0601240-094A	1/17/06	1/20/06	1/20/06 12:41 AM	0601240-095A	1/17/06	1/20/06	1/20/06 1:10 AM
0601240-096A	1/17/06	1/20/06	1/20/06 1:40 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
 % Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
 MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
 £ TPH(btex) = sum of BTEX areas from the FID.  
 # cluttered chromatogram; sample peak coelutes with surrogate peak.  
 N/A = not applicable or not enough sample to perform matrix spike and matrix spike duplicate.  
 NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR SW8260B**

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0601240

EPA Method: SW8260B		Extraction: SW5030B			BatchID: 19904			Spiked Sample ID: 0601240-103B		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
tert-Amyl methyl ether (TAME)	ND	10	101	115	13.1	106	104	1.24	70 - 130	70 - 130
Benzene	ND	10	115	120	3.99	118	119	0.943	70 - 130	70 - 130
t-Butyl alcohol (TBA)	ND	50	99.7	116	15.2	89.9	96.1	6.57	70 - 130	70 - 130
Chlorobenzene	ND	10	106	117	9.76	113	107	5.75	70 - 130	70 - 130
1,2-Dibromoethane (EDB)	ND	10	99.3	111	11.0	101	98.6	2.86	70 - 130	70 - 130
1,2-Dichloroethane (1,2-DCA)	ND	10	111	123	10.4	103	102	0.178	70 - 130	70 - 130
1,1-Dichloroethene	ND	10	103	109	5.75	116	118	1.03	70 - 130	70 - 130
Diisopropyl ether (DIPE)	ND	10	116	129	10.0	115	114	0.619	70 - 130	70 - 130
Ethyl tert-butyl ether (ETBE)	ND	10	100	116	14.2	94.4	93.5	1.03	70 - 130	70 - 130
Methyl-t-butyl ether (MTBE)	ND	10	94.5	105	10.9	86.9	86.6	0.336	70 - 130	70 - 130
Toluene	ND	10	107	118	9.71	109	107	2.04	70 - 130	70 - 130
Trichloroethene	ND	10	99.9	110	9.45	109	107	2.59	70 - 130	70 - 130
%SS1:	103	10	100	102	1.78	100	101	0.440	70 - 130	70 - 130
%SS2:	100	10	95	97	2.94	98	95	2.95	70 - 130	70 - 130
%SS3:	91	10	100	104	4.43	106	106	0	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
 % Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
 MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
 N/A = not enough sample to perform matrix spike and matrix spike duplicate.  
 NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.  
 Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.





**QC SUMMARY REPORT FOR SW8260B**

BATCH 19904 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-092B	1/16/06	1/19/06	1/19/06 4:29 PM	0601240-093B	1/17/06	1/19/06	1/19/06 5:12 PM
0601240-094B	1/17/06	1/20/06	1/20/06 8:21 PM	0601240-095B	1/17/06	1/19/06	1/19/06 6:37 PM
0601240-096B	1/17/06	1/19/06	1/19/06 7:19 PM	0601240-097B	1/17/06	1/19/06	1/19/06 8:02 PM
0601240-098B	1/17/06	1/19/06	1/19/06 8:44 PM	0601240-099B	1/17/06	1/19/06	1/19/06 5:29 PM
0601240-100B	1/17/06	1/19/06	1/19/06 6:14 PM	0601240-101B	1/17/06	1/20/06	1/20/06 9:08 PM
0601240-102B	1/17/06	1/19/06	1/19/06 6:58 PM	0601240-103B	1/17/06	1/19/06	1/19/06 7:41 PM
0601240-104B	1/17/06	1/19/06	1/19/06 8:24 PM	0601240-105B	1/17/06	1/20/06	1/20/06 9:56 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: SW8021B/8015Cm		Extraction: SW5030B			BatchID: 19906			Spiked Sample ID: 0601240-032A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(btex) £	ND	0.60	109	108	0.879	99.7	105	5.21	70 - 130	70 - 130
MTBE	ND	0.10	90.2	90.1	0.159	89	90.7	1.93	70 - 130	70 - 130
Benzene	ND	0.10	89.4	89.5	0.0484	99.6	101	1.02	70 - 130	70 - 130
Toluene	ND	0.10	88.4	89.6	1.41	81.4	83	1.88	70 - 130	70 - 130
Ethylbenzene	ND	0.10	91.4	91.4	0	102	102	0	70 - 130	70 - 130
Xylenes	ND	0.30	94.3	91	3.60	90	90.7	0.738	70 - 130	70 - 130
%SS:	88	0.10	124	109	13.0	92	88	3.90	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19906 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-004A	1/16/06	1/18/06	1/19/06 6:58 AM	0601240-006A	1/16/06	1/18/06	1/19/06 5:34 AM
0601240-007A	1/16/06	1/18/06	1/19/06 7:32 AM	0601240-012A	1/16/06	1/18/06	1/19/06 8:31 AM
0601240-014A	1/16/06	1/18/06	1/19/06 6:26 PM	0601240-015A	1/16/06	1/18/06	1/19/06 6:04 AM
0601240-020A	1/16/06	1/18/06	1/19/06 6:33 AM	0601240-022A	1/16/06	1/18/06	1/19/06 6:59 PM
0601240-023A	1/16/06	1/18/06	1/19/06 12:20 PM	0601240-027A	1/17/06	1/18/06	1/19/06 12:12 PM
0601240-029A	1/17/06	1/18/06	1/19/06 12:46 PM	0601240-030A	1/17/06	1/18/06	1/19/06 1:19 PM
0601240-032A	1/17/06	1/18/06	1/19/06 1:53 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
£ TPH(btex) = sum of BTEX areas from the FID.  
# cluttered chromatogram; sample peak coelutes with surrogate peak.  
N/A = not enough sample to perform matrix spike and matrix spike duplicate.  
NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

Table with columns: EPA Method: SW8021B/8015Cm, Extraction: SW5030B, BatchID: 19915, Spiked Sample ID: 0601240-070A. Rows include analytes like TPH(btex), MTBE, Benzene, Toluene, Ethylbenzene, Xylenes, and %SS with various recovery and RPD values.

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions: NONE

BATCH 19915 SUMMARY

Summary table with columns: Sample ID, Date Sampled, Date Extracted, Date Analyzed. Lists multiple sample IDs and their corresponding dates.

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.
% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).
MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.
£ TPH(btex) = sum of BTEX areas from the FID.
# cluttered chromatogram; sample peak coelutes with surrogate peak.
N/A = not enough sample to perform matrix spike and matrix spike duplicate.
NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: SW8021B/8015Cm		Extraction: SW5030B			BatchID: 19916			Spiked Sample ID: 0601240-077A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(btex) £	ND	0.60	111	106	3.78	107	108	0.994	70 - 130	70 - 130
MTBE	ND	0.10	90.8	91.6	0.908	94.7	98.6	4.03	70 - 130	70 - 130
Benzene	ND	0.10	90.3	89.3	1.14	91	92.5	1.62	70 - 130	70 - 130
Toluene	ND	0.10	89.6	88.7	1.04	90.5	91.5	1.11	70 - 130	70 - 130
Ethylbenzene	ND	0.10	93.2	91.9	1.31	93.9	94.8	0.950	70 - 130	70 - 130
Xylenes	ND	0.30	95	94.3	0.704	95	95	0	70 - 130	70 - 130
%SS:	94	0.10	102	105	2.90	107	99	7.57	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19916 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-075A	1/17/06	1/18/06	1/19/06 11:16 PM	0601240-076A	1/17/06	1/18/06	1/20/06 4:12 AM
0601240-077A	1/17/06	1/18/06	1/19/06 11:46 PM	0601240-081A	1/17/06	1/18/06	1/20/06 11:24 PM
0601240-083A	1/17/06	1/18/06	1/20/06 6:16 PM	0601240-084A	1/17/06	1/18/06	1/20/06 2:14 AM
0601240-088A	1/17/06	1/18/06	1/19/06 5:47 PM	0601240-090A	1/17/06	1/18/06	1/19/06 6:54 PM
0601240-091A	1/17/06	1/18/06	1/19/06 7:27 PM	0601240-106A	1/17/06	1/18/06	1/19/06 8:00 PM
0601240-108A	1/17/06	1/19/06	1/19/06 9:39 PM	0601240-109A	1/17/06	1/19/06	1/20/06 2:17 PM
0601240-110A	1/17/06	1/19/06	1/19/06 9:06 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
 % Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
 MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
 £ TPH(btex) = sum of BTEX areas from the FID.  
 # cluttered chromatogram; sample peak coelutes with surrogate peak.  
 N/A = not enough sample to perform matrix spike and matrix spike duplicate.  
 NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR SW8260B**

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: SW8260B		Extraction: SW5030B			BatchID: 19918			Spiked Sample ID: 0601240-032A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
tert-Amyl methyl ether (TAME)	ND	0.050	110	105	4.51	109	110	1.43	70 - 130	70 - 130
Benzene	ND	0.050	119	116	2.29	116	117	1.23	70 - 130	70 - 130
t-Butyl alcohol (TBA)	ND	0.25	97.8	92.2	5.83	98.3	103	4.21	70 - 130	70 - 130
Chlorobenzene	ND	0.050	116	117	0.568	118	114	2.61	70 - 130	70 - 130
1,2-Dibromoethane (EDB)	ND	0.050	111	109	1.66	116	113	2.15	70 - 130	70 - 130
1,2-Dichloroethane (1,2-DCA)	ND	0.050	115	115	0	114	117	2.80	70 - 130	70 - 130
1,1-Dichloroethene	ND	0.050	115	114	0.704	118	118	0	70 - 130	70 - 130
Diisopropyl ether (DIPE)	ND	0.050	116	118	1.78	111	117	5.74	70 - 130	70 - 130
Ethyl tert-butyl ether (ETBE)	ND	0.050	109	107	1.85	107	108	1.55	70 - 130	70 - 130
Methyl-t-butyl ether (MTBE)	ND	0.050	103	96.7	6.58	104	104	0	70 - 130	70 - 130
Toluene	ND	0.050	119	116	2.20	119	117	1.58	70 - 130	70 - 130
Trichloroethene	ND	0.050	111	112	1.45	114	116	1.47	70 - 130	70 - 130
%SS1:	95	0.050	97	96	0.618	99	100	1.43	70 - 130	70 - 130
%SS2:	106	0.050	99	99	0	100	99	1.20	70 - 130	70 - 130
%SS3:	105	0.050	107	103	3.62	102	104	1.77	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
 % Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
 MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
 N/A = not enough sample to perform matrix spike and matrix spike duplicate.  
 NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.  
 Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



### QC SUMMARY REPORT FOR SW8260B

#### BATCH 19918 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-027A	1/17/06	1/18/06	1/20/06 4:03 AM	0601240-029A	1/17/06	1/18/06	1/20/06 4:46 AM
0601240-030A	1/17/06	1/18/06	1/20/06 5:28 AM	0601240-032A	1/17/06	1/18/06	1/20/06 6:11 AM
0601240-034A	1/17/06	1/18/06	1/20/06 6:37 AM	0601240-035A	1/17/06	1/18/06	1/20/06 7:20 AM
0601240-038A	1/17/06	1/18/06	1/20/06 3:13 PM	0601240-039A	1/17/06	1/18/06	1/20/06 6:54 AM
0601240-042A	1/17/06	1/18/06	1/20/06 3:55 PM	0601240-047A	1/17/06	1/18/06	1/20/06 7:36 AM
0601240-048A	1/17/06	1/18/06	1/20/06 8:19 AM	0601240-049A	1/17/06	1/18/06	1/20/06 1:47 PM
0601240-053A	1/17/06	1/18/06	1/20/06 4:38 PM	0601240-055A	1/17/06	1/18/06	1/20/06 7:39 PM
0601240-056A	1/17/06	1/18/06	1/20/06 8:23 PM	0601240-060A	1/17/06	1/18/06	1/20/06 9:05 PM
0601240-062A	1/17/06	1/18/06	1/20/06 9:48 PM	0601240-063A	1/17/06	1/18/06	1/20/06 10:31 PM
0601240-064A	1/17/06	1/18/06	1/20/06 11:14 PM	0601240-067A	1/17/06	1/18/06	1/20/06 11:56 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: SW8260B		Extraction: SW5030B			BatchID: 19919			Spiked Sample ID: 0601240-077A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
tert-Amyl methyl ether (TAME)	ND	0.050	107	108	0.764	107	112	3.80	70 - 130	70 - 130
Benzene	ND	0.050	118	119	1.07	116	121	4.03	70 - 130	70 - 130
t-Butyl alcohol (TBA)	ND	0.25	101	104	3.80	103	106	2.67	70 - 130	70 - 130
Chlorobenzene	ND	0.050	110	111	0.364	115	118	2.97	70 - 130	70 - 130
1,2-Dibromoethane (EDB)	ND	0.050	106	110	3.41	108	111	2.60	70 - 130	70 - 130
1,2-Dichloroethane (1,2-DCA)	ND	0.050	121	120	0.870	117	121	3.46	70 - 130	70 - 130
1,1-Dichloroethene	ND	0.050	117	117	0	121	122	1.28	70 - 130	70 - 130
Diisopropyl ether (DIPE)	ND	0.050	122	122	0	120	124	4.06	70 - 130	70 - 130
Ethyl tert-butyl ether (ETBE)	ND	0.050	109	109	0	108	111	2.44	70 - 130	70 - 130
Methyl-t-butyl ether (MTBE)	ND	0.050	108	106	1.49	101	102	0.205	70 - 130	70 - 130
Toluene	ND	0.050	115	113	2.19	115	118	2.54	70 - 130	70 - 130
Trichloroethene	ND	0.050	111	112	0.630	108	114	5.53	70 - 130	70 - 130
%SS1:	89	0.050	105	100	5.23	101	101	0	70 - 130	70 - 130
%SS2:	104	0.050	99	98	1.61	97	96	1.37	70 - 130	70 - 130
%SS3:	118	0.050	104	97	7.07	102	95	7.57	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
N/A = not enough sample to perform matrix spike and matrix spike duplicate.  
NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.  
Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



### QC SUMMARY REPORT FOR SW8260B

#### BATCH 19919 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-069A	1/17/06	1/18/06	1/21/06 3:14 PM	0601240-070A	1/17/06	1/18/06	1/21/06 3:56 PM
0601240-071A	1/17/06	1/18/06	1/21/06 3:30 AM	0601240-074A	1/17/06	1/18/06	1/24/06 6:10 AM
0601240-075A	1/17/06	1/18/06	1/21/06 4:56 AM	0601240-077A	1/17/06	1/18/06	1/21/06 6:21 AM
0601240-081A	1/17/06	1/18/06	1/24/06 7:50 AM	0601240-083A	1/17/06	1/18/06	1/24/06 8:36 AM
0601240-084A	1/17/06	1/18/06	1/24/06 9:22 AM	0601240-088A	1/17/06	1/18/06	1/23/06 10:57 AM
0601240-090A	1/17/06	1/18/06	1/23/06 11:39 AM	0601240-091A	1/17/06	1/18/06	1/23/06 12:22 PM
0601240-106A	1/17/06	1/18/06	1/23/06 1:04 PM	0601240-108A	1/17/06	1/19/06	1/23/06 1:47 PM
0601240-109A	1/17/06	1/19/06	1/23/06 3:12 PM	0601240-110A	1/17/06	1/19/06	1/23/06 3:55 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.





QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0601240

EPA Method: SW8021B/8015Cm		Extraction: SW5030B			BatchID: 19929			Spiked Sample ID: 0601257-001A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(btex) £	ND	60	108	105	2.76	105	108	3.15	70 - 130	70 - 130
MTBE	ND	10	97.8	93.7	4.27	92.5	88.5	4.47	70 - 130	70 - 130
Benzene	ND	10	92.7	89.5	3.61	89.7	88.4	1.47	70 - 130	70 - 130
Toluene	ND	10	92.5	89.1	3.77	90	88	2.21	70 - 130	70 - 130
Ethylbenzene	ND	10	94.9	91.5	3.64	89.7	90.6	1.04	70 - 130	70 - 130
Xylenes	ND	30	95.3	94.3	1.05	95.3	94.3	1.05	70 - 130	70 - 130
%SS:	99	10	96	96	0	98	94	3.89	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19929 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-097A	1/17/06	1/20/06	1/20/06 2:09 AM	0601240-098A	1/17/06	1/20/06	1/20/06 6:47 PM
0601240-099A	1/17/06	1/24/06	1/24/06 2:15 PM	0601240-100A	1/17/06	1/20/06	1/20/06 5:36 AM
0601240-101A	1/17/06	1/20/06	1/20/06 6:35 AM	0601240-102A	1/17/06	1/20/06	1/20/06 8:33 AM
0601240-103A	1/17/06	1/20/06	1/20/06 9:02 AM	0601240-104A	1/17/06	1/20/06	1/20/06 10:01 AM
0601240-105A	1/17/06	1/20/06	1/20/06 9:35 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
 % Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
 MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
 £ TPH(btex) = sum of BTEX areas from the FID.  
 # cluttered chromatogram; sample peak coelutes with surrogate peak.  
 N/A = not applicable or not enough sample to perform matrix spike and matrix spike duplicate.  
 NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR E200.8**

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0601240

EPA Method: E200.8		Extraction: E200.8				BatchID: 19935			Spiked Sample ID 0601254-001A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	Spiked	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	µg/L	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
Lead	30	10	NR	NR	NR	10	94.8	93.7	1.26	75 - 125	85 - 115
%SS:	108	750	100	102	1.79	750	98	95	2.23	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19935 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-092A	1/16/06	1/19/06	1/20/06 3:20 AM	0601240-093A	1/17/06	1/19/06	1/20/06 3:26 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR E200.8**

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0601240

EPA Method: E200.8		Extraction: E200.8			BatchID: 19944			Spiked Sample ID 0601317-003D			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	Spiked	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	µg/L	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
Lead	2.9	10	98.6	102	2.78	10	95	94.4	0.539	75 - 125	85 - 115
%SS:	118	750	114	118	3.16	750	96	95	0.712	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19944 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-094A	1/17/06	1/19/06	1/20/06 3:32 AM	0601240-095A	1/17/06	1/19/06	1/20/06 3:38 AM
0601240-096A	1/17/06	1/19/06	1/20/06 3:44 AM	0601240-097A	1/17/06	1/19/06	1/20/06 3:50 AM
0601240-098A	1/17/06	1/19/06	1/20/06 4:39 AM	0601240-099A	1/17/06	1/19/06	1/20/06 4:45 AM
0601240-100A	1/17/06	1/19/06	1/20/06 4:51 AM	0601240-101A	1/17/06	1/19/06	1/20/06 4:57 AM
0601240-102A	1/17/06	1/19/06	1/20/06 5:03 AM	0601240-103A	1/17/06	1/19/06	1/20/06 5:09 AM
0601240-104A	1/17/06	1/19/06	1/20/06 5:15 AM	0601240-105A	1/17/06	1/19/06	1/20/06 5:21 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR 6010C**

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: 6010C		Extraction: SW3050B				BatchID: 19876			Spiked Sample ID 0601233-001A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	Spiked	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	mg/Kg	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
Lead	ND	50	97.1	96.6	0.568	10	94.1	95.1	1.03	75 - 125	80 - 120
%SS:	98	250	100	97	3.66	250	99	99	0	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19876 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-004A	1/16/06	1/18/06	1/19/06 3:35 PM	0601240-090A	1/17/06	1/18/06	1/19/06 5:12 PM
0601240-091A	1/17/06	1/18/06	1/19/06 5:18 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



### QC SUMMARY REPORT FOR 6010C

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: 6010C		Extraction: SW3050B			BatchID: 19921			Spiked Sample ID 0601240-049A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	Spiked	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	mg/Kg	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
Lead	5.9	50	90.9	94.7	3.58	10	104	112	7.11	75 - 125	80 - 120
%SS:	97	250	97	101	3.51	250	91	96	5.29	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

#### BATCH 19921 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-006A	1/16/06	1/18/06	1/19/06 3:37 PM	0601240-007A	1/16/06	1/18/06	1/19/06 3:39 PM
0601240-012A	1/16/06	1/18/06	1/19/06 3:41 PM	0601240-014A	1/16/06	1/18/06	1/19/06 3:43 PM
0601240-015A	1/16/06	1/18/06	1/19/06 3:46 PM	0601240-020A	1/16/06	1/18/06	1/19/06 3:48 PM
0601240-022A	1/16/06	1/18/06	1/19/06 3:50 PM	0601240-023A	1/16/06	1/18/06	1/19/06 3:52 PM
0601240-027A	1/17/06	1/18/06	1/19/06 3:54 PM	0601240-029A	1/17/06	1/18/06	1/19/06 4:01 PM
0601240-030A	1/17/06	1/18/06	1/19/06 4:03 PM	0601240-032A	1/17/06	1/18/06	1/19/06 4:05 PM
0601240-034A	1/17/06	1/18/06	1/19/06 4:07 PM	0601240-035A	1/17/06	1/18/06	1/19/06 4:09 PM
0601240-038A	1/17/06	1/18/06	1/19/06 4:11 PM	0601240-039A	1/17/06	1/18/06	1/19/06 4:14 PM
0601240-042A	1/17/06	1/18/06	1/19/06 4:16 PM	0601240-047A	1/17/06	1/18/06	1/19/06 4:18 PM
0601240-048A	1/17/06	1/18/06	1/19/06 4:20 PM	0601240-049A	1/17/06	1/18/06	1/19/06 1:31 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR 6010C**

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: 6010C		Extraction: SW3050B			BatchID: 19922			Spiked Sample ID 0601240-106A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	Spiked	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	mg/Kg	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
Lead	16	50	102	114	8.83	10	100	91.5	9.08	75 - 125	80 - 120
%SS:	88	250	89	89	0	250	98	102	3.91	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19922 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-053A	1/17/06	1/18/06	1/19/06 4:26 PM	0601240-055A	1/17/06	1/18/06	1/19/06 4:29 PM
0601240-056A	1/17/06	1/18/06	1/19/06 4:31 PM	0601240-060A	1/17/06	1/18/06	1/19/06 4:33 PM
0601240-062A	1/17/06	1/18/06	1/19/06 4:35 PM	0601240-063A	1/17/06	1/18/06	1/19/06 4:37 PM
0601240-064A	1/17/06	1/18/06	1/19/06 4:39 PM	0601240-067A	1/17/06	1/18/06	1/19/06 4:41 PM
0601240-069A	1/17/06	1/18/06	1/19/06 9:50 PM	0601240-070A	1/17/06	1/18/06	1/19/06 4:46 PM
0601240-071A	1/17/06	1/18/06	1/19/06 4:52 PM	0601240-074A	1/17/06	1/18/06	1/19/06 4:54 PM
0601240-075A	1/17/06	1/18/06	1/19/06 9:56 PM	0601240-076A	1/17/06	1/18/06	1/19/06 4:59 PM
0601240-077A	1/17/06	1/18/06	1/19/06 5:01 PM	0601240-081A	1/17/06	1/18/06	1/19/06 5:03 PM
0601240-083A	1/17/06	1/18/06	1/19/06 5:05 PM	0601240-084A	1/17/06	1/18/06	1/19/06 5:07 PM
0601240-088A	1/17/06	1/18/06	1/19/06 5:09 PM	0601240-106A	1/17/06	1/18/06	1/19/06 2:14 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR 6010C**

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: 6010C		Extraction: SW3050B				BatchID: 19943			Spiked Sample ID 0601240-110A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	Spiked	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	mg/Kg	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
Lead	16	50	93.6	91.1	2.07	10	84.6	98.4	15.1	75 - 125	80 - 120
%SS:	99	250	96	99	2.23	250	102	103	0.195	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19943 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-108A	1/17/06	1/19/06	1/19/06 9:58 PM	0601240-109A	1/17/06	1/19/06	1/19/06 10:00 PM
0601240-110A	1/17/06	1/19/06	1/20/06 10:03 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR SW8015C**

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: SW8015C		Extraction: SW3550C			BatchID: 19905			Spiked Sample ID: 0601240-014A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(d)	ND	20	104	104	0	107	105	1.79	70 - 130	70 - 130
%SS:	118	50	111	110	0.537	116	111	4.23	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19905 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-004A	1/16/06	1/18/06	1/19/06 12:03 AM	0601240-006A	1/16/06	1/18/06	1/19/06 1:08 AM
0601240-007A	1/16/06	1/18/06	1/19/06 2:14 AM	0601240-012A	1/16/06	1/18/06	1/19/06 3:20 AM
0601240-014A	1/16/06	1/18/06	1/19/06 4:25 AM	0601240-015A	1/16/06	1/18/06	1/19/06 5:31 AM
0601240-020A	1/16/06	1/18/06	1/19/06 6:36 AM	0601240-022A	1/16/06	1/18/06	1/19/06 7:42 AM
0601240-023A	1/16/06	1/18/06	1/19/06 8:48 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
 % Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
 MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
 N/A = not enough sample to perform matrix spike and matrix spike duplicate.  
 NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.





QC SUMMARY REPORT FOR SW8015C

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: SW8015C		Extraction: SW3550C			BatchID: 19912			Spiked Sample ID: 0601240-032A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(d)	ND	20	104	105	0.979	103	103	0	70 - 130	70 - 130
%SS:	105	50	101	102	0.948	102	102	0	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19912 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-027A	1/17/06	1/18/06	1/19/06 8:48 AM	0601240-029A	1/17/06	1/18/06	1/19/06 6:36 AM
0601240-030A	1/17/06	1/18/06	1/19/06 7:42 AM	0601240-032A	1/17/06	1/18/06	1/19/06 5:31 AM
0601240-034A	1/17/06	1/18/06	1/19/06 6:04 PM	0601240-035A	1/17/06	1/18/06	1/19/06 2:36 PM
0601240-038A	1/17/06	1/18/06	1/20/06 8:03 PM	0601240-039A	1/17/06	1/18/06	1/19/06 2:33 PM
0601240-042A	1/17/06	1/18/06	1/21/06 4:00 AM	0601240-047A	1/17/06	1/18/06	1/20/06 1:00 AM
0601240-048A	1/17/06	1/18/06	1/19/06 1:23 PM	0601240-049A	1/17/06	1/18/06	1/19/06 2:33 PM
0601240-053A	1/17/06	1/18/06	1/19/06 3:44 PM	0601240-055A	1/17/06	1/18/06	1/19/06 1:22 PM
0601240-056A	1/17/06	1/18/06	1/19/06 2:31 PM	0601240-060A	1/17/06	1/18/06	1/19/06 3:39 PM
0601240-062A	1/17/06	1/18/06	1/19/06 8:39 PM	0601240-063A	1/17/06	1/18/06	1/19/06 9:45 PM
0601240-067A	1/17/06	1/18/06	1/19/06 11:55 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
N/A = not enough sample to perform matrix spike and matrix spike duplicate.  
NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR SW8015C**

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0601240

EPA Method: SW8015C		Extraction: SW3550C			BatchID: 19913			Spiked Sample ID: 0601240-077A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(d)	2.1	20	92.5	93.8	1.26	106	107	0.335	70 - 130	70 - 130
%SS:	100	50	100	100	0	113	114	1.16	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19913 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-069A	1/17/06	1/18/06	1/21/06 6:15 AM	0601240-070A	1/17/06	1/18/06	1/20/06 4:17 AM
0601240-071A	1/17/06	1/18/06	1/20/06 11:29 PM	0601240-074A	1/17/06	1/18/06	1/20/06 11:55 AM
0601240-075A	1/17/06	1/18/06	1/20/06 1:02 PM	0601240-076A	1/17/06	1/18/06	1/20/06 4:15 AM
0601240-077A	1/17/06	1/18/06	1/20/06 12:21 PM	0601240-081A	1/17/06	1/18/06	1/20/06 5:23 AM
0601240-083A	1/17/06	1/18/06	1/20/06 6:31 AM	0601240-084A	1/17/06	1/18/06	1/19/06 9:32 AM
0601240-088A	1/17/06	1/18/06	1/21/06 12:37 AM	0601240-090A	1/17/06	1/18/06	1/20/06 8:47 AM
0601240-091A	1/17/06	1/18/06	1/19/06 7:16 AM	0601240-106A	1/17/06	1/18/06	1/19/06 9:29 PM
0601240-108A	1/17/06	1/19/06	1/20/06 4:15 AM	0601240-109A	1/17/06	1/19/06	1/20/06 5:23 AM
0601240-110A	1/17/06	1/19/06	1/20/06 6:31 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.  
% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).  
MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.  
N/A = not enough sample to perform matrix spike and matrix spike duplicate.  
NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR SW8015C**

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0601240

EPA Method: SW8015C		Extraction: SW3510C			BatchID: 19886			Spiked Sample ID N/A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(d)	N/A	1000	N/A	N/A	N/A	99.2	99.3	0.0715	N/A	70 - 130
%SS:	N/A	2500	N/A	N/A	N/A	111	111	0	N/A	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19886 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-092A	1/16/06	1/18/06	1/21/06 1:45 AM	0601240-093A	1/17/06	1/18/06	1/19/06 2:31 PM
0601240-094A	1/17/06	1/18/06	1/19/06 4:54 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**QC SUMMARY REPORT FOR SW8015C**

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0601240

EPA Method: SW8015C		Extraction: SW3510C			BatchID: 19928			Spiked Sample ID N/A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(d)	N/A	1000	N/A	N/A	N/A	113	114	1.12	N/A	70 - 130
%SS:	N/A	2500	N/A	N/A	N/A	101	102	1.31	N/A	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

BATCH 19928 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0601240-095A	1/17/06	1/18/06	1/19/06 8:24 AM	0601240-096A	1/17/06	1/18/06	1/19/06 3:39 PM
0601240-097A	1/17/06	1/18/06	1/20/06 12:46 AM	0601240-098A	1/17/06	1/18/06	1/19/06 8:24 AM
0601240-099A	1/17/06	1/18/06	1/19/06 7:16 AM	0601240-100A	1/17/06	1/18/06	1/19/06 7:16 AM
0601240-101A	1/17/06	1/18/06	1/19/06 6:04 PM	0601240-102A	1/17/06	1/18/06	1/19/06 7:12 PM
0601240-103A	1/17/06	1/18/06	1/19/06 10:37 PM	0601240-104A	1/17/06	1/18/06	1/19/06 11:44 PM
0601240-105A	1/17/06	1/18/06	1/21/06 4:00 AM				


MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.


NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**Ceres**  
 Associates  
 Project CA1264-3

Former Gas Station  
 2547 East 27th Street  
 Oakland, California

Figure 4: TPHd Contour Map



**Ceres**  
Associates

**Project CA1264-3**

Former Gas Station  
2547 East 27th Street  
Oakland, California

**Figure 5: TPHro Contour Map**






Figure 3: TPHg Contour Map




- Groundwater / Soil Samples
- Groundwater Samples
- Former boring/well installed by Kleinfelder
- January 2006 Boring Locations

	Former Gasoline Station 2547 East 27th Street Oakland, California Project CA1264-3
	<b>Soil Boring Location Map</b>

**Figure  
2**





1 inch equals 2000 feet

**Map Taken From:**

United States Geological Survey  
7.5 Minute Topographic Series  
Oakland East, California Quadrangle

**Ceres**  
Associates  
Project CA1264-3

Former Gasoline Station  
2547 East 27th Street  
Oakland, California

**PROPERTY  
LOCATION MAP**

**FIGURE  
1**



(cont.)											
Sample	TPHg	TPHd	TPHho	TPHmo	Benzene	Toluene	Ethylbenzene	Xylenes	EDB	1,2-DCA	Lead
SB21-08	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	5.9
SB21-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.5
SB21-12	18	490	ND	ND	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	5.5
SB21-14	ND	2.1	ND	ND	ND	ND	ND	ND	ND	ND	12
SB22-08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.6
SB22-12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.2
SB22-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB23-08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB23-12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	17
SB23-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.1
SB24-08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.1
SB24-12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.1
SB24-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.1
<b>Res PRG</b>	--	--	--	--	0.64	520	400	270	0.032	2.8	150
<b>Res ESL</b>	100	100	500	500	0.044	2.9	3.3	1.5	0.00033	0.0045	200

Exceeds ESL

**Table 2: Groundwater Sample Results**  
*Reported in PPB*

Sample	TPHg	TPHd	TPHh	TPHm	Benzene	Toluene	Ethylbenzene	Xylenes	EDB	1,2-DCA	Lead
SB11-GW	ND	150	730	730	ND	ND	ND	ND	ND	ND	29
SB12-GW	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB13-GW	ND	1300	7900	7900	ND	ND	ND	ND	ND	ND	ND
SB14-GW	74	190	400	400	ND	ND	ND	1.7	ND	ND	19
SB15-GW	ND	790	4900	4900	ND	ND	ND	ND	ND	ND	19
SB16-GW	ND	ND	310	310	ND	ND	ND	ND	ND	ND	ND
SB17-GW	ND	ND	ND	ND	ND	1.4	ND	0.51	ND	ND	2.4
SB18-GW	ND	470	2300	2300	ND	ND	ND	ND	ND	ND	17
SB19-GW	51	89	ND	ND	ND	ND	ND	ND	ND	ND	2.5
SB20-GW	ND	280	2200	2200	ND	ND	ND	ND	ND	ND	18
SB21-GW	1500	910	ND	ND	ND	ND	1.3	1.8	ND	ND	16
SB22-GW	ND	3600	28000	28000	ND	ND	ND	ND	ND	ND	19
SB23-GW	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
SB24-GW	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10
<b>Res ESL</b>	100	100	1000	1000	0.044	2.9	3.3	1.5	0.00033	0.0045	--
<b>MCL</b>	--	--	--	--	1	150	300	1,750	0.05	0.5	--

Exceeds ESL