



BP OIL

July 12, 1996

BP Oil Company
Environmental Resources Management
Building 13, Suite N
295 SW 41st Street
Renton, Washington 98055-4931
(206) 251-0667
Fax No: (206) 251-0736

*Wid
7/25/96*

Ms. Eva Chu
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Room 250
Alameda, CA 94542-6577

**RE: BP OIL FACILITY #11133
2220 98th Avenue
Oakland CA**

Dear Ms Chu:

Attached please find our **GROUNDWATER MONITORING AND SAMPLING REPORT, Dated May 30, 1996** for the above referenced facility. Plans for the following quarter include additional groundwater monitoring. Plans for the following quarter include continued operation and maintenance of the remediation system. As you know, we have let a contract for additional offsite assessment at this site. You should expect to receive a copy in the near future.

If you should have any questions regarding this site, I may be reached at (206) 251-0689.

Respectfully,

Scott T. Hooton
Environmental Resources Management
Corrective Action Manager

STH:sb msword\ERM11133

cc: Mr. Brady Nagle, Alisto Engineering Group, 1575 Treat Blvd., Ste 201, Walnut Creek, CA 94598

Mr. Larry Silva, TOSCO Northwest Co., 601 Union Street, Suite 2500, Seattle, WA 98101

Mr. Richard Hiett, CRWQCB, San Francisco Bay Region, 2101 Webster Street, Suite 500, Oakland CA 94612

Site File

GROUNDWATER MONITORING AND SAMPLING REPORT

**BP Oil Company Service Station No. 11133
2220 98th Avenue
Oakland, California**

Project No. 10-025-09-003

Prepared for:

**BP Oil Company
Environmental Resources Management
295 S.W. 41st Street
Building 13, Suite N
Renton, Washington**


Prepared by:

**Alisto Engineering Group
1575 Treat Boulevard, Suite 201
Walnut Creek, California**

May 30, 1996



**Ken Simas
Project Manager**



**Al Sevilla, P.E.
Principal**



GROUNDWATER MONITORING AND SAMPLING REPORT

BP Oil Company Service Station No. 11133
2220 98th Avenue
Oakland, California

Project No. 10-025-09-003

May 30, 1996

INTRODUCTION

This report presents the results and findings of the March 28, 1996 groundwater monitoring and sampling conducted by Alisto Engineering Group at BP Oil Company Service Station No. 11133, 2220 98th Avenue, Oakland, California. A site vicinity map is shown on Figure 1.

FIELD PROCEDURES

Field activities were performed in accordance with the procedures and guidelines of the Alameda County Health Care Services Agency and the California Regional Water Quality Control Board, San Francisco Bay Region.

Before purging and sampling, the groundwater level in each well was measured from a permanent mark on top of the casing to the nearest 0.01 foot using an electronic sounder. The depth to groundwater and top of casing elevation data were used to calculate the groundwater elevation in each well in reference to mean sea level. The survey data and groundwater elevation measurements collected to date are presented in Table 1.

Before sample collection, each well was purged of 3 casing volumes, while recording field readings of pH, temperature, electrical conductivity, and dissolved oxygen. Groundwater samples were collected for laboratory analysis by lowering a bottom-fill, disposable bailer to just below the water level in the well. The samples were transferred from the bailer into laboratory-supplied containers. The water sampling field survey forms are presented in Appendix A.

FREE PRODUCT MONITORING AND RECOVERY

A product recovery canister has been installed in Monitoring Well MW-1 to recover liquid-phase product. Product thicknesses for this and previous monitoring events are presented in Table 1. The volume of product recovered is presented in Table 2.



SAMPLING AND ANALYTICAL RESULTS

The results of monitoring and laboratory analysis of the groundwater samples for this and previous quarters are summarized in Table 1. The potentiometric groundwater elevations as interpreted from the results of this monitoring event are shown on Figure 2. The results of groundwater analysis are shown on Figure 3. The laboratory report and chain of custody record are presented in Appendix B.



TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING
 BP OIL COMPANY SERVICE STATION NO. 11133
 2220 98TH AVENUE, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-025

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
MW-1	04/05/91	34.46	---	---	---	---	---	---	---	---	---	---	---
MW-1	04/01/92	34.46	11.25	0.01	23.22	---	---	---	---	---	---	---	---
MW-1	07/06/92	34.46	13.61	0.02	20.87	---	---	---	---	---	---	---	---
MW-1	10/07/92	34.46	15.15	0.09	19.38	---	---	---	---	---	---	---	---
MW-1	01/14/93	34.46	10.73	0.01	23.74	---	---	---	---	---	---	---	---
MW-1	04/22/93	34.46	11.64	0.16	22.94	---	---	---	---	---	---	---	---
MW-1	07/15/93	34.46	13.50	1.11	21.79	---	---	---	---	---	---	---	---
MW-1	10/21/93	34.46	15.21	1.00	20.00	---	---	---	---	---	---	---	---
MW-1	01/27/94	34.46	17.48	0.81	17.59	---	---	---	---	---	---	---	---
MW-1	04/21/94	34.46	10.94	---	23.52	110000	1400	9100	3400	30000	---	1.6	PACE
MW-1	09/09/94	34.46	13.80	---	20.66	---	---	---	---	---	---	---	---
MW-1	12/21/94	34.46	12.60	0.02	21.88	---	---	---	---	---	---	---	---
MW-1	01/30/95	34.46	---	---	---	---	---	---	---	---	---	---	---
MW-1	04/10/95	34.46	10.62	---	23.84	---	---	---	---	---	---	---	---
MW-1	06/29/95	34.46	18.72	---	15.74	---	---	---	---	---	---	---	---
MW-1	09/18/95	34.46	12.92	---	21.54	---	---	---	---	---	---	---	---
MW-1	12/07/95	34.46	13.82	---	20.64	---	---	---	---	---	---	---	---
MW-1	03/28/96	34.46	10.03	0.01	24.44	---	---	---	---	---	---	---	---
MW-2	04/05/91	35.50	16.82	---	18.88	ND<50	0.6	0.9	ND<0.3	ND<0.3	---	---	SUP
MW-2	04/01/92	35.50	11.25	---	24.25	---	---	---	---	---	---	---	---
MW-2	04/02/92	35.50	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	APP
MW-2	07/06/92	35.50	12.72	---	22.78	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	ANA
MW-2	10/07/92	35.50	15.08	---	20.42	ND<50	ND<0.5	1.8	ND<0.5	2.3	---	---	ANA
MW-2	01/14/93	35.50	9.69	---	25.81	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
MW-2	04/22/93	35.50	10.46	---	25.04	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
MW-2	07/15/93	35.50	12.02	---	23.48	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
MW-2	10/21/93	35.50	13.12	---	22.38	ND<50	0.7	0.9	ND<0.5	0.9	---	---	PACE
MW-2	01/27/94	35.50	12.01	---	23.49	ND<50	0.6	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
MW-2	04/21/94	35.50	10.60	---	24.90	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	1.1	PACE
MW-2	09/09/94	35.50	12.42	---	23.08	ND<50	ND<0.5	ND<0.5	ND<0.5	0.6	---	2.2	PACE
MW-2	12/21/94	35.50	10.85	---	24.65	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	1.2	PACE
MW-2	01/30/95	35.50	8.38	---	27.12	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	1.7	ATI
MW-2	04/10/95	35.50	9.00	---	26.50	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	7.8	ATI
MW-2	06/29/95	35.50	9.91	---	25.59	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	9.1	ATI
MW-2	09/18/95	35.50	10.98	---	24.52	---	---	---	---	---	---	---	---
MW-2	09/19/95	35.50	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	7.2	ATI
MW-2	12/07/95	35.50	12.30	---	23.20	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	2.4	ATI
MW-2	03/28/96	35.50	8.57	---	26.93	ND<50	ND<0.5	ND<1	ND<1	ND<1	ND<10	3.2	SPL
MW-3	04/05/91	36.53	17.84	---	18.69	ND<50	ND<0.3	ND<0.3	ND<0.3	ND<0.3	---	---	SUP
MW-3	04/01/92	36.53	15.64	---	20.89	---	---	---	---	---	---	---	---
MW-3	04/02/92	36.53	---	---	---	ND<50	1.4	ND<0.5	ND<0.5	ND<0.5	---	---	APP
MW-3	07/06/92	36.53	19.03	---	17.50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	ANA
MW-3	10/07/92	36.53	21.83	---	14.70	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	ANA
MW-3	01/14/93	36.53	15.98	---	20.57	---	350	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
MW-3	04/22/93	36.53	16.20	---	20.33	2800	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
MW-3	07/15/93	36.53	16.82	---	19.71	1400	1.2	ND<0.5	ND<0.5	2.0	3.5	---	PACE
MW-3	10/21/93	36.53	18.84	---	17.69	370	2.1	2.3	2.3	6.0	---	---	PACE
MW-3	01/27/94	36.53	18.00	---	18.53	1300	6.3	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
MW-3	04/21/94	36.53	16.62	---	19.91	2000	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	1.4	PACE
MW-3	09/09/94	36.53	18.38	---	18.15	1300	ND<0.5	ND<0.5	0.5	1.2	---	3.0	PACE
MW-3	12/21/94	36.53	15.28	---	21.25	420	16	0.7	3.5	5.9	---	1.9	PACE
MW-3	01/30/95	36.53	12.62	---	23.91	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	2.5	ATI
MW-3	04/10/95	36.53	12.41	---	24.12	150	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	6.9	ATI
MW-3	06/29/95	36.53	14.96	---	21.58	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	6.4	ATI
MW-3	09/18/95	36.53	15.82	---	20.71	---	---	---	---	---	---	---	---
MW-3	09/19/95	36.53	---	---	---	82	ND<0.50	ND<0.50	ND<0.50	ND<1.0	260	7.0	ATI
MW-3	12/07/95	36.53	17.09	---	19.44	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	91	4.5	ATI
MW-3	03/28/96	36.53	11.90	---	24.63	ND<50	ND<0.5	ND<1	ND<1	ND<1	230	4.2	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING
 BP OIL COMPANY SERVICE STATION NO. 11133
 2220 98TH AVENUE, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-025

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
AW-1	04/05/91	38.11	25.44	---	12.67	4100	1500	69	100	83	---	---	SUP
AW-1	04/01/92	38.11	23.22	---	14.89	---	---	---	---	---	---	---	---
AW-1	04/02/92	38.11	---	---	---	11000	1800	210	210	490	---	---	APP
AW-1	07/06/92	38.11	24.89	---	13.22	6500	4000	40	290	530	---	---	ANA
AW-1	10/07/92	38.11	26.55	---	11.56	4700	1500	41	47	300	---	---	ANA
QC-1 (c)	10/07/92	---	---	---	---	2900	1200	25	37	210	---	---	ANA
AW-1	01/14/93	38.11	23.73	---	14.38	2800	830	31	140	240	---	---	PACE
QC-1 (c)	01/14/93	---	---	---	---	4100	1700	28	130	230	---	---	PACE
AW-1	04/22/93	38.11	---	---	38.11	39000	14000	530	1800	6100	---	---	PACE
AW-1	07/15/93	38.11	22.50	---	15.61	6200	2200	28	210	540	---	---	PACE
AW-1	10/21/93	38.11	24.32	---	13.79	2400	820	13	55	120	---	---	PACE
AW-1	01/27/94	38.11	23.72	---	14.39	3500	1400	26	130	220	---	---	PACE
AW-1	04/21/94	38.11	22.48	---	15.63	40000	12000	1900	1600	5000	---	1.4	PACE
AW-1	09/09/94	38.11	23.04	---	15.07	3500	1600	5.0	200	250	---	2.1	PACE
QC-1 (c)	09/09/94	---	---	---	---	3900	1900	5.5	190	240	---	---	PACE
AW-1	12/21/94	38.11	21.70	---	16.41	7600	3100	36	370	320	---	1.6	PACE
AW-1	01/30/95	38.11	17.71	---	20.4	35000	23000	650	3200	4100	---	1.7	ATI
AW-1	04/10/95	38.11	20.04	---	18.07	60000	18000	2000	4300	11000	---	7.9	ATI
QC-1 (c)	04/10/95	---	---	---	---	58000	17000	2000	3900	10000	---	---	ATI
AW-1	06/29/95	38.11	20.60	---	17.51	72000	10000	7300	4200	15000	---	6.2	ATI
QC-1 (c)	06/29/95	---	---	---	---	86000	12000	8400	4800	18000	---	---	ATI
AW-1	09/18/95	38.11	21.87	---	16.24	---	---	---	---	---	---	---	---
AW-1	09/19/95	38.11	---	---	---	65000	12000	3100	4400	14000	1000	6.5	ATI
AW-1	12/07/95	38.11	22.06	---	18.05	25000	8700	ND<50	2500	1300	1100	2.9	ATI
AW-1	03/29/96	38.11	16.91	---	21.20	24000	11000	ND<100	3200	3390	ND<1000	6.6	SPL
AW-2	04/05/91	36.83	22.36	---	14.47	ND<50	ND<0.3	ND<0.3	ND<0.3	ND<0.3	---	---	SUP
AW-2	04/01/92	36.83	20.81	---	16.02	---	---	---	---	---	---	---	---
AW-2	04/02/92	36.83	---	---	---	130	25	2.3	0.7	2.1	---	---	APP
AW-2	07/06/92	36.83	23.57	---	13.26	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	ANA
AW-2	10/07/92	36.83	25.24	---	11.59	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	ANA
AW-2	01/14/93	36.83	20.82	---	16.01	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
AW-2	04/22/93	36.83	19.37	---	17.46	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
AW-2	07/15/93	36.83	21.29	---	15.54	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
AW-2	10/21/93	36.83	23.14	---	13.69	ND<50	1.3	1.1	0.9	2.1	---	---	PACE
AW-2	01/27/94	36.83	22.34	---	14.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
AW-2	04/21/94	36.83	21.15	---	15.68	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	2.0	PACE
AW-2	09/09/94	36.83	22.09	---	14.74	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	4.1	PACE
AW-2	12/21/94	36.83	20.12	---	16.71	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	2.0	PACE
AW-2	01/30/95	36.83	16.65	---	20.18	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	2.5	ATI
AW-2	04/10/95	36.83	16.22	---	20.61	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	4.4	ATI
AW-2	06/29/95	36.83	17.55	---	19.28	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	7.8	ATI
AW-2	09/18/95	36.83	19.87	---	16.96	---	---	---	---	---	---	---	---
AW-2	09/19/95	36.83	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	4.5	ATI
QC-1 (c)	09/19/95	---	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	ATI
AW-2	12/07/95	36.83	21.31	---	15.52	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	4.9	ATI
AW-2	03/28/96	36.83	15.61	---	21.22	ND<50	ND<0.5	ND<1	ND<1	ND<1	ND<10	4.1	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING
 BP OIL COMPANY SERVICE STATION NO. 11133
 2220 98TH AVENUE, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-025

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
AW-3	04/06/91	39.13	23.90	---	15.23	5200	980	450	95	310	---	---	SUP
AW-3	04/01/92	39.13	22.50	---	16.63	4700	890	47	49	110	---	---	APP
AW-3	07/06/92	39.13	23.26	---	15.87	3900	3100	30	80	99	---	---	ANA
AW-3	10/07/92	39.13	24.75	---	14.38	5000	2600	ND<0.5	ND<0.5	59	---	---	ANA
AW-3	01/14/93	39.13	23.59	---	15.54	350	250	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
AW-3	04/22/93	39.13	19.42	---	19.71	240	71	2.4	0.6	4.0	---	---	PACE
AW-3	07/15/93	39.13	20.09	---	19.04	650	71	2.8	1.5	1.1	---	---	PACE
AW-3	10/21/93	39.13	21.88	---	17.25	160	4.8	1.7	1.6	3.6	---	---	PACE
QC-1 (c)	10/21/93	---	---	---	---	170	6.1	2.0	1.7	4.4	---	---	PACE
AW-3	01/27/94	39.13	22.33	---	16.80	92	2.1	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-1 (c)	01/27/94	---	---	---	---	90	2.9	0.5	ND<0.5	ND<0.5	---	---	PACE
AW-3	04/21/94	39.13	20.96	---	18.17	150	3.6	0.8	0.9	2.5	---	1.3	PACE
AW-3	09/09/94	39.13	21.60	---	17.53	53	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	1.9	PACE
AW-3 (d)	12/21/94	39.13	---	---	---	---	---	---	---	---	---	---	---
AW-3 (d)	01/30/95	39.13	---	---	---	---	---	---	---	---	---	---	---
AW-3 (d)	04/10/95	39.13	---	---	---	---	---	---	---	---	---	---	---
AW-3	06/29/95	39.13	15.41	---	23.72	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	8.0	ATI
AW-3	09/18/95	39.13	17.83	---	21.30	---	---	---	---	---	---	---	---
AW-3	09/19/95	39.13	---	---	---	61000	11000	2900	4100	13000	790	7.4	ATI
AW-3	12/07/95	39.13	19.27	---	19.86	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	3.4	ATI
QC-1 (c)	12/07/95	---	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	ATI
AW-3	03/28/96	39.13	13.85	---	25.28	ND<50	ND<0.5	ND<1	ND<1	ND<1	ND<10	4.1	SPL
QC-1 (c)	03/28/96	---	---	---	---	ND<50	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	SPL
AW-4	04/05/91	39.08	25.12	---	13.96	110000	40000	13000	2000	5500	---	---	SUP
AW-4	04/01/92	39.08	23.56	---	15.52	230000	57000	31000	2900	7600	---	---	APP
AW-4 (e)	04/01/92	39.08	23.56	---	15.52	210000	55000	23000	2900	7000	---	---	APP
AW-4	07/06/92	39.08	25.87	---	13.21	38000	16000	5400	2000	6100	---	---	ANA
AW-4	10/07/92	39.08	27.53	---	11.55	120000	41000	26000	4700	13000	---	---	ANA
AW-4	01/14/93	39.08	24.12	---	14.96	62000	18000	14000	2700	7700	---	---	PACE
AW-4	04/22/93	39.08	21.47	---	17.61	18000	1100	2100	320	3500	---	---	PACE
AW-4	07/15/93	39.08	23.30	---	15.78	21000	820	2300	590	3800	---	---	PACE
AW-4	10/21/93	39.08	25.08	---	14.00	11000	570	83	630	2300	---	---	PACE
AW-4	01/27/94	39.08	24.61	---	14.47	12000	420	460	600	2200	---	---	PACE
AW-4	04/21/94	39.08	22.96	---	16.12	12000	110	250	150	1900	---	1.5	PACE
QC-1 (c)	04/21/94	---	---	---	---	14000	71	160	29	1200	---	---	PACE
AW-4	09/09/94	39.08	23.85	---	15.23	9700	75	64	280	2000	---	2.1	PACE
AW-4 (d)	12/21/94	---	---	---	---	---	---	---	---	---	---	---	---
AW-4 (d)	01/30/95	---	---	---	---	---	---	---	---	---	---	---	---
AW-4	04/10/95	39.08	18.07	---	21.01	3700	69	8.7	44	130	---	8.5	ATI
AW-4	06/29/95	39.08	19.25	---	19.83	8000	62	190	190	1100	---	7.5	ATI
AW-4	09/18/95	39.08	20.73	---	18.35	---	---	---	---	---	---	---	---
AW-4	09/19/95	39.08	---	---	---	12000	660	1600	200	1900	7100	8.3	ATI
AW-4	12/07/95	39.08	22.49	---	16.59	41000	8400	7200	710	6300	5200	3.6	ATI
AW-4 (d)	03/28/96	39.08	16.49	---	22.59	---	---	---	---	---	---	---	---

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING
 BP OIL COMPANY SERVICE STATION NO. 11133
 2220 98TH AVENUE, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-025

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
AW-5	04/05/91	38.51	25.48	---	13.03	420	31	7.5	20	88	---	---	SUP
AW-5	04/01/92	38.51	23.95	---	14.58	---	---	---	---	---	---	---	---
AW-5	04/02/92	38.51	---	---	---	4000	270	63	190	290	---	---	APP
AW-5	07/06/92	38.51	26.48	---	12.03	1400	160	ND<2.5	250	58	---	---	ANA
AW-5	10/07/92	38.51	28.18	---	10.33	360	12	0.6	8.7	5	---	---	ANA
AW-5	01/14/93	38.51	24.15	---	14.36	1700	270	7.5	130	62	---	---	PACE
AW-5	04/22/93	38.51	22.43	---	16.08	2700	780	30	220	180	---	---	PACE
QC-1 (c)	04/22/93	38.51	---	---	---	3500	780	29	240	210	---	---	PACE
AW-5	07/15/93	38.51	24.31	---	14.20	1300	69	16	67	120	---	---	PACE
QC-1 (c)	07/15/93	38.51	---	---	---	1300	88	8.3	64	99	---	---	PACE
AW-5	10/21/93	38.51	26.05	---	12.46	510	9.6	1.5	17	45	---	---	PACE
AW-5	10/21/93	38.51	26.05	---	12.46	510	9.6	1.5	17	45	---	---	PACE
AW-5	01/27/94	38.51	26.42	---	12.09	420	3.3	ND<0.5	1.0	0.9	---	---	PACE
AW-5	04/21/94	38.51	24.36	---	14.15	1000	110	25	56	27	---	1.3	PACE
AW-5	09/09/94	38.51	24.55	---	13.98	210	ND<0.5	ND<0.5	0.5	0.9	---	2.7	PACE
AW-5	12/21/94	38.51	22.30	---	16.21	410	ND<0.5	20	4.3	1.4	---	1.1	PACE
QC-1 (c)	12/21/94	38.51	---	---	---	340	ND<0.5	15	3.3	1.4	---	---	PACE
AW-5	01/30/95	38.51	18.88	---	19.63	210	0.6	11	8.8	2	---	1.5	ATI
AW-5	04/10/95	38.51	18.44	---	20.07	500	1.4	0.59	6.5	4.3	---	8.3	ATI
AW-5	08/29/95	38.51	19.92	---	18.59	490	1.2	0.58	7.3	2.2	---	6.9	ATI
AW-5	09/18/95	38.51	22.15	---	16.36	---	---	---	---	---	---	---	---
AW-5	09/19/95	38.51	---	---	---	260	0.62	ND<0.50	3.1	1.1	110	8.2	ATI
AW-5	12/07/95	38.51	23.75	---	14.76	80	ND<0.50	ND<0.50	ND<0.50	ND<1.0	210	4.3	ATI
AW-5	03/28/96	38.51	17.76	---	20.75	ND<50	ND<0.5	ND<1	ND<1	ND<1	63	3.0	SPL
AW-6	04/05/91	37.08	22.48	---	14.60	1100	80	19	1.4	230	---	---	SUP
AW-6	04/01/92	37.08	22.50	---	14.58	---	---	---	---	---	---	---	---
AW-6	04/02/92	37.08	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	APP
AW-6	07/06/92	37.08	22.74	---	14.34	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	ANA
AW-6	10/07/92	37.08	24.64	---	12.44	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	ANA
AW-6	01/14/93	37.08	22.36	---	14.72	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
AW-6	04/22/93	37.08	22.82	---	14.26	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
AW-6	07/15/93	37.08	20.49	---	16.59	ND<50	ND<0.5	ND<0.5	ND<0.5	0.8	---	---	PACE
AW-6	10/21/93	37.08	22.84	---	14.24	ND<50	0.5	0.6	ND<0.5	0.7	---	---	PACE
AW-6	01/27/94	37.08	22.33	---	14.75	ND<50	ND<0.5	0.9	3.1	12	---	---	PACE
AW-6	04/21/94	37.08	20.66	---	16.42	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	1.7	PACE
AW-6	09/09/94	37.08	21.57	---	15.51	ND<50	0.9	ND<0.5	ND<0.5	0.5	---	2.9	PACE
AW-6	12/21/94	37.08	19.40	---	17.68	ND<50	1.8	0.8	0.8	3.2	---	1.1	PACE
AW-6	01/30/95	37.08	16.74	---	20.34	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	2.2	ATI
QC-1 (c)	01/30/95	38.51	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	ATI
AW-6	04/10/95	37.08	16.01	---	21.07	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	8.6	ATI
AW-6	06/29/95	37.08	17.54	---	19.54	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	6.3	ATI
AW-6	09/18/95	37.08	19.65	---	17.43	---	---	---	---	---	---	---	---
AW-6	09/19/95	37.08	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	25	8.3	ATI
AW-6	12/07/95	37.08	20.35	---	16.73	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	16	4.7	ATI
AW-6	03/28/96	37.08	14.99	---	22.09	ND<50	ND<0.5	ND<1	ND<1	ND<1	ND<10	4.0	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING
 BP OIL COMPANY SERVICE STATION NO. 11133
 2220 98TH AVENUE, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-025

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
AW-7	04/05/91	37.60	23.36	--	14.22	ND<50	0.4	0.7	ND<0.3	ND<0.3	--	--	SUP
AW-7	04/01/92	37.60	21.92	--	15.68	--	--	--	--	--	--	--	--
AW-7	04/02/92	37.60	--	--	--	ND<50	ND<0.5	3.2	1.0	5.4	--	--	APP
AW-7	07/06/92	37.60	24.50	--	13.10	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	ANA
AW-7	10/07/92	37.60	26.18	--	11.42	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	ANA
AW-7	01/14/93	37.60	22.03	--	15.57	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	PACE
AW-7	04/22/93	37.60	21.18	--	16.42	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	PACE
AW-7	07/15/93	37.60	22.09	--	15.51	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	PACE
AW-7	10/21/93	37.60	24.05	--	13.55	51	5.0	4.2	3.5	8.2	--	--	PACE
AW-7	01/27/94	37.60	23.40	--	14.20	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	PACE
AW-7	04/21/94	37.60	22.24	--	15.36	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	2.5	PACE
AW-7	09/09/94	37.60	22.94	--	14.66	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	4.3	PACE
AW-7	12/21/94	37.60	20.86	--	16.74	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	2.2	PACE
AW-7	01/30/95	37.60	17.51	--	20.09	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.7	ATI
AW-7	04/10/95	37.60	16.69	--	20.91	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.8	ATI
AW-7	06/29/95	37.60	18.33	--	19.27	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	7.6	ATI
AW-7	09/18/95	37.60	20.68	--	16.92	--	--	--	--	--	--	--	--
AW-7	09/19/95	37.60	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	5.1	ATI
AW-7	12/07/95	37.60	22.15	--	15.45	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	6.2	ATI
AW-7	03/28/96	37.60	16.38	--	21.22	ND<50	ND<0.5	ND<1	ND<1	ND<1	ND<10	3.9	SPL
AW-8	04/05/91	40.86	26.68	--	14.18	80	1.9	2.2	0.5	1.3	--	--	SUP
AW-8	04/01/92	40.86	25.11	--	15.75	73	ND<0.5	0.7	ND<0.5	0.6	--	--	APP
AW-8	07/06/92	40.86	26.43	--	14.43	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	ANA
AW-8	10/07/92	40.86	28.59	--	12.27	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	ANA
AW-8	01/14/93	40.86	25.55	--	15.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	PACE
AW-8	04/22/93	40.86	22.29	--	18.57	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	PACE
AW-8	07/15/93	40.86	23.42	--	17.44	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	--	PACE
AW-8	10/21/93	40.86	25.15	--	15.71	ND<50	1.9	1.8	1.3	3.3	--	--	PACE
AW-8	01/27/94	40.86	25.42	--	15.44	ND<50	ND<0.5	0.5	0.6	8.5	--	--	PACE
AW-8	04/21/94	40.86	24.14	--	16.72	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	1.5	PACE
AW-8	09/09/94	40.86	24.55	--	16.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	2.4	PACE
AW-8	12/21/94	40.86	22.72	--	18.14	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	--	1.1	PACE
AW-8	01/30/95	40.86	19.75	--	21.11	ND<50	ND<0.50	1	ND<0.50	1	--	0.8	ATI
AW-8	04/10/95	40.86	17.78	--	23.08	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.3	ATI
AW-8	06/29/95	40.86	18.18	--	22.68	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.3	ATI
AW-8	09/18/95	40.86	20.20	--	20.66	--	--	--	--	--	--	--	--
AW-8	09/19/95	40.86	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	7.7	ATI
AW-8	12/07/95	40.86	21.54	--	19.32	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	4.4	ATI
AW-8	03/28/96	40.86	15.77	--	25.09	ND<50	ND<0.5	ND<1	ND<1	ND<1	ND<10	3.8	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING
 BP OIL COMPANY SERVICE STATION NO. 11133
 2220 98TH AVENUE, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-025

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
RW-1	04/05/91	37.73	---	---	---	---	---	---	---	---	---	---	---
RW-1	04/01/92	37.73	22.81	0.30	15.14	---	---	---	---	---	---	---	---
RW-1	07/06/92	37.73	26.92	0.41	11.12	---	---	---	---	---	---	---	---
RW-1	10/07/92	37.73	28.51	1.26	10.16	---	---	---	---	---	---	---	---
RW-1	01/14/93	37.73	23.75	0.25	14.17	---	---	---	---	---	---	---	---
RW-1	04/22/93	37.73	22.70	1.38	16.07	---	---	---	---	---	---	---	---
RW-1	07/15/93	37.73	26.10	0.81	12.24	---	---	---	---	---	---	---	---
RW-1	10/21/93	37.73	25.40	0.49	12.70	---	---	---	---	---	---	---	---
RW-1	10/21/93	37.73	25.40	0.49	12.70	---	---	---	---	---	---	---	---
RW-1	01/27/94	37.73	28.02	0.37	9.99	---	---	---	---	---	---	---	---
RW-1	04/21/94	37.73	23.10	0.91	15.31	---	---	---	---	---	---	---	---
RW-1	09/09/94	37.73	24.39	1.04	14.12	---	---	---	---	---	---	---	---
RW-1 (f)	12/21/94	37.73	---	---	---	---	---	---	---	---	---	---	---
RW-1	12/07/95	37.73	25.71	1.04	12.80	150000	34000	35000	4300	21000	2700	---	ATI
RW-1	03/28/96	37.73	16.75	0.18	21.12	---	---	---	---	---	---	---	---
QC-2 (g)	10/07/92	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	ANA
QC-2 (g)	01/14/93	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2 (g)	04/22/93	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2 (g)	07/15/93	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2 (g)	10/21/93	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2 (g)	01/27/94	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2 (g)	04/21/94	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2 (g)	09/09/94	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2 (g)	12/21/94	---	---	---	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2 (g)	01/30/95	---	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	ATI
QC-2 (g)	04/10/95	---	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	ATI
QC-2 (g)	06/27/95	---	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	ATI
QC-2 (g)	09/19/95	---	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	ATI
QC-2 (g)	12/07/95	---	---	---	---	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	ATI
QC-2 (g)	03/28/96	---	---	---	---	ND<50	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	SPL

ABBREVIATIONS:

TPH-G	Total petroleum hydrocarbons as gasoline
B	Benzene
T	Toluene
E	Ethylbenzene
X	Total xylenes
MTBE	Methyl tert butyl ether
DO	Dissolved oxygen
ug/l	Micrograms per liter
ppm	Parts per million
---	Not available/applicable/measurable
ND	Not detected above reported detection limit
PACE	Pace, Inc.
SUP	Superior Analytical Laboratories, Inc.
APP	Applied Analytical Laboratory
ANA	Anametrix, Inc.
ATI	Analytical Technologies, Inc.
SPL	SPL, Inc.

NOTES:

- (a) Top of casing elevations surveyed to the nearest 0.01 foot above mean sea level.
- (b) Groundwater elevations adjusted assuming a specific gravity of 0.75 for free product.
- (c) Blind duplicate.
- (d) Well inaccessible.
- (e) Duplicate.
- (f) Well not monitored and/or sampled due to vapor extraction system.
- (g) Travel blank.


F:\010-025025-9-3.W02

TABLE 2 - PRODUCT REMOVAL STATUS
 BP OIL COMPANY SERVICE STATION NO. 11133
 2220 98TH STREET, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-025


WELL ID	DATE	PRODUCT REMOVED (Gallons)	PRODUCT REMOVED CUMULATIVE (Gallons)
RW-1	10/06/93	1.00	1.00
	10/14/94	1.00	2.00
	10/20/94	18.00	20.00
	10/26/94	3.00	23.00
	11/02/93	5.00	28.00
	11/10/94	6.00	34.00
	11/16/94	2.50	36.50
	11/23/94	5.00	41.50
	11/30/93	2.00	43.50
	12/07/93	4.00	47.50
	12/17/93	1.50	49.00
	01/04/94	5.00	54.00
	01/12/94	3.50	57.50
	01/20/94	2.50	60.00
	02/11/94	4.00	64.00
	02/18/93	3.50	67.50
	02/25/94	3.00	70.50
	03/04/94	3.50	74.00
	03/18/94	5.50	79.50
	03/30/94	4.00	83.50
	04/13/94	4.60	88.10
	04/21/94	4.20	92.30
	04/29/94	4.50	96.80
	05/06/94	5.50	102.30
	05/13/94	3.50	105.80
	05/20/94	3.50	109.30
	05/26/94	4.50	113.80
	06/02/94	3.50	117.30
	06/09/94	2.50	119.80
	06/16/94	3.50	123.30
	06/23/94	4.00	127.30
	06/29/94	2.50	129.80
	07/07/94	2.00	131.80
	07/12/94	3.00	134.80
07/20/94	1.50	136.30	
07/29/94	3.50	139.80	
08/05/94	1.50	141.30	
08/12/94	2.00	143.30	
08/18/94	2.50	145.80	
09/09/94	3.50	149.30	
09/16/94	4.00	153.30	
09/23/94	2.00	155.30	
12/07/95	0.00	155.30	
03/28/96	0.01	155.31	
MW-1	10/20/93	0.10	0.10
	11/10/93	0.10	0.20
	09/09/94	SHEEN	0.20
	10/26/94	SHEEN	0.20
	11/16/94	SHEEN	0.20
	12/21/94	0.25	0.45
	02/08/95	0.00	0.45
	04/10/95	0.25	0.70
	06/29/95	SHEEN	0.70
	09/18/95	SHEEN	0.70
	12/07/95	SHEEN	0.70
	03/28/96	<.001	0.70



Note: Groundwater and soil vapor extraction equipment installed in RW-1 in October 1994.



SOURCE:
 USGS MAP, OAKLAND EAST AND SAN LEANDRO
 QUADRANGLES, CALIFORNIA. 7.5 MINUTE SERIES. 1956.
 PHOTOREVISED 1980.



FIGURE 1
SITE VICINITY MAP
 BP OIL SERVICE STATION NO. 11133
 2220 98TH AVENUE
 OAKLAND, CALIFORNIA
 PROJECT NO. 10-025





- LEGEND**
- ◆ GROUNDWATER MONITORING WELL
 - ▲ COMBINED GROUNDWATER RECOVERY/VAPOR EXTRACTION WELL
 - * SITES NOT MONITORED
 - (21.22) GROUNDWATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL
 - 22.00 - GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL (CONTOUR INTERVAL - 2.00 FEET)
 - ← 0.05 CALCULATED GROUNDWATER GRADIENT DIRECTION AND MAGNITUDE IN FOOT PER FOOT

FIGURE 2
POTENTIOMETRIC GROUNDWATER ELEVATION CONTOUR MAP
MARCH 28, 1996
 BP OIL SERVICE STATION NO. 11133
 2220 98TH AVENUE
 OAKLAND, CALIFORNIA
 PROJECT NO. 10-025



LEGEND

- ◆ GROUNDWATER MONITORING WELL
- ▲ COMBINED GROUNDWATER RECOVERY/VAPOR EXTRACTION WELL
- * SITES NOT SAMPLED
- TPH-G CONCENTRATION OF CONSTITUENTS IN MICROGRAMS PER LITER, EXCEPT DISSOLVED OXYGEN, WHICH IS IN PARTS PER MILLION
- B | T
- E | X
- DO
- TPH-G TOTAL PETROLEUM HYDROCARBONS AS GASOLINE
- B BENZENE
- T TOLUENE
- E ETHYLBENZENE
- X TOTAL XYLENES
- DO DISSOLVED OXYGEN
- ND NOT DETECTED ABOVE REPORTED DETECTION LIMIT
- ←0.05 CALCULATED GROUNDWATER GRADIENT DIRECTION AND MAGNITUDE IN FOOT PER FOOT

FIGURE 3

CONCENTRATIONS OF PETROLEUM HYDROCARBONS IN GROUNDWATER

MARCH 28, 1996

BP OIL SERVICE STATION NO. 11133
2220 98TH AVENUE
OAKLAND, CALIFORNIA

PROJECT NO. 10-025

APPENDIX A
WATER SAMPLING FIELD SURVEY FORMS

ALISTO

Field Report / Sampling Data Sheet

ENGINEERING
GROUP
1575 TREAT BOULEVARD, SUITE 201

Project No. 10-025-09-003 Date: 3/28/96
Address 2220 98TH Ave. Day: M T W T F
Contract No. G602112 City: Oakland
Station No. BP 11133 Sampler: WB

DEPTH TO GROUNDWATER SUMMARY

WELL ID	SAMPLE ID	WELL DIAM	TOTAL DEPTH	DEPTH TO WATER	PRODUCT THICKNESS	TIME SAMPLED	COMMENTS:
* MW-1	NIS	2"	N/M	10.03	0	1006	PPRS 1 gal TF < .00190 FP
MW-2	S-1		34.10	8.57	0	0918	
MW-3	S-7		21.83	11.90		0950	
AW-1	S-9		38.60	16.91		0957	
AW-2	S-2		35.20	15.61		0923	
AW-3	S-5		45.00	13.85		0937	
AW-4	u/s	↓	35.00	16.49			QC-1 (S-10) from this well Under Car Cannot locate owner
AW-5	S-8	4"	42.90	17.76		0953	
AW-6	S-6	4"	34.20	14.99		0942	
AW-7	S-3	2"	32.30	16.38		0928	
AW-8	S-4	2"	39.20	15.77		0931	
* RW-1		6"	N/M	16.75	.18	1002	Sample through dip tube

FIELD INSTRUMENT CALIBRATION DATA

pH METER ^{Agua} check 4.00 4 7.00 7 10.00 10 TEMPERATURE COMPENSATED N TIME 0910
D.O. METER ^{Agua} check ZERO d.O. SOLUTION 0 BAROMETRIC PRESSURE 760 TEMP 65 WEATHER clear
CONDUCTIVITY METER ^{Agua} check 10,000 TURBIDITY METER 5.0 NTU OTHER X

Well ID	Depth to Water	Diam	Cap/Lock	Product Dept	Iridescence	Gal.	Time	Temp *F	pH	E.C.	D.O.	
MW-2	8.57	2"	OK	0	Y (N)	4	1031	67.1	6.87	268 μs	7.0	<input type="radio"/> EPA 601 <input checked="" type="radio"/> TPH-G/BTEX HCL
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge PurgeVol.						8		67.0	6.66	255 μs	3.6	<input type="radio"/> TPH Diesel <input type="radio"/> TOG 5520
34.10 - 8.57 = 25.53 x .16 = 4.08 x 3 = 12.24						12.5	1040	66.5	6.63	252 μs	3.2	TIME/SAMPLE ID
Purge Method: O Surface Pump O Disp. Tube O Winch O Disp. Bailer(s) O Sys Port												1043
Comments:												
AW-2	15.61	2"	OK	0	Y (N)	3	1102	67.3	7.11	237 μs	6.3	<input type="radio"/> EPA 601 <input checked="" type="radio"/> TPH-G/BTEX HCL
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge PurgeVol.						6		66.4	7.03	225 μs		<input type="radio"/> TPH Diesel <input type="radio"/> TOG 5520
35.20 - 15.61 = 19.59 x .16 = 3.13 x 3 = 9.39						9.5	1110	66.0	6.98	221 μs	4.1	TIME/SAMPLE ID
Purge Method: O Surface Pump O Disp. Tube O Winch O Disp. Bailer(s) O Sys Port												1115
Comments:												

ALISTO

Field Report / Sampling Data Sheet

ENGINEERING

GROUP

1575 TREAT BOULEVARD, SUITE 201

WALNUT CREEK CA 94598 (510) 295-1650 FAX 295-1823

Project No.

10-025-09-003

Address

2220 98TH Ave.

Contract No.

G602112

Station No.

BP 11133

Sampler:

Date:

3/28/96

Day:

MTWTF

City:

Oakland

Well ID	Depth to Water	Diam	Cap/Lock	Product	Dept	Iridescence	Gal.	Time	Temp *F	pH	E.C.	D.O.		
AW-8	15.77	2"	OK	Ø	Y	Ⓝ	4	1128	68.1	7.36	1033µs	6.7	<input type="checkbox"/> EPA 601	
Total Depth - Water Level=							x Well Vol. Factor=	x#vol. to Purge	PurgeVol.					<input checked="" type="checkbox"/> TPH-G/BTEX HCL
39.20 - 15.77 = 23.43							X .16 = 3.75	X 3 = 11.25	8	66.7	7.18	1040µs	4.3	<input type="checkbox"/> TPH Diesel
Purge Method: OSurface Pump							ODisp.Tube	OWinch	ODisp. Bailer(s)	O Sys Port				<input type="checkbox"/> TOG 5520
Comments:													TIME/SAMPLE ID	
													1140	
AW-7	16.38	2"	OK	Ø	Y	Ⓝ	3	1146	67.3	7.21	285µs	6.3	<input type="checkbox"/> EPA 601	
Total Depth - Water Level=							x Well Vol. Factor=	x#vol. to Purge	PurgeVol.					<input checked="" type="checkbox"/> TPH-G/BTEX HCL
32.30 - 16.38 = 15.92							X .16 = 2.55	X 3 = 7.65	5	66.7	7.11	213µs		<input type="checkbox"/> TPH Diesel
Purge Method: OSurface Pump							ODisp.Tube	OWinch	ODisp. Bailer(s)	O Sys Port				<input type="checkbox"/> TOG 5520
Comments:													TIME/SAMPLE ID	
													1205	
AW-3	13.85	2"	OK	Ø	Y	Ⓝ	5	1220	65.7	6.93	130ms	5.1	<input type="checkbox"/> EPA 601	
Total Depth - Water Level=							x Well Vol. Factor=	x#vol. to Purge	PurgeVol.					<input checked="" type="checkbox"/> TPH-G/BTEX HCL
45.00 - 13.85 = 31.15							X .16 = 4.98	X 3 = 14.94	10	65.6	6.96	130ms	4.4	<input type="checkbox"/> TPH Diesel
Purge Method: OSurface Pump							ODisp.Tube	OWinch	ODisp. Bailer(s)	O Sys Port				<input type="checkbox"/> TOG 5520
Comments: QC-1 (5-10) from this well													TIME/SAMPLE ID	
													1232	
AW-6	14.99	4"	OK	Ø	Y	Ⓝ	10	1339	67.2	7.39	287µs	4.7	<input type="checkbox"/> EPA 601	
Total Depth - Water Level=							x Well Vol. Factor=	x#vol. to Purge	PurgeVol.					<input checked="" type="checkbox"/> TPH-G/BTEX HCL
34.20 - 14.99 = 19.21							X .65 = 12.49	X 3 = 37.47	25	66.3	7.22	295µs		<input type="checkbox"/> TPH Diesel
Purge Method: OSurface Pump							ODisp.Tube	OWinch	ODisp. Bailer(s)	O Sys Port				<input type="checkbox"/> TOG 5520
Comments:													TIME/SAMPLE ID	
													1402	
MW-3	11.90	2"	Replaced	Ø	Y	N	2	1410	66.6	6.47	421µs	6.8	<input type="checkbox"/> EPA 601	
Total Depth - Water Level=							x Well Vol. Factor=	x#vol. to Purge	PurgeVol.					<input checked="" type="checkbox"/> TPH-G/BTEX HCL
21.83 - 11.90 = 9.93							X .16 = 1.59	X 3 = 4.77	3.5	66.6	6.46	339µs	4.5	<input type="checkbox"/> TPH Diesel
Purge Method: OSurface Pump							ODisp.Tube	OWinch	ODisp. Bailer(s)	O Sys Port				<input type="checkbox"/> TOG 5520
Comments:													TIME/SAMPLE ID	
													1418	

ALISTO

Field Report / Sampling Data Sheet

ENGINEERING

GROUP

1575 TREAT BOULEVARD, SUITE 201

WALNUT CREEK CA 94598 (510) 295-1650 FAX 295-1823

Project No. 10-025-09-003

Address 2220 98TH Ave.

Contract No. G602112

Station No. BP 11133

Sampler: WB

Date: 3/28/96

Day: M T W TH F

City: Oakland

Well ID	Depth to Water	Diam	Cap/Lock	Product Dept	Iridescence	Gal.	Time	Temp *F	pH	E.C.	D.O.	
AW-5	17.76	4"	OK	Ø	Y <u>(N)</u>	13	1431	67.4	6.55	475µS	3.7	<input type="checkbox"/> EPA 601 _____
Total Depth - Water Level=						26		68.0	6.46	455µS	3.3	<input checked="" type="checkbox"/> TPH-G/BTEX <u>HCL</u>
x Well Vol. Factor=						39.5	1448	67.8	6.44	449µS	3.0	<input type="checkbox"/> TPH Diesel _____
x#vol. to Purge PurgeVol.												<input type="checkbox"/> TOG 5520 _____
Purge Method: OSurface Pump ODisp.Tube OWinch ODisp. Bailer(s) OSys Port												TIME/SAMPLE ID
Comments:												1452
Well ID	Depth to Water	Diam	Cap/Lock	Product Dept	Iridescence	Gal.	Time	Temp *F	pH	E.C.	D.O.	
AW-1	16.91	2"	OK	Ø	Y <u>(N)</u>	3	1506	70.0	6.44	659µS	6.6	<input type="checkbox"/> EPA 601 _____
Total Depth - Water Level=						7		69.0	6.66	681µS	6.8	<input checked="" type="checkbox"/> TPH-G/BTEX <u>HCL</u>
x Well Vol. Factor=						10.5	1515	68.6	6.71	685µS	6.6	<input type="checkbox"/> TPH Diesel _____
x#vol. to Purge PurgeVol.												<input type="checkbox"/> TOG 5520 _____
Purge Method: OSurface Pump ODisp.Tube OWinch ODisp. Bailer(s) OSys Port												TIME/SAMPLE ID
Comments:												1520

* RW-1 Bailed 3gal T.F. .01 gal FP

* MW-1 Bailed 1 gal TF .001 gal FP

APPENDIX B

LABORATORY REPORT AND CHAIN OF CUSTODY RECORD



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-01

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-1

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L

Surrogate % Recovery
 1,4-Difluorobenzene 99
 4-Bromofluorobenzene 72

METHOD 8020***
 Analyzed by: AA
 Date: 04/07/96

Total Petroleum Hydrocarbons-Gasoline ND 0.05 P mg/L

Surrogate % Recovery
 1,4-Difluorobenzene 86
 4-Bromofluorobenzene 77

CA LUFT - Gasoline
 Analyzed by: AA
 Date: 04/07/96 01:10:00

ND - Not detected. (P) - Practical Quantitation Limit

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903



 SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-02

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-2

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA


PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L
Surrogate		% Recovery	
1,4-Difluorobenzene		103	
4-Bromofluorobenzene		76	
METHOD 8020***			
Analyzed by: AA			
Date: 04/07/96			
Total Petroleum Hydrocarbons-Gasoline	ND	0.05 P	mg/L
Surrogate		% Recovery	
1,4-Difluorobenzene		95	
4-Bromofluorobenzene		80	
CA LUFT - Gasoline			
Analyzed by: AA			
Date: 04/07/96 07:20:00			

ND - Not detected.

(P) - Practical Quantitation Limit

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903



 SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-03

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-3

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L

Surrogate	% Recovery
1,4-Difluorobenzene	106
4-Bromofluorobenzene	69

METHOD 8020***
 Analyzed by: AA
 Date: 04/07/96

Total Petroleum Hydrocarbons-Gasoline	ND	0.05 P	mg/L
---------------------------------------	----	--------	------

Surrogate	% Recovery
1,4-Difluorobenzene	92
4-Bromofluorobenzene	75

CA LUFT - Gasoline
 Analyzed by: AA
 Date: 04/07/96 09:58:00

ND - Not detected.

(P) - Practical Quantitation Limit

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903



 SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-04

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-4

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L

Surrogate	% Recovery
1,4-Difluorobenzene	105
4-Bromofluorobenzene	76

METHOD 8020***

Analyzed by: AA

Date: 04/07/96

Total Petroleum Hydrocarbons-Gasoline	ND	0.05 P	mg/L
---------------------------------------	----	--------	------

Surrogate	% Recovery
1,4-Difluorobenzene	91
4-Bromofluorobenzene	79

CA LUFT - Gasoline

Analyzed by: AA

Date: 04/07/96 10:24:00

ND - Not detected.

(P) - Practical Quantitation Limit

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903


 SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-05

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-5

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L

Surrogate % Recovery
 1,4-Difluorobenzene 105
 4-Bromofluorobenzene 75

METHOD 8020***
 Analyzed by: AA
 Date: 04/07/96

Total Petroleum Hydrocarbons-Gasoline ND 0.05 P mg/L

Surrogate % Recovery
 1,4-Difluorobenzene 93
 4-Bromofluorobenzene 79

CA LUFT - Gasoline
 Analyzed by: AA
 Date: 04/07/96 10:50:00

ND - Not detected. (P) - Practical Quantitation Limit

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903



 SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-06

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-6

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L

Surrogate	% Recovery
1,4-Difluorobenzene	104
4-Bromofluorobenzene	74

METHOD 8020***
 Analyzed by: AA
 Date: 04/07/96

Total Petroleum Hydrocarbons-Gasoline	ND	0.05 P	mg/L
---------------------------------------	----	--------	------

Surrogate	% Recovery
1,4-Difluorobenzene	90
4-Bromofluorobenzene	78

CA LUFT - Gasoline
 Analyzed by: AA
 Date: 04/07/96 11:17:00

ND - Not detected. (P) - Practical Quantitation Limit

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903



 SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-07

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-7

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	230	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L
Surrogate		% Recovery	
1,4-Difluorobenzene	104		
4-Bromofluorobenzene	77		
METHOD 8020***			
Analyzed by: AA			
Date: 04/07/96			
Total Petroleum Hydrocarbons-Gasoline	ND	0.05 P	mg/L
Surrogate		% Recovery	
1,4-Difluorobenzene	91		
4-Bromofluorobenzene	82		
CA LUFT - Gasoline			
Analyzed by: AA			
Date: 04/07/96 11:43:00			

(P) - Practical Quantitation Limit ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903



 SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-08

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-8

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	63	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L

Surrogate	% Recovery
1,4-Difluorobenzene	109
4-Bromofluorobenzene	78

METHOD 8020***

Analyzed by: AA

Date: 04/09/96

Total Petroleum Hydrocarbons-Gasoline	ND	0.05 P	mg/L
---------------------------------------	----	--------	------

Surrogate	% Recovery
1,4-Difluorobenzene	83
4-Bromofluorobenzene	88

CA LUFT - Gasoline

Analyzed by: AA

Date: 04/09/96 11:51:00

(P) - Practical Quantitation Limit ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903

SPL, Inc., - Project Manager



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-09

Alisto Engineering
1575 Treat Blvd.
Walnut Creek, CA 94598
ATTN: Brady Nagle

P.O.#
G602112 , COC#070704
DATE: 04/11/96

PROJECT: BP Oil #11133
SITE: Oakland, CA
SAMPLED BY: Alisto Engineering
SAMPLE ID: S-9

PROJECT NO: 10-025-09/003
MATRIX: WATER
DATE SAMPLED: 03/28/96
DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	1000 P	µg/L
Benzene	11000	50 P	µg/L
Toluene	ND	100 P	µg/L
Ethylbenzene	3200	100 P	µg/L
Total Xylene	3390	100 P	µg/L

Surrogate

% Recovery

1,4-Difluorobenzene
4-Bromofluorobenzene

133 <
96

METHOD 8020***

Analyzed by: AA

Date: 04/07/96

Total Petroleum Hydrocarbons-Gasoline 24 5 P mg/L

Surrogate

% Recovery

1,4-Difluorobenzene
4-Bromofluorobenzene

107
125

CA LUFT - Gasoline

Analyzed by: AA

Date: 04/07/96 01:55:00

ND - Not detected.

(P) - Practical Quantitation Limit

< - Recovery beyond control limits.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL California License # 1903


SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-10

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Alisto Engineering
 SAMPLE ID: S-10

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 03/28/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L

Surrogate	% Recovery
1,4-Difluorobenzene	106
4-Bromofluorobenzene	76

METHOD 8020***

Analyzed by: AA

Date: 04/07/96

Total Petroleum Hydrocarbons-Gasoline	ND	0.05 P	mg/L
---------------------------------------	----	--------	------

Surrogate	% Recovery
1,4-Difluorobenzene	95
4-Bromofluorobenzene	78

CA LUFT - Gasoline

Analyzed by: AA

Date: 04/07/96 12:36:00

ND - Not detected.

(P) - Practical Quantitation Limit

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903



 SPL, Inc., - Project Manager



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TEXAS 77054
 PHONE (713) 660-0901

Certificate of Analysis No. H9-9603F50-11

Alisto Engineering
 1575 Treat Blvd.
 Walnut Creek, CA 94598
 ATTN: Brady Nagle

P.O.#
 G602112 , COC#070704
 DATE: 04/11/96

PROJECT: BP Oil #11133
 SITE: Oakland, CA
 SAMPLED BY: Provided by SPL
 SAMPLE ID: Trip Blank

PROJECT NO: 10-025-09/003
 MATRIX: WATER
 DATE SAMPLED: 02/08/96
 DATE RECEIVED: 03/30/96

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
MTBE	ND	10 P	µg/L
Benzene	ND	0.5 P	µg/L
Toluene	ND	1 P	µg/L
Ethylbenzene	ND	1 P	µg/L
Total Xylene	ND	1 P	µg/L

Surrogate

% Recovery

1,4-Difluorobenzene 104
 4-Bromofluorobenzene 73

METHOD 8020***

Analyzed by: AA

Date: 04/07/96

Total Petroleum Hydrocarbons-Gasoline ND 0.05 P mg/L

Surrogate

% Recovery

1,4-Difluorobenzene 90
 4-Bromofluorobenzene 78

CA LUFT - Gasoline

Analyzed by: AA


Date: 04/07/96 12:10:00

ND - Not detected.

(P) - Practical Quantitation Limit

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
 SPL California License # 1903


 SPL, Inc., - Project Manager

QUALITY CONTROL

DOCUMENTATION



Matrix: Aqueous
Units: µg/L

Batch Id: HP_J960406072700

LABORATORY CONTROL SAMPLE

S P I K E C O M P O U N D S	Method Blank Result <2>	Spike Added <3>	Blank Spike		QC Limits(**) (Mandatory) % Recovery Range
			Result <1>	Recovery %	
MTBE	ND	50	46	92.0	20 - 110
Benzene	ND	50	50	100	62 - 121
Toluene	ND	50	48	96.0	66 - 136
EthylBenzene	ND	50	50	100	70 - 136
O Xylene	ND	50	51	102	74 - 134
M & P Xylene	ND	100	110	110	77 - 140

MATRIX SPIKES

S P I K E C O M P O U N D S	Sample Results <2>	Spike Added <3>	Matrix Spike		Matrix Spike Duplicate		MS/MSD Relative % Difference	QC Limits(***) (Advisory)	
			Result <1>	Recovery <4>	Result <1>	Recovery <5>		RPD Max.	Recovery Range
MTBE	ND	20	18	90.0	17	85.0	5.71	20	39 - 150
BENZENE	ND	20	19	95.0	19	95.0	0	25	39 - 150
TOLUENE	ND	20	18	90.0	18	90.0	0	26	56 - 134
ETHYLBENZENE	ND	20	18	90.0	18	90.0	0	38	61 - 128
O XYLENE	ND	20	19	95.0	18	90.0	5.41	29	40 - 130
M & P XYLENE	ND	40	37	92.5	35	87.5	5.56	20	43 - 152

Analyst: AA

Sequence Date: 04/06/96

SPL ID of sample spiked: 9603E70-05A

Sample File ID: J__617.TX0

Method Blank File ID:

Blank Spike File ID: J__605.TX0

Matrix Spike File ID: J__611.TX0

Matrix Spike Duplicate File ID: J__612.TX0

* = Values Outside QC Range

NC = Not Calculated (Sample exceeds spike by factor of 4 or more)

ND = Not Detected/Below Detection Limit

% Recovery = [(<1> - <2>) / <3>] x 100

LCS % Recovery = (<1> / <3>) x 100

Relative Percent Difference = | (<4> - <5>) | / [(<4> + <5>) x 0.5] x 100

(**) = Source: SPL-Houston Historical Data (3rd Q '95)

(***) = Source: SPL-Houston Historical Data (2nd Q '95)

SAMPLES IN BATCH (SPL ID):

9603E70-06A 9603E70-05A 9603F48-11A 9603F50-01A
9603E70-04A 9603F48-09A 9603F48-10A 9603F50-02A
9603F50-03A 9603F50-04A 9603F50-05A 9603F50-06A
9603F50-07A 9603F50-11A 9603F50-10A 9603F52-01A
9603F50-09A

QC Officer



Matrix: Aqueous
Units: µg/L

Batch Id: HP_J960408105900

LABORATORY CONTROL SAMPLE

S P I K E C O M P O U N D S	Method Blank Result <2>	Spike Added <3>	Blank Spike		QC Limits(**) (Mandatory) % Recovery Range
			Result <1>	Recovery %	
MTBE	ND	50	47	94.0	20 - 110
Benzene	ND	50	52	104	62 - 121
Toluene	ND	50	50	100	66 - 136
EthylBenzene	ND	50	52	104	70 - 136
O Xylene	ND	50	52	104	74 - 134
M & P Xylene	ND	100	110	110	77 - 140

MATRIX SPIKES

S P I K E C O M P O U N D S	Sample Results <2>	Spike Added <3>	Matrix Spike		Matrix Spike Duplicate		MS/MSD Relative % Difference	QC Limits(***) (Advisory)	
			Result <1>	Recovery <4>	Result <1>	Recovery <5>		RPD Max.	Recovery Range
MTBE	ND	20	18	90.0	17	85.0	5.71	20	39 - 150
BENZENE	ND	20	19	95.0	19	95.0	0	25	39 - 150
TOLUENE	ND	20	18	90.0	17	85.0	5.71	26	56 - 134
ETHYLBENZENE	ND	20	18	90.0	17	85.0	5.71	38	61 - 128
O XYLENE	ND	20	19	95.0	17	85.0	11.1	29	40 - 130
M & P XYLENE	ND	40	38	95.0	33	82.5	14.1	20	43 - 152

Analyst: AA

Sequence Date: 04/08/96

SPL ID of sample spiked: 9603F54-10A

Sample File ID: J__692.TX0

Method Blank File ID:

Blank Spike File ID: J__681.TX0

Matrix Spike File ID: J__687.TX0

Matrix Spike Duplicate File ID: J__688.TX0

* - Values Outside QC Range

NC = Not Calculated (Sample exceeds spike by factor of 4 or more)

ND = Not Detected/Below Detection Limit

% Recovery = $\{ (<1> - <2>) / <3> \} \times 100$

LCS % Recovery = $(<1> / <3>) \times 100$

Relative Percent Difference = $| (<4> - <5>) | / [(<4> + <5>) \times 0.5] \times 100$

(**) = Source: SPL-Houston Historical Data (3rd Q '95)

(***) = Source: SPL-Houston Historical Data (2nd Q '95)

SAMPLES IN BATCH(SPL ID):

9603F54-10A 9603F54-09A 9603F54-11A 9604136-01A
9604096-01A 9604096-02A 9604096-03A 9604096-04A
9603E70-01A 9603E70-02A 9604138-07A 9603F52-10A
9603E70-03A 9603F52-11A 9603F50-08A 9604096-06A
9604138-01A 9604138-03A 9604096-04A

QC Officer



Matrix: Aqueous
Units: mg/L

Batch Id: HP_J960406091300

LABORATORY CONTROL SAMPLE

SPIKE COMPOUNDS	Method Blank Result <2>	Spike Added <3>	Blank Spike		QC Limits(**) (Mandatory) % Recovery Range
			Result <1>	Recovery %	
Petroleum Hydrocarbons-Gas	ND	0.9	0.79	87.8	50 - 150

MATRIX SPIKES

SPIKE COMPOUNDS	Sample Results <2>	Spike Added <3>	Matrix Spike		Matrix Spike Duplicate		MS/MSD Relative % Difference	QC Limits(***) (Advisory)	
			Result <1>	Recovery <4>	Result <1>	Recovery <5>		RPD Max.	Recovery Range
PETROLEUM HYDROCARBONS-GAS	ND	0.9	0.72	80.0	0.72	80.0	0	50	50 - 150

Analyst: AA

Sequence Date: 04/06/96

SPL ID of sample spiked: 9603F48-11A

Sample File ID: JJ_618.TX0

Method Blank File ID:

Blank Spike File ID: JJ_608.TX0

Matrix Spike File ID: JJ_613.TX0

Matrix Spike Duplicate File ID: JJ_614.TX0

* = Values Outside QC Range

NC = Not Calculated (Sample exceeds spike by factor of 4 or more)

ND = Not Detected/Below Detection Limit

% Recovery = [(<1> - <2>) / <3>] x 100

LCS % Recovery = (<1> / <3>) x 100

Relative Percent Difference = |(<4> - <5> | / [(<4> + <5>) x 0.5] x 100

(**) = Source: Temporary Limits

(***) = Source: Temporary Limits

SAMPLES IN BATCH(SPL ID):

9603F50-01A 9603F48-09A 9603F48-10A 9603F50-02A
 9603F50-03A 9603F50-04A 9603F50-05A 9603F50-06A
 9603F50-07A 9603F50-11A 9603F50-10A 9603F52-01A
 9603F50-09A 9603F48-11A

QC Officer



Matrix: Aqueous
Units: mg/L

Batch Id: HP_J960409121800

LABORATORY CONTROL SAMPLE

S P I K E C O M P O U N D S	Method Blank Result <2>	Spike Added <3>	Blank Spike		QC Limits(**) (Mandatory) % Recovery Range
			Result <1>	Recovery %	
Petroleum Hydrocarbons-Gas	ND	0.9	0.77	85.6	50 - 150

MATRIX SPIKES

S P I K E C O M P O U N D S	Sample Results <2>	Spike Added <3>	Matrix Spike		Matrix Spike Duplicate		MS/MSD Relative % Difference	QC Limits(***) (Advisory)	
			Result <1>	Recovery <4>	Result <1>	Recovery <5>		RPD Max.	Recovery Range
PETROLEUM HYDROCARBONS-GAS	ND	0.9	0.66	73.3	0.67	74.4	1.49	50	50 - 150

Analyst: AA

Sequence Date: 04/08/96

SPL ID of sample spiked: 9603F54-09A

Sample File ID: JJ_693.TX0

Method Blank File ID:

Blank Spike File ID: JJ_684.TX0

Matrix Spike File ID: JJ_689.TX0

Matrix Spike Duplicate File ID: JJ_690.TX0

* = Values Outside QC Range

NC = Not Calculated (Sample exceeds spike by factor of 4 or more)

ND = Not Detected/Below Detection Limit

% Recovery = $[(<1> - <2>) / <3>] \times 100$

LCS % Recovery = $(<1> / <3>) \times 100$

Relative Percent Difference = $| (<4> - <5>) | / [(<4> + <5>) \times 0.5] \times 100$

(**) = Source: Temporary Limits

(***) = Source: Temporary Limits

SAMPLES IN BATCH(SPL ID):

9603F54-09A 9603F54-11A 9604096-01A 9604096-02A
9604096-03A 9604096-04A 9603F52-10A 9603F52-11A
9603F50-08A 9604096-06A 9604138-01A 9603F54-10A

QC Officer

CHAIN OF CUSTODY
AND
SAMPLE RECEIPT CHECKLIST



to
3/30
c/s

96003 F50

CHAIN OF CUSTODY

No. 070704

Page 1 of 1

CONSULTANT'S NAME: **Aliso Engineering** ADDRESS: **1575 Treat Blvd #201 W.C.** CITY: **Ca** STATE: **Ca** ZIP CODE: **94598**

BP SITE NUMBER: **11133** BP CORNER ADDRESS/CITY: **Dallas, Ca** CONSULTANT PROJECT NUMBER: **10-025-09/003**

CONSULTANT PROJECT MANAGER: **Brady Naylor** PHONE NUMBER: **(510) 295-1650** FAX NUMBER: **2957823** CONSULTANT CONTRACT NUMBER: **G602112**

BP CONTACT: **Scott Hooton** BP ADDRESS: **Renton, WA** PHONE NUMBER: **-** FAX NO.: **-**

LAB CONTACT: **SPL** LABORATORY ADDRESS: **Texas** PHONE NUMBER: **-** FAX NO.: **-**

SAMPLED BY (Please Print Name): **Larry Swenwick** SAMPLED BY (Signature): *[Signature]* SHIPMENT DATE: **3-29-96** SHIPMENT METHOD: **Fed Express**

TAT: 24 Hours 48 Hours 1 Week Standard 2 Weeks

ANALYSIS REQUIRED

AIRBILL NUMBER: **9360716584**

SAMPLE DESCRIPTION	COLLECTION DATE	MATRIX SOIL/WATER	CONTAINERS		PRESERVATIVE		PH	COMMENTS
	COLLECTION TIME		NO.	TYPE (VOL.)	LAB SAMPLE #			
S-1	3/27/96	W	3	HCL	X	X	1	
S-2	↓	↓	↓	↓	↓	↓	↓	
S-3								
S-4								
S-5								
S-6								
S-7								
S-8								
S-9								
S-10								
S-11								

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	ADDITIONAL COMMENTS
<i>[Signature]</i>	3/29/96	0800	P. Lynton	3/29/96	0805	INTEGRITY 3°C EXCEPT 1 VIA/FOX OTHERS INTEGRITY DB 3/30/96
P. Lynton	3/29/96	1400	Dawn Bonal/SPL	3/30/96	1000	

SPL Houston Environmental Laboratory

Sample Login Checklist

Date: 3/30/96	Time: 1000
--	---

SPL Sample ID:

9603F50

		Yes	No
1	Chain-of-Custody (COC) form is present.	<input checked="" type="checkbox"/>	
2	COC is properly completed.	<input checked="" type="checkbox"/>	
3	If no, Non-Conformance Worksheet has been completed.		
4	Custody seals are present on the shipping container.	<input checked="" type="checkbox"/>	
5	If yes, custody seals are intact.	<input checked="" type="checkbox"/>	
6	All samples are tagged or labeled.	<input checked="" type="checkbox"/>	
7	If no, Non-Conformance Worksheet has been completed.		
8	Sample containers arrived intact	<input checked="" type="checkbox"/>	
9	Temperature of samples upon arrival:	3°C	
10	Method of sample delivery to SPL:	SPL Delivery	
		Client Delivery	
		FedEx Delivery (airbill #) 9360716584	
		Other:	
11	Method of sample disposal:	SPL Disposal	
		HOLD	
		Return to Client	

Name: Danya Beard	Date: 3/30/96
--	--