



GETTLER - RYAN INC.

TRANSMITTAL

March 22, 2005
G-R #386346

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Suite 12
Rocklin, California 95677

Alameda County

APR 08 2005

Environmental Health

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-8341
3530 MacArthur Boulevard
Oakland, California
MTI: 61D-1650
RO 0000405

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	March 18, 2005	Groundwater Monitoring and Sampling Report First Quarter - Event of February 14, 2005

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Mr. Dana Thurman, ChevronTexaco Company, P.O. Box 6012, Room K2236, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **April 5, 2005**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1153 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Chuck Headlee, RWQCB-S.F. Bay Region, 1515 Clay St., Suite 1400, Oakland, CA 94612

Enclosures

trans/9-8341-DT

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



GETTLER - RYAN INC.

March 18, 2005
G-R Job #386346

Mr. Dana Thurman
ChevronTexaco Company
P.O. Box 6012, Room K2236
San Ramon, CA 94583

Alameda County

APR 08 2005

RE: First Quarter Event of February 14, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

Dear Mr. Thurman:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Gettler - Ryan Inc.

6747 Sierra Court Suite J
Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

FIGURE

1

JOB NUMBER
386346

REVIEWED BY

DATE
February 14, 2005

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)
MW-1										
04/04/96	202.47	198.65	3.82	<50	<0.5	<0.5	<0.5	<0.5	ND	--
11/01/96	202.47	197.45	5.02	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/06/97	202.47	199.72	2.75	<50	<0.5	<0.5	<0.5	<0.5	14	--
04/14/97	202.47	197.71	4.76	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/17/97	202.47	196.72	5.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	202.47	196.97	5.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/04/98	202.47	199.80	2.67	<50	4.2	<0.5	<0.5	<0.5	94	--
04/03/98	202.47	197.06	5.41	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	202.47	192.26	10.21	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/26/98	202.47	195.66	6.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/18/99	202.47	196.05	6.42	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
04/15/99	202.47	197.13	5.34	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
07/22/99	202.47	196.97	5.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/13/99	202.47	196.43	6.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/21/00	202.47	197.11	5.36	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/00	202.47	197.60	4.87	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
07/12/00	202.47	197.05	5.42	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
10/05/00	202.47	196.79	5.68	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
01/05/01	202.47	197.30	5.17	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
04/05/01	202.47	197.83	4.64	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/20/01	202.47	197.29	5.18	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
11/26/01	202.47	197.65	4.82	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	202.47	197.68	4.79	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/07/02	202.47	197.55	4.92	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/02/02	202.47	197.36	5.11	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/11/02	202.47	197.40	5.07	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/03/03	202.47	197.69	4.78	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/05/03	202.47	198.86	3.61	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/04/03 ⁴	202.47	197.39	5.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
11/19/03 ⁴	202.47	197.44	5.03	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
02/16/04 ⁴	202.47	198.01	4.46	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
06/03/04 ⁴	202.47	197.52	4.95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)
MW-1 (cont)										
08/20/04 ⁴	202.47	197.22	5.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
11/15/04 ⁴	202.47	197.86	4.61	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
02/14/05 ⁴	202.47	198.18	4.29	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
MW-2										
04/04/96	198.88	196.07	2.81	<50	<0.5	<0.5	<0.5	<0.5	6,100	--
11/01/96	198.88	195.27	3.61	<500	<5.0	<5.0	<5.0	<5.0	2,600	--
01/06/97	198.88	195.97	2.91	<2,000	31	<20	<20	<20	4,000	--
04/14/97	198.88	195.43	3.45	<2,000	<20	<20	<20	<20	5,100/5,800 ¹	--
07/17/97	198.88	194.98	3.90	<500	<5.0	<5.0	<5.0	<5.0	2,300/2,900 ¹	--
10/29/97	198.88	192.96	5.92	120 ²	12	<0.5	<0.5	<0.5	810/900 ¹	--
02/04/98	198.88	195.05	3.83	<1,000	<10	<10	<10	<10	2,100/2,800 ¹	--
04/03/98	198.88	191.55	7.33	<1,000	<10	<10	<10	<10	3,800/3,600 ¹	--
07/29/98	198.88	189.86	9.02	120 ³	<0.5	<0.5	<0.5	<0.5	2,800/3,900 ¹	--
10/26/98	198.88	192.77	6.11	<50	<0.5	<0.5	<0.5	<0.5	1,200	--
01/18/99	198.88	194.67	4.21	<1,000	<10	<10	<10	10.5	2,530	--
04/15/99	198.88	194.56	4.32	<50	<0.5	<0.5	<0.5	<0.5	5,270	--
07/22/99	198.88	193.73	5.15	<50	8.92	<0.5	<0.5	<0.5	1,450	--
10/13/99	198.88	192.23	6.65	<250	<2.5	<2.5	<2.5	<2.5	1,740	--
01/21/00	198.88	192.78	6.10	69.6	<0.5	<0.5	<0.5	<0.5	1,110	--
04/10/00	198.88	194.42	4.46	<500	<5.0	<5.0	<5.0	<5.0	1,700	--
07/12/00	198.88	195.24	3.64	<50.0	<0.500	<0.500	<0.500	<0.500	187	--
10/05/00	198.88	194.06	4.82	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
01/05/01	198.88	195.17	3.71	<50	<0.50	<0.50	<0.50	<0.50	1,800	--
04/05/01	198.88	192.94	5.94	<50	<0.50	<0.50	<0.50	<0.50	5,500	--
08/20/01	198.88	193.18	5.70	<50	<0.50	<0.50	<0.50	<0.50	2,000	--
11/26/01	198.88	193.55	5.33	<50	<0.50	<0.50	<0.50	<1.5	990	--
02/14/02	198.88	194.42	4.46	58	<0.50	<0.50	<0.50	<1.5	1,200	--
05/07/02	198.88	194.49	4.39	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/02/02	198.88	194.81	4.07	<50	<0.50	<0.50	<0.50	<1.5	490	--
11/11/02	198.88	194.76	4.12	<50	<0.50	<0.50	<0.50	<1.5	470	--
02/03/03	198.88	193.93	4.95	<50	<0.50	<0.50	<0.50	<1.5	690	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL♦ (ppb)
MW-2 (cont)										
05/05/03	198.88	194.38	4.50	<50	<0.5	<0.5	<0.5	<1.5	680	--
08/04/03 ⁴	198.88	195.02	3.86	<50	<0.5	<0.5	<0.5	<0.5	460	<50
11/19/03 ⁴	198.88	195.32	3.56	<50	<0.5	<0.5	<0.5	<0.5	540	<50
02/16/04 ⁴	198.88	195.73	3.15	<50	<1	<1	<1	<1	1,200	<130
06/03/04 ⁴	198.88	195.18	3.70	<50	<0.5	<0.5	<0.5	<0.5	190	<50
08/20/04 ⁴	198.88	194.85	4.03	<50	<0.5	<0.5	<0.5	<0.5	130	<50
11/15/04 ⁴	198.88	195.54	3.34	<50	<0.5	<0.5	<0.5	<0.5	230	<50
02/14/05 ⁴	198.88	195.54	3.34	<50	<0.5	<0.5	<0.5	<0.5	600	<50
MW-3										
04/04/96	199.10	195.22	3.88	<50	<0.5	<0.5	<0.5	<0.5	ND	--
11/01/96	199.10	194.91	4.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/06/97	199.10	195.29	3.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/14/97	199.10	194.93	4.17	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/17/97	199.10	194.92	4.18	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	199.10	193.90	5.20	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/04/98	199.10	194.71	4.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/98	199.10	195.78	3.32	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	199.10	189.24	9.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/26/98	199.10	193.59	5.51	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/18/99	199.10	194.68	4.42	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
04/15/99	199.10	194.54	4.56	<50	<0.5	<0.5	<0.5	1.16	<5.0	--
07/22/99	199.10	192.45	6.65	<50	<0.5	<0.5	<0.5	<0.5	3.94	--
10/13/99	199.10	193.79	5.31	<50	<0.5	<0.5	<0.5	<0.5	6.55	--
01/21/00	199.10	193.18	5.92	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/00	199.10	194.32	4.78	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
07/12/00	199.10	193.86	5.24	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
10/05/00	199.10	195.17	3.93	<50.0	<0.500	<0.500	<0.500	<0.500	39.7	--
01/05/01	199.10	194.85	4.25	<50	<0.50	<0.50	<0.50	<0.50	2.9	--
04/05/01	199.10	194.72	4.38	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/20/01	199.10	194.35	4.75	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
11/26/01	199.10	193.60	5.50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-8341
 3530 MacArthur Boulevard
 Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL♦ (ppb)
MW-3 (cont)										
02/14/02	199.10	194.82	4.28	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/07/02	199.10	194.58	4.52	85	<0.50	<0.50	<0.50	<1.5	610	--
08/02/02	199.10	194.72	4.38	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/11/02	199.10	195.04	4.06	<50	<0.50	<0.50	<0.50	<1.5	4.5	--
02/03/03	199.10	194.02	5.08	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/05/03	199.10	194.50	4.60	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/04/03 ⁴	199.10	194.75	4.35	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
11/19/03 ⁴	199.10	194.86	4.24	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
02/16/04 ⁴	199.10	195.32	3.78	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
06/03/04 ⁴	199.10	193.74	5.36	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
08/20/04 ⁴	199.10	194.75	4.35	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
11/15/04 ⁴	199.10	195.21	3.89	<50	<0.5	<0.5	<0.5	<0.5	2	<50
02/14/05 ⁴	199.10	195.18	3.92	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
TRIP BLANK										
11/01/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/06/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/14/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/17/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/04/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/26/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/18/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
04/15/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
07/22/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/13/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/21/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
07/12/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
10/05/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL♦ (ppb)
TRIP BLANK (cont)										
01/05/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
04/05/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/20/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
QA										
11/26/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/07/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/02/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/11/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/03/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/05/03	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/04/03 ⁴	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/19/03 ⁴	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/16/04 ⁴	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/03/04 ⁴	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/20/04 ⁴	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/15/04 ⁴	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/14/05 ⁴	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and analytical results prior to April 10, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

ND = Not Detected

-- = Not Measured/Not Analyzed

(ppb) = Parts per billion

QA = Quality Assurance/Trip Blank

◆ Ethanol by EPA Method 8260.

¹ Confirmation run.

² Chromatogram report indicates an unidentified hydrocarbon and gas.

³ Chromatogram report indicates an unidentified hydrocarbon.

⁴ BTEX and MTBE by EPA Method 8260.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-8341 Job Number: 386346
 Site Address: 3530 Macarthur Blvd. Event Date: 2/14/05 (inclusive)
 City: Oakland, CA Sampler: C. R.

Well ID: MW-1 Date Monitored: 2/14/05 Well Condition: OK

Well Diameter: 2 in.

Total Depth: 26.82 ft.

Depth to Water: 4.29 ft.

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

22.53 xVF 0.17 = 3.83 x3 case volume = Estimated Purge Volume: 11 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 2 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0730 Weather Conditions: overcast
 Sample Time/Date: 0810 2/14/05 Water Color: Clear Odor: No
 Purging Flow Rate: — gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0738</u>	<u>4</u>	<u>7.11</u>	<u>684</u>	<u>18.6</u>	_____	_____
<u>0743</u>	<u>8</u>	<u>7.08</u>	<u>673</u>	<u>18.5</u>	_____	_____
<u>0752</u>	<u>12</u>	<u>7.07</u>	<u>675</u>	<u>18.5</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-8341 Job Number: 386346
 Site Address: 3530 Macarthur Blvd. Event Date: 2/14/05 (inclusive)
 City: Oakland, CA Sampler: G.R.

Well ID: MW-2 Date Monitored: 2/14/05 Well Condition: OK

Well Diameter: 2 in.

Total Depth: 33.17 ft.

Depth to Water: 3.34 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

29.83 xVF 0.17 = 5.07 x3 case volume = Estimated Purge Volume: 15 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): 0825 Weather Conditions: Overcast
 Sample Time/Date: 0900 2/14/05 Water Color: Clear Odor: No
 Purging Flow Rate: ≈ 1.5 gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0831</u>	<u>5</u>	<u>7.13</u>	<u>684</u>	<u>18.7</u>	_____	_____
<u>0836</u>	<u>10</u>	<u>7.09</u>	<u>681</u>	<u>18.7</u>	_____	_____
<u>0841</u>	<u>15</u>	<u>7.09</u>	<u>689</u>	<u>18.6</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)/ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-8341 Job Number: 386346
 Site Address: 3530 Macarthur Blvd. Event Date: 2/14/05 (inclusive)
 City: Oakland, CA Sampler: G.R.

Well ID: MW-3 Date Monitored: 2/14/05 Well Condition: OK

Well Diameter: 2 in.
 Total Depth: 32.22 ft.
 Depth to Water: 3.92 ft.
28.30 xVF 0.17 = 4.81 x3 case volume = Estimated Purge Volume: 15 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0915 Weather Conditions: Overcast
 Sample Time/Date: 0945 2/14/05 Water Color: Clear Odor: No
 Purging Flow Rate: 21.5 gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0925</u>	<u>5</u>	<u>7.09</u>	<u>674</u>	<u>18.8</u>	_____	_____
<u>0930</u>	<u>10</u>	<u>7.12</u>	<u>667</u>	<u>18.9</u>	_____	_____
<u>0935</u>	<u>15</u>	<u>7.11</u>	<u>669</u>	<u>18.9</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)/ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



021705-04

Acct. #: 10004 For Lancaster Laboratories use only
 Sample #: 4467959-102 SCR#: 932460

Cambria MTI Project #61H-1650

Facility #: 9-8341 G-R#386346 GLOBAL ID# T0600101790
 Site Address: 3530 MacArthur Blvd., Oakland, CA
 Chevron PM: MTI Lead Consultant: CAMBRIABE
 Consultant/Office: G-R Inc, 6747 Sierra Ct, Dublin, CA 94568
 Consultant Prj. Mgr.: Deanna L. Harding deanna@grinc.com
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: G. Regan
 Service Order #: _____ Non SAR: _____

Matrix		Analyses Requested									
		Preservation Codes									
Soil	Water	Oil	Air	Total Number of Containers	8260	8260 Full Scan	Oxygenates	Lead 7420	7421	Ethanol (8260)	
<input type="checkbox"/> Potable <input type="checkbox"/> NPDES											
					<input type="checkbox"/> 8021 <input checked="" type="checkbox"/> 8260 <input checked="" type="checkbox"/> 8260						

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds
 8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	8260	8260 Full Scan	Oxygenates	Lead 7420	7421	Ethanol (8260)
QA	2/14/05					X			2	X					
MW-1		0810	X			X			6	X					X
MW-2		0900	X			X			6	X					X
MW-3		0945	X			X			6	X					X

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 STD. TAT 24 hour
 72 hour
 48 hour
 4 day
 5 day

Data Package Options (please circle if required)
 QC Summary Type 1 — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>2/15/05</u>	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by: <u>[Signature]</u>	Date: <u>2/17/05</u>	Time: <u>1530</u>	Received by: <u>[Signature]</u>	Date: <u>2/17/05</u>	Time: <u>1555</u>
Relinquished by: <u>[Signature]</u>	Date: <u>2/17/05</u>	Time: <u>1530</u>	Received by: <u>[Signature]</u>	Date: <u>2/17/05</u>	Time: _____
Relinquished by Commercial Carrier: UPS <input checked="" type="radio"/> FedEx <input type="radio"/> Other _____	Temperature Upon Receipt: <u>20° 18° c 1.7° 3.4°</u>		Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No	Date: <u>2/15/05</u>	Time: <u>0900</u>



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 932460. Samples arrived at the laboratory on Friday, February 18, 2005. The PO# for this group is 99011184 and the release number is MTI.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-050214	NA Water	4467959
MW-1-W-050214	Grab Water	4467960
MW-2-W-050214	Grab Water	4467961
MW-3-W-050214	Grab Water	4467962

1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Dana M. Kauffman".

Dana M. Kauffman
Group Leader

Lancaster Laboratories Sample No. WW 4467959

QA-T-050214 NA Water
 Facility# 98341 Job# 386346 MTI# 61H-1650 GRD
 3530 MacArthur-Oakland T0600101790 QA
 Collected: 02/14/2005

Account Number: 10904

Submitted: 02/18/2005 09:00
 Reported: 02/27/2005 at 15:41
 Discard: 03/30/2005

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

MBOQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/21/2005 09:32	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/23/2005 14:01	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/21/2005 09:32	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/23/2005 14:01	Ginelle L Haines	n.a.

Lancaster Laboratories Sample No. WW 4467960

 MW-1-W-050214 Grab Water
 Facility# 98341 Job# 386346 MTI# 61H-1650 GRD
 3530 MacArthur-Oakland T0600101790 MW-1
 Collected: 02/14/2005 08:10 by GR

Account Number: 10904

 Submitted: 02/18/2005 09:00
 Reported: 02/27/2005 at 15:41
 Discard: 03/30/2005

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

MBO01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/21/2005 10:30	K. Robert Caulfeild-James	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	02/23/2005 00:14	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/21/2005 10:30	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/23/2005 00:14	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4467961**

MW-2-W-050214 Grab Water
 Facility# 98341 Job# 386346 MTI# 61H-1650 GRD
 3530 MacArthur-Oakland T0600101790 MW-2
 Collected: 02/14/2005 09:00 by GR

Account Number: 10904

Submitted: 02/18/2005 09:00
 Reported: 02/27/2005 at 15:41
 Discard: 03/30/2005

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

MBO02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH						
01587	Ethanol	64-17-5	N.D.	50.		ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	600.	2.		ug/l	4
05401	Benzene	71-43-2	N.D.	0.5		ug/l	1
05407	Toluene	108-88-3	N.D.	0.5		ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5		ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5		ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/20/2005	17:51	K. Robert Caulfeild-James	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	02/23/2005	01:29	Dawn M Harle	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	02/23/2005	01:54	Dawn M Harle	4
01146	GC VOA Water Prep	SW-846 5030B	1	02/20/2005	17:51	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/23/2005	01:29	Dawn M Harle	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/23/2005	01:54	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4467962

MW-3-W-050214 Grab Water
Facility# 98341 Job# 386346 MTI# 61H-1650 GRD
3530 MacArthur-Oakland T0600101790 MW-3
Collected: 02/14/2005 09:45 by GR

Account Number: 10904

Submitted: 02/18/2005 09:00
Reported: 02/27/2005 at 15:41
Discard: 03/30/2005

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677

MBO03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH						
01587	Ethanol	64-17-5	N.D.		50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/20/2005 18:19	K. Robert Caulfeild-James	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	02/23/2005 02:19	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/20/2005 18:19	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/23/2005 02:19	Dawn M Harle	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 02/27/05 at 03:41 PM

Group Number: 932460

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 05051A16A TPH-GRO - Waters	N.D.	50.	ug/l	104	104	70-130	1	30
Batch number: 05051A16B TPH-GRO - Waters	N.D.	50.	ug/l	104	104	70-130	1	30
Batch number: Z050534AA	Sample number(s): 4467960-4467962							
Ethanol	N.D.	50.	ug/l	92		46-145		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	89		77-127		
Benzene	N.D.	0.5	ug/l	91		85-117		
Toluene	N.D.	0.5	ug/l	93		85-115		
Ethylbenzene	N.D.	0.5	ug/l	94		82-119		
Xylene (Total)	N.D.	0.5	ug/l	94		83-113		
Batch number: Z050542AA	Sample number(s): 4467959							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	93		77-127		
Benzene	N.D.	0.5	ug/l	97		85-117		
Toluene	N.D.	0.5	ug/l	99		85-115		
Ethylbenzene	N.D.	0.5	ug/l	99		82-119		
Xylene (Total)	N.D.	0.5	ug/l	98		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05051A16A TPH-GRO - Waters	Sample number(s): 4467961-4467962								
	110		63-154						
Batch number: 05051A16B TPH-GRO - Waters	Sample number(s): 4467959-4467960								
	110		63-154						
Batch number: Z050534AA	Sample number(s): 4467960-4467962								
Ethanol	115	92	33-153	22	30				
Methyl Tertiary Butyl Ether	89	91	69-134	2	30				
Benzene	97	97	83-128	0	30				
Toluene	98	100	83-127	2	30				
Ethylbenzene	100	100	82-129	0	30				
Xylene (Total)	99	99	82-130	0	30				
Batch number: Z050542AA	Sample number(s): 4467959								
Methyl Tertiary Butyl Ether	94	95	69-134	0	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 02/27/05 at 03:41 PM

Group Number: 932460

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Benzene	103	104	83-128	0	30				
Toluene	106	107	83-127	0	30				
Ethylbenzene	106	106	82-129	0	30				
Xylene (Total)	105	105	82-130	0	30				

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05051A16A
 Trifluorotoluene-F

4467961	97
4467962	98
Blank	98
LCS	94
LCSD	96
MS	99

Limits: 70-142

 Analysis Name: TPH-GRO - Waters
 Batch number: 05051A16B
 Trifluorotoluene-F

4467959	98
4467960	100
Blank	102
LCS	94
LCSD	96
MS	99

Limits: 70-142

 Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
 Batch number: Z050534AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4467960	94	92	98	90
4467961	94	95	97	91
4467962	94	97	98	90
Blank	93	92	97	88
LCS	94	94	95	91
MS	93	98	96	93
MSD	95	98	96	93

Limits: 81-120 82-112 85-112 83-113

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: Z050542AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4467959	95	92	96	89

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 02/27/05 at 03:41 PM

Group Number: 932460

Surrogate Quality Control

Blank	95	96	99	89
LCS	93	94	96	93
MS	94	97	96	94
MSD	95	95	97	93
Limits:	81-120	82-112	85-112	83-113

* - Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.