

23490 Connecticut Street
Hayward, CA. 94545
Phone: 510 732-6444
Fax: 510 782-8584

X17

565/411 RO



Fax

To: BARNEY CHAN From: JASON GULBENSEN

Fax: 510 337 9335 Pages (including cover): 25 24

Phone: 567 6765 Date: 4-18-02

Re: PACIFIC ELEC. MOTOR SAMPLE RESULTS

Urgent For Review Please Comment Please Reply Please Recycle

PLANNING TO START SOIL OFF-HAUL MON 4-22.

SIDEWALLS ON WEST LOOK OK

SIDEWALLS ON EAST RANGE FROM 1300, 220, 460, 2200 mg/kg

CLEAN STOCKPILE IS OK

DIRTY STOCKPILE IS HOT


CALL W/ COMMENTS

TRK JMG

BLDG


PROPERTY LINE

* TPH GAS ONLY *
PPM = mg/kg



TPH/B/MTBE

BLDG



PROPERTY LINE

APARTMENTS



TOWARDS 66th AVE

PACIFIC ELECTRIC MOTOR
1009 66th AVE
OAKLAND, CA

NOT TO SCALE

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (108) 588-0200 • Fax (408) 588-0201

FAX COVER SHEET

DATE: 4/17/02

TO: Company: Decon

Attention: Jason Gulbransen

FAX: (510) 782-8584

FROM: Andrea

PAGES (INCLUDING COVER): 22

MEMO: _____

IF THERE ARE ANY PROBLEMS WITH THIS TRANSMISSION, PLEASE CALL (408) 588-0200

Apr. 17. 2002 4:36PM

No. 0013 P. 2/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

April 17, 2002

Jason Gulbransen

Decon Environmental Services, Inc.

23490 Connecticut Street

Hayward, CA 94545

Order: 29605

Date Collected: 04/10/02

Project Name: 3961 - Pacific Elec. Motor

Date Received: 04/10/02

Project Number: 3961 - Pacific Elec. Motor

P.O. Number: 3961 - Pacific Elec. Motor

Project Notes:

On April 10, 2002, samples were received under documented chain of custody. Results for the following analyses are attached:

Matrix	Test	Method
Solid	Composite	Composite
	Gas/BTEX/MIBE	EPA 8013 MOD. (Purgeable)
		EPA 8020
	Lead	EPA 6010B

Chemical analysis of these samples has been completed. Summaries of the data are contained on the following pages. USEPA protocols for sample storage and preservation were followed.

Entech Analytical Labs, Inc. is certified by the State of California (#2346). If you have any questions regarding procedures or results, please call me at 408-588-0200.

Sincerely,


Patti Sandrook
QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:37PM

No.0013 P. 3/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201


Decon Environmental Services, Inc.
 23490 Connecticut Street
 Hayward, CA 94545
 Attn: Jason Gulbransen

Date: 04/17/02
 Date Received: 04/10/02
 Project Name: 3961 - Pacific Elec. Motor
 Project Number: 3961 - Pacific Elec. Motor
 P.O. Number: 3961 - Pacific Elec. Motor
 Sampled By: Client

Certified Analytical Report

Order ID: 29605	Lab Sample ID: 29605-001	Client Sample ID: SW - Southwest								
Sample Time: 9:27 AM	Sample Date: 04/10/02	Matrix: Solid								
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Toluene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Ethyl Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Xylene, o	ND		1	0.025	0.025	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Xylene, m+p	ND		1	0.05	0.05	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							113.3		65 - 135	
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		1	0.25	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							113.3		65 - 135	
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	ND		1	2.5	2.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8015 MOD. (Furgible)
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							106.1		65 - 135	

DF = Dilution Factor ND = Not Detected DLR = Detection Limit Reported PQL = Practical Quantitation Limit
 Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)


 Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:37PM

No.0013 P. 5/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
23490 Connecticut Street
Hayward, CA 94545
Attn: Jason Gulbransen

Date: 04/17/02
Date Received: 04/10/02
Project Name: 3961 - Pacific Elec. Motor
Project Number: 3961 - Pacific Elec. Motor
P.O. Number: 3961 - Pacific Elec. Motor
Sampled By: Client

Certified Analytical Report

Order ID: 29605	Lab Sample ID: 29605-003	Client Sample ID: SW - Northwest								
Sample Time: 9:42 AM	Sample Date: 04/10/02	Matrix: Solid								
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	0.87		10	0.025	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Toluene	3.5		10	0.025	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Ethyl Benzene	4.2		10	0.025	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Xylene, o	6.5		10	0.025	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Xylene, m+p	16		10	0.05	0.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Surrogate						Surrogate Recovery			Control Limits (%)	
4-Bromofluorobenzene						104.7			65 - 135	
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		10	0.25	2.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Surrogate						Surrogate Recovery			Control Limits (%)	
4-Bromofluorobenzene						104.7			65 - 135	
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	130		10	2.5	25	mg/l _p	04/11/02	04/11/02	SGC62395	EPA 8015 MOD. (Purgeable)
Surrogate						Surrogate Recovery			Control Limits (%)	
4-Bromofluorobenzene						111.5			65 - 135	

DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)



Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
 23490 Connecticut Street
 Hayward, CA 94545
 Attn: Jason Gulbransen

Date: 04/17/02
 Date Received: 04/10/02
 Project Name: 3961 - Pacific Elec. Motor
 Project Number: 3961 - Pacific Elec. Motor
 P.O. Number: 3961 - Pacific Elec. Motor
 Sampled By: Client

Certified Analytical Report

Order ID: 29605 Lab Sample ID: 29605-004 Client Sample ID: SW - Northeast
 Sample Time: 7:45 AM Sample Date: 04/10/02 Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	7.6		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Toluene	71		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Ethyl Benzene	29		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Xylene, o	49		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Xylene, m+p	120		100	0.05	5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							97.3		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		100	0.25	25	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							97.3		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	1300		100	2.5	250	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8015 MOD. (Purgeable)
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							107.2		65 - 135	

DF = Dilution Factor ND = Not Detected DLR = Detection Limit Reported PQL = Practical Quantitation Limit
 Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)

[Signature]
 Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:38PM

No. 0013 P. 7/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
 23490 Connecticut Street
 Hayward, CA 94545
 Attn: Jason Gulbransen

Date: 04/17/02
 Date Received: 04/10/02
 Project Name: 3961 - Pacific Elec. Motor
 Project Number: 3961 - Pacific Elec. Motor
 P.O. Number: 3961 - Pacific Elec. Motor
 Sampled By: Client

Certified Analytical Report

Order ID: 29605	Lab Sample ID: 29605-005	Client Sample ID: SW - East North End								
Sample Time: 9:51 AM	Sample Date: 04/10/02	Matrix: Solid								
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	1.4		10	0.025	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Toluene	9.6		10	0.025	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Ethyl Benzene	4.9		10	0.025	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Xylene, o	8.9		10	0.025	0.25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Xylene, m+p	22		10	0.05	0.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Surrogate 4-Bromofluorobenzene							Surrogate Recovery		Control Limits (%)	
							109.1		65 - 135	
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	3.7		10	0.25	2.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Surrogate 4-Bromofluorobenzene							Surrogate Recovery		Control Limits (%)	
							109.1		65 - 135	
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	220		10	2.5	25	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8015 MOD. (Purgeable)
Surrogate 4-Bromofluorobenzene							Surrogate Recovery		Control Limits (%)	
							122.6		65 - 135	


DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)


 Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:38PM

No.0013 P. 8/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
 23490 Connecticut Street
 Hayward, CA 94545
 Attn: Jason Gulbransen

Date: 04/17/02
 Date Received: 04/10/02
 Project Name: 3961 - Pacific Elec. Motor
 Project Number: 3961 - Pacific Elec. Motor
 P.O. Number: 3961 - Pacific Elec. Motor
 Sampled By: Client

Certified Analytical Report


Order ID: 29605	Lab Sample ID: 29605-006	Client Sample ID: SW - East South
Sample Time: 9:57 AM	Sample Date: 04/10/02	Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	5.8		20	0.025	0.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Toluene	40		20	0.025	0.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Ethyl Benzene	14		20	0.025	0.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Xylene, o	23		20	0.025	0.5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Xylene, m+p	59		20	0.05	1	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Surrogate						Surrogate Recovery		Control Limits (%)		
4-Bromofluorobenzene						111.5		65 - 135		

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	32		20	0.25	5	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8020
Surrogate						Surrogate Recovery		Control Limits (%)		
4-Bromofluorobenzene						111.5		65 - 135		

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	460		20	2.5	50	mg/Kg	04/11/02	04/11/02	SGC62395	EPA 8015 MOD. (Purgeable)
Surrogate						Surrogate Recovery		Control Limits (%)		
4-Bromofluorobenzene						120.0		65 - 135		

DF = Dilution Factor ND = Not Detected DLR = Detection Limit Reported PQL = Practical Quantitation Limit
 Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)


 Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:38PM

No.0013 P. 9/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
23490 Connecticut Street
Hayward, CA 94545
Attn: Jason Gulbrausen

Date: 04/17/02
Date Received: 04/10/02
Project Name: 3961 - Pacific Elec. Motor
Project Number: 3961 - Pacific Elec. Motor
P.O. Number: 3961 - Pacific Elec. Motor
Sampled By: Client

Certified Analytical Report

Order ID: 29605

Lab Sample ID: 29605-007

Client Sample ID: SW - Southeast

Sample Time: 10:01 AM

Sample Date: 04/10/02

Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	12		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Toluene	99		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Ethyl Benzene	45		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Xylene, o	77		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Xylene, m+p	190		100	0.05	5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	96.1		65 - 135	
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	36		100	0.25	25	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	96.1		65 - 135	
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	2200		100	2.5	250	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8015 MOD. (Purgeable)
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	125.4		65 - 135	


DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)


Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
 23490 Connecticut Street
 Hayward, CA 94545
 Attn: Jason Gulbransen

Date: 04/17/02
 Date Received: 04/10/02
 Project Name: 3961 - Pacific Elec. Motor
 Project Number: 3961 - Pacific Elec. Motor
 P.O. Number: 3961 - Pacific Elec. Motor
 Sampled By: Client

"Clean" Stockpile

Certified Analytical Report

Order ID: 29605

Lab Sample ID: 29605-008

Client Sample ID: CSP - 1

Sample Time: 10:40 AM

Sample Date: 04/10/02

Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	0.050		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Toluene	0.23		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Ethyl Benzene	0.19		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, o	0.41		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, mtp	0.94		1	0.05	0.05	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							102.6		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		1	0.25	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							102.6		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	16		1	2.5	2.5	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8015 MOD. (Fungible)
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							131.1		65 - 135	

DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)

[Signature]

Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:38PM

No. 0013 P. 11/22

Entech Analytical Labs, Inc.

3334 Victor Court - Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
 23490 Connecticut Street
 Hayward, CA 94545
 Attn: Jason Culbransen

Date: 04/17/02
 Date Received: 04/10/02
 Project Name: 3961 - Pacific Elec. Motor
 Project Number: 3961 - Pacific Elec. Motor
 P.O. Number: 3961 - Pacific Elec. Motor
 Sampled By: Client

Certified Analytical Report

Order ID: 29605

Lab Sample ID: 29605-009

Client Sample ID: CSP - 2

Sample Time: 10:48 AM

Sample Date: 04/10/02

Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Unit	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Toluene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Ethyl Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, o	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, m+p	ND		1	0.05	0.05	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Surrogate 4-Bromofluorobenzene							Surrogate Recovery 118.3		Control Limits (%) 65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Unit	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		1	0.25	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Surrogate 4-Bromofluorobenzene							Surrogate Recovery 118.3		Control Limits (%) 65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Unit	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	ND		1	2.5	2.5	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8015 MOD. (Purgeable)
Surrogate 4-Bromofluorobenzene							Surrogate Recovery 108.1		Control Limits (%) 65 - 135	

DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)


 Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:39PM

No.0013 P. 12/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
23490 Connecticut Street
Hayward, CA 94545
Attn: Jason Gulbransen

Date: 04/17/02
Date Received: 04/10/02
Project Name: 3961 - Pacific Elec. Motor
Project Number: 3961 - Pacific Elec. Motor
P.O. Number: 3961 - Pacific Elec. Motor
Sampled By: Client

Certified Analytical Report

Order ID: 29605

Lab Sample ID: 29605-010

Client Sample ID: CSP - 3

Sample Time: 10:54 AM

Sample Date: 04/10/02

Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Toluene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Ethyl Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, o	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, m+p	ND		1	0.05	0.05	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	114.2		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		1	0.25	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	114.2		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	ND		1	2.5	2.5	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8015 MOD. (Purgeable)
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	111.1		65 - 135	


DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)


Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:39PM

No. 0013 P. 13/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
 23498 Connecticut Street
 Hayward, CA 94545
 Attn: Jason Gulbransen

Date: 04/17/02
 Date Received: 04/10/02
 Project Name: 3961 - Pacific Elec. Motor
 Project Number: 3961 - Pacific Elec. Motor
 P.O. Number: 3961 - Pacific Elec. Motor
 Sampled By: Client

Certified Analytical Report

Order ID: 29605

Lab Sample ID: 29605-011

Client Sample ID: CSP - 4

Sample Time: 10:59 AM

Sample Date: 04/10/02

Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Toluene	0.030		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Ethyl Benzene	0.040		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, o	0.080		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, m+p	0.14		1	0.05	0.05	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Surrogate 4-Bromofluorobenzene							Surrogate Recovery		Control Limits (%)	
							111.4		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		1	0.25	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Surrogate 4-Bromofluorobenzene							Surrogate Recovery		Control Limits (%)	
							111.4		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	5.0		1	2.5	2.5	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8015 MOD. (Purgeable)
Surrogate 4-Bromofluorobenzene							Surrogate Recovery		Control Limits (%)	
							116.4		65 - 135	

DF - Dilution Factor

ND - Not Detected

DLR - Detection Limit Reported

PQL - Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)


 Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:39PM

No. 0013 P. 14/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
23490 Connecticut Street
Hayward, CA 94545
Attn: Jason Gulbransen

Date: 04/17/02
Date Received: 04/10/02
Project Name: 3961 - Pacific Elec. Motor
Project Number: 3961 - Pacific Elec. Motor
P.O. Number: 3961 - Pacific Elec. Motor
Sampled By: Client

Certified Analytical Report

Order ID: 29605

Lab Sample ID: 29605-012

Client Sample ID: CSP - 5

Sample Time: 11:08 AM

Sample Date: 04/10/02

Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Toluene	0.060		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Ethyl Benzene	ND		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, o	0.030		1	0.025	0.025	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, m+p	0.080		1	0.05	0.05	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	112.6		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		1	0.25	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	112.6		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	ND		1	2.5	2.5	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8015 MOD. (Purgeable)
						Surrogate	Surrogate Recovery		Control Limits (%)	
						4-Bromofluorobenzene	106.9		65 - 135	


DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)


Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:39PM

No. 0013 P. 15/22

Entech Analytical Labs, inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
23490 Connecticut Street
Hayward, CA 94545
Attn: Jason Gulbransen

Date: 04/17/02
Date Received: 04/10/02
Project Name: 3961 - Pacific Elec. Motor
Project Number: 3961 - Pacific Elec. Motor
P.O. Number: 3961 - Pacific Elec. Motor
Sampled By: Client

Certified Analytical Report

Order ID: 29605	Lab Sample ID: 29605-017	Client Sample ID: Comp(DSP - East)								
Sample Time:	Sample Date: 04/10/02	Matrix: Solid (X-5 - X-8)								
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	ND		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Toluene	20		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Ethyl Benzene	15		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Xylene, o	30		100	0.025	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Xylene, m+p	71		100	0.05	5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Surrogate						Surrogate Recovery		Control Limits (%)		
4-Bromofluorobenzene						105.2		65 - 135		
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		100	0.25	2.5	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8020
Surrogate						Surrogate Recovery		Control Limits (%)		
4-Bromofluorobenzene						105.2		65 - 135		
Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	660		100	2.5	250	mg/Kg	04/11/02	04/16/02	SGC62395	EPA 8015 MOD. (Purgeable)
Surrogate						Surrogate Recovery		Control Limits (%)		
4-Bromofluorobenzene						128.4		65 - 135		

DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)

Patti Sandbrook
Patti Sandbrook, QA/QC Manager

Environmental Analysis Since 1983

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
 23490 Connecticut Street
 Hayward, CA 94545
 Attn: Jason Gulbransen

Date: 04/17/02
 Date Received: 04/10/02
 Project Name: 3961 - Pacific Elec. Motor
 Project Number: 3961 - Pacific Elec. Motor
 P.O. Number: 3961 - Pacific Elec. Motor
 Sampled By: Client

Certified Analytical Report

Order ID: 29605 Lab Sample ID: 29605-022 Client Sample ID: Comp(DSP - West) *Comp (X-5-X-8)*
 Sample Time: Sample Date: 04/10/02 Matrix: Solid

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Benzene	0.31		10	0.025	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Toluene	8.9		10	0.025	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Ethyl Benzene	11		10	0.025	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, o	20		10	0.025	0.25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Xylene, m+p	46		10	0.05	0.5	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							120.3		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
Methyl-t-butyl Ether	ND		10	0.25	2.5	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8020
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							120.3		65 - 135	

Parameter	Result	Flag	DF	PQL	DLR	Units	Extraction Date	Analysis Date	QC Batch ID	Method
TPH as Gasoline	550		10	2.5	25	mg/Kg	04/11/02	04/12/02	SGC62395	EPA 8015 MOD. (Purgeable)
Surrogate							Surrogate Recovery		Control Limits (%)	
4-Bromofluorobenzene							128.1		65 - 135	

DF = Dilution Factor ND = Not Detected DLR = Detection Limit Reported PQL = Practical Quantitation Limit
 Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)

Patti Sandrock
 Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Apr. 17. 2002 4:40PM

No. 0013 P. 11/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Decon Environmental Services, Inc.
23490 Connecticut Street
Hayward, CA 94545
Attn: Jason Gulbransen

Date: 04/17/02
Date Received: 04/10/02
Project Name: 3961 - Pacific Elec. Motor
Project Number: 3961 - Pacific Elec. Motor
P.O. Number: 3961 - Pacific Elec. Motor
Sampled By: Client

Certified Analytical Report

Order ID: 29605	Lab Sample ID: 29605-017	Client Sample ID: Comp(DSP - East) (X1 X4)							
Sample Time:	Sample Date: 04/10/02	Matrix: Solid							
Parameter	Result	DF	PQL	DLR	Units	Prep Date	Analysis Date	QC Batch ID	Method
Lead	15	5	1	5	mg/Kg	04/12/02	04/16/02	SM8167	EPA 6010B

Order ID: 29605	Lab Sample ID: 29605-022	Client Sample ID: Comp(DSP - West)							
Sample Time:	Sample Date: 04/10/02	Matrix: Solid							
Parameter	Result	DF	PQL	DLR	Units	Prep Date	Analysis Date	QC Batch ID	Method
Lead	8.7	5	1	5	mg/Kg	04/10/02	04/16/02	SM8165B	EPA 6010B

DF = Dilution Factor ND = Not Detected DLR = Detection Limit Reported PQL = Practical Quantitation Limit
Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #2346)

Patti Sandrock
Patti Sandrock, QA/QC Manager

Environmental Analysis Since 1983

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Quality Control Results Summary

QC Batch #: SGC62395
Matrix: Solid

Units: mg/Kg
Date Analyzed: 04/11/02

Parameter	Method	Blank Result	Spike Sample ID	Spike Amount	Sample Result	Spike Result	QC Type	% Recovery	RPD	RPD Limits	Recovery Limits
Test: TPH as Gasoline	EPA 8015	ND		5		5.42	LCS	108.4			65.0 - 135.0
TPH as Gasoline											
Surrogate			Surrogate Recovery		Control Limits (%)						
4-Bromofluorobenzene				108.8				65 - 135			
Test: BTEX											
Benzene	EPA 8020	ND		0.4		.36	LCS	90.0			55.0 - 153.0
Ethyl Benzene	EPA 8020	ND		0.4		.41	LCS	102.5			69.0 - 133.0
Toluene	EPA 8020	ND		0.4		.37	LCS	92.5			56.1 - 127.0
Xylenes, total	EPA 8020	ND		1.2		1.24	LCS	103.3			64.9 - 130.0
Surrogate			Surrogate Recovery		Control Limits (%)						
4-Bromofluorobenzene				117.4				65 - 135			
Test: MTBE by EPA 8020											
Methyl-t-butyl Ether	EPA 8020	ND		0.4		.42	LCS	105.0			65.0 - 135.0
Surrogate			Surrogate Recovery		Control Limits (%)						
4-Bromofluorobenzene				117.4				65 - 135			
Test: TPH as Gasoline	EPA 8015	ND		5		5.95	LCSD	119.0	9.32	30.00	65.0 - 135.0
TPH as Gasoline											
Surrogate			Surrogate Recovery		Control Limits (%)						
4-Bromofluorobenzene				109.1				65 - 135			
Test: BTEX											
Benzene	EPA 8020	ND		0.4		.39	LCSD	97.5	8.00	30.00	55.0 - 153.0
Ethyl Benzene	EPA 8020	ND		0.4		.45	LCSD	112.4	9.30	30.00	69.0 - 133.0
Toluene	EPA 8020	ND		0.4		.40	LCSD	100.0	7.79	30.00	56.1 - 127.0
Xylenes, total	EPA 8020	ND		1.2		1.33	LCSD	110.8	7.00	30.00	64.9 - 130.0
Surrogate			Surrogate Recovery		Control Limits (%)						
4-Bromofluorobenzene				117.1				65 - 135			
Test: MTBE by EPA 8020											
Methyl-t-butyl Ether	EPA 8020	ND		0.4		.45	LCSD	112.5	6.90	30.00	65.0 - 135.0
Surrogate			Surrogate Recovery		Control Limits (%)						
4-Bromofluorobenzene				117.1				65 - 135			

Environmental Analysis Since 1983

Apr. 17. 2002 4:40PM

No. 0013 P. 19/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Quality Control Results Summary

QC Batch #: SM8167
Matrix: SolidUnits: mg/Kg
Date Analyzed: 04/15/02

Parameter	Method	Blank Result	Spike Sample ID	Spike Amount	Sample Result	Spike Result	QC Type	% Recovery	RPD	RPD Limits	Recovery Limits
Cadmium	EPA 6010B	ND		50		41.02	LCS	82.0			75.6 - 108.4
Chromium	EPA 6010B			50		43.14	LCS	86.3			75.0 - 125.0
Lead	EPA 6010B	ND		50		42.42	LCS	84.8			75.0 - 123.0
Nickel	EPA 6010B	ND		50		44.7	LCS	89.4			73.2 - 124.8
Zinc	EPA 6010B	ND		50		41.55	LCS	83.1			79.7 - 104.5
Cadmium	EPA 6010B	ND		50		42.85	LCSD	85.7	4.36	30.00	75.6 - 108.4
Chromium	EPA 6010B	ND		50		45.01	LCSD	90.0	4.24	30.00	75.0 - 125.0
Lead	EPA 6010B	ND		50		44.21	LCSD	88.4	4.13	30.00	75.0 - 123.0
Nickel	EPA 6010B	ND		50		46.68	LCSD	93.4	4.33	30.00	73.2 - 124.8
Zinc	EPA 6010B	ND		50		43.31	LCSD	86.6	4.15	30.00	79.7 - 104.5

Environmental Analysis Since 1983

Apr. 17. 2002 4:41PM

No.0013 P. 20/22

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Quality Control Results Summary

QC Batch #: SM8165B
Matrix: SolidUnits: mg/Kg
Date Analyzed: 04/16/02

Parameter	Method	Blank Result	Spike Sample ID	Spike Amount	Sample Result	Spike Result	QC Type	% Recovery	RPD	RPD Limits	Recovery Limits
Lead	EPA 6010B	ND		50		45.01	LCS	90.0			75.0 - 123.0
Lead	EPA 6010B	ND		50		46.03	LCSD	92.1	2.24	30.00	75.0 - 123.0

Environmental Analysis Since 1983

JOB NUMBER AND NAME:

3261 - Pacific Elec. Motor

REPORT AND BILL TO:

DECON Environmental Services, Inc.
23490 Connecticut Street
Wayward, CA 94545
(910) 722-6446

TURNAROUND TIME:

5-DAY

SAMPLES: (9) (10) (11) (12) (13) (14) (15) (16)

DATE: 4-18-02

SAMPLE ID# / STATION	SAMPLE DESCRIPTION	CONTAINERS NUMBER	TYPE	SAMPLING TIME/DATE	TYPICAL	COMPOSITE AS PER	ANALYSIS REQUESTED		REMARKS
							LEAD	OTHER	
SW-Southwest	SOIL	9' bgs	1	G	4-18-02 0927	X			
SW-West End	"	9' bgs	1	G	0932	X			
SW-Northwest	"	9' bgs	1	G	0942	X			
SW-Northeast	"	9' bgs	1	G	0947	X			
SW-East North End	"	9' bgs	1	G	0957	X			
SW-East South	"	9' bgs	1	G	0957	X			
SW-Southeast	"	8.5' bgs	1	G	1001	X			
CSP-1	" LEAD STOCKPILE SE CORNER	1	G	1048	X				3.5' FROM BTM
CSP-2	" LEAD STOCKPILE NE CORNER	1	G	1048	X				4.5' FROM BTM
CSP-3	" " NW CORNER	1	G	1054	X				3.0' FROM BTM
CSP-4	" " SW CORNER	1	G	1057	X				6.0' FROM BTM
CSP-5	" " TOP MIDDLE	1	G	1108	X				2' FROM TOP
DSP-1	" DIRT STOCKPILE EAST FREEDON	1	G	1126	X				4' FROM BTM
DSP-2	" " "	1	G	1132	X				5' FROM BTM
DSP-3	" " "	1	G	1136	X				5' FROM BTM
DSP-4	" " "	1	G	1143	X				5' FROM BTM

29605-
-002
-003
-004
-005
-006
-007
-008
-009
-010
-011
-012
-013
-014
-015
-016

Composite
AS
ONE

ELIMINATED BY: [Signature]
ELIMINATED BY: [Signature]
ELIMINATED BY: [Signature]

DATE: 4/10 TIME: 14:40
DATE: 4/10 TIME: 14:40-15:40
DATE: TIME:

RECEIVED BY: [Signature]
RECEIVED BY: [Signature]
RECEIVED IN LAB BY:

Laboratory Use Only
Were samples:
preserved/on ice?
in good condition?
labeled?

Yes	No

G = Grab C = Composite W = Wipe

APR-18-2002 THU 05:20 PM DECON ENVIRONMENTAL 510 782 8584 P. 22 No. 0013 P. 21/22

Chain of Custody

DATE 4-10-02 PAGE 2 OF 2

APR-18-2002 THU 05:21 PM DECON ENVIRONMENTAL 510 782 8584 No. 0013 P. 23 2/2/02

IOJ. MGR JASON GULBRANSEN
 COMPANY DECON ENV. SVCS INC
 ADDRESS 28490 GARDENHURST ST
HAYWARD CA 94505
 (PLERS) (SIGNATURE) [Signature] PHONE NO. 510 782-6444 ext 17
 (FAX NO.) 510 782 8584

ANALYSIS REPORT

SAMPLE ID	DATE	TIME	MATRIX	PRESERV.	TPH (EPA 8015, 8020) or Gas w/ R. STEK (MTRIE)	PURGEABLE AROMATICS STEX (EPA 8020)	TPH-Olefin (EPA 8015M)	TPH (EPA 8015M)	TERPENE (EPA 8015M)	Oil Solub. O.M.O. O. Dibor	FURFURALS/ALCOHOLS (EPA 8015)	VOLATILE ORGANICS (VOCs) (EPA 8260)	SEMIVOLATILES (EPA 8270)	TOTAL OIL AND GREASE (EPA 8220 B + F, E + F)	Composite As DSP-NET	PESTICIDES (EPA 8080)	PHAs by O 8270	PHAs by O 8210	Asph. Cond.	TOB O 7705	LIQUID METALS: Cd, Cr, Pb, Ni, Zn	CAN 17 METALS (EPA 8210/8270/8271)	TOTAL LEAD	D.W.B.T. (STLQ)	DTCLP	Elemental Chromium O 8210 (for lead flux for STLQ)	Feet From Btm of	NUMBER OF CONTAINERS			
DSP-5	4-10-02	1152	SOIL	NO	COMPOSITE		29605-018								Composite As DSP-NET																
DSP-6	4-10-02	1205	SOIL	NO				-019																							
DSP-7	4-10-02	1215	SOIL	NO				-020																							
DSP-8	4-10-02	1221	SOIL	NO				-021																							

PROJECT INFORMATION
 PROJECT NAME: Pacific Elec. Motor
 PROJECT NUMBER: 3961
 TOTAL NO. OF CONTAINERS: _____
 HEAD SPACE: _____
 TEMPERATURE: _____
 CONFORMS TO RECORD: STANDARD 5-DAY 24 48 72 OTHER

SAMPLE RECEIPT
 RELINQUISHED BY: [Signature] (DATE) 4-10-02
 PRINTED NAME: JASON GULBRANSEN
 COMPANY: DECON ENV. SVCS INC.
 RECEIVED BY: [Signature] (DATE) 4/10
 PRINTED NAME: Entech
 COMPANY: Entech

SPECIAL INSTRUCTIONS/COMMENTS:
 Reel line Level 2 Level 3 Level 4 Electronic Report

RELINQUISHED BY: [Signature] (DATE) 4/10
 PRINTED NAME: [Signature]
 COMPANY: _____
 RECEIVED BY: [Signature] (DATE) 4/10/02
 PRINTED NAME: ANDY KIERAN
 COMPANY: Entech

RELINQUISHED BY: _____ (DATE) _____
 PRINTED NAME: _____
 COMPANY: _____
 RECEIVED BY (LABORATORY): _____ (DATE) _____
 PRINTED NAME: _____
 COMPANY: _____

PIERS



Environmental Services, Inc.

1330 S. Bascom Ave., Suite F
San Jose, CA 95128

Tel. (408) 559-1248 Fax (408) 559-1224

VIA FAX 510-337-9335

Attn: Public Records Search
Alameda County Environmental Health Department
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

April 19, 2002

RE: File Review Request

PIERS Environmental Services, Inc. is conducting an Environmental Site Assessment in the County of Alameda. I would like to review any files for the addresses listed below. Please contact me at your earliest convenience at (408) 896-1267 to schedule a file review appointment.

Address	Site Name	Information requested
3845 Beacon Ave., Fremont, CA	Unknown	<u>ANY and ALL INFO</u> , incl: HAZ MAT and LUST/ Underground Storage Tank fuel leak files, LOP, most recent groundwater reports.

Thank you in advance for your time and attention.
Sincerely,

Eleanor Ramsey
PIERS Environmental Services