

## Detterman, Mark, Env. Health

---

**From:** Detterman, Mark, Env. Health  
**Sent:** Tuesday, November 12, 2013 5:01 PM  
**To:** 'Flora, Travis'  
**Cc:** 'CMacleod@Chevron.com'  
**Subject:** RE: 91723 DWR Well Request.pdf (RO412; Well Completion Request and Request for Data Gap Work Plan, Focused SCM, Preferential Pathway Survey, and Path to Closure Schedule, or RFC (if appropriate) for 9757 San Leandro St, Oakland)

Travis,

I see that ACPWA did complete the well survey last Friday, November 8th; however, I have extended the due date to February 28, 2014 on Geotracker. That should be sufficient enough time. Please use this email to document the changed date.

Mark Detterman  
Senior Hazardous Materials Specialist, PG, CEG Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502  
Direct: 510.567.6876  
Fax: 510.337.9335  
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

-----Original Message-----

**From:** Flora, Travis [mailto:Travis.Flora@stantec.com]  
**Sent:** Monday, November 11, 2013 10:09 AM  
**To:** Detterman, Mark, Env. Health  
**Subject:** RE: 91723 DWR Well Request.pdf (RO412; Well Completion Request and Request for Data Gap Work Plan, Focused SCM, Preferential Pathway Survey, and Path to Closure Schedule, or RFC (if appropriate) for 9757 San Leandro St, Oakland)

Hi Mark,

I'm following up on the extension request submitted a couple weeks ago. The requested deadline is this Friday, and as described, due to delays with well search data, and also the desire to discuss options with the property owner prior to proposing a path forward, the report will not be ready by this Friday.

Thanks,

Travis L. Flora  
Associate Project Manager  
Phone: (408) 827-3876  
Cell: (408) 458-6320

The content of this email is the confidential property of Stantec and should not be copied, modified, retransmitted, or used for any purpose except with Stantec's written authorization. If you are not the intended recipient, please delete all copies and notify us immediately.

ü Please consider the environment before printing this email.

-----Original Message-----

**From:** Flora, Travis  
**Sent:** Tuesday, 29 October, 2013 15:09  
**To:** 'Detterman, Mark, Env. Health'

Subject: RE: 91723 DWR Well Request.pdf (RO412; Well Completion Request and Request for Data Gap Work Plan, Focused SCM, Preferential Pathway Survey, and Path to Closure Schedule, or RFC (if appropriate) for 9757 San Leandro St, Oakland)

Hi Mark,

The attached correspondence was uploaded to GeoTracker and the ACEH FTP site.

Regards,

Travis L. Flora  
Associate Project Manager  
Phone: (408) 827-3876  
Cell: (408) 458-6320

The content of this email is the confidential property of Stantec and should not be copied, modified, retransmitted, or used for any purpose except with Stantec's written authorization. If you are not the intended recipient, please delete all copies and notify us immediately.

ü Please consider the environment before printing this email.

-----Original Message-----

From: Detterman, Mark, Env. Health [mailto:Mark.Detterman@acgov.org]

Sent: Wednesday, 18 September, 2013 10:42

To: Flora, Travis

Cc: 'CMacleod@Chevron.com'; Roe, Dilan, Env. Health

Subject: RE: 91723 DWR Well Request.pdf (RO412; Well Completion Request and Request for Data Gap Work Plan, Focused SCM, Preferential Pathway Survey, and Path to Closure Schedule, or RFC (if appropriate) for 9757 San Leandro St, Oakland)

Travis,

Sorry for the delay; it's been a bit hectic around here. Regardless, here's the signed DWR form.

Please also forward a signed copy of the Alameda County Dept of Public Works well survey form (available from the ACPWA website) as the two databases are different enough to get interesting results, and thus will capture a more complete well record of the location. Both information sources will help move the case along a Path to Closure. In order to expedite that path, ACEH requests site information be organized when submitted in a limited and focused Site Conceptual Model that identifies site data gaps, evaluates potential conduits (utilities and wells), evaluates the site under the Low Threat Closure Policy, includes a Data Gap Work Plan as needed, and details a Path to Closure Schedule. Initial LTCP reviews of cases are available on Geotracker; ACEH does not believe the site meets the LTCP at this time. However, if you can provide information, reports, and data that fill some of the data gaps that ACEH has identified under the LTCP, ACEH will be able to review it and make any changes to its understanding of the site under the LTCP. This may (or may not) preclude the need for field work. Please see Attachment A (Preferential Pathway and Sensitive Receptor Survey), Attachment B (Site Conceptual Model) and Attachment C (Path to Closure Schedule) for the requisite detail for these items.

If you (Stantec) and Ms. MacLeod would like to come in to discuss this site and other sites that you are managing for Chevron in order to help identify Paths to Closure for the sites, ACEH would be interested. We have been holding a number of meetings that have substantially accelerated work at a number of Chevron sites with other Chevron case managers and their consultants. Let me know and we can arrange a day and time.

#### TECHNICAL REPORT REQUEST

Please upload technical reports to the ACEH ftp site (Attention: Mark Detterman), and to the State Water Resources Control Board's Geotracker website, in accordance with the specified file naming convention below, according to the following schedule:

- November 15, 2013 – Resulting Report  
File to be named RO342\_SCM / WP / RFC\_R\_yyyy-mm-dd (as appropriate)

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Should you have questions, please let me know.

Mark Detterman  
Senior Hazardous Materials Specialist, PG, CEG Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502  
Direct: 510.567.6876  
Fax: 510.337.9335  
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

-----Original Message-----

From: Flora, Travis [mailto:Travis.Flora@stantec.com]  
Sent: Thursday, September 05, 2013 10:47 AM  
To: Detterman, Mark, Env. Health  
Subject: RE: 91723 DWR Well Request.pdf

Hi Mark,  
Will you please sign and return the attached DWR well request form for 9757 San Leandro St., Oakland?

Thanks,  
Travis

-----Original Message-----

From: Flora, Travis  
Sent: Tuesday, 20 August, 2013 09:56  
To: Detterman, Mark, Env. Health (Mark.Detterman@acgov.org)  
Subject: 91723 DWR Well Request.pdf

Hi Mark,  
Will you please sign and return the attached DWR well request form for 9757 San Leandro St., Oakland?

Thanks,

Travis L. Flora  
Project Manager  
Stantec Consulting Services Inc.  
Ph: (408) 356-6124 ext. 238  
Cell: (408) 458-6320

The content of this email is the confidential property of Stantec and should not be copied, modified, retransmitted, or used for any purpose except with Stantec's written authorization. If you are not the intended recipient, please delete all copies and notify us immediately.

ü Please consider the environment before printing this email.