



Chevron

February 27, 1996

Chevron U.S.A. Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 5004
San Ramon, CA 94583-0804

Ms. Eva Chu
Alameda Co. Dept. of Environmental Health
1131 Harbor Bay Pkwy, 2nd Floor
Alameda, CA 94502-6577

Marketing - Northwest Region
Phone 510 842 9500

Re : Former Chevron Service Station 9-1723
9757 San Leandro St., Oakland, California

Dear Ms. Chu :

The enclosed addendum from Groundwater Technology, Inc. dated February 22, 1996 documents the changes to the original work plan dated November 29, 1994. Please review the changes and if the changes meet your approval, please send a letter documenting your approval so that we may proceed with the work. Changes to the original work plan were made because the original site plan was inaccurate. The site plan was revised and the new site plan shows the 1966 underground storage tanks extending beyond the northern fence line as well as the 1947 pump island in San Leandro Blvd. Because of this new information additional boring will be drilled. If you have any questions or comments, please call me at (510) 842-8752.

Sincerely,
Chevron Products Co.

Kenneth Kan
Engineer

LKAN/91723R05

Enclosure

cc : Mr. Kevin Graves, RWQCB-San Francisco Bay Region
2101 Webster St., Suite 500, Oakland, CA 94612

Mr. Ron Hothem, Pacific American Management Co.
369 Broadway, San Francisco, CA 94133

Ms. Bette Owen, Chevron Products Co.

Mr. Jason Fedota, Groundwater Technology, Inc.
1401 Halyard Dr., Suite 140, West Sacramento, CA 95691


3/1/96

- ① Verify samples from 5' only S.S.
samples from 10' only S.S. (and/or GW)
" " 15' soil and GW samples.
- ② Are extra copies to go to people on c.c. list?

05 FEB 28 PM 3:04

75





GROUNDWATER TECHNOLOGY®

Groundwater Technology, Inc.

1401 Halyard Drive, Suite 140, West Sacramento, CA 95691 USA
Tel: (916) 372-4700 Fax: (916) 372-8781

February 22, 1996

Mr. Kenneth Kan
Chevron U.S.A. Products Company
6001 Bollinger Canyon Road, Building L
San Ramon, California 94583

Subject: Addendum to *Work Plan for Additional Soil and Groundwater Assessment (11/29/94)*
Former Chevron Service Station No. 9-1723
9757 San Leandro Boulevard
Oakland, California
GTI Project 02070 0080


Dear Mr. Kan:

Groundwater Technology, Inc. submits this letter as an addendum to the original *Work Plan for Additional Soil and Groundwater Assessment*, dated November 29, 1994, at the former Chevron service station located at 9757 San Leandro Boulevard in Oakland, California (Figure 1, Attachment 1). Changes to the original scope of work have been made in response to a revised Site Map based on additional information provided to Groundwater Technology by Chevron. As you requested, changes to the scope of work include the following:


- Elimination of the two off-site borings and the groundwater monitoring wells to be installed in each of these borings
- Addition of 7 on-site soil borings and repositioning of the 16 initially proposed on-site soil borings, as shown on the revised Site Plan (Figure 1). These borings will be drilled to depths of 5 to 15 feet below ground surface (BGS)


Please forward these changes on to Ms. Eva Chu at the Alameda County Department of Environmental Health. Please contact our West Sacramento office at 916-372-4700 if you have questions or comments about this work plan.


Sincerely,
Groundwater Technology, Inc.
Submitted by:


Brian McAloon
Associate Geologist

Groundwater Technology, Inc.
Approved by:


Jason M. Fedota
Lead Geologist
Project Manager



Ed K. Simonis, R.G.
Senior Geologist



Attachments
1. Site Plan 1947/1966/1968 (Revised)

0080ADD.LTR (CHV-107)

Attachment 1
Site Plan 1947/1966/1968 (Revised)




LEGEND

- ⊕ MONITORING WELL
- ⊙ SOIL BORING
- ⊕ PROPOSED SOIL BORING (5-FOOT DEPTH)
- ⊕ PROPOSED SOIL BORING (10-FOOT DEPTH)
- ⊕ PROPOSED SOIL BORING (15-FOOT DEPTH)

- 1966 STRUCTURES AND PROPERTY LINE
- - - 1966 STRUCTURES AND PROPERTY LINE
- - - 1947 STRUCTURES AND PROPERTY LINE

NOTES:

1. STATION BUILDINGS, PUMPS AND TANKS HAVE BEEN REMOVED.
2. SITE IS CURRENTLY USED AS A PARKING LOT FOR AUTOMOBILE REPAIR SHOP (SOUTHERN HALF), AND FOR TRAILER PARKING (NORTHERN HALF).
3. LOCATION OF 1966 UNDERGROUND STORAGE TANKS AND 1947 & 1966 PRODUCT LINES ARE UNKNOWN AT THIS TIME.



		0 FEET SCALE 20	
SITE PLAN 1947/1966/1968			
CLIENT: CHEVRON U.S.A. PRODUCTS CO. SERVICE STATION NO. 9-1723			
LOCATION: 9757 SAN LEANDRO STREET OAKLAND, CALIFORNIA			
ACAD FILE:	SP196	PROJECT NO.:	020700080
REV: 2 - RESCALED ALL SITE LINES			
DES:	CY	DATE:	1/30/96
PM:		PE/RD:	CEI
			FIGURE: 1



Chevron

February 27, 1996

Chevron U.S.A. Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 5004
San Ramon, CA 94583-0804

Ms. Eva Chu
Alameda Co. Dept. of Environmental Health
1131 Harbor Bay Pkwy, 2nd Floor
Alameda, CA 94502-6577

Marketing – Northwest Region
Phone 510 842 9500

Re : Former Chevron Service Station 9-1723
9757 San Leandro St., Oakland, California

Dear Ms. Chu :

The enclosed addendum from Groundwater Technology, Inc. dated February 22, 1996 documents the changes to the original work plan dated November 29, 1994. Please review the changes and if the changes meet your approval, please send a letter documenting your approval so that we may proceed with the work. Changes to the original work plan were made because the original site plan was inaccurate. The site plan was revised and the new site plan shows the 1966 underground storage tanks extending beyond the northern fence line as well as the 1947 pump island in San Leandro Blvd. Because of this new information additional boring will be drilled. If you have any questions or comments, please call me at (510) 842-8752.

Sincerely,
Chevron Products Co.

Kenneth Kan
Engineer

LKAN/91723R05


Enclosure

cc : Mr. Kevin Graves, RWQCB-San Francisco Bay Region
2101 Webster St., Suite 500, Oakland, CA 94612

Mr. Ron Hothem, Pacific American Management Co.
369 Broadway, San Francisco, CA 94133

Ms. Bette Owen, Chevron Products Co.

Mr. Jason Fedota, Groundwater Technology, Inc.
1401 Halyard Dr., Suite 140, West Sacramento, CA 95691



GROUNDWATER TECHNOLOGY®

Groundwater Technology, Inc.

1401 Halyard Drive, Suite 140, West Sacramento, CA 95691 USA
Tel: (916) 372-4700 Fax: (916) 372-8781

February 22, 1996

Mr. Kenneth Kan
Chevron U.S.A. Products Company
6001 Bollinger Canyon Road, Building L
San Ramon, California 94583

Subject: Addendum to *Work Plan for Additional Soil and Groundwater Assessment (11/29/94)*
Former Chevron Service Station No. 9-1723
9757 San Leandro Boulevard
Oakland, California
GTI Project 02070 0080


Dear Mr. Kan:

Groundwater Technology, Inc. submits this letter as an addendum to the original *Work Plan for Additional Soil and Groundwater Assessment*, dated November 29, 1994, at the former Chevron service station located at 9757 San Leandro Boulevard in Oakland, California (Figure 1, Attachment 1). Changes to the original scope of work have been made in response to a revised Site Map based on additional information provided to Groundwater Technology by Chevron. As you requested, changes to the scope of work include the following:


- Elimination of the two off-site borings and the groundwater monitoring wells to be installed in each of these borings
- Addition of 7 on-site soil borings and repositioning of the 16 initially proposed on-site soil borings, as shown on the revised Site Plan (Figure 1). These borings will be drilled to depths of 5 to 15 feet below ground surface (BGS)


Please forward these changes on to Ms. Eva Chu at the Alameda County Department of Environmental Health. Please contact our West Sacramento office at 916-372-4700 if you have questions or comments about this work plan.

Sincerely,
Groundwater Technology, Inc.
Submitted by:



Brian McAloon
Associate Geologist

Groundwater Technology, Inc.
Approved by:



Jason M. Fedota
Lead Geologist
Project Manager


Ed K. Simonis, R.G.
Senior Geologist

Attachments
1. Site Plan 1947/1966/1968 (Revised)



Attachment 1
Site Plan 1947/1966/1968 (Revised)




LEGEND

- ⊕ MONITORING WELL
- ⊙ SOIL BORING
- ⊙ PROPOSED SOIL BORING (5-FOOT DEPTH)
- ⊙ PROPOSED SOIL BORING (10-FOOT DEPTH)
- ⊙ PROPOSED SOIL BORING (15-FOOT DEPTH)
- 1966 STRUCTURES AND PROPERTY LINE
- - - 1966 STRUCTURES AND PROPERTY LINE
- - - 1947 STRUCTURES AND PROPERTY LINE

NOTES:

1. STATION BUILDINGS, PUMPS AND TANKS HAVE BEEN REMOVED.
2. SITE IS CURRENTLY USED AS A PARKING LOT FOR AUTOMOBILE REPAIR SHOP (SOUTHERN HALF), AND FOR TRAILER PARKING (NORTHERN HALF).
3. LOCATION OF 1966 UNDERGROUND STORAGE TANKS AND 1947 & 1966 PRODUCT LINES ARE UNKNOWN AT THIS TIME.



	<p style="text-align: center;">GROUNDWATER TECHNOLOGY</p>	<p>0 FEET 20 SCALE</p>
<p>SITE PLAN 1947/1966/1968</p>		
<p>CLIENT: CHEVRON U.S.A. PRODUCTS CO. SERVICE STATION NO. 9-1723</p>		
<p>LOCATION: 9757 SAN LEANDRO STREET OAKLAND, CALIFORNIA</p>		
ACAD FILE:	PROJECT NO.:	
SP196	020700080	
<p>REV: 2 - RESCALED ALL SITE LINES</p>		
DES:	DATE:	FIGURE:
CY	1/30/96	1
PM:	PE/RO:	
	CCL	



Chevron

February 27, 1996

Chevron U.S.A. Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 5004
San Ramon, CA 94583-0804

Ms. Eva Chu
Alameda Co. Dept. of Environmental Health
1131 Harbor Bay Pkwy, 2nd Floor
Alameda, CA 94502-6577

Marketing - Northwest Region
Phone 510 842 9500

Re : Former Chevron Service Station 9-1723
9757 San Leandro St., Oakland, California

Dear Ms. Chu :

The enclosed addendum from Groundwater Technology, Inc. dated February 22, 1996 documents the changes to the original work plan dated November 29, 1994. Please review the changes and if the changes meet your approval, please send a letter documenting your approval so that we may proceed with the work. Changes to the original work plan were made because the original site plan was inaccurate. The site plan was revised and the new site plan shows the 1966 underground storage tanks extending beyond the northern fence line as well as the 1947 pump island in San Leandro Blvd. Because of this new information additional boring will be drilled. If you have any questions or comments, please call me at (510) 842-8752.

Sincerely,
Chevron Products Co.

Kenneth Kan
Engineer

LKAN/91723R05

Enclosure

cc : Mr. Kevin Graves, RWQCB-San Francisco Bay Region
2101 Webster St., Suite 500, Oakland, CA 94612

Mr. Ron Hothem, Pacific American Management Co.
369 Broadway, San Francisco, CA 94133

Ms. Bette Owen, Chevron Products Co.

Mr. Jason Fedota, Groundwater Technology, Inc.
1401 Halyard Dr., Suite 140, West Sacramento, CA 95691



Chevron

February 27, 1996

Chevron U.S.A. Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 5004
San Ramon, CA 94583-0804

Ms. Eva Chu
Alameda Co. Dept. of Environmental Health
1131 Harbor Bay Pkwy, 2nd Floor
Alameda, CA 94502-6577

Marketing – Northwest Region
Phone 510 842 9500

Re : Former Chevron Service Station 9-1723
9757 San Leandro St., Oakland, California

Dear Ms. Chu :

The enclosed addendum from Groundwater Technology, Inc. dated February 22, 1996 documents the changes to the original work plan dated November 29, 1994. Please review the changes and if the changes meet your approval, please send a letter documenting your approval so that we may proceed with the work. Changes to the original work plan were made because the original site plan was inaccurate. The site plan was revised and the new site plan shows the 1966 underground storage tanks extending beyond the northern fence line as well as the 1947 pump island in San Leandro Blvd. Because of this new information additional boring will be drilled. If you have any questions or comments, please call me at (510) 842-8752.

Sincerely,
Chevron Products Co.

Kenneth Kan
Engineer

LKAN/91723R05

Enclosure

cc : Mr. Kevin Graves, RWQCB-San Francisco Bay Region
2101 Webster St., Suite 500, Oakland, CA 94612

Mr. Ron Hothem, Pacific American Management Co.
369 Broadway, San Francisco, CA 94133

Ms. Bette Owen, Chevron Products Co.

Mr. Jason Fedota, Groundwater Technology, Inc.
1401 Halyard Dr., Suite 140, West Sacramento, CA 95691