



RECEIVED

By Alameda County Environmental Health 3:49 pm, Aug 25, 2015

Transmittal

Date: August 24, 2015

Reference No.: 240897

To: Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Subject: Former Shell Service Station, 4411 Foothill Boulevard, Oakland, California

No. of Copies	Description/Title	Drawing No./ Document Ref.	Issue
1	Groundwater Monitoring Report – Second Quarter 2015		

Issued for: Your information As requested Construction Quotation
 Your approval/comments Returned to you For re-submission

Sent by: Overnight courier Same day courier Mailed under separate cover Mail enclosed
 Other: GeoTracker and Alameda County FTP

Remarks:

If you have any questions regarding the contents of this document, please call the GHD project manager Peter Schaefer at (510) 420-3319 or the Shell program manager Perry Pineda at (425) 413-1164.

Copy to: Perry Pineda, Shell Oil Products US

Laura Wong, Phua Management (property owner representative, electronic copy)

Completed by: Peter Schaefer
[Please Print]

Signed: *Peter Schaefer*

Filing: Correspondence File



Mr. Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Shell Oil Products US
Soil and Groundwater Focus Delivery Group
20945 S. Wilmington Avenue
Carson, CA 90810
Tel (425) 413 1164
Fax (425) 413 0988
Email perry.pineda@shell.com
Internet <http://www.shell.com>

Re: **4411 Foothill Boulevard, Oakland, California**
PlaNet Site ID 10059562
PlaNet Project ID 31733
ACEH Case No. RO0000415

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (425) 413-1164 with any questions or concerns.

Sincerely,
Shell Oil Products US

A handwritten signature in black ink, appearing to read "Perry Pineda", is located below the typed name.

Perry Pineda
Senior Environmental Program Manager



Groundwater Monitoring Report – Second Quarter 2015

Former Shell Service Station
4411 Foothill Boulevard
Oakland, California

PlaNNet Site ID	10059562
PlaNNet Project ID	31733
Agency No.	RO0000415

Shell Oil Products US

August 24, 2015

5900 Hollis Street Suite A Emeryville California 94608 USA

240897 | 15.04 | Report No 33

Table of Contents

1.	Introduction.....	1
1.1	Site Information	1
2.	Site Activities, Findings, and Discussion.....	1
2.1	Current Quarter's Activities	1
2.2	Current Quarter's Findings.....	1
2.3	Proposed Activities.....	2

Figure Index

Figure 1	Vicinity Map
Figure 2	Groundwater Contour and Chemical Concentration Map

Table Index

Table 1	Groundwater Data
---------	------------------

Appendices

Appendix A	Blaine Tech Services – Field Notes
Appendix B	TestAmerica Laboratories, Inc. – Analytical Report

1. Introduction

GHD Services Inc. (GHD) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell).

1.1 Site Information

Site Address	4411 Foothill Boulevard, Oakland
Site Use	Strip Mall
Shell Project Manager	Perry Pineda
GHD Project Manager	Peter Schaefer
Lead Agency and Contact	ACEH, Jerry Wickham
Agency Case No.	RO0000415
Shell PlaNet Site ID	10059562
Shell PlaNet Project ID	31733

Date of most recent agency correspondence was June 15, 2015.

2. Site Activities, Findings, and Discussion

2.1 Current Quarter's Activities

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this Site.

GHD prepared a vicinity map (Figure 1), a groundwater contour and chemical concentration map (Figure 2), and a groundwater data table (Table 1). Blaine's field notes are presented in Appendix A, and the laboratory report is presented in Appendix B.

Conestoga-Rovers & Associates submitted a *Subsurface Investigation Report* on June 5, 2015 detailing a recent off-Site soil vapor investigation. On August 7, 2015, GHD submitted an *Updated Conceptual Site Model and Closure Evaluation*, which recommended obtaining additional information regarding the status of the irrigation well on the 4320 Bond Street, Oakland and the depth of the basement below the building located at 1718 High Street, Oakland in order provide a complete receptor survey and then a formal human health risk assessment to further evaluate potential risks posed by residual constituent of concern impacts.

2.2 Current Quarter's Findings

Groundwater Flow Direction	Generally southerly to westerly
Hydraulic Gradient	0.02
Depth to Water	8.16 to 9.92 feet below top of well casing

2.3 Proposed Activities

Blaine will gauge and sample wells according to the established monitoring program for this Site. This Site is monitored semiannually during the second and fourth quarters, and GHD will issue groundwater monitoring reports semiannually following the sampling events.

All of Which is Respectfully Submitted,


GHD




Peter Schaefer, CEG, CHG




Aubrey K. Cool, PG





Source: TOPO! MAPS




FORMER SHELL SERVICE STATION
 4411 FOOTHILL BOULEVARD
 OAKLAND, CALIFORNIA


240897-15.03
 Aug 18, 2015

VICINITY MAP

FIGURE 1



BASEMENT PRESENCE BASED ON FIELD OBSERVATIONS



Coordinate System:
CA ZONE 6 STATE PLANE
COORD SYSTEM NAD 83



FORMER SHELL SERVICE STATION
4411 FOOTHILL BOULEVARD
OAKLAND, CALIFORNIA
GROUNDWATER CONTOUR AND
CHEMICAL CONCENTRATION MAP - JUNE 3, 2015

240897-15.03
Aug 18, 2015

FIGURE 2

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-1	12/18/1992	---	41,000	3,100	1,100	1,200	8,700	---	---	---	---	---	---	---	---	38.31	9.06	---	---
S-1	05/26/1993	6,000	39,000	1,300	4,700	1,500	7,800	---	---	---	---	---	---	---	---	38.31	---	---	---
S-1	05/28/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.31	12.13	26.18	---
S-1	06/03/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.31	8.89	29.42	---
S-1	06/08/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.31	8.80	29.51	---
S-1	09/21/1993	5,900	34,000	480	5,000	3,800	18,000	---	---	---	---	---	---	---	---	38.31	10.40	27.91	---
S-1	12/14/1993	13,000	25,000	1,100	5,000	2,200	11,000	---	---	---	---	---	---	---	---	38.31	9.66	28.65	---
S-1	03/17/1994	1,600	57,000	1,300	5,400	2,100	11,000	---	---	---	---	---	---	---	---	38.31	8.20	30.11	---
S-1	06/16/1994	3,000	57,000	1,600	6,000	2,000	13,000	---	---	---	---	---	---	---	---	38.31	9.41	28.90	---
S-1	09/22/1994	<250	39,000	1,300	2,100	1,500	7,100	---	---	---	---	---	---	---	---	38.31	11.13	27.18	---
S-1	12/15/1994	3,100 g	30,000	1,100	4,700	1,600	10,000	---	---	---	---	---	---	---	---	38.31	7.15	31.16	---
S-1	03/30/1995	3,100 a,g	30,000 a	1,400 a	4,000 a	1,500 a	11,000 a	---	---	---	---	---	---	---	---	38.31	6.09	32.22	---
S-1	06/20/1995	2,100	28,000	1,100	2,300	1,100	8,300	---	---	---	---	---	---	---	---	38.31	7.30	31.01	---
S-1	09/20/1995	2,600	40,000	840	3,600	1,300	8,600	---	---	---	---	---	---	---	---	38.31	10.02	28.29	---
S-1	12/06/1995	6,400 g	38,000	920	3,200	1,500	9,400	---	---	---	---	---	---	---	---	38.31	11.64	26.67	---
S-1	03/21/1996	---	48,000	700	4,200	1,100	8,600	---	---	---	---	---	---	---	---	38.31	6.87	31.44	---
S-1	09/06/1996	4,100	41,000	830	2,600	2,100	12,000	<250	---	---	---	---	---	---	---	38.31	10.50	27.81	---
S-1	12/19/1996	2,500	40,000	540	3,100	1,900	9,800	920	---	---	---	---	---	---	---	38.31	8.24	30.07	---
S-1	03/17/1997	4,700	42,000	610	2,700	1,700	11,000	3,500	---	---	---	---	---	---	---	38.31	7.26	31.05	---
S-1	06/11/1997	4,000	28,000	540	960	1,300	5,300	220	---	---	---	---	---	---	---	38.31	10.69	27.62	---
S-1 (D)	06/11/1997	3,900	30,000	580	1,000	1,400	5,400	<125	---	---	---	---	---	---	---	38.31	10.69	27.62	---
S-1	09/17/1997	4,400	27,000	310	1,200	1,900	9,000	170	---	---	---	---	---	---	---	38.31	10.26	28.05	---
S-1 (D)	09/17/1997	4,400	27,000	270	1,200	1,900	9,000	170	---	---	---	---	---	---	---	38.31	10.26	28.05	---
S-1	12/11/1997	3,400	21,000	350	820	1,500	6,500	<125	---	---	---	---	---	---	---	38.31	6.96	31.35	---
S-1	03/16/1998	2,500	25,000	250	820	670	5,000	<125	---	---	---	---	---	---	---	38.31	6.00	32.31	---
S-1 (D)	03/16/1998	---	26,000	250	840	720	5,100	<125	---	---	---	---	---	---	---	38.31	6.00	32.31	5.3/3.7
S-1	06/23/1998	230	<1,000	280	14	23	15	6,100	7,800	---	---	---	---	---	---	38.31	6.31	32.00	3.8/2.4
S-1	09/01/1998	2,300	26,000	370	620	1,300	33	1,400	120	---	---	---	---	---	---	38.31	9.17	29.14	1.4/2.6
S-1	12/30/1998	1,970	29,900	174	732	1,680	5,740	182	---	---	---	---	---	---	---	38.31	8.99	29.32	1.6/2.0
S-1	03/30/1999	1,150	14,200	1,360	260	1,070	3,580	<500	90.0	---	---	---	---	---	---	38.31	6.10	32.21	1.2/1.8
S-1	03/31/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.31	7.84	30.47	---
S-1	06/14/1999	4,280	20,200	135	407	825	5,000	705	---	---	---	---	---	---	---	38.31	7.94	30.37	1.4/2.1
S-1	09/30/1999	3,120	18,300	189	531	1,250	4,740	322	---	---	---	---	---	---	---	38.31	10.04	28.27	4.3/2.0
S-1	12/22/1999	444 g	2,450	50.2	97.5	139	458	133	---	---	---	---	---	---	---	38.31	9.42	28.89	1.8/2.3
S-1	03/09/2000	1,200 g	1,230 a	21.2 a	115 a	116 a	411 a	45.1 a	---	---	---	---	---	---	---	38.30	6.21	32.09	2.0/2.9

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-1	06/20/2000	352 g	755	26.0	48.4	43.1	230	71.5	---	---	---	---	---	---	---	38.30	9.18	29.12	2.0/2.4
S-1	09/05/2000	783 g	2,980	43.5	117	168	871	192	---	---	---	---	---	---	---	38.30	10.14	28.16	0.6/0.3
S-1	12/04/2000	238 g	399	5.34	14.6	36.2	106	24.9	---	---	---	---	---	---	---	38.30	10.10	28.20	8.6/9.8
S-1	12/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.30	9.22	29.08	---
S-1	03/08/2001	1,390 g	2,940	49.6	52.9	21.8	749	87.6	---	---	---	---	---	---	---	38.30	5.84	32.46	2.7 b
S-1	06/07/2001	1,400	10,000	120	370	680	2,400	150	---	---	---	---	---	---	---	38.30	8.80	29.50	6.2/2.2
S-1	09/13/2001	<200	240	1.8	8.9	16	53	---	17	---	---	---	---	---	---	38.30	10.25	28.05	7.8/8.9
S-1	11/19/2001	<300	1,400	14	42	110	260	---	27	---	---	---	---	---	---	38.30	9.87	28.43	7.7/7.3
S-1	03/18/2002	<300	7,500	40	370	560	2,000	---	20	---	---	---	---	---	---	38.30	5.08	33.22	5.6/6.1
S-1	06/19/2002	180	1,000	4.7	36	68	250	---	14	---	---	---	---	---	---	38.30	9.26	29.04	---
S-1	09/11/2002	<350	2,100	8.1	68	180	820	---	7.1	---	---	---	---	---	---	38.30	10.54	27.76	6.5
S-1	12/11/2002	<500	4,100	16	93	310	900	---	<20	---	---	---	---	---	---	38.04	9.97	28.07	8.0
S-1	03/11/2003	<1,600	14,000	71	470	1,000	3,300	---	<50	---	---	---	---	---	---	38.04	7.31	30.73	5.2
S-1	06/10/2003	110 g	1,700	7.7	44	190	340	---	4.5	---	---	---	---	---	---	38.04	8.14	29.90	14.0
S-1	09/09/2003	96 g	3,200	11	110	350	1,100	---	5.8	---	---	---	---	---	---	38.04	9.31	28.73	7.5
S-1	12/09/2003	1,000 g	6,000	20	170	530	1,700	---	6.1	---	---	---	---	---	---	38.04	7.24	30.80	28.6
S-1	03/09/2004	300 g	390	5.8	30	67	160	---	5.6	---	---	---	---	---	---	38.04	5.56	32.48	6.4
S-1	06/08/2004	2,500 g	5,600	11	140	660	1,900	---	5.0	---	---	---	---	---	---	38.04	8.82	29.22	30.0
S-1	09/07/2004	130 e	<50	<0.50	<0.50	<0.50	<1.0	---	0.75	<5.0	<2.0	<2.0	<2.0	---	---	38.04	9.84	28.20	14.4
S-1	12/06/2004	Unable to sample		---	---	---	---	---	---	---	---	---	---	---	---	38.04	9.20	28.84	---
S-1	12/15/2004	120 e	560	2.2	26	67	220	---	1.4	---	---	---	---	---	---	38.04	5.39	32.65	31.7
S-1	03/07/2005	460 e	12,000	12	310	830	2,600	---	<5.0	---	---	---	---	---	---	38.04	5.77	32.27	16.1
S-1	06/10/2005	1,200 e	13,000	25	310	1,200	3,300	---	<10	---	---	---	---	---	---	38.04	5.39	32.65	0.17
S-1	07/14/2005	Well destroyed		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S-2	05/28/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.79	9.51	29.28	---
S-2	06/03/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.79	9.51	29.28	---
S-2	06/08/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.79	9.57	29.22	---
S-2	06/29/1993	---	1,300	290	35	38	130	---	---	---	---	---	---	---	---	38.79	---	---	---
S-2	09/21/1993	---	3,300	870	24	190	120	---	---	---	---	---	---	---	---	38.79	10.54	28.25	---
S-2	12/14/1993	---	1,300	400	16	36	27	---	---	---	---	---	---	---	---	38.79	9.76	29.03	---
S-2	03/17/1994	---	4,500	610	27	92	110	---	---	---	---	---	---	---	---	38.79	9.92	28.87	---
S-2 (D)	03/17/1994	---	4,000	610	26	93	120	---	---	---	---	---	---	---	---	38.79	9.92	28.87	---
S-2	06/16/1994	---	2,800	690	45	97	140	---	---	---	---	---	---	---	---	38.79	10.11	28.68	---
S-2	09/22/1994	---	4,000	630	94	64	230	---	---	---	---	---	---	---	---	38.79	10.51	28.28	---

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-2	12/15/1994	---	1,600	450	300	67	130	---	---	---	---	---	---	---	---	38.79	9.12	29.67	---
S-2	03/30/1995	---	8,200 a	2,800 a	190 a	240 a	700 a	---	---	---	---	---	---	---	---	38.79	7.86	30.93	---
S-2	06/20/1995	---	9,600	2,600	160	170	500	---	---	---	---	---	---	---	---	38.79	9.51	29.28	---
S-2	09/20/1995	---	4,200	920	45	98	140	---	---	---	---	---	---	---	---	38.79	10.06	28.73	---
S-2	12/06/1995	---	<5,000	790	67	64	130	---	---	---	---	---	---	---	---	38.79	10.52	28.27	---
S-2	03/21/1996	---	3,700	850	45	96	170	---	---	---	---	---	---	---	---	38.79	8.60	30.19	---
S-2	09/06/1996	---	2,400	500	33	39	84	490	---	---	---	---	---	---	---	38.79	10.50	28.29	---
S-2	12/19/1996	---	1,200	330	15	24	31	430	---	---	---	---	---	---	---	38.79	9.40	29.39	---
S-2	03/17/1997	---	4,100	780	42	110	120	2,200	---	---	---	---	---	---	---	38.79	9.82	28.97	---
S-2	06/11/1997	---	760	120	<5.0	7.0	7.6	900	---	---	---	---	---	---	---	38.79	10.18	28.61	---
S-2	09/17/1997	---	1,500	230	8.6	40	27	480	---	---	---	---	---	---	---	38.79	9.90	28.89	---
S-2	12/11/1997	---	1,300	240	15	33	57	280	---	---	---	---	---	---	---	38.79	8.27	30.52	---
S-2	03/16/1998	---	1,100	830	48	<10	<10	4,700	4,800	---	---	---	---	---	---	38.79	7.97	30.82	7.0/4.3
S-2	06/23/1998	---	720	46	6.8	50	68	50	8.8	---	---	---	---	---	---	38.79	8.20	30.59	4.2/3.8
S-2 (D)	06/23/1998	---	810	49	7.1	50	70	49	8.8	---	---	---	---	---	---	38.79	8.20	30.59	4.2/3.8
S-2	09/01/1998	---	<2,000	170	<20	<20	<20	9,300	12,000	---	---	---	---	---	---	38.79	9.85	28.94	1.9/1.6
S-2	12/30/1998	---	<5,000	369	<50	<50	<50	14,300	---	---	---	---	---	---	---	38.79	9.84	28.95	2.0/1.8
S-2	03/30/1999	---	<2,000	234	<20.0	27.4	36.9	49,200	53,000	---	---	---	---	---	---	38.79	8.41	30.38	2.1/1.8
S-2	03/31/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.79	8.67	30.12	---
S-2	06/14/1999	---	<1,000	175	<10.0	<10.0	11.1	67,500	---	---	---	---	---	---	---	38.79	9.80	28.99	---
S-2	09/30/1999	177 g	678	135	8.22	14.9	25.8	17,100	17,000 a	---	---	---	---	---	---	38.79	10.58	28.21	5.1/4.8
S-2	12/22/1999	142 g	316	55.8	10.1	5.26	10.4	9,410	8,810	---	---	---	---	---	---	38.79	10.13	28.66	9.6/5.2
S-2	03/09/2000	630 g	2,670	1,190 a	62.7	84.1	125	29,200 a	31,400 a	---	---	---	---	---	---	38.78	7.88	30.90	7.6/5.0
S-2	06/20/2000	401 g	<5,000	348	<50.0	50.4	127	35,800	33,900 a	---	---	---	---	---	---	38.78	10.27	28.51	1.9/2.2
S-2	09/05/2000	373 g	<5,000	106	<50.0	<50.0	<50.0	25,800	37,100 a	---	---	---	---	---	---	38.78	10.19	28.59	0.5/1.6
S-2	12/04/2000	1,730 g	<250	4.37	<2.50	<2.50	<2.50	4,500	5,130 a	---	---	---	---	---	---	38.78	10.30	28.48	10.6/9.4
S-2	12/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	38.78	9.66	29.12	---
S-2	03/08/2001	<51.3	<2,500	318	45.7	53.5	88.5	15,500	17,500	---	---	---	---	---	---	38.78	8.57	30.21	2.7 b
S-2	06/07/2001	11,000	18,000	450	170	390	2,200	13,000	18,000	---	---	---	---	---	---	38.78	9.39	29.39	1.1/2.0
S-2	09/13/2001	<5,000	13,000	140	110	350	1,400	---	9,200	---	---	---	---	---	---	38.78	10.34	28.44	11.0/4.5
S-2	11/19/2001	8,700	15,000	71	27	86	330	---	7,500	---	---	---	---	---	---	38.78	9.90	28.88	5.0/3.1
S-2	03/18/2002	14,000	3,700	93	<20	35	100	---	7,500	---	---	---	---	---	---	38.78	9.91	28.87	0.9/4.2
S-2	06/19/2002	<2,000	2,100	92	<10	24	50	---	4,700	---	---	---	---	---	---	38.78	9.98	28.80	---
S-2	09/11/2002	<450	2,100	54	<5.0	19	55	---	1,900	---	---	---	---	---	---	38.78	10.25	28.53	3.5
S-2	12/11/2002	1,900	570	9.4	<2.5	7.2	14	---	1,100	---	---	---	---	---	---	38.47	9.99	28.48	2.0

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-2	03/11/2003	<1,800	2,900	150	5.5	54	84	---	870	---	---	---	---	---	---	38.47	9.25	29.22	2.4
S-2	06/10/2003	840 g	2,200	83	<5.0	22	52	---	970	---	---	---	---	---	---	38.47	9.20	29.27	5.0
S-2	09/09/2003	270 g	1,200	57	<2.5	11	33	---	740	---	---	---	---	---	---	38.47	9.70	28.77	3.7
S-2	12/09/2003	1,900 g	3,100	84	<5.0	45	90	---	660	---	---	---	---	---	---	38.47	9.31	29.16	24.21
S-2	03/09/2004	990 g	1,600	140	<5.0	31	49	---	610	---	---	---	---	---	---	38.47	8.24	30.23	2.6
S-2	06/08/2004	400 g	640	40	<2.5	4.2	6.6	---	460	---	---	---	---	---	---	38.47	9.40	29.07	8.2
S-2	09/07/2004	240 e	<100	6.6	<1.0	1.3	2.3	---	140	450	<4.0	<4.0	<4.0	---	---	38.47	9.78	28.69	2.4
S-2	12/06/2004	140 g	260	26	<1.0	2.0	<2.0	---	270	---	---	---	---	---	---	38.47	9.45	29.02	8.5
S-2	03/07/2005	450 e	2,300	100	<5.0	11	<10	---	570	---	---	---	---	---	---	38.47	7.82	30.65	16.7
S-2	06/10/2005	550 g	<2,500	200	<25	<25	<50	---	630	---	---	---	---	---	---	38.47	8.37	30.10	0.70
S-2	07/14/2005	Well destroyed		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S-3	05/28/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.33	8.45	28.88	---
S-3	06/03/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.33	8.36	28.97	---
S-3	01/19/1900	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.33	8.41	28.92	---
S-3	06/29/1993	---	29,000	1,500	1,800	950	6,200	---	---	---	---	---	---	---	---	37.33	---	---	---
S-3	09/21/1993	---	15,000	900	2,200	2,600	11,000	---	---	---	---	---	---	---	---	37.33	10.08	27.25	---
S-3	12/14/1993	---	20,000	1,100	2,400	1,800	8,500	---	---	---	---	---	---	---	---	37.33	8.80	28.53	---
S-3	03/17/1994	---	14,000	580	190	750	1,700	---	---	---	---	---	---	---	---	37.33	8.34	28.99	---
S-3	06/16/1994	---	20,000	700	690	1,400	4,100	---	---	---	---	---	---	---	---	37.33	9.12	28.21	---
S-3 (D)	06/16/1994	---	19,000	680	560	1,300	3,700	---	---	---	---	---	---	---	---	37.33	---	---	---
S-3	09/22/1994	---	24,000	630	1,100	1,400	5,700	---	---	---	---	---	---	---	---	37.33	10.27	27.06	---
S-3 (D)	09/22/1994	---	25,000	720	1,100	1,500	6,100	---	---	---	---	---	---	---	---	37.33	---	---	---
S-3	12/15/1994	---	18,000	520	800	1,100	4,200	---	---	---	---	---	---	---	---	37.33	7.81	29.52	---
S-3 (D)	12/15/1994	---	23,000	1,000	1,900	2,000	8,600	---	---	---	---	---	---	---	---	37.33	---	---	---
S-3	03/30/1995	---	8,800 a	360 a	730 a	700 a	3,700 a	---	---	---	---	---	---	---	---	37.33	7.06	30.27	---
S-3 (D)	03/30/1995	---	7,600 a	330 a	570 a	600 a	2,600 a	---	---	---	---	---	---	---	---	37.33	---	---	---
S-3	06/20/1995	---	9,600	510	170	960	1,700	---	---	---	---	---	---	---	---	37.33	8.15	29.18	---
S-3 (D)	06/20/1995	---	9,800	500	170	950	1,700	---	---	---	---	---	---	---	---	37.33	---	---	---
S-3	09/20/1995	---	21,000	400	560	1,300	4,600	---	---	---	---	---	---	---	---	37.33	9.32	28.01	---
S-3	12/06/1995	---	24,000	630	1,400	1,400	6,000	---	---	---	---	---	---	---	---	37.33	10.53	26.80	---
S-3 (D)	12/06/1995	---	22,000	630	1,200	1,400	5,500	---	---	---	---	---	---	---	---	37.33	---	---	---
S-3	03/21/1996	---	9,100	290	110	490	1,600	---	---	---	---	---	---	---	---	37.33	7.32	30.01	---
S-3 (D)	03/21/1996	---	11,000	310	250	540	2,100	---	---	---	---	---	---	---	---	37.33	---	---	---
S-3	09/06/1996	---	15,000	440	300	1,100	3,000	500	---	---	---	---	---	---	---	37.33	10.10	27.23	---

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-3 (D)	09/06/1996	---	11,000	490	170	820	1,500	700	---	---	---	---	---	---	---	37.33	---	---	---
S-3	12/19/1996	---	12,000	600	380	850	2,500	380	---	---	---	---	---	---	---	37.33	8.36	28.97	---
S-3 (D)	12/19/1996	---	12,000	590	380	830	2,500	540	---	---	---	---	---	---	---	37.33	8.36	28.97	---
S-3	03/17/1997	---	12,000	520	140	740	1,400	320	---	---	---	---	---	---	---	37.33	8.57	28.76	---
S-3 (D)	03/17/1997	---	9,600	500	100	680	1,100	<250	---	---	---	---	---	---	---	37.33	8.57	28.76	---
S-3	06/11/1997	---	9,600	510	94	740	1,100	410	---	---	---	---	---	---	---	37.33	9.26	28.07	---
S-3	09/17/1997	---	21,000	140	560	1,800	7,200	130	---	---	---	---	---	---	---	37.33	9.62	27.71	---
S-3	12/11/1997	---	24,000	530	970	1,600	6,900	950	---	---	---	---	---	---	---	37.33	7.34	29.99	---
S-3 (D)	12/11/1997	---	29,000	520	1,000	1,600	7,300	970	---	---	---	---	---	---	---	37.33	7.34	29.99	---
S-3	03/16/1998	---	29,000	840	810	1,700	6,000	<250	---	---	---	---	---	---	---	37.33	5.75	31.58	3.0/3.4
S-3	06/23/1998	---	3,800	90	220	240	1,400	<50	---	---	---	---	---	---	---	37.33	5.98	31.35	4.2/2.0
S-3	09/01/1998	---	9,600	480	120	870	1,800	490	<50	---	---	---	---	---	---	37.33	8.98	28.35	1.9/2.8
S-3 (D)	09/01/1998	---	9,200	420	110	800	1,700	110	<50	---	---	---	---	---	---	37.33	8.98	28.35	1.9/2.8
S-3	12/30/1998	---	7,660	240	103	410	834	64.9	---	---	---	---	---	---	---	37.33	9.11	28.22	1.8/1.6
S-3	03/30/1999	---	2,070	195	10.0	<5.00	48.6	354	64.6	---	---	---	---	---	---	37.33	6.95	30.38	1.3/1.5
S-3	03/31/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.33	7.48	29.85	---
S-3	06/14/1999	---	1,250	37.4	17.4	110	109	118	---	---	---	---	---	---	---	37.33	8.85	28.48	---
S-3	09/30/1999	2,020 g	8,270	226	113	686	1,440	184	---	---	---	---	---	---	---	37.33	9.66	27.67	3.5/2.8
S-3	12/22/1999	2,270 g	9,530	207	132	603	1,450	616	---	---	---	---	---	---	---	37.33	9.50	27.83	0.98/0.8
S-3	03/09/2000	1,600 g	2,290 a	84.5 a	17.0 a	104 a	105 a	29.3 a	---	---	---	---	---	---	---	37.30	6.25	31.05	1.0/1.4
S-3	06/20/2000	2,900 g	5,570	117	41.6	395	393	354	---	---	---	---	---	---	---	37.30	9.67	27.63	1.8/2.0
S-3	09/05/2000	1,600 g	6,930	127	85.5	354	535	509	---	---	---	---	---	---	---	37.30	9.49	27.81	1.1/1.9
S-3	12/04/2000	1,460 g	8,390	217	82.4	471	952	436	---	---	---	---	---	---	---	37.30	9.23	28.07	1.1/1.5
S-3	12/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.30	9.23	28.07	---
S-3	03/08/2001	1,720 g	19,400	465	772	1,230	3,830	160	---	---	---	---	---	---	---	37.30	8.17	29.13	1.1 c
S-3	06/07/2001	1,400	12,000	230	110	900	1,100	120	---	---	---	---	---	---	---	37.30	8.78	28.52	0.8/0.9
S-3	09/13/2001	<2,000	32,000	400	880	2,000	7,000	---	<100	---	---	---	---	---	---	37.30	9.93	27.37	3.7/2.9
S-3	11/19/2001	<2,000	26,000	160	210	990	4,100	---	<50	---	---	---	---	---	---	37.30	9.33	27.97	2.9/1.9
S-3	03/18/2002	810	3,800	61	120	130	620	---	5.0	---	---	---	---	---	---	37.30	7.03	30.27	1.1/4.7
S-3	06/19/2002	<500	3,200	48	81	160	360	---	9.4	---	---	---	---	---	---	37.30	8.92	28.38	---
S-3	09/11/2002	<1,100	16,000	230	570	980	3,900	---	<50	---	---	---	---	---	---	37.30	9.54	27.76	3.0
S-3	12/11/2002	<1,500	16,000	130	270	770	3,000	---	<50	---	---	---	---	---	---	36.85	9.23	27.62	1.6
S-3	03/11/2003	<1,500	8,100	29	110	190	1,700	---	<20	---	---	---	---	---	---	36.85	7.32	29.53	3.9
S-3	06/10/2003	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	---	36.85	---	---	---
S-3	09/09/2003	640 g	5,900	44	140	130	1,500	---	4.4	---	---	---	---	---	---	36.85	8.99	27.86	2.2

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-3	12/09/2003	1,500 g	27,000	130	460	550	4,900	---	<20	---	---	---	---	---	---	36.85	7.67	29.18	1.6
S-3	03/09/2004	1,700 g	11,000	24	100	230	3,200	---	<5.0	---	---	---	---	---	---	36.85	6.35	30.50	2.1
S-3	06/08/2004	1,100 g	1,700	11	34	29	420	---	<2.5	---	---	---	---	---	---	36.85	8.25	28.60	0.1
S-3	09/07/2004	310 e	850	13	0.99	23	17	---	7.0	<5.0	<2.0	<2.0	<2.0	---	---	36.85	9.05	27.80	0.1
S-3	12/06/2004	Unable to sample		---	---	---	---	---	---	---	---	---	---	---	---	36.85	7.70	29.15	---
S-3	12/15/2004	270 e	620	1.9	7.8	10	180	---	<0.50	---	---	---	---	---	---	36.85	5.83	31.02	2.4
S-3	03/07/2005	400 e	4,500	<0.50	7.7	30	350	---	<0.50	---	---	---	---	---	---	36.85	4.58	32.27	4.4
S-3	06/10/2005	130 g	850	<0.50	1.3	7.4	53	---	<0.50	---	---	---	---	---	---	36.85	5.40	31.45	0.17
S-3	07/14/2005	Well destroyed		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S-4	03/29/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	39.06	8.37	30.69	---
S-4	03/31/2000	5,780 g	20,900	4,570	272	595	997	4,490	4,450 a	---	---	---	---	---	---	39.06	8.92	30.14	1.8/1.2
S-4	06/20/2000	244 g	19,500	4,590	309	723	1,290	3,740	---	---	---	---	---	---	---	39.06	8.77	30.29	2.7/2.9
S-4	09/05/2000	1,670 g	5,760	841	54.2	162	115	1,040	---	---	---	---	---	---	---	39.06	10.57	28.49	1.3/0.3
S-4	12/04/2000	1,050 g	3,990	949	<10.0	118	48.3	1,120	---	---	---	---	---	---	---	39.06	10.67	28.39	1.1/1.0
S-4	12/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	39.06	10.64	28.42	---
S-4	03/08/2001	5,840 g	20,100	5,210	105	381	281	2,520	---	---	---	---	---	---	---	39.06	8.44	30.62	1.0/0.9
S-4	06/07/2001	3,500	11,000	2,500	86	370	170	2,000	---	---	---	---	---	---	---	39.06	10.57	28.49	0.7/0.6
S-4	09/13/2001	<800	4,200	790	14	110	48	---	690	---	---	---	---	---	---	39.06	11.27	27.79	3.8/3.9
S-4	11/19/2001	<600	2,300	230	4.1	21	22	---	590	---	---	---	---	---	---	39.06	10.83	28.23	3.6/1.6
S-4	03/18/2002	Unable to sample		---	---	---	---	---	---	---	---	---	---	---	---	39.06	8.75	30.31	---
S-4	03/29/2002	---	14,000	1,700	30	280	250	---	960	---	---	---	---	---	---	39.06	8.85 d	30.21	3.0/3.1
S-4	06/19/2002	<1,500	4,700	620	9.5	84	37	---	490	---	---	---	---	---	---	---	10.37 d	---	---
S-4	09/11/2002	280	2,700	280	4.6	23	13	---	410	---	---	---	---	---	---	---	11.14	---	0.6
S-4	12/11/2002	<900	3,300	320	5.7	24	15	---	420	---	---	---	---	---	---	38.69	10.78	27.91	2.2
S-4	03/11/2003	<5,600	12,000	1,900	63	360	280	---	930	---	---	---	---	---	---	38.69	9.31	29.38	1.5
S-4	06/10/2003	3,100 g	13,000	2,400	86	650	380	---	1,100	---	---	---	---	---	---	38.69	9.77	28.92	0.8
S-4	09/09/2003	1,700 g	3,700	510	12	43	43	---	650	---	---	---	---	---	---	38.69	10.78	27.91	0.9
S-4	12/09/2003	390 g	3,900	150	4.2	7.5	13	---	510	---	---	---	---	---	---	38.69	10.20	28.49	0.1
S-4	03/09/2004	3,100 g	13,000	2,500	110	810	1,100	---	1,100	---	---	---	---	---	---	38.69	7.67	31.02	0.7
S-4	06/08/2004	1,400 g	6,100	870	30	120	150	---	420	---	---	---	---	---	---	38.69	10.27	28.42	0.3
S-4	09/07/2004	890 e	3,100	290	6.4	18	14	---	250	140	<10	<10	<10	---	---	38.69	10.91	27.78	0.1
S-4	12/06/2004	670 e	4,900	520	9.9	38	24	---	290	---	---	---	---	---	---	38.69	10.03	28.66	0.2
S-4	03/07/2005	2,900 e	28,000	2,300	130	690	770	---	770	---	---	---	---	---	---	38.69	6.20	32.49	0.2
S-4	06/10/2005	2,700 e	13,000	1,900	81	380	460	---	890	---	---	---	---	---	---	38.69	8.90	29.79	0.15

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-4	07/14/2005	Well destroyed		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S-5	05/31/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.54	---	---
S-5	06/19/2002	<2,000	16,000	2,600	320	180	1,600	---	5,300	---	---	---	---	---	---	---	9.87	---	---
S-5	09/11/2002	<1,200	8,800	1,500	64	89	120	---	5,600	---	---	---	---	---	---	---	10.28	---	0.9
S-5	12/11/2002	<1,000	4,400	280	61	130	130	---	4,000	---	---	---	---	---	---	---	9.87	---	2.9
S-5	03/11/2003	<900	2,300	28	5.6	59	15	---	2,400	---	---	---	---	---	---	38.05	8.26	29.79	1.6
S-5	06/10/2003	620 g	2,400	11	7.2	56	38	---	1,100	---	---	---	---	---	---	38.05	8.51	29.54	0.1
S-5	09/09/2003	660 g	3,700	23	14	44	150	---	440	---	---	---	---	---	---	38.05	9.44	28.61	0.1
S-5	12/09/2003	600 g	12,000	200	80	41	320	---	580	---	---	---	---	---	---	38.05	9.50	28.55	0.4
S-5	03/09/2004	550 g	2,300	130	3.5	6.9	13	---	250	---	---	---	---	---	---	38.05	7.04	31.01	0.2
S-5	06/08/2004	490 g	2,900	11	<2.5	8.9	18	---	120	---	---	---	---	---	---	38.05	8.87	29.18	0.2
S-5	09/07/2004	650 e	3,600	17	11	12	30	---	120	3,700	<10	<10	<10	---	---	38.05	9.45	28.60	0.1
S-5	12/06/2004	460 e	4,700	99	28	14	69	---	180	---	---	---	---	---	---	38.05	8.75	29.30	0.1
S-5	03/07/2005	360 e	4,700	440	<2.5	<2.5	<5.0	---	200	---	---	---	---	---	---	38.05	7.28	30.77	0.1
S-5	06/10/2005	240 e	1,200	1.3	<0.50	<0.50	1.2	---	80	---	---	---	---	---	---	38.05	7.26	30.79	0.25
S-5	07/14/2005	Well destroyed		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S-6	02/22/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.86	8.18	29.68	---
S-6	03/02/2007	1,700	5,100 a	630 a	23	200	110	---	140	280	---	---	---	13	<0.50	37.86	7.73	30.13	---
S-6	05/23/2007	2,600	5,600 f	510	16	11	144	---	72	66	---	---	---	<2.5	<5.0	37.86	8.13	29.73	---
S-6	08/28/2007	6,100 g	13,000 f	650	32	480	242	---	78	320	6.1	<10	<10	<2.5	<5.0	37.86	8.44	29.42	---
S-6	11/13/2007	6,400 g	19,000 f	760	47	500	602	---	68	340	---	---	---	<5.0	<10	37.86	8.78	29.08	---
S-6	02/08/2008	2,200 g	6,800 f	380	14	130	87.0	---	75	200	---	---	---	<2.5	<5.0	37.86	7.06	30.80	---
S-6	05/20/2008	2,900 g	12,000 f	590	21	270	60	---	54	240	---	---	---	<2.5	<5.0	37.86	8.60	29.26	---
S-6	08/12/2008	7,100 g	22,000	890	75	450	1,170	---	71	200	<20	<20	<20	<5.0	<10	37.86	9.21	28.65	---
S-6	12/02/2008	4,600 g	26,000	1,500	170	670	1,500	---	87	260	---	---	---	<5.0	<10	37.86	8.72	29.14	---
S-6	02/05/2009	5,200 g	29,000	1,200	210	910	3,400	---	78	230	---	---	---	<5.0	<10	37.86	9.19	28.67	---
S-6	05/19/2009	1,900 g	8,600	660	22	120	110	---	94	460	---	---	---	<5.0	<10	37.86	8.26	29.60	---
S-6	09/29/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.86	6.70	31.16	---
S-6	12/23/2009	1,800 g	4,800	550	12	38	16	---	170	290	<20	<20	<20	<5.0	<10	37.86	6.01	31.85	---
S-6	03/16/2010	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.86	5.65	32.21	---
S-6	06/21/2010	2,700 g	8,300	360	11	67	56	---	130	250	---	---	---	<2.5	<5.0	37.86	8.89	28.97	---
S-6	12/28/2010	2,200 g	6,100	290	11	60	41	---	49	210	5.5	<4.0	<4.0	<1.0	<2.0	37.86	7.63	30.23	---
S-6	12/23/2011	2,400	12,000	760	24	76	49	---	61	320	<10	<10	<10	<5.0	<5.0	37.86	8.34	29.52	---

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-6	12/28/2012	1,400	6,500	350	12	14	<10	---	68	200	<5.0	<5.0	<5.0	---	---	37.86	6.50	31.36	---
S-6	09/19/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.86	8.53	29.33	---
S-6	12/23/2013	2,600	16,000	970	43	340	260	---	45	200	7.0	<5.0	<5.0	---	---	37.86	8.77	29.09	---
S-6	03/05/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.86	8.57	29.29	---
S-6	06/06/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.86	8.44	29.42	---
S-6	12/08/2014	2,400	12,000	320	15	73	50	---	28	110	<5.0	<5.0	<5.0	---	---	37.86	8.10	29.76	---
S-6	06/03/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.86	8.53	29.33	---
S-7	02/22/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.58	7.39	30.19	---
S-7	03/02/2007	2,500	100,000 a	32,000 a	9,700 a	2,900 a	14,000 a	---	310 a	480	---	---	---	150	<0.50	37.58	7.42	30.16	---
S-7	05/23/2007	3,700	82,000 f,g	24,000	8,100	2,800	13,000	---	190	<200	---	---	---	<10	<20	37.58	8.38	29.20	---
S-7	08/28/2007	4,500 g	96,000 f	23,000	7,000	2,900	12,200	---	190 h	<2,000	<400	<400	<400	<100	<200	37.58	9.32	28.26	---
S-7	11/13/2007	25,000 g	100,000 f	22,000	6,500	3,000	12,400	---	<200	<2,000	---	---	---	<100	<200	37.58	9.60	27.98	---
S-7	02/08/2008	4,000 g	74,000 f	29,000	9,300	3,100	13,700	---	500	<2,000	---	---	---	<100	<200	37.58	6.57	31.01	---
S-7	05/20/2008	1,600 g	69,000 f	20,000	5,500	2,500	9,800	---	260	<2,000	---	---	---	<100	<200	37.58	9.00	28.58	---
S-7	08/12/2008	4,900 g	120,000	25,000	8,400	2,800	11,700	---	<200	<2,000	<400	<400	<400	<100	<200	37.58	9.81	27.77	---
S-7	12/02/2008	4,300 g	120,000	24,000	8,400	3,600	15,000	---	320	<2,000	---	---	---	<100	<200	37.58	9.91	27.67	---
S-7	02/05/2009	3,800 g	99,000	25,000	7,600	2,500	12,000	---	370	<2,000	---	---	---	<100	<200	37.58	9.30	28.28	---
S-7	05/19/2009	3,300 g	64,000	16,000	4,400	2,100	7,100	---	250	<2,000	---	---	---	<100	<200	37.58	8.30	29.28	---
S-7	09/29/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.57	6.13	31.44	---
S-7	12/23/2009	3,900 g	98,000	25,000	7,100	2,100	9,000	---	400	<2000	<400	<400	<400	<100	<200	37.57	5.32	32.25	---
S-7	03/16/2010	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.57	4.82	32.75	---
S-7	06/21/2010	2,400 g	42,000	11,000	2,300	1,300	4,600	---	180	<1,000	---	---	---	<50	<100	37.57	8.19	29.38	---
S-7	12/28/2010	3,500 g	48,000	13,000	3,700	1,800	7,200	---	160	<1,000	<200	<200	<200	<50	<100	37.57	7.05	30.52	---
S-7	12/23/2011	3,200	40,000	11,000	3,300	1,400	6,600	---	<200	<2,000	<200	<200	<200	<100	<100	37.57	8.02	29.55	---
S-7	12/28/2012	2,200	26,000	6,200	2,000	1,000	5,000	---	<100	<2,000	<100	<100	<100	---	---	37.57	5.88	31.69	---
S-7	09/19/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.57	9.08	28.49	---
S-7	12/23/2013	1,600	28,000	9,900	1,200	750	3,300	---	<100	<2,000	<100	<100	<100	---	---	37.57	9.63	27.94	---
S-7	03/05/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.57	8.73	28.84	---
S-7	06/06/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.57	8.96	28.61	---
S-7	12/08/2014	2,500	48,000 j	15,000	2,800	1,400	6,200	---	250	<2,000	<100	<100	<100	---	---	37.57	8.22	29.35	---
S-7	06/03/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.57	9.17	28.40	---
S-8	02/22/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.05	6.65	30.40	---
S-8	03/02/2007	2,300	72,000 a	12,000 a	5,600 a	2,900 a	15,000 a	---	120	230	---	---	---	150	<2.5	37.05	6.60	30.45	---

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-8	05/23/2007	5,800	69,000 f,g	12,000	6,700	3,100	19,500	---	160	280	---	---	---	<10	<20	37.05	7.91	29.14	---
S-8	08/28/2007	6,700 g	69,000 f	11,000	4,800	3,100	16,800	---	170	<1,000	<200	<200	<200	<50	<100	37.05	8.79	28.26	---
S-8	11/13/2007	21,000 g	84,000 f	10,000	5,000	3,300	18,300	---	290	<1,000	---	---	---	<50	<100	37.05	8.93	28.12	---
S-8	02/08/2008	4,500 g	54,000 f	11,000	5,500	3,500	18,200	---	200	<1,000	---	---	---	<50	<100	37.05	6.26	30.79	---
S-8	05/20/2008	2,200 g	67,000 f	10,000	5,400	3,900	19,600	---	160	<1,000	---	---	---	<50	<100	37.05	7.40	29.65	---
S-8	08/12/2008	5,200 g	77,000	9,300	3,200	2,500	14,300	---	210	<1,000	<200	<200	<200	<50	<100	37.05	9.10	27.95	---
S-8	12/02/2008	3,600 g	70,000	9,500	2,700	2,500	12,300	---	290	1,200	---	---	---	<50	<100	37.05	9.39	27.66	---
S-8	02/05/2009	3,500 g	74,000	10,000	3,500	2,600	15,000	---	240	<1,000	---	---	---	<50	<100	37.05	8.75	28.30	---
S-8	05/19/2009	340 g	69,000	8,200	3,700	2,900	14,000	---	<100	<1,000	---	---	---	<50	<100	37.05	7.56	29.49	---
S-8	09/29/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.05	5.82	31.23	---
S-8	12/23/2009	4,400 g	58,000	7,800	2,000	2,100	11,000	---	170	<1000	<200	<200	<200	<50	<100	37.05	7.02	30.03	---
S-8	03/16/2010	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.05	4.26	32.79	---
S-8	06/21/2010	3,900 g	74,000	11,000	3,900	3,000	15,000	---	160	<1,000	---	---	---	<50	<100	37.05	7.77	29.28	---
S-8	12/28/2010	4,900 g	57,000	8,700	2,700	2,900	14,000	---	200	<1,000	<200	<200	<200	<50	<100	37.05	6.93	30.12	---
S-8	12/23/2011	4,300	55,000	9,500	3,000	3,700	15,000	---	<200	<2,000	<200	<200	<200	<100	<100	37.05	8.77	28.28	---
S-8	12/28/2012	3,500	55,000	8,300	2,600	3,600	15,000	---	180	<1,000	<50	<50	<50	---	---	37.05	5.92	31.13	---
S-8	09/19/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.05	9.08	27.97	---
S-8	12/23/2013	2,800	55,000	11,000	2,400	3,400	12,000	---	210	<1,000	<50	<50	<50	---	---	37.05	9.49	27.56	---
S-8	03/05/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.05	8.65	28.40	---
S-8	06/06/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.05	8.68	28.37	---
S-8	12/08/2014	3,000	49,000 i,j	9,300	1,800	2,500	8,900	---	89	<1,000	<50	<50	<50	---	---	37.05	8.49	28.56	---
S-8	06/03/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.05	8.90	28.15	---
S-9	02/22/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.52	7.59	29.93	---
S-9	03/02/2007	1,400	12,000	150	200	1,200	2,500	---	5.8	<50	---	---	---	<5.0	<5.0	37.52	7.30	30.22	---
S-9	05/23/2007	2,300	8,200 f	13	38	2.5 h	1,453	---	5.2 h	<100	---	---	---	<5.0	<10	37.52	8.43	29.09	---
S-9	08/28/2007	2,800 g	9,500 f	21	49	540	789	---	<10	<100	<20	<20	<20	<5.0	<10	37.52	9.59	27.93	---
S-9	11/13/2007	2,100 g	12,000 f	19	35	450	499	---	<10	<100	---	---	---	<5.0	<10	37.52	9.91	27.61	---
S-9	02/08/2008	1,900 g	10,000 f	18	67	1,100	1,451	---	<10	<100	---	---	---	<5.0	<10	37.52	6.40	31.12	---
S-9	05/20/2008	1,500 g	11,000 f	150	770	13,000	17,460	---	<100	<1,000	---	---	---	<50	<100	37.52	8.79	28.73	---
S-9	08/12/2008	2,000 g	9,400	16	59	700	834	---	<10	<100	<20	<20	<20	<5.0	<10	37.52	10.00	27.52	---
S-9	12/02/2008	1,300 g	14,000	10	62	980	1,139	---	<10	<100	---	---	---	<5.0	<10	37.52	10.22	27.30	---
S-9	02/05/2009	1,400 g	6,300	11	33	480	600	---	<10	<100	---	---	---	<5.0	<10	37.52	9.49	28.03	---
S-9	05/19/2009	1,500 g	12,000	11	64	940	880	---	<5.0	<50	---	---	---	<2.5	<5.0	37.52	8.20	29.32	---
S-9	09/29/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.52	5.51	32.01	---

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-9	12/23/2009	200 g	890	1.4	<1.0	16	14	---	<1.0	<10	<2.0	<2.0	<2.0	<0.50	<1.0	37.52	4.61	32.91	---
S-9	03/16/2010	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.52	5.95	31.57	---
S-9	06/21/2010	520 g	1,300	2.4	4.2	180	26	---	<1.0	<10	---	---	---	<0.50	<1.0	37.52	8.29	29.23	---
S-9	12/28/2010	1,100 g	7,200	3.8	12	650	510	---	<5.0	<50	<10	<10	<10	<2.5	<5.0	37.52	7.04	30.48	---
S-9	12/23/2011	1,300	6,500	6.7	16	240	200	---	<4.0	<40	<4.0	<4.0	<4.0	<2.0	<2.0	37.52	8.48	29.04	---
S-9	12/28/2012	490	2,600	3.4	5.6	91	87	---	<1.3	<25	<1.3	<1.3	<1.3	---	---	37.52	5.90	31.62	---
S-9	09/19/2013	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	---	37.52	---	---	---
S-9	12/23/2013	660	4,600	4.1	15	15	130	---	<0.50	<10	<0.50	<0.50	<0.50	---	---	37.52	9.88	27.64	---
S-9	03/05/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.52	9.11	28.41	---
S-9	06/06/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.52	9.19	28.33	---
S-9	12/08/2014	810	3,900	5.1	8.5	11	92	---	<2.5	<50	<2.5	<2.5	<2.5	---	---	37.52	8.70	28.82	---
S-9	06/03/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.52	9.41	28.11	---
S-10	09/22/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.43	4.98	32.45	---
S-10	09/29/2009	<50	320	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	<0.50	<1.0	37.43	5.07	32.36	---
S-10	12/23/2009	<50	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	<2.0	<2.0	<2.0	<0.50	<1.0	37.43	4.48	32.95	---
S-10	03/16/2010	<50	140	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	<0.50	<1.0	37.43	4.47	32.96	---
S-10	06/21/2010	<50	130	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	<0.50	<1.0	37.43	8.28	29.15	---
S-10	12/28/2010	<50	140	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	<2.0	<2.0	<2.0	<0.50	<1.0	37.43	7.09	30.34	---
S-10	12/23/2011	<47	130	<0.50	<0.50	<0.50	<1.0	---	<1.0	<10	<1.0	<1.0	<1.0	<0.50	<0.50	37.43	8.20	29.23	---
S-10	12/28/2012	<48	180	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	<0.50	<0.50	<0.50	---	---	37.43	6.10	31.33	---
S-10	09/19/2013	Well not monitored		---	---	---	---	---	---	---	---	---	---	---	---	37.43	---	---	---
S-10	12/23/2013	<48	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	<0.50	<0.50	<0.50	---	---	37.43	9.15	28.28	---
S-10	06/06/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.43	8.91	28.52	---
S-10	12/08/2014	160 k	73	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	<0.50	<0.50	<0.50	---	---	37.43	7.55	29.88	---
S-10	06/03/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.43	9.01	28.42	---
S-11	09/22/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	36.44	4.50	31.94	---
S-11	09/29/2009	<50	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	<0.50	<1.0	36.44	3.88	32.56	---
S-11	12/23/2009	<50	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	<2.0	<2.0	<2.0	<0.50	<1.0	36.44	3.71	32.73	---
S-11	03/16/2010	<50	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	<0.50	<1.0	36.44	3.30	33.14	---
S-11	06/21/2010	<50	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	<0.50	<1.0	36.44	7.49	28.95	---
S-11	12/28/2010	<50	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	<2.0	<2.0	<2.0	<0.50	<1.0	36.44	5.96	30.48	---
S-11	12/23/2011	<47	<50	<0.50	<0.50	<0.50	<1.0	---	<1.0	<10	<1.0	<1.0	<1.0	<0.50	<0.50	36.44	7.28	29.16	---
S-11	12/28/2012	<48	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	<0.50	<0.50	<0.50	---	---	36.44	5.00	31.44	---

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-11	09/19/2013	Well not monitored		---	---	---	---	---	---	---	---	---	---	---	---	36.44	---	---	---
S-11	12/23/2013	<48	<50	<0.50	<0.50	<0.50	<1.0	---	0.55	<10	<0.50	<0.50	<0.50	---	---	36.44	9.82	26.62	---
S-11	06/06/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	36.44	8.16	28.28	---
S-11	12/08/2014	77 k	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	<0.50	<0.50	<0.50	---	---	36.44	6.72	29.72	---
S-11	06/03/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	36.44	8.28	28.16	---
S-12	09/22/2009	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	36.00	---	---	---
S-12	09/25/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	36.00	5.10	30.90	---
S-12	09/29/2009	91 g	280	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	<0.50	<1.0	36.00	3.62	32.38	---
S-12	12/23/2009	120 g	340	<0.50	<1.0	<1.0	<1.0	---	<1.0	15	<2.0	<2.0	<2.0	<0.50	<1.0	36.00	2.91	33.09	---
S-12	03/16/2010	<50	78	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	<0.50	<1.0	36.00	2.78	33.22	---
S-12	06/21/2010	210 g	380	7.6	<1.0	<1.0	<1.0	---	4.8	50	---	---	---	<0.50	<1.0	36.00	8.48	27.52	---
S-12	12/28/2010	81	410	<0.50	<1.0	<1.0	<1.0	---	<1.0	30	2.4	<2.0	<2.0	<0.50	<1.0	36.00	5.60	30.40	---
S-12	12/23/2011	140	490	<0.50	<0.50	<0.50	<1.0	---	<1.0	14	1.4	<1.0	<1.0	<0.50	<0.50	36.00	7.01	28.99	---
S-12	12/28/2012	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	---	36.00	---	---	---
S-12	09/19/2013	Well not monitored		---	---	---	---	---	---	---	---	---	---	---	---	36.00	---	---	---
S-12	12/23/2013	80	180	<0.50	<0.50	<0.50	<1.0	---	1.7	51	3.7	<0.50	<0.50	---	---	36.00	8.35	27.65	---
S-12	06/06/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	36.00	7.99	28.01	---
S-12	12/08/2014	110	400	<0.50	<0.50	<0.50	<1.0	---	1.2	29	2.5	<0.50	<0.50	---	---	36.00	6.40	29.60	---
S-12	06/03/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	36.00	8.16	27.84	---
S-13	09/06/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.19	9.34	27.85	---
S-13	09/19/2013	---	25,000	210	420	520	7,600	---	<20	<400	<20	<20	<20	---	---	37.19	9.33	27.86	---
S-13	12/23/2013	---	32,000	280	750	1,900	9,000	---	<10	<200	<10	<10	<10	---	---	37.19	9.82	27.37	---
S-13	03/05/2014	---	24,000	220	660	1,300	6,700	---	<20	<400	<20	<20	<20	---	---	37.19	8.85	28.34	---
S-13	06/06/2014	---	45,000 i	300	990	2,500	11,000	---	<20	<400	<20	<20	<20	---	---	37.19	8.81	28.38	---
S-13	12/08/2014	---	19,000	190	380	950	4,000	---	<20	<400	<20	<20	<20	---	---	37.19	8.98	28.21	---
S-13	06/03/2015	---	30,000	210	730	2,200	7,400	---	<50	<1,000	<50	<50	<50	---	---	37.19	9.92	27.27	---
S-14	09/06/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37.14	9.28	27.86	---
S-14	09/19/2013	---	7,600	360	48	140	490	---	8.8	<50	<2.5	<2.5	<2.5	---	---	37.14	9.41	27.73	---
S-14	12/23/2013	---	10,000	620	77	610	670	---	<5.0	<100	<5.0	<5.0	<5.0	---	---	37.14	9.71	27.43	---
S-14	03/05/2014	---	8,000	470	79	450	630	---	<2.5	<50	<2.5	<2.5	<2.5	---	---	37.14	8.63	28.51	---
S-14	06/06/2014	---	6,400 i	270	39	240	370	---	2.9	<50	<2.5	<2.5	<2.5	---	---	37.14	9.08	28.06	---
S-14	12/08/2014	---	8,800	430	58	520	570	---	4.4	<50	<2.5	<2.5	<2.5	---	---	37.14	8.60	28.54	---

Table 1

Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
S-14	06/03/2015	---	9,500	160	28	350	700	---	<5.0	<100	<5.0	<5.0	<5.0	---	---	37.14	9.02	28.12	---
BW-A	09/30/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	10.55	---	2.3
BW-A	12/22/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.52	---	2.2
BW-A	03/09/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	3.99	---	1.5
BW-A	06/20/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.69	---	2.4
BW-A	09/05/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.43	---	1.0
BW-A	12/04/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.96	---	1.3
BW-A	12/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.71	---	---
BW-A	03/08/2001	1,370 g	<2,500	46.6	<25.0	<25.0	<25.0	10,600	11,700	---	---	---	---	---	---	---	6.38	---	0.9/1.4
BW-A	06/07/2001	960	1,100	<10	<10	<10	17	7,200	---	---	---	---	---	---	---	---	9.82	---	3.6/0.8
BW-A	09/13/2001	460	<2,000	<20	<20	<20	<50	---	13,000	---	---	---	---	---	---	---	10.49	---	3.3/1.7
BW-A	11/19/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.89	---	---

Notes:

TPHd = Total petroleum hydrocarbons as diesel by modified EPA Method 8015; after February 22, 2007, analyzed with silica gel cleanup

TPHg = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to September 13, 2001, analyzed by EPA Method 8015 unless otherwise noted

BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B; prior to September 13, 2001, analyzed by EPA Method 8020

MTBE = Methyl tertiary-butyl ether analyzed by method noted

TBA = Tertiary-butyl alcohol analyzed by EPA Method 8260B

DIPE = Di-isopropyl ether analyzed by EPA Method 8260B

ETBE = Ethyl tertiary-butyl ether analyzed by EPA Method 8260B

TAME = Tertiary-amyl methyl ether analyzed by EPA Method 8260B

1,2-DCA = 1,2-Dichloroethane analyzed by EPA Method 8260B

EDB = 1,2-Dibromoethane analyzed by EPA Method 8260B

TOC = Top of casing elevation, in feet relative to mean sea level

GW = Groundwater

DO = Dissolved oxygen

µg/L = Micrograms per liter

ft = Feet

MSL = Mean sea level

mg/L = Milligrams per liter

<x = Not detected at reporting limit x

--- = Not analyzed or not available

x/x = Pre-purge/post-purge DO reading

**Groundwater Data
Former Shell Service Station
4411 Foothill Boulevard, Oakland, California**

Well ID	Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2- DCA (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	---------------	----------------	----------------	----------------	-----------------------	---------------	-----------------	-------------------------------	-----------------------------	-------------------------

a = Sample analyzed outside the EPA recommended holding time.

b = Post-purge DO reading.

c = Pre-purge DO reading.

d = Estimated depth to water.

e = Hydrocarbon reported is in the early diesel range and does not match the laboratory's standard.

f = Analyzed by EPA Method 8015B (M).

g = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard.

Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

h = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

i = Concentration reported is due to the presence of discrete peaks of xylenes.

j = Concentration reported is due to the presence of discrete peak of benzene.

k = Hydrocarbon result partly due to individual peak in quantitation range.

Prior to December 12, 2002, depth to water referenced to top of well box elevation.
 Wells S-1 through S-4 surveyed February 3, 2000 by Virgil Chavez Land Surveying.
 Wells S-1 through S-4 surveyed March 5, 2002 by Virgil Chavez Land Surveying.
 Well S-5 surveyed May 29, 2003 by Virgil Chavez Land Surveying.
 Wells S-6 through S-9 surveyed February 21, 2007 by Virgil Chavez Land Surveying.
 Wells S-6 through S-12 surveyed October 26, 2009 by Virgil Chavez Land Surveying.
 Wells S-13 and S-14 surveyed on September 14, 2013 by Virgil Chavez Land Surveying.

Appendix A

Blaine Tech Services – Field Notes

WELL GAUGING DATA

Project # 150603-ND1 Date 6/3/15 Client Shell

Site 4411 Foothill Blvd. -Oakland, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
S-6	0815	4					8.53	19.44		
S-7	0820	4	odor				9.17	19.40		
S-8	0837	4					8.90	19.68		
S-9	0824	4	odor				9.41	19.57		
S-10	0849	4					9.01	19.57		
S-11	0845	4					8.28	19.65		
S-12	0840	4					8.16	19.68		
S-13	0829	4	odor				9.92	19.30		
S-14	0832	4	odor				9.02	19.29	↓	

SHELL WELL MONITORING DATA SHEET

BTS #: 150603-ND1	Site: 98995746
Sampler: ND	Date: 6/3/15
Well I.D.: S-13	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 19.30	Depth to Water (DTW): 9.92
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.79	

Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
---	--	--

$6.1 \text{ (Gals.)} \times 3 = 18.3 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
0910	61.8	6.94	1041	14	6.1	odor
0912	61.9	6.92	1030	12	12.2	↓
0913	Well dewatered			@	13.0	↓
1120	62.8	6.99	1019	15	GRAB	

Did well dewater? Yes No Gallons actually evacuated: 13 gal

Sampling Date: 6/3/15 Sampling Time: 1125 Depth to Water: 15.22 (2hr.)

Sample I.D.: S-13 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See Col

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 150603-ND1	Site: 98995746
Sampler: ND	Date: 6/3/15
Well I.D.: S-14	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): 19.29	Depth to Water (DTW): 9.02
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.07	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

$\frac{6.7 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{20.7 \text{ Gals.}}{\text{Calculated Volume}}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² + 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² + 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² + 0.163														

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
0859	61.4	7.01	992	9	7.0	odor
0902	61.8	7.01	1001	9	14.0	↓
0902	well dewatered			@	14.0	
1105	62.0	7.08	988	10	GRAB	

Did well dewater? Yes No Gallons actually evacuated: 14 gal.

Sampling Date: 6/3/15 Sampling Time: 1110 Depth to Water: 16.01 (2 hr)

Sample I.D.: S-14 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: see wcl

EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

INCIDENT # 98995746

ADDRESS 4411 Foothill Blvd.

CITY & STATE Oakland, CA

DATE: 6/3/15

Well ID	Observations Upon Arrival				Well Pad / Surface Condition	Well Lock Condition	Note Repairs Made Detailed Explanation of Maintenance Recommended and Performed	Photos of Well Condition	Repair Date and PM Initials
	Manway Cover, Type, Condition & Size	Well Labeled / Painted Properly	Well Cap (Gripper) Condition	Well Lock Condition					
S-6	Standpipe Flush G P 12	Y	G	R	G	R		Y	
S-7	Standpipe Flush G P 12	Y	G	R	G	R		Y	
S-8	Standpipe Flush G P 12	Y	G	R	G	R		Y	
S-9	Standpipe Flush G P 12	Y	G	R	G	R		Y	
S-10	Standpipe Flush G P 12	Y	G	R	G	R		Y	
S-11	Standpipe Flush G P 12	Y	G	R	G	R		Y	
S-12	Standpipe Flush G P 12	Y	G	R	G	R		Y	
S-13	Standpipe Flush G P 12	Y	G	R	G	R		Y	
S-14	Standpipe Flush G P 12	Y	G	R	G	R		Y	
	Standpipe Flush G P	Y	G	R	G	R		Y	
	Standpipe Flush G P	Y	G	R	G	R		Y	
TOTAL # CAPS REPLACED = <u>0</u>									
TOTAL # OF LOCKS REPLACED = <u>0</u>									

Remediation Compound Type (Check boxes that apply)	Condition of Enclosure		Condition of Area Inside Enclosure		Compound Security		Emergency Contact Info Visible		Photos of Drum Condition	Date Drums Removed from Site and PM Initials
	Condition of Enclosure	Labeled Correctly and Writing Legible	Condition of Area Inside Enclosure	Drum Condition	Compound Security	Confirm Drums Related to Environmental	Emergency Contact Info Visible	Drums Located to Minimize Business Interference		
NA										
Building										
Building w/ Fence Comp.	G		G	P	P	N/A	Y	N	Y	
Fenced Compound										
Trailer										
Number of Drums On-site	Y	N	N/A	G	P	N/A	Y	N	Y	

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

Nicholas Daclenberg + Blaine Tech
Print or type Name of Field Personnel & Consultant Company

* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations.
Version 2.4, March 2008

Appendix B
TestAmerica Laboratories, Inc. –
Analytical Report

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Irvine

17461 Derian Ave

Suite 100

Irvine, CA 92614-5817

Tel: (949)261-1022

TestAmerica Job ID: 440-112041-1

Client Project/Site: 4411 Foothill Blvd., Oakland

For:


Conestoga-Rovers & Associates, Inc.

5900 Hollis Street

Suite A

Emeryville, California 94608

Attn: Peter Schaefer



Authorized for release by:

6/18/2015 11:14:49 AM

Heather Clark, Project Manager I

(949)261-1022

heather.clark@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13



Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Client Sample Results	5
Method Summary	7
Lab Chronicle	8
QC Sample Results	9
QC Association Summary	12
Definitions/Glossary	13
Certification Summary	14
Chain of Custody	15
Receipt Checklists	16

Sample Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-112041-1	S-13	Water	06/03/15 11:25	06/05/15 10:15
440-112041-2	S-14	Water	06/03/15 11:10	06/05/15 10:15

1

2

3

4

5

6

7

8

9

10

11

12

13

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Job ID: 440-112041-1

Laboratory: TestAmerica Irvine

Narrative

**Job Narrative
440-112041-1**

Comments

No additional comments.

Receipt

The samples were received on 6/5/2015 10:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 2.0° C, 2.2° C and 2.4° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Client Sample ID: S-13

Date Collected: 06/03/15 11:25

Date Received: 06/05/15 10:15

Lab Sample ID: 440-112041-1

Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	30000		5000		ug/L			06/06/15 03:58	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	99		76 - 132					06/06/15 03:58	100
4-Bromofluorobenzene (Surr)	102		80 - 120					06/06/15 03:58	100
Toluene-d8 (Surr)	103		80 - 128					06/06/15 03:58	100

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	210		50		ug/L			06/06/15 03:58	100
Toluene	730		50		ug/L			06/06/15 03:58	100
Ethylbenzene	2200		50		ug/L			06/06/15 03:58	100
Xylenes, Total	7400		100		ug/L			06/06/15 03:58	100
Methyl-t-Butyl Ether (MTBE)	ND		50		ug/L			06/06/15 03:58	100
tert-Butyl alcohol (TBA)	ND		1000		ug/L			06/06/15 03:58	100
Isopropyl Ether (DIPE)	ND		50		ug/L			06/06/15 03:58	100
Ethyl-t-butyl ether (ETBE)	ND		50		ug/L			06/06/15 03:58	100
Tert-amyl-methyl ether (TAME)	ND		50		ug/L			06/06/15 03:58	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		80 - 120					06/06/15 03:58	100
Dibromofluoromethane (Surr)	99		76 - 132					06/06/15 03:58	100
Toluene-d8 (Surr)	103		80 - 128					06/06/15 03:58	100

Client Sample ID: S-14

Date Collected: 06/03/15 11:10

Date Received: 06/05/15 10:15

Lab Sample ID: 440-112041-2

Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	9500		500		ug/L			06/06/15 04:25	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	100		76 - 132					06/06/15 04:25	10
4-Bromofluorobenzene (Surr)	100		80 - 120					06/06/15 04:25	10
Toluene-d8 (Surr)	104		80 - 128					06/06/15 04:25	10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	160		5.0		ug/L			06/06/15 04:25	10
Toluene	28		5.0		ug/L			06/06/15 04:25	10
Ethylbenzene	350		5.0		ug/L			06/06/15 04:25	10
Xylenes, Total	700		10		ug/L			06/06/15 04:25	10
Methyl-t-Butyl Ether (MTBE)	ND		5.0		ug/L			06/06/15 04:25	10
tert-Butyl alcohol (TBA)	ND		100		ug/L			06/06/15 04:25	10
Isopropyl Ether (DIPE)	ND		5.0		ug/L			06/06/15 04:25	10
Ethyl-t-butyl ether (ETBE)	ND		5.0		ug/L			06/06/15 04:25	10
Tert-amyl-methyl ether (TAME)	ND		5.0		ug/L			06/06/15 04:25	10

TestAmerica Irvine

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Client Sample ID: S-14

Date Collected: 06/03/15 11:10

Date Received: 06/05/15 10:15

Lab Sample ID: 440-112041-2

Matrix: Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
4-Bromofluorobenzene (Surr)	100		80 - 120		06/06/15 04:25	10
Dibromofluoromethane (Surr)	100		76 - 132		06/06/15 04:25	10
Toluene-d8 (Surr)	104		80 - 128		06/06/15 04:25	10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL IRV
8260B/CA_LUFTM S	Volatile Organic Compounds by GC/MS	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022



Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Client Sample ID: S-13

Date Collected: 06/03/15 11:25

Date Received: 06/05/15 10:15

Lab Sample ID: 440-112041-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		100	10 mL	10 mL	259759	06/06/15 03:58	AA	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTV S		100	10 mL	10 mL	259760	06/06/15 03:58	AA	TAL IRV

Client Sample ID: S-14

Date Collected: 06/03/15 11:10

Date Received: 06/05/15 10:15

Lab Sample ID: 440-112041-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	259759	06/06/15 04:25	AA	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTV S		10	10 mL	10 mL	259760	06/06/15 04:25	AA	TAL IRV

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-259759/4

Matrix: Water

Analysis Batch: 259759

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			06/05/15 18:42	1
Toluene	ND		0.50		ug/L			06/05/15 18:42	1
Ethylbenzene	ND		0.50		ug/L			06/05/15 18:42	1
Xylenes, Total	ND		1.0		ug/L			06/05/15 18:42	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			06/05/15 18:42	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			06/05/15 18:42	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			06/05/15 18:42	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			06/05/15 18:42	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			06/05/15 18:42	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		80 - 120		06/05/15 18:42	1
Dibromofluoromethane (Surr)	96		76 - 132		06/05/15 18:42	1
Toluene-d8 (Surr)	104		80 - 128		06/05/15 18:42	1

Lab Sample ID: LCS 440-259759/5

Matrix: Water

Analysis Batch: 259759

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	25.0	24.0		ug/L		96	68 - 130
Toluene	25.0	24.8		ug/L		99	70 - 130
Ethylbenzene	25.0	25.2		ug/L		101	70 - 130
Methyl-t-Butyl Ether (MTBE)	25.0	22.4		ug/L		90	63 - 131
tert-Butyl alcohol (TBA)	250	276		ug/L		110	70 - 130
Isopropyl Ether (DIPE)	25.0	27.0		ug/L		108	58 - 139
Ethyl-t-butyl ether (ETBE)	25.0	22.4		ug/L		90	60 - 136
Tert-amyl-methyl ether (TAME)	25.0	21.8		ug/L		87	57 - 139
m,p-Xylene	25.0	26.2		ug/L		105	70 - 130
o-Xylene	25.0	25.2		ug/L		101	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		80 - 120
Dibromofluoromethane (Surr)	95		76 - 132
Toluene-d8 (Surr)	102		80 - 128

Lab Sample ID: 440-111920-A-7 MS

Matrix: Water

Analysis Batch: 259759

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		25.0	22.5		ug/L		90	66 - 130
Toluene	ND		25.0	23.8		ug/L		95	70 - 130
Ethylbenzene	ND		25.0	24.1		ug/L		97	70 - 130
Methyl-t-Butyl Ether (MTBE)	30		25.0	50.0		ug/L		78	70 - 130
tert-Butyl alcohol (TBA)	20		250	276		ug/L		102	70 - 130
Isopropyl Ether (DIPE)	ND		25.0	24.8		ug/L		99	64 - 138

TestAmerica Irvine

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-111920-A-7 MS
Matrix: Water
Analysis Batch: 259759

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethyl-t-butyl ether (ETBE)	1.4		25.0	22.4		ug/L		84	70 - 130
Tert-amyl-methyl ether (TAME)	ND		25.0	20.7		ug/L		83	68 - 133
m,p-Xylene	ND		25.0	25.0		ug/L		100	70 - 133
o-Xylene	ND		25.0	23.6		ug/L		95	70 - 133
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	99		80 - 120						
Dibromofluoromethane (Surr)	93		76 - 132						
Toluene-d8 (Surr)	102		80 - 128						

Lab Sample ID: 440-111920-A-7 MSD
Matrix: Water
Analysis Batch: 259759

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	ND		25.0	23.7		ug/L		95	66 - 130	5	20
Toluene	ND		25.0	25.0		ug/L		100	70 - 130	5	20
Ethylbenzene	ND		25.0	25.3		ug/L		101	70 - 130	5	20
Methyl-t-Butyl Ether (MTBE)	30		25.0	51.7		ug/L		85	70 - 130	3	25
tert-Butyl alcohol (TBA)	20		250	293		ug/L		109	70 - 130	6	25
Isopropyl Ether (DIPE)	ND		25.0	26.2		ug/L		105	64 - 138	6	25
Ethyl-t-butyl ether (ETBE)	1.4		25.0	22.9		ug/L		86	70 - 130	2	25
Tert-amyl-methyl ether (TAME)	ND		25.0	21.4		ug/L		86	68 - 133	3	30
m,p-Xylene	ND		25.0	26.9		ug/L		108	70 - 133	7	25
o-Xylene	ND		25.0	25.4		ug/L		102	70 - 133	7	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	100		80 - 120								
Dibromofluoromethane (Surr)	95		76 - 132								
Toluene-d8 (Surr)	103		80 - 128								

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 440-259760/4
Matrix: Water
Analysis Batch: 259760

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			06/05/15 18:42	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	96		76 - 132					06/05/15 18:42	1
4-Bromofluorobenzene (Surr)	98		80 - 120					06/05/15 18:42	1
Toluene-d8 (Surr)	104		80 - 128					06/05/15 18:42	1

TestAmerica Irvine

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 440-259760/6

Matrix: Water

Analysis Batch: 259760

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	500	432		ug/L		86	55 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
Dibromofluoromethane (Surr)	96		76 - 132				
4-Bromofluorobenzene (Surr)	99		80 - 120				
Toluene-d8 (Surr)	104		80 - 128				

Lab Sample ID: 440-111920-A-7 MS

Matrix: Water

Analysis Batch: 259760

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	ND		1730	1490		ug/L		84	50 - 145
Surrogate	%Recovery	MS Qualifier	Limits						
Dibromofluoromethane (Surr)	93		76 - 132						
4-Bromofluorobenzene (Surr)	99		80 - 120						
Toluene-d8 (Surr)	102		80 - 128						

Lab Sample ID: 440-111920-A-7 MSD

Matrix: Water

Analysis Batch: 259760

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Volatile Fuel Hydrocarbons (C4-C12)	ND		1730	1670		ug/L		95	50 - 145	11	20
Surrogate	%Recovery	MSD Qualifier	Limits								
Dibromofluoromethane (Surr)	95		76 - 132								
4-Bromofluorobenzene (Surr)	100		80 - 120								
Toluene-d8 (Surr)	103		80 - 128								

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

GC/MS VOA

Analysis Batch: 259759

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-111920-A-7 MS	Matrix Spike	Total/NA	Water	8260B	
440-111920-A-7 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
440-112041-1	S-13	Total/NA	Water	8260B	
440-112041-2	S-14	Total/NA	Water	8260B	
LCS 440-259759/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-259759/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 259760

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-111920-A-7 MS	Matrix Spike	Total/NA	Water	8260B/CA_LUFT MS	
440-111920-A-7 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/CA_LUFT MS	
440-112041-1	S-13	Total/NA	Water	8260B/CA_LUFT MS	
440-112041-2	S-14	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-259760/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-259760/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Certification Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 4411 Foothill Blvd., Oakland

TestAmerica Job ID: 440-112041-1

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-15
Arizona	State Program	9	AZ0671	10-13-15
California	LA Cty Sanitation Districts	9	10256	01-31-16 *
California	State Program	9	2706	06-30-16
Guam	State Program	9	Cert. No. 12.002r	01-23-16
Hawaii	State Program	9	N/A	01-29-16
Nevada	State Program	9	CA015312007A	07-31-15
New Mexico	State Program	6	N/A	01-29-15 *
Northern Mariana Islands	State Program	9	MP0002	01-29-15 *
Oregon	NELAP	10	4005	01-29-16
USDA	Federal		P330-09-00080	06-06-15

* Certification renewal pending - certification considered valid.

TestAmerica Irvine

LAB (LOCATION)



Shell Oil Products Chain Of Custody Record

- CALSCIENCE ()
- P.L. Houston ()
- ENCO ()
- WEST AMERICA (IRVINE)
- OTHER ()

Please Check Appropriate Box:

<input type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SD&CM	<input checked="" type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER	

Print Bill To Contact Name: 240897 Peter Schaefer

INCIDENT # (ENV SERVICES): 9 8 9 9 5 7 4 6

PO # _____ SAP # _____

DATE: 6/3/15

PAGE: 1 of 1

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

SITE ADDRESS: Street and City: 4411 Foothill Boulevard, Oakland, CA

EDF DELIVERABLE TO (Name, Company, Office Location): Anni Kreml, CRA, Emeryville, CA

PHONE NO.: 510-420-3335

E-MAIL: ShellEDF@CRAWorld.com

CONSULTANT PROJECT NO.: 240897-95-11.01

PROJECT CONTACT (Hardcopy or PDF Report to): Bart Gebbie

TELEPHONE: (310) 885-4455 x 103

FAX: (310) 637-5802

E-MAIL: bgebbe@blainetech.com

SAMPLER NAME(S) (Print): Nicholas Drachenberg

LAB USE ONLY

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 7 DAYS 5 DAYS 4 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT JUST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:

1) Please upload the "CRA EQuIS 4-file EDD" to the CRA Website (<http://cralabedupload.craworld.com/equis/default.aspx>) and/or send it to the Shell-US-LabDataManagement@CRAworld.com email folder. 2) Please indicate that you have uploaded the EDD by including "EDD Uploaded to CRA website" in the body of the email used to deliver the final PDF report to the Shell-US-LabDataManagement@CRAworld.com email folder.

Copy final report to Shell.Lab.Billing@craworld.com, ShellEDF@craworld.com, Shell-US-LabDataManagement@CRAworld.com, and pschaefer@CRAWorld.com

Email invoice to Shell.Lab.Billing@craworld.com

Run TPH-D with Silica Gel Clean Up

Matrix Codes - WG (groundwater), WS (surface water), WP (drinking water source), W (Trip or Temp Blank)

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

TEMPERATURE ON RECEIPT: _____

LAB USE ONLY	SAMPLE ID				TIME	MATRIX	PRESERVATIVE					NO. OF CONT.	TPH-GRO, Purgeable (8260B)	TPH-DRO, Extractable (8015M)	BTEX (8260B)	BTEX + MTBE (8260B)	BTEX + MTBE + TBA (8260B)	BTEX + 5 OXYs (MTBE, TBA, DIPE, TAME, ETBE) 8260B	VOCs Full list (8260B)	Single Compound: (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethano (8260B)	Methanol (8015B)	Container PID Readings or Laboratory Notes	
	PROJECT NUMBER	DATE (MDDYY)	SAMPLER INITIALS	WELL ID			HCL	HN03	H2SO4	NONE	OTHER															
WG	150603-ND1	060315	ND	S-13	1125	WG	X				X															
WG			ND	S-14	1110	WG	X				3															



Relinquished by (Signature):	Received by (Signature):	Date: 6/3/15	Time: 1530
Relinquished by (Signature):	Received by (Signature):	Date: 6/4/15	Time: 0940
Relinquished by (Signature):	Received by (Signature):	Date: 6/4/15	Time: 1245

1.3°C John Miller 6-4-15 1600

Fed-EX 6425 6881 7434

6/5/15 10:15 3.6/2.0°C

3.8/2.2°C

4.0/2.4°C

6/19/2015

Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 440-112041-1

Login Number: 112041

List Number: 1

Creator: Blocker, Kristina M

List Source: TestAmerica Irvine

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

