

20-416



GETTLER-RYAN INC.

TRANSMITTAL

Alameda County December 17, 2002

G-R #386509

JAN 07 2003

Environmental Health

TO: Mr. James Brownell
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670

CC: Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: Former Chevron Service Station
#9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	December 11, 2002	Groundwater Monitoring and Sampling Report Fourth Quarter - Event of November 5, 2002

COMMENTS:

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **January 2, 2003**, at which time the final report will be distributed to the following:

- cc: Mr. Amir Gholami, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Alameda, CA 94502
- Mr. Greg Gurss, Gettler-Ryan Inc., 3140 Gold Camp Drive, Suite 170, Rancho Cordova, CA 95670
- Mr. Chuck Headlee, RWQCB - San Francisco Bay Region, 1515 Clay Street, Suite 1400, Oakland, CA 94612
- Ms. Anna Counelis and Tula Gallanes, 109 Casa Vieja, Orinda, CA 94563

Enclosures

trans/9-4930-ks



GETTLER-RYAN INC.

December 11, 2002
G-R Job #386509

Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

Alameda County

JAN 07 2003

Environmental Health

RE: **Fourth Quarter Event of November 5, 2002**
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.


Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Robert C. Mallory
Registered Geologist, No. 7285



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Groundwater Analytical Results - Oxygenate Compounds
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Station #9-4930
 3369 Castro Valley Boulevard
 Castro Valley, California

FIGURE
1

PROJECT NUMBER 386509	REVIEWED BY	DATE November 5, 2002	REVISED DATE
---------------------------------	-------------	--------------------------	--------------

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1													
10/29/93	172.90	166.15	6.75	1,000	11	17	32	110	--	--	--	--	--
02/25/94	172.90	166.80	6.10	250	6.0	1.0	5.0	3.0	--	--	--	--	--
04/04/94	172.90	166.14	6.76	--	--	--	--	--	--	--	--	--	--
04/29/94	172.90	166.35	6.55	--	--	--	--	--	--	--	--	--	--
06/13/94	172.90	166.12	6.78	670	35	3.5	43	3.9	--	0.8	16	14	47
06/30/94	172.90	166.06	6.84	--	--	--	--	--	--	--	--	--	--
07/28/94	172.90	166.03	6.87	--	--	--	--	--	--	--	--	--	--
08/31/94	172.90	166.00	6.90	560	43	9.5	25	5.0	--	1.3	19	13	65
11/11/94	172.90	167.00	5.90	460	53	4.0	50	3.4	--	--	--	--	--
02/01/95	172.90	166.88	6.02	240	25	0.6	4.0	<0.5	--	--	--	--	--
05/18/95	172.90	166.82	6.08	580	42	1.0	53	2.6	--	--	--	--	--
08/22/95	172.90	166.52	6.38	840	73	1.2	110	1.6	--	--	--	--	--
11/01/95	172.90	166.40	6.50	350	36	<0.5	30	<0.5	15	--	--	--	--
01/26/96	172.90	166.85	6.05	210	23	<0.5	12	<0.5	4.7	--	--	--	--
05/08/96	172.90	166.50	6.40	310	42	2.3	56	1.1	52	--	--	--	--
10/03/96	173.53	166.61	6.92	240	31	<0.5	1.7	<0.5	18	--	--	--	--
02/04/97	173.53	167.02	6.51	200	9.9	<0.5	3.7	<0.5	16	--	--	--	--
04/30/97	173.53	166.64	6.89	260	11	<0.5	17	<0.5	13	--	--	--	--
07/22/97	173.53	166.49	7.04	170	5.0	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	173.53	166.55	6.98	230	13	<0.5	7.8	0.68	-- ¹	--	--	--	--
02/11/98	173.53	167.52	6.01	110	3.1	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	173.53	166.72	6.81	170	4.2	1.8	2.1	<0.5	<2.5	--	--	--	--
08/07/98	173.53	167.01	6.52	110	5.2	<0.5	6.7	<0.5	13	--	--	--	--
11/05/98	173.53	166.58	6.95	160	1.8	<0.5	<0.5	0.53	<2.5	--	--	--	--
03/02/99	173.53	166.97	6.56	119	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	173.53	166.89	6.64	153	3.17	<0.5	0.791	<0.5	<5.0	--	--	--	--
08/24/99	173.53	166.40	7.13	96.2	1.38	<0.5	<0.5	<0.5	14.7	--	--	--	--
11/19/99	173.53	166.92	6.61	209	13.1	1.68	12.3	<0.5	3.79	--	--	--	--
02/03/00	173.53	168.30	5.23	95	1.4	<0.5	<0.5	<0.5	15	--	--	--	--
05/03/00	173.53	166.52	7.01	120 ²	0.92	<0.50	<0.50	<0.50	12	--	--	--	--
07/28/00	173.53	166.45	7.08	100 ²	<0.50	<0.50	<0.50	<0.50	21	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1 (cont)													
11/13/00	173.53	169.41	4.12	73.0 ³	1.14	<0.500	<0.500	<0.500	27.0	--	--	--	--
02/15/01	173.53	166.86	6.67	148 ⁴	2.34	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	173.53	166.48	7.05	97 ²	1.5	<0.50	<0.50	<0.50	3.0/2.1 ⁵	--	--	--	--
08/30/01 ⁶	173.53	166.21	7.32	410	4.8	<0.50	1.4	<0.50	--/ <5.0 ⁵	--	--	--	--
11/29/01	173.53	166.78	6.75	180	5.7	<0.50	2.3	<1.5	<2.5	--	--	--	--
02/05/02	173.53	166.73	6.80	120	1.9	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/16/02 ⁷	173.53	166.43	7.10	120	1.00	<0.50	<0.50	<1.5	2.9	--	41	<2	300
08/15/02	173.53	166.42	7.11	110	1.7	<0.50	<0.50	<1.5	<2.5	--	--	--	--
11/05/02	173.53	166.20	7.33	130	1.9	<0.50	<0.50	<1.5	<5.0	--	--	--	--
MW-2													
10/29/93	173.91	166.05	7.86	5,600	140	3.2	17	330	--	--	--	--	--
02/25/94	173.91	166.96	6.95	820	41	<0.5	17	5.0	--	--	--	--	--
04/04/94	173.91	166.18	7.73	--	--	--	--	--	--	--	--	--	--
04/29/94	173.91	166.23	7.68	--	--	--	--	--	--	--	--	--	--
06/13/94	173.91	166.20	7.71	1,100	160	0.8	64	2.0	--	<0.5	0.9	<0.5	2.0
06/30/94	173.91	165.87	8.04	--	--	--	--	--	--	--	--	--	--
07/28/94	173.91	165.99	7.92	--	--	--	--	--	--	--	--	--	--
08/31/94	173.91	165.98	7.93	190	7.1	4.1	3.1	1.2	--	<0.5	1.1	<0.5	4.5
11/11/94	173.91	167.08	6.83	440	120	<1.0	18	<1.0	--	--	--	--	--
02/01/95	173.91	167.77	6.14	240	81	<1.0	<1.0	<1.0	--	--	--	--	--
05/18/95	173.91	166.91	7.00	330	74	<0.5	26	1.3	--	--	--	--	--
08/22/95	173.91	166.58	7.33	390	84	<1.0	2.1	<1.0	--	--	--	--	--
11/01/95	173.91	166.54	7.37	190	46	<0.5	1.6	<0.5	<2.5	--	--	--	--
01/26/96	173.91	168.13	5.78	<50	13	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	173.91	166.76	7.15	<50	4.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
10/03/96	172.67	166.66	6.01	63	4.3	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	172.67	167.40	5.27	<50	1.6	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	172.67	166.74	5.93	<50	5.4	<0.5	0.8	<0.5	<2.5	--	--	--	--
07/22/97	172.67	166.53	6.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	172.67	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)	
MW-2 (cont)														
02/11/98	172.67	167.95	4.72	<50	0.52	0.63	<0.5	<0.5	<2.5	--	--	--	--	
05/08/98	172.67	167.07	5.60	<50	1.1	1.2	<0.5	<0.5	<2.5	--	--	--	--	
08/07/98	172.67	166.33	6.34	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
11/05/98	172.67	166.59	6.08	120	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
03/02/99	172.67	167.41	5.26	67	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	
05/17/99	172.67	167.71	4.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	
08/24/99	172.67	165.33	7.34	<50	1.18	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
11/19/99	172.67	166.84	5.83	<50	4.29	0.907	<0.5	<0.5	<2.5	--	--	--	--	
02/03/00	172.67	167.24	5.43	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
05/03/00	172.67	166.81	5.86	100 ²	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	
07/28/00	172.67	166.76	5.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	
11/13/00	172.67	166.69	5.98	82.8 ³	0.825	<0.500	<0.500	<0.500	25.0	--	--	--	--	
02/15/01	172.67	167.25	5.42	161 ⁴	0.808	<0.500	<0.500	<0.500	30.3	--	--	--	--	
05/31/01	172.67	166.91	5.76	120 ²	3.0	<0.50	<0.50	<0.50	29/26 ⁵	--	--	--	--	
08/30/01 ⁶	172.67	166.55	6.12	450	2.2	<0.50	<0.50	<0.50	--/27 ⁵	--	--	--	--	
11/29/01	172.67	167.29	5.38	250	1.3	<0.50	<0.50	<1.5	17	--	--	--	--	
02/05/02	172.67	166.97	5.70	190	1.3	<0.50	<0.50	<1.5	7.5	--	--	--	--	
05/16/02 ⁸	172.67	166.63	6.04	230	0.87	<0.50	<0.50	<1.5	5.3	--	35	<2	640	
08/15/02	172.67	166.73	5.94	200	2.7	<0.50	<0.50	<1.5	3.3	--	--	--	--	
11/05/02	172.67	166.42	6.25	340	<0.50	<0.50	<0.50	<1.5	2.7	--	--	--	--	
MW-3														
10/29/93	172.60	164.96	7.64	110	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
02/25/94	172.60	166.22	6.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
04/04/94	172.60	165.21	7.39	--	--	--	--	--	--	--	--	--	--	
04/29/94	172.60	165.62	6.98	--	--	--	--	--	--	--	--	--	--	
06/13/94	172.60	165.15	7.45	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	2.0	<0.5	220	
06/30/94	172.60	165.05	7.55	--	--	--	--	--	--	--	--	--	--	
07/28/94	172.60	164.93	7.67	--	--	--	--	--	--	--	--	--	--	
08/31/94	172.60	164.81	7.79	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	1.6	<0.5	320	
11/11/94	172.60	165.73	6.87	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-3 (cont)													
02/01/95	172.60	167.03	5.57	89	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	172.60	165.79	6.81	--	--	--	--	--	--	--	--	--	--
08/22/95	172.60	165.35	7.25	190	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	172.60	165.70	6.90	--	--	--	--	--	--	--	--	--	--
01/26/96	172.60	167.35	5.25	160	<2.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	172.60	165.55	7.05	--	--	--	--	--	--	--	--	--	--
10/03/96	170.47	165.29	5.18	150	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	170.47	166.27	4.20	88	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	170.47	165.37	5.10	--	--	--	--	--	--	--	--	--	--
07/22/97	170.47	165.15	5.32	180	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	170.47	165.12	5.35	--	--	--	--	--	--	--	--	--	--
02/11/98	170.47	167.47	3.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	170.47	165.96	4.51	--	--	--	--	--	--	--	--	--	--
08/07/98	170.47	165.26	5.21	110	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	170.47	165.35	5.12	--	--	--	--	--	--	--	--	--	--
03/02/99	170.47	166.19	4.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	170.47	165.82	4.65	--	--	--	--	--	--	--	--	--	--
08/24/99	170.47	164.76	5.71	352	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	170.47	164.64	5.83	--	--	--	--	--	--	--	--	--	--
02/03/00	170.47	165.55	4.92	140	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	170.47	165.54	4.93	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
07/28/00	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
11/13/00	170.47	165.29	5.18	--	--	--	--	--	--	--	--	--	--
02/15/01	170.47	166.10	4.37	310 ⁴	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	170.47	165.62	4.85	230 ²	<1.0	<1.0	<1.0	<1.0	5.2/2.4 ⁵	--	--	--	--
08/30/01	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
11/29/01	170.47	166.12	4.35	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/05/02	170.47	165.63	4.84	360	<0.50	<0.50	<0.50	<1.5	2.8	--	--	--	--
05/16/02 ⁹	170.47	165.37	5.10	340	<0.50	<0.50	<0.50	<1.5	3.4	--	37	<2	990
08/15/02	170.47	164.91	5.56	370	<0.50	<0.50	<0.50	<1.5	3.1	--	--	--	--
11/05/02	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-4													
10/29/93	170.68	165.18	5.50	640	6.7	3.3	0.6	6.7	--	--	--	--	--
02/25/94	170.68	165.86	4.82	450	20	0.8	12	6.0	--	--	--	--	--
04/04/94	170.68	165.23	5.45	--	--	--	--	--	--	--	--	--	--
04/29/94	170.68	165.45	5.23	--	--	--	--	--	--	--	--	--	--
06/13/94	170.68	165.14	5.54	1,700	130	1.4	100	11	--	22	59	13	180
06/30/94	170.68	165.13	5.55	--	--	--	--	--	--	--	--	--	--
07/28/94	170.68	165.06	5.62	--	--	--	--	--	--	--	--	--	--
08/31/94	170.68	165.00	5.68	800	17	3.5	9.3	4.4	--	25	53	22	510
11/11/94	170.68	165.46	5.22	500	26	<0.5	30	4.3	--	--	--	--	--
02/01/95	170.68	165.12	5.56	1,600	180	<2.0	31	42	--	--	--	--	--
05/18/95	170.68	165.70	4.98	1,300	130	<2.0	140	5.5	--	--	--	--	--
08/22/95	170.68	165.35	5.33	970	50	<1.2	75	<1.2	--	--	--	--	--
11/01/95	170.68	165.28	5.40	320	3.3	<0.5	4.1	<0.5	27	--	--	--	--
01/26/96	170.68	166.40	4.28	1,400	65	<2.5	98	71	100	--	--	--	--
05/08/96	170.68	165.33	5.35	610	28	1.2	58	4.4	70	--	--	--	--
10/03/96	171.70	165.48	6.22	210	4.2	<0.5	<0.5	<0.5	12	--	--	--	--
02/04/97	171.70	166.57	5.13	60	4.4	<0.5	<0.5	<0.5	--	--	--	--	--
04/30/97	171.70	165.60	6.10	870	49	<2.0	100	<2.0	18	--	--	--	--
07/22/97	171.70	165.36	6.34	420	16	<0.5	23	<0.5	9.4	--	--	--	--
11/03/97	171.70	165.35	6.35	370	8.1	0.54	10	7.6	30	--	--	--	--
02/11/98	171.70	167.16	4.54	<50	2.0	0.58	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	171.70	166.25	5.45	230	13	2.3	37	4.3	15	--	--	--	--
08/07/98	171.70	166.57	5.13	85	4.8	<0.5	11	0.87	57	--	--	--	--
11/05/98	171.70	165.31	6.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	171.70	166.65	5.05	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	171.70	166.40	5.30	<50	0.9	<0.5	0.843	<0.5	<5.0	--	--	--	--
08/24/99	171.70	164.35	7.35	<50	0.893	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	171.70	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/03/00	171.70	166.35	5.35	<50	<0.5	<0.5	<0.5	<0.5	2.9	--	--	--	--
05/03/00	171.70	165.72	5.98	110 ²	1.1	<0.50	0.51	<0.50	12	--	--	--	--
07/28/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING											

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (pph)	B (pph)	T (ppb)	E (ppb)	X (pph)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)	
MW-4 (cont)														
11/13/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING					--	--	--	--	--	--	--	--
02/15/01	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING					--	--	--	--	--	--	--	
05/31/01	171.70	166.62	5.08	<50	0.63	<0.50	<0.50	<0.50	<2.5/<2.0 ⁵	--	--	--	--	
08/30/01 ⁶	171.70	165.30	6.40	560	3.6	<0.50	21	1.3	--/<5.0 ⁵	--	--	--	--	
11/29/01	171.70	166.05	5.65	210	1.5	<0.50	6.6	<1.5	<5.0	--	--	--	--	
02/05/02	171.70	165.83	5.87	71	<0.50	<0.50	1.0	<1.5	<2.5	--	--	--	--	
05/16/02 ¹⁰	171.70	165.49	6.21	160	<0.50	<0.50	<0.50	<1.5	4.9	--	46	<2	420	
08/15/02	171.70	165.49	6.21	150	2.8	<0.50	2.5	<1.5	2.5	--	--	--	--	
11/05/02	171.70	165.24	6.46	290	<0.50	<0.50	<0.50	<1.5	6.5	--	--	--	--	
TRIP BLANK														
02/25/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
06/13/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
08/31/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
11/11/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
02/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
05/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
08/22/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
11/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
01/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
05/08/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
10/03/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
02/04/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
04/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
07/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
02/11/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
05/08/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
08/07/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
11/05/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	
03/02/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	
05/17/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
TRIP BLANK (cont)													
08/24/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
02/15/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
08/30/01 ⁶	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	--/ <5.0 ⁵	--	--	--	--
QA													
11/29/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
02/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/16/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
08/15/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
11/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

1,2-DCE = 1,2-Dichloroethene

TCE = Trichloroethene

DCFM = Dichlorodifluoromethane

PCE = Tetrachloroethene

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

¹ No value for MTBE could be determined; see lab report.

² Laboratory report indicates discrete peaks.

³ Laboratory report indicates unidentified hydrocarbons C6-C12.

⁴ Laboratory report indicates single analyte peak(s) are present in the requested fuel quantitation range. Fuel hydrocarbon is not present.

⁵ MTBE by EPA Method 8260.

⁶ TPH-G and BTEX by EPA Method 8260.

⁷ Analyses for trans-1,2-DCE was detected at 3 ppb, and cis-1,2-DCE was detected at 9 ppb.

⁸ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 10 ppb.

⁹ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 8 ppb.

¹⁰ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 28 ppb.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID	DATE	METHANOL (ppm)	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-1	05/31/01	<1.000	<500	<20	2.1	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
MW-2	05/31/01	<1.000	<500	<20	26	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	27	--	--	--	--	--
MW-3	05/31/01	<1.000	<500	<20	2.4	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	INACCESSIBLE - TRUCK PARKED OVER WELL					--	--	--	--
MW-4	05/31/01	<1.000	<500	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
TRIP BLANK	08/30/01	--	--	--	<5.0	--	--	--	--	--

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = Ethylene dibromide
(ppm) = Parts per million
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHODS:

EPA Method 8015 (Modified) for Methanol
EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 11-5-02 (inclusive)
 City: Castro Valley, CA Sampler: K. Kelly

Well ID: MW-1 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 18.29 ft.
 Depth to Water: 7.33 ft.
 Volume Factor (VF) table:

3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

 xVF 0.17 = 1.86 x3 (case volume) = Estimated Purge Volume: 5.58 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1033 Weather Conditions: Clear
 Sample Time/Date: 1047 / 11-5-02 Water Color: Light tan Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: Light Silt
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1036</u>	<u>2.0</u>	<u>7.95</u>	<u>603</u>	<u>17.1</u>	_____	_____
<u>1039</u>	<u>4.0</u>	<u>7.40</u>	<u>504</u>	<u>19.4</u>	_____	_____
<u>1043</u>	<u>6.0</u>	<u>7.34</u>	<u>548</u>	<u>19.0</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>Lancaster</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 11-5-02 (inclusive)
 City: Castro Valley, CA Sampler: K Kelly

Well ID: MW-2 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 16.61 ft.
 Depth to Water: 6.25 ft.
10.36 xVF 0.14 = 1.76 x3 (case volume) = Estimated Purge Volume: 5.28 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1158 Weather Conditions: Clear
 Sample Time/Date: 1210 11-5-02 Water Color: Clear/Yellow Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: Light Silt
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1201</u>	<u>1.75</u>	<u>7.26</u>	<u>554</u>	<u>22.5</u>		
<u>1203</u>	<u>3.0</u>	<u>7.07</u>	<u>556</u>	<u>22.2</u>		
<u>1206</u>	<u>5.25</u>	<u>7.21</u>	<u>576</u>	<u>21.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>Lancaster</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 11-5-02 (inclusive)
 City: Castro Valley, CA Sampler: K. Kelly

Well ID: MW-3
 Well Diameter: 2 in.
 Total Depth: 17.51 ft.
 Depth to Water: _____ ft.

Well Condition: Car Parked over well Monitor only

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

_____ xVF _____ = _____ x3 (case volume) = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: Clear
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-3	x voa vial	YES	HCL	Lancaster	TPH-G(8015)/BTEX+MTBE(8021)

COMMENTS: Monitor Only! Car Parked over well!

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 11-05-02 (inclusive)
 City: Castro Valley, CA Sampler: K. Kelly

Well ID: MW-4 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 17.81 ft.
 Depth to Water: 6.46 ft.
11.35 xVF 0.17 = 1.92 x3 (case volume) = Estimated Purge Volume: 5.78 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment: Disposable Bailer Stainless Steel Bailer _____ Stack Pump _____ Suction Pump _____ Grundfos _____ Other: _____

Sampling Equipment: Disposable Bailer Pressure Bailer _____ Discrete Bailer _____ Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1103 Weather Conditions: Clear
 Sample Time/Date: 1145 / 11-5-02 Water Color: Clear Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: Light Silt
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1133</u>	<u>2.0</u>	<u>7.48</u>	<u>487</u>	<u>23.0</u>	_____	_____
<u>1137</u>	<u>4.0</u>	<u>7.13</u>	<u>472</u>	<u>22.9</u>	_____	_____
<u>1140</u>	<u>5.75</u>	<u>7.06</u>	<u>479</u>	<u>22.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>Lancaster</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: 1105 Wkt + No buy new Batteries for meter

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



61P # 829964
For Lancaster Laboratories use only

Acct. #: 10905 Sample #: 3935127-30 SCR#: _____

110602-006

Facility #: 9-4930 Job#386509 Global ID# T0600100137
 Site Address: 3369 Castro Valley Blvd., Castro Valley, CA
 Chevron PM: Karen Streich Lead Consultant: Delta/G-R
 Consultant/Office: G-R Inc, 6747 Sierra Ct, Dublin, CA 94568
 Consultant Prj. Mgr.: Deanna L. Harding Deanna@grinc.com
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Kristina Kelly
 Service Order #: _____ Non SAR: _____

Matrix

Potable
 NPDES
 Water
 Oil
 Air

Total Number of Containers _____

Analyses Requested

Preservation Codes		Preservative Codes	
#	Matrix	H	T
8TEX + MTBE 8260	<input checked="" type="checkbox"/> 8021A		
TPH 8015 MOD GRO	<input type="checkbox"/> Silica Gel Cleanup		
TPH 8015 MOD DRO	<input type="checkbox"/> 8260 full scan		
8260 full scan	<input type="checkbox"/> Oxygenates		
Lead 7420	<input type="checkbox"/> 7421		

Preservative Codes

H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation

Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	8TEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421
QA	11-502					W			2	X	X					
MW-1	↓	1047	X			↓			6	X	X					
MW-2	↓	1210	X			↓			6	X	X					
MW-4	↓	1145	X			↓			6	X	X					

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)

STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>Kristina Kelly</u>	Date: <u>11/5/02</u>	Time: _____	Received by: <u>[Signature]</u>	Date: <u>11/6/02</u>	Time: <u>1430</u>
Relinquished by: <u>[Signature]</u>	Date: <u>11/6/02</u>	Time: <u>1430</u>	Received by: <u>[Signature]</u>	Date: <u>11/6/02</u>	Time: <u>1475</u>
Relinquished by: <u>[Signature]</u>	Date: <u>11/6/02</u>	Time: <u>1630</u>	Received by: <u>FedEx</u>	Date: <u>11/6/02</u>	Time: _____
Relinquished by Commercial Carrier: UPS <input checked="" type="checkbox"/> FedEx Other _____	Temperature Upon Receipt: <u>2.0</u> °C		Received by: <u>[Signature]</u>	Date: <u>11/7/02</u>	Time: <u>0920</u>
Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					



ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 829764. Samples arrived at the laboratory on Thursday, November 07, 2002. The PO# for this group is 99011184 and the release number is STREICH.


<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-021105	NA	Water	3935127
MW-1-W-021105	Grab	Water	3935128
MW-2-W-021105	Grab	Water	3935129
MW-4-W-021105	Grab	Water	3935130

1 COPY TO Delta C/O Gettler-Ryan

Attn: Deanna L. Harding

Questions? Contact your Client Services Representative
Teresa M Lis at (717) 656-2300.

Respectfully Submitted,


Tina L. Thoman
Senior Chemist/Coordinator





Lancaster Laboratories Sample No. WW 3935127

Collected: 11/05/2002 00:00

Account Number: 10905

Submitted: 11/07/2002 09:15
 Reported: 11/12/2002 at 13:48
 Discard: 12/13/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

QA-T-021105 NA Water
 Facility# 94930 Job# 386509 GRD
 3369 Castro Valley Blvd T0600100137 QA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	11/08/2002 03:59	Linda C Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	11/08/2002 03:59	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/08/2002 03:59	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected above the Reporting Limit



Lancaster Laboratories, Inc.
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3935128

Collected: 11/05/2002 10:47 by KK

Account Number: 10905

Submitted: 11/07/2002 09:15

Reported: 11/12/2002 at 13:48

Discard: 12/13/2002

MW-1-W-021105

Grab

Water

Facility# 94930 Job# 386509

GRD

3369 Castro Valley Blvd. T0600100137 MW-1

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	130.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	1.9	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D. #	5.0	ug/l	1
Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	11/08/2002 04:32	Linda C Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	11/08/2002 04:32	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/08/2002 04:32	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
N.D.=Not detected or above the Reporting Limit



Lancaster Laboratories, Inc.
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3935129**

Collected: 11/05/2002 12:10 by **KK**

Account Number: **10905**

Submitted: 11/07/2002 09:15
 Reported: 11/12/2002 at 13:48
 Discard: 12/13/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MW-2-W-021105 Grab Water
 Facility# 94930 Job# 386509 GRD
 3369 Castro Valley Blvd. T0600100137 MW-2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	340.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	2.7	2.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	11/08/2002 05:06	Linda C Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	11/08/2002 05:06	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/08/2002 05:06	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected at or above the Reporting Limit



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3935130

Collected: 11/05/2002 11:45 by KK

Account Number: 10905

Submitted: 11/07/2002 09:15
 Reported: 11/12/2002 at 13:48
 Discard: 12/13/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MW-4-W-021105 Grab Water GRD
 Facility# 94930 Job# 386509
 3369 Castro Valley Blvd. T0600100137 MW-4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	290.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	6.5	2.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	11/08/2002 05:39	Linda C Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	11/08/2002 05:39	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/08/2002 05:39	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit



Lancaster Laboratories, Inc.
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Quality Control Summary

Client Name: ChevronTexaco
 Reported: 11/12/02 at 01:48 PM

Group Number: 829764

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 02311A16A Sample number(s): 3935127-3935130								
Benzene	N.D.	.2	ug/l	97	99	80-118	2	30
Toluene	N.D.	.2	ug/l	92	95	82-119	3	30
Ethylbenzene	N.D.	.2	ug/l	92	94	81-119	2	30
Total Xylenes	N.D.	.6	ug/l	94	95	82-120	2	30
Methyl tert-Butyl Ether	N.D.	.3	ug/l	94	94	79-127	0	30
TPH-GRO - Waters	N.D.	50.	ug/l	102	104	74-116	2	30

Sample Matrix Quality Control

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>BKG MAX</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 02311A16A Sample number(s): 3935127-3935130								
Benzene	111	111	83-130	0	30			
Toluene	107	108	87-129	1	30			
Ethylbenzene	105	106	86-133	1	30			
Total Xylenes	107	109	86-132	1	30			
Methyl tert-Butyl Ether	106	108	66-140	1	30			
TPH-GRO - Waters	50*	67*	74-132	23	30			

Surrogate Quality Control

Analysis Name: BTEX, MTBE (8021)
 Batch number: 02311A16A

	<u>Trifluorotoluene-F</u>	<u>Trifluorotoluene-P</u>
3935127	113	120
3935128	109	120
3935129	113	126
3935130	114	120
Blank	109	119
LCS	116	119
LCSD	114	119
MS	111	121
MSD	113	120
Limits:	57-146	71-130

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681